Tsunami inundation modeling in constructed environm comparison of free-surface elevation, velocity, and mor

Coastal Engineering 79, 9-21 DOI: 10.1016/j.coastaleng.2013.04.002

Citation Report

#	Article	IF	CITATIONS
1	Experimental and Analytical Study of Water-Driven Debris Impact Forces on Structures1. Journal of Offshore Mechanics and Arctic Engineering, 2014, 136, .	1.2	35
2	Application of fragility curves to estimate building damage and economic loss at a community scale: a case study of Seaside, Oregon. Natural Hazards, 2014, 71, 2043-2061.	3.4	53
3	Laboratory experiments of tsunami run-up and withdrawal in patchy coastal forest on a steep beach. Natural Hazards, 2014, 74, 1933-1949.	3.4	30
4	Source and progression of a submarine landslide and tsunami: The 1964 Great Alaska earthquake at Valdez. Journal of Geophysical Research: Solid Earth, 2014, 119, 8502-8516.	3.4	42
5	Nearâ€field tsunami inundation forecast using the parallel TUNAMIâ€N2 model: Application to the 2011 Tohokuâ€Oki earthquake combined with source inversions. Geophysical Research Letters, 2015, 42, 1083-1091.	4.0	72
6	Unstructured Mesh Tsunami Simulation Considering the Fine Structure of Land Use. Journal of Japan Society of Civil Engineers Ser B2 (Coastal Engineering), 2015, 71, I_313-I_318.	0.4	0
7	Long Wave Flow Interaction with a Single Square Structure on a Sloping Beach. Journal of Marine Science and Engineering, 2015, 3, 821-844.	2.6	27
8	QUASI-3D SIMULATION OF TSUNAMI INUNDATION IN CITY SCALE MODEL. Journal of Japan Society of Civil Engineers Ser B2 (Coastal Engineering), 2015, 71, I_169-I_174.	0.4	1
9	TSUNAMI INUNDATION MODELING: SENSITIVITY OF VELOCITY AND MOMENTUM FLUX TO BOTTOM FRICTION WITH APPLICATION TO BUILDING DAMAGE AT SEASIDE, OREGON. Coastal Engineering Proceedings, 2015, 1, 1.	0.1	9
10	An empirical solution for tsunami run-up on compound slopes. Natural Hazards, 2015, 76, 1727-1743.	3.4	14
11	Tsunami propagation over varying water depths. Ocean Engineering, 2015, 101, 67-77.	4.3	20
12	Optical Measurements of Tsunami Inundation and Debris Movement in a Large-Scale Wave Basin. Journal of Waterway, Port, Coastal and Ocean Engineering, 2015, 141, .	1.2	32
13	Modeling of SMF tsunami hazard along the upper US East Coast: detailed impact around Ocean City, MD. Natural Hazards, 2015, 76, 705-746.	3.4	55
14	The Eltanin impact and its tsunami along the coast of South America: Insights for potential deposits. Earth and Planetary Science Letters, 2015, 409, 175-181.	4.4	11
15	Boussinesq Models and Their Application to Coastal Processes across a Wide Range of Scales. Journal of Waterway, Port, Coastal and Ocean Engineering, 2016, 142, .	1.2	79
16	Physical modelling of tsunami onshore propagation, peak pressures, and shielding effects in an urban building array. Coastal Engineering, 2016, 117, 97-112.	4.0	48
17	A proposed methodology for deriving tsunami fragility functions for buildings using optimum intensity measures. Natural Hazards, 2016, 84, 1257-1285.	3.4	54
18	Probabilistic assessment of near-field tsunami hazards: Inundation depth, velocity, momentum flux, arrival time, and duration applied to Seaside, Oregon. Coastal Engineering, 2016, 117, 79-96.	4.0	61

#	Article	IF	CITATIONS
19	Development of Estimation Method of Tsunami Wave Pressure Exerting on Land Structure Using Depth-Integrated Flow Model. Coastal Engineering Journal, 2016, 58, 1640021-1-1640021-18.	1.9	14
20	TSUNAMI INUNDATION EXPERIMENT USING COASTAL CITY MODEL. Journal of Japan Society of Civil Engineers Ser B2 (Coastal Engineering), 2016, 72, I_385-I_390.	0.4	2
21	The development of tsunami inundation map for Penang using TUNA-RP. AIP Conference Proceedings, 2016, , .	0.4	4
22	Empirical wave run-up formula for wave, storm surge and berm width. Coastal Engineering, 2016, 115, 67-78.	4.0	27
23	An agent-based model of a multimodal near-field tsunami evacuation: Decision-making and life safety. Transportation Research Part C: Emerging Technologies, 2016, 64, 86-100.	7.6	173
24	Propagation of a Tsunami in the Ocean and Its Interaction with the Coast. , 2016, , 311-358.		0
25	Comparison of inundation depth and momentum flux based fragilities for probabilistic tsunami damage assessment and uncertainty analysis. Coastal Engineering, 2017, 122, 10-26.	4.0	61
26	Effects of a Macro-Roughness Element on Tsunami Wave Amplification, Pressures, and Loads: Physical Model and Comparison to Japanese and US Design Equations. Coastal Engineering Journal, 2017, 59, 1750004-1-1750004-25.	1.9	12
27	Inter-model analysis of tsunami-induced coastal currents. Ocean Modelling, 2017, 114, 14-32.	2.4	79
28	Impact of Patchy Vegetation on Tsunami Dynamics. Journal of Waterway, Port, Coastal and Ocean Engineering, 2017, 143, .	1.2	13
29	Multi-Scale Modeling of a 500-Year CSZ Tsunami Inundation with Constructed Environment. , 2017, , .		1
31	Temporal and Spatial Evolution of Potential Energy, Kinetic Energy, and Momentum Flux in Tsunami Waves during Breaking and Inundation. Journal of Waterway, Port, Coastal and Ocean Engineering, 2017, 143, 04017018.	1.2	2
32	Performance-Based Tsunami Engineering methodology for risk assessment of structures. Engineering Structures, 2017, 141, 676-686.	5.3	54
33	Methodology for Development of Physics-Based Tsunami Fragilities. Journal of Structural Engineering, 2017, 143, .	3.4	42
34	Hurricane Damage Classification Methodology and Fragility Functions Derived from Hurricane Sandy's Effects in Coastal New Jersey. Journal of Waterway, Port, Coastal and Ocean Engineering, 2017, 143, .	1.2	48
35	Experimental modeling of horizontal and vertical wave forces on an elevated coastal structure. Coastal Engineering, 2017, 128, 58-74.	4.0	72
36	Probabilistic Seismic and Tsunami Hazard Analysis Conditioned on a Megathrust Rupture of the Cascadia Subduction Zone. Frontiers in Built Environment, 2017, 3, .	2.3	27
37	Numerical simulation of nonlinear long waves in the presence of discontinuous coastal vegetation. Marine Geology, 2018, 396, 142-149.	2.1	8

#	Article	IF	CITATIONS
39	Tsunami versus Infragravity Surge: Comparison of the Physical Character of Extreme Runup. Geophysical Research Letters, 2018, 45, 12,982.	4.0	14
40	A comparison of a two-dimensional depth-averaged flow model and a three-dimensional RANS model for predicting tsunami inundation and fluid forces. Natural Hazards and Earth System Sciences, 2018, 18, 2489-2506.	3.6	23
41	Flux closures and source term models for shallow water models with depth-dependent integral porosity. Advances in Water Resources, 2018, 122, 1-26.	3.8	20
42	Probabilistic Tsunami Hazard Assessment (PTHA) for resilience assessment of a coastal community. Natural Hazards, 2018, 94, 1117-1139.	3.4	19
43	Numerical modelling of flow in Little Pigeon Bay due to the 2016 Kaikoura tsunami. Ocean Engineering, 2018, 159, 228-236.	4.3	6
44	Three-dimensional modeling of tsunami forces on coastal communities. Coastal Engineering, 2018, 140, 43-59.	4.0	27
45	Energy Grade Line Analysis of Tsunami run-up on the Sendai Plain after the 2011 Tohoku earthquake. Coastal Engineering, 2018, 140, 306-315.	4.0	3
46	Performance Comparison of NAMI DANCE and FLOW-3D® Models in Tsunami Propagation, Inundation and Currents using NTHMP Benchmark Problems. Pure and Applied Geophysics, 2019, 176, 3115-3153.	1.9	14
47	Numerical modeling of tsunami inundation using upscaled urban roughness parameterization. Coastal Engineering, 2019, 152, 103534.	4.0	12
48	Temporal and Topographic Source Effects on Tsunami Generation. Journal of Geophysical Research: Oceans, 2019, 124, 5270-5288.	2.6	8
49	Accelerating an Adaptive Mesh Refinement Code for Depthâ€Averaged Flows Using GPUs. Journal of Advances in Modeling Earth Systems, 2019, 11, 2606-2628.	3.8	12
50	Effects of advection on predicting construction debris for vulnerability assessment under multi-hazard earthquake and tsunami. Coastal Engineering, 2019, 153, 103541.	4.0	14
51	Technical note: Laboratory modelling of urban flooding: strengths and challenges of distorted scale models. Hydrology and Earth System Sciences, 2019, 23, 1567-1580.	4.9	11
52	Performance-Based Tsunami Engineering for Risk Assessment of Structures Subjected to Multi-Hazards: Tsunami following Earthquake. Journal of Earthquake Engineering, 0, , 1-20.	2.5	23
53	An Application of Semi-empirical Physical Model of Tsunami-Bore Pressure on Buildings. Frontiers in Built Environment, 2019, 5, .	2.3	13
54	Physical Modeling and Numerical Analysis of Tsunami Inundation in a Coastal City. Frontiers in Built Environment, 2019, 5, .	2.3	22
55	Review of resilience assessment of coastal bridges to extreme wave-induced loads. Engineering Structures, 2019, 185, 332-352.	5.3	29
56	Experimental modelling of urban flooding: A review. Journal of Hydrology, 2019, 568, 334-342.	5.4	129

#	Article	IF	CITATIONS
57	A deterministic approach for assessing tsunami-induced building damage through quantification of hydrodynamic forces. Coastal Engineering, 2019, 144, 1-14.	4.0	17
58	Engineering lessons from the 28 September 2018 Indonesian tsunami: debris loading. Canadian Journal of Civil Engineering, 2020, 47, 1-12.	1.3	28
59	Probabilistic tsunami hazard assessment and its application to southeast coast of Hainan Island from Manila Trench. Coastal Engineering, 2020, 155, 103596.	4.0	14
60	Masonry structures subjected to tsunami loads: Modeling issues and application to a case study. Structures, 2020, 27, 2192-2207.	3.6	5
61	Forces on buildings with openings and orientation in a steady post-tsunami free-surface flow. Coastal Engineering, 2020, 161, 103753.	4.0	14
62	Experimental Study on Uniform and Mixed Bed-Load Sediment Transport under Unsteady Flow. Applied Sciences (Switzerland), 2020, 10, 2002.	2.5	2
63	Tsunami-Like Wave Forces on an Elevated Coastal Structure: Effects of Flow Shielding and Channeling. Journal of Waterway, Port, Coastal and Ocean Engineering, 2020, 146, .	1.2	27
64	Performance assessment of the Tsunami-HySEA model for NTHMP tsunami currents benchmarking. Laboratory data. Coastal Engineering, 2020, 158, 103667.	4.0	24
65	Stability of Composite Breakwaters under Tsunami Attack. Journal of Waterway, Port, Coastal and Ocean Engineering, 2020, 146, .	1.2	9
66	Comparing Patterns of Hurricane Washover into Built and Unbuilt Environments. Earth's Future, 2021, 9, e2020EF001818.	6.3	10
67	Tsunami loads on slab bridges. Coastal Engineering, 2021, 165, 103853.	4.0	8
68	Probabilistic Tsunami Hazard and Risk Analysis: A Review of Research Gaps. Frontiers in Earth Science, 2021, 9, .	1.8	65
69	Influence of Orientation and Arrangement of Structures on Tsunami Impact Forces: Numerical Investigation with Smoothed Particle Hydrodynamics. Journal of Waterway, Port, Coastal and Ocean Engineering, 2021, 147, 04021006.	1.2	16
70	Experimental study of debris transport driven by a tsunami-like wave: Application for non-uniform density groups and obstacles. Coastal Engineering, 2021, 166, 103867.	4.0	14
71	Distribution planning problem of a supply chain of perishable products under disruptions and demand stochasticity. International Journal of Productivity and Performance Management, 2023, 72, 246-278.	3.7	2
72	Experimental and numerical investigation on tsunami run-up flow around coastal buildings. Coastal Engineering Journal, 2021, 63, 485-503.	1.9	6
73	Tsunami wave run-up load reduction inside a building array. Coastal Engineering, 2021, 169, 103910.	4.0	15
74	Numerical Simulation of Urban Inundation Processes and Their Hydraulic Quantities – Tsunami Analysis Hackathon Theme 1 –. Journal of Disaster Research, 2021, 16, 978-993.	0.7	4

#	Article	IF	CITATIONS
75	A physical model of tsunami inundation and wave pressures for an idealized coastal industrial site. Coastal Engineering, 2021, 169, 103970.	4.0	17
76	A Study on Stable Generation of Tsunami in Hydraulic/Numerical Wave Tank. Journal of the Korean Society of Civil Engineers, 2016, 36, 805-817.	0.1	5
77	Precise Prediction of Coastal and Overland Flow Dynamics: A Grand Challenge or a Fool's Errand. Journal of Disaster Research, 2016, 11, 615-623.	0.7	16
78	Physical Modeling of Horizontal and Vertical Tsunami Forces on the Elevated Overland Structure. Journal of Coastal Research, 2019, 91, 51.	0.3	4
79	Effects of Waveform Distribution of Tsunami-Like Solitary Wave on Run-up on Impermeable Slope. Journal of Ocean Engineering and Technology, 2019, 33, 76-84.	1.2	7
80	Modeling and Simulation of Tsunami Impact: A Short Review of Recent Advances and Future Challenges. Geosciences (Switzerland), 2021, 11, 5.	2.2	25
81	Tsunami modelling, Validation of EOLE CFD code on academic test cases. , 0, , .		1
82	Effects of Tsunami Waveform on Energy Dissipation of Aquatic Vegetation. Journal of Ocean Engineering and Technology, 2017, 31, 121-129.	1.2	3
83	SHORT NOTE: Validation of CFD models for tsunami simulation. TANDEM Project. Revue Paralia, 0, 8, n04.1-n04.6.	0.0	2
84	Development and Application of a Building Group Destruction Probability Model Based on the Great East Japan Earthquake Tsunami Experience. Journal of Natural Disaster Science, 2017, 38, 145-164.	0.4	1
86	Physical Modeling of Horizontal Force on the Inland Vertical Structure by Tsunami-like Waves. Journal of Korean Society of Coastal and Ocean Engineers, 2017, 29, 363-368.	0.4	1
88	Element of the Coastal Disaster Risk Information System, Taking into Account Engineering and Socio-economic Applications. Lecture Notes in Civil Engineering, 2022, , 89-96.	0.4	0
89	EXPERIMENTAL STUDY OF TSUNAMI AND STORM SURGE INUNDATION USING COASTAL CITY MODEL. Journal of Japan Society of Civil Engineers Ser B2 (Coastal Engineering), 2020, 76, I_373-I_378.	0.4	1
90	EFFECTS OF ACCURACY OF SPATIO-TEMPORAL COMPUTATION OF FLUID MODEL AND DIFFERENCES IN INITIAL CONDITION OF DRIFT SIMULATION ON THE ACCURACY OF DRIFT MODEL FOR ACTUAL TOPOGRAPHY. Journal of Japan Society of Civil Engineers Ser B2 (Coastal Engineering), 2021, 77, I_331-I_336.	0.4	0
91	Variations in Building-Resolving Simulations of Tsunami Inundation in a Coastal Urban Area. Journal of Waterway, Port, Coastal and Ocean Engineering, 2022, 148, .	1.2	5
92	Experimental Investigations on Hydrodynamic Characteristics of Tsunami-Like Hydraulic Bores Impacting a Square Structure. Journal of Hydraulic Engineering, 2022, 148, .	1.5	7
93	Evacuation behaviors in tsunami drills. Natural Hazards, 2022, 112, 845-871.	3.4	14
94	Runup of breaking solitary waves on rough uniform slopes. Ocean Engineering, 2022, 245, 110551.	4.3	4

#	Article	IF	CITATIONS
95	A conceptual beachhead: "Beaches and dunes of human-altered coasts―by Karl F. Nordstrom (1994). Progress in Physical Geography, 0, , 030913332110546.	3.2	1
96	Cascade earthquake and tsunami hazard assessment: A deterministic perspective for engineering purposes. International Journal of Disaster Risk Reduction, 2022, 75, 102952.	3.9	2
97	Experimental investigation on the characteristics of solitary and elongated solitary waves passing over vegetation belt. Journal of Ocean Engineering and Marine Energy, 2022, 8, 305-318.	1.7	1
98	Comparison of solitary wave overtopping characteristics between vertical and wave absorbing revetments. Ocean Engineering, 2022, 256, 111542.	4.3	10
99	Performance Evaluation of Seawalls in Mitigating a Real-World Tsunami Wave Using a Nonhydrostatic Numerical Wave Model. Journal of Marine Science and Engineering, 2022, 10, 796.	2.6	2
100	Improvement of empirical formulas to estimate the reduction effects by berms on irregular wave runup over a dune-berm coast. Coastal Engineering, 2022, 176, 104166.	4.0	2
101	Subgrid-scale modeling of tsunami inundation in coastal urban areas. Coastal Engineering, 2022, 177, 104175.	4.0	4
102	Runup characteristics of a tsunami-like wave on a slope beach. Ocean Engineering, 2022, 259, 111897.	4.3	5
103	Towards an integrated framework for the risk assessment of coastal structures exposed to earthquake and tsunami hazards. , 2022, 1, 57-75.		5
104	Collapse processes and associated loading of square light-frame timber structures due to bore-type waves. Coastal Engineering, 2022, 177, 104178.	4.0	3
105	Dam-Break Waves' Hydrodynamics on Composite Bathymetry. Frontiers in Built Environment, 0, 8, .	2.3	2
106	Giant tsunami monitoring, early warning and hazard assessment. Nature Reviews Earth & Environment, 2022, 3, 557-572.	29.7	14
107	Numerical modeling of debris transport due to tsunami flow in a coastal urban area. Coastal Engineering, 2023, 179, 104243.	4.0	2
108	Tsunami wave loading on a structural array behind a partial wall. Coastal Engineering, 2023, 179, 104244.	4.0	2
109	Wave–Current Impulsive Debris Loading on a Coastal Building Array. Journal of Waterway, Port, Coastal and Ocean Engineering, 2023, 149, .	1.2	1
110	Inundation Characteristics of Solitary Waves According to Revetment Type. Water (Switzerland), 2022, 14, 3814.	2.7	4
111	Numerical Investigation of Countermeasure Effects on Overland Flow Hydrodynamic and Force Mitigation in Coastal Communities. Journal of Ocean Engineering and Technology, 2022, 36, 364-379.	1.2	0
112	Low dispersion finite volume/element discretization of the enhanced Green–Naghdi equations for wave propagation, breaking and runup on unstructured meshes. Ocean Modelling, 2023, 182, 102157.	2.4	2

#	Article	IF	CITATIONS
113	Comparison of the Flow around Circular and Rectangular Emergent Cylinders with Subcritical and Supercritical Conditions. Fluids, 2023, 8, 124.	1.7	0
114	An Improved Neural Particle Method for Complex Free Surface Flow Simulation Using Physics-Informed Neural Networks. Mathematics, 2023, 11, 1805.	2.2	1
115	Knowledge-Informed Data-Driven Modeling of Coupled Human-Built–Natural Systems: The Case of Hurricane-Induced Debris. Natural Hazards Review, 2023, 24, .	1.5	0
116	Tsunami-resilient building guidelines for Sri Lankan coastal belt: a critical review and consolidation based on significant institutional perceptions. International Journal of Disaster Resilience in the Built Environment, 2023, ahead-of-print, .	1.2	0
117	Physical model comparison of gray and green mitigation alternatives for flooding and wave force reduction in an idealized urban coastal environment. Coastal Engineering, 2023, 184, 104339.	4.0	0
119	Leveraging Google's Tensor Processing Units for tsunami-risk mitigation planning in the Pacific Northwest and beyond. Geoscientific Model Development, 2023, 16, 3479-3500.	3.6	0
120	Effect of the buffer blocks in attenuating a tsunami-like flow. Ocean Engineering, 2023, 286, 115489.	4.3	0
122	Tsunami-driven debris hazard assessment at a coastal community: Focusing on shipping container debris hazards at Honolulu Harbor, Hawaii. Coastal Engineering, 2024, 187, 104408.	4.0	0
123	建物ä¼2"ç©ã@å¼2±éŸįã,'è€fæ®ã⊷ã¥å,è¡―åœºã«ãĚã'ã,‹æ¥æ³¢æµ,æ°`ê¨`ç®―. , 2023, 79, n/a.		0
124	Full Nonlinearity in Weakly Dispersive Boussinesq Models: Luxury or Necessity. Journal of Hydraulic Engineering, 2024, 150, .	1.5	0
126	Application of a subgrid-scale urban inundation model for a storm surge simulation: Case study of typhoon Haiyan. Coastal Engineering, 2024, 188, 104442.	4.0	0
127	Subgrid modeling of urban flooding incorporating buildings' effects. Physics of Fluids, 2023, 35, .	4.0	1
128	Modeling of multi-hazard warning dissemination time distributions: An agent-based approach. International Journal of Disaster Risk Reduction, 2024, 100, 104207.	3.9	0
129	Effects of solitary wave breaking on the hydrodynamic performance of a submerged horizontal plate: A physical modeling study. Ocean Engineering, 2024, 300, 117405.	4.3	0