

CITATION REPORT

List of articles citing

Association of physical activity and sedentary behavior with biological markers among U.S. pregnant women

DOI: 10.1089/jwh.2013.4394

Journal of Women's Health, 2013, 22, 953-8.

Source: <https://exaly.com/paper-pdf/54869398/citation-report.pdf>

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
40	Dyslipidemia and kidney stone risk. <i>Journal of Urology</i> , 2014 , 191, 667-72	2.5	40
39	Pre-Conception Dyslipidemia Is Associated with Development of Preeclampsia and Gestational Diabetes Mellitus. <i>PLoS ONE</i> , 2015 , 10, e0139164	3.7	31
38	Review of impacts of physical activity on maternal metabolic health during pregnancy. <i>Current Diabetes Reports</i> , 2015 , 15, 572	5.6	15
37	Accelerometer-measured sedentary time and cardiometabolic biomarkers: A systematic review. <i>Preventive Medicine</i> , 2015 , 76, 92-102	4.3	147
36	The impact of an exercise intervention on C - reactive protein during pregnancy: a randomized controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2015 , 15, 139	3.2	6
35	Lipid changes throughout pregnancy according to pre-pregnancy BMI: results from a prospective cohort. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016 , 123, 570-8	3.7	37
34	Trajectories of objectively-measured physical activity and sedentary time over the course of pregnancy in women self-identified as inactive. <i>Preventive Medicine Reports</i> , 2016 , 3, 353-60	2.6	40
33	Effects of supervised aerobic and strength training in overweight and grade I obese pregnant women on maternal and foetal health markers: the GESTAFIT randomized controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2016 , 16, 290	3.2	23
32	Sedentary behavior & health-related quality of life among congestive heart failure patients. <i>International Journal of Cardiology</i> , 2016 , 220, 520-3	3.2	16
31	Sedentary behavior in obese pregnant women is associated with inflammatory markers and lipid profile but not with glucose metabolism. <i>Cytokine</i> , 2016 , 88, 91-98	4	12
30	The Effectiveness of a Physical Activity Educational Campaign in a Rural Obstetrics and Gynecology Office. <i>Maternal and Child Health Journal</i> , 2016 , 20, 2112-20	2.4	3
29	Pregnancy Interventions or Behaviors and Cardiometabolic Biomarkers: a Systematic Review. <i>Current Epidemiology Reports</i> , 2016 , 3, 27-38	2.9	1
28	Associations Between Parity, Obesity, and Cardiovascular Risk Factors Among Middle-Aged Women. <i>Journal of Women's Health</i> , 2016 , 25, 818-25	3	4
27	Sedentary behaviours during pregnancy: a systematic review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017 , 14, 32	8.4	72
26	Exercise during pregnancy on maternal lipids: a secondary analysis of randomized controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2017 , 17, 396	3.2	12
25	Measuring Sedentary Behavior During Pregnancy: Comparison Between Self-reported and Objective Measures. <i>Maternal and Child Health Journal</i> , 2018 , 22, 968-977	2.4	7
24	Exercise during early pregnancy is associated with greater sleep continuity. <i>Behavioral Sleep Medicine</i> , 2018 , 16, 482-493	4.2	26

23	Exercise in Pregnancy and Children's Cardiometabolic Risk Factors: a Systematic Review and Meta-Analysis. <i>Sports Medicine - Open</i> , 2018 , 4, 35	6.1	8
22	Activity behaviors in lean and morbidly obese pregnant women. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018 , 28, 2189-2195	4.6	6
21	Associations of sedentary time and self-reported television time during pregnancy with incident gestational diabetes and plasma glucose levels in women at risk of gestational diabetes in the UK. <i>BMC Public Health</i> , 2019 , 19, 575	4.1	22
20	A reduction in sedentary behaviour in obese women during pregnancy reduces neonatal adiposity: the DALI randomised controlled trial. <i>Diabetologia</i> , 2019 , 62, 915-925	10.3	29
19	Acute Postexercise Change in Circulating Irisin Is Related to More Favorable Lipid Profile in Pregnant Women Attending a Structured Exercise Program and to Less Favorable Lipid Profile in Controls: An Experimental Study with Two Groups. <i>International Journal of Endocrinology</i> , 2019 , 1932503	2.7	5
18	Association between blood lipid profile and urolithiasis: A systematic review and meta-analysis of observational studies. <i>International Journal of Urology</i> , 2019 , 26, 7-17	2.3	3
17	Exploring the Association Between Physical Activity, Sedentary Behavior, and High-Sensitivity C-Reactive Protein Among Stroke Survivors. <i>Journal of Aging and Physical Activity</i> , 2019 , 27, 360-366	1.6	2
16	Influence of aerobic exercise on maternal lipid levels and offspring morphometrics. <i>International Journal of Obesity</i> , 2019 , 43, 594-602	5.5	8
15	Associations of Pregnancy Physical Activity with Maternal Cardiometabolic Health, Neonatal Delivery Outcomes and Body Composition in a Biethnic Cohort of 7305 Mother-Child Pairs: The Born in Bradford Study. <i>Sports Medicine</i> , 2020 , 50, 615-628	10.6	9
14	Associations of sleep duration, sedentary behaviours and energy expenditure with maternal glycemia in pregnancy. <i>Sleep Medicine</i> , 2020 , 65, 54-61	4.6	2
13	Association of sedentary time and physical activity levels with immunometabolic markers in early pregnancy: The GESTAFIT project. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020 , 30, 148-158	4.6	6
12	Leisure Time Physical Activity, Sedentary Time in Pregnancy, and Infant Weight at Approximately 12 Months. <i>Women's Health Reports</i> , 2020 , 1, 123-131	0.5	
11	The effects of aerobic exercise on markers of maternal metabolism during pregnancy. <i>Birth Defects Research</i> , 2021 , 113, 227-237	2.9	1
10	Physical activity and sedentary time during pregnancy and associations with maternal and fetal health outcomes: an epidemiological study. <i>BMC Pregnancy and Childbirth</i> , 2021 , 21, 166	3.2	2
9	The interaction between metabolic syndrome and physical activity, and risk for gestational diabetes mellitus. <i>Acta Diabetologica</i> , 2021 , 58, 939-947	3.9	1
8	Higher number of steps and breaks during sedentary behaviour are associated with better lipid profiles. <i>BMC Public Health</i> , 2021 , 21, 629	4.1	1
7	Are Pregnant Women Who Are Living with Overweight or Obesity at Greater Risk of Developing Iron Deficiency/Anaemia?. <i>Nutrients</i> , 2021 , 13,	6.7	3
6	Changes in Physical Activity and Television Viewing From Pre-pregnancy Through Postpartum Among a Socioeconomically Disadvantaged Perinatal Adolescent Population. <i>Journal of Pediatric and Adolescent Gynecology</i> , 2021 , 34, 832-838	2	0

- 5 Influence of Exercise Type on Maternal Blood Pressure Adaptation Throughout Pregnancy. *AJOG Global Reports*, **2021**, 2, 100023 ○
- 4 Measurement of Barriers, Attitudes, and Expectations for Sitting Less in Pregnancy.. *American Journal of Health Behavior*, **2021**, 45, 956-970 1.9 ○
- 3 TV time, physical activity, sedentary behaviour and cardiometabolic biomarkers in pregnancy-NHANES 2003-2006.. *Canadian Journal of Public Health*, **2022**, 3.2
- 2 Physical Activity, Body Composition, and Cardiometabolic Health During Pregnancy: A Compositional Data Approach. Publish Ahead of Print, ○
- 1 Physical activity and individual plasma phospholipid SFAs in pregnancy: a longitudinal study in a multiracial/multiethnic cohort in the United States. ○