

CITATION REPORT

List of articles citing

Investigation of field-installation effects of horizontal twin-jet grouting in Shanghai soft soil deposits

DOI: 10.1139/cgj-2012-0199

Canadian Geotechnical Journal, 2013, 50, 288-297.

Source: <https://exaly.com/paper-pdf/54894653/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
120	Performance of embankments with and without reinforcement on soft subsoil. <i>Canadian Geotechnical Journal</i> , 2002 , 39, 838-848	3.2	65
119	One-dimensional consolidation behavior of cement-treated organic soil. <i>Canadian Geotechnical Journal</i> , 2011 , 48, 1100-1115	3.2	42
118	Generalized Approach for Prediction of Jet Grout Column Diameter. 2013 , 139, 2060-2069		195
117	Current State of the Art in Jet Grouting for Stabilizing Soft Soil. 2014 ,		4
116	Evaluation of the blocking effect of retaining walls on groundwater seepage in aquifers with different insertion depths. 2014 , 183, 254-264		93
115	Factors influencing unit weight and strength of lightweight cemented clay. 2014 , 47, 101-109		20
114	Long-term settlement behaviour of metro tunnels in the soft deposits of Shanghai. 2014 , 40, 309-323		382
113	Jet grouting for mitigation of installation disturbance. 2014 , 167, 526-536		36
112	Leaking behavior of shield tunnels under the Huangpu River of Shanghai with induced hazards. 2014 , 70, 1115-1132		87
111	Evaluation of train-load-induced settlement in metro tunnels. 2015 , 168, 396-406		28
110	Rapid field evaluation of the strength of cement-stabilized clayey soil. 2015 , 74, 991-999		18
109	Evaluation of train-load-induced settlement in metro tunnels. 2015 , 168, 396-406		9
108	Characteristics of groundwater seepage with cut-off wall in gravel aquifer. II: Numerical analysis. <i>Canadian Geotechnical Journal</i> , 2015 , 52, 1539-1549	3.2	82
107	Characteristics of groundwater seepage with cut-off wall in gravel aquifer. I: Field observations. <i>Canadian Geotechnical Journal</i> , 2015 , 52, 1526-1538	3.2	86
106	Pre-stressing of soil and structures due to jet grouting. 2015 , 168, 335-347		2
105	Environmental protection using dewatering technology in a deep confined aquifer beneath a shallow aquifer. 2015 , 196, 59-70		51
104	Evaluation of effect of basal geotextile reinforcement under embankment loading on soft marine deposits. 2015 , 43, 506-514		81

103	Laboratory evaluation on the effectiveness of polypropylene fibers on the strength of fiber-reinforced and cement-stabilized Shanghai soft clay. 2015 , 43, 515-523	101
102	Rapid excavation with a newly developed retaining system: Spiral assembly steel structure. 2015 , 22, 2719-2729	4
101	Evaluation of the Strength Increase of Marine Clay under Staged Embankment Loading: A Case Study. 2015 , 33, 532-541	92
100	Characteristics of dewatering induced drawdown curve under blocking effect of retaining wall in aquifer. 2016 , 539, 554-566	129
99	A multiphase micromechanical model for hybrid fiber reinforced concrete considering the aggregate and ITZ effects. 2016 , 114, 839-850	55
98	Hydrogeological assessment of non-linear underground enclosures. 2016 , 207, 91-102	39
97	Field studies of a technique to mitigate ground settlement of operating highways. 2016 , 17, 565-576	2
96	Geohazards induced by anthropic activities of geoconstruction: a review of recent failure cases. 2016 , 9, 1	19
95	Investigation of Ground Heave due to Jet Grouting in Soft Clay. 2016 , 30, 06016003	5
94	Automatic pressure-control equipment for horizontal jet-grouting. 2016 , 69, 11-20	14
93	Investigation into pluvial flooding hazards caused by heavy rain and protection measures in Shanghai, China. 2016 , 83, 1301-1320	20
92	Geological formation and geo-hazards during subway construction in Guangzhou. 2016 , 75, 1	38
91	Optimised design of jet-grouted raft using response surface method. 2016 , 74, 56-73	17
90	Protection of neighbour buildings due to construction of shield tunnel in mixed ground with sand over weathered granite. 2016 , 75, 1	24
89	A review on models for the prediction of the diameter of jet grouting columns. 2017 , 21, 641-669	13
88	Quantitative assessment on the variation of compressibility of Wenzhou marine clay during destructuration. 2017 , 21, 659-669	5
87	Centrifuge evaluation of the influential factors in the uplift capacity of suction foundations in clay. 2017 , 35, 456-465	6
86	Estimation of lateral displacement induced by jet grouting in clayey soils. 2017 , 67, 621-630	164

85	Strength and microstructure properties of spent coffee grounds stabilized with rice husk ash and slag geopolymers. 2017 , 146, 312-320	52
84	Dewatering induced subsidence during excavation in a Shanghai soft deposit. 2017 , 76, 1	20
83	Risk and impacts on the environment of free-phase biogas in quaternary deposits along the Coastal Region of Shanghai. 2017 , 137, 129-137	39
82	Numerical study on the responses of groundwater and strata to pumping and recharge in a deep confined aquifer. 2017 , 548, 342-352	58
81	Numerical approach to predict ground displacement caused by installing a horizontal jet grout column. 2017 , 35, 970-977	13
80	High pressure jet-grouting column installation effect in soft soil: Theoretical model and field application. 2017 , 88, 74-94	20
79	Geological characteristics of strata in Chongqing, China, and mitigation of the environmental impacts of tunneling-induced geo-hazards. 2017 , 76, 1	15
78	Laboratory test and empirical model for shear modulus degradation of soft marine clays. 2017 , 146, 101-114	20
77	A new prediction method for the rheological behavior of grout with bottom ash for jet grouting columns. 2017 , 57, 384-396	44
76	Predicting bending failure of CDM columns under embankment loading. 2017 , 91, 169-178	30
75	Calculation of head difference at two sides of a cut-off barrier during excavation dewatering. 2017 , 91, 192-202	108
74	Evaluation of the uplift behavior of plate anchor in structured marine clay. 2017 , 35, 758-768	10
73	Geotechnical characteristics of weathered granitic gneiss with geo-hazards investigation of pit excavation in Guangzhou, China. 2017 , 76, 681-694	6
72	Strength of cement-stabilised clay by hardness testing. 2017 , 170, 250-257	2
71	Sustainable Measures for Mitigation of Flooding Hazards: A Case Study in Shanghai, China. 2017 , 9, 310	9
70	Fractal Prediction of Grouting Volume for Treating Karst Caverns along a Shield Tunneling Alignment. <i>Applied Sciences (Switzerland)</i> , 2017 , 7, 652	2.6 14
69	Lateral compression response of overlapping jet-grout columns with geometric imperfections in radius and position. <i>Canadian Geotechnical Journal</i> , 2018 , 55, 1282-1294	3.2 14
68	Design procedure for the modelling of jet-grout column slabs supporting deep excavations. 2018 , 100, 110-120	4

67	Assessment of mechanical properties in recycled lignin-stabilized silty soil as base fill material. 2018 , 172, 1788-1799		22
66	Recent Advances in Horizontal Jet Grouting (HJG): An Overview. 2018 , 43, 1543-1560		25
65	Investigation of Ground Displacement Induced by Hydraulic Jetting Using Smoothed Particle Hydrodynamics. 2018 , 68-75		
64	Empirical Relationships with Unconfined Compressive Strength and Split Tensile Strength for the Long Term of a Lime-Treated Silty Soil. 2018 , 30, 06018008		16
63	Simple Method to Predict Ground Displacements Caused by Installing Horizontal Jet-Grouting Columns. 2018 , 2018, 1-11		39
62	Reclaimed Lignin-Stabilized Silty Soil: Undrained Shear Strength, Atterberg Limits, and Microstructure Characteristics. 2018 , 30, 04018277		22
61	Effects and Mechanisms of Ionic Soil Stabilizers on Warm Frozen Soil. 2018 , 43, 5657-5666		8
60	A review of jet grouting practice and development. 2018 , 11, 1		33
59	A Simplified Approach to Design Jet-Grouted Bottom Sealing Barriers for Deep Excavations in Deep Aquifers. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 2307	2.6	5
58	Impact of Jet-Grouting Pressure on the Strength and Deformation Characteristics of Sandy and Clayey Soils in the Compression Zone. 2019 , 23, 3340-3352		5
57	Effectiveness of Ionic Polymer Soil Stabilizers on Warm Frozen Soil. 2019 , 23, 2867-2876		8
56	Field Study on the Waterstop of the Rodin Jet Pile Method in a Water-Rich Sandy Gravel Stratum. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 1709	2.6	2
55	Performance Evaluation of Modified Cement-Sodium Silicate Grouting Material for Prereinforcing Loose Deposit Tunnels. 2019 , 31, 06019003		11
54	Enhancing discharge of spoil to mitigate disturbance induced by horizontal jet grouting in clayey soil: Theoretical model and application. 2019 , 111, 222-228		73
53	Test Study on the Stress and Deformation Behaviors of a Shaft Supported by a Prefabricated Prestressed Structure. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 629	2.6	5
52	Analysis of the influence of soft soil grouting on the metro tunnel based on field measurement. 2019 , 36, 1522-1541		4
51	Dewatering Characteristics and Inflow Prediction of Deep Foundation Pits with Partial Penetrating Curtains in Sand and Gravel Strata. 2019 , 11, 2182		8
50	A simple method for settlement evaluation of loess pile foundation. <i>Canadian Geotechnical Journal</i> , 2019 , 56, 1690-1699	3.2	9

49	Effects of frequency and confining pressure on consolidation drainage behavior of soft marine clays. 2019 , 37, 746-754	5
48	Investigation of the geological and hydrogeological environment with relation to metro system construction in Jinan, China. 2019 , 78, 1005-1024	12
47	Investigation of a large ground collapse and countermeasures during mountain tunnelling in Hangzhou: a case study. 2019 , 78, 991-1003	14
46	Stiffness and strength properties of spent coffee grounds-recycled glass geopolymers. 2019 , 20, 623-638	14
45	Wetting-drying cycles durability of cement stabilised marginal lateritic soil/melamine debris blends for pavement applications. 2020 , 21, 500-518	11
44	Field study on performance of jet grouting in low water content clay. 2020 , 264, 105314	11
43	Finite element analysis of mixed-in-place (MIP) columns supporting excavations in slopes considering tension-softening. <i>Canadian Geotechnical Journal</i> , 2020 , 57, 785-800	3-2
42	Bagasse Ash-Fly Ash Geopolymer Treated Soft Bangkok Clay as Subgrade Material. 2020 , 1-8	6
41	Evaluation of Ground Displacements Caused by Installing Jet Grouted Columns Using Machine Learning Methods. 2020 , 2020, 1-11	0
40	Observed Performance of Highway Embankment over Soft Marine Clay: A Case Study in Wenzhou, China. 2020 , 2020, 1-13	3
39	Evaluation of the effectiveness of an alternative to control groundwater inflow during a deep excavation into confined aquifers. 2020 , 79, 1	2
38	Statistical and hydro-mechanical coupling analyses on groundwater drawdown and soil deformation caused by dewatering in a multi-aquifer-aquitard system. 2020 , 589, 125365	13
37	Evaluation of shear strength properties of unbound PET plastic in blends with demolition wastes. 2020 , 262, 120545	4
36	Ground Response to Horizontal Spoil Discharge Jet Grouting with Impacts on the Existing Tunnels. 2020 , 146, 05020006	9
35	Excess pore water pressure caused by the installation of jet grouting columns in clay. 2020 , 125, 103667	36
34	Perspective Review on Subsea Jet Trenching Technology and Modeling. 2020 , 8, 460	1
33	Fictitious pile method for fixed-head pile groups subjected to horizontal loading. 2020 , 60, 63-76	1
32	Properties of cellular lightweight high calcium bottom ash-portland cement geopolymer mortar. 2020 , 12, e00337	9

31	Predicting jet-grout column diameter to mitigate the environmental impact using an artificial intelligence algorithm. 2021 , 6, 267-280		2
30	Effects of jet grouting slabs on responses for deep braced excavations. 2021 , 6, 185-194		12
29	Dynamic prediction of jet grouted column diameter in soft soil using Bi-LSTM deep learning. <i>Acta Geotechnica</i> , 2021 , 16, 303-315	4.9	44
28	Equations controlling the strength of sedimentary silty soil/cement blends: influence of voids/cement ratio and types of cement. 2021 , 15, 359-372		10
27	An efficient transient-state algorithm for evaluation of leakage through defective cutoff walls. 2021 , 45, 108-131		2
26	Environmentally sustainable groundwater control during dewatering with barriers: A case study in Shanghai. 2021 , 6, 12-23		2
25	Recommended strategies for assessing and managing groundwater dewatering during subsurface construction in sediments adjacent to large river systems: examples from Wuhan in China. 2021 , 80, 1		0
24	Lateral Deformation Characteristics and Control Methods of Foundation Pits Subjected to Asymmetric Loads. 2021 , 13, 476		0
23	Deformation characteristics and control for foundation pits in floodplain areas of Nanjing, China. 2021 , 80, 5527-5538		1
22	Field test of earth pressure at pile-soil interface by single pile penetration in silty soil and silty clay. 2021 , 145, 106666		1
21	Investigation of a large ground collapse, water inrush and mud outburst, and countermeasures during subway excavation in Qingdao: A case study. 2021 , 117, 104127		4
20	Vertical bearing capacity behaviour of single T-shaped soil/cement column in soft ground: laboratory modelling, field test, and calculation. <i>Acta Geotechnica</i> , 2017 , 12, 1077-1088	4.9	27
19	Modeling of Permeation and Fracturing Grouting in Sand: Laboratory Investigations. <i>Journal of Testing and Evaluation</i> , 2018 , 46, 20170170	1	31
18	THREE-DIMENSIONAL CONSOLIDATION THEORY OF VERTICAL DRAIN BASED ON CONTINUOUS DRAINAGE BOUNDARY. <i>Journal of Civil Engineering and Management</i> , 2019 , 25, 145-155	3	9
17	Fluidization Behavior of Soft Soil Induced by Shield Construction. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 9627	2.6	1
16	Monitoring the Horizontal Displacement by Soil-Cement Columns Installation. <i>Springer Series in Geomechanics and Geoengineering</i> , 2018 , 763-766	0.1	
15	Short-Term and Long-Term Displacement of Surface and Shield Tunnel in Soft Soil: Field Observations and Numerical Modeling. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 3564	2.6	1
14	Theoretical Research on Grouting in Deep Loose Layers Based on the Cylindrical Diffusion Model of Radial Tube Flow. <i>Geofluids</i> , 2022 , 2022, 1-12	1.5	0

13	Study on the migration mechanisms of water-soluble agents in high-pressure rotary jetting remediation. <i>Environmental Science and Pollution Research</i> ,	5.1	
12	A Calculation Model of Grout Migration Height for Post-Grouting Technology. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 6327	2.6	○
11	Fictitious pile method for fixed-head pile groups with dissimilar piles subjected to horizontal loading. 2022 , 62, 101212		○
10	A fictitious pile method for interaction factor of two laterally loaded piles in multilayered isotropic soils. 2022 , 145, 83-92		○
9	Evaluation of Lateral Displacement Induced by Jet Grouting using Improved Random Forest.		○
8	Fiber Efficiency on the Flow Behaviors and Compressibility-Permeability of Fiber-Reinforced Cemented Waste Slurry. 2022 , 34,		○
7	Effects of frequency and CSR on dynamic properties of marine clay in drained condition. 1-13		○
6	Evaluation of fiber reinforcement on the strength behaviors of dredging slurry cemented at high water content. 2023 , 63, 101264	2	
5	Characteristics and treatment measures of tunnel collapse in fault fracture zone during rainfall: A case study. 2023 , 145, 107002		○
4	Analytical Method for Groundwater Seepage through and Beneath a Fully Penetrating Cut-off Wall Considering Effects of Wall Permeability and Thickness. 2022 , 14, 3982		○
3	Field-test investigation on influence of soft soil by continuous jet grouting. 2022 , 15,		○
2	The potential of industrial waste: Electric arc furnace slag (EAF) as recycled road construction materials. 2023 , 368, 130393		○
1	Control of jet grouting process induced ground displacement in clayey soil. 2023 , 40, 100983		○