

# CITATION REPORT

List of articles citing

Validity and reliability of tools to measure muscle mass, strength, and physical performance in community-dwelling older people: a systematic review

DOI: 10.1016/j.jamda.2012.10.009

Journal of the American Medical Directors Association, 2013, 14, 170-8.

**Source:** <https://exaly.com/paper-pdf/54909001/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| #   | Paper   | IF  | Citations |
|-----|---|-----|-----------|
| 301 | Quality of life in sarcopenia and frailty. <b>2013</b> , 93, 101-20   |     | 235       |
| 300 | Clinical outcomes related to muscle mass in humans with cancer and catabolic illnesses. <b>2013</b> , 45, 2302-8  |     | 93        |
| 299 | Keys to successfully embedding scientific research in nursing homes: a win-win perspective. <i>Journal of the American Medical Directors Association</i> , <b>2013</b> , 14, 855-7  | 5.9 | 21        |
| 298 | Sarcopenia: a clinical review. <b>2013</b> , 23, 267-274  |     | 9         |
| 297 | Comment on 'accuracy of segmental multi-frequency bioelectrical impedance analysis for assessing whole-body and appendicular fat mass and lean soft tissue mass in frail women aged 75 years and older'. <b>2013</b> , 67, 1007 |     |           |
| 296 | Sarcopenia and sarcopenic obesity in patients with muscular dystrophy. <b>2014</b> , 6, 274   |     | 10        |
| 295 | Sarcopenia in older people. <b>2014</b> , 12, 227-43  |     | 19        |
| 294 | Jump test performance and sarcopenia status in men and women, 55 to 75 years of age. <b>2014</b> , 37, 76-82  |     | 30        |
| 293 | Sarcopenia: there is a need for some steps forward. <i>Journal of the American Medical Directors Association</i> , <b>2014</b> , 15, 379-80   | 5.9 | 12        |
| 292 | Availability and use of dual energy X-ray absorptiometry (DXA) and bio-impedance analysis (BIA) for the evaluation of sarcopenia by Belgian and Latin American geriatricians. <b>2014</b> , 5, 79-81                            |     | 18        |
| 291 | A pilot study of the SARC-F scale on screening sarcopenia and physical disability in the Chinese older people. <b>2014</b> , 18, 277-83   |     | 78        |
| 290 | Development of a simple screening test for sarcopenia in older adults. <b>2014</b> , 14 Suppl 1, 93-101   |     | 161       |
| 289 | Effect of electric toothbrush on residents' oral hygiene: a randomized clinical trial in nursing homes. <b>2014</b> , 122, 142-8  |     | 18        |
| 288 | JAMDA: The Future History of the Journal. <i>Journal of the American Medical Directors Association</i> , <b>2014</b> , 15, 775-779  | 5.9 | 1         |
| 287 | Clinical update on nursing home medicine: 2014. <i>Journal of the American Medical Directors Association</i> , <b>2014</b> , 15, 786-801  | 5.9 | 7         |
| 286 | Sarcopenia risk screening tool: a new strategy for clinical practice. <i>Journal of the American Medical Directors Association</i> , <b>2014</b> , 15, 613-4  | 5.9 | 18        |
| 285 | Association of sarcopenia with short- and long-term mortality in older adults admitted to acute care wards: results from the CRIME study. <b>2014</b> , 69, 1154-61   |     | 121       |

|     |  |     |      |
|-----|--|-----|------|
| 284 | The performance of obesity screening tools among young Thai adults. <b>2014</b> , 39, 1216-21  |     | 0    |
| 283 | Clinical Outcomes of Impaired Muscle and Bone Interactions. <b>2014</b> , 12, 86-92  |     | 25   |
| 282 | Sarcopenia. <b>2014</b> , 14, 183-6  |     | 57   |
| 281 | Malnutrition in the 21st century. <b>2014</b> , 30, 242-3  |     |      |
| 280 | Ability of existing Malnutrition Screening Tools to identify risk of starvation, sarcopenia and cachexia: A systematic review. <b>2014</b> , 9, e109-e122  |     | 7    |
| 279 | Muscle contractile and metabolic dysfunction is a common feature of sarcopenia of aging and chronic diseases: from sarcopenic obesity to cachexia. <b>2014</b> , 33, 737-48                                  |     | 219  |
| 278 | Sarcopenia in Asia: consensus report of the Asian Working Group for Sarcopenia. <i>Journal of the American Medical Directors Association</i> , <b>2014</b> , 15, 95-101                                      | 5.9 | 2215 |
| 277 | Re. Pre- and perioperative factors affecting infection after living donor liver transplantation. <b>2014</b> , 30, 241-2   |     | 1    |
| 276 | Prevalence of sarcopenia in geriatric hospitalized patients. <i>Journal of the American Medical Directors Association</i> , <b>2014</b> , 15, 267-72   | 5.9 | 86   |
| 275 | Frailty and mortality or incident disability in institutionalized older adults: the FINAL study. <b>2014</b> , 78, 329-34  |     | 38   |
| 274 | Applicability and agreement of different diagnostic criteria for sarcopenia estimation in the elderly. <b>2014</b> , 59, 288-94  |     | 40   |
| 273 | JAMDA: The Journal Continues to Have a High Impact. <i>Journal of the American Medical Directors Association</i> , <b>2015</b> , 16, 804-807   | 5.9 | 0    |
| 272 | The application of strength and power related field tests in older adults: criteria, current status and a future perspective. <b>2015</b> , 12, 2  |     | 1    |
| 271 | Identifying common impairments in frail and dependent older people: validation of the COPE assessment for non-specialised health workers in low resource primary health care settings. <b>2015</b> , 15, 123 |     | 15   |
| 270 | Assessment of grip strength with the modified sphygmomanometer test: association between upper limb global strength and motor function. <b>2015</b> , 19, 498-506  |     | 16   |
| 269 | Outcome Measures for Respiratory Physiotherapy in Cystic Fibrosis [Challenges and Advances. <b>2015</b> ,  |     | 2    |
| 268 | Re: Issues concerning sarcopenia in ageing adults. <b>2015</b> , 44, 343-4   |     | 1    |
| 267 | The fall descriptions and health characteristics of older adults with hip fracture: a mixed methods study. <b>2015</b> , 15, 40  |     | 17   |

|     |   |     |     |
|-----|---|-----|-----|
| 266 | Instruments to assess sarcopenia and physical frailty in older people living in a community (care) setting: similarities and discrepancies. <i>Journal of the American Medical Directors Association</i> , <b>2015</b> , 16, 301-8    | 5.9 | 85  |
| 265 | Sarcopenia in chronic kidney disease on conservative therapy: prevalence and association with mortality. <b>2015</b> , 30, 1718-25  |     | 173 |
| 264 | Rapid screening for sarcopenia. <b>2015</b> , 6, 312-4  |     | 35  |
| 263 | Frailty in nursing homes: the FRAIL-NH Scale. <i>Journal of the American Medical Directors Association</i> , <b>2015</b> , 16, 87-9   | 5.9 | 72  |
| 262 | The bioimpedance phase angle predicts low muscle strength, impaired quality of life, and increased mortality in old patients with cancer. <i>Journal of the American Medical Directors Association</i> , <b>2015</b> , 16, 173.e17-22 | 5.9 | 78  |
| 261 | Infliximab reverses inflammatory muscle wasting (sarcopenia) in Crohn's disease. <b>2015</b> , 41, 419-28   |     | 69  |
| 260 | Body composition in dialysis patients: a functional assessment of bioimpedance using different prediction models. <b>2015</b> , 25, 121-8   |     | 21  |
| 259 | The effect of six months of elastic band resistance training, nutritional supplementation or cognitive training on chromosomal damage in institutionalized elderly. <b>2015</b> , 65, 16-22   |     | 32  |
| 258 | A diagnosis for £55: what is the cost of government initiatives in dementia case finding. <b>2015</b> , 44, 344-5   |     | 16  |
| 257 | Determination of body fat mass: bioelectrical impedance analysis. <b>2015</b> , 30, 895-6   |     | 1   |
| 256 | In reply. <b>2015</b> , 30, 896   |     |     |
| 255 | Current Clinical Care of Older Adults With Sarcopenia. <b>2015</b> , 18, 493-8  |     | 7   |
| 254 | Novel Approaches to the Diagnosis of Sarcopenia. <b>2015</b> , 18, 472-7  |     | 29  |
| 253 | Reproducibility of jumping mechanography and traditional measures of physical and muscle function in older adults. <b>2015</b> , 26, 819-25   |     | 38  |
| 252 | Serum concentrations of insulin-like growth factor-1, members of the TGF-beta superfamily and follistatin do not reflect different stages of dynapenia and sarcopenia in elderly women. <b>2015</b> , 64, 35-45                       |     | 41  |
| 251 | Prevalence and risk factors of sarcopenia among adults living in nursing homes. <b>2015</b> , 82, 418-23  |     | 82  |
| 250 | Association of sarcopenia and observed physical performance with attainment of multidisciplinary team planned treatment in non-small cell lung cancer: an observational study protocol. <b>2015</b> , 15, 544                         |     | 8   |
| 249 | Effects of elastic band resistance training and nutritional supplementation on physical performance of institutionalised elderly--A randomized controlled trial. <b>2015</b> , 72, 99-108   |     | 53  |

|     |   |        |
|-----|---|--------|
| 248 | The impact of six months strength training, nutritional supplementation or cognitive training on DNA damage in institutionalised elderly. <b>2015</b> , 30, 147-53  | 21     |
| 247 | Muscle Size Not Density Predicts Variance in Muscle Strength and Neuromuscular Performance in Healthy Adult Men and Women. <b>2016</b> , 30, 1577-84  | 10     |
| 246 | Functional Status Assessment of Patients With COPD: A Systematic Review of Performance-Based Measures and Patient-Reported Measures. <b>2016</b> , 95, e3672  | 14     |
| 245 | Correlation Between Caregiver Reports of Physical Function and Performance-based Measures in a Cohort of Older Adults With Alzheimer Disease. <b>2016</b> , 30, 169-74  | 4      |
| 244 | Effect of diet-induced weight loss on muscle strength in adults with overweight or obesity - a systematic review and meta-analysis of clinical trials. <b>2016</b> , 17, 647-63   | 20     |
| 243 | A review of weight loss and sarcopenia in patients with head and neck cancer treated with chemoradiation. <b>2016</b> , 1, 9  | 17     |
| 242 | Physical functioning and fall-related efficacy among community-dwelling elderly people. <b>2016</b> , 18, 11-17   | 5      |
| 241 | Muscle grip strength predicts incident type 2 diabetes: Population-based cohort study. <b>2016</b> , 65, 883-92   | 64     |
| 240 | Gait variability analysed using an accelerometer is associated with locomotive syndrome among the general elderly population: The GAINA study. <b>2016</b> , 21, 354-60   | 12     |
| 239 | Prenatal Undernutrition and Physical Function and Frailty at the Age of 68 Years: The Dutch Famine Birth Cohort Study. <b>2016</b> , 71, 1306-14  | 18     |
| 238 | Burden-of-illness of Dutch community-dwelling older adults with sarcopenia: Health related outcomes and costs. <b>2016</b> , 7, 276-284   | 24     |
| 237 | Systematic review: Prevalence of sarcopenia in ageing people using bioelectrical impedance analysis to assess muscle mass. <b>2016</b> , 7, 256-261   | 16     |
| 236 | Assessment of muscle mass, muscle strength and physical performance in clinical practice: An international survey. <b>2016</b> , 7, 243-246   | 53     |
| 235 | Grip strength measurement: Towards a standardized approach in sarcopenia research and practice. <b>2016</b> , 7, 247-255  | 25     |
| 234 | The Martin Vigorimeter Represents a Reliable and More Practical Tool Than the Jamar Dynamometer to Assess Handgrip Strength in the Geriatric Patient. <i>Journal of the American Medical Directors Association</i> , <b>2016</b> , 17, 466.e1-7 | 5.9 38 |
| 233 | Elastic band resistance training influences transforming growth factor- $\beta$ receptor I mRNA expression in peripheral mononuclear cells of institutionalised older adults: the Vienna Active Ageing Study (VAAS). <b>2016</b> , 13, 22       | 2      |
| 232 | Multi-frequency bioelectrical impedance analysis (BIA) compared to magnetic resonance imaging (MRI) for estimation of fat-free mass in colorectal cancer patients treated with chemotherapy. <b>2016</b> , 16, 8-15                             | 8      |
| 231 | Sarcopenia in daily practice: assessment and management. <b>2016</b> , 16, 170  | 270    |

|     |  |     |
|-----|--|-----|
| 230 | The Prevalence and Prognostic Value of Low Muscle Mass in Cancer Patients: A Review of the Literature. <b>2016</b> , 21, 1396-1409   | 104 |
| 229 | Cross-Cultural Adaptation, Validity and Reliability of the Arabic Version of the Falls Efficacy Scale-International (FES-I). <b>2016</b> , 25, 1-7   | 20  |
| 228 | JAMDA: The State of the Journal. <i>Journal of the American Medical Directors Association</i> , <b>2016</b> , 17, 867-715.9  |     |
| 227 | Vitamin D Supplementation, Muscle Strength, and Mobility In Older Adults. <b>2016</b> , 22, 121-123  |     |
| 226 | Case finding for sarcopenia in geriatric inpatients: performance of bioimpedance analysis in comparison to dual X-ray absorptiometry. <b>2016</b> , 16, 52   | 38  |
| 225 | Physiological and architectural changes in the ageing muscle and their relation to strength and function in sarcopenia. <b>2016</b> , 7, 201-206   | 14  |
| 224 | Effect of Training Leading to Repetition Failure on Muscular Strength: A Systematic Review and Meta-Analysis. <b>2016</b> , 46, 487-502  | 79  |
| 223 | Calf circumference predicts mobility disability: A secondary analysis of the Mexican health and ageing study. <b>2016</b> , 7, 262-266   | 15  |
| 222 | Effects of elastic band resistance training and nutritional supplementation on muscle quality and circulating muscle growth and degradation factors of institutionalized elderly women: the Vienna Active Ageing Study (VAAS). <b>2016</b> , 116, 885-97 | 46  |
| 221 | Relationship between built environment attributes and physical function in Japanese community-dwelling older adults. <b>2017</b> , 17, 382-390   | 21  |
| 220 | Dietary Variety and Decline in Lean Mass and Physical Performance in Community-Dwelling Older Japanese: A 4-year Follow-Up Study. <b>2017</b> , 21, 11-16  | 45  |
| 219 | Protein and exercise in the prevention of sarcopenia and aging. <b>2017</b> , 40, 1-20   | 70  |
| 218 | Vitamin D Status and Muscle Function Among Adolescent and Young Swimmers. <b>2017</b> , 27, 399-407  | 10  |
| 217 | Elevated serum leptin levels are associated with low vitamin D, sarcopenic obesity, poor muscle strength, and physical performance in knee osteoarthritis. <b>2017</b> , 22, 723-730   | 16  |
| 216 | A simple anthropometric tool for the assessment of pre-sarcopenia in postmenopausal women. <b>2017</b> , 20, 256-261   | 1   |
| 215 | Association between physical activity and physical functioning in community-dwelling older adults. <b>2017</b> , 19, 40-47   | 11  |
| 214 | Preoperative Computed Tomographic Angiogram Measurement of Abdominal Muscles Is a Valuable Risk Assessment for Bulge Formation after Microsurgical Abdominal Free Flap Breast Reconstruction. <b>2017</b> , 140, 170-177                                 | 6   |
| 213 | Sex-based Differences in the Association between Body Composition and Incident Fracture Risk in Koreans. <b>2017</b> , 7, 5975   | 4   |

|     |   |     |
|-----|---|-----|
| 212 | "Reliability of the Norwegian version of the short physical performance battery in older people with and without dementia". <b>2017</b> , 17, 124   | 36  |
| 211 | Gym-based exercise and home-based exercise with telephone support have similar outcomes when used as maintenance programs in adults with chronic health conditions: a randomised trial. <b>2017</b> , 63, 154-160 | 14  |
| 210 | Vitamin D supplementation and its influence on muscle strength and mobility in community-dwelling older persons: a systematic review and meta-analysis. <b>2017</b> , 30, 3-15                                    | 74  |
| 209 | Electromyographic activity of masticatory muscles in elderly women - a pilot study. <b>2017</b> , 12, 111-116   | 9   |
| 208 | Vitamin D Supplementation Improves Quality of Life and Physical Performance in Osteoarthritis Patients. <b>2017</b> , 9,  | 52  |
| 207 | Epidemiology of Sarcopenia and Frailty. <b>2017</b> ,   | 2   |
| 206 | Impact of Sarcopenia on One-Year Mortality among Older Hospitalized Patients with Impaired Mobility. <b>2018</b> , 7, 40-46   | 7   |
| 205 | Sarcopenia in the Context of Skeletal Muscle Function Deficit (SMFD). <b>2017</b> ,   |     |
| 204 | Prevalence of dynapenia and presarcopenia related to aging in adult community-dwelling Mexicans using two different cut-off points. <b>2018</b> , 9, 219-225  | 8   |
| 203 | Prospective associations between white matter hyperintensities and lower extremity function. <b>2018</b> , 90, e1291-e1297  | 17  |
| 202 | Use of a verbal electronic audio reminder with a patient hand hygiene bundle to increase independent patient hand hygiene practices of older adults in an acute care setting. <b>2018</b> , 46, 610-616           | 7   |
| 201 | Sarcopenia. <b>2018</b> , 99-105  |     |
| 200 | Pitfalls in the measurement of muscle mass: a need for a reference standard. <b>2018</b> , 9, 269-278   | 294 |
| 199 | A 1-year follow-up of a randomized clinical trial with focus on manual and electric toothbrushes' effect on dental hygiene in nursing homes. <b>2018</b> , 76, 257-261  | 3   |
| 198 | Oral Frailty as a Risk Factor for Physical Frailty and Mortality in Community-Dwelling Elderly. <b>2018</b> , 73, 1661-1667   | 180 |
| 197 | The Unsupported Upper Limb Exercise Test in People Without Disabilities: Assessing the Within-Day Test-Retest Reliability and the Effects of Age and Gender. <b>2018</b> , 70, 11-21                              | 6   |
| 196 | Age and the effect of exercise, nutrition and cognitive training on oxidative stress - The Vienna Active Aging Study (VAAS), a randomized controlled trial. <b>2018</b> , 121, 69-77                              | 12  |
| 195 | Learning Geriatric Medicine. <b>2018</b> ,  | 3   |

|     |  |    |
|-----|--|----|
| 194 | Diagnosis of Sarcopenia in Long-Term Care Homes for the Elderly: the Sensitivity and Specificity of Two Simplified Algorithms with Respect to the EWGSOP Consensus. <b>2018</b> , 22, 796-801  | 13 |
| 193 | Whole-body adipose tissue and lean muscle volumes and their distribution across gender and age: MR-derived normative values in a normal-weight Swiss population. <b>2018</b> , 79, 449-458   | 21 |
| 192 | Quantification of pelvic floor muscle strength in female urinary incontinence: A systematic review and comparison of contemporary methodologies. <b>2018</b> , 37, 33-45   | 26 |
| 191 | The value of physical performance measurements alongside assessment of sarcopenia in predicting receipt and completion of planned treatment in non-small cell lung cancer: an observational exploratory study. <b>2018</b> , 26, 119-127 | 12 |
| 190 | "Yubi-wakka" (finger-ring) test: A practical self-screening method for sarcopenia, and a predictor of disability and mortality among Japanese community-dwelling older adults. <b>2018</b> , 18, 224-232                                 | 24 |
| 189 | Association between number of teeth, use of dentures and musculoskeletal frailty among older adults. <b>2018</b> , 18, 592-598   | 11 |
| 188 | Isotemporal Substitution of Sedentary Behavior and Physical Activity on Function. <b>2018</b> , 50, 792-800  | 16 |
| 187 | Which Index for Muscle Mass Represents an Aging Process?. <b>2018</b> , 25, 219-226  | 4  |
| 186 | Calf Circumference as a Simple Screening Marker for Diagnosing Sarcopenia in Older Korean Adults: the Korean Frailty and Aging Cohort Study (KFACS). <b>2018</b> , 33, e151  | 48 |
| 185 | Morphological and mechanical properties of plantar fascia and intrinsic foot muscles in individuals with and without flat foot. <b>2018</b> , 26, 2309499018802482   | 9  |
| 184 | Correlation of physical function with the thickness of multiple muscles of the quadriceps femoris in community-dwelling elderly individuals. <b>2018</b> , 13, 1945-1951   | 6  |
| 183 | Time spent lying, sitting, and upright during hospitalization after stroke: a prospective observation study. <b>2018</b> , 18, 138   | 12 |
| 182 | Sarcopenic obesity: Time to meet the challenge. <b>2018</b> , 37, 1787-1793  | 68 |
| 181 | The impact of cognitive impairment on the physical ageing process. <b>2018</b> , 30, 1297-1306   | 10 |
| 180 | Knee extension strength measurements should be considered as part of the comprehensive geriatric assessment. <b>2018</b> , 18, 130   | 24 |
| 179 | Sarcopenic Obesity: Time to Meet the Challenge. <b>2018</b> , 11, 294-305  | 68 |
| 178 | Muscle, Health and Costs: A Glance at their Relationship. <b>2018</b> , 22, 766-773  | 62 |
| 177 | Concurrent Criterion Validity of a Test of Usual Gait Speed in Older Adults. <b>2018</b> , 125, 908-922  | 3  |



|     |  |    |
|-----|--|----|
| 176 | Feasibility of a community-based Functional Power Training program for older adults. <b>2018</b> , 13, 309-316   | 9  |
| 175 | The relationship between masseter muscle thickness and appendicular skeletal muscle mass in Japanese community-dwelling elders: A cross-sectional study. <b>2018</b> , 78, 18-22   | 20 |
| 174 | Reliability and correlates of cross-sectional area of abductor hallucis and the medial belly of the flexor hallucis brevis measured by ultrasound. <b>2018</b> , 11, 28  | 12 |
| 173 | Yoga education program for older women diagnosed with sarcopenia: A multicity 10-year follow-up experiment. <b>2019</b> , 31, 446-469  | 1  |
| 172 | Impact of posture and upper-limb muscle activity on grip strength. <b>2019</b> , 25, 614-620   | 10 |
| 171 | Norwegian reference values for the Short Physical Performance Battery (SPPB): the Tromsø Study. <b>2019</b> , 19, 216  | 54 |
| 170 | Changes in Nutritional Status and Musculoskeletal Health in a Geriatric Post-Fall Care Plan Setting. <b>2019</b> , 11,   | 8  |
| 169 | Optimized scoring tool to quantify the functional performance during the sit-to-stand transition with a magneto-inertial measurement unit. <b>2019</b> , 69, 109-114   | 10 |
| 168 | The Power of Music: Enhancing Muscle Strength in Older People. <b>2019</b> , 7,  | 5  |
| 167 | Moderate Intensity Resistive Training Reduces Oxidative Stress and Improves Muscle Mass and Function in Older Individuals. <b>2019</b> , 8,  | 15 |
| 166 | Fat Soluble Vitamins in Institutionalized Elderly and the Effect of Exercise, Nutrition and Cognitive Training on Their Status-The Vienna Active Aging Study (VAAS): A Randomized Controlled Trial. <b>2019</b> , 11,  | 5  |
| 165 | DESKK Study - Development and testing of a dementia-specific respite care concept with a mobility and counselling programme: study protocol. <b>2019</b> , 9, e025932  | 2  |
| 164 | Prevalence of sarcopenia and its associated factors: the impact of muscle mass, gait speed, and handgrip strength reference values on reported frequencies. <b>2019</b> , 74, e477   | 21 |
| 163 | Multifactorial intervention for hip and pelvic fracture patients with mild to moderate cognitive impairment: study protocol of a dual-centre randomised controlled trial (OF-CARE). <b>2019</b> , 19, 125  | 6  |
| 162 | Development of Pharmacotherapies for the Treatment of Sarcopenia. <b>2019</b> , 8, 120-130   | 20 |
| 161 | Promoting physical activity in vulnerable adults 'at risk' of homelessness: a randomised controlled trial protocol. <b>2019</b> , 9, e026466   | 3  |
| 160 | Usefulness of skeletal muscle area detected by computed tomography to predict mortality in patients undergoing transcatheter aortic valve replacement: a meta-analysis study. <b>2019</b> , 35, 1141-1147  | 15 |
| 159 | Letter to the Editor concerning "The association of back muscle strength and sarcopenia-related parameters in the patients with spinal disorders" by Toyoda H, et al. (Eur Spine J; <a href="https://doi.org/10.1007/s00586-018-5858-8">https://doi.org/10.1007/s00586-018-5858-8</a> ). <b>2019</b> , 28, 1250-1251 |    |

|     |   |      |
|-----|---|------|
| 158 | Assessment of Muscle Function and Physical Performance in Daily Clinical Practice : A position paper endorsed by the European Society for Clinical and Economic Aspects of Osteoporosis, Osteoarthritis and Musculoskeletal Diseases (ESCEO). <b>2019</b> , 105, 1-14 | 156  |
| 157 | Impact of sarcopenia in patients with advanced non-small cell lung cancer treated with PD-1 inhibitors: A preliminary retrospective study. <b>2019</b> , 9, 2447  | 66   |
| 156 | Supervised and home-based physical exercise in patients newly diagnosed with multiple myeloma-a randomized controlled feasibility study. <b>2019</b> , 5, 130   | 11   |
| 155 | Cachexia and Sarcopenia in Older Adults with Cancer: A Comprehensive Review. <b>2019</b> , 11,  | 76   |
| 154 | Physical Activity, Muscle Strength, and Functional Fitness. <b>2019</b> , 35, 280-288   | 5    |
| 153 | The Favorable Effects of a High-Intensity Resistance Training on Sarcopenia in Older Community-Dwelling Men with Osteosarcopenia: The Randomized Controlled FrOST Study. <b>2019</b> , 14, 2173-2186  | 35   |
| 152 | Study protocol of a randomised controlled trial to examine the impact of a complex intervention in pre-frail older adults. <b>2019</b> , 31, 1407-1417  | 4    |
| 151 | Sarcopenia: revised European consensus on definition and diagnosis. <b>2019</b> , 48, 16-31   | 3263 |
| 150 | Reliability and Validity of the Patient-Specific Functional Scale in Community-Dwelling Older Adults. <b>2019</b> , 42, E67-E72   | 9    |
| 149 | Cross-sectional areas of rectus abdominis and psoas muscles reduces following surgery in rectal cancer patients. <b>2020</b> , 28, 2397-2405  | 2    |
| 148 | Chromosomal stability in buccal cells was linked to age but not affected by exercise and nutrients - Vienna Active Ageing Study (VAAS), a randomized controlled trial. <b>2020</b> , 28, 101362   | 6    |
| 147 | Fear of falling in community-dwelling older adults diagnosed with cancer: A report from the International Mobility in Aging Study (IMIAs). <b>2020</b> , 11, 603-609  | 4    |
| 146 | Equation models developed with bioelectric impedance analysis tools to assess muscle mass: A systematic review. <b>2020</b> , 35, 47-62   | 16   |
| 145 | Age-Related Changes in Gait and Mobility. <b>2020</b> , 201-219   |      |
| 144 | Exercise as a diagnostic and therapeutic tool for preventing cardiovascular morbidity in breast cancer patients- the BREast cancer EXercise INtervention (BREXIT) trial protocol. <b>2020</b> , 20, 655   | 3    |
| 143 | High Salt Diet Impacts the Risk of Sarcopenia Associated with Reduction of Skeletal Muscle Performance in the Japanese Population. <b>2020</b> , 12,  | 3    |
| 142 | Heart Rate Variability Mainly Relates to Cognitive Executive Functions and Improves Through Exergame Training in Older Adults: A Secondary Analysis of a 6-Month Randomized Controlled Trial. <b>2020</b> , 12, 197   | 11   |
| 141 | Development of a simple method to measure masseter muscle mass. <b>2020</b> , 37, 383-388   | 1    |

|     |   |    |
|-----|---|----|
| 140 | Implementation and Evaluation of a Fall Risk Screening Strategy Among Frail Older Adults for the Primary Care Setting: A Study Protocol. <b>2020</b> , 15, 1625-1636  | 2  |
| 139 | Blended home-based exercise and dietary protein in community-dwelling older adults: a cluster randomized controlled trial. <b>2020</b> , 11, 1590-1602  | 7  |
| 138 | Thigh Ultrasound Used to Identify Frail Elderly Patients with Sarcopenia Undergoing Surgery: A Pilot Study. <b>2020</b> , 256, 422-432  | 6  |
| 137 | Diagnostic Criteria and Prevalence of Sarcopenia in the Elderly. <b>2020</b> , 10, 228-233  | 1  |
| 136 | Muscle Hypertrophy and Architectural Changes in Response to Eight-Week Neuromuscular Electrical Stimulation Training in Healthy Older People. <b>2020</b> , 10,   | 3  |
| 135 | Discriminative validity of the Core outcome set functional independence in a population of older adults. <b>2020</b> , 20, 309  | 1  |
| 134 | The impact of properly diagnosed sarcopenia on postoperative outcomes after gastrointestinal surgery: A systematic review and meta-analysis. <b>2020</b> , 15, e0237740   | 18 |
| 133 | Bioelectrical impedance analysis and dual x-ray absorptiometry agreement for skeletal muscle mass index evaluation in sarcopenia diagnosis. <b>2020</b> , 41, 064005  | 2  |
| 132 | Prevalence of protein intake below recommended in community-dwelling older adults: a meta-analysis across cohorts from the PROMISS consortium. <b>2020</b> , 11, 1212-1222  | 18 |
| 131 | Physical activity and exercise: Strategies to manage frailty. <b>2020</b> , 35, 101513  | 62 |
| 130 | Physical function in patients newly diagnosed with multiple myeloma; a Danish cohort study. <b>2020</b> , 20, 169   | 5  |
| 129 | Associations between Multimorbidity and Physical Performance in Older Chinese Adults. <b>2020</b> , 17,   | 5  |
| 128 | Clinical impact of skeletal muscle area in patients with non-small cell lung cancer treated with anti-PD-1 inhibitors. <b>2020</b> , 146, 1217-1225   | 19 |
| 127 | Normative Values for the Short Physical Performance Battery (SPPB) and Their Association With Anthropometric Variables in Older Colombian Adults. The SABE Study, 2015. <b>2020</b> , 7, 52   | 14 |
| 126 | Interaction of recommended levels of physical activity and protein intake is associated with greater physical function and lower fat mass in older women: Kuopio Osteoporosis Risk Factor- (OSTPRE) and Fracture-Prevention Study. <b>2020</b> , 123, 826-839 | 2  |
| 125 | Reviews on New Drug Targets in Age-Related Disorders. <b>2020</b> ,   | 2  |
| 124 | Phase angle as a predictor of functional outcomes in patients undergoing in-hospital rehabilitation after hip fracture surgery. <b>2020</b> , 89, 104060  | 3  |
| 123 | What is the best clinical assessment tool for identification of adults aged 80 years at high risk of falls?. <b>2021</b> , 110, 63-69   | 2  |

|     |   |   |
|-----|---|---|
| 122 | The Influence of Evidence-Based Exercise and Age Reattribution on Physical Function in Hispanic Older Adults: Results From the Randomized Controlled Trial. <b>2021</b> , 40, 278-288               | 0 |
| 121 | Esophageal cancer patients of heavier weight have more nutritional risk of inadequate calorie intake immediately after esophagectomy: a retrospective study. <b>2021</b> , 29, 1265-1274            |   |
| 120 | Assessing physical activity and function in patients with chronic kidney disease: a narrative review. <b>2021</b> , 14, 768-779   | 5 |
| 119 | Predictors of balance in older hip fracture patients undergoing standard motor rehabilitation. <b>2021</b> , 12, 69-77  | 2 |
| 118 | Functional tests associated with sarcopenia in moderate chronic obstructive pulmonary disease. <b>2021</b> , 15, 569-576  | 4 |
| 117 | Prognostic impact of the psoas muscle index, a parameter of sarcopenia, in patients with diffuse large B-cell lymphoma treated with rituximab-based chemoimmunotherapy. <b>2021</b> , 62, 1098-1106 | 6 |
| 116 | There is no need to reinvent the wheel in assessment of ambulatory function in chronic limb threatening ischemia. <b>2021</b> , 73, 350-351   |   |
| 115 | Physical Performance and Muscle Strength Tests: Pros and Cons. <b>2021</b> , 65-99  |   |
| 114 | A comparison of sarcopenia prevalence between former Tokyo 1964 Olympic athletes and general community-dwelling older adults. <b>2021</b> , 12, 339-349   | 2 |
| 113 | Les techniques instrumentales de mesure de la force musculaire et de la balance musculaire : le point sur la technologie isocinétique. <b>2021</b> ,  |   |
| 112 | Use of Reflective Tape to Detect Ultrasound Transducer Movement: A Validation Study. <b>2021</b> , 11,  | 1 |
| 111 | Radiologic Definition of Sarcopenia in Chronic Liver Disease. <b>2021</b> , 11,   | 4 |
| 110 | Does physical performance and muscle strength predict future personal and nursing care services in community-dwelling older adults aged 75+?. <b>2021</b> , 49, 441-448                             | 0 |
| 109 | Identifying Patients with Osteoarthritis at Risk of Sarcopenia using the SARC-F. <b>2021</b> , 24, 1-7  | 2 |
| 108 | Establishing Reference Values for Lean Muscle Mass in the Pediatric Patient. <b>2021</b> , 72, 316-323  | 5 |
| 107 | Reliability of Lower Extremity Muscle Power and Functional Performance in Healthy, Older Women. <b>2021</b> , 2021, 8817231   |   |
| 106 | Fear of Falling Among Community-Dwelling Older Adults with Heart Disease: Findings from an International Mobility in Aging Study (IMIAs). <b>2021</b> , 1-14  | 1 |
| 105 | Heart Valve Critical Pathway and Heart Valve Clinic: Novel Benchmarks for Modern Management of Valvular Heart Disease. <b>2021</b> , 20, 126-133  | 1 |

|     |  |    |
|-----|--|----|
| 104 | Effectiveness of Community-Delivered Functional Power Training Program for Frail and Pre-frail Community-Dwelling Older Adults: a Randomized Controlled Study. <b>2021</b> , 22, 1048-1059   | 3  |
| 103 | Associations of Pretreatment Physical Status Parameters with Tolerance of Concurrent Chemoradiation and Survival in Patients with Non-small Cell Lung Cancer. <b>2021</b> , 199, 223-234   | 1  |
| 102 | Effects of a 16-Week Multimodal Exercise Program on Physical Performance in Individuals With Dementia: A Multicenter Randomized Controlled Trial. <b>2021</b> ,  | 1  |
| 101 | Relationship between requirement to stop during a six-minute walk test and health-related quality of life, physical activity and physical performance amongst people with intermittent claudication. <b>2021</b> , 76, 363-369                                 | 0  |
| 100 | The War after War: Volumetric Muscle Loss Incidence, Implication, Current Therapies and Emerging Reconstructive Strategies, a Comprehensive Review. <b>2021</b> , 9,   | 0  |
| 99  | Comprehensive Interventions Including Vitamin D Effectively Reduce the Risk of Falls in Elderly Osteoporotic Patients. <b>2021</b> , 13, 1262-1268   | 1  |
| 98  | The Spectrum of Malnutrition/Cachexia/Sarcopenia in Oncology According to Different Cancer Types and Settings: A Narrative Review. <b>2021</b> , 13,   | 21 |
| 97  | Test-retest reliability data of functional performance, strength, peak torque and body composition assessments in two different age groups of Kosovan adults. <b>2021</b> , 36, 106988   | 1  |
| 96  | Feasibility and efficacy of a multicomponent exercise medicine programme in patients with pancreatic cancer undergoing neoadjuvant therapy (the EXPAN trial): study protocol of a dual-centre, two-armed phase I randomised controlled trial. <b>2021</b> , 8, | 1  |
| 95  | Prevalence of sarcopenic obesity and sarcopenic overweight in the general population: The lifelines cohort study. <b>2021</b> , 40, 4422-4429  | 7  |
| 94  | A cross-sectional study about the relationship between physical activity and sarcopenia in Taiwanese older adults. <b>2021</b> , 11, 11488   | 1  |
| 93  | Older adults are not more susceptible to acute muscle atrophy after immobilisation compared to younger adults: a systematic review. <b>2021</b> , 1  | 0  |
| 92  | Terminal decline in objective and self-reported measures of motor function before death: 10 year follow-up of Whitehall II cohort study. <b>2021</b> , 374, n1743  | 2  |
| 91  | Sarcopenia and major complications in patients undergoing oncologic colon surgery. <b>2021</b> ,   | 3  |
| 90  | Walking speed and short physical performance battery are associated with conversion to long-term care need: A study in outpatients of a locomotive syndrome-frailty clinic. <b>2021</b> , 21, 919-925  | 1  |
| 89  | ACTN3 Genotypes and Their Relationship with Muscle Mass and Function of Kosovan Adults. <b>2021</b> , 18,  | 0  |
| 88  | Cutoff points of adiposity anthropometric indices for low muscle mass screening in middle-aged and older healthy women. <b>2021</b> , 22, 713  | 0  |
| 87  | Short physical performance battery score and driving a car are independent factors associated with life-space activities in older adults with cardiovascular disease. <b>2021</b> , 21, 900-906  | 0  |

|    |  |    |
|----|--|----|
| 86 | Factors associated with fear of falling among frail older adults. <b>2021</b> , 42, 1035-1041  | 3  |
| 85 | A simpler screening tool for sarcopenia in surgical patients. <b>2021</b> , 16, e0257672   |    |
| 84 | When Movement Moves: Study Protocol for a Multi-Method Pre/Post Evaluation Study of Two Programmes; the Danish Team Twin and Cycling Without Age. <b>2021</b> , 18,  |    |
| 83 | Weak hip flexor strength predicts progression of functional capacity decline due to locomotor system dysfunction in community-dwelling older adults: A longitudinal cohort study. <b>2021</b> , 97, 104499 | 0  |
| 82 | Which is the best alternative to estimate muscle mass for sarcopenia diagnosis when DXA is unavailable?. <b>2021</b> , 97, 104517  | 1  |
| 81 | Skeletal Muscle Aging Atrophy: Assessment and Exercise-Based Treatment. <b>2020</b> , 1260, 123-158  | 8  |
| 80 | Sex Differences in Health and Survival. <b>2018</b> , 65-100   | 8  |
| 79 | Capacidade de avaliação de testes de desempenho físico para identificar baixa massa muscular em mulheres de meia-idade e idosas. <b>2020</b> , 23,   | 1  |
| 78 | Sarcopenia and Back Muscle Degeneration as Risk Factors for Back Pain: A Comparative Study. <b>2020</b> , 14, 364-372  | 17 |
| 77 | Home-based health promotion for older people with mild frailty: the HomeHealth intervention development and feasibility RCT. <b>2017</b> , 21, 1-128   | 29 |
| 76 | The association of the serum levels of myostatin, follistatin, and interleukin-6 with sarcopenia, and their impacts on survival in patients with hepatocellular carcinoma. <b>2020</b> , 26, 492-505       | 12 |
| 75 | SIDE TO SIDE DIFFERENCES BETWEEN DOMINANT AND NON-DOMINANT ARM'S BONE DENSITY AND ISOMETRIC HANDGRIP STRENGTH IN MALES AND FEMALES AGED 40-65 YEARS OLD. <b>2016</b> , 28, 333-337                         | 4  |
| 74 | Bones, blood and steel: How bioelectrical impedance analysis is affected by hip fracture and surgical implants. <b>2019</b> , 8, 54-59   | 5  |
| 73 | Impact of Physical Activity on Frailty Status and How to Start a Semiological Approach to Muscular System. <b>2015</b> , 3, 52-60  | 1  |
| 72 | Sarcopenia, frail, cognitive impairment of chronic kidney disease and dialysis patients. <b>2019</b> , 11, 17-22   |    |
| 71 | Sarcopenia is an independent predictor of hospitalization in chronic kidney disease outpatients.   |    |
| 70 | Risk Factors Associated with Sarcopenia Among Independently Mobile, Institutionalised Older People in the Klang Valley of Malaysia: A Cross-Sectional Study. <b>2020</b> , 27, 120-128                     | 1  |
| 69 | Characteristics of Sources of Exercise Self-efficacy for Day Service Users. <b>2020</b> , 35, 505-510  |    |

|    |  |    |
|----|--|----|
| 68 | Global Associations of Calf Circumference with Total Mortality: A Systematic Review and Meta-Analysis.   |    |
| 67 | Sarcopenia. <b>2020</b> , 1781-1803.e19  |    |
| 66 | The Results of an Iterative Evaluation Process of an Mhealth Application for Rewarding Healthy Behaviour Among Older Adults. <b>2020</b> , 62-78   |    |
| 65 | Association between Muscle Mass and Muscle Strength with Physical Performance in Elderly in Surabaya. <b>2020</b> , 2, 24  |    |
| 64 | Techniques for the diagnosis of sarcopenia. <b>2014</b> , 11, 181-4  | 64 |
| 63 | Sarcopenia prevalence using simple measurements and population-based cutoff values. <b>2016</b> , 2, 8-13  | 4  |
| 62 | Feasibility of Cognitive-Motor Exergames in Geriatric Inpatient Rehabilitation: A Pilot Randomized Controlled Study.. <b>2021</b> , 13, 739948   | 0  |
| 61 | Evaluation of the Effectiveness of Outdoor Fitness Equipment Intervention in Achieving Fitness Goals for Seniors. <b>2021</b> , 18,  | 1  |
| 60 | What Explains Successful or Unsuccessful Postural Adaptations to Repeated Surface Perturbations among Older Adults?. <b>2021</b> , 18,   | 0  |
| 59 | Prevalence of Sarcopenia According to the Method Used to Determine Physical Performance.   |    |
| 58 | Validity and feasibility of a seated push-up test to indicate skeletal muscle mass in well-functioning older adults.. <b>2022</b> , 1-8  | 0  |
| 57 | Osteosarcopenia. <b>2022</b> , 95-142  | 1  |
| 56 | Validity of the four-square step test in persons with haemophilia.. <b>2022</b> ,  |    |
| 55 | Lower extremity muscle strength reference values for young Saudi male adults aged 21 to 23 years and their correlation with anthropometric parameters and balance. <b>2022</b> , 7, 98-109 |    |
| 54 | Muscle Health. <b>2022</b> , 49-94   |    |
| 53 | Sarcopenic obesity: What about in the cancer setting?. <b>2022</b> , 98, 111624  | 1  |
| 52 | Vertical Jump Tests: A Safe Instrument to Improve the Accuracy of the Functional Capacity Assessment in Robust Older Women.. <b>2022</b> , 10,   | 0  |
| 51 | Screening, diagnosis and monitoring of sarcopenia: When to use which tool?. <b>2022</b> , 48, 36-44  | 5  |

|    |  |    |
|----|--|----|
| 50 | Definition and Diagnostic Criteria for Sarcopenic Obesity: ESPEN and EASO Consensus Statement.. <b>2022</b> , 1-15   | 16 |
| 49 | Factors affecting health-related quality of life in older patients with chronic kidney disease: a single-center cross-sectional study.. <b>2022</b> , 1  |    |
| 48 | Can Biological Drugs Diminish the Risk of Sarcopenia in Psoriatic Patients? A Systematic Review.. <b>2022</b> , 12,  |    |
| 47 | Prevention Admission into Nursing homes (PAN): study protocol for an explorative, prospective longitudinal pilot study.. <b>2022</b> , 22, 227   |    |
| 46 | Definition and diagnostic criteria for sarcopenic obesity: ESPEN and EASO consensus statement.. <b>2022</b> ,  | 4  |
| 45 | Effects of an increased habitual dietary protein intake followed by resistance training on fitness, muscle quality and body composition of seniors: A randomised controlled trial.. <b>2022</b> , 41, 1034-1045  | 2  |
| 44 | Hydroxy-Methylbutyrate Supplementation May Not Enhance Additional Effects of Exercise on Muscle Quality in Older Women.. <b>2022</b> , 54, 543-550   | 0  |
| 43 | The feasibility and acceptability of assessing and managing sarcopenia and frailty among older people with upper limb fracture.. <b>2021</b> ,   | 1  |
| 42 | Sarcopenia, malnutrition, and frailty: disease implications for geriatric DM patients. <b>2021</b> , 69, 241-246   |    |
| 41 | Effects of Vitamin D3 Supplementation and Resistance Training on 25-Hydroxyvitamin D Status and Functional Performance of Older Adults: A Randomized Placebo-Controlled Trial.. <b>2021</b> , 14,  | 1  |
| 40 | Mobility focussed physical outcome measures over telehealth using Zoom platform: intra and inter-rater reliability trial (Preprint).   |    |
| 39 | The Psychometric Properties of the Short Physical Performance Battery to Assess Physical Performance in Older Adults: A Systematic Review.. <b>2022</b> ,  | 1  |
| 38 | Handgrip strength is associated with risk of falls in physically active older women.. <b>2022</b> , 1-14   |    |
| 37 | The Physical Activity and Nutritional INfluences in Ageing (PANINI) Toolkit: A Standardized Approach towards Physical Activity and Nutritional Assessment of Older Adults. <b>2022</b> , 10, 1017  | 0  |
| 36 | Clinical and cost-effectiveness of a personalised health promotion intervention enabling independence in older people with mild frailty (HomeHealth) compared to treatment as usual: study protocol for a randomised controlled trial. <b>2022</b> , 22, |    |
| 35 | Feasibility of an Online Delivered, Home-Based Resistance Training Program for Older Adults [A Mixed Methods Approach. <b>2022</b> , 13,   | 1  |
| 34 | Mobility focussed physical outcome measures over telecommunication technology (Zoom): intra and inter-rater reliability trial (Preprint).  |    |
| 33 | Benefits of a Balance Exercise Assist Robot in the Cardiac Rehabilitation of Older Adults with Cardiovascular Disease: A Preliminary Study. <b>2022</b> , 9, 191   |    |



|    |  |   |
|----|--|---|
| 32 | Appendicular skeletal muscle mass assessment in dogs: a scoping literature review. <b>2022</b> , 18,   |   |
| 31 | A Comparative Study of High-Frequency Bioelectrical Impedance Analysis and Dual-Energy X-ray Absorptiometry for Estimating Body Composition. <b>2022</b> , 12, 994   | 3 |
| 30 | Reliability and validity of two hand dynamometers when used by community-dwelling adults aged over 50 years. <b>2022</b> , 22,   | 0 |
| 29 | Associations of muscle mass, strength, and quality with all-cause mortality in China: a population-based cohort study. Publish Ahead of Print,   |   |
| 28 | Procedures for Improving Self-report Measurements to Capture Behavior Change: An Illustration.   |   |
| 27 | Calf Circumference and All-Cause Mortality: A Systematic Review and Meta-Analysis Based on Trend Estimation Approaches.  |   |
| 26 | Association of fat mass index versus appendicular lean mass index with physical function ¶The Yishun Study. <b>2022</b> , 2, 100097  | 0 |
| 25 | Protein Supplementation for Strength and Functionality in Older Adults: Is There Still Any Doubt? A Brief Update Review. <b>2022</b> , 1-8   | 0 |
| 24 | Associations of Nutrition-Related, Physical, and Social Factors and Their Combinations with Sarcopenia in Community-Dwelling Older Adults: Kashiwa Cohort Study. <b>2022</b> , 14, 3544  | 1 |
| 23 | Life-Space Activities Are Associated with the Prognosis of Older Adults with Cardiovascular Disease. <b>2022</b> , 9, 323  | 0 |
| 22 | Impact of Using Population-Specific Cut-Points, Self-Reported Health, and Socio-Economic Parameters to Predict Sarcopenia: A Cross-Sectional Study in Community-Dwelling Kosovans Aged 60 Years and Older. <b>2022</b> , 11, 5579                | 0 |
| 21 | TRANSLATION, CROSS-CULTURAL ADAPTATION AND PSYCHOMETRIC PROPERTIES OF URDU VERSION OF FALLS EFFICACY SCALE- INTERNATIONAL IN COMMUNITY DWELLING OLDER ADULTS. <b>2022</b> , 11, 101-108  | 0 |
| 20 | The effect of an intervention of porcine protein versus maltodextrin supplement on CONvalescence of FUNctional outcomes after lCU Stay (CONFUCIUS): Study protocol for a randomized controlled, single-center, double-blind trial. <b>2022</b> , | 0 |
| 19 | Validity and reliability of ¶My Jump app¶to assess vertical jump performance: A meta-analytic review.  | 0 |
| 18 | Sarcopenia and mortality risk in community-dwelling Brazilian older adults. <b>2022</b> , 12,  | 0 |
| 17 | The effect of Tai Chi in elderly individuals with sarcopenia and frailty: A systematic review and meta-analysis of randomized controlled trials. <b>2022</b> , 82, 101747  | 1 |
| 16 | Sarcopenia Predicts Outcomes after Lung Transplantation in Older Lung Transplant Candidates. <b>2022</b> ,   | 0 |
| 15 | Efficacy of a multicomponent exercise training program intervention in community-dwelling older adults during the COVID-19 pandemic: A cluster randomized controlled trial. <b>2023</b> , 49, 148-156  | 0 |

- 14 Effects of fish oil-derived n-3 polyunsaturated fatty acid on body composition, muscle strength and physical performance in older people: a secondary analysis of a randomised, double-blind, placebo-controlled trial. **2022**, 51, ○
- 13 Telerehabilitation in Older Thai Community-Dwelling Adults. **2022**, 12, 2029 ○
- 12 Oral frailty as a risk factor for mild cognitive impairment in community-dwelling older adults: Kashiwa study. **2022**, 112075 ○
- 11 Feasibility of bioelectrical impedance analysis in routine clinical care to assess body composition in geriatric rehabilitation inpatients: RESORT. ○
- 10 IMPROVE-BMT: a protocol for a pilot randomised controlled trial of prehabilitation exercise for adult haematopoietic stem cell transplant recipients. **2023**, 13, e066841 ○
- 9 The Effect of a Home-delivered Protein-rich Meal Service on Quality of Life in Oncological Patients Undergoing Chemotherapy. **2023**, 3, e038 ○
- 8 Accuracy of handgrip and respiratory muscle strength in identifying sarcopenia in older, community-dwelling, Brazilian women. **2023**, 13, ○
- 7 Thigh muscles are more susceptible to age-related muscle loss when compared to lower leg and pelvic muscles. **2023**, 175, 112159 ○
- 6 The influence of vitamin D supplementation and strength training on health biomarkers and chromosomal damage in community-dwelling older adults. **2023**, 61, 102640 ○
- 5 Defining and diagnosing sarcopenia: Is the glass now half full?. **2023**, 143, 155558 ○
- 4 COVID-19 in Older Patients: Assessment of Post-COVID-19 Sarcopenia. **2023**, 11, 733 ○
- 3 A Multivariable Model Based on Ultrasound Imaging Features of Gastrocnemius Muscle to Identify Patients With Sarcopenia. ○
- 2 Sarcopenia in Older People. **2023**, 138-156 ○
- 1 The Diet as a Modulator of Tumor Microenvironment in Colorectal Cancer Patients. **2023**, 24, 7317 ○