

# CITATION REPORT

List of articles citing

Margin size is an independent predictor of local tumor progression after ablation of colon cancer liver metastases

DOI: 10.1007/s00270-012-0377-1

CardioVascular and Interventional Radiology, 2013, 36, 166-7

**Source:** <https://exaly.com/paper-pdf/54931506/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
219	Microwave ablation in porcine livers applying 5-minute protocols: influence of deployed energy on extent and shape of coagulation. <b>2012</b> , 23, 1692-9		8
218	Cholecystokinin-assisted hydrodissection of the gallbladder fossa during FDG PET/CT-guided liver ablation. <i>CardioVascular and Interventional Radiology</i> , <b>2013</b> , 36, 1704-1706	2.7	4
217	Irreversible electroporation of the pig kidney with involvement of the renal pelvis: technical aspects, clinical outcome, and three-dimensional CT rendering for assessment of the treatment zone. <b>2013</b> , 24, 1888-97		22
216	Image-guided thermal ablation of tumors increases the plasma level of interleukin-6 and interleukin-10. <b>2013</b> , 24, 1105-12		87
215	Optimisation of the coagulation zone for thermal ablation procedures: a theoretical approach with considerations for practical use. <i>International Journal of Hyperthermia</i> , <b>2013</b> , 29, 620-8	3.7	7
214	Barriers to drug delivery in interventional oncology. <b>2013</b> , 24, 1201-7		41
213	Split-dose technique for FDG PET/CT-guided percutaneous ablation: a method to facilitate lesion targeting and to provide immediate assessment of treatment effectiveness. <b>2013</b> , 268, 288-95		89
212	Dual switching monopolar radiofrequency ablation using a separable clustered electrode: comparison with consecutive and switching monopolar modes in ex vivo bovine livers. <b>2013</b> , 14, 403-11		17
211	Specific CT 3D rendering of the treatment zone after Irreversible Electroporation (IRE) in a pig liver model: the "Chebyshev Center Concept" to define the maximum treatable tumor size. <b>2014</b> , 14, 2		11
210	Percutaneous imaging-guided cryoablation of liver tumors: predicting local progression on 24-hour MRI. <b>2014</b> , 203, W181-91		43
209	Evaluation of YO-PRO-1 as an early marker of apoptosis following radiofrequency ablation of colon cancer liver metastases. <b>2014</b> , 66, 259-73		30
208	Image-guided tumor ablation: standardization of terminology and reporting criteria--a 10-year update. <b>2014</b> , 25, 1691-705.e4		307
207	Image-guided tumor ablation: standardization of terminology and reporting criteria--a 10-year update. <b>2014</b> , 273, 241-60		611
206	Image-Guided Ablation of Malignant Liver Tumors: Recommendations for Clinical Validation of Novel Thermal and Non-Thermal Technologies - A Western Perspective. <b>2015</b> , 4, 208-14		69
205	Intrahepatic distant recurrence following complete radiofrequency ablation of small hepatocellular carcinoma: risk factors and early MRI evaluation. <b>2015</b> , 14, 603-12		4
204	Systemic siRNA Nanoparticle-Based Drugs Combined with Radiofrequency Ablation for Cancer Therapy. <b>2015</b> , 10, e0128910		30
203	Interventional oncology for liver and lung metastases from colorectal cancer: The current state of the art. <b>2015</b> , 96, 647-54		15

202	Oncologie interventionnelle des mēastases hēpatiques et pulmonaires du cancer colorectal : Œtat de l'Art. <b>2015</b> , 96, 202-210		
201	Thermal ablation of colorectal liver metastases: a position paper by an international panel of ablation experts, The Interventional Oncology Sans Frontiēres meeting 2013. <b>2015</b> , 25, 3438-54		177
200	Microwave Ablation Compared to Radiofrequency Ablation for Hepatic Lesions: A Meta-Analysis. <b>2015</b> , 26, 1139-1146.e2		63
199	Sphere-enhanced microwave ablation (sMWA) versus bland microwave ablation (bMWA): technical parameters, specific CT 3D rendering and histopathology. <i>CardioVascular and Interventional Radiology</i> , <b>2015</b> , 38, 442-52	2.7	2
198	Radiofrequency Ablation: Inflammatory Changes in the Periablation Zone Can Induce Global Organ Effects, including Liver Regeneration. <b>2015</b> , 276, 416-25		60
197	Liver Ablation: Best Practice. <b>2015</b> , 53, 933-71		54
196	Radiofrequency thermo-ablation of PVNS in the knee: initial results. <b>2015</b> , 44, 1777-84		6
195	Radioembolization as a Salvage Therapy for Heavily Pretreated Patients With Colorectal Cancer Liver Metastases: Factors That Affect Outcomes. <b>2015</b> , 14, 296-305		36
194	Ablative and catheter-directed therapies for colorectal liver and lung metastases. <b>2015</b> , 29, 117-33		5
193	Real-time US-CT/MRI image fusion for guidance of thermal ablation of liver tumors undetectable with US: results in 295 cases. <i>CardioVascular and Interventional Radiology</i> , <b>2015</b> , 38, 143-51	2.7	141
192	Microwave ablation (MWA) for the treatment of a solitary, chemorefractory testicular cancer liver metastasis. <i>CardioVascular and Interventional Radiology</i> , <b>2015</b> , 38, 488-93	2.7	
191	Local tumor progression patterns after radiofrequency ablation of colorectal cancer liver metastases. <b>2016</b> , 22, 548-554		5
190	Principles of radiofrequency and microwave tumor ablation. 3-12		1
189	Angled Cool-Tip Electrode for Radiofrequency Ablation of Small Superficial Subcapsular Tumors in the Liver: A Feasibility Study. <b>2016</b> , 17, 742-9		6
188	Morphometric and chronological behavior of 2.45 GHz microwave ablation zones for colorectal cancer metastases and hepatocellular carcinoma in the liver: preliminary report. <b>2016</b> , 41, 1611-7		5
187	Colorectal Cancer Liver Metastases: Biopsy of the Ablation Zone and Margins Can Be Used to Predict Oncologic Outcome. <b>2016</b> , 280, 949-59		85
186	Hepatic Microwave Ablation Zone Size: Correlation with Total Energy, Net Energy, and Manufacturer-Provided Chart Predictions. <b>2016</b> , 27, 1389-1396		13
185	Hepatic Thermal Ablation: Effect of Device and Heating Parameters on Local Tissue Reactions and Distant Tumor Growth. <b>2016</b> , 281, 782-792		57

184	Percutaneous Image-Guided Cryoablation of Musculoskeletal Metastases: Pain Palliation and Local Tumor Control. <b>2016</b> , 27, 1788-1796		30
183	Prognostic role of 25-hydroxyvitamin D in patients with liver metastases from colorectal cancer treated with radiofrequency ablation. <b>2016</b> , 31, 1483-8		15
182	Percutaneous Radiofrequency Ablation of Colorectal Cancer Liver Metastases: Factors Affecting Outcomes--A 10-year Experience at a Single Center. <b>2016</b> , 278, 601-11		208
181	Hepatic Radiofrequency Ablation-induced Stimulation of Distant Tumor Growth Is Suppressed by c-Met Inhibition. <b>2016</b> , 279, 103-17		66
180	Feasibility of a Modified Biopsy Needle for Irreversible Electroporation Ablation and Periprocedural Tissue Sampling. <b>2016</b> , 15, 749-758		3
179	Percutaneous thermal ablation for the treatment of colorectal liver metastases and hepatocellular carcinoma: a comparison of local therapeutic efficacy. <i>International Journal of Hyperthermia</i> , <b>2017</b> , 33, 446-453	3.7	15
178	Microwave ablation of liver malignancies: comparison of effects and early outcomes of percutaneous and intraoperative approaches with different liver conditions : New advances in interventional oncology: state of the art. <b>2017</b> , 34, 49		33
177	Radiologic hepatobiliary interventions. <b>2017</b> , 525-536.e1		
176	The role of image-guided therapy in the management of colorectal cancer metastatic disease. <b>2017</b> , 75, 231-242		28
175	Comparison of elastography, contrast-enhanced ultrasonography, and computed tomography for assessment of lesion margin after radiofrequency ablation in livers of healthy dogs. <b>2017</b> , 78, 295-304		7
174	Local tumour progression after percutaneous ablation of colorectal liver metastases according to RAS mutation status. <b>2017</b> , 104, 760-768		68
173	Changes in peripheral blood T-cell balance after percutaneous tumor ablation. <b>2017</b> , 26, 331-337		20
172	Radiofrequency Ablation of Hepatic Tumor: Subjective Assessment of the Perilesional Vascular Network on Contrast-Enhanced Computed Tomography Before and After Ablation Can Reliably Predict the Risk of Local Recurrence. <b>2017</b> , 41, 607-613		5
171	Monitoring Microwave Ablation of Ex Vivo Bovine Liver Using Ultrasonic Attenuation Imaging. <b>2017</b> , 43, 1441-1451		13
170	A Comparative Study of Ablation Boundary Sharpness After Percutaneous Radiofrequency, Cryo-, Microwave, and Irreversible Electroporation Ablation in Normal Swine Liver and Kidneys. <i>CardioVascular and Interventional Radiology</i> , <b>2017</b> , 40, 1600-1608	2.7	19
169	Percutaneous Thermal Ablation with Ultrasound Guidance. Fusion Imaging Guidance to Improve Conspicuity of Liver Metastasis. <i>CardioVascular and Interventional Radiology</i> , <b>2017</b> , 40, 721-727	2.7	21
168	Liver-Directed Therapy for Hepatocellular Carcinoma: An Overview of Techniques, Outcomes, and Posttreatment Imaging Findings. <b>2017</b> , 209, 67-76		22
167	Radiofrequency Ablation Combined with Hepatic Arterial Chemoembolization Using Degradable Starch Microsphere Mixed with Mitomycin C for the Treatment of Liver Metastasis from Colorectal Cancer: A Prospective Multicenter Study. <i>CardioVascular and Interventional Radiology</i> , <b>2017</b> , 40, 560-567	2.7	14

166	Planned Treatment of Advanced Metastatic Disease with Completion Ablation After Hepatic Resection. <b>2017</b> , 21, 628-635		11
165	Percutaneous Image-Guided Cryoablation of Hepatic Tumors: Single-Center Experience With Intermediate to Long-Term Outcomes. <b>2017</b> , 209, 1381-1389		32
164	Thermal Ablation in the Management of Colorectal Cancer Patients with Oligometastatic Liver Disease. <b>2017</b> , 33, 62-68		27
163	Interstitial Brachytherapy for Liver Tumors: Practical Issues. <b>2017</b> , 133-146		
162	Kras mutation is a marker of worse oncologic outcomes after percutaneous radiofrequency ablation of colorectal liver metastases. <b>2017</b> , 8, 66117-66127		55
161	Hong Kong Consensus Statements for the Management of Unresectable Hepatocellular Carcinoma. <b>2018</b> , 7, 40-54		16
160	Radiofrequency ablation (RFA)-induced systemic tumor growth can be reduced by suppression of resultant heat shock proteins. <i>International Journal of Hyperthermia</i> , <b>2018</b> , 34, 934-942	3-7	20
159	Colorectal Liver Metastasis: Overview of Treatment Paradigm Highlighting the Role of Ablation. <b>2018</b> , 210, 883-890		14
158	Aggressive and Multidisciplinary Local Approach to Iterative Recurrences of Colorectal Liver Metastases. <b>2018</b> , 42, 2651-2659		17
157	Ablation of colorectal liver metastasis: Interaction of ablation margins and RAS mutation profiling on local tumour progression-free survival. <b>2018</b> , 28, 2727-2734		59
156	Percutaneous Microwave versus Radiofrequency Ablation of Colorectal Liver Metastases: Ablation with Clear Margins (A0) Provides the Best Local Tumor Control. <b>2018</b> , 29, 268-275.e1		119
155	A Novel CT to Cone-Beam CT Registration Method Enables Immediate Real-Time Intraoperative Three-Dimensional Assessment of Ablative Treatments of Liver Malignancies. <i>CardioVascular and Interventional Radiology</i> , <b>2018</b> , 41, 1049-1057	2-7	8
154	Immediate Postablation F-FDG Injection and Corresponding SUV Are Surrogate Biomarkers of Local Tumor Progression After Thermal Ablation of Colorectal Carcinoma Liver Metastases. <b>2018</b> , 59, 1360-1365		20
153	Radiographic Local Tumor Control and Pain Palliation of Sarcoma Metastases within the Musculoskeletal System with Percutaneous Thermal Ablation. <i>CardioVascular and Interventional Radiology</i> , <b>2018</b> , 41, 1223-1232	2-7	14
152	Radiofrequency ablation for colorectal cancer liver metastases initially greater than 25 mm but downsized by neo-adjuvant chemotherapy is associated with increased rate of local tumor progression. <b>2018</b> , 20, 76-82		5
151	Perivascular extension of microwave ablation zone: demonstrated using an ex vivo porcine perfusion liver model. <i>International Journal of Hyperthermia</i> , <b>2018</b> , 34, 1114-1120	3-7	9
150	Evaluation of microwave ablation of liver malignancy with enabled constant spatial energy control to achieve a predictable spherical ablation zone. <i>International Journal of Hyperthermia</i> , <b>2018</b> , 34, 492-500	3-7	25
149	Influence of thermal ablation of hepatic metastases from gastric adenocarcinoma on long-term survival: Systematic review and pooled analysis. <b>2018</b> , 97, e13525		5

148	MR-Guided Liver Interventions. <b>2018</b> , 27, 163-170		3
147	Prediction of Local Tumor Progression after Radiofrequency Ablation (RFA) of Hepatocellular Carcinoma by Assessment of Ablative Margin Using Pre-RFA MRI and Post-RFA CT Registration. <b>2018</b> , 19, 1053-1065		11
146	Long-term survival after percutaneous irreversible electroporation of inoperable colorectal liver metastases. <b>2019</b> , 11, 317-322		13
145	Percutaneous Minimally Invasive Thermal Ablation of Musculoskeletal Lesions: Usefulness of PET-Computed Tomography. <b>2018</b> , 13, 579-585		3
144	A comparison between 915 MHz and 2450 MHz microwave ablation systems for the treatment of small diameter lung metastases. <b>2018</b> , 24, 31-37		15
143	Comparison of CT/MRI-CEUS and US-CEUS fusion imaging techniques in the assessment of the thermal ablation of liver tumors. <i>International Journal of Hyperthermia</i> , <b>2019</b> , 35, 159-167	3.7	19
142	Radiofrequency ablation versus resection for technically resectable colorectal liver metastasis: a propensity score analysis. <b>2018</b> , 16, 207		22
141	Long-term outcomes and prognostic analysis of percutaneous radiofrequency ablation in liver metastasis from breast cancer. <i>International Journal of Hyperthermia</i> , <b>2019</b> , 35, 183-193	3.7	20
140	Combination Therapies: Quantifying the Effects of Transarterial Embolization on Microwave Ablation Zones. <b>2018</b> , 29, 1050-1056		5
139	Liver metastases from colorectal cancer: propensity score-based comparison of stereotactic body radiation therapy vs. microwave ablation. <b>2018</b> , 144, 1777-1783		14
138	New microwave ablation system for unresectable liver tumors that forms large, spherical ablation zones. <b>2018</b> , 33, 2007-2014		9
137	Open Liver Resection, Laparoscopic Liver Resection, and Percutaneous Thermal Ablation for Patients with Solitary Small Hepatocellular Carcinoma (B0 mm): Review of the Literature and Proposal for a Therapeutic Strategy. <b>2018</b> , 35, 359-371		16
136	Liver-Directed and Systemic Therapies for Colorectal Cancer Liver Metastases. <i>CardioVascular and Interventional Radiology</i> , <b>2019</b> , 42, 1240-1254	2.7	5
135	Propofol Compared to Midazolam Sedation and to General Anesthesia for Percutaneous Microwave Ablation in Patients with Hepatic Malignancies: A Single-Center Comparative Analysis of Three Historical Cohorts. <i>CardioVascular and Interventional Radiology</i> , <b>2019</b> , 42, 1597-1608	2.7	7
134	Microwave Ablation (MWA) of Pulmonary Neoplasms: Clinical Performance of High-Frequency MWA With Spatial Energy Control Versus Conventional Low-Frequency MWA. <b>2019</b> , 213, 1388-1396		8
133	Thermal Ablation of Metastatic Colon Cancer to the Liver. <b>2019</b> , 36, 310-318		16
132	Comparison of albumin-bilirubin grade, platelet-albumin-bilirubin grade and Child-Turcotte-Pugh class for prediction of survival in patients with large hepatocellular carcinoma after transarterial chemoembolization combined with microwave ablation. <i>International Journal of Hyperthermia</i> , <b>2019</b> , 36, 841-853	3.7	10
131	Quantitative margin assessment of radiofrequency ablation of a solitary colorectal hepatic metastasis using MIRADA RTx on CT scans: a feasibility study. <b>2019</b> , 19, 71		5

130	The Management of Colorectal Cancer Liver Metastases: The Interventional Radiology Viewpoint. <b>2019</b> , 103, 537-539		6
129	The value of KRAS gene status in predicting local tumor progression of colorectal liver metastases following radiofrequency ablation. <i>International Journal of Hyperthermia</i> , <b>2019</b> , 36, 211-219	3-7	13
128	Resectable recurrent colorectal liver metastasis: can radiofrequency ablation replace repeated metastasectomy?. <b>2019</b> , 89, 908-913		3
127	Fluorescent Tissue Assessment of Colorectal Cancer Liver Metastases Ablation Zone: A Potential Real-Time Biomarker of Complete Tumor Ablation. <b>2019</b> , 26, 1833-1840		14
126	Shrinkage of hepatocellular carcinoma after radiofrequency ablation following transcatheter arterial chemoembolization: Analysis of contributing factors. <b>2019</b> , 14, e0210667		2
125	Comparison of parallel and crossed placement of antennas in microwave ablation of 3-5 cm hepatocellular carcinoma. <b>2019</b> , 44, 2293-2300		1
124	Intraprocedural computed tomography/magnetic resonance-contrast-enhanced ultrasound fusion imaging improved thermal ablation effect of hepatocellular carcinoma: Comparison with conventional ultrasound. <b>2019</b> , 49, 799-809		7
123	A tumor map generated from three-dimensional visualization of image fusion for the assessment of microwave ablation of hepatocellular carcinoma: a preliminary study. <b>2019</b> , 11, 1569-1578		4
122	A novel software platform for volumetric assessment of ablation completeness. <i>International Journal of Hyperthermia</i> , <b>2019</b> , 36, 337-343	3-7	27
121	The Accumulation and Effects of Liposomal Doxorubicin in Tissues Treated by Radiofrequency Ablation and Irreversible Electroporation in Liver: In Vivo Experimental Study on Porcine Models. <i>CardioVascular and Interventional Radiology</i> , <b>2019</b> , 42, 751-762	2-7	2
120	Contrast-enhanced ultrasound to ultrasound fusion during microwave ablation: feasibility study in a perfused porcine liver model. <b>2019</b> , 22, 323-335		2
119	The value of iterative metal artifact reduction algorithms during antenna positioning for CT-guided microwave ablation. <i>International Journal of Hyperthermia</i> , <b>2019</b> , 36, 1223-1232	3-7	2
118	Factors Affecting Oncologic Outcomes of 90Y Radioembolization of Heavily Pre-Treated Patients With Colon Cancer Liver Metastases. <b>2019</b> , 18, 8-18		21
117	Volumetric 3D assessment of ablation zones after thermal ablation of colorectal liver metastases to improve prediction of local tumor progression. <b>2019</b> , 29, 2698-2705		44
116	Volumetric analysis at abdominal CT: oncologic and non-oncologic applications. <b>2019</b> , 92, 20180631		7
115	Dynamic contrast-enhanced computed tomography in the treatment evaluation of patients with colorectal liver metastases treated with ablation: a feasibility study. <b>2019</b> , 60, 936-945		2
114	The local efficacy and influencing factors of ultrasound-guided percutaneous microwave ablation in colorectal liver metastases: a review of a 4-year experience at a single center. <i>International Journal of Hyperthermia</i> , <b>2019</b> , 36, 36-43	3-7	19
113	Updated 10-year outcomes of percutaneous radiofrequency ablation as first-line therapy for single hepatocellular carcinoma. <b>2020</b> , 30, 2391-2400		26

112	Society of Interventional Radiology Quality Improvement Standards on Percutaneous Ablation in Renal Cell Carcinoma. <b>2020</b> , 31, 195-201.e3		12
111	Clinical Outcomes and Predictors in Patients With Unresectable Colorectal Cancer Liver Metastases Following Salvage Percutaneous Radiofrequency Ablation: A Single Center Preliminary Experience. <b>2020</b> , 19, 1533033820963662		2
110	Transcatheter CT Hepatic Arteriography Compared with Conventional CT Fluoroscopy Guidance in Percutaneous Thermal Ablation to Treat Colorectal Liver Metastases: A Single-Center Comparative Analysis of 2 Historical Cohorts. <b>2020</b> , 31, 1772-1783		5
109	What is the difference in ablation zone of multi-bipolar radiofrequency ablation between liver cirrhosis and normal liver background? - a prospective clinical study. <i>International Journal of Hyperthermia</i> , <b>2020</b> , 37, 1248-1259	3.7	4
108	Radiofrequency ablation versus traditional liver resection and chemotherapy for liver metastases from gastric cancer. <b>2020</b> , 48, 300060520940509		8
107	Ultrasound Molecular Imaging as a Potential Non-invasive Diagnosis to Detect the Margin of Hepatocarcinoma via CSF-1R Targeting. <b>2020</b> , 8, 783		4
106	Percutaneous image-guided microwave ablation as primary therapy for PRETEXT II hepatoblastoma. <b>2020</b> , 67, e28641		1
105	Ten-Year Outcomes of Percutaneous Radiofrequency Ablation for Colorectal Cancer Liver Metastases in Perivascular vs. Non-Perivascular Locations: A Propensity-Score Matched Study. <b>2020</b> , 10, 553556		3
104	Factors Associated With Local Tumor Control and Complications After Thermal Ablation of Colorectal Cancer Liver Metastases: A 15-year Retrospective Cohort Study. <b>2021</b> , 20, e82-e95		19
103	Contrast-enhanced ultrasound-guided feeding artery ablation as add-on to percutaneous radiofrequency ablation for hypervascular hepatocellular carcinoma with a modified ablative technique and tumor perfusion evaluation. <i>International Journal of Hyperthermia</i> , <b>2020</b> , 37, 1016-1026	3.7	0
102	Can accurate evaluation of the treatment success after radiofrequency ablation of liver tumors be achieved by visual inspection alone? Results of a blinded assessment with 38 interventional oncologists. <i>International Journal of Hyperthermia</i> , <b>2020</b> , 37, 1362-1367	3.7	5
101	CIRSE Standards of Practice on Thermal Ablation of Liver Tumours. <i>CardioVascular and Interventional Radiology</i> , <b>2020</b> , 43, 951-962	2.7	19
100	Percutaneous microwave ablation of solitary presumptive pulmonary metastases in two dogs with appendicular osteosarcoma. <b>2020</b> , 49, 1174-1182		1
99	Stereotactic Image-Guided Microwave Ablation for Malignant Liver Tumors-A Multivariable Accuracy and Efficacy Analysis. <b>2020</b> , 10, 842		13
98	CTLA-4 Blockade Suppresses Progression of Residual Tumors and Improves Survival After Insufficient Radiofrequency Ablation in a Subcutaneous Murine Hepatoma Model. <i>CardioVascular and Interventional Radiology</i> , <b>2020</b> , 43, 1353-1361	2.7	5
97	Nomograms to predict survival outcomes after microwave ablation in elderly patients (>65 years old) with early-stage hepatocellular carcinoma. <i>International Journal of Hyperthermia</i> , <b>2020</b> , 37, 808-818	3.7	3
96	Radiofrequency ablation with four electrodes as a building block for matrix radiofrequency ablation: Ex vivo liver experiments and finite element method modelling. Influence of electric and activation mode on coagulation size and geometry. <b>2020</b> , 33, 145-157		4
95	Microwave Thermoablation of Colorectal Liver Metastases Close to Large Hepatic Vessels Under Pringle Maneuver Minimizes the "Heat Sink Effect". <b>2020</b> , 44, 1595-1603		11



94	Ultrasound-guided percutaneous microwave ablation of hepatocellular carcinoma in challenging locations: oncologic outcomes and advanced assistive technology. <i>International Journal of Hyperthermia</i> , <b>2020</b> , 37, 89-100	3.7	7
93	Moderate hyperthermic heating encountered during thermal ablation increases tumor cell activity. <i>International Journal of Hyperthermia</i> , <b>2020</b> , 37, 119-129	3.7	13
92	Laparoscopic colorectal resection combined with simultaneous thermal ablation or surgical resection of liver metastasis: a retrospective comparative study. <i>International Journal of Hyperthermia</i> , <b>2020</b> , 37, 137-143	3.7	0
91	MR-guided microwave ablation in hepatic malignancies: clinical experiences from 50 procedures. <i>International Journal of Hyperthermia</i> , <b>2020</b> , 37, 349-355	3.7	9
90	A Single-Center Retrospective Analysis of Perioperative Variables Affecting Local Tumor Progression after Radiofrequency Ablation of Colorectal Cancer Liver Metastases. <b>2021</b> , 298, 212-218		22
89	Liver tumor F-18 FDG-PET before and immediately after microwave ablation enables imaging and quantification of tumor tissue contraction. <b>2021</b> , 48, 1618-1625		4
88	Liver tumor ablation in difficult locations: Microwave ablation of perivascular and subdiaphragmatic hepatocellular carcinoma. <b>2021</b> , 71, 170-177		7
87	Risk factors for local tumor progression after RFA of pulmonary metastases: a matched case-control study. <b>2021</b> , 31, 5361-5369		1
86	Volumetric assessment of the periablation safety margin after thermal ablation of colorectal liver metastases. <b>2021</b> , 31, 6489-6499		16
85	Nomogram including chemotherapy response for prediction of intrahepatic progression-free survival in patients with colorectal liver metastasis through chemotherapy followed by radiofrequency ablation. <i>International Journal of Hyperthermia</i> , <b>2021</b> , 38, 633-639	3.7	1
84	Long-term outcomes of ultrasound-guided percutaneous microwave ablation versus resection for colorectal cancer liver metastases: a propensity-score matched study. <i>International Journal of Hyperthermia</i> , <b>2021</b> , 38, 1276-1284	3.7	0
83	Clinical applications of thermal ablation. <b>2021</b> , 143-177		0
82	Long-term outcome for colorectal liver metastases: combining hepatectomy with intraoperative ultrasound guided open microwave ablation versus hepatectomy alone. <i>International Journal of Hyperthermia</i> , <b>2021</b> , 38, 372-381	3.7	0
81	Perioperative risk factors for incomplete radiofrequency ablation of liver metastases from colorectal cancer: a single-center retrospective analysis. <i>International Journal of Hyperthermia</i> , <b>2021</b> , 38, 985-994	3.7	2
80	Computed tomography-guided microwave ablation of perivascular liver metastases from colorectal cancer: a study of the ablation zone, feasibility, and safety. <i>International Journal of Hyperthermia</i> , <b>2021</b> , 38, 887-899	3.7	3
79	Assessing ablation margins of FDG-avid liver tumors during PET/CT-guided thermal ablation procedures: a retrospective study. <b>2021</b> , 48, 2914-2924		2
78	The Role of Percutaneous Ablation in the Management of Colorectal Cancer Liver Metastatic Disease. <b>2021</b> , 11,		3
77	Thermal Ablation and Transarterial Chemoembolization are Characterized by Changing Dynamics of Circulating MicroRNAs. <b>2021</b> , 32, 403-411		1

76	Locoregional Therapies for Colorectal Cancer Liver Metastases: Options Beyond Resection. <b>2021</b> , 41, 133-146	1
75	Volumetric Quantitative Ablation Margins for Assessment of Ablation Completeness in Thermal Ablation of Liver Tumors. <b>2021</b> , 11, 623098	4
74	Tumor Biomarkers and Interventional Oncology: Impact on Local Outcomes for Liver and Lung Malignancy. <b>2021</b> , 23, 67	3
73	Switching monopolar radiofrequency ablation improves long-term outcomes of medium-sized hepatocellular carcinoma. <b>2021</b> , 31, 8649-8661	2
72	Percutaneous Microwave Ablation Versus Open Surgical Resection for Colorectal Cancer Liver Metastasis. <b>2021</b> , 11, 638165	0
71	Comparison of Percutaneous Radiofrequency Ablation for Subcapsular and Non-Subcapsular Colorectal Cancer Liver Metastases. <b>2021</b> , 11, 678490	1
70	Thermal Ablation Compared to Partial Hepatectomy for Recurrent Colorectal Liver Metastases: An Amsterdam Colorectal Liver Met Registry (AmCORE) Based Study. <b>2021</b> , 13,	5
69	Stereotactic Thermal Ablation of Liver Tumors: 3D Planning, Multiple Needle Approach, and Intraprocedural Image Fusion Are the Key to Success-A Narrative Review. <b>2021</b> , 10,	6
68	Differential Imaging of Liver Tumors before and after Microwave Ablation with Electrode Displacement Elastography. <b>2021</b> , 47, 2138-2156	1
67	Primary Tumor Sidedness, RAS and BRAF Mutations and MSI Status as Prognostic Factors in Patients with Colorectal Liver Metastases Treated with Surgery and Thermal Ablation: Results from the Amsterdam Colorectal Liver Met Registry (AmCORE). <b>2021</b> , 9,	4
66	Image-Guided Ablation for Colorectal Liver Metastasis: Principles, Current Evidence, and the Path Forward. <b>2021</b> , 13,	1
65	Percutaneous Radiofrequency Ablation for Recurrent Intrahepatic Cholangiocarcinoma After Curative Resection: Multivariable Analysis of Factors Predicting Survival Outcomes. <b>2021</b> , 217, 426-432	5
64	Society of Interventional Radiology Quality Improvement Standards on Percutaneous Ablation of Non-Small Cell Lung Cancer and Metastatic Disease to the Lungs. <b>2021</b> , 32, 1242.e1-1242.e10	3
63	Microwave ablation for colorectal cancer metastasis to the liver: a single-center retrospective analysis. <b>2021</b> , 12, 1454-1469	4
62	Combination of ablation and embolization for intermediate-sized liver metastases from colorectal cancer: what can we learn from treating primary liver cancer?. <b>2021</b> , 27, 677-683	1
61	Lung Ablation with Irreversible Electroporation Promotes Immune Cell Infiltration by Sparing Extracellular Matrix Proteins and Vasculature: Implications for Immunotherapy. <b>2021</b> , 3, 204-214	1
60	Percutaneous lung and liver CT-guided ablation on swine model using microwave ablation to determine ablation size for clinical practice. <i>International Journal of Hyperthermia</i> , <b>2021</b> , 38, 1140-1148 3-7	2
59	Percutaneous microwave ablation of hepatic lesions near the heart. <b>2021</b> , 6, 59	3

58	Oligometastatic Colorectal Cancer Management: A Survey of the Italian College of Interventional Radiology. <i>CardioVascular and Interventional Radiology</i> , <b>2020</b> , 43, 1474-1483	2.7	3
57	Image-Guided Thermal Ablation for Colorectal Liver Metastases. <b>2020</b> , 23, 100672		6
56	Interventional Treatment of Hepatic Metastases from Colorectal Cancer. <b>2020</b> , 37, 492-498		1
55	Switching Monopolar No-Touch Radiofrequency Ablation Using Octopus Electrodes for Small Hepatocellular Carcinoma: A Randomized Clinical Trial. <b>2021</b> , 10, 72-81		3
54	Follow-up after radiological intervention in oncology: ECIO-ESOI evidence and consensus-based recommendations for clinical practice. <b>2020</b> , 11, 83		19
53	Switching Monopolar Radiofrequency Ablation Using a Separable Cluster Electrode in Patients with Hepatocellular Carcinoma: A Prospective Study. <b>2016</b> , 11, e0161980		10
52	The role of interventional oncology in the treatment of colorectal cancer liver metastases. <b>2019</b> , 32, 147-155		18
51	Safety margin assessment after microwave ablation of liver tumors: inter- and intrareader variability. <b>2020</b> , 54, 57-61		8
50	Features of extrahepatic metastasis after radiofrequency ablation for hepatocellular carcinoma. <b>2020</b> , 26, 4833-4845		2
49	Repeat Local Treatment of Recurrent Colorectal Liver Metastases, the Role of Neoadjuvant Chemotherapy: An Amsterdam Colorectal Liver Met Registry (AmCORE) Based Study. <b>2021</b> , 13,		2
48	PET-Guided Interventions from Diagnosis to Treatment. <b>2015</b> , 279-286		
47	Ablative treatment of liver tumors. <b>2017</b> , 1433-1435.e1		
46	Principles of Percutaneous Ablation in the Liver. <b>2020</b> , 43-53		
45	The Contemporary Role of Resection and Ablation in Colorectal Cancer Liver Metastases. <b>2020</b> , 04, 291-302		
44	Combined trans-arterial embolisation and microwave ablation for the treatment of large unresectable hepatic metastases (>3 cm in maximal diameter). <i>International Journal of Hyperthermia</i> , <b>2020</b> , 37, 1395-1403	3.7	0
43	Thermal Ablation of Liver Lesions. <b>2020</b> , 787-794.e3		
42	Interventional Radiology in Management of Colorectal Carcinoma Metastasis. <b>2021</b> , 629-662		
41	Recurrent Colorectal Liver Metastases in the Liver Remnant After Major Liver Surgery-IRE as a Salvage Local Treatment When Resection and Thermal Ablation are Unsuited. <i>CardioVascular and Interventional Radiology</i> , <b>2021</b> , 1	2.7	1

40	Detectability of Target Lesion During CT-Guided Tumor Ablations: Impact on Ablation Outcome. <b>2021,</b>		
39	Immuno-Fluorescent Assessment of Ablated Colorectal Liver Metastases: The Frozen Section of Image-Guided Tumor Ablation?. <b>2021,</b>		1
38	Identifying Optimal Surgical Intervention-Based Chemotherapy for Gastric Cancer Patients With Liver Metastases.. <b>2021,</b> 11, 675870		1
37	3D Quantitative Ablation Margins for Prediction of Ablation Site Recurrence After Stereotactic Image-Guided Microwave Ablation of Colorectal Liver Metastases: A Multicenter Study. <b>2021,</b> 11, 757167		0
36	Biopsy and Margins Optimize Outcomes after Thermal Ablation of Colorectal Liver Metastases.. <b>2022,</b> 14,		1
35	Multi-institutional analysis of outcomes for thermosphere microwave ablation treatment of colorectal liver metastases: the SMAC study.. <b>2022,</b> 1		0
34	A prognostic nomogram for intrahepatic progression-free survival in patients with colorectal liver metastases after ultrasound-guided percutaneous microwave ablation.. <i>International Journal of Hyperthermia,</i> <b>2022,</b> 39, 144-154	3.7	0
33	A prospective randomized trial comparing microwave and radiofrequency ablation for the treatment of liver metastases using a dual ablation system - The Mira study.. <b>2022,</b> 9, 100399		0
32	Local tumour control after radiofrequency or microwave ablation for colorectal liver metastases in relation to histopathological growth patterns.. <b>2022,</b>		1
31	Technical efficacy and local recurrence after stereotactic radiofrequency ablation of 2653 liver tumors: a 15-year single-center experience with evaluation of prognostic factors.. <i>International Journal of Hyperthermia,</i> <b>2022,</b> 39, 421-430	3.7	1
30	Software-based assessment of tumor margins after percutaneous thermal ablation of liver tumors: A systematic review.. <b>2022,</b>		0
29	Percutaneous radiofrequency ablation of solitary hepatic metastasis from colorectal cancer: Risk factors of local tumor progression-free survival and overall survival.		
28	Prognostic Role of Albumin-Bilirubin Grade in Hepatocellular Carcinoma After Ultrasound-guided Percutaneous Radiofrequency Ablation: A Single-center Experience Over a Decade.. <b>2022,</b>		0
27	Colorectal masses: Ablation. 139-147		
26	Contemporary evidence on colorectal liver metastases ablation: toward a paradigm shift in locoregional treatment.. <i>International Journal of Hyperthermia,</i> <b>2022,</b> 39, 649-663	3.7	1
25	An Overview of Hepatocellular Carcinoma After Insufficient Radiofrequency Ablation.. <b>2022,</b> 9, 343-355		0
24	MR elastography is a good response parameter for microwave ablation liver tumors. <b>2022,</b> 110360		
23	Interventional Radiology of the Liver. <b>2015,</b> 1498-1519		

22	Long-term outcomes following percutaneous microwave ablation for colorectal cancer liver metastases. <i>International Journal of Hyperthermia</i> , <b>2022</b> , 39, 788-795	3.7	0
21	Are all local tumour progressions of HCC related to thermal ablation? A study of the causes and classification of local tumour progression.		
20	The role of image guided ablation in the management of metastatic colorectal cancer. <i>International Journal of Hyperthermia</i> , <b>2022</b> , 39, 898-899	3.7	
19	3D margin assessment predicts local tumor progression after ablation of colorectal cancer liver metastases. <i>International Journal of Hyperthermia</i> , <b>2022</b> , 39, 880-887	3.7	1
18	Role of interventional oncology for treatment of liver metastases: Evidence based best practice.		1
17	Study Protocol COVER-ALL: Clinical Impact of a Volumetric Image Method for Confirming Tumour Coverage with Ablation on Patients with Malignant Liver Lesions.		0
16	Retrospective Evaluation and Significance of Neutrophil-to-Lymphocyte Ratio Prior to and 1 month Following Microwave Ablation of Hepatocellular Carcinoma.		0
15	Commentary: The Reliability of a 2 mm Minimum Margin as an Adequacy Endpoint for Colorectal Pulmonary Metastasis Ablation Success <b>2022</b> ,		0
14	Recent Advance in the Surgical Treatment of Metastatic Colorectal Cancer-An English Version. <b>2022</b> , 6, 213-220		1
13	Radiofrequency Ablation, Electroporation, and Microwave Ablation. <b>2022</b> , 377-387		0
12	Imaging Response Evaluation. <b>2022</b> , 417-439		0
11	Predictive Factors for Local Recurrence after Intraoperative Microwave Ablation for Colorectal Liver Metastases. <b>2023</b> , 15, 122		0
10	Real-Time Split-Dose PET/CT-Guided Ablation Improves Colorectal Liver Metastasis Detection and Ablation Zone Margin Assessments without the Need for Repeated Contrast Injection. <b>2022</b> , 14, 6253		1
9	Current Status of Ablation Therapy for Primary Liver Cancer. <b>2023</b> , 13, 134-139		0
8	Comparison of Ablation Performance between Octopus Multipurpose Electrode and Conventional Octopus Electrode. 24,		0
7	Predictive Value of Ablative Margin Assessment After Microwave Ablation for Local Tumor Progression in Medium and Large Hepatocellular Carcinoma: Computed Tomography-Computed Tomography Image Fusion Method Versus Side-by-Side Method. <b>2023</b> , 47, 31-37		1
6	Stereotactic Microwave Ablation of Hepatocellular Carcinoma: The Impact of Tumor Size and Minimal Ablative Margin on Therapeutic Success. <b>2023</b> , 9, 50-59		0
5	Ablative Margins of Colorectal Liver Metastases Using Deformable CT Image Registration and Autosegmentation.		0

- 4 Automated Segmentation of CT-guided Ablation Margins in Colorectal Liver Metastases: How We Move Forward to a Standardization of Ablation Zone Assessment. ○
- 3 Exploiting Liver CT scans in Colorectal Carcinoma genomics mutation classification. **2022**, ○
- 2 Evaluation of the safety and efficacy of ultrasound-guided percutaneous radiofrequency ablation for hepatocellular carcinoma and liver metastases adjacent to the gallbladder. **2023**, 40, ○
- 1 Comparison of the therapeutic efficacy between systemic chemotherapy with and without radiofrequency ablation for colorectal cancer liver metastases: A propensity score matching study. ○