

CITATION REPORT

List of articles citing

**Clinical recommendations regarding use of cone beam computed tomography in orthodontics. [corrected].
Position statement by the American Academy of Oral and Maxillofacial Radiology**

DOI: 10.1016/j.oooo.2013.06.002

Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology, 2013, 116, 238-57.

Source: <https://exaly.com/paper-pdf/54976106/citation-report.pdf>

Version: 2024-04-29

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
242	Ethics in orthodontics. Let the truth be known. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2013 , 144, 788-9	2.1	7
241	Assessment of phantom dosimetry and image quality of i-CAT FLX cone-beam computed tomography. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2013 , 144, 802-17	2.1	91
240	Cone-beam computed tomography evaluation of alveolar ridge width and height changes after orthodontic space opening in patients with congenitally missing maxillary lateral incisors. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2013 , 144, 848-59	2.1	18
239	"Black Bone" MRI: a potential non-ionizing method for three-dimensional cephalometric analysis--a preliminary feasibility study. 2013 , 42, 20130236		24
238	3D mapping of safe and danger zones in the maxilla and mandible for the placement of intermaxillary fixation screws. 2013 , 8, e84202		9
237	Is there a consensus for CBCT use in Orthodontics?. <i>Dental Press Journal of Orthodontics</i> , 2014 , 19, 136-40.3		49
236	Accuracy of cone beam computed tomography in diagnosis and treatment planning of periodontal bone defects: a case report. 2014 , 8, ZD23-5		4
235	KPG index versus OPG measurements: a comparison between 3D and 2D methods in predicting treatment duration and difficulty level for patients with impacted maxillary canines. 2014 , 2014, 537620		16
234	Development of Evidence-Based Selection Criteria for Cone Beam Computed Tomography in Orthodontics. 2014 , 113-125		
233	Agreement between cone beam computed tomography images and panoramic radiographs for initial orthodontic evaluation. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2014 , 117, 111-9	2	9
232	Orthodontic treatment planning for impacted maxillary canines using conventional records versus 3D CBCT. 2014 , 36, 698-707		26
231	Liabilities and risks of using cone beam computed tomography. 2014 , 58, 671-85		9
230	The Image Gently in Dentistry campaign: promotion of responsible use of maxillofacial radiology in dentistry for children. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2014 , 118, 257-61	2	50
229	Three-dimensional cephalometric analysis in orthodontics: a systematic review. 2014 , 17, 69-91		49
228	CBCT in orthodontics: assessment of treatment outcomes and indications for its use. 2015 , 44, 20140282		153
227	Are there bone dehiscences in maxillary canines orthodontically moved into the grafted alveolar cleft?. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2015 , 147, 205-13	2.1	11
226	Appropriate use of ionizing radiation in orthodontic practice and research. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2015 , 147, 166-8	2.1	17

225	Accuracy of linear measurements using three imaging modalities: two lateral cephalograms and one 3D model from CBCT data. 2015 , 37, 202-8		41
224	Test-retest reliability of morphological measurements of the mandible on cone-beam computed tomography-synthesized cephalograms. 2015 , 10, 309-315		1
223	Agreement among orthodontists experienced with cone-beam computed tomography on the need for follow-up and the clinical impact of craniofacial findings from multiplanar and 3-dimensional reconstructed views. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2015 , 148, 264-73	2.1	4
222	Extra- and intra-cranial arterial calcifications in adults depicted as incidental findings on cone beam CT images. 2015 , 73, 202-9		18
221	Implementation of ultra-low-dose CBCT for routine 2D orthodontic diagnostic radiographs: Cephalometric landmark identification and image quality assessment. 2015 , 21, 233-247		15
220	Effectiveness of thyroid gland shielding in dental CBCT using a paediatric anthropomorphic phantom. 2015 , 44, 20140285		24
219	Incorporating 3-dimensional models in online articles. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2015 , 147, S195-204	2.1	30
218	Cone beam CT for dental and maxillofacial imaging: dose matters. 2015 , 165, 156-61		43
217	Digital Imaging. 2015 , 1-26		1
216	A knowledge-based algorithm for automatic detection of cephalometric landmarks on CBCT images. 2015 , 10, 1737-52		49
215	Development of a low-dose protocol for cone beam CT examinations of the anterior maxilla in children. 2015 , 88, 20150559		45
214	Centennial inventory: the changing face of orthodontics. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2015 , 148, 732-9	2.1	12
213	Orthodontics and TMD. 2015 , 81-95		0
212	Guidelines for clinical use of CBCT: a review. 2015 , 44, 20140225		64
211	Cone Beam Computed Tomography in Orthodontics. 2016 , 29, 16-21		3
210	Cone beam computed tomography: Rejuvenating dentistry. 2016 , 7, 74-77		1
209	[3D imaging benefits in clinical practice of orthodontics]. 2016 , 87, 393-410		2
208	3D virtual planning in orthognathic surgery and CAD/CAM surgical splints generation in one patient with craniofacial microsomia: a case report. <i>Dental Press Journal of Orthodontics</i> , 2016 , 21, 89-100	1.3	15

207	IRAK1 variant is protective for orthodontic-induced external apical root resorption. 2016 , 22, 658-64		14
206	Assessing the Interdental Septal Thickness in Alveolar Bone Grafting Using Cone Beam Computed Tomography. 2016 , 53, 683-689		6
205	Orthodontic and Orthognathic Surgery Planning Using CBCT. 2016 , 221-234		1
204	Objective and subjective image evaluation of maxillary alveolar bone based on cone beam computed tomography exposure parameters. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2016 , 121, 557-65	2	8
203	Accuracy and reliability of oral maxillofacial radiologists when evaluating cone-beam computed tomography imaging for adenoid hypertrophy screening: a comparison with nasopharyngoscopy. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2016 , 121, e168-74	2	6
202	Definition of Local Diagnostic Reference Levels in a Radiology Department Using a Dose Tracking Software. 2017 , 175, 38-45		6
201	3D dentofacial photogrammetry reference values: a novel approach to orthodontic diagnosis. 2017 , 39, 215-225		10
200	Accuracy and reliability of orthodontists using cone-beam computerized tomography for assessment of adenoid hypertrophy. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2016 , 150, 782-788	2.1	7
199	Comparison of cone-beam computed tomography with multislice computed tomography in detection of small osseous condylar defects. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2016 , 150, 130-9	2.1	7
198	Dose optimization by altering the operating potential and tube current exposure time product in dental cone beam CT: a systematic review. 2016 , 45, 20150254		30
197	Facial surface morphology predicts variation in internal skeletal shape. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2016 , 149, 501-8	2.1	18
196	Orthodontic radiographs: Guidelines for the use of radiographs in clinical orthodontics, 4th edition. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2016 , 149, 141-142	2.1	1
195	Accuracy of 3D cephalometric measurements based on an automatic knowledge-based landmark detection algorithm. 2016 , 11, 1297-309		26
194	Applications of Cone-Beam Computed Tomography in Oral and Maxillofacial Surgery: An Overview of Published Indications and Clinical Usage in United States Academic Centers and Oral and Maxillofacial Surgery Practices. 2016 , 74, 668-79		37
193	Oral and Maxillofacial Imaging. 2016 , 60, 1-37		12
192	Individual scoring and mapping of hard and soft tissues of the anterior hard palate for orthodontic miniscrew insertion. 2017 , 8, e12186		7
191	Root resorption of maxillary incisors retracted with and without skeletal anchorage. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2017 , 151, 397-406	2.1	9
190	Quality assurance phantoms for cone beam computed tomography: a systematic literature review. 2017 , 46, 20160329		13

189	Three-dimensional analysis of upper airway morphology in skeletal Class III patients with and without mandibular asymmetry. 2017 , 87, 526-533		6
188	Movement of mandibular molar into edentulous alveolar ridge: A cone-beam computed tomography study. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2017 , 151, 907-913	2.1	4
187	Maxillofacial Features Related to Mandibular Asymmetries in Skeletal Class III Patients. 2017 , 75, 1015-1025		7
186	The efficacy of diagnostic imaging should guide oral and maxillofacial radiology research. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2017 , 124, 211-213	2	1
185	Periodental bone changes after orthodontic tooth movement with fixed appliances: A cone-beam computed tomographic study. 2017 , 87, 672-680		24
184	Predoctoral and Postdoctoral Education on Cone-Beam Computed Tomography. 2017 , 17, 310-316		7
183	Three-dimensional imaging for indirect-direct bonding could expose patients to unnecessary radiation. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2017 , 151, 6	2.1	
182	Comparative study of cephalometric measurements using 3 imaging modalities. 2017 , 148, 913-921		16
181	Cone beam computed tomography evaluation of midpalatal suture maturation in adults. 2017 , 46, 1557-1561		22
180	Craniofacial features affecting mandibular asymmetries in skeletal Class II patients. 2017 , 78, 437-445		3
179	Differences in distances between maxillary posterior root apices and the sinus floor according to skeletal pattern. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2017 , 152, 811-819	2.1	12
178	Correlation and reliability of cone-beam computed tomography nasopharyngeal volumetric and area measurements as determined by commercial software against nasopharyngoscopy-supported diagnosis of adenoid hypertrophy. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2017 , 152, 92-100	2.1	5
177	Authors' response. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2017 , 152, 14-15	2.1	
176	Test-retest reliability of mandibular morphology measurements on cone-beam computed tomography-synthesized cephalograms with random head positioning errors. 2017 , 16, 62		5
175	Slow versus rapid maxillary expansion in bilateral cleft lip and palate: a CBCT randomized clinical trial. 2017 , 21, 1789-1799		13
174	Eruption rates of lower second premolars at different development stages evaluated with cone-beam computed tomography. 2017 , 87, 570-575		1
173	Computational design and engineering of polymeric orthodontic aligners. 2017 , 33, e2839		23
172	Tomographic Evaluation of the Lower Incisor's Bone Limits in Mandibular Symphysis of Orthodontically Untreated Adults. 2017 , 2017, 9103749		2

171	Cone Beam Computed Tomography in Orthodontics. 2017 ,		1
170	Mandibular asymmetries and associated factors in orthodontic and orthognathic surgery patients. 2018 , 88, 545-551		17
169	Incidental findings in pre-orthodontic treatment radiographs. 2018 , 68, 320-326		3
168	Evaluation of crown inclination and angulation after orthodontic treatment using digital models : Comparison to the prescription of the brackets used. 2018 , 79, 227-234		7
167	Reliability of different radiographic methods for the localization of displaced maxillary canines. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2018 , 153, 308-314	2.1	16
166	Clinical guidelines for dental cone-beam computed tomography. 2018 , 34, 89-104		19
165	Informed refusal in oral and maxillofacial radiology: Does it exist?. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2018 , 125, A8-A10	2	1
164	Orthodontic and Orthognathic Surgery Planning and Simulation Software. 2018 , 715-743		
163	Ethical and Medicolegal Issues Related to CBCT. 2018 , 191-211		
162	Estimation of the radiation dose for pediatric CBCT indications: a prospective study on ProMax3D. 2018 , 28, 300-309		25
161	Irradiation provided by dental radiological procedures in a pediatric population. 2018 , 103, 112-117		19
160	Cone-beam computed tomography or conventional radiography for localising of maxillary impacted canines?. 2018 , 19, 22-23		4
159	Three-dimensional Frankfort horizontal plane for 3D cephalometry: a comparative assessment of conventional versus novel landmarks and horizontal planes. 2018 , 40, 239-248		12
158	Design and manufacturing of patient-specific orthodontic appliances by computer-aided engineering techniques. 2018 , 232, 54-66		12
157	Cone-beam computed tomography and anatomical observations of normal variants in the mandible: variant dentists should recognize. 2018 , 34, 189-198		1
156	Multidisciplinary oral rehabilitation in partially edentulous adult patients with malocclusion: A cross-sectional survey study. 2018 , 10, e1177-e1183		1
155	Do we need CBCTs for sufficient diagnostics?-dentist-related factors. 2018 , 4, 37		5
154	Ameloblastoma incidentally detected in cone-beam computed tomography sialography: A case report and review of the literature. 2018 , 149, 1073-1080		

153	Authors' response. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2018 , 154, 750-754	2.1	
152	Maxillary transverse dimensions in subjects with and without impacted canines: A comparative cone-beam computed tomography study. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2018 , 154, 495-503	2.1	5
151	Accuracy and reliability of the expected root position setup methodology to evaluate root position during orthodontic treatment. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2018 , 154, 583-595	2.1	13
150	Comparison of ultrasound imaging and cone-beam computed tomography for examination of the alveolar bone level: A systematic review. 2018 , 13, e0200596		17
149	Root resorption of maxillary incisors after traction of unilateral vs bilateral impacted canines with reinforced anchorage. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2018 , 154, 645-656 ^{2.1}		13
148	Buccal cortical bone thickness in different sagittal skeletal relationship. 2018 , 77, 220-225		2
147	Accuracy of panoramic radiography in diagnosing maxillary sinus-root relationship: A systematic review and meta-analysis. 2018 , 88, 819-829		4
146	Three-dimensional evaluation of craniofacial characteristics related to mandibular asymmetries in skeletal Class I patients. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2018 , 154, 91-98 ^{2.1}		6
145	Clinical considerations and potential liability associated with the use of ionizing radiation in orthodontics. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2018 , 154, 15-25	2.1	10
144	3D Comparison of Mandibular Response to Functional Appliances: Balters Bionator versus Sander Bite Jumping. 2018 , 2018, 2568235		5
143	Accuracy of three-dimensional cephalograms generated using a biplanar imaging system. 2018 , 48, 292-303		2
142	Cone Beam Computed Tomography. 2018 , 62, 361-391		30
141	Factors influencing the effective dose associated with CBCT: a systematic review. 2019 , 23, 1319-1330		11
140	Outcome of periodontal-orthodontic treatment in subjects with periodontal disease. Part II: a CBCT study of alveolar bone level changes. 2019 , 41, 565-574		8
139	X-ray beam angulation can compromise 2-dimensional diagnosis of interradicular space for mini-implants. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2019 , 156, 593-602	2.1	1
138	Cone-Beam Computed Tomography in Orthodontics. 2019 , 7,		23
137	Comparison of maxillomandibular asymmetries in adult patients presenting different sagittal jaw relationships. <i>Dental Press Journal of Orthodontics</i> , 2019 , 24, 54-62	1.3	2
136	Current Applications. 2019 , 23-48		

135	Three-dimensional evaluation of the root resorption of maxillary incisors after the orthodontic traction of bicortically impacted canines: case reports. <i>Progress in Orthodontics</i> , 2019 , 20, 13	3-4	5
134	Age as a limiting factor for panoramic imaging in patients with ectopic maxillary canines. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2019 , 156, 8-9	2.1	
133	Authors' response. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2019 , 156, 9-10	2.1	
132	Detection of alveolar bone defects with three different voxel sizes of cone-beam computed tomography: an in vitro study. 2019 , 9, 8146		9
131	Effect of photobiomodulation on the stability and displacement of orthodontic mini-implants submitted to immediate and delayed loading: a clinical study. 2019 , 34, 1705-1715		8
130	Cone-beam computed tomography and three-dimensional orthodontics. Where we are and future perspectives. 2019 , 46, 45-48		13
129	Orthodontics in the era of big data analytics. 2019 , 22 Suppl 1, 8-13		11
128	Can cephalometric parameters be measured reproducibly using reduced-dose cone-beam computed tomography?. 2019 , 8, 43-50		2
127	Oral Radiology and Imaging. 2019 , 41-61		3
126	Evaluation of changes in the upper airway after Twin Block treatment in patients with Class II malocclusion. 2019 , 5, 259-268		5
125	Novel low-dose protocols using cone beam computed tomography in dental medicine: a review focusing on indications, limitations, and future possibilities. 2019 , 23, 2573-2581		55
124	Detection of the gubernacular canal and its attachment to the dental follicle may indicate an abnormal eruption status. 2019 , 89, 781-787		7
123	Letters From Our Readers. 2019 , 89, 163		
122	Reliability of cone-beam computed tomography for temporomandibular joint analysis. 2019 , 49, 81-88		3
121	Diagnostic Value of 3D Imaging in Clinical Orthodontics. 2019 , 113-139		1
120	Dose Adjustments for Accuracy: Ultralow Dose Radiation 3D CBCT for Dental and Orthodontic Application. 2019 , 85-95		
119	New evolution of cone-beam computed tomography in dentistry: Combining digital technologies. 2019 , 49, 179-190		22
118	Awareness and Practice of Ethics and Guidelines with Cone-Beam Computed Tomography Prescription in Orthodontics. 2019 , 53, 49-56		2

117	A clinical pilot study of jawbone mineral density measured by the newly developed dual-energy cone-beam computed tomography method compared to calibrated multislice computed tomography. 2019 , 49, 295-299		1
116	Changes in maxillary incisor inclination and position after traction of unilateral vs bilateral maxillary impacted canines in nonextraction treatment: A cone-beam computed tomography study. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2019 , 156, 767-778	2.1	3
115	Prevalence of Maxillary Sinus Pathology Based on Cone-Beam Computed Tomography Evaluation of Multiethnicity Dental School Population. 2019 , 28, 356-366		4
114	Cone beam computed tomography [A risk-benefit analysis!]. 2019 , 8, 129-130		
113	Root and alveolar bone changes in first premolars adjacent to the traction of buccal versus palatal maxillary impacted canines. 2019 , 14, e0226267		2
112	Influence of impacted maxillary canine orthodontic traction complexity on root resorption of incisors: A retrospective longitudinal study. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2019 , 155, 28-39	2.1	13
111	Prevalence and risk factors of root resorption of adjacent teeth in maxillary canine impaction, among untreated children and adolescents. 2019 , 41, 447-453		9
110	Piezocision-assisted orthodontic treatment using CAD/CAM customized orthodontic appliances: a randomized controlled trial in adults. 2019 , 41, 495-501		24
109	IAEA survey of dental cone beam computed tomography practice and related patient exposure in nine Central and Eastern European countries. 2019 , 48, 20190157		2
108	In vivo reliability of 3D cephalometric landmark determination on magnetic resonance imaging: a feasibility study. 2020 , 24, 1339-1349		7
107	Craniofacial Asymmetry from One to Three Years of Age: A Prospective Cohort Study with 3D Imaging. <i>Journal of Clinical Medicine</i> , 2019 , 9,	5.1	3
106	Facial Versus Skeletal Landmarks for Anterior-Posterior Diagnosis in Orthognathic Surgery and Orthodontics: Are They the Same?. 2020 , 78, 287.e1-287.e12		4
105	Incisor root resorption associated with palatally displaced maxillary canines: Analysis and prediction using discriminant function analysis. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2020 , 157, 80-90	2.1	7
104	In vivo comparison of MRI- and CBCT-based 3D cephalometric analysis: beginning of a non-ionizing diagnostic era in craniomaxillofacial imaging?. 2020 , 30, 1488-1497		12
103	Bone dehiscence formation during orthodontic tooth movement through atrophic alveolar ridges. 2020 , 90, 321-329		3
102	Dose reduction in head and neck organs through shielding and application of different scanning parameters in cone beam computed tomography: an effective dose study using an adult male anthropomorphic phantom. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2020 , 130, 101-109	2	2
101	Diagnostic paths for a mouth-breathing patient. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2020 , 158, 564-571.e2	2.1	0
100	The Cameriere method using cone-beam computed tomography (CBCT) scans for dental age estimation in children. 2020 , 1-15		1

99	Inter-premolar width changes related to the orthodontic traction of maxillary impacted canines in adolescents and young adults: A retrospective CBCT study. 2020 , 18, 480-489		1
98	Evaluating interactions of airway changes during growth with orthodontic treatment. 2020 , 18, 461-467		1
97	Three-Dimensional Evaluation on Cortical Bone During Orthodontic Surgical Treatment. 2020 , 31, 1637-1646		7
96	Orthodontic-related nerve injuries: a review and case series. 2020 , 229, 244-248		
95	Short-term effects of the Sander bite-jumping appliance on the pharyngeal airways in subjects with skeletal Class II malocclusion: A retrospective case-control study. 2020 , 47, 1337-1345		3
94	Timing of Spheno-Occipital Synchondrosis Ossification in Children and Adolescents with Cleft Lip and Palate: A Retrospective Case-Control Study. 2020 , 17,		4
93	Authors' response. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2020 , 158, 635-636	2.1	
92	A cone-beam computed tomographic assessment of the proximity of the maxillary canine and posterior teeth to the maxillary sinus floor: Lessons from 4778 roots. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2020 , 157, 792-802	2.1	6
91	Preliminary comparison of three-dimensional reconstructed palatal morphology in subjects with different sagittal and vertical patterns. <i>BMC Oral Health</i> , 2020 , 20, 55	3.7	4
90	Three-dimensional assessment of craniofacial asymmetry in children with transverse maxillary deficiency after rapid maxillary expansion: A prospective study. 2020 , 23, 300-312		4
89	Cone beamed computed tomography in pediatric dentistry: Concepts revisited. 2020 , 10, 210-211		3
88	Establishment of national diagnostic reference levels in dental cone beam computed tomography in Switzerland. 2020 , 49, 20190468		6
87	Orthodontic radiology: development of a clinical practice guideline. 2021 , 126, 72-82		2
86	Radiation dosimetry analyses of radiographic imaging systems used for orthodontic treatment: comparison among child, adolescent, and adult patients. 2021 , 37, 245-250		0
85	The use of radiographic imaging technologies by general dentists in Ontario, Canada. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2021 , 131, 475-484	2	1
84	Can diagnostic changes caused by cone beam computed tomography alter the clinical decision in impacted lower third molar treatment plan?. 2021 , 50, 20200412		7
83	A Cone-beam Computed Tomography Evaluation of Mandibular Anterior Alveolar Bone Dimensions in Class I and Class II Skeletal Patterns. 2021 , 12, 230-233		
82	Class II subdivision: Cone beam computed tomography- CBCT Analysis. 2021 , 13, e817-e825		0

81	Alveolar bone height and thickness assessed by CBCT. 2021 , 33, 187-193		
80	Digitale Volumentomographie zur Diagnostik in der Kieferorthopädie. 2021 , 393-411		
79	A computed tomographic, mixed dentition, space analysis comparison. 2021 , 32, 199-205		
78	Factors associated with the morphology of the mandibular symphysis and soft tissue chin. <i>Dental Press Journal of Orthodontics</i> , 2021 , 26, e2119347	1.3	1
77	Orthodontists and the thyroid gland. 2021 , 32, 193-198		
76	Cone Beam Computerized Tomography Imaging for Orthodontic Diagnosis. 2021 , 55-91		
75	Comprehensive comparison of canine retraction using NiTi closed coil springs vs elastomeric chains. 2021 , 91, 441-448		1
74	Buccal bone defects and transversal tooth movement of mandibular lateral segments in patients after orthodontic treatment with and without piezocision: A case-control retrospective study. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2021 , 159, e233-e243	2.1	2
73	Age-related changes in the effect of rapid maxillary expansion on the position of labially impacted maxillary canines: A case-control study. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2021 , 159, 305-311	2.1	1
72	Reliability and accuracy of assessing temporary anchorage device-tooth root contact with cone-beam computed tomography. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2021 , 159, 271-280	2.1	0
71	Changes in alveolar bone morphology after traction of buccally vs palatally unilateral maxillary impacted canines: A cone-beam computed tomography study. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2021 , 159, 258-270	2.1	2
70	Total maxillary arch distalization with modified C-palatal plates in adolescents: A long-term study using cone-beam computed tomography. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2021 , 159, 470-479	2.1	2
69	Deep learning for cephalometric landmark detection: systematic review and meta-analysis. 2021 , 25, 4299-4309		10
68	Two decades of research on CBCT imaging in DMFR - an appraisal of scientific evidence. 2021 , 50, 20200367		8
67	Advanced Three-Dimensional Technologies in Craniofacial Reconstruction. 2021 , 148, 94e-108e		1
66	Cone beam computed tomography as a first line investigation in the pediatric dental patient. 2021 , 31, 129-135		0
65	Dental cone beam CT: An updated review. 2021 , 88, 193-217		4
64	Orthodontists' criteria for prescribing cone-beam computed tomography-a multi-country survey. 2021 , 1		0

63	Reproducibility of three-dimensional landmarking and Frankfort horizontal plane construction: a comparison of conventional and novel landmarks in presurgical computed tomography scans.		
62	Radiographic predictors of maxillary canine impaction in mixed and early permanent dentition - A systematic review and meta-analysis. 2021 , 19, 548-565		2
61	Precision of orthodontic cephalometric measurements on ultra low dose-low dose CBCT reconstructed cephalograms. 2021 , 1		1
60	Genotoxicity and cytotoxicity of cone beam computed tomography in children. <i>BMC Oral Health</i> , 2021 , 21, 427	3-7	2
59	Knowledge, Practice and Attitude of Dentists towards Cone Beam Computed Tomography. 2021 , 10, 3413-3418		
58	Modern 3D cephalometry in pediatric orthodontics-downsizing the FOV and development of a new 3D cephalometric analysis within a minimized large FOV for dose reduction. 2021 , 25, 4651-4670		1
57	Applications of CBCT in Orthodontics. 2018 , 645-714		1
56	Root changes in buccal versus palatal maxillary impacted canines of adults: A longitudinal and retrospective 3-dimensional study before and after orthodontic traction. 2020 , 18, 490-502		1
55	Relationship between CNR and visibility of anatomical structures of cone-beam computed tomography images under different exposure parameters. 2020 , 49, 20190336		2
54	Clinical indications and radiation doses of cone beam computed tomography in orthodontics. 2019 , 92, 346-351		9
53	Incidental findings in patients evaluated with cone beam computed tomography for orthodontic treatment. 2017 , 65, 134-138		2
52	Editorial. 2018 , 52, 1-2		1
51	Effect of high-frequency vibration on orthodontic tooth movement and bone density. 2019 , 8, 15		9
50	Anatomical consideration for optimal position of orthodontic miniscrews in the maxilla: a CBCT appraisal. 2020 , 40, 330-337		4
49	Strategies for Managing the Risk of Mucogingival Changes During Impacted Maxillary Canine Treatment. 2020 , 33, 123-132		1
48	Differentiation between maxillary and malar midface position within the facial profile. 2019 , 7, e8200		1
47	Prescribing Diagnostic Imaging. 2014 , 259-270		
46	Cone-Beam Computed Tomography Evaluation of the Positions of Unerupted Maxillary Canines with Incisor Root Resorption. 2017 , 07, 169-179		

45	CBCT Use in Daily Practice. 2018 , 115-189		1
44	Clinical utility of cone-beam computed tomography in patients with cleft lip palate: Current perspectives and guidelines. 2018 , 5, 74		3
43	Prevalence of posterior alveolar bony dehiscence and fenestration in adults with posterior crossbite: a CBCT study. <i>Progress in Orthodontics</i> , 2020 , 21, 8	3-4	1
42	Incisor root length in individuals with and without anterior open bite: a comparative CBCT study. <i>Dental Press Journal of Orthodontics</i> , 2020 , 25, 23e1-23e7	1-3	1
41	FACTORES DE RIESGO BIOLÓGICOS Y RELACIONADOS CON EL TRATAMIENTO DE ORTODONCIA ASOCIADOS A REABSORCIÓN RADICULAR EXTERNA: ESTUDIO DE CASOS Y CONTROLES. <i>Revista De La Facultad De Odontologia Universidad De Antioquia</i> , 2020 , 32,	0-3	
40	Diagnostic Imaging for Zygomatic Implants. 2020 , 17-31		
39	Prevalence of airway obstruction: A cross-racial comparison. <i>SRM Journal of Research in Dental Sciences</i> , 2020 , 11, 166	0-2	
38	Unilateral sagittal split osteotomy: effect on mandibular symmetry in the treatment of class III with laterognathia. <i>Progress in Orthodontics</i> , 2020 , 21, 19	3-4	1
37	Cone Beam Computed Tomography-Dawn of A New Imaging Modality in Orthodontics. <i>Journal of International Oral Health</i> , 2015 , 7, 96-9	0-4	
36	Three-Dimensional Cephalometric Landmarking and Frankfort Horizontal Plane Construction: Reproducibility of Conventional and Novel Landmarks. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5-1	0
35	ESKİŞEHİR OSMANGAZİ ÜNİVERSİTESİ DİHEKMLİFAKÜLTESİNDEKİ KONE İNLI BÜĞBAYARLI TOMOGRAFİ (KİBT) NİCELEMESİBİTEM NEDENLERİNİN DEĞERLENDİRİLMESİ <i>Selcuk Dental Journal</i> ,		
34	Three-Dimensional Cephalometric Landmarking and Analysis of Craniomaxillofacial CT scans via Deep Learning.		0
33	The Ethics of Technology Development and Technology Use. <i>Ethics in Biology, Engineering & Medicine</i> , 2022 ,	0-1	
32	Efficacy of low dose and ultra-low dose on the visibility of peri-implant fenestration and dehiscences: a computed tomography study.. <i>Polish Journal of Radiology</i> , 2022 , 87, e24-e29	1-6	0
31	Dehiscence and buccal bone thickness after rapid maxillary expansion in young patients with unilateral cleft lip and palate.. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2022 ,	2-1	0
30	Correlation between cortical bone thickness at mini-implant insertion sites and age of patient.. <i>Dental Press Journal of Orthodontics</i> , 2022 , 27, e222098	1-3	
29	Impact of thyroid gland shielding on radiation doses in dental cone beam computed tomography with small and medium fields of view.. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2022 ,	2	0
28	Three-Dimensional Analysis of Posterior Mandibular Displacement in Rats.. <i>Veterinary Sciences</i> , 2022 , 9,	2-4	0

27	Skeletal and alveolar changes in conventional rapid palatal expansion (RPE) and miniscrew-assisted RPE (MARPE): a prospective randomized clinical trial using low-dose CBCT.. <i>BMC Oral Health</i> , 2022 , 22, 114	3.7	○
26	Predictive factors associated with adjacent teeth root resorption of palatally impacted canines in Arabian population: a cone-beam computed tomography analysis. <i>BMC Oral Health</i> , 2022 , 22,	3.7	○
25	Condylar Changes after Maxillary Expansion in Children with Cleft Lip and Palate: A Three-Dimensional Retrospective Study. <i>Biomimetics</i> , 2022 , 7, 73	3.7	
24	RegCal: registration-based calibration method to perform linear measurements on PA (posteroanterior) cephalogram- a pilot study. <i>Multimedia Tools and Applications</i> ,	2.5	○
23	Automatic 3-Dimensional Cephalometric Landmarking via Deep Learning. 002203452211123		1
22	Diagnostic value of routine dental radiographs for predicting the mandibular canal localization validated by cone-beam computed tomogram measurements.		
21	Bibliometric analysis of research publications in three major orthodontic journals during 2012-2021. 1-10		○
20	A Case Treated with Maxillary Molar Distalization through the Maxillary Sinus: Three-Dimensional Assessment with a Cone-Beam Computed Tomography Superimposition. 2022 , 12, 9494		○
19	Three-Dimensional Change of Lip after Two-Jaw Surgery in Facial Asymmetry Using Facial Scanner. 2022 , 12, 9385		○
18	Midpalatal Suture Maturation Method for the Assessment of Maturation before Maxillary Expansion: A Systematic Review. 2022 , 12, 2774		1
17	Evaluation of maxillary sinus dimensions and volume using cone beam computed tomography in patients with unilaterally displaced palatal and buccal maxillary canines.		○
16	Assessment of cone beam computed tomography for determining position and prognosis of interradicular mini-implants. 2022 , 27,		○
15	Digital Imaging. 2023 , 1-27		○
14	Klippel-Feil syndrome with rare presentation of bilateral temporomandibular joint osteoarthritis: A case report.		○
13	A Digital 3D Retrospective Study Evaluating the Efficacy of Root Control during Orthodontic Treatment with Clear Aligners. 2023 , 13, 1540		1
12	CLEAR ALIGNER MANDIBULAR ADVANCEMENT IN GROWING CLASS II PATIENTS: REPORT OF TWO CASES. 2023 ,		○
11	Periapical Radiography versus Cone Beam Computed Tomography in Endodontic Disease Detection: A Free-response, Factorial Study. 2023 , 49, 419-429		○
10	Effects of Low-Level Laser Therapy on Orthodontic Tooth Movement: Evaluation of Bony Changes via 3DCBCT. 2023 , 10, 384		○

- 9 Cone beam computed tomography: What's left to know?. **2023**, 129, 241-242 ○
- 8 Cone-beam computed tomography use in postgraduate orthodontic programs in North America and Europe. ○
- 7 Effective and Safe Use of X-Rays: Understanding the Risks for Practical Decision-Making. **2021**, 49, 301-309 ○
- 6 A CBCT Evaluation of the Proximity of Mandibular Molar Roots and Lingual Cortical Bone in Various Vertical Facial Patterns and Factors Related to Root-Cortical Bone Contact. **2023**, 13, 3444 ○
- 5 Evidence and Professional Guidelines for Appropriate Use of Cone Beam Computed Tomography. **2015**, 43, 512-520 ○
- 4 Imagerie des inclusions dentaires en CBCT. **2023**, 57, 25-48 ○
- 3 Three-dimensional decision support system for treatment of canine impaction. **2023**, ○
- 2 Artificial Intelligence Applications in Orthodontics. **2023**, 51, ○
- 1 Radiologist's Guide to Orthognathic Surgery. **2023**, 13, 35-45 ○