

CITATION REPORT

List of articles citing

Prophylactic effect of tadalafil on bladder function in a rat model of chronic bladder ischemia

DOI: 10.1016/j.juro.2012.07.141
Journal of Urology, 2013, 189, 754-61.

Source: <https://exaly.com/paper-pdf/55030049/citation-report.pdf>

Version: 2022-10-03

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
56	Effect of melatonin on chronic bladder-ischæmia-associated changes in rat bladder function. <i>BJU International</i> , 2013 , 112, E221-30	5.4	21
55	Common theme for drugs effective in overactive bladder treatment: inhibition of afferent signaling from the bladder. <i>International Journal of Urology</i> , 2013 , 20, 21-7	2.2	24
54	This Month in Investigative Urology. <i>Journal of Urology</i> , 2013 , 189, 409-410	1.5	
53	Future direction in pharmacotherapy for non-neurogenic male lower urinary tract symptoms. <i>European Urology</i> , 2013 , 64, 610-21	9.8	40
52	Obstruction-induced alterations within the urinary bladder and their role in the pathophysiology of lower urinary tract symptomatology. <i>Canadian Urological Association Journal</i> , 2014 , 8, E524-30	1.2	15
51	WITHDRAWN: Effect of phosphodiesterase inhibitors in the bladder. <i>Asian Journal of Urology</i> , 2014 ,	2.5	
50	Pharmacological treatment of chronic pelvic ischemia. <i>Therapeutic Advances in Urology</i> , 2014 , 6, 105-14	3.1	28
49	Functional consequences of chronic bladder ischemia. <i>Neurourology and Urodynamics</i> , 2014 , 33, 54-8	2.2	76
48	Management of benign prostatic hyperplasia: role of phosphodiesterase-5 inhibitors. <i>Drugs and Aging</i> , 2014 , 31, 425-39	4.5	9
47	Influence of sildenafil on blood oxygen saturation of the obstructed bladder. <i>BMC Urology</i> , 2014 , 14, 44	2.1	7
46	Lower Urinary Tract Symptoms and Aging: The Impact of Chronic Bladder Ischemia on Overactive Bladder Syndrome. <i>Urologia Internationalis</i> , 2015 , 95, 373-9	1.7	28
45	Protective effect of tadalafil on the functional and structural changes of the rat ventral prostate caused by chronic pelvic ischemia. <i>Prostate</i> , 2015 , 75, 233-41	3.9	28
44	Chronic Pelvic Ischemia: Contribution to the Pathogenesis of Lower Urinary Tract Symptoms (LUTS): A New Target for Pharmacological Treatment?. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2015 , 7, 1-8	1.8	25
43	Re: Regional cerebral blood flow following single-dose and continuous-dose tadalafil after stroke. <i>Journal of Urology</i> , 2015 , 193, 1324-5	1.5	
42	Effect of a single treatment with tadalafil on blood flow in lower urinary tract tissues in rat models of bladder overdistension/emptying and abdominal aorta clamping/release. <i>European Journal of Pharmacology</i> , 2015 , 754, 92-7	5.1	13
41	Pelvic arterial occlusive disease affects the RhoA/Rho-kinase pathway in bladder smooth muscle. <i>Journal of Urology</i> , 2015 , 193, 706-13	1.5	8
40	Therapeutic targets for overactive bladder other than smooth muscle. <i>Expert Opinion on Therapeutic Targets</i> , 2015 , 19, 687-705	6.1	13

39	Effect of phosphodiesterase inhibitors in the bladder. <i>Asian Journal of Urology</i> , 2015 , 2, 33-37	2.5	5
38	Chronic bladder ischemia and oxidative stress: new pharmacotherapeutic targets for lower urinary tract symptoms. <i>International Journal of Urology</i> , 2015 , 22, 40-6	2.2	56
37	Naftopidil improves locomotor activity and urinary frequency in rats with pelvic venous congestion. <i>Biomedical Research</i> , 2016 , 37, 221-6	1.5	5
36	Effects of the phosphodiesterase 5 inhibitor Tadalafil on bladder function in a rat model of partial bladder outlet obstruction. <i>Neurourology and Urodynamics</i> , 2016 , 35, 444-9	2.2	21
35	Editorial Comment to Effects of silodosin on bladder activity in rats with frequent urination induced by pelvic venous congestion. <i>International Journal of Urology</i> , 2016 , 23, 887	2.2	
34	Effects of silodosin on bladder activity in rats with frequent urination induced by pelvic venous congestion. <i>International Journal of Urology</i> , 2016 , 23, 881-887	2.2	6
33	Pelvic venous congestion with castration causes chronic prostatitis in rats. <i>International Journal of Urology</i> , 2016 , 23, 431-5	2.2	8
32	Effects of an alpha1A/D-adrenoceptor antagonist, naftopidil, and a phosphodiesterase type 5 inhibitor, tadalafil, on urinary bladder remodeling in rats with spinal cord injury. <i>Neurourology and Urodynamics</i> , 2017 , 36, 1488-1495	2.2	11
31	Underactive Bladder. 2017 ,		1
30	Pathophysiology and Associations of Underactive Bladder. 2017 , 1-12		1
29	The link between vascular dysfunction, bladder ischemia, and aging bladder dysfunction. <i>Therapeutic Advances in Urology</i> , 2017 , 9, 11-27	3.1	59
28	Effects of combined treatment of tadalafil and tamsulosin on bladder dysfunction via the inhibition of afferent nerve activities in a rat model of bladder outlet obstruction. <i>International Urology and Nephrology</i> , 2018 , 50, 839-844	2.2	3
27	PDE5 inhibitors - pharmacology and clinical applications 20 years after sildenafil discovery. <i>British Journal of Pharmacology</i> , 2018 , 175, 2554-2565	8.2	163
26	Protective Effect of a Rho-kinase Inhibitor on Bladder Dysfunction in a Rat Model of Chronic Bladder Ischemia. <i>Urology</i> , 2018 , 111, 238.e7-238.e12	1.5	5
25	Pelvic venous congestion induces lower urinary tract dysfunction in rats. <i>Biomedical Research</i> , 2018 , 39, 269-277	1.5	6
24	Shared Pathophysiology of Detrusor Overactivity and Detrusor Underactivity. <i>Current Bladder Dysfunction Reports</i> , 2018 , 13, 267-273	0.4	1
23	Inhibition of Multidrug Resistance Proteins by MK 571 Enhances Bladder, Prostate, and Urethra Relaxation through cAMP or cGMP Accumulation. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2018 , 367, 138-146	4.5	7
22	Detrusor Underactivity and the Underactive Bladder: A Systematic Review of Preclinical and Clinical Studies. <i>European Urology</i> , 2018 , 74, 633-643	9.8	38

21	Objective impacts of tadalafil on storage and voiding function in male patients with benign prostatic hyperplasia: 1-year outcomes from a prospective urodynamic study. <i>World Journal of Urology</i> , 2019 , 37, 867-872	3.9	11
20	A phosphodiesterase 5 inhibitor, tadalafil, suppresses stromal predominance and inflammation in a rat model of nonbacterial prostatitis. <i>BMC Urology</i> , 2019 , 19, 99	2.1	8
19	Drug Treatment. 2019 , 231-259		
18	Tadalafil improves bladder dysfunction and object recognition in rats with pelvic venous congestion. <i>International Journal of Urology</i> , 2019 , 26, 578-585	2.2	1
17	Effect of tadalafil add-on therapy in patients with persistent storage symptoms refractory to α -adrenoceptor antagonist monotherapy for benign prostatic hyperplasia: A randomized pilot trial comparing tadalafil and solifenacin. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2019 , 11, 109-114	1.8	2
16	Tetrahydrobiopterin prevents chronic ischemia-related lower urinary tract dysfunction through the maintenance of nitric oxide bioavailability. <i>Scientific Reports</i> , 2020 , 10, 19844	4.7	0
15	Effect and mechanism of prophylactic use of tadalafil during pregnancy on l-NAME-induced preeclampsia-like rats. <i>Placenta</i> , 2020 , 99, 35-44	2.3	2
14	Morphological change and characteristics of myofibroblasts during the growth process of benign prostatic hyperplasia. <i>International Journal of Urology</i> , 2020 , 27, 676-683	2.2	1
13	Long-term tadalafil administration can prevent functional and structural changes of the urinary bladder in male rats with partial bladder outlet obstruction. <i>Neurourology and Urodynamics</i> , 2020 , 39, 1330-1337	2.2	0
12	Effects of silodosin and tadalafil on bladder dysfunction in spontaneously hypertensive rats: Possible role of bladder blood flow. <i>International Journal of Urology</i> , 2020 , 27, 258-265	2.2	2
11	NO-mediated signal transmission in bladder vasculature as a therapeutic target of PDE5 inhibitors. Rodent model studies. <i>British Journal of Pharmacology</i> , 2021 , 178, 1073-1094	8.2	2
10	Effects of tadalafil versus silodosin on voiding function in male patients with non-neurogenic detrusor underactivity: A comparative study using propensity score matching. <i>International Journal of Urology</i> , 2021 , 28, 411-416	2.2	
9	A preliminary study of bilateral color mapping of pig bladder vasculature demonstrates potential for acute hemi-ischemic events. <i>Translational Andrology and Urology</i> , 2021 , 10, 2410-2417	2.2	
8	Mirodenafil prevents bladder dysfunction induced by chronic bladder ischemia in rats. <i>International Neurourology Journal</i> , 2015 , 19, 19-26	2.6	4
7	In Search for a Common Pathway for Health Issues in Men--the Sign of a Holmesian Deduction. <i>Asian Pacific Journal of Cancer Prevention</i> , 2016 , 17, 1-13	1.6	8
6	Characterization of a Murine Model of Bioequivalent Bladder Wound Healing and Repair Following Subtotal Cystectomy. <i>BioResearch Open Access</i> , 2017 , 6, 35-45	2.3	
5	Do AB0 blood groups affect lower urinary tract symptoms?. <i>Turkish Journal of Urology</i> , 2019 , 45, S84-S91	1.2	
4	[EVALUATING THE RELATIONSHIP BETWEEN LOWER URINARY TRACT SYMPTOMS AND ENDOTHELIAL FUNCTION USING FLOW-MEDIATED DILATION, AND THE EFFECTS OF TADALAFIL]. <i>Japanese Journal of Urology</i> , 2020 , 111, 1-8		

- 3 [Effects of alpha-1A/D adrenoceptor antagonist and phosphodiesterase type 5 inhibitor on bladder remodeling in rats with spinal cord injury]. *Folia Pharmacologica Japonica*, **2020**, 155, 10-15 0
- 2 A role for phosphodiesterase type 5 inhibitors in remodelling the urinary bladder after radiation exposure. *PLoS ONE*, **2020**, 15, e0242006 3.6 1
- 1 l-Theanine Protects Bladder Function by Suppressing Chronic Sympathetic Hyperactivity in Spontaneously Hypertensive Rat. *Metabolites*, **2021**, 11, 5.2