

CITATION REPORT

List of articles citing

Patients with type 2 diabetes show a greater decline in muscle mass, muscle strength, and functional capacity with aging

DOI: 10.1016/j.jamda.2013.02.006

Journal of the American Medical Directors Association, 2013, 14, 585-92.

Source: <https://exaly.com/paper-pdf/55042073/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
319	New normative values for handgrip strength: results from the UK Biobank. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 775.e5-11	5.9	78
318	How to manage diabetes mellitus in older persons in the 21st century: applying these principles to long term diabetes care. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 777-80	5.9	14
317	Sarcopenia and diabetes: two sides of the same coin. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 540-1	5.9	53
316	Physical disability in the elderly with diabetes: epidemiology and mechanisms. 2013 , 13, 824-30		25
315	Frailty and cognition: linking two common syndromes in older persons. 2013 , 17, 723-5		33
314	SARC-F: a simple questionnaire to rapidly diagnose sarcopenia. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 531-2	5.9	371
313	Evidence-informed guidelines for treating frail older adults with type 2 diabetes: from the Diabetes Care Program of Nova Scotia (DCPNS) and the Palliative and Therapeutic Harmonization (PATH) program. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 801-8	5.9	54
312	Prevalence, incidence, and clinical impact of sarcopenia: facts, numbers, and epidemiology-update 2014. 2014 , 5, 253-9		322
311	Frailty, sarcopenia and diabetes. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 853-9	5.9	154
310	Growing healthy muscles to optimise metabolic health into adult life. 2014 , 5, 420-34		22
309	Bedside ultrasound measurement of skeletal muscle. 2014 , 17, 389-95		63
308	Skeletal muscle capillary density and microvascular function are compromised with aging and type 2 diabetes. 2014 , 116, 998-1005		119
307	Dietary fat and fatty acid profile are associated with indices of skeletal muscle mass in women aged 18-79 years. 2014 , 144, 327-34		37
306	Acute effect of breathing exercises on heart rate variability in type 2 diabetes: a pilot study. 2014 , 20, 642-8		2
305	JAMDA: The Future History of the Journal. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 775-779	5.9	1
304	Clinical update on nursing home medicine: 2014. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 786-801	5.9	7
303	The role of dietary protein and vitamin D in maintaining musculoskeletal health in postmenopausal women: a consensus statement from the European Society for Clinical and Economic Aspects of Osteoporosis and Osteoarthritis (ESCEO). 2014 , 79, 122-32		169

302	Can sarcopenia be diagnosed without measurements?. 2014 , 5, 291-293		10
301	Managing sedentary behavior to reduce the risk of diabetes and cardiovascular disease. 2014 , 14, 522		106
300	Chronic obstructive pulmonary disease: a disease of older persons. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 151-153	5.9	8
299	Why have the complications of diabetes mellitus declined over the past 30 years?. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 449-453	5.9	1
298	Decrease in Talocrural Joint Mobility is Related to Alteration of the Arterial Blood Flow Velocity in the Lower Limb in Diabetic Women. 2014 , 26, 553-6		7
297	Low HbA1c and Increased Mortality Risk-is Frailty a Confounding Factor?. 2015 , 6, 262-70		19
296	The Relationship between Intramuscular Adipose Tissue, Functional Mobility, and Strength in Postmenopausal Women with and without Type 2 Diabetes. 2015 , 2015, 872726		7
295	Diabetes, Nutrition, and Exercise. 2015 , 31, 439-51		19
294	Postprandial Protein Handling Is Not Impaired in Type 2 Diabetes Patients When Compared With Normoglycemic Controls. 2015 , 100, 3103-11		16
293	Rapid screening for sarcopenia. 2015 , 6, 312-4		35
292	Role of exercise intensity on GLUT4 content, aerobic fitness and fasting plasma glucose in type 2 diabetic mice. 2015 , 33, 435-42		12
291	Nutritional supplementation and sarcopenia: the evidence grows. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 717-9	5.9	9
290	Sarcopenia and body composition in diabetic Charcot osteoarthropathy. 2015 , 29, 937-42		3
289	The association between abdominal muscle and type II diabetes across weight categories in diverse post-menopausal women. 2015 , 100, E105-9		17
288	Hypoglycemia in older people - a less well recognized risk factor for frailty. 2015 , 6, 156-67		156
287	Dysphagia and Aspiration. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 631-4	5.9	16
286	Moving beyond cardio: the value of resistance training, balance training, and other forms of exercise in the management of diabetes. 2015 , 28, 14-23		9
285	Effect of exercise training on neuromuscular function of elbow flexors and knee extensors of type 2 diabetic patients. 2015 , 25, 815-23		14

284	Grip Strength as a Marker of Hypertension and Diabetes in Healthy Weight Adults. 2015 , 49, 850-8		73
283	Exercise strategies to optimize glycemic control in type 2 diabetes: a continuing glucose monitoring perspective. 2015 , 28, 24-31		23
282	Looking Ahead Perspective: Where Will the Future of Exercise Biology Take Us?. 2015 , 22, 25-30		39
281	Exercise interventions in polypathological aging patients that coexist with diabetes mellitus: improving functional status and quality of life. 2015 , 37, 64		46
280	Diabetes and risk of frailty and its potential mechanisms: a prospective cohort study of older adults. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 748-54	5.9	86
279	Osteoporosis: new treatments. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 265-7	5.9	0
278	Changes in gene expression in responders and nonresponders to a low-intensity walking intervention. 2015 , 38, 1154-60		27
277	Sarcopenia: the new definitions. 2015 , 18, 1-4		46
276	Interactions between muscle stem cells, mesenchymal-derived cells and immune cells in muscle homeostasis, regeneration and disease. 2015 , 6, e1830		77
275	Exercise as Medicine: Key Concepts in Discussing Physical Activity with Patients who have Type 2 Diabetes. 2015 , 39 Suppl 5, S129-33		21
274	Cognitive frailty: A new geriatric syndrome?. 2015 , 6, 408-411		13
273	The effect of type 2 diabetes on body composition of older adults. 2015 , 31, 41-9, vii-viii		11
272	Chronic diseases, multimorbidity, and handgrip strength among older adults from Southern Brazil. 2016 , 29, 43-52		6
271	Impact of Type 2 Diabetes on Skeletal Muscle Mass and Quality. 2016 , 73-85		2
270	Impact of Polypharmacy on the Rehabilitation Outcome of Japanese Stroke Patients in the Convalescent Rehabilitation Ward. 2016 , 2016, 7957825		23
269	Sarcopenia, Frailty, and Diabetes in Older Adults. 2016 , 40, 182-9		65
268	Proteomics of Skeletal Muscle: Focus on Insulin Resistance and Exercise Biology. 2016 , 4,		22
267	Association between Thigh Muscle Volume and Leg Muscle Power in Older Women. 2016 , 11, e0157885		19

266	Human Skeletal Muscle Disuse Atrophy: Effects on Muscle Protein Synthesis, Breakdown, and Insulin Resistance-A Qualitative Review. 2016 , 7, 361	80
265	Dietary Interventions for Type 2 Diabetes: How Millet Comes to Help. 2016 , 7, 1454	27
264	Sarcopenia: a potential cause and consequence of type 2 diabetes in Australia's ageing population?. 2016 , 205, 329-33	46
263	Effects of Elastic Band Resistance Training on Glucose Control, Body Composition, and Physical Function in Women With Short- vs. Long-Duration Type-2 Diabetes. 2016 , 30, 1688-99	6
262	Muscle dysfunction in type 2 diabetes: a major threat to patient's mobility and independence. 2016 , 53, 879-889	81
261	The effect of frailty should be considered in the management plan of older people with Type 2 diabetes. 2016 , 2, FSO102	15
260	Sarcopenia and frailty in older patients with diabetes mellitus. 2016 , 16, 293-9	60
259	Autophagy as a Potential Target for Sarcopenia. 2016 , 231, 1450-9	62
258	Sodium nitrate co-ingestion with protein does not augment postprandial muscle protein synthesis rates in older, type 2 diabetes patients. 2016 , 311, E325-34	6
257	Diabetes in Old Age. 2016 , 938-952	
256	Type 2 diabetes mellitus is associated with increased risks of sarcopenia and pre-sarcopenia in Chinese elderly. 2016 , 6, 38937	91
255	Declines in Strength and Mortality Risk Among Older Mexican Americans: Joint Modeling of Survival and Longitudinal Data. 2016 , 71, 1646-1652	24
254	Association of Muscle Mass, Area, and Strength With Incident Diabetes in Older Adults: The Health ABC Study. 2016 , 101, 1847-55	66
253	Benefits for Type 2 Diabetes of Interrupting Prolonged Sitting With Brief Bouts of Light Walking or Simple Resistance Activities. 2016 , 39, 964-72	184
252	Association between fat free mass and glucose homeostasis: Common knowledge revisited. 2016 , 28, 46-61	17
251	The Complexities of Diabetes in Older Persons. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 872-4	5.9 4
250	Where frailty meets diabetes. 2016 , 32 Suppl 1, 261-7	53
249	Frailty and Sarcopenia as Predictors of Adverse Health Outcomes in Persons With Diabetes Mellitus. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 846-51	5.9 55

248	Community-Based Culturally Preferred Physical Activity Intervention Targeting Populations at High Risk for Type 2 Diabetes: Results and Implications. 2016 , 40, 561-569		3
247	A comprehensive approach to the molecular determinants of lifespan using a Boolean model of geroconversion. 2016 , 15, 1018-1026		10
246	JAMDA: The State of the Journal. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 867-715.9		
245	Physical performance and muscle strength in older patients with and without diabetes from a public hospital in Lima, Peru. 2016 , 63, 220-229		
244	Nutrition in Diabetes. 2016 , 45, 799-817		19
243	The mTOR Conundrum: Essential for Muscle Function, but Dangerous for Survival. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 963-966	5.9	2
242	Advanced glycation end-products induce skeletal muscle atrophy and dysfunction in diabetic mice via a RAGE-mediated, AMPK-down-regulated, Akt pathway. 2016 , 238, 470-82		73
241	Sarcopenia in Elderly Diabetic Patients: Role of Dipeptidyl Peptidase 4 Inhibitors. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 896-901	5.9	28
240	Targeted Expression of Catalase to Mitochondria Protects Against Ischemic Myopathy in High-Fat Diet-Fed Mice. 2016 , 65, 2553-68		31
239	Single muscle fiber contractile properties in diabetic RAT muscle. 2016 , 53, 958-64		2
238	Falls and Balance Impairments in Older Adults with Type 2 Diabetes: Thinking Beyond Diabetic Peripheral Neuropathy. 2016 , 40, 6-9		79
237	Relative Contribution of Intramyocellular Lipid to Whole-Body Fat Oxidation Is Reduced With Age but Subsarcolemmal Lipid Accumulation and Insulin Resistance Are Only Associated With Overweight Individuals. 2016 , 65, 840-50		41
236	LEADER 5: prevalence and cardiometabolic impact of obesity in cardiovascular high-risk patients with type 2 diabetes mellitus: baseline global data from the LEADER trial. 2016 , 15, 29		33
235	Role of oxidative stress on platelet hyperreactivity during aging. 2016 , 148, 17-23		37
234	Sarcopenia in Diabetes Mellitus. 2016 , 237-252		
233	Physical performance and muscle strength in older patients with and without diabetes from a public hospital in Lima, Peru. 2016 , 63, 220-9		3
232	Musculoskeletal Disease Associated with Diabetes Mellitus. 2016 ,		3
231	Diabetes is associated with increased risks of low lean mass and slow gait speed when peripheral artery disease is present. 2016 , 30, 306-11		4

230	Pharmacologic Options for the Treatment of Sarcopenia. 2016 , 98, 319-33	115
229	Neuromuscular dysfunction in type 2 diabetes: underlying mechanisms and effect of resistance training. 2016 , 32, 40-50	40
228	Effects of short-term severe and long-term mild STZ-induced diabetes in urethral tissue of female rats. 2017 , 36, 574-579	14
227	Femoral muscle mass relates to physical frailty components in community-dwelling older people. 2017 , 17, 1636-1641	10
226	Insulin Treatment Attenuates Decline of Muscle Mass in Japanese Patients with Type 2 Diabetes. 2017 , 101, 1-8	20
225	Physical exercise management. 2017 , 267-276	
224	Exercise in type 2 diabetes: genetic, metabolic and neuromuscular adaptations. A review of the evidence. 2017 , 51, 1533-1538	35
223	Frailty and sarcopenia - newly emerging and high impact complications of diabetes. 2017 , 31, 1465-1473	105
222	Dysregulation of a novel miR-23b/27b-p53 axis impairs muscle stem cell differentiation of humans with type 2 diabetes. 2017 , 6, 770-779	22
221	Association between muscle function and body composition, vitamin D status, and blood glucose in postmenopausal women with type 2 diabetes. 2017 , 11 Suppl 2, S679-S684	4
220	Association of sarcopenia with both latent autoimmune diabetes in adults and type 2 diabetes: a cross-sectional study. 2017 , 31, 992-996	17
219	Sleep Apnea: A Geriatric Syndrome. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 899-904	8
218	Type 2 Diabetes in the Older Adult: The Need for Assessment of Frailty. 2017 , 32, 511-513	
217	Weight Management in Patients with Type 1 Diabetes and Obesity. 2017 , 17, 92	48
216	The increased risk of sarcopenia in patients with cardiovascular risk factors in Suburb-Dwelling older Chinese using the AWGS definition. 2017 , 7, 9592	41
215	Sex Differences in Body Composition. 2017 , 1043, 9-27	108
214	A Decade of JAMDA. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 993-997	5.9
213	Calf Circumference as a Novel Tool for Risk of Disability of the Elderly Population. 2017 , 7, 16359	9

212	Management of Comorbidities in Older Persons With Type 2 Diabetes. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 639-645	5.9	4
211	SARCOPENIA: AN ENDOCRINE DISORDER?. 2017 , 23, 1140-1149		30
210	Diabetes mellitus bei multimorbiden Patienten. 2017 , 13, 79-84		
209	Effects of multicomponent training on pulmonary function, functional capacity and quality of life in older adults with type 2 diabetes. 2017 , 13, 39-46		0
208	12. Sarkopenie. 2017 ,		
207	From Sarcopenia to Frailty: The Pathophysiological Basis and Potential Target Molecules of Intervention. 2017 ,		2
206	Low-Load High-Velocity Resistance Exercises Improve Strength and Functional Capacity in Diabetic Patients. 2017 , 27, 6292		5
205	Hormones and Sarcopenia. 2017 , 23, 4484-4492		35
204	A prospective study of the impact of diabetes mellitus on restrictive and obstructive lung function impairment: The Saku study. 2018 , 82, 58-64		19
203	Metabolic and molecular changes associated with the increased skeletal muscle insulin action 24-48 h after exercise in young and old humans. 2018 , 46, 111-118		7
202	May the force be with you: why resistance training is essential for subjects with type 2 diabetes mellitus without complications. 2018 , 62, 14-25		32
201	Very Low Calorie Diets for Weight Loss in Obese Older Adults-A Randomized Trial. 2017 , 73, 59-65		18
200	MG53 and disordered metabolism in striated muscle. 2018 , 1864, 1984-1990		6
199	Resistance exercise improves cardiac function and mitochondrial efficiency in diabetic rat hearts. 2018 , 470, 263-275		12
198	Reducing measurement errors during functional capacity tests in elders. 2018 , 30, 595-603		7
197	S2k-Leitlinie Diagnostik, Therapie und Verlaufskontrolle des Diabetes mellitus im Alter. 2018 , 13, 423-489		9
196	Aging, physical activity, and diabetic complications related to loss of muscle strength in patients with type 2 diabetes. 2018 , 21, 33-38		18
195	The Association between Glucose Control and Functional Indices in Older People with Diabetes. 2018 , 2018, 1053815		1

194	The Influence of Clinically Diagnosed Neuropathy on Respiratory Muscle Strength in Type 2 Diabetes Mellitus. 2018 , 2018, 8065938	5
193	Immobilization in diabetic rats results in altered glucose tolerance A model of reduced locomotion/activity in diabetes. 2018 , 1, 1-15	1
192	Muscle Changes During Atrophy. 2018 , 1088, 73-92	17
191	Which Index for Muscle Mass Represents an Aging Process?. 2018 , 25, 219-226	4
190	Cross-Sectional and Longitudinal Association between Glycemic Status and Body Composition in Men: A Population-Based Study. 2018 , 10,	0
189	Effects of resistance training on neuromuscular parameters in elderly with type 2 diabetes mellitus: A randomized clinical trial. 2018 , 113, 141-149	13
188	TREINAMENTO MULTICOMPONENTE MELHORA A APTIDÃO FUNCIONAL E CONTROLE GLICÊMICO DE IDOSOS COM DIABETES TIPO 2. 2018 , 29,	0
187	Effects of activated vitamin D, alfacalcidol, and low-intensity aerobic exercise on osteopenia and muscle atrophy in type 2 diabetes mellitus model rats. 2018 , 13, e0204857	14
186	Impairment of respiratory muscle strength in Berardinelli-Seip congenital lipodystrophy subjects. 2018 , 19, 173	5
185	Betreuungsmanagement geriatrischer Patienten mit Diabetes mellitus. 2018 , 14, 351-362	3
184	Physical frailty prediction model for the oldest old1. 2018 , 26, e3023	4
183	Diabetes Mellitus-induced Bone Fragility. 2018 , 57, 2773-2785	24
182	Association of Decreased Handgrip Strength with Reduced Cortical Thickness in Japanese Female Patients with Type 2 Diabetes Mellitus. 2018 , 8, 10767	11
181	Association between chronic diseases and handgrip strength in older adults residents of Florianópolis - SC, Brazil. 2018 , 23, 1675-1685	3
180	Low muscle quality in Japanese type 2 diabetic patients with visceral fat accumulation. 2018 , 17, 112	27
179	Satellite cell function, intramuscular inflammation and exercise in chronic kidney disease. 2018 , 11, 810-821	10
178	Chapter 2 Epidemiology of sarcopenia. 2018 , 18 Suppl 1, 13-22	18
177	Association between dynapenia and decline in higher-level functional capacity in older men with diabetes. 2018 , 18, 1393-1397	5

176	Effect of type 2 diabetes on energy cost and preferred speed of walking. 2018 , 118, 2331-2338	4
175	Sarcopenia, Diabetes, and Nutritional Intervention. 2018 , 279-292	2
174	The effect of dulaglutide on body composition in type 2 diabetes mellitus patients on hemodialysis. 2018 , 32, 759-763	7
173	One Week of Hospitalization Following Elective Hip Surgery Induces Substantial Muscle Atrophy in Older Patients. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 35-42	5.9 26
172	Frailty Status and Gait Parameters of Older Women With Type 2 Diabetes. 2019 , 43, 121-127	7
171	Juzentaihoto Suppresses Muscle Atrophy in Streptozotocin-Induced Diabetic Mice. 2019 , 42, 1128-1133	6
170	Clinical and biological characterization of skeletal muscle tissue biopsies of surgical cancer patients. 2019 , 10, 1356-1377	13
169	Phenotypic characteristics and risk factors in a multi-ethnic cohort of young adults with type 2 diabetes. 2019 , 35, 1893-1900	6
168	Association between sarcopenia and diabetes: a systematic review and meta-analysis of observational studies. 2019 , 10, 685-696	13
167	Lower limb muscle mass is associated with insulin resistance more than lower limb muscle strength in non-diabetic older adults. 2019 , 19, 1254-1259	1
166	Sex differences in the prevalence and adverse outcomes of sarcopenia and sarcopenic obesity in community dwelling elderly in East China using the AWGS criteria. 2019 , 19, 109	30
165	Lipotoxicity plays a key role in the development of both insulin resistance and muscle atrophy in patients with type 2 diabetes. 2019 , 20, 1205-1217	60
164	1,25-Dihydroxy vitamin D3 treatment attenuates osteopenia, and improves bone muscle quality in Goto-Kakizaki type 2 diabetes model rats. 2019 , 64, 184-195	2
163	Sarcopenia Prevalence and Risk Factors among Japanese Community Dwelling Older Adults Living in a Snow-Covered City According to EWGSOP2. 2019 , 8,	34
162	Dietary protein intake is not associated with 5-y change in mid-thigh muscle cross-sectional area by computed tomography in older adults: the Health, Aging, and Body Composition (Health ABC) Study. 2019 , 109, 535-543	21
161	Association of Glucose Fluctuations with Sarcopenia in Older Adults with Type 2 Diabetes Mellitus. 2019 , 8,	24
160	[Geriatric aspects for the management of diabetes mellitus (Update 2019)]. 2019 , 131, 236-245	
159	Association between sarcopenia and diabetes in community dwelling elderly in the Amazon region - Viver Mais Project. 2019 , 83, 121-125	8

158	Effect of annatto-extracted tocotrienols and green tea polyphenols on glucose homeostasis and skeletal muscle metabolism in obese male mice. 2019 , 67, 36-43	13
157	Diabetes mellitus im Alter. 2019 , 14, 444-455	1
156	The Association of Relative Handgrip Strength with Type 2 Diabetes among Koreans Aged 20 Years or More. 2019 , 19, 77	2
155	Phenotyping of the thrashing forces exerted by partially immobilized <i>C. elegans</i> using elastomeric micropillar arrays. 2019 , 19, 3685-3696	9
154	Juzentaihoto hot water extract alleviates muscle atrophy and improves motor function in streptozotocin-induced diabetic oxidative stress mice. 2019 , 73, 202-209	4
153	Treatment of obesity in older persons-A systematic review. 2019 , 20, 588-598	21
152	Advanced Glycation End Product Accumulation Is Associated With Low Skeletal Muscle Mass, Weak Muscle Strength, and Reduced Bone Density: The Nagahama Study. 2019 , 74, 1446-1453	24
151	Association of cognitive impairment and grip strength trajectories with mortality among middle-aged and elderly adults. 2019 , 31, 723-734	1
150	Body composition and sarcopenia: The next-generation of personalized oncology and pharmacology?. 2019 , 196, 135-159	62
149	Coffee consumption and risk of physical function impairment, frailty and disability in older adults. 2019 , 58, 1415-1427	11
148	Low-Intensity Resistance Exercise Reduces Hyperglycemia and Enhances Glucose Control Over a 24-Hour Period in Women With Type 2 Diabetes. 2019 , 33, 2826-2835	5
147	The effects of type 2 diabetes mellitus and its complications on physical and pulmonary functions: A case-control study. 2020 , 36, 916-922	5
146	Effects of dietary patterns and low protein intake on sarcopenia risk in the very old: The Newcastle 85+ study. 2020 , 39, 166-173	36
145	Relationship between consumption of raw garlic and handgrip strength in a large-scale adult population. 2020 , 39, 1234-1241	9
144	Acute and chronic effects of muscle power training on blood pressure in elderly patients with type 2 diabetes mellitus. 2020 , 42, 153-159	4
143	The relationships between sarcopenic skeletal muscle loss during ageing and macronutrient metabolism, obesity and onset of diabetes. 2020 , 79, 158-169	16
142	Muscle unloading: A comparison between spaceflight and ground-based models. 2020 , 228, e13431	18
141	Association between relative handgrip strength and prediabetes among South Korean adults. 2020 , 15, e0240027	2

- 140 Association of disease duration and sensorimotor function in type 2 diabetes mellitus: beyond diabetic peripheral neuropathy. **2020**, 37, 326-333 2
- 139 Diabetes, microRNA, and Nutrition in Geriatrics. **2020**, 9, 229-236
- 138 Sarcopenia in Type 2 Diabetes Mellitus: A Cross-Sectional Observational Study. **2020**, 2020, 7841390 7
- 137 Glucose Levels as a Mediator of the Detrimental Effect of Abdominal Obesity on Relative Handgrip Strength in Older Adults. **2020**, 9, 2
- 136 Risk Factors for Sarcopenia in the Elderly with Type 2 Diabetes Mellitus and the Effect of Metformin. **2020**, 2020, 3950404 13
- 135 Muscular Strength and Cardiovascular Disease: AN UPDATED STATE-OF-THE-ART NARRATIVE REVIEW. **2020**, 40, 302-309 36
- 134 Diabetes mellitus im Alter. **2020**, 2, 31-42
- 133 Changes and Risk Factors of Skeletal Muscle Mass and Strength in Patients with Type 2 Diabetes over 60 Years Old: A Cross-Sectional Study from China. **2020**, 2020, 9815485 2
- 132 Japanese radio calisthenics prevents the reduction of skeletal muscle mass volume in people with type 2 diabetes. **2020**, 8, 5
- 131 The prevalence and factors associated with sarcopenia among community living elderly with type 2 diabetes mellitus in primary care clinics in Malaysia. **2020**, 15, e0233299 17
- 130 Circulating MicroRNAs in Plasma Decrease in Response to Sarcopenia in the Elderly. **2020**, 11, 167 17
- 129 Fear of Falling, Lower Extremity Strength, and Physical and Balance Performance in Older Adults with Diabetes Mellitus. **2020**, 2020, 8573817 6
- 128 Pregnancy-specific urinary incontinence in women with gestational hyperglycaemia worsens the occurrence and severity of urinary incontinence and quality of life over the first year post partum. **2020**, 252, 336-343 1
- 127 Correlation Between Diabetic Peripheral Neuropathy and Sarcopenia in Patients with Type 2 Diabetes Mellitus and Diabetic Foot Disease: A Cross-Sectional Study. **2020**, 13, 377-386 11
- 126 Effect of an educational booklet for prevention and treatment of foot musculoskeletal dysfunctions in people with diabetic neuropathy: the FOOtCAre (FOCA) trial II, a study protocol of a randomized controlled trial. **2020**, 21, 180 5
- 125 Triad of impairment in older people with diabetes-reciprocal relations and clinical implications. **2020**, 161, 108065 4
- 124 Difference in sarcopenia prevalence and associated factors according to 2010 and 2018 European consensus (EWGSOP) in elderly patients with type 2 diabetes mellitus. **2020**, 132, 110835 24
- 123 [Diabetes in old age]. **2020**, 162, 28-35

122	Grip Strength Cut Points for Diabetes Risk Among Apparently Healthy U.S. Adults. 2020 , 58, 757-765	9
121	Simple-measured leg muscle strength and the prevalence of diabetes among Japanese males: a cross-sectional analysis of data from the Kameda health study. 2020 , 32, 1-6	0
120	Effect of inspiratory muscle training on respiratory muscle strength and functional capacity in patients with type 2 diabetes mellitus: A randomized clinical trial. 2021 , 13, 292-298	2
119	Relative handgrip strength is inversely associated with the presence of type 2 diabetes in overweight elderly women with varying nutritional status. 2021 , 58, 25-32	4
118	Sarcopenia Is Associated With Reduced Function on Admission to Rehabilitation in Patients With Diabetes. 2021 , 106, e687-e695	2
117	Skeletal muscle atrophy in heart failure with diabetes: from molecular mechanisms to clinical evidence. 2021 , 8, 3-15	3
116	[Diabetes mellitus in old age]. 2021 , 54, 61-71	1
115	Device-measured physical activity and its association with physical function in adults with type 2 diabetes mellitus. 2021 , 38, e14393	3
114	Biophysical phenotyping of <i>C. elegans</i> in a microfluidic chip for high-throughput drug screening. 2021 , 261-293	0
113	Why Are Individuals With Diabetes Less Active? The Mediating Role of Physical, Emotional, and Cognitive Factors. 2021 , 55, 904-917	3
112	A Narrative Review on Sarcopenia in Type 2 Diabetes Mellitus: Prevalence and Associated Factors. 2021 , 13,	28
111	The Elderly Subjects and Their Troubles. 2021 , 291-349	
110	Changes in Body Composition Are Associated with Metabolic Changes and the Risk of Metabolic Syndrome. 2021 , 10,	4
109	Stable isotope approaches to study muscle mass outcomes in clinical populations. 2021 , 36, 98-108	0
108	VPS39-deficiency observed in type 2 diabetes impairs muscle stem cell differentiation via altered autophagy and epigenetics. 2021 , 12, 2431	7
107	Effect of metformin therapy on muscle mass and strength in patients with and without diabetes. Meta-analysis of 15 studies. 2021 , 26, 4331	
106	Sarcopenia and Other Chronic Organ Diseases. 2021 , 175-183	
105	Similar functional capacity and handgrip strength of trained elderly women with and without type 2 diabetes mellitus: A cross-sectional study. 2021 , 43, 101318	1

104	The Impact of Frailty on the Effectiveness and Safety of Intensive Glucose Control and Blood Pressure-Lowering Therapy for People With Type 2 Diabetes: Results From the ADVANCE Trial. 2021 , 44, 1622-1629	4
103	Elevated serum pentosidine is independently associated with the high prevalence of sarcopenia in Chinese middle-aged and elderly men with type 2 diabetes mellitus. 2021 , 12, 2054-2061	
102	Type 2 diabetes mellitus in older adults: clinical considerations and management. 2021 , 17, 534-548	20
101	Association of Diabetes With Lower Back Pain: A Narrative Review. 2021 , 13, e15776	1
100	Stepping Back to Minimal Footwear: Applications Across the Lifespan. 2021 , 49, 228-243	6
99	Frailty in Pancreas Transplantation. 2021 , 105, 1685-1694	0
98	Concurrent BMP Signaling Maintenance and TGF- β Signaling Inhibition Is a Hallmark of Natural Resistance to Muscle Atrophy in the Hibernating Bear. 2021 , 10,	1
97	Comment on Kong et al. (2021) "The prevalence of frailty among community-dwelling older adults with diabetes: A meta-analysis". 2021 , 126, 104045	
96	The vicious cycle in the development of diabetes mellitus and sarcopenia in older persons. 2021 , 95, 104437	
95	Low Protein Intakes and Poor Diet Quality Associate with Functional Limitations in US Adults with Diabetes: A 2005-2016 NHANES Analysis. 2021 , 13,	2
94	Association between physical exercise interventions and functional capacity in individuals with type 2 diabetes: a systematic review and meta-analysis of controlled trials.	
93	Associations of the Glycaemic Control of Diabetes with Dementia and Physical Function in Rural-Dwelling Older Chinese Adults: A Population-Based Study. 2021 , 16, 1503-1513	5
92	Association between accelerometer-measured physical activity, glucose metabolism, and waist circumference in older adults. 2021 , 178, 108937	0
91	Nutrition in Patients with Type 2 Diabetes: Present Knowledge and Remaining Challenges. 2021 , 13,	2
90	Association of Adherence to a Mediterranean Diet with Excess Body Mass, Muscle Strength and Physical Performance in Overweight or Obese Adults with or without Type 2 Diabetes: Two Cross-Sectional Studies. 2021 , 9,	3
89	Long-term wheel-running prevents reduction of grip strength in type 2 diabetic rats. 2021 , 9, e15046	
88	Effects of Dipeptidyl Peptidase-4 Inhibitors and Sulfonylureas on Cognitive and Physical Function in Nursing Home Residents.	
87	Extract Ameliorates Muscle Atrophy in Streptozotocin-Induced Diabetic Mice by Downregulation of the CREB-KLF15 and Autophagy-Lysosomal Pathways. 2021 , 10,	5

86	The prevalence and risk factors of sarcopenia in patients with type 2 diabetes mellitus: a systematic review and meta-analysis. 2021 , 13, 93	4
85	Type 2 Diabetes as a Predictor of Muscle Strength Decline over 11 years among Men and Women Aged 55 Years and Older. 2021 , 1-9	0
84	The effects of exercise interventions on physical function tests and glycemic control in adults with type 2 diabetes: A systematic review. 2021 , 28, 283-293	0
83	Associations between skeletal muscle echo intensity and thickness in relation to glucose homeostasis in healthy and glucose impaired older males. 2021 , 154, 111547	0
82	Diagnosis of obesity based on body composition-associated health risks-Time for a change in paradigm. 2021 , 22 Suppl 2, e13190	8
81	Decreased handgrip strength in patients with type 2 diabetes: A cross-sectional study in a tertiary care hospital in north India. 2021 , 15, 325-329	2
80	Exercise-Induced Autophagy in the Prevention and Treatment of Sarcopenia. 2021 , 197-222	
79	Higher Resting Heart Rate and Lower Relative Grip Strength is Associated with Increased Risk of Diabetes in Korean Elderly Population: Korean National Health and Nutrition Examination Survey 2015-2018. 2020 , 29, 416-426	3
78	Mediterranean Diet attenuates risk of frailty and sarcopenia: New insights and future directions. 2017 , 2,	10
77	Wasting in Chronic Kidney Disease B Complex Issue. 2018 , 3,	3
76	MOLECULAR ASPECTS OF SARCOPENIA PATHOGENESIS IN CHRONOC KIDNEY DISEASE: INTEGRATED ROLE OF mTOR. 2018 , 22, 9-16	4
75	Body composition is associated with bone and glucose metabolism in postmenopausal women with type 2 diabetes mellitus. 2017 , 66, 99-111	6
74	Longitudinal Changes of Body Composition Phenotypes and Their Association with Incident Type 2 Diabetes Mellitus during a 5-Year Follow-up in Koreans. 2019 , 43, 627-639	12
73	Effect of Sensory Impairment on Balance Performance and Lower Limb Muscle Strength in Older Adults With Type 2 Diabetes. 2019 , 43, 497-508	10
72	Associations of Handgrip Strength with Prevalence of Rheumatoid Arthritis and Diabetes Mellitus in Older Adults. 2019 , 28, 271-277	6
71	Sarcopenia, frailty and type 2 diabetes mellitus (Review). 2021 , 24,	3
70	Effects of dipeptidyl peptidase-4 inhibitors and sulphonylureas on cognitive and physical function in nursing home residents. 2021 ,	1
69	Free fatty acid impairs myogenic differentiation through AMPK/miR-206 pathway. 2021 , MCB0032721	1

68	Sarcopenia: Nutrition and Related Diseases. 2017 , 23, 66-78	0
67	Relationships between Upper Limbs, Lower Limbs, and Trunk Muscle Mass and Insulin Resistance in Female Patients with Type 2 Diabetes. 2018 , 33, 519-522	1
66	Neuromuscular Attributes are Associated with Poor Mobility in Older Adults with Vascular Risk Conditions. 2020 , 9, 30-36	1
65	Hypoglycemias in elderly patients with type 2 diabetes mellitus: possible risks and ways to prevent them. 2019 , 22, 109	
64	Diabetes mellitus and sarcopenia. 2020 , 185-207	
63	Effects of a power training program in the functional capacity, on body balance and lower limb muscle strength of elderly with type 2 diabetes mellitus. 2021 , 61, 1529-1537	3
62	Metformin induces muscle atrophy by transcriptional regulation of myostatin via HDAC6 and FoxO3a. 2021 ,	9
61	Type 2 Diabetes Phenotype in a Small Isolated Zapotec-Speaking Community in the Valley of Oaxaca, Southern Mexico. 2020 , 10, 117-135	
60	Relationships between Upper Limb, Lower Limb and Trunk Muscle Mass and Insulin Resistance in Male Patients with Type 2 Diabetes. 2020 , 35, 735-739	1
59	Anti-diabetic drugs and sarcopenia: emerging links, mechanistic insights, and clinical implications. 2021 , 12, 1368	2
58	Muscle atrophy in patients with Type 2 Diabetes Mellitus: roles of inflammatory pathways, physical activity and exercise. 2016 , 22, 94-109	66
57	Assessment of muscle and fat mass in type 2 diabetes patients by dual-energy X-ray absorptiometry. 2021 , 21, 364-372	
56	Association between type 2 diabetes and skeletal muscle quality assessed by abdominal computed tomography scan. 2021 , e3513	1
55	Effects of anti-diabetic drugs on sarcopenia: Best treatment options for elderly patients with type 2 diabetes mellitus and sarcopenia.. 2021 , 9, 10064-10074	0
54	Moderate Intensity Exercise Training Improves Skeletal Muscle Performance in Symptomatic and Asymptomatic Statin Users. 2021 , 78, 2023-2037	2
53	Clinical and Dietary Determinants of Muscle Mass in Patients with Type 2 Diabetes: Data from the Diabetes and Lifestyle Cohort Twente. 2021 , 10,	0
52	Immediate Effect of Manual Therapy on Tibiotarsal Joint Mobility and Static Balance in Individuals With Diabetes.. 2021 , 20, 128-137	0
51	Should knee extension strength testing be implemented as a screening test for identifying probable and confirmed sarcopenia in older T2DM patients?. 2022 , 19, 5	0

50	Electrical activity of expiratory muscles in type 2 diabetes mellitus. 2021 , 80-86	
49	Altered features of body composition in older adults with type 2 diabetes and prediabetes compared with matched controls.. 2022 ,	1
48	Beyond Sarcopenia: older adults with type II diabetes mellitus tend to experience an elevated risk of poor dynamic balance-a case-control study.. 2022 , 22, 138	0
47	Diabetes mellitus tendino-myopathy: epidemiology, clinical features, diagnosis and management of an overlooked diabetic complication.. 2022 , 1	2
46	Development of a customized booklet of foot-ankle exercises for people with diabetes mellitus as a management and prevention tool for musculoskeletal complications: A customized booklet of foot-ankle exercises for people with diabetes.. 2022 , 26, 100402	1
45	Morphological and functional changes in skeletal muscle in type 2 diabetes mellitus: A systematic review and meta-analysis.. 2022 , 1-27	0
44	VLCKD in Combination with Physical Exercise Preserves Skeletal Muscle Mass in Sarcopenic Obesity after Severe COVID-19 Disease: A Case Report.. 2022 , 10,	0
43	Association Between Physical Exercise Interventions Participation and Functional Capacity in Individuals with Type 2 Diabetes: A Systematic Review and Meta-Analysis of Controlled Trials.. 2022 , 8, 34	1
42	Managing weight and glycaemic targets in people with type 2 diabetes-How far have we come?. 2022 , e00330	0
41	Sarcopenia definition: does it really matter? Implications for resistance training?. 2022 , 101617	0
40	Effects of high- and moderate-intensity resistance training sessions on glycemia of insulin-treated and non-insulin-treated type 2 diabetes mellitus individuals. 1	
39	Could very low-calorie ketogenic diets turn off low grade inflammation in obesity? Emerging evidence.. 2022 , 1-17	1
38	Diabetic sarcopenia: metabolic and molecular appraisal.. 2022 ,	
37	Association between edible mushrooms consumption and handgrip strength: A large-scale population based on the TCLSIH cohort study.. 2022 , 41, 1197-1207	
36	Association between height-corrected appendicular and regional skeletal muscle mass and insulin resistance in patients with type 2 diabetes.. 2022 , 34, 353-359	
35	DPP4 inhibitors as a potential therapeutic option for sarcopenia: A 6-month follow-up study in diabetic older patients.. 2022 , 164, 111832	1
34	Beneficial Effect of H ₂ S-Releasing Molecules in an In Vitro Model of Sarcopenia: Relevance of Glucoraphanin. 2022 , 23, 5955	1
33	Longitudinal study on the progression of muscle status among community-dwelling ambulatory older multiethnic Asians with type 2 diabetes mellitus. 2022 , 22,	0

- 32 Campanumoea javanica Bl. activates the PI3K/AKT/mTOR signaling pathway and reduces sarcopenia in a T2DM rat model. Publish Ahead of Print, 0
- 31 Exercise and Nutrition Strategies for Combating Sarcopenia and Type 2 Diabetes Mellitus in Older Adults. **2022**, 7, 48 1
- 30 G6PD Deficiency Is Crucial for Insulin Signaling Activation in Skeletal Muscle. **2022**, 23, 7425 0
- 29 Assessing physical function after completing a supervised education and exercise program in adults with type 2 diabetes and exploring exercise motivation at one-year follow up: A case series study. 1-14 0
- 28 Aquatic Aerobic and Combined Training in Management of Type 2 Diabetes: The Diabetes and Aquatic Training Study (DATS): A Randomized Clinical Trial. **2022**, 19, 578-587
- 27 Activities of daily living and its influencing factors for older people with type 2 diabetes mellitus in urban communities of Fuzhou, China. 10, 0
- 26 The Influence of the BDNF Val66Met Variant on the Association Between Physical Activity/Grip Strength and Depressive Symptoms in Persons With Diabetes. 105477382211193 0
- 25 Mulberry (*Morus alba* L.) Leaf Extract and 1-Deoxynojirimycin Improve Skeletal Muscle Insulin Resistance via the Activation of IRS-1/PI3K/Akt Pathway in db/db Mice. **2022**, 12, 1630 1
- 24 Distribution of lean mass and mortality risk in patients with type 2 diabetes. **2022**, 0
- 23 Multimorbidity, Frailty and Diabetes in Older People Identifying Interrelationships and Outcomes. **2022**, 12, 1911 1
- 22 Impact of simple equation for estimating appendicular skeletal muscle mass in patients with stable coronary artery disease undergoing percutaneous coronary intervention. **2023**, 44, 101163 0
- 21 Sugar-Sweetened Coffee Intake and Blood Glucose Management in Korean Patients with Diabetes Mellitus. **2022**, 12, 1177 0
- 20 Skeletal muscle phenotypic switching in heart failure with preserved ejection fraction. 9, 0
- 19 A New, Alternative Risk Score for Sarcopenia in Chinese Patients with Type 2 Diabetes Mellitus. 0
- 18 Circulating miR-29b decrease in response to sarcopenia in patients with cardiovascular risk factors in older Chinese. 9, 0
- 17 A New, Alternative Risk Score for Sarcopenia in Chinese Patients with Type 2 Diabetes Mellitus. 0
- 16 Value of conventional ultrasound and shear wave elastography in the assessment of muscle mass and function in elderly people with type 2 diabetes. 0
- 15 Physiotherapists Perspectives on Type 2 Diabetes Management and as a Primary Condition for Referral to Physiotherapy Services: A Qualitative Descriptive Study. 0

- 14 Sodium Butyrate Ameliorates Type 2 Diabetes-Related Sarcopenia Through IL-33-Independent ILC2s/IL-13/STAT3 Signaling Pathway. Volume 16, 343-358 ○
- 13 Activation of PDGF signaling in the adult muscle stem cell niche in patients with type 2 diabetes mellitus. ○
- 12 Association of body composition with bone mineral density and fractures in Chinese male type 2 diabetes mellitus. **2023**, 102, e33400 ○
- 11 Ubiquitin-Specific Proteases (USPs) and Metabolic Disorders. **2023**, 24, 3219 1
- 10 Mechanisms underlying altered neuromuscular function in people with DPN. ○
- 9 Musculoskeletal exercise: Its role in promoting health and longevity. **2023**, 1 1
- 8 Does an Association among Sarcopenia and Metabolic Risk Factors Exist in People Older Than 65 Years? A Systematic Review and Meta-Analysis of Observational Studies. **2023**, 13, 648 ○
- 7 Risk Factors of Pelvic Floor Dysfunction in Postpartum Period: a Cross-Section Study. ○
- 6 Assessment of lifestyle-related risk factors enhances the effectiveness of cardiac stress testing. **2023**, ○
- 5 Associations of sleep quality with the skeletal muscle strength in patients with type 2 diabetes with poor glycemic control. ○
- 4 Force generation and muscle activation of knee extensor and flexor muscles in type 2 diabetes mellitus patients. **2023**, 13, 57 ○
- 3 Factors contributing to exercise tolerance in patients with coronary artery disease undergoing percutaneous coronary intervention. **2023**, 15, ○
- 2 Relationship of the Behavior of Older Participants with Body Composition Change: Results of the Second Wave of the Cognition of Older People, Education, Recreational Activities, Nutrition, Comorbidities, and Functional Capacity Studies (COPERNICUS). **2023**, 15, 1834 ○
- 1 Geriatriische Aspekte bei Diabetes mellitus (Update 2023). **2023**, 135, 307-318 ○