

# Potassium-induced surface modification of Cu(In,Ga)Se<sub>2</sub> solar cells

Nature Materials

12, 1107-1111

DOI: [10.1038/nmat3789](https://doi.org/10.1038/nmat3789)

Citation Report

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Defect formation in Cu(In,Ga)Se <sub>2</sub> thin films due to the presence of potassium during growth by low temperature co-evaporation process. Journal of Applied Physics, 2013, 114, .                                  | 1.1 | 80        |
| 2  | Microwave Synthesis of Thin Film Absorber Layer Nanopowders of Copper-Indium-Gallium-(di) Selenide and Copper-Zinc-Tin-Sulfide. Current Microwave Chemistry, 2014, 1, 6-15.   | 0.2 | 2         |
| 3  | Introduction of Si PERC Rear Contacting Design to Boost Efficiency of Cu(In,Ga)Se <sub>2</sub> Solar Cells. IEEE Journal of Photovoltaics, 2014, 4, 1644-1649.  | 1.5 | 74        |
| 4  | Sputtered (Zn,Mg)O buffer layer for band offset control in Cu <sub>2</sub> ZnSn(S,Se) <sub>4</sub> solar cells. Japanese Journal of Applied Physics, 2014, 53, 106502.  | 0.8 | 24        |
| 5  | Direct Evaluation of Defect Distributions From Admittance Spectroscopy. IEEE Journal of Photovoltaics, 2014, 4, 1665-1670.  | 1.5 | 29        |
| 6  | Effects of potassium doping on solution processed kesterite Cu <sub>2</sub> ZnSnS <sub>4</sub> thin film solar cells. Applied Physics Letters, 2014, 105, .   | 1.5 | 101       |
| 7  | Defect properties of Sb- and Bi-doped CuInSe <sub>2</sub> : The effect of the deep lone-pair <i>s</i> states. Applied Physics Letters, 2014, 105, .   | 1.5 | 21        |
| 8  | Cu(In,Ga)Se <sub>2</sub> AND RELATED SOLAR CELLS. Series on Photoconversion of Solar Energy, 2014, , 245-305.   | 0.2 | 3         |
| 9  | Real time spectroscopic ellipsometry analysis of the three-stages of CuIn <sub>1-x</sub> Ga <sub>x</sub> Se <sub>2</sub> co-evaporation. , 2014, , .  |     | 16        |
| 10 | Advanced Solar Energy Conversion Technologies Enabled by Novel (Nano)Materials and Processing for Space Power with Potential for Terrestrial Applications. , 2014, , .  |     | 1         |
| 11 | Effect of milling time on mechanically alloyed Cu(In, Ga)Se <sub>2</sub> nanoparticles. , 2014, , .   |     | 0         |
| 12 | Microstructural and Chemical Investigation of PVD-CdS/PVD-CuIn <sub>1-x</sub> Ga <sub>x</sub> Se <sub>2</sub> Heterojunctions: A Transmission Electron Microscopy Study. IEEE Journal of Photovoltaics. 2014. 4. 1625-1629. | 1.5 | 17        |
| 13 | Photophysical investigation of charge recombination in CdS/ZnO layers of CuIn(S,Se) <sub>2</sub> solar cell. RSC Advances, 2014, 4, 58372-58376.  | 1.7 | 5         |
| 14 | Investigation of the diffusion behavior of sodium in Cu(In,Ga)Se <sub>2</sub> layers. Journal of Applied Physics, 2014, 115, .  | 1.1 | 90        |
| 15 | The impact of oxygen incorporation during intrinsic ZnO sputtering on the performance of Cu(In,Ga)Se <sub>2</sub> thin film solar cells. Applied Physics Letters, 2014, 105, .  | 1.5 | 11        |
| 16 | Understanding the role of oxygen in the segregation of sodium at the surface of molybdenum coated soda-lime glass. AIChE Journal, 2014, 60, 2365-2372.  | 1.8 | 29        |
| 17 | Local versus global electronic properties of chalcopyrite alloys: X-ray absorption spectroscopy and ab initio calculations. Journal of Applied Physics, 2014, 116, 093703.  | 1.1 | 12        |
| 18 | Recent R&D progress in solar frontier's small-sized Cu(InGa)(SeS) <sub>2</sub> solar cells. , 2014, , .   |     | 34        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Substrate and temperature dependence of the formation of the Earth abundant solar absorber Cu <sub>2</sub> ZnSnS <sub>4</sub> by ex situ sulfidation of cosputtered Cu-Zn-Sn films. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2014, 32, 061203. | 0.9  | 5         |
| 20 | Local Band Gap Measurements by VEELS of Thin Film Solar Cells. Microscopy and Microanalysis, 2014, 20, 1246-1253.   | 0.2  | 20        |
| 21 | Heat Induced Passivation of CuInSe <sub>2</sub> Surfaces: A Strategy to Optimize the Efficiency of Chalcopyrite Thin Film Solar Cells?. Advanced Materials Interfaces, 2014, 1, 1300040.  | 1.9  | 18        |
| 22 | Quantitative imaging of thin films solar cells properties using CuInGaSe<math>\mu\text{m}</math> microcells. , 2014, , .  |      | 1         |
| 23 | High lateral resolution energy dispersive X-ray spectroscopy and cathodoluminescence on lamellae of CIGSe solar cells. , 2014, , .  |      | 1         |
| 24 | An innovative concentrator system based on Cu(In,Ga)Se<math>\mu\text{m}</math> microcells. , 2014, , .  |      | 0         |
| 25 | Effects of sputtering technique on quaternary sputtered Cu(In,Ga)Se<sub>2</sub> films. Proceedings of SPIE, 2014, , .   | 0.8  | 3         |
| 26 | Accelerated performance degradation of CIGS solar cell determined by in-situ monitoring. Proceedings of SPIE, 2014, , .   | 0.8  | 10        |
| 27 | Optimized laser patterning for high performance Cu(In,Ga)Se<sub>2</sub> thin-film solar modules. Proceedings of SPIE, 2014, , .   | 0.8  | 3         |
| 28 | The effects of sodium on the growth of Cu(In,Ga)Se<sub>2</sub> thin films using low-temperature three-stage process on polyimide substrate. Journal Physics D: Applied Physics, 2014, 47, 045105.   | 1.3  | 6         |
| 29 | Compositional investigation of potassium doped Cu(In,Ga)Se<sub>2</sub> solar cells with efficiencies up to 20.8%. Physica Status Solidi - Rapid Research Letters, 2014, 8, 219-222.   | 1.2  | 483       |
| 30 | Towards low-cost, environmentally friendly printed chalcopyrite and kesterite solar cells. Energy and Environmental Science, 2014, 7, 1829-1849.  | 15.6 | 187       |
| 31 | Structural tuning of wide-gap chalcopyrite CuGaSe<sub>2</sub> thin films and highly efficient solar cells: differences from narrow-gap Cu(In,Ga)Se<sub>2</sub>. Progress in Photovoltaics: Research and Applications, 2014, 22, 821-829.                                      | 4.4  | 61        |
| 32 | Metastable defect in CuInSe <sub>2</sub> probed by modulated photo current experiments above 390â€‰K. Applied Physics Letters, 2014, 104, .   | 1.5  | 6         |
| 33 | A recombination analysis of Cu(In,Ga)Se <sub>2</sub> solar cells with low and high Ga compositions. Solar Energy Materials and Solar Cells, 2014, 124, 143-149.   | 3.0  | 130       |
| 34 | Sodium-doped molybdenum back contact designs for Cu(In,Ga)Se <sub>2</sub> solar cells. Solar Energy Materials and Solar Cells, 2014, 124, 10-16.  | 3.0  | 28        |
| 35 | GaSe Formation at the Cu(In,Ga)Se<sub>2</sub>/Mo Interfaceâ€”A Novel Approach for Flexible Solar Cells by Easy Mechanical Liftâ€”Off. Advanced Materials Interfaces, 2014, 1, 1400044.  | 1.9  | 19        |
| 36 | Zn(O,S) buffer prepared by atomic layer deposition for sequentially grown Cu(In,Ga)(Se,S) <sub>2</sub> solar cells and modules. Solar Energy Materials and Solar Cells, 2014, 126, 120-124.   | 3.0  | 17        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Electron-beam-induced current at absorber back surfaces of Cu(In,Ga)Se <sub>2</sub> thin-film solar cells. Journal of Applied Physics, 2014, 115, .  | 1.1 | 24        |
| 38 | Symmetry dependent optoelectronic properties of grain boundaries in polycrystalline Cu(In,Ga)Se <sub>2</sub> thin films. Journal of Applied Physics, 2014, 115, 023514.  | 1.1 | 12        |
| 39 | Cu <sub>2</sub> ZnSnS <sub>4</sub> Se <sub>4</sub> (1 $\times$ ) Solar Cells from Polar Nanocrystal Inks. Journal of the American Chemical Society, 2014, 136, 5237-5240.  | 6.6 | 102       |
| 40 | Colloidal Solution-Processed CuInSe <sub>2</sub> Solar Cells with Significantly Improved Efficiency up to 9% by Morphological Improvement. ACS Applied Materials & Interfaces, 2014, 6, 259-267.   | 4.0 | 22        |
| 41 | Revisiting the interpretation of biased luminescence: Effects on Cu(In,Ga)Se <sub>2</sub> photovoltaic heterostructures. Journal of Applied Physics, 2014, 116, 064504.  | 1.1 | 11        |
| 42 | Co-evaporated CuInSe <sub>2</sub> : Influence of growth temperature and Na on solar cell performance. , 2014, , .  |     | 0         |
| 43 | Growth of Sn(O,S) <sub>2</sub> buffer layers and its application to Cu(In,Ga)Se <sub>2</sub> solar cells. Current Applied Physics, 2014, 14, 1803-1808.  | 1.1 | 12        |
| 44 | Intermixing at the absorber-buffer layer interface in thin-film solar cells: The electronic effects of point defects in Cu(In,Ga)(Se,S) <sub>2</sub> and Cu <sub>2</sub> ZnSn(Se,S) <sub>4</sub> devices. Journal of Applied Physics, 2014, 116, . | 1.1 | 25        |
| 45 | Enhanced Performance in Cu(In,Ga)Se <sub>2</sub> Solar Cells Fabricated by the Two-Step Selenization Process With a Potassium Fluoride Postdeposition Treatment. IEEE Journal of Photovoltaics, 2014, 4, 1650-1654.                                | 1.5 | 55        |
| 46 | Native point defects in CuIn <sub>1-x</sub> Ga <sub>x</sub> Se <sub>2</sub> : hybrid density functional calculations predict the origin of p- and n-type conductivity. Physical Chemistry Chemical Physics, 2014, 16, 22299-22308.                 | 1.3 | 44        |
| 47 | Multiple phases of Cu <sub>2</sub> ZnSnSe <sub>4</sub> detected by room temperature photoluminescence. Journal of Applied Physics, 2014, 116, .  | 1.1 | 12        |
| 48 | Predicted roles of defects on band offsets and energetics at CIGS (Cu(In,Ga)Se <sub>2</sub> /CdS) solar cell interfaces and implications for improving performance. Journal of Chemical Physics, 2014, 141, 094701.                                | 1.2 | 20        |
| 49 | Influence of grain boundary modification on limited performance of wide bandgap Cu(In,Ga)Se <sub>2</sub> solar cells. Applied Physics Letters, 2014, 105, 013902.  | 1.5 | 36        |
| 50 | Investigation of Cu(In,Ga)Se <sub>2</sub> absorber by time-resolved photoluminescence for improvement of its photovoltaic performance. Solar Energy Materials and Solar Cells, 2014, 130, 567-572.   | 3.0 | 32        |
| 51 | Self-assembled synthesis of 3D Cu(In <sub>1-x</sub> Ga <sub>x</sub> )Se <sub>2</sub> nanoarrays by one-step electroless deposition into ordered AAO template. Nanotechnology, 2014, 25, 295601.  | 1.3 | 5         |
| 52 | Influence of iron on the performance of CIGS thin-film solar cells. Solar Energy Materials and Solar Cells, 2014, 130, 107-117.  | 3.0 | 32        |
| 53 | Employing Si solar cell technology to increase efficiency of ultra-thin Cu(In,Ga)Se <sub>2</sub> solar cells. Progress in Photovoltaics: Research and Applications, 2014, 22, 1023-1029.   | 4.4 | 136       |
| 54 | Earth-abundant absorber based solar cells onto low weight stainless steel substrate. Solar Energy Materials and Solar Cells, 2014, 130, 347-353.   | 3.0 | 33        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Conventional and rapid thermal annealing of spray pyrolyzed copper indium gallium sulfide thin films. Journal of Alloys and Compounds, 2014, 615, 461-468.   | 2.8 | 24        |
| 56 | Experimental indication for band gap widening of chalcopyrite solar cell absorbers after potassium fluoride treatment. Applied Physics Letters, 2014, 105, .   | 1.5 | 105       |
| 57 | Flexible Cu <sub>2</sub> ZnSnS <sub>4</sub> solar cells based on successive ionic layer adsorption and reaction method. RSC Advances, 2014, 4, 17703-17708.  | 1.7 | 39        |
| 58 | The effect of high growth temperature on Cu(In,Ga)Se <sub>2</sub> thin film solar cells. Solar Energy Materials and Solar Cells, 2014, 123, 166-170.   | 3.0 | 19        |
| 59 | CuIn(S,Se) <sub>2</sub> thin films prepared from a novel thioacetic acid-based solution and their photovoltaic application. Physical Chemistry Chemical Physics, 2014, 16, 7548.   | 1.3 | 10        |
| 60 | Optimization of DC-sputtered molybdenum back contact layers. , 2014, , .   |     | 0         |
| 61 | A facile molecular precursor-based Cu(In,Ga)(S,Se) <sub>2</sub> solar cell with 8.6% efficiency. Journal of Materials Chemistry A, 2014, 2, 13237.   | 5.2 | 21        |
| 62 | Effect of crystal orientation in Cu(In,Ga)Se <sub>2</sub> fabricated by multi-layer precursor method on its cell performance. Applied Surface Science, 2014, 314, 845-849.   | 3.1 | 5         |
| 63 | Engineering colloidal quantum dot solids within and beyond the mobility-invariant regime. Nature Communications, 2014, 5, 3803.  | 5.8 | 214       |
| 64 | Interfacial Alkali Diffusion Control in Chalcopyrite Thin-Film Solar Cells. ACS Applied Materials & Interfaces, 2014, 6, 14123-14130.  | 4.0 | 23        |
| 65 | Differential in-depth characterization of co-evaporated Cu(In,Ga)Se <sub>2</sub> thin films for solar cell applications. Thin Solid Films, 2014, 558, 47-53.   | 0.8 | 19        |
| 66 | Efficient Cu <sub>2</sub> ZnSnS <sub>4</sub> solar cells spray coated from a hydro-alcoholic colloid synthesized by instantaneous reaction. RSC Advances, 2014, 4, 14655-14662.  | 1.7 | 40        |
| 67 | Crystallographic and optical properties of narrow band gap Cu <sub>2</sub> GeSe <sub>3</sub> and Cu <sub>2</sub> (Sn <sup>1+</sup> ) <sub>x</sub> Ge <sub>x</sub> Se <sub>3</sub> solid solution. Japanese Journal of Applied Physics, 2014, 53, 05FW06.   | 0.8 | 6         |
| 68 | Unveiling the effects of post-deposition treatment with different alkaline elements on the electronic properties of CIGS thin film solar cells. Physical Chemistry Chemical Physics, 2014, 16, 8843.   | 1.3 | 278       |
| 69 | CdS and Cd-Free Buffer Layers on Solution Phase Grown Cu <sub>2</sub> ZnSn(S <sub>x</sub> Se <sub>1-x</sub> ) <sub>4</sub> :Band Alignments and Electronic Structure Determined with Femtosecond Ultraviolet Photoelectron Spectroscopy. Materials Research Society Symposia Proceedings, 2014, 1638, 1. | 0.1 | 3         |
| 70 | Potential-induced optimization of ultra-thin rear surface passivated CIGS solar cells. Physica Status Solidi - Rapid Research Letters, 2014, 8, 908-911.   | 1.2 | 17        |
| 71 | Space Environments and Effects on CIGS Solar Cells and Modules. Materials Research Society Symposia Proceedings, 2015, 1792, 1.  | 0.1 | 2         |
| 73 | Grain Boundaries in CuInSe <sub>2</sub> . Physical Review Applied  |     |           |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 74 | Sudden stress relaxation in compound semiconductor thin films triggered by secondary phase segregation. <i>Physical Review B</i> , 2015, 92, .  | 1.1 | 22        |
| 75 | Incorporation of Li dopant into Cu <sub>2</sub> ZnSnSe <sub>4</sub> photovoltaic absorber: hybrid-functional calculations. <i>Journal Physics D: Applied Physics</i> , 2015, 48, 482001.  | 1.3 | 5         |
| 77 | Effect of Na presence during CuInSe <sub>2</sub> growth on stacking fault annihilation and electronic properties. <i>Applied Physics Letters</i> , 2015, 107, .   | 1.5 | 23        |
| 78 | Enhancement of the photo conversion efficiencies in Cu(In,Ga)(Se,S) <sub>2</sub> solar cells fabricated by two-step sulfurization process. <i>Applied Physics Letters</i> , 2015, 107, .  | 1.5 | 8         |
| 79 | Photoluminescence studies of polycrystalline Cu(In,Ga)Se <sub>2</sub> : Lateral inhomogeneities beyond Abbe's diffraction limit. <i>Journal of Applied Physics</i> , 2015, 118, .   | 1.1 | 3         |
| 80 | Control of valence band offset at CdS/Cu(In,Ga)Se <sub>2</sub> interface by inserting wide-bandgap materials for suppression of interfacial recombination in Cu(In,Ga)Se <sub>2</sub> solar cells. <i>Japanese Journal of Applied Physics</i> , 2015, 54, 08KC08. | 0.8 | 27        |
| 81 | Investigating the electronic properties of Al <sub>2</sub> O <sub>3</sub> /Cu(In,Ga)Se <sub>2</sub> interface. <i>AIP Advances</i> , 2015, 5, .   | 0.6 | 69        |
| 82 | Fabrication of Cu(In,Ga)(S,Se) <sub>2</sub> thin film solar cells via spray pyrolysis of thiourea and 1-methylthiourea-based aqueous precursor solution. <i>Japanese Journal of Applied Physics</i> , 2015, 54, 091203.   | 0.8 | 12        |
| 83 | Surface sulfurization on MBE-grown Cu(In <sub>1-x</sub> Ga <sub>x</sub> )Se <sub>2</sub> thin films and devices. <i>Japanese Journal of Applied Physics</i> , 2015, 54, 08KC10.   | 0.8 | 16        |
| 84 | Optimizing the growth path for Cu(In,Ga)Se <sub>2</sub> thin films co-evaporated at low temperatures on flexible polyimide foil. , 2015, , .  |     | 0         |
| 85 | Preparation of a CuInS <sub>2</sub> Nanoparticle Ink and Application in a Selenization-Free, Solution-Processed Superstrate Solar Cell. <i>European Journal of Inorganic Chemistry</i> , 2015, 2015, 5793-5800.   | 1.0 | 14        |
| 86 | Effect of Intrinsic ZnO Sputtering Parameters on the Cell Efficiency of Cu(In,Ga)Se <sub>2</sub> Solar Cells. <i>Israel Journal of Chemistry</i> , 2015, 55, 1109-1114.   | 1.0 | 1         |
| 87 | Toward efficient Cu(In,Ga)Se <sub>2</sub> solar cells prepared by reactive magnetron co-sputtering from metallic targets in an Ar:H <sub>2</sub> Se atmosphere. <i>Progress in Photovoltaics: Research and Applications</i> , 2015, 23, 1793-1805.                | 4.4 | 5         |
| 88 | Real time observation of phase formations by XRD during Ga-rich or In-rich Cu(In, Ga)Se <sub>2</sub> growth by co-evaporation. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2015, 212, 1897-1904.  | 0.8 | 13        |
| 89 | Improving the performance of Sb <sub>2</sub> Se <sub>3</sub> thin film solar cells over 4% by controlled addition of oxygen during film deposition. <i>Progress in Photovoltaics: Research and Applications</i> , 2015, 23, 1828-1836.                            | 4.4 | 120       |
| 90 | Quantitative luminescence mapping of Cu(In, Ga)Se <sub>2</sub> thin film solar cells. <i>Progress in Photovoltaics: Research and Applications</i> , 2015, 23, 1305-1312.  | 4.4 | 35        |
| 91 | Shunt mitigation in ZnO:Al/i-ZnO/CdS/Cu(In,Ga)Se <sub>2</sub> solar modules by the i-ZnO/CdS buffer combination. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2015, 212, 541-546.  | 0.8 | 13        |
| 93 | Preparation of Cu(In,Al)(Se,S) <sub>2</sub> Thin Films by Low-Cost Non-vacuum Hybrid Process. <i>Chinese Journal of Chemical Physics</i> , 2015, 28, 746-750.   | 0.6 | 0         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 95  | KCN Chemical Etch for Interface Engineering in Cu <sub>2</sub> ZnSnSe <sub>4</sub> Solar Cells. ACS Applied Materials & Interfaces, 2015, 7, 14690-14698.  | 4.0  | 62        |
| 96  | Highly efficient flexible CuIn <sub>0.7</sub> Ga <sub>0.3</sub> Se <sub>2</sub> solar cells with a thick Na/Mo layer deposited directly on stainless steel. Applied Surface Science, 2015, 346, 562-566.   | 3.1  | 14        |
| 97  | Enhanced Carrier Collection from CdS Passivated Grains in Solution-Processed Cu <sub>2</sub> ZnSn(S,Se) <sub>4</sub> Solar Cells. ACS Applied Materials & Interfaces, 2015, 7, 12141-12146.  | 4.0  | 33        |
| 98  | Thin-film Sb <sub>2</sub> Se <sub>3</sub> photovoltaics with oriented one-dimensional ribbons and benign grain boundaries. Nature Photonics, 2015, 9, 409-415.   | 15.6 | 781       |
| 99  | Solution-Processed Ag Nanowires + PEDOT:PSS Hybrid Electrode for Cu(In,Ga)Se <sub>2</sub> Thin-Film Solar Cells. ACS Applied Materials & Interfaces, 2015, 7, 13557-13563.   | 4.0  | 34        |
| 100 | Deposition and characterization of graded Cu(In <sub>1-x</sub> Ga <sub>x</sub> )Se <sub>2</sub> thin films by spray pyrolysis. Materials Chemistry and Physics, 2015, 162, 59-68.  | 2.0  | 22        |
| 101 | Organometallics and Related Molecules for Energy Conversion. Green Chemistry and Sustainable Technology, 2015, , .   | 0.4  | 4         |
| 102 | Photocarrier dynamics in undoped and Na-doped Cu <sub>2</sub> ZnSnS <sub>4</sub> single crystals revealed by ultrafast time-resolved terahertz spectroscopy. Applied Physics Express, 2015, 8, 062303.   | 1.1  | 14        |
| 103 | Highly crystalline Fe <sub>2</sub> GeS <sub>4</sub> nanocrystals: green synthesis and their structural and optical characterization. Journal of Materials Chemistry A, 2015, 3, 2265-2270.   | 5.2  | 26        |
| 104 | Recent Development in Water Oxidation Catalysts Based on Manganese and Cobalt Complexes. Green Chemistry and Sustainable Technology, 2015, , 365-394.  | 0.4  | 2         |
| 105 | Theoretical and experimental investigation of the recombination reduction at surface and grain boundaries in Cu(In,Ga)Se <sub>2</sub> solar cells by valence band control. Materials Research Society Symposia Proceedings, 2015, 1771, 125-131. | 0.1  | 6         |
| 106 | Enhanced Performance of Perovskite CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> Solar Cell by Using CH <sub>3</sub> NH <sub>3</sub> I as Additive in Sequential Deposition. ACS Applied Materials & Interfaces, 2015, 7, 12937-12942.        | 4.0  | 80        |
| 107 | Effect of different properties of Cu(In <sub>1-x</sub> Ga <sub>x</sub> )Se <sub>2</sub> thin films synthesized by femtosecond and nanosecond pulsed laser deposition. Proceedings of SPIE, 2015, , .   | 0.8  | 0         |
| 108 | Alkali segregation and matrix concentrations in thin film Cu(In,Ga)Se <sub>2</sub> at targeted interfaces characterized in 3-D at the nanoscale. , 2015, , .   |      | 5         |
| 109 | A stochastic model for Cu(InGa)(SeS) <sub>2</sub> absorber growth during selenization/sulfization. , 2015, , .   |      | 0         |
| 110 | Potassium Postdeposition Treatment-Induced Band Gap Widening at Cu(In,Ga)Se <sub>2</sub> Surfaces – Reason for Performance Leap?. ACS Applied Materials & Interfaces, 2015, 7, 27414-27420.  | 4.0  | 147       |
| 111 | High Efficient and Stable Solid Solar Cell: Based on FeS <sub>2</sub> Nanocrystals and P3HT: PCBM. Energy Procedia, 2015, 75, 2181-2186.   | 1.8  | 26        |
| 112 | Temperature-dependent photoluminescence of cadmium-free CuZnInS quantum dot thin films as temperature probes. Dalton Transactions, 2015, 44, 20763-20768.  | 1.6  | 8         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 113 | Degradation of CIGS solar cells due to the migration of alkali-elements. , 2015, , .  |     | 12        |
| 114 | Enhanced photoresponse of Cu(In,Ga)Se <sub>2</sub> /CdS heterojunction fabricated using economical non-vacuum methods. Electronic Materials Letters, 2015, 11, 618-624.   | 1.0 | 19        |
| 115 | Mechanism of effect of intrinsic defects on electrical and optical properties of Cu <sub>2</sub> CdSnS <sub>4</sub> : an experimental and first-principles study. Journal Physics D: Applied Physics, 2015, 48, 445105.                                   | 1.3 | 16        |
| 116 | Screening of alkali elements in Cu <sub>2</sub> ZnSn(S,Se) <sub>4</sub> . , 2015, , .   |     | 2         |
| 117 | Designing CIGS solar cells with front-side point contacts. , 2015, , .  |     | 13        |
| 118 | Improved photocurrent in Cu(In,Ga)Se <sub>2</sub> solar cells: From 20.8% to 21.7% efficiency. , 2015, , .  |     | 10        |
| 119 | Imaging EQE in CIGS solar cells with high spatial resolution. , 2015, , .   |     | 1         |
| 120 | Cu(In,Ga)Se <sub>2</sub> Thin-Film Solar Cells and Modules—A Boost in Efficiency Due to Potassium. IEEE Journal of Photovoltaics, 2015, 5, 656-663.   | 1.5 | 77        |
| 121 | Mesoporous silica nanocomposite antireflective coating for Cu(In,Ga)Se <sub>2</sub> thin film solar cells. Solar Energy Materials and Solar Cells, 2015, 134, 359-363.  | 3.0 | 10        |
| 122 | Composition-dependent nanostructure of Cu(In,Ga)Se <sub>2</sub> powders and thin films. Thin Solid Films, 2015, 582, 356-360.   | 0.8 | 8         |
| 123 | Characterization of efficiency-limiting resistance losses in monolithically integrated Cu(In,Ga)Se <sub>2</sub> solar modules. Scientific Reports, 2015, 5, 7690.   | 1.6 | 28        |
| 124 | A monolithically integrated high-efficiency Cu(In,Ga)Se <sub>2</sub> mini-module structured solely by laser. Progress in Photovoltaics: Research and Applications, 2015, 23, 1908-1915.   | 4.4 | 29        |
| 125 | First-principles study of carbon impurities in CuInSe <sub>2</sub> and CuGaSe <sub>2</sub> , present in non-vacuum synthesis methods. Journal of Applied Physics, 2015, 117, 015104.  | 1.1 | 5         |
| 126 | Influence of conduction band minimum difference between transparent conductive oxide and absorber on photovoltaic performance of thin-film solar cell. Japanese Journal of Applied Physics, 2015, 54, 032301.   | 0.8 | 23        |
| 127 | Optimization of CdS buffer layer for high-performance Cu <sub>2</sub> ZnSnSe <sub>4</sub> solar cells and the effects of light soaking: elimination of crossover and red kink. Progress in Photovoltaics: Research and Applications, 2015, 23, 1660-1667. | 4.4 | 110       |
| 128 | Homogeneous Cu <sub>2</sub> ZnSnSe <sub>4</sub> nanocrystals/graphene oxide nanocomposites as hole transport layer for polymer solar cells. Chemical Physics Letters, 2015, 622, 1-8.   | 1.2 | 8         |
| 129 | Solution Transformation of Cu <sub>2</sub> O into CuInS <sub>2</sub> for Solar Water Splitting. Nano Letters, 2015, 15, 1395-1402.  | 4.5 | 108       |
| 130 | Combinatorial Exploration of the Effects of Intrinsic and Extrinsic Defects in Cu <sub>2</sub> (In,Ga)ZnSn(S,Se) <sub>4</sub> . IEEE Journal of Photovoltaics, 2015, 5, 288-298.  | 1.5 | 73        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 131 | First-principles study of electronic structure of CuSbS <sub>2</sub> and CuSbSe <sub>2</sub> photovoltaic semiconductors. Thin Solid Films, 2015, 582, 401-407.   | 0.8 | 44        |
| 132 | Influence of post-deposition selenium supply on Cu(In,Ga)Se <sub>2</sub> -based solar cell properties. Thin Solid Films, 2015, 582, 43-46.  | 0.8 | 11        |
| 133 | Application of multi-buffer layer of (Zn,Mg)O/CdS in Cu <sub>2</sub> ZnSn(S,Se) <sub>4</sub> solar cells. Current Applied Physics, 2015, 15, 383-388.   | 1.1 | 18        |
| 134 | Cu(In,Ga)Se <sub>2</sub> mesa diodes for the study of edge recombination. Thin Solid Films, 2015, 582, 258-262.   | 0.8 | 15        |
| 135 | Influence of electrode position in the electrolytic cell configuration for the electrodeposition of Cu(In,Ga)Se <sub>2</sub> thin films. Journal of Materials Science: Materials in Electronics, 2015, 26, 5593-5602. | 1.1 | 4         |
| 136 | Influence of Ga/(Ga + In) grading on deep defect states of Cu(In,Ga)Se <sub>2</sub> solar cells. Physica Status Solidi - Rapid Research Letters, 2015, 9, 157-160.  | 1.2 | 14        |
| 137 | Joule heating-assisted growth of Cu(In,Ga)Se <sub>2</sub> solar cells. Journal of Renewable and Sustainable Energy, 2015, 7, 013112.  | 0.8 | 5         |
| 138 | Optical and structural properties of sputtered CdS films for thin film solar cell applications. Materials Research Bulletin, 2015, 69, 78-83.   | 2.7 | 42        |
| 139 | Energy band alignment in chalcogenide thin film solar cells from photoelectron spectroscopy. Journal of Physics Condensed Matter, 2015, 27, 134201.   | 0.7 | 92        |
| 140 | Reliability Issues of CIGS-Based Thin Film Solar Cells. Semiconductors and Semimetals, 2015, , 111-150.   | 0.4 | 10        |
| 141 | Features of KF and NaF Postdeposition Treatments of Cu(In,Ga)Se <sub>2</sub> Absorbers for High Efficiency Thin Film Solar Cells. Chemistry of Materials, 2015, 27, 5755-5764.  | 3.2 | 178       |
| 142 | Incorporation of alkali metals in chalcogenide solar cells. Solar Energy Materials and Solar Cells, 2015, 143, 9-20.  | 3.0 | 117       |
| 143 | Enhanced solar performance of chemical bath deposited-Zn(O,S)/Cu(In,Ga)Se <sub>2</sub> solar cells via interface engineering by a wet soaking process. Journal of Materials Chemistry A, 2015, 3, 14985-14990.        | 5.2 | 11        |
| 144 | Improved open-circuit voltage in Cu(In,Ga)Se <sub>2</sub> solar cells with high work function transparent electrodes. Journal of Applied Physics, 2015, 117, .  | 1.1 | 26        |
| 145 | High-Efficiency Polycrystalline Thin Film Tandem Solar Cells. Journal of Physical Chemistry Letters, 2015, 6, 2676-2681.  | 2.1 | 166       |
| 146 | Complex Surface Chemistry of Kesterites: Cu/Zn Reordering after Low Temperature Postdeposition Annealing and Its Role in High Performance Devices. Chemistry of Materials, 2015, 27, 5279-5287.                       | 3.2 | 99        |
| 147 | Correlating the Local Defect-Level Density with the Macroscopic Composition and Energetics of Chalcopyrite Thin-Film Surfaces. ACS Applied Materials & Interfaces, 2015, 7, 13062-13072.                              | 4.0 | 22        |
| 148 | Front grid optimization of Cu(In,Ga)Se <sub>2</sub> solar cells using hybrid modeling approach. Journal of Renewable and Sustainable Energy, 2015, 7, .   | 0.8 | 7         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 149 | Influence of surface properties on the performance of Cu(In,Ga)(Se,S) <sub>2</sub> thin-film solar cells using Kelvin probe force microscopy. RSC Advances, 2015, 5, 40719-40725.   | 1.7 | 12        |
| 150 | Electronic defect study on low temperature processed Cu(In,Ga)Se <sub>2</sub> thin-film solar cells and the influence of an Sb layer. Journal Physics D: Applied Physics, 2015, 48, 175104.                                 | 1.3 | 6         |
| 151 | Investigation of the effect of potassium on Cu(In,Ga)Se <sub>2</sub> layers and solar cells. Thin Solid Films, 2015, 582, 27-30.  | 0.8 | 69        |
| 152 | Effects of NaF evaporation during low temperature Cu(In,Ga)Se <sub>2</sub> growth. Thin Solid Films, 2015, 582, 56-59.  | 0.8 | 13        |
| 153 | Understanding the modes of use and availability of critical metals—An expert-based scenario analysis for the case of indium. Journal of Cleaner Production, 2015, 94, 376-393.  | 4.6 | 29        |
| 154 | Cu(In,Ga)Se <sub>2</sub> solar cell with 16.7% active-area efficiency achieved by sputtering from a quaternary target. Physica Status Solidi (A) Applications and Materials Science, 2015, 212, 1774-1778.                  | 0.8 | 38        |
| 155 | Self-Regulation of Cu/Sn Ratio in the Synthesis of Cu <sub>2</sub> ZnSnS <sub>4</sub> Films. Chemistry of Materials, 2015, 27, 2507-2514.   | 3.2 | 49        |
| 156 | Na-induced efficiency boost for Se-deficient Cu(In,Ga)Se <sub>2</sub> solar cells. Progress in Photovoltaics: Research and Applications, 2015, 23, 1621-1629.   | 4.4 | 28        |
| 157 | Locally resolved investigation of wedged Cu(In,Ga)Se <sub>2</sub> films prepared by physical vapor deposition using hard X-ray photoelectron and X-ray fluorescence spectroscopy. Thin Solid Films, 2015, 582, 361-365.     | 0.8 | 1         |
| 158 | The impact of alkali elements on the degradation of CIGS solar cells. Progress in Photovoltaics: Research and Applications, 2015, 23, 537-545.  | 4.4 | 49        |
| 159 | Totally solution-processed CuInS <sub>2</sub> solar cells based on chloride inks: reduced metastable phases and improved current density. Journal Physics D: Applied Physics, 2015, 48, 115304.                             | 1.3 | 16        |
| 160 | Degradation of Cu(In, Ga)Se <sub>2</sub> thin-film solar cells due to the ionization effect of low-energy electrons. Thin Solid Films, 2015, 582, 91-94.  | 0.8 | 3         |
| 161 | Cu(In,Ga)(S,Se) <sub>2</sub> Thin Film Solar Cell with 10.7% Conversion Efficiency Obtained by Selenization of the Na-Doped Spray-Pyrolyzed Sulfide Precursor Film. ACS Applied Materials & Interfaces, 2015, 7, 6472-6479. | 4.0 | 56        |
| 162 | Electrical characterization of grain boundaries of CZTS thin films using conductive atomic force microscopy techniques. Materials Research Bulletin, 2015, 70, 373-378.   | 2.7 | 30        |
| 163 | Transformation of Ag Nanowires into Semiconducting AgFeS <sub>2</sub> Nanowires. Journal of the American Chemical Society, 2015, 137, 4340-4343.  | 6.6 | 23        |
| 164 | Editorial for the ACS Select Virtual Issue on Inorganic Chemistry Driving the Energy Sciences. Inorganic Chemistry, 2015, 54, 3079-3083.  | 1.9 | 5         |
| 165 | Sodium doping effects on the crystalline and electrical properties of Cu <sub>2</sub> ZnSnSe <sub>4</sub> thin films. Solar Energy, 2015, 115, 413-418.   | 2.9 | 16        |
| 166 | Alkali-Templated Surface Nanopatterning of Chalcogenide Thin Films: A Novel Approach Toward Solar Cells with Enhanced Efficiency. Nano Letters, 2015, 15, 3334-3340.  | 4.5 | 108       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 167 | Cu <sub>2</sub> Sn <sub>3</sub> thin-film solar cells fabricated by sulfurization from NaF/Cu/Sn stacked precursor. Applied Physics Express, 2015, 8, 042303.   | 1.1 | 143       |
| 168 | Cu <sub>2</sub> Sn <sub>3</sub> thin film solar cells prepared by thermal crystallization of evaporated Cu/Sn precursors in sulfur and tin atmosphere. Physica Status Solidi C: Current Topics in Solid State Physics, 2015, 12, 761-764. | 0.8 | 36        |
| 169 | Ecofriendly and Nonvacuum Electrostatic Spray-Assisted Vapor Deposition of Cu(In,Ga)(S,Se) <sub>2</sub> Thin Film Solar Cells. ACS Applied Materials & Interfaces, 2015, 7, 22497-22503.  | 4.0 | 25        |
| 170 | Chlorine-conducted defect repairment and seed crystal-mediated vapor growth process for controllable preparation of efficient and stable perovskite solar cells. Journal of Materials Chemistry A, 2015, 3, 22949-22959.                  | 5.2 | 51        |
| 171 | Compound semiconductor alloys: From atomic-scale structure to bandgap bowing. Applied Physics Reviews, 2015, 2, .   | 5.5 | 50        |
| 172 | Properties of Ga <sub>2</sub> O <sub>3</sub> /Ga <sub>2</sub> O <sub>3</sub> :Sn/CIGS for visible light sensors. Journal of Physics: Conference Series, 2015, 619, 012009.  | 0.3 | 3         |
| 173 | Physical properties of Cu(In,Ga)Se <sub>2</sub> film on flexible stainless steel substrate for solar cell application: A multi-layer precursor method. Solar Energy Materials and Solar Cells, 2015, 143, 510-516.                        | 3.0 | 13        |
| 174 | Hybrid-Functional Calculations on the Incorporation of Na and K Impurities into the CuInSe <sub>2</sub> and CuIn <sub>5</sub> Se <sub>8</sub> Solar-Cell Materials. Journal of Physical Chemistry C, 2015, 119, 25197-25203.              | 1.5 | 45        |
| 175 | Direct evidence of void passivation in Cu(InGa)(SSe) <sub>2</sub> absorber layers. Applied Physics Letters, 2015, 106, .  | 1.5 | 11        |
| 176 | Hydrogenated indium oxide window layers for high-efficiency Cu(In,Ga)Se <sub>2</sub> solar cells. Journal of Applied Physics, 2015, 117, .  | 1.1 | 38        |
| 177 | Improved Ga grading of sequentially produced Cu(In,Ga)Se <sub>2</sub> solar cells studied by high resolution X-ray fluorescence. Applied Physics Letters, 2015, 106, .  | 1.5 | 20        |
| 178 | Probing diffusion of In and Ga in CuInSe <sub>2</sub> /CuGaSe <sub>2</sub> bilayer thin films by x-ray diffraction. Journal of Crystal Growth, 2015, 432, 24-32.  | 0.7 | 10        |
| 179 | Investigation of microstructural and optical properties of Cu(In, Al)Se <sub>2</sub> thin films with various copper content. Journal of Alloys and Compounds, 2015, 651, 208-213.   | 2.8 | 12        |
| 180 | High-density Cu-In intermetallic nanocrystal layers: towards high-efficiency printable CuInSe <sub>2</sub> solar cells. Journal of Materials Chemistry A, 2015, 3, 15889-15896.   | 5.2 | 9         |
| 181 | Study on the performance of Tungsten-Titanium alloy film as a diffusion barrier for iron in a flexible CIGS solar cell. Solar Energy, 2015, 120, 357-362.   | 2.9 | 7         |
| 182 | Lithium-doping inverts the nanoscale electric field at the grain boundaries in Cu <sub>2</sub> ZnSn(S,Se) <sub>4</sub> and increases photovoltaic efficiency. Physical Chemistry Chemical Physics, 2015, 17, 23859-23866.                 | 1.3 | 185       |
| 183 | Solution-deposited pure selenide CIGSe solar cells from elemental Cu, In, Ga, and Se. Journal of Materials Chemistry A, 2015, 3, 19263-19267.   | 5.2 | 51        |
| 184 | Improved Photocurrent in Cu(In,Ga)Se <sub>2</sub> Solar Cells: From 20.8% to 21.7% Efficiency with CdS Buffer and 21.0% Cd-Free. IEEE Journal of Photovoltaics, 2015, 5, 1487-1491.   | 1.5 | 178       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 185 | Ion beam analysis of Cu(In,Ga)Se <sub>2</sub> thin film solar cells. Applied Surface Science, 2015, 356, 631-638.  | 3.1 | 15        |
| 186 | Light Coupling and Trapping in Ultrathin Cu(In,Ga)Se <sub>2</sub> Solar Cells Using Dielectric Scattering Patterns. ACS Nano, 2015, 9, 9603-9613.  | 7.3 | 102       |
| 187 | First-principles study on alkali-metal effect of Li, Na, and K in CuInSe <sub>2</sub> and CuGaSe <sub>2</sub> . Japanese Journal of Applied Physics, 2015, 54, 08KC20.   | 0.8 | 38        |
| 188 | Reaction path for formation of Cu <sub>2</sub> SnSe <sub>3</sub> film by selenization of Cu-Sn precursor. Solar Energy Materials and Solar Cells, 2015, 143, 311-318.  | 3.0 | 19        |
| 189 | EFFECT OF pH ON THE ELECTRODEPOSITION OF Cu(In,Ga)Se <sub>2</sub> AS COMPLEXING AGENT. Surface Review and Letters, 2015, 22, 1550057.  | 0.5 | 5         |
| 190 | Properties of Cu(In,Ga)Se <sub>2</sub> solar cells with new record efficiencies up to 21.7%. Physica Status Solidi - Rapid Research Letters, 2015, 9, 28-31.   | 1.2 | 813       |
| 191 | Bandgap optimization of submicron-thick Cu(In,Ga)Se <sub>2</sub> solar cells. Progress in Photovoltaics: Research and Applications, 2015, 23, 1157-1163.   | 4.4 | 26        |
| 192 | Performance Limits and Status of Single-Junction Solar Cells With Emphasis on CIGS. IEEE Journal of Photovoltaics, 2015, 5, 360-365.   | 1.5 | 31        |
| 193 | Impact of DC-power during Mo back contact sputtering on the alkali distribution in Cu(In,Ga)Se <sub>2</sub> -based thin film solar cells. Thin Solid Films, 2015, 582, 304-307.  | 0.8 | 11        |
| 194 | CIGS based devices for solar hydrogen production spanning from PEC-cells to PV-electrolyzers: A comparison of efficiency, stability and device topology. Solar Energy Materials and Solar Cells, 2015, 134, 185-193.                     | 3.0 | 44        |
| 195 | Estimation of open-circuit voltage of Cu(In,Ga)Se <sub>2</sub> solar cells before cell fabrication. Renewable Energy, 2015, 76, 575-581.   | 4.3 | 8         |
| 196 | Low-temperature growth of single-crystal Cu(In,Ga)Se <sub>2</sub> films by pulsed electron deposition technique. Solar Energy Materials and Solar Cells, 2015, 133, 82-86.   | 3.0 | 23        |
| 197 | Controlled back slope of Ga/(In+Ga) profile in Cu(In,Ga)Se <sub>2</sub> absorber fabricated by multi layer precursor method for improvement of its photovoltaic performance. Solar Energy Materials and Solar Cells, 2015, 133, 223-228. | 3.0 | 21        |
| 198 | Influence of Ni and Cr impurities on the electronic properties of Cu(In,Ga)Se <sub>2</sub> thin film solar cells. Progress in Photovoltaics: Research and Applications, 2015, 23, 892-900.   | 4.4 | 35        |
| 199 | Printable solar cells. Wiley Interdisciplinary Reviews: Energy and Environment, 2015, 4, 51-73.  | 1.9 | 10        |
| 200 | Gallium gradients in Cu(In,Ga)Se <sub>2</sub> thin-film solar cells. Progress in Photovoltaics: Research and Applications, 2015, 23, 717-733.  | 4.4 | 122       |
| 201 | Raman scattering peak position of Cu(In,Ga)Se <sub>2</sub> film to predict its near-surface [Ga] / ([Ga] + [In]) and open-circuit voltage. Thin Solid Films, 2015, 582, 7-10.  | 0.8 | 5         |
| 202 | Crystallographic and optical properties of CuSbS <sub>2</sub> and CuSb(S <sub>1-x</sub> Se <sub>x</sub> ) <sub>2</sub> solid solution. Thin Solid Films, 2015, 582, 263-268.   | 0.8 | 30        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 203 | Behavior of deep level defects on voltage-induced stress of Cu(In,Ga)Se <sub>2</sub> solar cells. Thin Solid Films, 2015, 582, 375-378.  | 0.8  | 1         |
| 204 | Liquid selenium enhanced grain growth of nanoparticle precursor layers for CuInSe <sub>2</sub> solar cell absorbers. Progress in Photovoltaics: Research and Applications, 2015, 23, 1110-1119.  | 4.4  | 34        |
| 205 | A novel non-vacuum process for the preparation of CuIn(Se,S) <sub>2</sub> thin-film solar cells from air-stable, eco-friendly, metal salts based solution ink. Journal of Power Sources, 2015, 274, 22-28.   | 4.0  | 13        |
| 206 | Photoelectrochemistry of Cu(In,Ga)Se <sub>2</sub> thin-films fabricated by sequential pulsed electrodeposition. Journal of Power Sources, 2015, 273, 149-157.  | 4.0  | 31        |
| 207 | All Solution-Processed Chalcogenide Solar Cells " from Single Functional Layers Towards a 13.8% Efficient CIGS Device. Advanced Functional Materials, 2015, 25, 12-27.   | 7.8  | 84        |
| 208 | Investigation of Cu-poor and Cu-rich Cu(In,Ga)Se <sub>2</sub> /CdS interfaces using hard X-ray photoelectron spectroscopy. Thin Solid Films, 2015, 582, 366-370.   | 0.8  | 11        |
| 209 | Progress on Low-Temperature Pulsed Electron Deposition of CuInGaSe <sub>2</sub> Solar Cells. Energies, 2016, 9, 207.   | 1.6  | 21        |
| 210 | New sulphide precursors for Zn(O,S) buffer layers in Cu(In,Ga)Se <sub>2</sub> solar cells for faster reaction kinetics. Journal of Optics (United Kingdom), 2016, 18, 084002.  | 1.0  | 7         |
| 211 | Achievement of 17.9% efficiency in 30x30cm <sup>2</sup> Cu(In,Ga)(Se,S) <sub>2</sub> solar cell sub-module by sulfurization after selenization with Cd-free buffer. Progress in Photovoltaics: Research and Applications, 2016, 24, 175-182.   | 4.4  | 23        |
| 212 | Source and effects of sodium in solution-processed kesterite solar cells. Physica Status Solidi (A) Applications and Materials Science, 2016, 213, 1039-1049.  | 0.8  | 29        |
| 213 | Efficiency Enhancement of Cu <sub>2</sub> ZnSn(S,Se) <sub>4</sub> Solar Cells via Alkali Metals Doping. Advanced Energy Materials, 2016, 6, 1502386.   | 10.2 | 109       |
| 214 | Flexible Cu(In,Ga)Se <sub>2</sub> solar cell on stainless steel substrate deposited by multi-layer precursor method: its photovoltaic performance and deep level defects. Progress in Photovoltaics: Research and Applications, 2016, 24, 990-1000.  | 4.4  | 35        |
| 215 | Potential gain in photocurrent generation for Cu(In,Ga)Se <sub>2</sub> solar cells by using In <sub>2</sub> O <sub>3</sub> as a transparent conductive oxide layer. Progress in Photovoltaics: Research and Applications, 2016, 24, 102-107.   | 4.4  | 18        |
| 216 | Parameterized complex dielectric functions of CuIn <sup>x</sup> Ga <sup>x</sup> Se <sub>2</sub> : applications in optical characterization of compositional non-uniformities and depth profiles in materials and solar cells. Progress in Photovoltaics: Research and Applications, 2016, 24, 1200-1213. | 4.4  | 34        |
| 217 | A comparative study of Cd and Zn compound buffer layers on Cu(In <sup>x</sup> ,Ga <sup>x</sup> )(S <sup>y</sup> ,Se <sup>1-y</sup> ) <sub>2</sub> thin film solar cells. Progress in Photovoltaics: Research and Applications, 2016, 24, 389-396.  | 4.4  | 42        |
| 218 | Atomic layer deposition of In <sub>2</sub> O <sub>3</sub> transparent conductive oxide layers for application in Cu(In,Ga)Se <sub>2</sub> solar cells with different buffer layers. Physica Status Solidi (A) Applications and Materials Science, 2016, 213, 1541-1552.                                  | 0.8  | 17        |
| 219 | Implication of copper indium gallium selenide on device for efficient thin film solar cell technology. , 2016, , .   |      | 0         |
| 220 | Atomic step-and-terrace surface of polyimide sheet for advanced polymer substrate engineering. Nanotechnology, 2016, 27, 295603.   | 1.3  | 6         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 221 | Degradation mechanism of Cu(In,Ga)Se <sub>2</sub> solar cells induced by exposure to air. Japanese Journal of Applied Physics, 2016, 55, 072301.   | 0.8 | 10        |
| 222 | Evaluation of band offset at amorphous-Si/BaSi <sub>2</sub> interfaces by hard x-ray photoelectron spectroscopy. Journal of Applied Physics, 2016, 119, .  | 1.1 | 32        |
| 223 | Multi Band Gap Cu(In,Ga)(S,Se) <sub>2</sub> Thin Films Deposited by Spray Pyrolysis for High Performance Solar Cell Devices. Materials Science Forum, 2016, 864, 143-148.  | 0.3 | 2         |
| 224 | A flatter gallium profile for high-efficiency Cu(In,Ga)(Se,S) <sub>2</sub> solar cell and improved robustness against sulfur-gradient variation. Journal of Applied Physics, 2016, 120, .  | 1.1 | 12        |
| 225 | A flexible setup for angle-resolved X-ray fluorescence spectrometry with laboratory sources. Review of Scientific Instruments, 2016, 87, 035108.   | 0.6 | 13        |
| 226 | Crystallographic and optical properties and band structures of CuInSe <sub>2</sub> , CuIn <sub>3</sub> Se <sub>5</sub> , and CuIn <sub>5</sub> Se <sub>8</sub> phases in Cu-poor Cu <sub>2</sub> Se-In <sub>2</sub> Se <sub>3</sub> pseudo-binary system. Japanese Journal of Applied Physics, 2016, 55, 04F515. | 0.8 | 59        |
| 227 | Buffer layer optimization for high efficiency CIGS solar cells. Journal of Physics: Conference Series, 2016, 758, 012016.  | 0.3 | 1         |
| 228 | A closer look at initial CdS growth on high-efficiency Cu(In, Ga)Se <sub>2</sub> absorbers using surface-sensitive methods. , 2016, , .  |     | 14        |
| 229 | Challenges and Opportunities for Improving Thin-Film Photovoltaics. MRS Advances, 2016, 1, 2827-2832.  | 0.5 | 1         |
| 230 | Wild band edges: The role of bandgap grading and band-edge fluctuations in high-efficiency chalcogenide devices. , 2016, , .   |     | 11        |
| 231 | Influence of CdS and Zn <sub>x</sub> Sn <sub>1-x</sub> O <sub>y</sub> buffer layers on the photoluminescence of Cu(In, Ga)Se <sub>2</sub> thin films. , 2016, , .  |     | 0         |
| 232 | Laser synthesis of 2D heterostructures of transitional metal oxides for photo sensors with high sensitivity. Journal of Laser Applications, 2016, 28, .  | 0.8 | 5         |
| 233 | Effect of Se flux on CuGaSe <sub>2</sub> absorbers deposited on ITO-coated SLG substrates by using a three-stage co-evaporation process. Journal of the Korean Physical Society, 2016, 69, 1553-1557.  | 0.3 | 0         |
| 234 | Structural and compositional analyses of Cu(In,Ga)Se <sub>2</sub> thin film solar cells with different cell performances. Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics, 2016, 34, .   | 0.6 | 4         |
| 235 | A stochastic model of solid state thin film deposition: Application to chalcopyrite growth. AIP Advances, 2016, 6, 045015.   | 0.6 | 1         |
| 236 | Trap-assisted recombination for ohmic-like contact at p-type Cu(In,Ga)Se <sub>2</sub> /back n-type TCO interface in superstrate-type solar cell. Journal of Applied Physics, 2016, 120, .  | 1.1 | 20        |
| 237 | Band gap widening at random CIGS grain boundary detected by valence electron energy loss spectroscopy. Applied Physics Letters, 2016, 109, .   | 1.5 | 19        |
| 238 | Characterization of vacancy defects in Cu(In,Ga)Se <sub>2</sub> by positron annihilation spectroscopy. AIP Advances, 2016, 6, 125031.  | 0.6 | 5         |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 239 | First-principles calculations of Na and K impurities in $\text{CuInSe}_2$ and their effect on Cd incorporation. , 2016, , .   |      | 2         |
| 240 | Impact of alkali doping on carrier transport in $\text{CuInZnSn(S)}_4$ Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 702 Td   |      | 1         |
| 241 | NaF/KF post-deposition treatments and their influence on the structure of $\text{Cu(In,Ga)Se}_2$ (Ga)Se&  |      | 9         |
| 242 | Point contacts at the copper-indium-gallium-selenide interfaceâ€”A theoretical outlook. Journal of Applied Physics, 2016, 119, .  | 1.1  | 12        |
| 243 | Beneficial effect of post-deposition treatment in high-efficiency $\text{Cu(In,Ga)Se}_2$ solar cells through reduced potential fluctuations. Journal of Applied Physics, 2016, 120, .   | 1.1  | 75        |
| 244 | First principles calculations of point defect diffusion in CdS buffer layers: Implications for $\text{Cu(In,Ga)(Se,S)}_2$ and $\text{Cu}_2\text{ZnSn(Se,S)}_4$ -based thin-film photovoltaics. Journal of Applied Physics, 2016, 119, . | 1.1  | 19        |
| 245 | Research priorities in CdTe and CIGS photovoltaics. , 2016, , .   |      | 2         |
| 246 | Improvement of $\text{Cu(In,Ga)Se}_2$ photovoltaic performance by adding Cu-poor compounds $\text{Cu(In,Ga)}_3\text{Se}_5$ at $\text{Cu(In,Ga)Se}_2/\text{CdS}$ interface. , 2016, , .  |      | 1         |
| 247 | Improved CIGS modules by KF post deposition treatment and reduced cell-to-module losses. , 2016, , .  |      | 10        |
| 248 | Recent progress in nanoelectrical characterizations of CdTe and $\text{Cu(In,Ga)Se}_2$ , , 2016, , .  |      | 7         |
| 249 | Investigation of Mg dopant in $\text{Cu}_2\text{SnSe}_3$ thin films for photovoltaic applications. Journal of Alloys and Compounds, 2016, 683, 542-546.   | 2.8  | 6         |
| 250 | Toward low-cost large-area CIGS thin film III: Effect of Se concentration on crystal growth and defect formation of sequentially electrodeposited CIGS thin films. Solar Energy, 2016, 132, 547-557.                                    | 2.9  | 16        |
| 251 | Variation of P2 series interconnects electrical conductivity in the CIGS solar cells by picosecond laser-induced modification. Solar Energy, 2016, 132, 493-502.  | 2.9  | 12        |
| 252 | Assessment of off-axis and in-line electron holography for measurement of potential variations in $\text{Cu(In,Ga)Se}_2$ thin-film solar cells. Advanced Structural and Chemical Imaging, 2016, 2, .                                    | 4.0  | 6         |
| 253 | CIGS thin film growing by electrodeposition technique using mechanical perturbation at the working electrode. Journal of Materials Science: Materials in Electronics, 2016, 27, 5099-5106.  | 1.1  | 6         |
| 254 | Reducing the Schottky barrier height at the $\text{MoSe}_2/\text{Mo(110)}$ interface in thin-film solar cells: Insights from first-principles calculations. Thin Solid Films, 2016, 606, 143-147.                                       | 0.8  | 13        |
| 255 | Annihilation of structural defects in chalcogenide absorber films for high-efficiency solar cells. Energy and Environmental Science, 2016, 9, 1818-1827.  | 15.6 | 42        |
| 256 | Polytypic Nanocrystals of Cu-Based Ternary Chalcogenides: Colloidal Synthesis and Photoelectrochemical Properties. Journal of the American Chemical Society, 2016, 138, 5576-5584.  | 6.6  | 54        |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 257 | Diffusion-induced grain boundary migration as mechanism for grain growth and defect annihilation in chalcopyrite thin films. <i>Acta Materialia</i> , 2016, 111, 377-384.   | 3.8  | 17        |
| 258 | Vitreous enamel as sodium source for efficient kesterite solar cells on commercial ceramic tiles. <i>Solar Energy Materials and Solar Cells</i> , 2016, 154, 11-17.   | 3.0  | 10        |
| 259 | Band gap engineering of CuAl <sub>1-x</sub> In <sub>x</sub> S <sub>2</sub> alloys for photovoltaic applications: a first principles study. <i>Journal Physics D: Applied Physics</i> , 2016, 49, 205103.                            | 1.3  | 4         |
| 260 | Investigation of the potassium fluoride post deposition treatment on the CIGSe/CdS interface using hard X-ray photoemission spectroscopy – a comparative study. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 14129-14138. | 1.3  | 26        |
| 261 | Progress in Cleaning and Wet Processing for Kesterite Thin Film Solar Cells. <i>Solid State Phenomena</i> , 2016, 255, 348-353.   | 0.3  | 2         |
| 262 | Printable Solar Cells from Advanced Solution-Processible Materials. <i>CheM</i> , 2016, 1, 197-219.   | 5.8  | 68        |
| 263 | Characteristics of CIGS photovoltaic devices co-evaporated with various Se flux rates at low temperatures. <i>Semiconductor Science and Technology</i> , 2016, 31, 085004.  | 1.0  | 7         |
| 264 | Photovoltage Tomography in Polycrystalline Solar Cells. <i>ACS Energy Letters</i> , 2016, 1, 899-905.   | 8.8  | 12        |
| 265 | Ohmic-like contact formation at the rear interface between Cu(In,Ga)Se <sub>2</sub> and ZnO:Al in a lift-off Cu(In,Ga)Se <sub>2</sub> solar cell. <i>Thin Solid Films</i> , 2016, 616, 17-22.                                       | 0.8  | 10        |
| 266 | Nano-structuration effect on the mechanical behavior of gold thin films studied by 2D synchrotron x-ray diffraction. <i>Surface and Coatings Technology</i> , 2016, 308, 418-423.   | 2.2  | 2         |
| 267 | Surface Passivation for Reliable Measurement of Bulk Electronic Properties of Heterojunction Devices. <i>Small</i> , 2016, 12, 5339-5346.   | 5.2  | 17        |
| 268 | Effect of Na on sulfurization growth of SnS thin films and solar cells using NaF/Sn-S precursor. <i>Thin Solid Films</i> , 2016, 615, 25-28.  | 0.8  | 12        |
| 269 | Flexible Perovskite Solar Cell. , 2016, , 325-341.  |      | 2         |
| 270 | The influence of sodium on the point defect characteristics in off stoichiometric CuInSe <sub>2</sub> . <i>Journal of Physics and Chemistry of Solids</i> , 2016, 98, 309-315.  | 1.9  | 10        |
| 271 | Efficiency enhancement of CIGS compound solar cell fabricated using homomorphic thin Cr <sub>2</sub> O <sub>3</sub> diffusion barrier formed on stainless steel substrate. <i>Applied Surface Science</i> , 2016, 389, 645-650.     | 3.1  | 26        |
| 272 | Na-Diffusion Enhanced p-type Conductivity in Cu(In,Ga)Se <sub>2</sub> : A New Mechanism for Efficient Doping in Semiconductors. <i>Advanced Energy Materials</i> , 2016, 6, 1601191.  | 10.2 | 115       |
| 273 | Suppressed Formation of Conductive Phases in One-Pot Electrodeposited CuInSe <sub>2</sub> by Tuning Se Concentration in Aqueous Electrolyte. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 24585-24593.                  | 4.0  | 8         |
| 274 | Influence of minimum position in [Ga]/([Ga]+[In]) profile of Cu(In,Ga)Se <sub>2</sub> on flexible stainless steel substrate on its photovoltaic performances. <i>Solar Energy Materials and Solar Cells</i> , 2016, 157, 750-756.   | 3.0  | 12        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 275 | A novel quinary alloy (Cu <sub>2</sub> Zn <sub>1-x</sub> Cd <sub>x</sub> SnS <sub>4</sub> ) nanostructured sensor for biomedical diagnosis. <i>Materials Research Express</i> , 2016, 3, 085022.                            | 0.8  | 22        |
| 276 | Effects of the incorporation of alkali elements on Cu(In,Ga)Se <sub>2</sub> thin film solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2016, 157, 695-702.  | 3.0  | 53        |
| 277 | Advanced light management based on periodic textures for Cu(In,Ga)Se <sub>2</sub> thin-film solar cells. <i>Optics Express</i> , 2016, 24, A693.  | 1.7  | 32        |
| 278 | Alkali Metal Halide Salts as Interface Additives to Fabricate Hysteresis-Free Hybrid Perovskite-Based Photovoltaic Devices. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 23086-23094.                           | 4.0  | 28        |
| 279 | New world record Cu(In, Ga)(Se, S) thin film solar cell efficiency beyond 22%. , 2016, , .  |      | 132       |
| 280 | Defect visualization of Cu(InGa)(SeS) <sub>2</sub> thin films using DLTS measurement. <i>Scientific Reports</i> , 2016, 6, 30554.   | 1.6  | 22        |
| 281 | Coevaporated KInSe <sub>2</sub> : A Fast Alternative to KF Postdeposition Treatment in High-Efficiency Cu(In,Ga)Se <sub>2</sub> Thin Film Solar Cells. <i>IEEE Journal of Photovoltaics</i> , 2016, 6, 1316-1320.           | 1.5  | 46        |
| 282 | High-efficiency, hybrid Si/C60 heterojunction solar cells. <i>Journal of Materials Chemistry A</i> , 2016, 4, 16410-16417.  | 5.2  | 11        |
| 283 | The effect of sodium on antimony selenide thin film solar cells. <i>RSC Advances</i> , 2016, 6, 87288-87293.  | 1.7  | 31        |
| 284 | Effect of pre-annealing on the phase formation and efficiency of CZTS solar cell prepared by sulfurization of Zn/(Cu,Sn) precursor with H <sub>2</sub> S gas. <i>Solar Energy</i> , 2016, 136, 499-504.                     | 2.9  | 26        |
| 285 | Organic-Inorganic Halide Perovskite Photovoltaics. , 2016, , .  |      | 115       |
| 286 | Revealing Surface Modifications of Potassium-Fluoride-treated Cu(In,Ga)Se <sub>2</sub> : A Study of Material Structure, Chemistry, and Photovoltaic Performance. <i>Advanced Materials Interfaces</i> , 2016, 3, 1600013.   | 1.9  | 24        |
| 287 | Effects of heavy alkali elements in Cu(In,Ga)Se <sub>2</sub> solar cells with efficiencies up to 22.6%. <i>Physica Status Solidi - Rapid Research Letters</i> , 2016, 10, 583-586.  | 1.2  | 1,285     |
| 288 | Numerical Analysis of In <sub>2</sub> S <sub>3</sub> Layer Thickness, Band Gap and Doping Density for Effective Performance of a CIGS Solar Cell Using SCAPS. <i>Journal of Electronic Materials</i> , 2016, 45, 5721-5727. | 1.0  | 32        |
| 289 | Growth of cubic CdS films on TiO <sub>2</sub> -terminated (100) SrTiO <sub>3</sub> substrate. <i>Materials Chemistry and Physics</i> , 2016, 183, 334-338.  | 2.0  | 2         |
| 290 | Effects of the surface sulfurization reactions on the structural and photovoltaic properties of Cu(In,Ga)(Se,S) <sub>2</sub> solar cells. <i>Thin Solid Films</i> , 2016, 616, 746-753.                                     | 0.8  | 6         |
| 291 | CdTe solar cells with open-circuit voltage breaking the 1%V barrier. <i>Nature Energy</i> , 2016, 1, .  | 19.8 | 307       |
| 292 | Spatial Electron-hole Separation in a One Dimensional Hybrid Organic-Inorganic Lead Iodide. <i>Scientific Reports</i> , 2016, 6, 20626.   | 1.6  | 25        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 293 | Sn doping induced intermediate band in CuGaS <sub>2</sub> . RSC Advances, 2016, 6, 110511-110516.   | 1.7  | 16        |
| 294 | Bio-inspired Plasmonic Nanoarchitected Hybrid System Towards Enhanced Far Red-to-Near Infrared Solar Photocatalysis. Scientific Reports, 2016, 6, 20001.  | 1.6  | 39        |
| 295 | High efficiency solution-processed thin-film Cu(In,Ga)(Se,S) <sub>2</sub> solar cells. Energy and Environmental Science, 2016, 9, 3674-3681.  | 15.6 | 105       |
| 297 | Band-gap engineering of CdS, CdSe and ZnSe first-principles calculations. , 2016, , .   |      | 1         |
| 298 | Interface Analysis of Cu(In,Ga)Se <sub>2</sub> and ZnS Formed Using Sulfur Thermal Cracker. ETRI Journal, 2016, 38, 265-271.  | 1.2  | 13        |
| 299 | Surface morphology control of In <sub>2</sub> S <sub>3</sub> buffer layer by Sn incorporation and its application to cadmium-free Cu(In,Ga)Se <sub>2</sub> thin-film solar cells. Current Applied Physics, 2016, 16, 1040-1045.   | 1.1  | 15        |
| 300 | Acetate Salts as Nonhalogen Additives To Improve Perovskite Film Morphology for High-Efficiency Solar Cells. ACS Applied Materials & Interfaces, 2016, 8, 15333-15340.  | 4.0  | 56        |
| 301 | Quaternary Sputtered Cu(In,Ga)Se <sub>2</sub> Absorbers for Photovoltaics: A Review. IEEE Journal of Photovoltaics, 2016, 6, 1036-1050.   | 1.5  | 18        |
| 302 | Efficient planar Sb <sub>2</sub> S <sub>3</sub> solar cells using a low-temperature solution-processed tin oxide electron conductor. Physical Chemistry Chemical Physics, 2016, 18, 16436-16443.                                  | 1.3  | 86        |
| 303 | Photo and electrical peculiarities of the nanostructured glass/ITO/AAO and glass/ITO/CdS systems. Journal of Materials Science: Materials in Electronics, 2016, 27, 9853-9860.  | 1.1  | 1         |
| 304 | Properties of Cu <sub>1-x</sub> K <sub>x</sub> InSe <sub>2</sub> alloys. Journal of Materials Science, 2016, 51, 6812-6823.   | 1.7  | 29        |
| 305 | Temperature dependency of the Ga/In distribution in Cu(In,Ga)Se <sub>2</sub> absorbers in high temperature processes. Journal of Crystal Growth, 2016, 442, 31-40.  | 0.7  | 0         |
| 306 | Development of semitransparent CIGS thin-film solar cells modified with a sulfurized-AgGa layer for building applications. Journal of Materials Chemistry A, 2016, 4, 10542-10551.  | 5.2  | 57        |
| 307 | Effect of potassium fluoride post-deposition treatment on Cu(In,Ga)Se <sub>2</sub> thin films and solar cells fabricated onto sodalime glass substrates. Solar Energy Materials and Solar Cells, 2016, 155, 280-287.              | 3.0  | 83        |
| 308 | A Bottom-Up Approach toward All-Solution-Processed High-Efficiency Cu(In,Ga)S <sub>2</sub> Photocathodes for Solar Water Splitting. Advanced Energy Materials, 2016, 6, 1501949.  | 10.2 | 88        |
| 309 | Toward low-cost large-area CIGS thin film: Compositional and structural variations in sequentially electrodeposited CIGS thin films. Solar Energy, 2016, 125, 415-425.  | 2.9  | 26        |
| 310 | Ultra-thin CdS for highly performing chalcogenides thin film based solar cells. Solar Energy Materials and Solar Cells, 2016, 158, 138-146.   | 3.0  | 31        |
| 311 | Impact of Annealing-Induced Intermixing on the Electronic Level Alignment at the In <sub>2</sub> S <sub>3</sub> /Cu(In,Ga)Se <sub>2</sub> Thin-Film Solar Cell Interface. ACS Applied Materials & Interfaces, 2016, 8, 2120-2124. | 4.0  | 23        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 312 | Alkali doping strategies for flexible and light-weight $\text{Cu}_2\text{ZnSnSe}_4$ solar cells. <i>Journal of Materials Chemistry A</i> , 2016, 4, 1895-1907.  | 5.2  | 88        |
| 313 | Arrays of CZTS sensitized ZnO/ZnS and ZnO/ZnSe core/shell nanorods for liquid junction nanowire solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2016, 146, 121-128.  | 3.0  | 43        |
| 314 | Molecular-ink route to 13.0% efficient low-bandgap $\text{CuIn}(\text{S,Se})_2$ and 14.7% efficient $\text{Cu}(\text{In,Ga})(\text{S,Se})_2$ solar cells. <i>Energy and Environmental Science</i> , 2016, 9, 130-134.                   | 15.6 | 122       |
| 315 | Semi-transparent thin film solar cells by a solution process. <i>Korean Journal of Chemical Engineering</i> , 2016, 33, 880-884.  | 1.2  | 14        |
| 316 | Toward low-cost large-area CIGS thin film II: Out-of-plane compositional variations of sequentially electrodeposited Cu/In/Cu/Ga/Cu stacked layers selenized in rapid thermal process. <i>Solar Energy</i> , 2016, 129, 116-125.        | 2.9  | 14        |
| 317 | Control of electrical properties of $\text{BaSi}_2$ thin films by alkali-metal doping using alkali-metal fluorides. <i>Thin Solid Films</i> , 2016, 603, 218-223.   | 0.8  | 6         |
| 318 | Tuning the Band Gap of $\text{Cu}_2\text{ZnSn}(\text{S,Se})_4$ Thin Films via Lithium Alloying. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 5308-5313.   | 4.0  | 68        |
| 319 | Substrate temperature optimization for $\text{Cu}(\text{In, Ga})\text{Se}_2$ solar cells on flexible stainless steels. <i>Applied Surface Science</i> , 2016, 368, 464-469.   | 3.1  | 23        |
| 320 | Effects of the $\text{Cu}/(\text{Ga}+\text{In})$ ratio on the bulk and interface properties of $\text{Cu}(\text{InGa})(\text{S,Se})_2$ solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2016, 149, 195-203.                 | 3.0  | 18        |
| 321 | Effects of Mo surface oxidation on $\text{Cu}(\text{In,Ga})\text{Se}_2$ solar cells fabricated by three-stage process with KF postdeposition treatment. <i>Japanese Journal of Applied Physics</i> , 2016, 55, 022304.                  | 0.8  | 15        |
| 322 | Metal precursor with bi-layer indium for $\text{Cu}(\text{In,Ga})\text{Se}_2$ thin film preparation. <i>Solar Energy Materials and Solar Cells</i> , 2016, 150, 88-94.  | 3.0  | 3         |
| 323 | Insights into Intrinsic Defects and the Incorporation of Na and K in the $\text{Cu}_2\text{ZnSnSe}_4$ Thin-Film Solar Cell Material from Hybrid-Functional Calculations. <i>Journal of Physical Chemistry C</i> , 2016, 120, 2064-2069. | 1.5  | 18        |
| 324 | Synergistic improvements in stability and performance of lead iodide perovskite solar cells incorporating salt additives. <i>Journal of Materials Chemistry A</i> , 2016, 4, 1591-1597.   | 5.2  | 183       |
| 325 | Faster synthesis of CIGS nanoparticles using a modified solvothermal method. <i>Journal of Alloys and Compounds</i> , 2016, 659, 178-183.   | 2.8  | 23        |
| 326 | The role of Na incorporation in the low-temperature processed CIGS thin film solar cells using post deposition treatment. <i>Journal of Alloys and Compounds</i> , 2016, 658, 12-18.  | 2.8  | 25        |
| 327 | $\text{Cu}_2\text{SnS}_3$ solar cells fabricated by chemical bath deposition—annealing of SnS/Cu stacked layers. <i>Solar Energy Materials and Solar Cells</i> , 2016, 144, 281-288.  | 3.0  | 63        |
| 328 | Enhancement of the photoelectric performance in inverted bulk heterojunction solid solar cell with inorganic nanocrystals. <i>Applied Energy</i> , 2017, 185, 2217-2223.  | 5.1  | 17        |
| 329 | CIGS thin-film solar module processing: case of high-speed laser scribing. <i>Scientific Reports</i> , 2017, 7, 40502.  | 1.6  | 32        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 330 | Influence of CdS and ZnSnO Buffer Layers on the Photoluminescence of Cu(In,Ga)Se <sub>2</sub> Thin Films. IEEE Journal of Photovoltaics, 2017, 7, 670-675.   | 1.5  | 23        |
| 331 | Orientation of Zn <sub>3</sub> P <sub>2</sub> via phosphidation of Zn precursors. Journal of Crystal Growth, 2017, 459, 95-99.   | 0.7  | 4         |
| 334 | Formation of a In <sup>+</sup> Se Surface Species by NaF/KF Postdeposition Treatment of Cu(In,Ga)Se <sub>2</sub> Thin-Film Solar Cell Absorbers. ACS Applied Materials & Interfaces, 2017, 9, 3581-3589.   | 4.0  | 94        |
| 335 | CuInGaS <sub>2</sub> photocathodes treated with SbX <sub>3</sub> (X=As, Sb, Bi, I): the effect of the halide on solar water splitting performance. Journal Physics D: Applied Physics, 2017, 50, 044003.   | 1.3  | 12        |
| 336 | Semi-transparent solar cells. Journal Physics D: Applied Physics, 2017, 50, 093001.  | 1.3  | 70        |
| 337 | Controllable Crystallization of CH <sub>3</sub> NH <sub>3</sub> Sn <sub>0.25</sub> Pb <sub>0.75</sub> I <sub>3</sub> Perovskites for Hysteresis-Free Solar Cells with Efficiency Reaching 15.2%. Advanced Functional Materials, 2017, 27, 1605469. | 7.8  | 84        |
| 338 | Defect Engineering in Multinary Earth-Abundant Chalcogenide Photovoltaic Materials. Advanced Energy Materials, 2017, 7, 1602366.   | 10.2 | 250       |
| 339 | Time-resolved photoluminescence of Cu(In,Ga)(Se,S) <sub>2</sub> thin films and temperature dependent current density-voltage characteristics of their solar cells on surface treatment effect. Current Applied Physics, 2017, 17, 461-466.         | 1.1  | 14        |
| 340 | Crystallographic and optical properties of CuGa <sub>3</sub> S <sub>5</sub> , CuGa <sub>3</sub> Se <sub>5</sub> and CuIn <sub>3</sub> (S,Se) <sub>5</sub> and CuGa <sub>3</sub> (S,Se) <sub>5</sub> systems. Thin Solid Films, 2017, 633, 23-30.   | 0.8  | 20        |
| 341 | Potassium Fluoride Ex Situ Treatment on Both Cu-Rich and Cu-Poor CuInSe <sub>2</sub> Thin Film Solar Cells. IEEE Journal of Photovoltaics, 2017, 7, 684-689.   | 1.5  | 24        |
| 342 | Effect of the KF post-deposition treatment on grain boundary properties in Cu(In, Ga)Se <sub>2</sub> thin films. Scientific Reports, 2017, 7, 41361.   | 1.6  | 76        |
| 343 | KF addition to Cu <sub>2</sub> SnS <sub>3</sub> thin films prepared by sulfurization process. Japanese Journal of Applied Physics, 2017, 56, 04CS02.   | 0.8  | 6         |
| 344 | Over 14% Efficiency of Directly Sputtered Cu(In,Ga)Se <sub>2</sub> Absorbers without Postselenization by Post-treatment of Alkali Metals. Advanced Energy Materials, 2017, 7, 1602571.   | 10.2 | 35        |
| 345 | ZnSnP <sub>2</sub> thin-film solar cell prepared by phosphidation method under optimized Zn/Sn atomic ratio of its absorbing layer. Current Applied Physics, 2017, 17, 557-564.  | 1.1  | 12        |
| 346 | Cu(In,Ga)(Se,S) <sub>2</sub> solar cell research in Solar Frontier: Progress and current status. Japanese Journal of Applied Physics, 2017, 56, 04CA02.  | 0.8  | 142       |
| 347 | Deliberate and Accidental Gas-Phase Alkali Doping of Chalcogenide Semiconductors: Cu(In,Ga)Se <sub>2</sub> . Scientific Reports, 2017, 7, 43266.   | 1.6  | 29        |
| 348 | Chalcopyrite compound semiconductors for thin film solar cells. Current Opinion in Green and Sustainable Chemistry, 2017, 4, 1-7.  | 3.2  | 40        |
| 349 | Cd doping at PVD-CdS/CuInGaSe <sub>2</sub> heterojunctions. Solar Energy Materials and Solar Cells, 2017, 164, 128-134.  | 3.0  | 16        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 350 | Device physics of Cu(In,Ga)Se <sub>2</sub> solar cells for long-term operation. , 2017, , .  |      | 0         |
| 351 | Potassium-ion doped Cu(In,Ga)Se <sub>2</sub> thin films solar cells: Phase formation, microstructures, and photovoltaic characteristics. Applied Surface Science, 2017, 409, 270-276.  | 3.1  | 8         |
| 352 | Thin-film Cu(In,Ga)(Se,S) <sub>2</sub> -based solar cell with (Cd,Zn)S buffer layer and Zn <sub>1-x</sub> Mg <sub>x</sub> O window layer. Progress in Photovoltaics: Research and Applications, 2017, 25, 431-440.                       | 4.4  | 41        |
| 353 | The role of Sb in solar cell material Cu <sub>2</sub> ZnSnS <sub>4</sub> . Journal of Materials Chemistry A, 2017, 5, 6606-6612.   | 5.2  | 36        |
| 354 | Investigation of selenization and various CBD CdS deposition conditions to fabricate high performing spray pyrolysis synthesized Cu(In,Ga)(S,Se) <sub>2</sub> solar cells. Journal of Renewable and Sustainable Energy, 2017, 9, 013504. | 0.8  | 2         |
| 355 | Compound Copper Chalcogenide Nanocrystals. Chemical Reviews, 2017, 117, 5865-6109.   | 23.0 | 670       |
| 356 | Ultrahigh, ultrafast and large response size visible-near-infrared optical position sensitive detectors based on CIGS structures. Journal of Materials Chemistry C, 2017, 5, 4915-4922.  | 2.7  | 40        |
| 357 | Na role during sulfurization of NaF/Cu/SnS <sub>2</sub> stacked precursor for formation of Cu <sub>2</sub> SnS <sub>3</sub> thin film as absorber of solar cell. Applied Surface Science, 2017, 414, 140-146.                            | 3.1  | 29        |
| 358 | Influence of Cu/(Ge + Sn) composition ratio on photovoltaic performances of Cu <sub>2</sub> Sn <sub>1-x</sub> Ge <sub>x</sub> S <sub>3</sub> solar cell. Solar Energy, 2017, 149, 341-346.   | 2.9  | 11        |
| 359 | Spontaneous Passivation of Hybrid Perovskite by Sodium Ions from Glass Substrates: Mysterious Enhancement of Device Efficiency Revealed. ACS Energy Letters, 2017, 2, 1400-1406.   | 8.8  | 143       |
| 360 | Control of valence band offset of Cu(In,Ga)Se <sub>2</sub> solar cells with single-graded band profile. Japanese Journal of Applied Physics, 2017, 56, 062301.   | 0.8  | 14        |
| 361 | Effect of p-BaSi <sub>2</sub> layer thickness on the solar cell performance of p-BaSi <sub>2</sub> /n-Si heterojunction solar cells. Japanese Journal of Applied Physics, 2017, 56, 05DB03.  | 0.8  | 19        |
| 362 | Effects of combined additional indium deposition and potassium fluoride post-deposition treatments on Cu(In,Ga)Se <sub>2</sub> thin film solar cells. Progress in Photovoltaics: Research and Applications, 2017, 25, 871-877.           | 4.4  | 29        |
| 363 | Determination of the temperature dependency of the electrical parameters of CIGS solar cells. Journal of Renewable and Sustainable Energy, 2017, 9, .  | 0.8  | 27        |
| 364 | Hydrazine solution processed CuSbSe <sub>2</sub> : Temperature dependent phase and crystal orientation evolution. Solar Energy Materials and Solar Cells, 2017, 168, 112-118.  | 3.0  | 23        |
| 365 | Introduction of Na into Cu <sub>2</sub> SnS <sub>3</sub> thin film for improvement of its photovoltaic performances. Solar Energy Materials and Solar Cells, 2017, 168, 207-213.   | 3.0  | 49        |
| 366 | Revealing the Role of Potassium Treatment in CZTSSe Thin Film Solar Cells. Chemistry of Materials, 2017, 29, 4273-4281.  | 3.2  | 43        |
| 367 | Profiling the organic cation-dependent degradation of organolead halide perovskite solar cells. Journal of Materials Chemistry A, 2017, 5, 1103-1111.  | 5.2  | 155       |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 368 | Laser annealing of electrodeposited CuInSe <sub>2</sub> semiconductor precursors: experiment and modeling. Journal of Materials Chemistry C, 2017, 5, 1336-1345.  | 2.7  | 6         |
| 369 | Interface Engineering in CuInSe <sub>2</sub> Solar Cells Using Ammonium Sulfide Vapors. Solar Rrl, 2017, 1, 1700067.  | 3.1  | 7         |
| 370 | Aluminum-doped Zn <sub>1-x</sub> Mg <sub>x</sub> O as transparent conductive oxide of Cu(In,Ga)(S,Se) <sub>2</sub> -based solar cell for minimizing surface carrier recombination. Progress in Photovoltaics: Research and Applications, 2017, 25, 996-1004.  | 4.4  | 39        |
| 371 | Defects in Na-, K-, and Cd-Doped CuInSe <sub>2</sub> : Canonical Thermodynamics Based on Ab Initio Calculations. IEEE Journal of Photovoltaics, 2017, 7, 1143-1152.   | 1.5  | 5         |
| 372 | Efficient Flexible Solar Cell based on Composition-Tailored Hybrid Perovskite. Advanced Materials, 2017, 29, 1605900.   | 11.1 | 184       |
| 373 | Flexible NIR-transparent perovskite solar cells for all-thin-film tandem photovoltaic devices. Journal of Materials Chemistry A, 2017, 5, 13639-13647.  | 5.2  | 68        |
| 374 | Enhanced Sb <sub>2</sub> Se <sub>3</sub> solar cell performance through theory-guided defect control. Progress in Photovoltaics: Research and Applications, 2017, 25, 861-870.  | 4.4  | 154       |
| 375 | Nanoscale insight into the p-n junction of alkali-incorporated Cu(In,Ga)Se <sub>2</sub> solar cells. Progress in Photovoltaics: Research and Applications, 2017, 25, 764-772.   | 4.4  | 31        |
| 376 | Evolution of opto-electronic properties during film formation of complex semiconductors. Scientific Reports, 2017, 7, 45463.  | 1.6  | 47        |
| 377 | CuInSe <sub>2</sub> , CuIn <sub>3</sub> Se <sub>5</sub> , and CuIn <sub>5</sub> Se <sub>8</sub> phases in Cu-poor Cu <sub>2</sub> Se-In <sub>2</sub> Se <sub>3</sub> pseudo-binary system – Their crystal structures, optical properties and electronic structures. Current Opinion in Green and Sustainable Chemistry, 2017, 4, 77-83. | 3.2  | 12        |
| 378 | Shining a light on transition metal chalcogenides for sustainable photovoltaics. Chemical Science, 2017, 8, 4177-4187.  | 3.7  | 84        |
| 379 | Reduction of point defects and Cu surface composition in Cu(In,Ga)Se <sub>2</sub> film by Se annealing with a NaF overlayer at intermediate temperatures. Current Applied Physics, 2017, 17, 820-828.   | 1.1  | 11        |
| 380 | Impact of front-side point contact/passivation geometry on thin-film solar cell performance. Solar Energy Materials and Solar Cells, 2017, 165, 94-102.   | 3.0  | 39        |
| 381 | Cu(In, Ga)Se <sub>2</sub> thin film solar cells grown at low temperatures. Solid-State Electronics, 2017, 132, 57-63.   | 0.8  | 6         |
| 382 | Crystallographic, optical, and electronic properties of (Cu,Li)InS <sub>2</sub> system. Thin Solid Films, 2017, 633, 172-178.   | 0.8  | 7         |
| 383 | Effect of alkali doping on CIGS photovoltaic ceramic tiles. Solar Energy, 2017, 147, 1-7.   | 2.9  | 16        |
| 384 | Systematic survey of suitable buffer and high resistive window layer materials in CuIn <sub>1-x</sub> Ga <sub>x</sub> Se <sub>2</sub> solar cells by numerical simulations. Solar Energy Materials and Solar Cells, 2017, 165, 119-127.   | 3.0  | 56        |
| 385 | Secondary phase formation in (Ag,Cu)(In,Ga)Se <sub>2</sub> thin films grown by three-stage co-evaporation. Solar Energy Materials and Solar Cells, 2017, 166, 18-26.  | 3.0  | 17        |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 386 | Sb <sub>2</sub> Se <sub>3</sub> thin film solar cells in substrate configuration and the back contact selenization. Solar Energy Materials and Solar Cells, 2017, 161, 190-196.  | 3.0  | 178       |
| 387 | Cd and Impurity Redistribution at the CdS/CIGS Interface After Annealing of CIGS-Based Solar Cells Resolved by Atom Probe Tomography. IEEE Journal of Photovoltaics, 2017, 7, 313-321.   | 1.5  | 19        |
| 388 | Optoelectronic Enhancement of Ultrathin CuIn <sub>x</sub> Ga <sub>1-x</sub> Se <sub>2</sub> Solar Cells by Nanophotonic Contacts. Advanced Optical Materials, 2017, 5, 1600637.  | 3.6  | 39        |
| 389 | In Situ and Ex Situ Investigations of KF Postdeposition Treatment Effects on CIGS Solar Cells. IEEE Journal of Photovoltaics, 2017, 7, 665-669.  | 1.5  | 43        |
| 390 | Investigation on the performance of Mo <sub>2</sub> N thin film as barrier layer against Fe in the flexible Cu(In,Ga)Se <sub>2</sub> solar cells on stainless steel substrates. Journal of Alloys and Compounds, 2017, 698, 194-199. | 2.8  | 9         |
| 391 | Impact of compositional grading and overall Cu deficiency on the near-infrared response in Cu(In,Ga)Se <sub>2</sub> solar cells. Journal of Applied Physics, 2017, 121, 044501.  | 4.4  | 32        |
| 392 | High-efficiency inverted semi-transparent planar perovskite solar cells in substrate configuration. Nature Energy, 2017, 2, .  | 19.8 | 247       |
| 393 | CdS-Free p-Type Cu <sub>2</sub> ZnSnSe <sub>4</sub> /Sputtered n-Type In <sub>x</sub> Ga <sub>1-x</sub> N Thin Film Solar Cells. Journal of Electronic Materials, 2017, 46, 1481-1487.   | 1.0  | 0         |
| 394 | Influence of coevaporation process on CIGS solar cells with reduced absorber thickness and current enhancement with periodically textured glass substrates. Thin Solid Films, 2017, 621, 188-194.                                    | 0.8  | 8         |
| 395 | Effects of Rubidium Fluoride and Potassium Fluoride Postdeposition Treatments on Cu(In,Ga)Se <sub>2</sub> Thin Films and Solar Cell Performance. Chemistry of Materials, 2017, 29, 9695-9704.  | 3.2  | 91        |
| 396 | Impact of Wide-Ranging Nanoscale Chemistry on Band Structure at Cu(In, Ga)Se <sub>2</sub> Grain Boundaries. Scientific Reports, 2017, 7, 14163.  | 1.6  | 21        |
| 397 | Advances in Cost-Efficient Thin-Film Photovoltaics Based on Cu(In,Ga)Se <sub>2</sub> . Engineering, 2017, 3, 445-451.  | 3.2  | 79        |
| 398 | Defect physics in intermediate-band materials: Insights from an optimized hybrid functional. Physical Review B, 2017, 96, .  | 1.1  | 13        |
| 399 | High Efficiency Solar Cell Based on Full PVD Processed Cu(In,Ga)Se <sub>2</sub> /CdIn <sub>2</sub> S <sub>4</sub> Heterojunction. Solar Rrl, 2017, 1, 1700140.   | 3.1  | 16        |
| 400 | Review on Alkali Element Doping in Cu(In,Ga)Se <sub>2</sub> Thin Films and Solar Cells. Engineering, 2017, 3, 452-459.   | 3.2  | 93        |
| 401 | Chemistry and Dynamics of Ge in Kesterite: Toward Band-Gap-Graded Absorbers. Chemistry of Materials, 2017, 29, 9399-9406.  | 3.2  | 59        |
| 402 | Mechanical properties of CIGS film with different metallic composition by co-evaporation method. Materials Research Express, 2017, 4, 115006.  | 0.8  | 5         |
| 403 | Thermodynamic limitations for alkali metals in Cu(In,Ga)Se <sub>2</sub> . Journal of Materials Research, 2017, 32, 3789-3800.  | 1.2  | 10        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 404 | Cu(In,Ga)Se <sub>2</sub> Solar Cells with Amorphous In <sub>2</sub> O <sub>3</sub> -Based Front Contact Layers. ACS Applied Materials & Interfaces, 2017, 9, 29677-29686.  | 4.0 | 14        |
| 405 | Si-Doping Effects in Cu(In,Ga)Se <sub>2</sub> Thin Films and Applications for Simplified Structure High-Efficiency Solar Cells. ACS Applied Materials & Interfaces, 2017, 9, 31119-31128.  | 4.0 | 11        |
| 406 | Restraining the Band Fluctuation of CBD-Zn(O,S) Layer: Modifying the Hetero-Junction Interface for High Performance Cu <sub>2</sub> ZnSnSe <sub>4</sub> Solar Cells With Cd-Free Buffer Layer. Solar Rrl, 2017, 1, 1700075.                        | 3.1 | 29        |
| 407 | Low-temperature solution-based processing to 7.24% efficient superstrate CuInS <sub>2</sub> solar cells. Solar Energy, 2017, 157, 581-586.   | 2.9 | 13        |
| 408 | KF post-deposition treatment of industrial Cu(In, Ga)(S, Se) <sub>2</sub> thin-film surfaces: Modifying the chemical and electronic structure. Applied Physics Letters, 2017, 111, .   | 1.5 | 19        |
| 409 | Enhanced Efficiency of Cd-Free Cu(In,Ga)(Se,S) <sub>2</sub> Minimodule Via (Zn,Mg)O Second Buffer Layer and Alkali Metal Post-Treatment. IEEE Journal of Photovoltaics, 2017, 7, 1773-1780.  | 1.5 | 98        |
| 410 | Highly efficient perovskite solar cells incorporating NiO nanotubes: increased grain size and enhanced charge extraction. Journal of Materials Chemistry A, 2017, 5, 21750-21756.  | 5.2 | 23        |
| 411 | Addressing the impact of rear surface passivation mechanisms on ultra-thin Cu(In,Ga)Se <sub>2</sub> solar cell performances using SCAPS 1-D model. Solar Energy, 2017, 157, 603-613.   | 2.9 | 45        |
| 412 | Impact of a RbF Postdeposition Treatment on the Electronic Structure of the CdS/Cu(In,Ga)Se <sub>2</sub> Heterojunction in High-Efficiency Thin-Film Solar Cells. ACS Energy Letters, 2017, 2, 2383-2387.  | 8.8 | 76        |
| 413 | Cigs flexible nano solar cell by inert argon gas condensation. Applied Solar Energy (English) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T  | 0.2 | 1         |
| 414 | Effect of a TiN alkali diffusion barrier layer on the physical properties of Mo back electrodes for CIGS solar cell applications. Current Applied Physics, 2017, 17, 1747-1753.  | 1.1 | 12        |
| 415 | Review of grain interior, grain boundary, and interface effects of K in CIGS solar cells: Mechanisms for performance enhancement. Solar Energy Materials and Solar Cells, 2017, 172, 18-24.  | 3.0 | 82        |
| 416 | Improvement of minority carrier lifetime and conversion efficiency by Na incorporation in Cu <sub>2</sub> ZnSnSe <sub>4</sub> solar cells. Journal of Applied Physics, 2017, 122, .  | 1.1 | 37        |
| 417 | (Invited) Synthesis, Kinetics, Characterization and Application of Sodium and Potassium (poly)Selenides for Chalcogenide Semiconductor Doping. ECS Transactions, 2017, 77, 63-66.  | 0.3 | 1         |
| 418 | Growth and characterization of EDTA assisted CBD-CdS. Materials Chemistry and Physics, 2017, 200, 1-8.   | 2.0 | 15        |
| 419 | Cu(In,Ga)Se <sub>2</sub> thin films annealed with SnSe <sub>2</sub> for solar cell absorber fabricated by magnetron sputtering. Solar Energy, 2017, 155, 601-607.  | 2.9 | 12        |
| 420 | KF post deposition treatment in co-evaporated Cu(In,Ga)Se <sub>2</sub> thin film solar cells: Beneficial or detrimental effect induced by the absorber characteristics. Progress in Photovoltaics: Research and Applications, 2017, 25, 1068-1076. | 4.4 | 57        |
| 421 | Efficiency enhancement of flexible Cu(In,Ga)Se <sub>2</sub> solar cells deposited on polyimide-coated soda lime glass substrate by alkali treatment. Japanese Journal of Applied Physics, 2017, 56, 08MC15.  | 0.8 | 6         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 422 | Control of oxygen for magnetron sputtered ZnO:Al window layer in Cu(In,Ga)Se <sub>2</sub> thin film solar cells. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2017, 214, 1700132.     | 0.8 | 6         |
| 423 | Air-annealing of Cu(In, Ga)Se <sub>2</sub> /CdS and performances of CIGS solar cells. <i>Applied Surface Science</i> , 2017, 426, 1213-1220.   | 3.1 | 19        |
| 424 | Chemistry of K in Cu(In,Ga)Se <sub>2</sub> photovoltaic absorbers: Effects of temperature on Cu-K-In-Se films. <i>Journal of Alloys and Compounds</i> , 2017, 726, 538-546.                                    | 2.8 | 12        |
| 425 | Effects of long-term heat-light soaking on Cu(In,Ga)Se <sub>2</sub> solar cells with KF postdeposition treatment. <i>Applied Physics Express</i> , 2017, 10, 092301.   | 1.1 | 51        |
| 426 | Exceptionally Robust CuInS <sub>2</sub> /ZnS Nanoparticles as Single Component Photocatalysts for H <sub>2</sub> Evolution. <i>Journal of Physical Chemistry C</i> , 2017, 121, 19031-19035.                   | 1.5 | 27        |
| 427 | Fabrication of Cd-free CuInSe <sub>2</sub> solar cells using wet processes. <i>Journal of Materials Science</i> , 2017, 52, 13533-13540.   | 1.7 | 3         |
| 428 | Evidence for Chemical and Electronic Nonuniformities in the Formation of the Interface of RbF-Treated Cu(In,Ga)Se <sub>2</sub> with CdS. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 44173-44180. | 4.0 | 25        |
| 429 | Voltage dependent admittance spectroscopy for the detection of near interface defect states for thin film solar cells. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 30410-30417.                     | 1.3 | 19        |
| 430 | IZO or IOH Window Layers Combined with Zn(O,S) and CdS Buffers for Cu(In,Ga)Se <sub>2</sub> Solar Cells. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2017, 214, 1700688.             | 0.8 | 3         |
| 431 | Rubidium segregation at random grain boundaries in Cu(In,Ga)Se <sub>2</sub> absorbers. <i>Nano Energy</i> , 2017, 42, 307-313.   | 8.2 | 70        |
| 432 | Self-anti-reflective density-modulated thin films by HIPS technique. <i>Nanotechnology</i> , 2017, 28, 335703.   | 1.3 | 3         |
| 433 | Influence of Na in Cu <sub>2</sub> SnS <sub>3</sub> film on its physical properties and photovoltaic performances. <i>Thin Solid Films</i> , 2017, 636, 431-437.   | 0.8 | 23        |
| 434 | Ga-grading and Solar Cell Capacitance Simulation of an industrial Cu(In,Ga)Se <sub>2</sub> solar cell produced by an in-line vacuum, all-sputtering process. <i>Thin Solid Films</i> , 2017, 636, 367-374.     | 0.8 | 11        |
| 435 | Gallium In-Depth Profile in Bromine- Etched Copper-Indium-Galium (Di)selenide (CIGS) Thin Films Inspected Using Raman Spectroscopy. <i>Applied Spectroscopy</i> , 2017, 71, 1334-1339.                         | 1.2 | 5         |
| 436 | Investigation of the resistivity of molybdenum diselenide prepared with varied sodium content. <i>Journal of Alloys and Compounds</i> , 2017, 725, 69-76.  | 2.8 | 3         |
| 437 | Fabrication and device characterization of potassium fluoride solution treated CZTSSe solar cell. <i>Current Applied Physics</i> , 2017, 17, 1353-1360.  | 1.1 | 4         |
| 438 | Top PV market solar cells 2016. <i>Opto-electronics Review</i> , 2017, 25, 55-64.  | 2.4 | 67        |
| 439 | Performance prediction of chalcopyrite-based dual-junction tandem solar cells. <i>Solar Energy</i> , 2017, 155, 167-177.   | 2.9 | 16        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 440 | New Insight of Li-Doped Cu <sub>2</sub> ZnSn(S,Se) <sub>4</sub> Thin Films: Li-Induced Na Diffusion from Soda Lime Glass by a Cation-Exchange Reaction. ACS Applied Materials & Interfaces, 2017, 9, 23878-23883.  | 4.0 | 36        |
| 441 | Changes in gamma attenuation behaviour of sol-gel derived CIGS thin film irradiated using Co-60 radioisotope. Journal of Alloys and Compounds, 2017, 695, 1405-1413.   | 2.8 | 7         |
| 442 | Comparison of CIGS Solar Cells Made With Different Structures and Fabrication Techniques. IEEE Journal of Photovoltaics, 2017, 7, 286-293.   | 1.5 | 25        |
| 443 | Potassium post deposition treatment of solution-processed kesterite solar cells. Thin Solid Films, 2017, 633, 131-134.   | 0.8 | 11        |
| 444 | Effect of different alkali (Li, Na, K, Rb, Cs) metals on Cu <sub>2</sub> ZnSnSe <sub>4</sub> solar cells. Thin Solid Films, 2017, 633, 156-161.  | 0.8 | 52        |
| 445 | Fabrication of Cu <sub>2</sub> SnS <sub>3</sub> thin film solar cells using Cu/Sn layered metallic precursors prepared by a sputtering process. Solar Energy, 2017, 145, 27-32.  | 2.9 | 36        |
| 446 | Effect of annealing on the morphology and compositions of Cu <sub>2</sub> ZnSnSe <sub>4</sub> thin films fabricated by thermal evaporation for solar cells. Thin Solid Films, 2017, 621, 47-51.  | 0.8 | 15        |
| 447 | Transient and modulated charge separation at CuInSe <sub>2</sub> /C60 and CuInSe <sub>2</sub> /ZnPc hybrid interfaces. Applied Surface Science, 2017, 396, 366-374.  | 3.1 | 10        |
| 448 | High-efficiency Cu(In,Ga)Se <sub>2</sub> solar cells. Thin Solid Films, 2017, 633, 13-17.  | 0.8 | 58        |
| 449 | Effect of Cu/(In+Ga) ratios on the secondary phases and the performance of Cu <sub>2</sub> InGa(S,Se) <sub>4</sub> thin film solar cells. Journal of Alloys and Compounds, 2017, 690, 152-159.   | 2.8 | 12        |
| 450 | On the beneficial effect of Al <sub>2</sub> O <sub>3</sub> front contact passivation in Cu(In,Ga)Se <sub>2</sub> solar cells. Solar Energy Materials and Solar Cells, 2017, 159, 189-196.  | 3.0 | 27        |
| 451 | CdS and Zn <sub>1-x</sub> Sn <sub>x</sub> O <sub>y</sub> buffer layers for CIGS solar cells. Solar Energy Materials and Solar Cells, 2017, 159, 272-281.   | 3.0 | 56        |
| 452 | Progress in thin film CIGS photovoltaics – Research and development, manufacturing, and applications. Progress in Photovoltaics: Research and Applications, 2017, 25, 645-667.   | 4.4 | 248       |
| 453 | Ultra-thin Cu(In,Ga)Se <sub>2</sub> solar cells prepared by an alternative hybrid co-sputtering/evaporation process. Thin Solid Films, 2017, 633, 66-70.   | 0.8 | 11        |
| 454 | Mapping and comparison of the shortcomings of kesterite absorber layers, and how they could affect industrial scalability. Thin Solid Films, 2017, 633, 146-150.   | 0.8 | 5         |
| 455 | Effects of Sodium and Potassium on the Photovoltaic Performance of CIGS Solar Cells. IEEE Journal of Photovoltaics, 2017, 7, 303-306.  | 1.5 | 41        |
| 456 | High <math>V_{oc}</math> in (Cu,Ag)(In,Ga)Se <sub>2</sub> Solar Cells. IEEE Journal of Photovoltaics, 2017, 7, 1789-1794.  | 1.5 | 72        |
| 457 | Crystallographic and optical properties and band diagrams of CuGaS <sub>2</sub> and CuGa <sub>5</sub> S <sub>8</sub> phases in Cu-poor Cu <sub>2</sub> S-Ga <sub>2</sub> S <sub>3</sub> pseudo-binary system. Japanese Journal of Applied Physics, 2017, 56, 04CS12. | 0.8 | 15        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 458 | CdS Buffer Layer by CBD on 300 mm X 300 mm Glass for CIGS Solar Cell Application. Materials Today: Proceedings, 2017, 4, 12525-12528.  | 0.9 | 9         |
| 459 | Transition Metal Oxides Nano-Layers as Efficient Back Electron Reflectors For Cu <sub>2</sub> ZnSnSe <sub>4</sub> Solar Cells. , 2017, , .   |     | 0         |
| 460 | 4. Microstructure analysis of chalcopyrite-type Cu <sub>2</sub> ZnSe <sub>4</sub> and kesterite-type Cu <sub>2</sub> ZnSnSe <sub>4</sub> absorber layers in thin film solar cells. , 2017, , 73-98.                              |     | 1         |
| 461 | Ternary phosphide semiconductor in solar cells. , 2017, , .  |     | 0         |
| 462 | CIGSe Absorber Preparation: an Alternative to H <sub>2</sub> Se. , 2017, , .   |     | 1         |
| 463 | CuInSe <sub>2</sub> absorber layer grown under copper excess with a copper poor surface formed by a KF post deposition treatment. , 2017, , .  |     | 1         |
| 464 | A Practical Irradiance Model for Bifacial PV Modules. , 2017, , .  |     | 57        |
| 465 | Thermodynamic Efficiency Limit of Bifacial Solar Cells for Various Spectral Albedos. , 2017, , .   |     | 6         |
| 466 | Growth of MoS <sub>2</sub> Thin Films with Microdome Texture as Omnidirectional Light Trap for Solar Cell Applications. , 2017, , .  |     | 1         |
| 467 | Photovoltaics Fundamentals, Technology and Application. , 2017, , 765-850.   |     | 1         |
| 468 | Photovoltaic Performance and Impedance Spectroscopy Analysis of CuInS <sub>2</sub> Thin Film Solar Cells Deposited on Polyimide Foil via Spray Pyrolysis. International Journal of Electrochemical Science, 2017, 12, 9626-9639. | 0.5 | 8         |
| 469 | Lightweight Carbon Fiber Mirrors for Solar Concentrator Applications. , 2017, , .  |     | 2         |
| 470 | Comparative study of water and ammonia rinsing processes of potassium fluoride-treated Cu(In,Ga)Se <sub>2</sub> thin film solar cells. Japanese Journal of Applied Physics, 2017, 56, 08MC12.                                    | 0.8 | 18        |
| 471 | Notice of Removal Co-evaporated KInSe <sub>2</sub> : A fast alternative to KF post deposition treatment in high efficiency Cu(In,Ga)Se <sub>2</sub> thin film solar cells. , 2017, , .   |     | 3         |
| 472 | Notice of Removal In-situ and ex-situ characterizations of CIGS solar cells with KF post deposition treatment. , 2017, , .   |     | 2         |
| 473 | Interface Effects of Alkali Treatment on Cu-Rich Thin Film Solar Cells. , 2017, , .  |     | 1         |
| 474 | Stability of Cd <sub>1-x</sub> Zn <sub>x</sub> Te alloys under CdTe processing conditions. , 2017, , .   |     | 0         |
| 475 | In-line Potassium Fluoride Treatment of CIGS Absorbers Deposited on Flexible Substrates in a Production-Scale Process Tool. , 2017, , .  |     | 2         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 476 | Supply and Demand Constraints on Future PV Power in the USA. , 2017, , .  |      | 1         |
| 477 | Cu <sub>2</sub> ZnSnSe <sub>4</sub> Solar Cells onto Polyimide Substrates Fabricated at Low Temperature. , 2017, , .  |      | 0         |
| 478 | Depth Profile of Impurity Phase in Wide-Bandgap Cu(In <sup>1-x</sup> Gax)Se <sub>2</sub> Film Fabricated by Three-Stage Process. Journal of Electronic Materials, 2018, 47, 4944-4949.                      | 1.0  | 6         |
| 479 | An investigation on performance enhancement for KF post deposition treated CIGS solar cells fabricated by sputtering CIGS quaternary targets. Vacuum, 2018, 151, 233-236.                                   | 1.6  | 13        |
| 480 | Effects of Mo films prepared via different sputtering conditions on the formation of MoSe <sub>2</sub> during selenization. Journal of Alloys and Compounds, 2018, 747, 621-628.                            | 2.8  | 6         |
| 481 | CIGS thin films grown by hybrid sputtering-evaporation method: Properties and PV performance. Solar Energy, 2018, 175, 16-24.   | 2.9  | 13        |
| 482 | Sodium enhances indium-gallium interdiffusion in copper indium gallium diselenide photovoltaic absorbers. Nature Communications, 2018, 9, 826.  | 5.8  | 51        |
| 483 | Rubidium distribution at atomic scale in high efficient Cu(In,Ga)Se <sub>2</sub> thin-film solar cells. Applied Physics Letters, 2018, 112, .   | 1.5  | 57        |
| 484 | Injection Current Barrier Formation for RbF Postdeposition-Treated Cu(In,Ga)Se <sub>2</sub> -Based Solar Cells. Advanced Materials Interfaces, 2018, 5, 1701007.  | 1.9  | 51        |
| 485 | Deep surface Cu depletion induced by K in high-efficiency Cu(In,Ga)Se <sub>2</sub> solar cell absorbers. Progress in Photovoltaics: Research and Applications, 2018, 26, 730-739.                           | 4.4  | 11        |
| 486 | Investigation of correlation between open-circuit voltage deficit and carrier recombination rates in Cu(In,Ga)(S,Se) <sub>2</sub> -based thin-film solar cells. Applied Physics Letters, 2018, 112, 151601. | 1.5  | 32        |
| 487 | Reduced recombination in a surface-sulfurized Cu(InGa)Se <sub>2</sub> thin-film solar cell. Japanese Journal of Applied Physics, 2018, 57, 055701.  | 0.8  | 9         |
| 488 | Optimization of Copper Indium Gallium Diselenide Thin Film Solar Cell (CIGS). Lecture Notes in Networks and Systems, 2018, , 479-485.   | 0.5  | 2         |
| 489 | The effect of Na on Cu-K-In-Se thin film growth. Journal of Crystal Growth, 2018, 488, 36-42.   | 0.7  | 5         |
| 490 | Spatial control of cocatalysts and elimination of interfacial defects towards efficient and robust CIGS photocathodes for solar water splitting. Energy and Environmental Science, 2018, 11, 2025-2034.     | 15.6 | 114       |
| 492 | Atomic layer deposition of Zn(O,S) buffer layers for Cu(In,Ga)Se <sub>2</sub> solar cells with KF post-deposition treatment. Solar Energy Materials and Solar Cells, 2018, 183, 8-15.                       | 3.0  | 30        |
| 493 | A direct measurement of higher photovoltage at grain boundaries in CdS/ CZTSe solar cells using KPFM technique. Solar Energy Materials and Solar Cells, 2018, 183, 34-40.                                   | 3.0  | 43        |
| 494 | Historical Analysis of Champion Photovoltaic Module Efficiencies. IEEE Journal of Photovoltaics, 2018, 8, 363-372.  | 1.5  | 37        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 495 | Cu(In,Ga)Se <sub>2</sub> solar cells on low cost mild steel substrates. Solar Energy, 2018, 175, 25-30.   | 2.9  | 35        |
| 496 | Recent progress of colloidal quantum dot based solar cells. Chinese Physics B, 2018, 27, 018808.  | 0.7  | 16        |
| 497 | Atomic Layer Deposition of Conducting CuS Thin Films from Elemental Sulfur. Advanced Materials Interfaces, 2018, 5, 1701366.  | 1.9  | 15        |
| 498 | Cation Substitution in Earth-Abundant Kesterite Photovoltaic Materials. Advanced Science, 2018, 5, 1700744.   | 5.6  | 161       |
| 499 | Group III Elemental Composition Dependence of RbF Postdeposition Treatment Effects on Cu(In,Ga)Se <sub>2</sub> Thin Films and Solar Cells. Journal of Physical Chemistry C, 2018, 122, 3809-3817.   | 1.5  | 86        |
| 500 | Effects of potassium on kesterite solar cells: Similarities, differences and synergies with sodium. AIP Advances, 2018, 8, .  | 0.6  | 22        |
| 501 | Multi-phase structures of boron-doped copper tin sulfide nanoparticles synthesized by chemical bath deposition for optoelectronic devices. Journal of Physics and Chemistry of Solids, 2018, 115, 103-112.  | 1.9  | 16        |
| 502 | Growth dynamics controllable deposition of homoepitaxial MgO films on the IBAD-MgO substrates. Applied Surface Science, 2018, 435, 225-228.   | 3.1  | 3         |
| 503 | Increase in conversion efficiency of above 14% in Cu(In,Ga)3Se5 (I <sup>2</sup> -CIGS) solar cells by Na <sub>2</sub> S incorporation through the surface of I <sup>2</sup> -CIGS film. Solar Energy Materials and Solar Cells, 2018, 179, 289-296. | 3.0  | 13        |
| 504 | Surface and bulk effects of K in Cu <sub>1-x</sub> K <sub>x</sub> In <sub>1-y</sub> Ga <sub>y</sub> Se <sub>2</sub> solar cells. Solar Energy Materials and Solar Cells, 2018, 179, 362-371.  | 3.0  | 11        |
| 505 | Hierarchical CuInS <sub>2</sub> synthesized with the induction of histidine for polymer/CuInS <sub>2</sub> solar cells. Materials Science in Semiconductor Processing, 2018, 76, 14-24.   | 1.9  | 16        |
| 506 | Modelling of flexible thin-film modules for building and product integrated photovoltaics. Solar Energy Materials and Solar Cells, 2018, 181, 38-45.  | 3.0  | 21        |
| 507 | The effect of thermal evaporated MoO <sub>3</sub> intermediate layer as primary back contact for kesterite Cu <sub>2</sub> ZnSnS <sub>4</sub> solar cells. Thin Solid Films, 2018, 648, 39-45.  | 0.8  | 34        |
| 508 | Compositionally Graded Absorber for Efficient and Stable Near-Infrared-Transparent Perovskite Solar Cells. Advanced Science, 2018, 5, 1700675.  | 5.6  | 65        |
| 509 | Si-Doped Cu(In,Ga)Se <sub>2</sub> Photovoltaic Devices with Energy Conversion Efficiencies Exceeding 16.5% without a Buffer Layer. Advanced Energy Materials, 2018, 8, 1702391.   | 10.2 | 8         |
| 510 | Effect of an additional Cu-deficient layer deposition on alkali treated Cu(In,Ga)Se <sub>2</sub> solar cells deposited at low temperature. Solar Energy Materials and Solar Cells, 2018, 184, 67-72.  | 3.0  | 9         |
| 511 | ZnO nanowire based CIGS solar cell and its efficiency enhancement by the piezo-phototronic effect. Nano Energy, 2018, 49, 508-514.  | 8.2  | 95        |
| 512 | Influence of Na and Ga on the electrical properties of perfect 60° dislocations in Cu(In, Ga)Se <sub>2</sub> thin-film photovoltaic absorbers. Journal of Applied Physics, 2018, 123, .   | 1.1  | 1         |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 513 | Nanosecond laser scribing of CIGS thin film solar cell based on ITO bottom contact. Applied Physics Letters, 2018, 112, .  | 1.5  | 14        |
| 514 | Effect of thermal annealing on the redistribution of alkali metals in Cu(In,Ga)Se <sub>2</sub> solar cells on glass substrate. Journal of Applied Physics, 2018, 123, 093101.  | 1.1  | 14        |
| 515 | A short review on the advancements in electroplating of CuInGaSe <sub>2</sub> thin films. Materials for Renewable and Sustainable Energy, 2018, 7, 1.  | 1.5  | 23        |
| 516 | What Makes a Good Solar Cell?. Advanced Energy Materials, 2018, 8, 1703385.  | 10.2 | 167       |
| 517 | Interplay between potassium doping and bandgap profiling in selenized Cu(In,Ga)Se <sub>2</sub> solar cells: A functional CuGa:KF surface precursor layer. Nano Energy, 2018, 47, 393-400.  | 8.2  | 16        |
| 518 | 20% Efficient Zn <sub>0.9</sub> Mg <sub>0.1</sub> O:Al/Zn <sub>0.8</sub> Mg <sub>0.2</sub> O/Cu(In,Ga)(S,Se) <sub>2</sub> Solar Cell Prepared by All-Dry Process through a Combination of Heat-Light-Soaking and Light-Soaking Processes. ACS Applied Materials & Interfaces, 2018, 10, 11361-11368. | 4.0  | 38        |
| 519 | Intrinsic point defects in $\text{In}_2\text{S}_3$ studied by means of hybrid density-functional theory. Journal of Applied Physics, 2018, 123, .  | 1.1  | 22        |
| 520 | Role of Na in solution-processed CuInSe <sub>2</sub> (CISe) devices: A different story for improving efficiency. Nano Energy, 2018, 48, 401-412.   | 8.2  | 24        |
| 521 | Highly efficient Ag-alloyed Cu(In,Ga)Se <sub>2</sub> solar cells with wide bandgaps and their application to chalcopyrite-based tandem solar cells. Nano Energy, 2018, 48, 345-352.  | 8.2  | 33        |
| 522 | Formation of CdS using electrochemical atomic layer deposition (E-ALD) and successive ionic layer adsorption reaction (SILAR). Electrochimica Acta, 2018, 271, 19-26.  | 2.6  | 9         |
| 523 | Single-graded CIGS with narrow bandgap for tandem solar cells. Science and Technology of Advanced Materials, 2018, 19, 263-270.  | 2.8  | 51        |
| 524 | Cu(In,Ga)Se <sub>2</sub> surface treatment with Na and NaF: A combined photoelectron spectroscopy and surface photovoltage study in ultra-high vacuum. Applied Surface Science, 2018, 444, 436-441.  | 3.1  | 4         |
| 525 | TiO <sub>2</sub> as intermediate buffer layer in Cu(In,Ga)Se <sub>2</sub> solar cells. Solar Energy Materials and Solar Cells, 2018, 174, 397-404.   | 3.0  | 44        |
| 526 | C <sub>ZTS</sub> solar cells developed on polymer substrates: Effects of low-temperature processing. Progress in Photovoltaics: Research and Applications, 2018, 26, 55-68.  | 4.4  | 23        |
| 527 | ZnSnP <sub>2</sub> solar cell with (Cd,Zn)S buffer layer: Analysis of recombination rates. Solar Energy Materials and Solar Cells, 2018, 174, 412-417.   | 3.0  | 18        |
| 528 | Heterointerface recombination of Cu(In,Ga)(S,Se) <sub>2</sub> -based solar cells with different buffer layers. Progress in Photovoltaics: Research and Applications, 2018, 26, 127-134.  | 4.4  | 31        |
| 529 | Tuning to the band gap by complex defects engineering: insights from hybrid functional calculations in CuInS <sub>2</sub> . Journal Physics D: Applied Physics, 2018, 51, 025105.  | 1.3  | 10        |
| 530 | Complexing agent-assisted highly dense CuInSe <sub>2</sub> thin films prepared by one-step electrochemical deposition. Journal of Electroanalytical Chemistry, 2018, 808, 211-217.   | 1.9  | 6         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 531 | First-principles study on the alkali chalcogenide secondary compounds in Cu(In,Ga)Se <sub>2</sub> and Cu <sub>2</sub> ZnSn(S,Se) <sub>4</sub> thin film solar cells. Journal of Energy Chemistry, 2018, 27, 1140-1150. | 7.1 | 16        |
| 532 | Unravelling the Correlation of Electronic Structure and Carrier Dynamics in CuInS <sub>2</sub> Nanoparticles. Journal of Physical Chemistry C, 2018, 122, 974-980.   | 1.5 | 18        |
| 533 | Examination of electrical and optical properties of Zn <sub>1-x</sub> Mg <sub>x</sub> O:Al fabricated by radio frequency magnetron co-sputtering. Thin Solid Films, 2018, 646, 105-111.                                | 0.8 | 10        |
| 534 | Correlative transmission Kikuchi diffraction and atom probe tomography study of Cu(In,Ga)Se <sub>2</sub> grain boundaries. Progress in Photovoltaics: Research and Applications, 2018, 26, 196-204.                    | 4.4 | 36        |
| 535 | Proposed suitable electron reflector layer materials for thin-film CuIn <sub>1-x</sub> Ga <sub>x</sub> Se <sub>2</sub> solar cells. Optical Materials, 2018, 75, 216-223.  | 1.7 | 26        |
| 536 | Impact of heat/light soaking on potassium fluoride treated CIGS solar cells with CdS buffer layer. Progress in Photovoltaics: Research and Applications, 2018, 26, 171-178.  | 4.4 | 46        |
| 537 | Effect of KF absorber treatment on the functionality of different transparent conductive oxide layers in CIGSe solar cells. Progress in Photovoltaics: Research and Applications, 2018, 26, 13-23.                     | 4.4 | 22        |
| 538 | Curve-Correction Factor for Characterization of the Output of a Three-Dimensional Curved Photovoltaic Module on a Car Roof. Coatings, 2018, 8, 432.  | 1.2 | 27        |
| 539 | Surface reactivity of CIGS absorber on soda-lime and flexible substrates studied by XPS: a global approach of deoxidation, ageing and alkali elements distribution. , 2018, , .  |     | 1         |
| 540 | Mechanical Perturbations at the Working Electrode to Materials Synthesis by Electrodeposition. , 0, , .  |     | 0         |
| 541 | Tailored lead iodide growth for efficient flexible perovskite solar cells and thin-film tandem devices. NPG Asia Materials, 2018, 10, 1076-1085.   | 3.8 | 35        |
| 542 | Voids and compositional inhomogeneities in Cu(In,Ga)Se <sub>2</sub> thin films: evolution during growth and impact on solar cell performance. Science and Technology of Advanced Materials, 2018, 19, 871-882.         | 2.8 | 23        |
| 543 | ALD-Zn <sub>x</sub> Ti <sub>y</sub> O as Window Layer in Cu(In,Ga)Se <sub>2</sub> Solar Cells. ACS Applied Materials & Interfaces, 2018, 10, 43603-43609.  | 4.0 | 20        |
| 544 | Overall Distribution of Rubidium in Highly Efficient Cu(In,Ga)Se <sub>2</sub> Solar Cells. ACS Applied Materials & Interfaces, 2018, 10, 40592-40598.  | 4.0 | 44        |
| 545 | Real Time Measurement, Monitoring, and Control of CuIn <sub>1-x</sub> Ga <sub>x</sub> Se <sub>2</sub> by Spectroscopic Ellipsometry. Springer Series in Optical Sciences, 2018, , 209-253.                             | 0.5 | 0         |
| 546 | Thin-film solar cells exceeding 22% solar cell efficiency: An overview on CdTe-, Cu(In,Ga)Se <sub>2</sub> -, and perovskite-based materials. Applied Physics Reviews, 2018, 5, .                                       | 5.5 | 175       |
| 547 | Quantitative Analysis and Band Gap Determination for CIGS Absorber Layers Using Surface Techniques. Journal of Analytical Methods in Chemistry, 2018, 2018, 1-9.   | 0.7 | 8         |
| 548 | Assessing the impact of rear point-contact/passivation on CIGS cells with different absorber thickness and grading. , 2018, , .  |     | 2         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 549 | Enhanced Hetero-junction Quality and Performance of Kesterite Solar Cells by Aluminum Hydroxide Nanolayers and Efficiency Limitation Revealed by Atomic-resolution Scanning Transmission Electron Microscopy. <i>Solar Rrl</i> , 2018, 3, 1800279.                | 3.1  | 6         |
| 550 | Properties of Co-Evaporated RbInSe <sub>2</sub> Thin Films. <i>Physica Status Solidi - Rapid Research Letters</i> , 2019, 13, 1800564.  | 1.2  | 16        |
| 551 | The Formation and Impact of Sodium rich Secondary Phases in the Absorber layer of Cu(In,Ga)Se <sub>2</sub> Based Solar Cells. , 2018, , .   |      | 2         |
| 552 | Modification of electronic grain boundary properties of Cu(In, Ga)Se <sub>2</sub> by alkali-fluoride post deposition treatments. , 2018, , .  |      | 0         |
| 553 | RbF-PDT induced sodium displacement in Cu(In, Ga)Se <sub>2</sub> absorbers grown under high substrate temperatures. , 2018, , .   |      | 0         |
| 554 | An innovative alkali doping strategy for Cu<inf>2</inf>&lt;/inf>ZnSnSe<inf>4</inf> through the CdS buffer layer. , 2018, , .  |      | 1         |
| 555 | Highly efficient flexible solar cells based on a room-temperature processed inorganic perovskite. <i>Journal of Materials Chemistry A</i> , 2018, 6, 20365-20373.   | 5.2  | 34        |
| 556 | Rubidium Fluoride Post-Deposition Treatment: Impact on the Chemical Structure of the Cu(In,Ga)Se <sub>2</sub> Surface and CdS/Cu(In,Ga)Se <sub>2</sub> Interface in Thin-Film Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 37602-37608. | 4.0  | 19        |
| 557 | Deposition Technologies of High-Efficiency CIGS Solar Cells: Development of Two-Step and Co-Evaporation Processes. <i>Crystals</i> , 2018, 8, 296.  | 1.0  | 29        |
| 558 | Diffusion of Rb in polycrystalline Cu(In,Ga)Se <sub>2</sub> layers and effect of Rb on solar cell parameters of Cu(In,Ga)Se <sub>2</sub> thin-film solar cells. <i>Journal of Applied Physics</i> , 2018, 124, .  | 1.1  | 51        |
| 559 | Investigation of near-surface material composition of Cu(In,Ga)Se <sub>2</sub> film after air exposure and chemical etching for its Cd-free solar cell. <i>Japanese Journal of Applied Physics</i> , 2018, 57, 121201.  | 0.8  | 3         |
| 560 | Modification of Mo Back Contact with MoO <sub>3</sub> Layer and its Effect to Enhance the Performance of Cu<sub>2</sub>ZnSnS<sub>4</sub> Solar Cells. <i>Solar Rrl</i> , 2018, 2, 1800243.  | 3.1  | 28        |
| 561 | Increasing markets and decreasing package weight for high-specific-power photovoltaics. <i>Nature Energy</i> , 2018, 3, 1002-1012.  | 19.8 | 103       |
| 562 | Grain-Resolved Ultrafast Photophysics in Cu<sub>2</sub>BaSnS<sub>4</sub>Se<sub>2</sub> Semiconductors Using Pump-Probe Diffuse Reflectance Spectroscopy and Microscopy. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 39615-39623.                    | 4.0  | 13        |
| 563 | Cadmium and ytterbium Co-doped TiO <sub>2</sub> nanorod arrays perovskite solar cells: enhancement of open circuit voltage and short circuit current density. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 21138-21144.              | 1.1  | 10        |
| 564 | A Review on Sputtered Chalcopyrite and Kesterite Thin Film Solar Cell. , 2018, , .  |      | 1         |
| 565 | Luminescence and Stimulated Emission of Polycrystalline Cu(In,Ga)Se <sub>2</sub> Films Deposited by Magnetron-Assisted Sputtering. <i>Semiconductors</i> , 2018, 52, 1238-1243.   | 0.2  | 0         |
| 566 | Utilizing magnetron sputtered AZO-ITO bilayer structure as transparent conducting oxide for improving the performance of flexible CIGS solar cell. <i>Superlattices and Microstructures</i> , 2018, 123, 251-256.   | 1.4  | 12        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 567 | Efficiency Improvement of Sb <sub>2</sub> Se <sub>3</sub> Solar Cells via Grain Boundary Inversion. ACS Energy Letters, 2018, 3, 2335-2341.   | 8.8  | 112       |
| 568 | In vacuo XPS investigation of Cu(In,Ga)Se <sub>2</sub> surface after RbF post-deposition treatment. Thin Solid Films, 2018, 665, 143-147.   | 0.8  | 31        |
| 569 | Direct insights into RbInSe <sub>2</sub> formation at Cu(In,Ga)Se <sub>2</sub> thin film surface with RbF postdeposition treatment. Applied Physics Letters, 2018, 113, .   | 1.5  | 65        |
| 570 | Quantum dot-sensitized solar cells. Chemical Society Reviews, 2018, 47, 7659-7702.  | 18.7 | 344       |
| 571 | Improving the lateral homogeneity of Cu(In, Ga)Se <sub>2</sub> layers fabricated by RF magnetron sputtering from a quaternary ceramic target. Ceramics International, 2018, 44, 21928-21932.                                      | 2.3  | 3         |
| 572 | Control of Donor Concentration in <i>n</i> -Type Buffer Layer for High-Efficiency Cu(In,Ga)Se <sub>2</sub> Solar Cells. IEEE Journal of Photovoltaics, 2018, 8, 1841-1846.  | 1.5  | 8         |
| 573 | Study of Gallium Front Grading at Low Deposition Temperature on Polyimide Substrates and Impacts on the Solar Cell Properties. IEEE Journal of Photovoltaics, 2018, 8, 1852-1857.   | 1.5  | 7         |
| 574 | Effect of Combined Alkali (KF+CsF) Post-Deposition Treatment on Cu(InGa)Se <sub>2</sub> Solar Cells. Physica Status Solidi - Rapid Research Letters, 2018, 12, 1800372.   | 1.2  | 17        |
| 575 | Pre-incorporation of Na into flexible Cu(In,Ga)Se <sub>2</sub> thin film solar cells. Solar Energy, 2018, 173, 1080-1086.   | 2.9  | 5         |
| 576 | High-performance perovskite/Cu(In,Ga)Se <sub>2</sub> monolithic tandem solar cells. Science, 2018, 361, 904-908.  | 6.0  | 314       |
| 577 | Electrical properties of CZTS thin films. AIP Conference Proceedings, 2018, , .   | 0.3  | 2         |
| 578 | Surface and bulk effects of K in highly efficient Cu <sub>1-x</sub> K <sub>x</sub> InSe <sub>2</sub> solar cells. Solar Energy Materials and Solar Cells, 2018, 185, 45-53.   | 3.0  | 13        |
| 579 | Characterization of Interface Between Accurately Controlled Cu-Deficient Layer and Cu(In,Ga)Se <sub>2</sub> Absorber for Cu(In,Ga)Se <sub>2</sub> Solar Cells. Physica Status Solidi - Rapid Research Letters, 2018, 12, 1800129. | 1.2  | 11        |
| 580 | Refractive indices of layers and optical simulations of Cu(In,Ga)Se <sub>2</sub> solar cells. Science and Technology of Advanced Materials, 2018, 19, 396-410.  | 2.8  | 46        |
| 581 | Silver (Ag) incorporated Cu <sub>2</sub> ZnSnS <sub>4</sub> thin film for improved optical and morphological properties. Superlattices and Microstructures, 2018, 120, 54-59.   | 1.4  | 11        |
| 582 | Impact of KF Post-Deposition Treatment on Aging of the Cu(In,Ga)Se <sub>2</sub> Surface and Its Interface with CdS. ACS Applied Energy Materials, 2018, 1, 2681-2688.   | 2.5  | 12        |
| 583 | Thin Film Photovoltaics. , 2018, , 361-370.   |      | 11        |
| 584 | Innovative approaches in thin-film photovoltaic cells. , 2018, , 595-632.   |      | 0         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 585 | Flexible Perovskite Solar Cells. , 2018, , 341-371.   |      | 4         |
| 586 | Impressive self-healing phenomenon of Cu <sub>2</sub> ZnSn(S, Se) <sub>4</sub> solar cells. Chinese Physics B, 2018, 27, 066108.  | 0.7  | 2         |
| 587 | Alkali treatments of Cu(In,Ga)Se <sub>2</sub> thin-film absorbers and their impact on transport barriers. Progress in Photovoltaics: Research and Applications, 2018, 26, 911-923.  | 4.4  | 49        |
| 588 | Tunable Carrier Concentration of NaF <sup>-</sup> Treated CIGS Solar Cells Using Heat-Light Soaking and Subsequent Heating. Physica Status Solidi - Rapid Research Letters, 2018, 12, 1800053.                                | 1.2  | 12        |
| 589 | Influence of selenization temperatures on the microstructures and photoelectric properties of iron-ion doped Cu(In,Ga)Se <sub>2</sub> thin-film solar cells. Vacuum, 2018, 156, 212-218.                                      | 1.6  | 6         |
| 590 | Interdiffusion and Doping Gradients at the Buffer/Absorber Interface in Thin-Film Solar Cells. ACS Applied Materials & Interfaces, 2018, 10, 28553-28565.   | 4.0  | 25        |
| 591 | Influence of Sodium and Rubidium Postdeposition Treatment on the Quasi-Fermi Level Splitting of Cu(In,Ga)Se <sub>2</sub> Thin Films. IEEE Journal of Photovoltaics, 2018, 8, 1320-1325.                                       | 1.5  | 24        |
| 592 | In-depth photoluminescence spectra of pure CIGS thin films. Applied Optics, 2018, 57, 1849.   | 0.9  | 12        |
| 593 | Cu <sub>2</sub> ZnSnS <sub>4</sub> solar cells with over 10% power conversion efficiency enabled by heterojunction heat treatment. Nature Energy, 2018, 3, 764-772.   | 19.8 | 623       |
| 594 | Effect of Crystal Orientation and Conduction Band Grading of Absorber on Efficiency of Cu(In,Ga)Se <sub>2</sub> Solar Cells Grown on Flexible Polyimide Foil at Low Temperature. Advanced Energy Materials, 2018, 8, 1801501. | 10.2 | 25        |
| 595 | Flexible Cu(In,Ga)Se <sub>2</sub> solar cell with superstrate-type configuration fabricated by a lift-off process. Thin Solid Films, 2018, 662, 110-115.  | 0.8  | 13        |
| 596 | Crystallographic, optical, and electronic properties of Li-doped CuIn(S,Se) <sub>2</sub> , (Cu,Li)In(S,Se) <sub>2</sub> . Japanese Journal of Applied Physics, 2018, 57, 08RC15.  | 0.8  | 2         |
| 597 | Influences of Fe and absorber thickness on photovoltaic performances of flexible Cu(In,Ga)Se <sub>2</sub> solar cell on stainless steel substrate. Solar Energy, 2018, 173, 126-131.  | 2.9  | 10        |
| 598 | Single-crystal Cu(In,Ga)Se <sub>2</sub> solar cells grown on GaAs substrates. Applied Physics Express, 2018, 11, 082302.  | 1.1  | 30        |
| 599 | Numerical modeling of the effect of multiple incoherent layers in Cu(In,Ga)Se <sub>2</sub> solar cells based on the equispaced thickness averaging method. Applied Optics, 2018, 57, 2758.                                    | 0.9  | 7         |
| 600 | Effect of sodium addition on Cu <sub>2</sub> SnS <sub>3</sub> thin-film solar cells fabricated on alkali-free glass substrates. Japanese Journal of Applied Physics, 2018, 57, 08RC11.  | 0.8  | 11        |
| 601 | Influence of potassium treatment on electronic properties of Cu(In <sub>1-x</sub> Ga <sub>x</sub> )Se <sub>2</sub> . Japanese Journal of Applied Physics, 2018, 57, 08RC13.   | 0.8  | 6         |
| 602 | Elucidating the Mechanism of an RbF Post Deposition Treatment in CIGS Thin Film Solar Cells. Solar Rrl, 2018, 2, 1800156.   | 3.1  | 78        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 603 | Engineered Cu(InGa)Se <sub>2</sub> thin films through CaF <sub>2</sub> post-deposition treatment for enhancing solar cell performance. <i>Journal of Alloys and Compounds</i> , 2018, 766, 1046-1053.  | 2.8  | 4         |
| 604 | Rear interface modification for efficient Cu(In,Ga)Se <sub>2</sub> solar cells processed with metallic precursors and low-cost Se vapor. <i>Solar Energy Materials and Solar Cells</i> , 2018, 186, 243-253.                                 | 3.0  | 19        |
| 605 | Insulator Materials for Interface Passivation of Cu(In,Ga)Se <sub>2</sub> Thin Films. <i>IEEE Journal of Photovoltaics</i> , 2018, 8, 1313-1319.   | 1.5  | 39        |
| 606 | The alterations of carrier separation in kesterite solar cells. <i>Nano Energy</i> , 2018, 52, 38-53.  | 8.2  | 42        |
| 607 | Development of flexible Cd-free Cu(In,Ga)Se <sub>2</sub> solar cell on stainless steel substrate through multi-layer precursor method. <i>Journal of Alloys and Compounds</i> , 2018, 756, 111-116.  | 2.8  | 13        |
| 608 | Impact of front contact layers on performance of Cu(In,Ga)Se <sub>2</sub> solar cells in relaxed and metastable states. <i>Progress in Photovoltaics: Research and Applications</i> , 2018, 26, 789-799.                                     | 4.4  | 11        |
| 609 | Reversible correlation between subnanoscale structure and Cu content in co-evaporated Cu(In,Ga)Se <sub>2</sub> thin films. <i>Acta Materialia</i> , 2018, 153, 8-14.   | 3.8  | 11        |
| 610 | Theoretical Investigation of the Interaction of the CuInSe <sub>2</sub> Absorber Material with Oxygen, Hydrogen, and Water. <i>Journal of Physical Chemistry C</i> , 2018, 122, 21202-21209.   | 1.5  | 8         |
| 611 | Significance of metastable acceptors in Cu(In,Ga)Se <sub>2</sub> solar cells in accelerated lifetime testing. <i>Japanese Journal of Applied Physics</i> , 2018, 57, 092301.   | 0.8  | 7         |
| 612 | Effects of RbF postdeposition treatment and heat-light soaking on the metastable acceptor activation of CuInSe <sub>2</sub> thin film photovoltaic devices. <i>Applied Physics Letters</i> , 2018, 113, .                                    | 1.5  | 25        |
| 613 | Improving $V_{oc}$ With Indium and Alkali Fluorides in Cu(In,Ga)Se <sub>2</sub> Solar Cells Deposited at Low Temperature on Polyimide. <i>IEEE Journal of Photovoltaics</i> , 2018, 8, 1343-1348.  | 1.5  | 10        |
| 614 | Enhancement of Solar Energy Absorption and Optoelectronic Properties of SrCuSbS <sub>3</sub> by Lead Doping. <i>Solar Rrl</i> , 2018, 2, 1800021.  | 3.1  | 9         |
| 615 | Revealing the beneficial role of K in grain interiors, grain boundaries, and at the buffer interface for highly efficient CuInSe <sub>2</sub> solar cells. <i>Progress in Photovoltaics: Research and Applications</i> , 2018, 26, 825-834.  | 4.4  | 19        |
| 616 | Above 10% efficiency earth-abundant Cu <sub>2</sub> ZnSn(S,Se) <sub>4</sub> solar cells by introducing alkali metal fluoride nanolayers as electron-selective contacts. <i>Nano Energy</i> , 2018, 51, 597-603.                              | 8.2  | 21        |
| 617 | Understanding the cell-to-module efficiency gap in Cu(In,Ga)(S,Se) <sub>2</sub> photovoltaics scale-up. <i>Nature Energy</i> , 2018, 3, 466-475.   | 19.8 | 76        |
| 618 | Enhancement of photovoltaic performances of Cu (In,Ga)(S,Se) <sub>2</sub> solar cell through combination of heat&light soaking and light soaking processes. <i>Progress in Photovoltaics: Research and Applications</i> , 2018, 26, 868-876. | 4.4  | 26        |
| 619 | Strategies toward highly efficient CIGSe thin-film solar cells fabricated by sequential process. <i>Sustainable Energy and Fuels</i> , 2018, 2, 1671-1685.   | 2.5  | 24        |
| 620 | Synthesis of K <sub>2</sub> Se solar cell dopant in liquid NH <sub>3</sub> by solvated electron transfer to elemental selenium. <i>Electrochemistry Communications</i> , 2018, 93, 44-48.  | 2.3  | 5         |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 621 | Novel back contact reflector for high efficiency and double-graded Cu(In,Ga)Se <sub>2</sub> thin-film solar cells. Progress in Photovoltaics: Research and Applications, 2018, 26, 894-900.                                     | 4.4  | 14        |
| 622 | Effect of heat-bias soaking on cesium fluoride-treated CIGS thin film solar cells. Progress in Photovoltaics: Research and Applications, 2019, 27, 22-29.   | 4.4  | 31        |
| 623 | Optimization of (Zn,Sn)O buffer layer in Cu(In,Ga)Se <sub>2</sub> based solar cells. Solar Energy, 2019, 189, 464-470.  | 2.9  | 25        |
| 624 | Thin Ag Precursor Layer-Assisted Co-Evaporation Process for Low-Temperature Growth of Cu(In,Ga)Se <sub>2</sub> Thin Film. ACS Applied Materials & Interfaces, 2019, 11, 31923-31933.  | 4.0  | 29        |
| 625 | Influence of Ga and Ag on the KF Treatment Chemistry for CIGS Solar Cells. IEEE Journal of Photovoltaics, 2019, 9, 1846-1851.   | 1.5  | 17        |
| 626 | The Effect of Electron Irradiation on Cesium Fluoride-Free and Cesium Fluoride-Treated Cu(In <sub>x</sub> Ga <sub>1-x</sub> )Se <sub>2</sub> Solar Cells. Physica Status Solidi - Rapid Research Letters, 2019, 13, 1900415.    | 1.2  | 7         |
| 627 | Effect of calcium incorporation on properties of Cu(InGa)Se <sub>2</sub> thin film and solar cell. Materials Research Express, 2019, 6, 096430.   | 0.8  | 0         |
| 628 | New insights into the determination of maximum chemical potentials to account for alkali doping in Cu(In,Ga)Se <sub>2</sub> thin film solar cells. Computational Materials Science, 2019, 168, 221-228.                         | 1.4  | 7         |
| 629 | High Voc upon KF Post-Deposition Treatment for Ultrathin Single-Stage Coevaporated Cu(In, Ga)Se <sub>2</sub> Solar Cells. ACS Applied Energy Materials, 2019, 2, 6102-6111.   | 2.5  | 22        |
| 630 | Highly efficient and stable planar heterojunction solar cell based on sputtered and post-selenized Sb <sub>2</sub> Se <sub>3</sub> thin film. Nano Energy, 2019, 64, 103929.  | 8.2  | 164       |
| 631 | Efficiency Improvement of Near-Stoichiometric CuInSe <sub>2</sub> Solar Cells for Application in Tandem Devices. Advanced Energy Materials, 2019, 9, 1901428.   | 10.2 | 69        |
| 632 | Crystallographic and Optical Properties of (Cu <sub>1-x</sub> Li <sub>x</sub> ) <sub>2</sub> SnS <sub>3</sub> Photovoltaic Semiconductor. Physica Status Solidi (A) Applications and Materials Science, 2019, 216, 1800889.     | 0.8  | 3         |
| 633 | CuGaSe <sub>2</sub> and CuIn <sub>x</sub> Ga <sub>1-x</sub> Se <sub>2</sub> Nanocrystals with Sphalerite or Wurtzite Phase for Optoelectronic Applications. ACS Applied Nano Materials, 2019, 2, 4673-4680.                     | 2.4  | 8         |
| 634 | Flexible Cu <sub>2</sub> ZnSn(S,Se) <sub>4</sub> solar cells with over 10% efficiency and methods of enlarging the cell area. Nature Communications, 2019, 10, 2959.  | 5.8  | 100       |
| 635 | Similarities and Critical Differences in Heavy Alkali-Metal Rubidium and Cesium Effects on Chalcopyrite Cu(In,Ga)Se <sub>2</sub> Thin-Film Solar Cells. Journal of Physical Chemistry C, 2019, 123, 17757-17764.                | 1.5  | 39        |
| 636 | Effect of Nanosecond Laser Beam Shaping on Cu(In,Ga)Se <sub>2</sub> Thin Film Solar Cell Scribing. ACS Applied Energy Materials, 2019, 2, 5057-5065.  | 2.5  | 6         |
| 637 | GoSolar - A Gossamer Solar Array Concept for High Power Spacecraft Applications using flexible Photovoltaics. , 2019, , .   |      | 8         |
| 638 | Examination of Relationship between Urbach Energy and Open-Circuit Voltage Deficit of Flexible Cu(In,Ga)Se <sub>2</sub> Solar Cell for its Improved Photovoltaic Performance. ACS Applied Energy Materials, 2019, 2, 7843-7849. | 2.5  | 22        |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 639 | Impact of Post-Deposition Recrystallization by Alkali Fluorides on Cu(In,Ga)Se <sub>2</sub> Thin-Film Materials and Solar Cells. <i>Thin Solid Films</i> , 2019, 690, 137526.   | 0.8  | 20        |
| 640 | Charge Carrier Collection and Contact Selectivity in Solar Cells. <i>Advanced Materials Interfaces</i> , 2019, 6, 1900252.  | 1.9  | 39        |
| 641 | Suppressed Deep Traps and Bandgap Fluctuations in Cu <sub>2</sub> CdSnS <sub>4</sub> Solar Cells with ~8% Efficiency. <i>Advanced Energy Materials</i> , 2019, 9, 1902509.  | 10.2 | 65        |
| 642 | A facile random copolymer strategy to achieve highly conductive polymer gel electrolytes for electrochemical applications. <i>Journal of Materials Chemistry C</i> , 2019, 7, 161-169.  | 2.7  | 42        |
| 643 | Aging Effect of a Cu(In,Ga)(S,Se) <sub>2</sub> Absorber on the Photovoltaic Performance of Its Cd-Free Solar Cell Fabricated by an All-Dry Process: Its Carrier Recombination Analysis. <i>Advanced Energy Materials</i> , 2019, 9, 1902869.        | 10.2 | 26        |
| 644 | Variations in the Chemical and Electronic Impact of Post-Deposition Treatments on Cu(In,Ga)(S,Se) <sub>2</sub> Absorbers. <i>ACS Applied Energy Materials</i> , 2019, 2, 8641-8648.   | 2.5  | 3         |
| 645 | Structural analysis of Cu(In,Ga)Se <sub>2</sub> thin-films by depth-resolved XAFS. <i>Japanese Journal of Applied Physics</i> , 2019, 58, 105502.   | 0.8  | 2         |
| 646 | Electrochemical Atomic Layer Deposition of CuInSe <sub>2</sub> on Au Surface. <i>Bulletin of the Korean Chemical Society</i> , 2019, 40, 963-970.   | 1.0  | 1         |
| 647 | Engineering CIGS grains qualities to achieve high efficiency in ultrathin Cu(In,Ga)Se <sub>2</sub> solar cells with a single-gradient band gap profile. <i>Results in Physics</i> , 2019, 12, 704-711.  | 2.0  | 37        |
| 648 | Effectiveness of an RbF Post Deposition Treatment of CIGS Solar Cells in Dependence on the Cu Content of the Absorber Layer. <i>IEEE Journal of Photovoltaics</i> , 2019, 9, 1839-1845.   | 1.5  | 40        |
| 649 | Direct evidence for grain boundary passivation in Cu(In,Ga)Se <sub>2</sub> solar cells through alkali-fluoride post-deposition treatments. <i>Nature Communications</i> , 2019, 10, 3980.   | 5.8  | 95        |
| 650 | Passivation of Deep-Level Defects by Cesium Fluoride Post-Deposition Treatment for Improved Device Performance of Cu(In,Ga)Se <sub>2</sub> Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 35653-35660.                      | 4.0  | 41        |
| 651 | Application of Al-Doped (Zn, Mg)O on pure-sulfide Cu(In, Ga)S <sub>2</sub> solar cells for enhancement of open-circuit voltage. <i>Solar Energy Materials and Solar Cells</i> , 2019, 202, 110157.  | 3.0  | 19        |
| 652 | Urbach energy of Cu(In,Ga)Se <sub>2</sub> and Cu(In,Ga)(S,Se) <sub>2</sub> absorbers prepared by various methods: Indicator of their quality. <i>Materials Today Communications</i> , 2019, 21, 100652.   | 0.9  | 12        |
| 653 | Effect of S/(S+Se) ratio during the annealing process on the performance of Cu <sub>2</sub> ZnSn(S,Se) <sub>4</sub> solar cells prepared by sputtering from a quaternary target. <i>Solar Energy Materials and Solar Cells</i> , 2019, 203, 110167. | 3.0  | 8         |
| 654 | Ultrasensitive, flexible, and low-cost nanoporous piezoresistive composites for tactile pressure sensing. <i>Nanoscale</i> , 2019, 11, 2779-2786.   | 2.8  | 72        |
| 655 | First principle study of structural, electronic, optical and electric properties of Ag <sub>2</sub> ZnGeX <sub>4</sub> (S, Se). <i>Computational Condensed Matter</i> , 2019, 19, e00364.   | 0.9  | 7         |
| 656 | Selenization of CuInS <sub>2</sub> by rapid thermal processing – an alternative approach to induce a band gap grading in chalcopyrite thin-film solar cell absorbers?. <i>Journal of Materials Chemistry A</i> , 2019, 7, 2087-2094.                | 5.2  | 5         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 657 | CuGaSe <sub>2</sub> Thin Film Solar Cells: Challenges for Developing Highly Efficient Wide-Bandgap Chalcopyrite Photovoltaics. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2019, 216, 1800873.   | 0.8 | 24        |
| 658 | Growth improved of CIGS thin films by applying mechanical perturbations to the working electrode during the electrodeposition process. <i>Superlattices and Microstructures</i> , 2019, 128, 144-150.  | 1.4 | 6         |
| 659 | Flexible quintuple cation perovskite solar cells with high efficiency. <i>Journal of Materials Chemistry A</i> , 2019, 7, 4960-4970.   | 5.2 | 93        |
| 660 | A study of ZnO:Al thin films reactively sputtered under the control of target voltage for application in Cu(In,Ga)Se <sub>2</sub> thin film solar cells. <i>Vacuum</i> , 2019, 161, 297-305.   | 1.6 | 15        |
| 661 | Characterization of Cd-Free Zn <sub>1-x</sub> Mg <sub>x</sub> O:Al/Zn <sub>1-x</sub> Mg <sub>x</sub> O/Cu(In,Ga)(S,Se) <sub>2</sub> Solar Cells Fabricated by an All Dry Process Using Ultraviolet Light Excited Time-Resolved Photoluminescence. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 7539-7545. | 4.0 | 18        |
| 662 | Effects of substrate orientation and solution movement in chemical bath deposition on Zn(O,S) buffer layer and Cu(In,Ga)Se <sub>2</sub> thin film solar cells. <i>Nano Energy</i> , 2019, 58, 427-436.   | 8.2 | 33        |
| 663 | Stacking fault reduction during annealing in Cu-poor CuInSe <sub>2</sub> thin film solar cell absorbers analyzed by <i>in situ</i> XRD and grain growth modeling. <i>Journal of Applied Physics</i> , 2019, 125, .   | 1.1 | 10        |
| 664 | Nucleic Acid Complementation Analysis on Biosensors. , 2019, , 95-115.   |     | 1         |
| 665 | Surface passivation and point defect control in Cu(In,Ga)Se <sub>2</sub> films with a Na <sub>2</sub> S post deposition treatment for higher than 19% CIGS cell performance. <i>Sustainable Energy and Fuels</i> , 2019, 3, 709-716.   | 2.5 | 17        |
| 666 | Near-Surface [Ga]/([In]+[Ga]) Composition in Cu(In,Ga)Se <sub>2</sub> Thin-Film Solar Cell Absorbers: An Overlooked Material Feature. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2019, 216, 1800856.  | 0.8 | 6         |
| 667 | Chemical Dynamics of Back Contact with MoO <sub>3</sub> Interfacial Layer in Kesterite Solar Cells: Microstructure Evolution and Photovoltaic Performance. <i>Solar Rrl</i> , 2019, 3, 1900131.  | 3.1 | 25        |
| 668 | Property comparison of flexible Cu(InGa)Se <sub>2</sub> thin film solar cells on Ti and Ni foils without diffusion barrier. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 11754-11763.   | 1.1 | 4         |
| 669 | Effects of KF and RbF post deposition treatments on the growth of the CdS buffer layer on CIGS thin films - a comparative study. <i>Solar Energy Materials and Solar Cells</i> , 2019, 200, 109997.  | 3.0 | 26        |
| 670 | Examination of a Cu-Deficient Layer on Cu(In, Ga)Se <sub>2</sub> Films Fabricated by a Three-Stage Process for Highly Efficient Solar Cells. <i>ACS Applied Energy Materials</i> , 2019, 2, 5103-5108.   | 2.5 | 13        |
| 671 | Perovskites with d-block metals for solar energy applications. <i>Dalton Transactions</i> , 2019, 48, 9516-9537.   | 1.6 | 24        |
| 672 | Irradiance and temperature considerations in the design and deployment of high annual energy yield perovskite/CIGS tandems. <i>Sustainable Energy and Fuels</i> , 2019, 3, 1841-1851.  | 2.5 | 30        |
| 673 | Effects of Cu(In,Ga)3Se5 defect phase layer in Cu(In,Ga)Se <sub>2</sub> thin film solar cells. <i>Journal of Alloys and Compounds</i> , 2019, 800, 305-313.  | 2.8 | 12        |
| 674 | Segregation of point defects at the CuInSe <sub>2</sub> (001)/GaAs(001) interface. <i>Solid State Communications</i> , 2019, 299, 113652.  | 0.9 | 1         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 675 | Designing of Al <sub>x</sub> Ga <sub>1-x</sub> As/CIGS tandem solar cell by analytical model. <i>Solar Energy</i> , 2019, 188, 1-9.  | 2.9  | 38        |
| 676 | Over 12% efficient low-bandgap CuIn(S, Se) <sub>2</sub> solar cells with the absorber processed from aqueous metal complexes solution in air. <i>Nano Energy</i> , 2019, 62, 818-822.  | 8.2  | 25        |
| 677 | Bioinspired synthesis of SnO crosses as backbone in artificial sponges. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2019, 377, 20190130.  | 1.6  | 1         |
| 678 | Comparative <i>operando</i> XPS studies of quasi-Fermi level splitting and open-circuit voltage in CZTSe/CdS and CIGS/CdS junctions and device structures. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2019, 37, . | 0.9  | 10        |
| 679 | A critical review on flexible Cu(In, Ga)Se <sub>2</sub> (CIGS) solar cells. <i>Materials Chemistry and Physics</i> , 2019, 234, 329-344.   | 2.0  | 42        |
| 680 | Advanced Alkali Treatments for High-Efficiency Cu(In,Ga)Se <sub>2</sub> Solar Cells on Flexible Substrates. <i>Advanced Energy Materials</i> , 2019, 9, 1900408.   | 10.2 | 175       |
| 681 | Significantly Enhanced Detectivity of CIGS Broadband High-Speed Photodetectors by Grain Size Control and ALD-Al <sub>2</sub> O <sub>3</sub> Interfacial-Layer Modification. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 20157-20166.     | 4.0  | 34        |
| 682 | Enhancing photocurrent of Cu(In,Ga)Se <sub>2</sub> solar cells with actively controlled Ga grading in the absorber layer. <i>Nano Energy</i> , 2019, 62, 205-211.  | 8.2  | 47        |
| 683 | Giant Voc Boost of Low-Temperature Annealed Cu(In,Ga)Se <sub>2</sub> with Sputtered Zn(O,S) Buffers. <i>Physica Status Solidi - Rapid Research Letters</i> , 2019, 13, 1900145.  | 1.2  | 6         |
| 684 | Enabling Flexible All-Perovskite Tandem Solar Cells. <i>Joule</i> , 2019, 3, 2193-2204.  | 11.7 | 331       |
| 685 | Wavelength-dependent J-V characteristics of CuIn <sub>1-x</sub> Ga <sub>x</sub> (S,Se) <sub>2</sub> solar cells and carrier recombination. <i>Applied Physics Express</i> , 2019, 12, 061001.  | 1.1  | 5         |
| 686 | Synergistic effect of Na and Se on CZTSe solar cells through a soft chemical process. <i>Solar Energy Materials and Solar Cells</i> , 2019, 198, 35-43.  | 3.0  | 20        |
| 687 | Alkali Atoms Diffusion Mechanism in CuInSe <sub>2</sub> Explained by Kinetic Monte Carlo Simulations. <i>Advanced Theory and Simulations</i> , 2019, 2, 1900036.   | 1.3  | 12        |
| 688 | Impact of heat-light soaking and heat-bias soaking on NaF-treated CIGS thin film solar cells. <i>Progress in Photovoltaics: Research and Applications</i> , 2019, 27, 623-629.   | 4.4  | 18        |
| 689 | Characteristics of Zn <sub>1-x</sub> Mg <sub>x</sub> O:B and its application as transparent conductive oxide layer in Cu(In,Ga)(S,Se) <sub>2</sub> solar cells with and without CdS buffer layer. <i>Solar Energy</i> , 2019, 184, 553-560.            | 2.9  | 24        |
| 690 | Time-resolved photoluminescence on double graded Cu(In,Ga)Se <sub>2</sub> – Impact of front surface recombination and its temperature dependence. <i>Science and Technology of Advanced Materials</i> , 2019, 20, 313-323.                             | 2.8  | 17        |
| 691 | A theoretical modeling of the Cu(In, Ga)Se <sub>2</sub> solar cell. <i>AIP Conference Proceedings</i> , 2019, . .  | 0.3  | 1         |
| 692 | Mo/CIGS/CdS Structures by E-ALD. <i>Bulletin of the Korean Chemical Society</i> , 2019, 40, 496-503.   | 1.0  | 2         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 693 | Investigation of Mo:Na and Mo related back contacts for the application in Cu(In,Ga)Se <sub>2</sub> thin film solar cells. Solid-State Electronics, 2019, 157, 48-54.  | 0.8  | 2         |
| 694 | Structures of Cu(In,Ga)(S,Se) <sub>2</sub> solar cells for minimizing open-circuit voltage deficit: Investigation of carrier recombination rates. Progress in Photovoltaics: Research and Applications, 2019, 27, 630-639.   | 4.4  | 13        |
| 695 | Structural characterization of coevaporated Cu(In,Ga)Se <sub>2</sub> absorbers deposited at low temperature. Journal of Alloys and Compounds, 2019, 794, 654-661.  | 2.8  | 8         |
| 696 | Seed-Mediated Growth of Conductive and Transparent Anatase Nb-TiO <sub>2</sub> Films for CdS-Based Devices. ACS Applied Nano Materials, 2019, 2, 1802-1807.  | 2.4  | 0         |
| 697 | Effect of series and shunt resistance on the photovoltaic properties of solution-processed zinc oxide nanowire based CZTS solar cell in superstrate configuration. Materials Science in Semiconductor Processing, 2019, 100, 1-7.                                    | 1.9  | 36        |
| 698 | Investigation of Mo films deposited on high temperature polyimide substrate by magnetron sputtering for flexible CIGS thin film solar cells application. AIP Advances, 2019, 9, .  | 0.6  | 10        |
| 699 | Ultrathin Solar Absorber Layers of Silver Bismuth Sulfide from Molecular Precursors. ACS Applied Materials & Interfaces, 2019, 11, 16674-16682.  | 4.0  | 24        |
| 700 | <i>In situ</i> investigation of as grown Cu(In,Ga)Se <sub>2</sub> thin films by means of photoemission spectroscopy. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2019, 37, .   | 0.9  | 3         |
| 701 | Earth-abundant photovoltaic semiconductor NaSbS <sub>2</sub> in the rocksalt-derived structure: A first-principles study. Progress in Natural Science: Materials International, 2019, 29, 322-328.   | 1.8  | 8         |
| 702 | A simple and robust route toward flexible CIGS photovoltaic devices on polymer substrates: Atomic level microstructural analysis and local opto-electronic investigation. Solar Energy Materials and Solar Cells, 2019, 195, 280-290.                                | 3.0  | 19        |
| 703 | Si/CuIn <sub>0.7</sub> Ga <sub>0.3</sub> Se <sub>2</sub> Core-Shell Heterojunction for Sensitive and Self-Driven UV-vis-NIR Broadband Photodetector. Advanced Optical Materials, 2019, 7, 1900023.   | 3.6  | 25        |
| 704 | Influence of RbF post deposition treatment on heterojunction and grain boundaries in high efficient (21.1%) Cu(In,Ga)Se <sub>2</sub> solar cells. Nano Energy, 2019, 60, 103-110.  | 8.2  | 46        |
| 705 | Improvement of Ga distribution with Sb incorporation for two-step low-temperature processing of CIGSe thin film solar cells. Solar Energy Materials and Solar Cells, 2019, 194, 244-251.   | 3.0  | 6         |
| 706 | Improved efficiency of Cu(In,Ga)Se <sub>2</sub> mini-module via high-mobility In <sub>2</sub> O <sub>3</sub> :W,H transparent conducting oxide layer. Progress in Photovoltaics: Research and Applications, 2019, 27, 491-500.                                       | 4.4  | 16        |
| 707 | Solution processing route to Na incorporation in CZTSSe nanoparticle ink solar cells on foil substrate. Journal of Materials Science: Materials in Electronics, 2019, 30, 7883-7889.   | 1.1  | 10        |
| 708 | Grain growth enhancing through preheating treatment of a sputtered stacked metallic precursor for Cu(In, Al)Se <sub>2</sub> thin film solar cells application. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2019, 242, 31-36. | 1.7  | 5         |
| 709 | Photovoltaic solar cell technologies: analysing the state of the art. Nature Reviews Materials, 2019, 4, 269-285.  | 23.3 | 727       |
| 710 | Ag Alloying and KF Treatment Effects on Low Bandgap CuInSe <sub>2</sub> Solar Cells. IEEE Journal of Photovoltaics, 2019, 9, 906-911.  | 1.5  | 19        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 711 | Solution-processed SnO <sub>2</sub> interfacial layer for highly efficient Sb <sub>2</sub> Se <sub>3</sub> thin film solar cells. Nano Energy, 2019, 60, 802-809.  | 8.2  | 111       |
| 712 | Role of surface microstructure of Mo back contact on alkali atom diffusion and Ga grading in Cu(In,Ga)Se <sub>2</sub> thin film solar cells. Energy Science and Engineering, 2019, 7, 754-763.                   | 1.9  | 10        |
| 713 | Diffusion of Alkali Metals in Polycrystalline CuInSe <sub>2</sub> and Their Role in the Passivation of Grain Boundaries. ACS Applied Materials & Interfaces, 2019, 11, 14821-14829.                              | 4.0  | 23        |
| 714 | Impact of various dopant elements on the properties of kesterite compounds for solar cell applications: a status review. Sustainable Energy and Fuels, 2019, 3, 1365-1383.                                       | 2.5  | 57        |
| 715 | The use of HfO <sub>2</sub> in a point contact concept for front interface passivation of Cu(In,Ga)Se <sub>2</sub> solar cells. Solar Energy Materials and Solar Cells, 2019, 195, 213-219.                      | 3.0  | 25        |
| 716 | Draw-spun, photonically annealed Ag fibers as alternative electrodes for flexible CIGS solar cells. Science and Technology of Advanced Materials, 2019, 20, 26-34.   | 2.8  | 4         |
| 717 | Trap-Free Heterostructure of PbS Nanoplatelets on InP(001) by Chemical Epitaxy. ACS Nano, 2019, 13, 1961-1967.   | 7.3  | 7         |
| 718 | Microstructures and photovoltaic performances of bismuth <sup>3+</sup> -doped Cu(In,Ga)Se <sub>2</sub> films prepared via sputtering process. Journal of the American Ceramic Society, 2019, 102, 3578-3587.     | 1.9  | 5         |
| 719 | RGB-Colored Cu(In,Ga)(S,Se) <sub>2</sub> Thin-Film Solar Cells with Minimal Efficiency Loss Using Narrow-Bandwidth Stopband Nano-Multilayered Filters. ACS Applied Materials & Interfaces, 2019, 11, 9994-10003. | 4.0  | 18        |
| 720 | Surface and Interface Properties in Thin-Film Solar Cells: Using Soft X-rays and Electrons to Unravel the Electronic and Chemical Structure. Advanced Materials, 2019, 31, e1806660.                             | 11.1 | 22        |
| 721 | Enhanced spectral response of CIGS solar cells with anti-reflective subwavelength structures and quantum dots. Solar Energy Materials and Solar Cells, 2019, 194, 177-183.                                       | 3.0  | 24        |
| 722 | Progress and Perspectives of Thin Film Kesterite Photovoltaic Technology: A Critical Review. Advanced Materials, 2019, 31, e1806692.   | 11.1 | 333       |
| 723 | In-situ Microscopy Characterization of Cu(In,Ga)Se <sub>2</sub> Potential-Induced Degradation. , 2019, , .   |      | 3         |
| 724 | Influence of Molybdenum Back Contact on the PID Effect for Cu(In,Ga)Se <sub>2</sub> Solar Cells. Coatings, 2019, 9, 794.   | 1.2  | 11        |
| 725 | Nano-scale Defect Analysis Through K-Means Clustering of CuInSe <sub>2</sub> Solar Cells with Ag and K Incorporation. , 2019, , .  |      | 1         |
| 726 | Post Deposition Treatments of (Ag,Cu)(In,Ga)Se <sub>2</sub> Thin Films for Solar Cells. , 2019, , .  |      | 1         |
| 727 | Control of Vacancy Defects in Reactively Sputtered (Ag,Cu)(In,Ga)Se <sub>2</sub> Solar Cells. , 2019, , .  |      | 0         |
| 728 | Reducing Air- and Moisture-Induced Degradation of Cu(In,Ga)Se <sub>2</sub> Absorber Layers for Thin Film Solar Cells by RbCl Treatment. , 2019, , .  |      | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 729 | Inline Rubidium Fluoride Treatment of (A)CIGS Absorbers Deposited onto Flexible Substrates in a Production-Scale Process Tool. , 2019, , .   |     | 1         |
| 730 | Photovoltaic Solar Energy: Is It Applicable in Brazil? â€œ A Review Applied to Brazilian Case. Materials and Geoenvironment, 2019, 66, 99-120.   | 0.4 | 2         |
| 731 | On the effect of KInSe <sub>2</sub> (KIS) layer on Cu(In,Ga)Se <sub>2</sub> solar cell performance: a numerical study. , 2019, , .   |     | 1         |
| 732 | Evidence of reversible oxidation at CuInSe <sub>2</sub> grain boundaries. , 2019, , .  |     | 0         |
| 733 | Effects of Ammoniaâ€¢Induced Surface Modification of Cu(In,Ga)Se <sub>2</sub> on Highâ€¢Efficiency Zn(O,S)â€¢Based Cu(In,Ga)Se <sub>2</sub> Solar Cells. Solar Rrl, 2019, 3, 1800254.  | 3.1 | 29        |
| 734 | Improvement in the performance of CIGS solar cells by introducing GaN nanowires on the absorber layer. Journal of Alloys and Compounds, 2019, 779, 643-647.  | 2.8 | 9         |
| 735 | Crystallographic, optical, and electronic properties of (Cu, Li)GaS <sub>2</sub> . Thin Solid Films, 2019, 672, 192-198.   | 0.8 | 3         |
| 736 | Alkali treatment for single-stage co-evaporated thin CuIn <sub>0.7</sub> Ga <sub>0.3</sub> Se <sub>2</sub> solar cells. Thin Solid Films, 2019, 671, 44-48.  | 0.8 | 13        |
| 737 | Understanding macroscale functionality of metal halide perovskites in terms of nanoscale heterogeneities. JPhys Energy, 2019, 1, 011002.   | 2.3 | 3         |
| 738 | Alkali Postdeposition Treatment-Induced Changes of the Chemical and Electronic Structure of Cu(In,Ga)Se <sub>2</sub> Thin-Film Solar Cell Absorbers: A First-Principle Perspective. ACS Applied Materials & Interfaces, 2019, 11, 3024-3033. | 4.0 | 9         |
| 739 | Photoelectrochemical Behavior of Bismuth-Containing Cu <sub>2</sub> ZnSnS <sub>4</sub> (CZTS) Absorber Layers for Photovoltaic Applications. Journal of the Electrochemical Society, 2019, 166, H3040-H3046.                                 | 1.3 | 9         |
| 740 | Optical optimization of a multi-layer wideband anti-reflection coating using porous MgF <sub>2</sub> for sub-micron-thick CIGS solar cells. Solar Energy, 2019, 177, 59-67.  | 2.9 | 28        |
| 741 | Engineering flexible dye-sensitized solar cells for portable electronics. Solar Energy, 2019, 177, 80-98.  | 2.9 | 72        |
| 742 | Alkali Metals Doping for Highâ€¢Performance Planar Heterojunction Sb <sub>2</sub> S <sub>3</sub> Solar Cells. Solar Rrl, 2019, 3, 1800272.   | 3.1 | 94        |
| 743 | Micro-scale current path distributions of Zn <sup>1</sup> -Mg O-coated SnO <sub>2</sub> :F transparent electrodes prepared by sol-gel and sputtering methods in perovskite solar cells. Thin Solid Films, 2019, 669, 455-460.                | 0.8 | 5         |
| 744 | Predictive Modeling of CuInSe <sub>2</sub> Nanocrystal Photovoltaics: The Importance of Band Alignment and Carrier Diffusion. ACS Applied Energy Materials, 2019, 2, 1494-1504.  | 2.5 | 17        |
| 745 | Effect of hydrodynamic conditions on the Cu(In,Ga)Se <sub>2</sub> thin film growth by electrodeposition. Materials Chemistry and Physics, 2019, 226, 82-87.  | 2.0 | 1         |
| 746 | Control of Structural and Electrical Properties of Indium Tin Oxide (ITO)/Cu(In,Ga)Se <sub>2</sub> Interface for Transparent Back-Contact Applications. Journal of Physical Chemistry C, 2019, 123, 1635-1644.                               | 1.5 | 22        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 747 | Fabrication of Sb <sub>2</sub> S <sub>3</sub> thin films by sputtering and post-annealing for solar cells. <i>Ceramics International</i> , 2019, 45, 3044-3051.  | 2.3 | 64        |
| 748 | Accurate control and characterization of Cu depletion layer for highly efficient Cu(In,Ga)Se <sub>2</sub> solar cells. <i>Progress in Photovoltaics: Research and Applications</i> , 2019, 27, 171-178.  | 4.4 | 18        |
| 749 | RbF post deposition treatment for narrow bandgap Cu(In,Ga)Se <sub>2</sub> solar cells. <i>Thin Solid Films</i> , 2019, 670, 34-40.   | 0.8 | 33        |
| 750 | Record Efficiency for Thin-Film Polycrystalline Solar Cells Up to 22.9% Achieved by Cs-Treated Cu(In,Ga)(Se,S) <sub>2</sub> . <i>IEEE Journal of Photovoltaics</i> , 2019, 9, 325-330.   | 1.5 | 265       |
| 751 | Factors influencing the efficiency of photovoltaic system. <i>Renewable and Sustainable Energy Reviews</i> , 2019, 101, 376-394.   | 8.2 | 94        |
| 752 | Effect of Ga introduction during the second stage of a coevaporation process of Cu(In,Ga)Se <sub>2</sub> layers at low temperature on polyimide substrates. <i>Thin Solid Films</i> , 2019, 669, 494-499.  | 0.8 | 8         |
| 753 | DC and RF sputtered molybdenum electrodes for Cu(In,Ga)Se <sub>2</sub> thin film solar cells. <i>Applied Surface Science</i> , 2019, 465, 48-55.   | 3.1 | 11        |
| 754 | Influence of antimony dopant on CuIn(S,Se) <sub>2</sub> solar thin absorber layer deposited via solution-processed route. <i>Journal of Alloys and Compounds</i> , 2019, 772, 710-718.   | 2.8 | 8         |
| 755 | K <sub>2</sub> Hg <sub>2</sub> Te <sub>3</sub> : Straightforward and Large-Scale Mercury-Flux Synthesis of a Small-Band-Gap Photoconducting Material. <i>Inorganic Chemistry</i> , 2019, 58, 4052-4054.  | 1.9 | 5         |
| 756 | Highly efficient solution-processed CZTSSe solar cells based on a convenient sodium-incorporated post-treatment method. <i>Journal of Energy Chemistry</i> , 2020, 40, 196-203.  | 7.1 | 62        |
| 757 | Angle-Insensitive Color Filters Based on Multilayer Ultrathin-Film Structures. <i>Plasmonics</i> , 2020, 15, 255-261.  | 1.8 | 12        |
| 758 | Concept for a Gossamer solar power array using thin-film photovoltaics. <i>CEAS Space Journal</i> , 2020, 12, 125-135.   | 1.1 | 11        |
| 759 | Mechanisms of extrinsic alkali incorporation in CIGS solar cells on flexible polyimide elucidated by nanoscale and quantitative analyses. <i>Nano Energy</i> , 2020, 67, 104201.   | 8.2 | 35        |
| 760 | 22% efficient Cd-free Cu(In,Ga)(S,Se) <sub>2</sub> solar cell by all-dry process using Zn <sub>0.8</sub> Mg <sub>0.2</sub> O and Zn <sub>0.9</sub> Mg <sub>0.1</sub> O:B as buffer and transparent conductive oxide layers. <i>Progress in Photovoltaics: Research and Applications</i> , 2020, 28, 79-89. | 4.4 | 17        |
| 761 | Designing composition tuned glasses with enhanced properties for use as substrate in Cu <sub>2</sub> ZnSnS <sub>4</sub> based thin film solar cells. <i>Journal of Alloys and Compounds</i> , 2020, 819, 152984.   | 2.8 | 13        |
| 762 | Investigation of carrier recombination of Na-doped Cu <sub>2</sub> SnS <sub>3</sub> solar cell for its improved conversion efficiency of 5.1%. <i>Solar Energy Materials and Solar Cells</i> , 2020, 206, 110261.  | 3.0 | 46        |
| 763 | Luminescent down-shifting CsPbBr <sub>3</sub> perovskite nanocrystals for flexible Cu(In,Ga)Se <sub>2</sub> solar cells. <i>Nanoscale</i> , 2020, 12, 558-562.   | 2.8 | 25        |
| 764 | Interface Formation between CdS and Alkali Postdeposition-Treated Cu(In,Ga)Se <sub>2</sub> Thin-Film Solar Cell Absorbers—Key To Understanding the Efficiency Gain. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 6688-6698.   | 4.0 | 5         |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 765 | Heterovalent Ga <sup>3+</sup> doping in solution-processed Cu <sub>2</sub> ZnSn(S,Se) <sub>4</sub> solar cells for better optoelectronic performance. <i>Sustainable Energy and Fuels</i> , 2020, 4, 1621-1629.                          | 2.5  | 16        |
| 766 | Vibrational Properties of RbInSe <sub>2</sub> : Raman Scattering Spectroscopy and First-Principle Calculations. <i>Journal of Physical Chemistry C</i> , 2020, 124, 1285-1291.   | 1.5  | 5         |
| 767 | Alkali-induced grain boundary reconstruction on Cu(In,Ga)Se <sub>2</sub> thin film solar cells using cesium fluoride post deposition treatment. <i>Nano Energy</i> , 2020, 68, 104299.   | 8.2  | 56        |
| 768 | Nanosecond laser scribing for see-through CIGS thin film solar cells. <i>Progress in Photovoltaics: Research and Applications</i> , 2020, 28, 135-147.   | 4.4  | 10        |
| 769 | Polycrystalline CuGaSe <sub>2</sub> thin film growth and photovoltaic devices fabricated on alkali-free and alkali-containing substrates. <i>Journal of Crystal Growth</i> , 2020, 532, 125407.  | 0.7  | 5         |
| 770 | KF Postdeposition Treatment in N <sub>2</sub> of Single-Stage Thin Cu(In,Ga)Se <sub>2</sub> Absorber Layers. <i>IEEE Journal of Photovoltaics</i> , 2020, 10, 255-258.   | 1.5  | 3         |
| 771 | Photoluminescence-Based Method for Imaging Buffer Layer Thickness in CIGS Solar Cells. <i>IEEE Journal of Photovoltaics</i> , 2020, 10, 181-187.   | 1.5  | 2         |
| 772 | Flexible CIGS, CdTe and a-Si:H based thin film solar cells: A review. <i>Progress in Materials Science</i> , 2020, 110, 100619.  | 16.0 | 270       |
| 773 | Trivalent copper and indium heterometallic complex with dithiocarbamate and iodide ligands. <i>Journal of Molecular Structure</i> , 2020, 1204, 127478.  | 1.8  | 6         |
| 774 | A review on atomic layer deposited buffer layers for Cu(In,Ga)Se <sub>2</sub> (CIGS) thin film solar cells: Past, present, and future. <i>Solar Energy</i> , 2020, 209, 515-537.   | 2.9  | 26        |
| 775 | Correlating facet orientation, defect-level density and dipole layer formation at the surface of polycrystalline CuInSe <sub>2</sub> thin films. <i>Acta Materialia</i> , 2020, 200, 463-470.  | 3.8  | 8         |
| 776 | Historical Analysis of High-Efficiency, Large-Area Solar Cells: Toward Upscaling of Perovskite Solar Cells. <i>Advanced Materials</i> , 2020, 32, e2002202.  | 11.1 | 103       |
| 777 | Recent Progress in Interconnection Layer for Hybrid Photovoltaic Tandems. <i>Advanced Materials</i> , 2020, 32, 2002196.   | 11.1 | 20        |
| 778 | Emerging inorganic compound thin film photovoltaic materials: Progress, challenges and strategies. <i>Materials Today</i> , 2020, 41, 120-142.   | 8.3  | 81        |
| 779 | Laser synthesis of 2D structures for photo-thermo sensors with high sensitivity. <i>Applied Physics B: Lasers and Optics</i> , 2020, 126, 1.   | 1.1  | 2         |
| 780 | Application of Two-Dimensional MoSe <sub>2</sub> Atomic Layers to the Lift-Off Process for Producing Light-Weight and Flexible Bifacial Cu(In, Ga)Se <sub>2</sub> Solar Cells. <i>ACS Applied Energy Materials</i> , 2020, 3, 9504-9508. | 2.5  | 17        |
| 781 | Optimal CdS Buffer Thickness to Form High-Quality CdS/Cu(In,Ga)Se <sub>2</sub> Junctions in Solar Cells without Plasma Damage and Shunt Paths. <i>ACS Omega</i> , 2020, 5, 23983-23988.  | 1.6  | 11        |
| 782 | Preparation of a-IZO thin films by RF magnetron sputtering for Cu (In, Ga) Se <sub>2</sub> solar cells. <i>Journal of Physics: Conference Series</i> , 2020, 1549, 042036.   | 0.3  | 1         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 783 | Review of CIGS-based solar cells manufacturing by structural engineering. Solar Energy, 2020, 207, 1146-1157.  | 2.9 | 106       |
| 784 | Chemical instability at chalcogenide surfaces impacts chalcopyrite devices well beyond the surface. Nature Communications, 2020, 11, 3634.   | 5.8 | 34        |
| 785 | Short-chain ligands capped CuInSe <sub>2</sub> quantum dots as hole transport material for inverted perovskite solar cells. Materials Science in Semiconductor Processing, 2020, 120, 105267.  | 1.9 | 9         |
| 786 | Silver Surface Treatment of Cu(In,Ga)Se <sub>2</sub> (CIGS) Thin Film: A New Passivation Process for the CdS/CIGS Heterojunction Interface. Solar Rrl, 2020, 4, 2000290.   | 3.1 | 21        |
| 787 | Nanoscale chemical and structural reconstruction in thermally oxidized TiN/SnO <sub>2</sub> ultrathin films. Journal of Alloys and Compounds, 2020, 843, 155896.   | 2.8 | 1         |
| 788 | Defect suppression in multinary chalcogenide photovoltaic materials derived from kesterite: progress and outlook. Journal of Materials Chemistry A, 2020, 8, 24920-24942.  | 5.2 | 36        |
| 789 | Failure and Recovery Modes of Submicron Cu(In,Ga)Se <sub>2</sub> Solar Cells with High Cu Content. ACS Applied Materials & Interfaces, 2020, 12, 52857-52863.  | 4.0 | 8         |
| 790 | Front passivation of Cu(In,Ga)Se <sub>2</sub> solar cells using Al <sub>2</sub> O <sub>3</sub> : Culprits and benefits. Applied Materials Today, 2020, 21, 100867.   | 2.3 | 28        |
| 791 | Bismuth-doped Cu(In,Ga)Se <sub>2</sub> solar cell on flexible stainless steel substrate: Examination of bismuth-doping effectiveness under different substrate temperatures on photovoltaic performances. Solar Energy, 2020, 208, 20-30.  | 2.9 | 6         |
| 792 | Crystallographic Orientation Control of 1D Sb <sub>2</sub> Se <sub>3</sub> Nanorod Arrays for Photovoltaic Application by In Situ Back-Contact Engineering. Solar Rrl, 2020, 4, 2000294.   | 3.1 | 29        |
| 793 | Effect of cesium for Cu(In,Ga)Se <sub>2</sub> and Cu(In,Ga)(S,Se) <sub>2</sub> films studied by depth-resolved XAFS. Applied Physics Letters, 2020, 117, .   | 1.5 | 6         |
| 794 | Temperature-dependent current-voltage and admittance spectroscopy analysis on cesium-treated Cu(In <sub>1-x</sub> Ga <sub>x</sub> )Se <sub>2</sub> solar cell before and after heat-light soaking and subsequent heat-soaking treatments. Progress in Photovoltaics: Research and Applications, 2020, 28, 1158-1166. | 4.4 | 10        |
| 795 | Effect of Na-PDT and KF-PDT on the photovoltaic performance of wide bandgap Cu (In,Ga)Se <sub>2</sub> solar cells. Progress in Photovoltaics: Research and Applications, 2020, 28, 1146-1157.  | 4.4 | 12        |
| 796 | Temperature dependence of CIGS and perovskite solar cell performance: an overview. SN Applied Sciences, 2020, 2, 1.  | 1.5 | 26        |
| 797 | A comparative study of the effects of light and heavy alkali-halide postdeposition treatment on CuGaSe <sub>2</sub> and Cu(In,Ga)Se <sub>2</sub> thin-film solar cells. Solar Energy, 2020, 211, 1092-1101.  | 2.9 | 6         |
| 798 | Double-Sided Heat-Exchange CBD System for Homogeneous Zn(O,S) Thin Films in Highly Efficient CIGS Solar Devices. ACS Applied Energy Materials, 2020, 3, 11242-11248.   | 2.5 | 3         |
| 799 | Efficiency Enhancement of CIGS Solar Cells via Recombination Passivation. ACS Applied Energy Materials, 2020, 3, 9459-9467.  | 2.5 | 13        |
| 800 | Influence of Sulfur Evaporation during or after KF-Post Deposition Treatment On Cu(In,Ga)Se <sub>2</sub> /CdS Interface Formation. ACS Applied Materials & Interfaces, 2020, 12, 46953-46962.  | 4.0 | 6         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 801 | Effect of deposition time and complexing agents on hierarchical nanoflake-structured CdS thin films. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 17055-17066.   | 1.1  | 38        |
| 802 | Efficient Narrow Band Gap Cu(In,Ga)Se <sub>2</sub> Solar Cells with Flat Surface. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 45485-45492.  | 4.0  | 15        |
| 803 | Concerted regulation on vertical orientation and film quality of two-dimensional ruddlesden-popper perovskite layer for efficient solar cells. <i>Science China Chemistry</i> , 2020, 63, 1675-1683.  | 4.2  | 9         |
| 804 | <i>In silico</i> investigation of Cu(In,Ga)Se <sub>2</sub> -based solar cells. <i>Physical Chemistry Chemical Physics</i> , 2020, 22, 26682-26701.  | 1.3  | 3         |
| 805 | Impact of RbF-PDT on Cu(In,Ga)Se <sub>2</sub> solar cells with CdS and Zn(O,S) buffer layers. <i>EPJ Photovoltaics</i> , 2020, 11, 8.   | 0.8  | 17        |
| 806 | Absorber Delamination-Induced Shunt Defects in Alcohol-Based Solution-Processed Cu(In,Ga)(S,Se) <sub>2</sub> Solar Modules. <i>ACS Applied Energy Materials</i> , 2020, 3, 10384-10392.   | 2.5  | 4         |
| 807 | In-Operando Nanoscale X-ray Analysis Revealing the Local Electrical Properties of Rubidium-Enriched Grain Boundaries in Cu(In,Ga)Se <sub>2</sub> Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 57117-57123.                                  | 4.0  | 7         |
| 808 | Interfacial modification mechanism by aging effect for high-performance Cd-free and all-dry process Cu(In,Ga)(S,Se) <sub>2</sub> solar cells. <i>Applied Physics Letters</i> , 2020, 117, .   | 1.5  | 8         |
| 809 | Numerical simulation of n-TiO <sub>2</sub> /p-CIGS solar cell. <i>AIP Conference Proceedings</i> , 2020, , .  | 0.3  | 0         |
| 810 | Morphologicalâ€“Electrical Property Relation in Cu(In,Ga)(S,Se) <sub>2</sub> Solar Cells: Significance of Crystal Grain Growth and Band Grading by Potassium Treatment. <i>Small</i> , 2020, 16, e2003865.  | 5.2  | 12        |
| 811 | Potassium Treatments for Solution-Processed Cu(In,Ga)(S,Se) <sub>2</sub> Solar Cells. <i>ACS Applied Energy Materials</i> , 2020, 3, 4821-4830.   | 2.5  | 19        |
| 812 | Ultrafast electron imaging of surface charge carrier dynamics at low voltage. <i>Structural Dynamics</i> , 2020, 7, 021001.   | 0.9  | 3         |
| 813 | Effects of Laserâ€“Scribed Mo Groove Shape on Highly Efficient Zn(O,S)-Based Cu(In,Ga)Se <sub>2</sub> Solar Modules. <i>Solar Rrl</i> , 2020, 4, 2070042.   | 3.1  | 1         |
| 814 | Lithium-Doping Effects in Cu(In,Ga)Se <sub>2</sub> Thin-Film and Photovoltaic Properties. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 25058-25065.  | 4.0  | 14        |
| 815 | Inclusion of Water in Cu(In, Ga)Se <sub>2</sub> Absorber Material During Accelerated Lifetime Testing. <i>ACS Applied Energy Materials</i> , 2020, 3, 5120-5125.  | 2.5  | 14        |
| 816 | Challenges and opportunities for an efficiency boost of next generation Cu(In,Ga)Se <sub>2</sub> solar cells: prospects for a paradigm shift. <i>Energy and Environmental Science</i> , 2020, 13, 2047-2055.  | 15.6 | 30        |
| 817 | Electrodeposition of CuIn(Al)Se <sub>2</sub> -based thin films on various substrates. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 10241-10250.  | 1.1  | 1         |
| 818 | Manipulation of [Ga]/([Ga]+[In]) profile in 1.4-Î¼m-thick Cu(In,Ga)Se <sub>2</sub> thin film on flexible stainless steel substrate for enhancing short-circuit current density and conversion efficiency of its solar cell. <i>Solar Energy</i> , 2020, 204, 231-237. | 2.9  | 7         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 819 | Analyzing the causes of limited performance improvement in cigs devices after potassium fluoride post-deposition treatment using SCAPS. Optik, 2020, 219, 164757.  | 1.4 | 1         |
| 820 | Heavy Alkali Treatment of Post-sulfurized Cu(In,Ga)Se <sub>2</sub> Layers: Effect on Absorber Properties and Solar Cell Performance. Solar Rrl, 2020, 4, 2000248.  | 3.1 | 15        |
| 821 | Simulating the effect of adding BSF layers on Cu <sub>2</sub> BaSnSSe <sub>3</sub> thin film solar cells. Optical Materials, 2020, 107, 109927.  | 1.7 | 38        |
| 822 | Analysis and improvement of CIGS solar cell efficiency using multiple absorber substances simultaneously. Journal of Materials Science: Materials in Electronics, 2020, 31, 11527-11537.   | 1.1 | 14        |
| 823 | Solution-processed Cu(In,Ga)(Se,S) <sub>2</sub> solar cells prepared via a surface sulfurization process. Journal of the Taiwan Institute of Chemical Engineers, 2020, 110, 41-50.   | 2.7 | 4         |
| 824 | Effects of Incoherent Front Cover Glass on Current-Voltage Characteristics of Cu(In,Ga)Se <sub>2</sub> Solar Cells: Investigation into Calculation Accuracy for Cover Glass Modeled as Optically Coherent or Incoherent. Applied Sciences (Switzerland), 2020, 10, 3312. | 1.3 | 2         |
| 825 | Defect-Tolerant Sodium-Based Dopant in Charge Transport Layers for Highly Efficient and Stable Perovskite Solar Cells. ACS Energy Letters, 2020, 5, 1198-1205.   | 8.8 | 33        |
| 826 | Performance enhancement of CIGS thin-film solar cells with a functional-window NiO thin layer. Journal of Alloys and Compounds, 2020, 836, 154803.   | 2.8 | 26        |
| 827 | Efficiency Enhancement of Cu(In,Ga)(S,Se) <sub>2</sub> Solar Cells by Indium-Doped CdS Buffer Layers. ACS Applied Materials & Interfaces, 2020, 12, 18157-18164.   | 4.0 | 17        |
| 828 | The fox and the hound: in-depth and in-grain Na doping and Ga grading in Cu(In,Ga)Se <sub>2</sub> solar cells. Journal of Materials Chemistry A, 2020, 8, 6471-6479.   | 5.2 | 27        |
| 829 | Improvement of Cu(In,Ga)Se <sub>2</sub> solar cell performance by thiourea treatment. Japanese Journal of Applied Physics, 2020, 59, 031005.   | 0.8 | 5         |
| 830 | Fabrication of flexible and bifacial Cu(In,Ga)Se <sub>2</sub> solar cell with superstrate-type structure using a lift-off process. Solar Energy, 2020, 199, 819-825.   | 2.9 | 14        |
| 831 | Fabrication of Cu <sub>2</sub> ZnSn(S, Se) <sub>4</sub> thin-film solar cells by sulfurization using Cu <sub>2</sub> ZnSnSe <sub>4</sub> , NaF and KF compounds. Japanese Journal of Applied Physics, 2020, 59, SGGF11.  | 0.8 | 5         |
| 832 | First-principles studies of chalcopyrite-type (Cu, Li)GaS <sub>2</sub> and (Cu, Li)InS <sub>2</sub> systems. Japanese Journal of Applied Physics, 2020, 59, SCCB18.  | 0.8 | 0         |
| 833 | Investigation of the Maximum Power Point Position on a DSSC Solar Cell Using Different Irradiations. , 2020, , .   |     | 3         |
| 834 | Atomic Layer Deposition of Ternary Compounds on Cu(In,Ga)Se <sub>2</sub> : An In Situ Quartz Crystal Microbalance Study. ACS Applied Energy Materials, 2020, 3, 7208-7215.   | 2.5 | 6         |
| 835 | NaF/RbF-Treated Cu(In,Ga)Se <sub>2</sub> Thin-Film Solar Cell Absorbers: Distinct Surface Modifications Caused by Two Different Types of Rubidium Chemistry. ACS Applied Materials & Interfaces, 2020, 12, 34941-34948.  | 4.0 | 12        |
| 836 | Defect properties of Sb <sub>2</sub> Se <sub>3</sub> thin film solar cells and bulk crystals. Applied Physics Letters, 2020, 116, .  | 1.5 | 29        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 837 | A Review and Perspective on Cathodoluminescence Analysis of Halide Perovskites. <i>Advanced Energy Materials</i> , 2020, 10, 1903840.   | 10.2 | 26        |
| 838 | High Efficiency CIGS Solar Cells by Bulk Defect Passivation through Ag Substituting Strategy. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 12717-12726.  | 4.0  | 79        |
| 839 | Incorporation of copper–indium back-end layers in the solution-based Cu(In, Ga)Se <sub>2</sub> films: enhancement of photovoltaic performance of fabricated solar cells. <i>Materials Research Express</i> , 2020, 7, 026409.                       | 0.8  | 0         |
| 840 | Metastable Behavior on Cesium Fluoride–Treated Cu(In <sub>1-x</sub> Ga <sub>x</sub> )Se <sub>2</sub> Solar Cells. <i>Physica Status Solidi - Rapid Research Letters</i> , 2020, 14, 1900701.  | 1.2  | 10        |
| 841 | Revealing the origin of the beneficial effect of cesium in highly efficient Cu(In,Ga)Se <sub>2</sub> solar cells. <i>Nano Energy</i> , 2020, 71, 104622.  | 8.2  | 25        |
| 842 | System for manufacturing complete Cu(In,Ga)Se <sub>2</sub> solar cells in situ under vacuum. <i>Solar Energy</i> , 2020, 198, 490-498.  | 2.9  | 10        |
| 843 | Solution-Processed Transparent Electrodes for Emerging Thin-Film Solar Cells. <i>Chemical Reviews</i> , 2020, 120, 2049-2122.   | 23.0 | 152       |
| 844 | Etching process optimization of non-vacuum fabricated Cu <sub>2</sub> ZnSnS <sub>4</sub> solar cell. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 3674-3680.   | 1.1  | 8         |
| 845 | Mobility improvement of Zn <sub>1-x</sub> Mg <sub>x</sub> O:Al prepared under room temperature by co-sputtering through optimizations of Al and Mg contents. <i>Materials Science in Semiconductor Processing</i> , 2020, 109, 104921.              | 1.9  | 13        |
| 846 | Effects of Laser–Scribed Mo Groove Shape on Highly Efficient Zn(O,S)–Based Cu(In,Ga)Se <sub>2</sub> Solar Modules. <i>Solar Rrl</i> , 2020, 4, 1900510.   | 3.1  | 5         |
| 847 | Effect of Alkali Treatment on Photovoltaic Performances of Cu(In,Ga)(S,Se) <sub>2</sub> Solar Cells and Their Absorber Quality Analyzed by Urbach Energy and Carrier Recombination Rates. <i>ACS Applied Energy Materials</i> , 2020, 3, 1292-1297. | 2.5  | 12        |
| 848 | Characterization of Surface and Heterointerface of Cu <sub>2</sub> ZnSn <sub>1-x</sub> Ge <sub>x</sub> Se <sub>4</sub> for Solar Cell Applications. <i>Physica Status Solidi - Rapid Research Letters</i> , 2020, 14, 1900708.                      | 1.2  | 7         |
| 849 | Heavy Alkali Treatment of Cu(In,Ga)Se <sub>2</sub> Solar Cells: Surface versus Bulk Effects. <i>Advanced Energy Materials</i> , 2020, 10, 1903752.  | 10.2 | 107       |
| 850 | Nanoscale photovoltage mapping in CZTSe/Cu <sub>x</sub> Se heterostructure by using kelvin probe force microscopy. <i>Materials Research Express</i> , 2020, 7, 016418.   | 0.8  | 1         |
| 851 | Limitation of Current Transport across the Heterojunction in Cu(In,Ga)Se <sub>2</sub> Solar Cells Prepared with Alkali Fluoride Postdeposition Treatment. <i>Solar Rrl</i> , 2020, 4, 1900560.  | 3.1  | 14        |
| 852 | Bournonite CuPbSbS <sub>3</sub> : An electronically-3D, defect-tolerant, and solution-processable semiconductor for efficient solar cells. <i>Nano Energy</i> , 2020, 71, 104574.   | 8.2  | 24        |
| 853 | Enabling Low-Temperature Deposition of High-Efficiency CIGS Solar Cells with a Modified Three-Stage Co-Evaporation Process. <i>ACS Applied Energy Materials</i> , 2020, 3, 4201-4207.   | 2.5  | 11        |
| 854 | Investigations of potassium-induced surface treatment of Cu(In,Ga)Se <sub>2</sub> (CIGSe) thin film solar cells prepared by two-stage process using elemental selenium. <i>Applied Surface Science</i> , 2020, 525, 146368.                         | 3.1  | 6         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 855 | Perspectives of chalcopyrite-based CIGSe thin-film solar cell: a review. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 7286-7314.   | 1.1  | 55        |
| 856 | Characterization of lattice parameters gradient of Cu(In <sub>1-x</sub> Ga <sub>x</sub> )Se <sub>2</sub> absorbing layer in thin-film solar cell by glancing incidence X-ray diffraction technique. <i>Journal of Materials Science and Technology</i> , 2020, 51, 193-201.                           | 5.6  | 9         |
| 857 | Performance and stability enhancement of Cu(InGa)Se <sub>2</sub> solar cells on ultrathin glass by potassium incorporation. <i>Materials Letters</i> , 2020, 271, 127749.   | 1.3  | 3         |
| 858 | New approach for an industrial low-temperature roll-to-roll Cl(G)Se hybrid sputter coevaporation deposition process. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2020, 38, 033201.  | 0.9  | 10        |
| 859 | Transparent Electrode and Buffer Layer Combination for Reducing Carrier Recombination and Optical Loss Realizing over a 22%-Efficient Cd-Free Alkaline-Treated Cu(In,Ga)(S,Se) <sub>2</sub> Solar Cell by the All-Dry Process. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 22298-22307. | 4.0  | 17        |
| 860 | Investigation of Optimum Conditions for Synthesis of Cu(In,Ga)Se <sub>2</sub> Nanoparticles by Refluxing. <i>Journal of the Korean Physical Society</i> , 2020, 76, 527-532.  | 0.3  | 0         |
| 861 | Effects of Copper Substitution by Alkali Metals on the Properties of Chalcopyrites for Tandem Applications: Insights from Theory. <i>Journal of Physical Chemistry C</i> , 2020, 124, 10353-10366.  | 1.5  | 5         |
| 862 | The History of Photovoltaics with Emphasis on CdTe Solar Cells and Modules. <i>Coatings</i> , 2020, 10, 344.  | 1.2  | 68        |
| 863 | Effects of KF and RbF treatments on Cu(In,Ga)Se <sub>2</sub> -based solar cells: A combined photoelectron spectroscopy and DFT study. <i>Applied Surface Science</i> , 2021, 538, 148085.   | 3.1  | 7         |
| 864 | Evaluating the role of composition and local structure on alkali out-diffusion in glasses for thin-film solar cells. <i>Journal of the American Ceramic Society</i> , 2021, 104, 851-859.   | 1.9  | 4         |
| 865 | Band gap tuning of Cu(In,Ga)Se <sub>2</sub> thin films by electrodeposition and their subsequent selenization using a rapid thermal annealing system. <i>Journal of Solid State Electrochemistry</i> , 2021, 25, 591-601.   | 1.2  | 2         |
| 866 | How different are CZTS grain boundaries?. <i>Scripta Materialia</i> , 2021, 194, 113605.  | 2.6  | 4         |
| 867 | Device Performance of Emerging Photovoltaic Materials (Version 1). <i>Advanced Energy Materials</i> , 2021, 11, 2002774.  | 10.2 | 93        |
| 868 | Synergistic incorporation of NaF and CsF PDT for high efficiency kesterite solar cells: unveiling of grain interior and grain boundary effects. <i>Journal of Materials Chemistry A</i> , 2021, 9, 413-422.   | 5.2  | 34        |
| 869 | Effect of interface defects on high efficient perovskite solar cells. <i>Optik</i> , 2021, 227, 166061.   | 1.4  | 36        |
| 870 | Review on the effects due to alkali metals on copper-indium-gallium-selenide solar cells. <i>Materials Today Energy</i> , 2021, 20, 100617.   | 2.5  | 9         |
| 871 | 9.7%-efficient Sb <sub>2</sub> (S,Se) <sub>3</sub> solar cells with a dithieno[3,2- <i>b</i> :2',3'- <i>d</i> ]pyrrole-cored hole transporting material. <i>Energy and Environmental Science</i> , 2021, 14, 359-364.   | 15.6 | 70        |
| 872 | A Device Model for Rb-Conditioned Chalcopyrite Solar Cells. <i>IEEE Journal of Photovoltaics</i> , 2021, 11, 232-240.   | 1.5  | 6         |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 873 | First-principles study of electronic and optical properties of ternary compounds AuBX <sub>2</sub> (X = S, Se, Te) and AuMTe <sub>2</sub> (M = Al, In, Ga). Solid State Sciences, 2021, 111, 106508.  | 1.5  | 27        |
| 874 | 12.95% Efficient Cu(In,Ga)Se <sub>2</sub> Solar Cells by Single-Step Atmospheric Selenization, Scaled to Monolithically Integrated Modules. ACS Applied Energy Materials, 2021, 4, 286-294.   | 2.5  | 7         |
| 875 | Balance performance and related soft tissue components across three age groups. Health Care for Women International, 2021, 42, 67-81.   | 0.6  | 6         |
| 876 | Effect of chemical substitution on polytypes and extended defects in chalcopyrites: A density functional theory study. Journal of Applied Physics, 2021, 129, 025703.   | 1.1  | 5         |
| 877 | Local Cu Component Engineering to Achieve Continuous Carrier Transport for Enhanced Kesterite Solar Cells. ACS Applied Materials & Interfaces, 2021, 13, 795-805.   | 4.0  | 16        |
| 878 | Metal halide perovskite-based flexible tandem solar cells: next-generation flexible photovoltaic technology. Materials Chemistry Frontiers, 2021, 5, 4833-4850.   | 3.2  | 15        |
| 879 | Research Progress of Metal(I) Substitution in Cu <sub>2</sub> ZnSn(S,Se) <sub>4</sub> Thin Film Solar Cells. Acta Chimica Sinica, 2021, 79, 303.  | 0.5  | 4         |
| 880 | Significant Passivation Effect of Cu(In, Ga)Se <sub>2</sub> Solar Cells via Back Contact Surface Modification Using Oxygen Plasma. Solar Rrl, 2021, 5, 2000572.   | 3.1  | 4         |
| 881 | Behavior of Na and RbF <sub>4</sub> -treated CdS/Cu(In,Ga)Se <sub>2</sub> Solar Cells with Stress Testing under Heat, Light, and Junction Bias. Physica Status Solidi - Rapid Research Letters, 2021, 15, 2000530.                              | 1.2  | 3         |
| 882 | Alkali-metal-ion-doping strategy to improve the photovoltaic properties of Ag <sub>2</sub> Bi <sub>5</sub> solar cells. New Journal of Chemistry, 2021, 45, 14158-14166.  | 1.4  | 6         |
| 883 | Alkali Dispersion in (Ag,Cu)(In,Ga)Se <sub>2</sub> Thin Film Solar Cells—Insight from Theory and Experiment. ACS Applied Materials & Interfaces, 2021, 13, 7188-7199.   | 4.0  | 22        |
| 884 | Present Status of Solution-Processing Routes for Cu(In,Ga)(S,Se) <sub>2</sub> Solar Cell Absorbers. Advanced Energy Materials, 2021, 11, 2003743.   | 10.2 | 57        |
| 885 | Defect Engineering in Earth-Abundant Cu <sub>2</sub> ZnSn(S,Se) <sub>4</sub> Photovoltaic Materials via Ga <sup>3+</sup> -Doping for over 12% Efficient Solar Cells. Advanced Functional Materials, 2021, 31, 2010325.                          | 7.8  | 79        |
| 886 | Influence of complexing agents-aided CuInSe <sub>2</sub> thin films by single-step electrochemical deposition and photoelectrochemical studies. Journal of Materials Science: Materials in Electronics, 2021, 32, 6855-6865.                    | 1.1  | 9         |
| 887 | Electronic Structure of the CdS/Cu(In,Ga)Se <sub>2</sub> Interface of KF- and RbF-Treated Samples by Kelvin Probe and Photoelectron Yield Spectroscopy. ACS Applied Materials & Interfaces, 2021, 13, 7745-7755.                                | 4.0  | 12        |
| 888 | Thin oxide buffer layers for avoiding leaks in CIGS solar cells; a theoretical analysis. Journal of Materials Science: Materials in Electronics, 2021, 32, 7598-7608.   | 1.1  | 18        |
| 889 | Elucidating Mechanisms behind Ambient Storage-Induced Efficiency Improvements in Perovskite Solar Cells. ACS Energy Letters, 2021, 6, 925-933.  | 8.8  | 52        |
| 890 | Analysis of the Heavy Alkali Element Postdeposition Treatment: Which Factors Determine the Electronic Structure and Transport Properties of the Heterojunction in CIGS Thin Film Solar Cells. ACS Applied Energy Materials, 2021, 4, 3279-3287. | 2.5  | 5         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 891 | Impact of Cu-deficient p-n heterointerface in CuGaSe <sub>2</sub> photovoltaic devices. Applied Physics Letters, 2021, 118, .  | 1.5 | 8         |
| 892 | Effect of combined treatment of cesium fluoride as precursor and post-treatment on Cu(In,Ga)Se <sub>2</sub> thin film solar cell. Applied Physics Letters, 2021, 118, .  | 1.5 | 6         |
| 893 | Achieving over 15% Efficiency in Solution-Processed Cu(In,Ga)(S,Se) <sub>2</sub> Thin-Film Solar Cells via a Heterogeneous-Formation-Induced Benign p-n Junction Interface. ACS Applied Materials & Interfaces, 2021, 13, 13289-13300. | 4.0 | 12        |
| 894 | Kesterite Solar Cells: Insights into Current Strategies and Challenges. Advanced Science, 2021, 8, 2004313.  | 5.6 | 90        |
| 895 | Defects and Surface Electrical Property Transformation Induced by Elemental Interdiffusion at the p-n Heterojunction via High-Temperature Annealing. ACS Applied Materials & Interfaces, 2021, 13, 12211-12220.                        | 4.0 | 25        |
| 896 | The Effect of Potassium Fluoride Postdeposition Treatments on the Optoelectronic Properties of Cu(In,Ga)Se <sub>2</sub> Single Crystals. Solar Rrl, 2021, 5, 2000727.  | 3.1 | 9         |
| 897 | Structure, electronic and optical properties of chalcopyrite-type nano-clusters XFeY <sub>2</sub> (X=Cu, Ag, Au; Y=S, Se, Te): a density functional theory study. Pure and Applied Chemistry, 2021, 93, 591-606.                       | 0.9 | 10        |
| 898 | Vapor Transport Deposition of Highly Efficient Sb <sub>2</sub> (S,Se) <sub>3</sub> Solar Cells via Controllable Orientation Growth. Advanced Functional Materials, 2021, 31, 2101476.  | 7.8 | 38        |
| 899 | Enhancing Surface Properties for Electrodeposited Cu(In,Ga)Se <sub>2</sub> Films by (NH <sub>4</sub> ) <sub>2</sub> S Solution at Room Temperature. ACS Applied Energy Materials, 2021, 4, 3822-3831.                                  | 2.5 | 7         |
| 900 | Enhancing the Hydrogen Evolution Properties of Kesterite Absorber by Si Doping in the Surface of CZTS Thin Film. Advanced Materials Interfaces, 2021, 8, 2002124.  | 1.9 | 8         |
| 901 | Semitransparent and bifacial ultrathin Cu(In,Ga)Se <sub>2</sub> solar cells via a single-stage process and light-management strategy. Nano Energy, 2021, 82, 105729.   | 8.2 | 32        |
| 902 | Multi-pulse modulation method in photothermal atomic force microscopy for variable frequency modulation of incident light. Japanese Journal of Applied Physics, 2021, 60, SE1003.  | 0.8 | 5         |
| 903 | Effects of different Cs distribution in the film on the performance of CIGS thin film solar cells. Solar Energy Materials and Solar Cells, 2021, 222, 110917.  | 3.0 | 16        |
| 904 | Theoretical Analysis of Experimental Data of Sodium Diffusion in Oxidized Molybdenum Thin Films. Energies, 2021, 14, 2479.   | 1.6 | 14        |
| 905 | SnO <sub>2</sub> /2D-Bi <sub>2</sub> O <sub>2</sub> Se new hybrid electron transporting layer for efficient and stable perovskite solar cells. Chemical Engineering Journal, 2021, 410, 128436.  | 6.6 | 32        |
| 906 | Device design for high-performance bifacial Cu(In,Ga)Se <sub>2</sub> solar cells under front and rear illuminations. Solar Energy, 2021, 218, 76-84.   | 2.9 | 13        |
| 907 | New Solution-Processed Surface Treatment to Improve the Photovoltaic Properties of Electrodeposited Cu(In,Ga)Se <sub>2</sub> (CIGSe) Solar Cells. ACS Applied Materials & Interfaces, 2021, 13, 25451-25460.                           | 4.0 | 5         |
| 908 | Effect of the double grading on the internal electric field and on the carrier collection in CIGS solar cells. Solar Energy Materials and Solar Cells, 2021, 223, 110948.  | 3.0 | 15        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 909 | Effects of Sputtered In <sub>x</sub> S <sub>y</sub> Buffer on CIGS with RbF Post-Deposition Treatment. ECS Journal of Solid State Science and Technology, 2021, 10, 055006.                            | 0.9  | 8         |
| 910 | Structure engineering of solution-processed precursor films for low temperature fabrication of CuIn(S,Se) <sub>2</sub> solar cells. Solar Energy, 2021, 220, 796-801.                                  | 2.9  | 3         |
| 911 | Study on the Optimization of Cu-Zn-Sn-O to Prepare Cu <sub>2</sub> ZnSnS <sub>4</sub> Thin Film via a Nano Ink Coating Method. Frontiers in Chemistry, 2021, 9, 675642.                                | 1.8  | 0         |
| 912 | Role of the Cu <sub>2</sub> -Deficient Interface in Cu <sub>2</sub> SnS <sub>4</sub> Solar Cells. ACS Applied Materials & Interfaces, 2021, 13, 27713-27725.   | 1.5  | 13        |
| 913 | 3D/2D passivation as a secret to success for polycrystalline thin-film solar cells. Joule, 2021, 5, 1057-1073.   | 11.7 | 48        |
| 914 | On the Importance of Joint Mitigation Strategies for Front, Bulk, and Rear Recombination in Ultrathin Cu(In,Ga)Se <sub>2</sub> Solar Cells. ACS Applied Materials & Interfaces, 2021, 13, 27713-27725. | 4.0  | 11        |
| 915 | Origin of the Improved Performance of Cu <sub>2</sub> SnS <sub>4</sub> Solar Cells. ACS Applied Materials & Interfaces, 2021, 13, 27713-27725.   |      |           |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 927 | Amorphous Zn(O,Se) buffer layer for Cu(In,Ga)Se <sub>2</sub> thin film solar cells. Materials Science in Semiconductor Processing, 2021, 132, 105862.   | 1.9 | 1         |
| 928 | Chemical tailoring of sodium content for optimization of interfacial band bending and alignment in flexible kesterite solar cells. Solar Energy Materials and Solar Cells, 2021, 230, 111243.   | 3.0 | 8         |
| 929 | Detrimental Impact of Na Upon Rb Postdeposition Treatments of Cu(In,Ga)Se <sub>2</sub> Absorber Layers. Solar Rrl, 2021, 5, 2170094.  | 3.1 | 1         |
| 930 | Microscopic insight into the impact of the KF postdeposition treatment on optoelectronic properties of (Ag,Cu)(In,Ga)Se <sub>2</sub> solar cells. Progress in Photovoltaics: Research and Applications, 0, .                            | 4.4 | 1         |
| 931 | Bias dependent admittance spectroscopy of thin film solar cells: KF post deposition treatment, accelerated lifetime testing, and their effect on the CVf loss maps. Solar Energy Materials and Solar Cells, 2021, 231, 111289.          | 3.0 | 1         |
| 932 | Multidentate anchoring through additive engineering for highly efficient Sb <sub>2</sub> S <sub>3</sub> planar thin film solar cells. Journal of Materials Science and Technology, 2021, 89, 36-44.                                     | 5.6 | 11        |
| 933 | Key factors governing the device performance of CIGS solar cells: Insights from machine learning. Solar Energy, 2021, 228, 45-52.   | 2.9 | 14        |
| 934 | Impact of RbF post deposition treatment on CdS/CIGSe and Zn(O,S)/CIGSe interfaces – A comparative HAXPES study. Renewable Energy, 2021, 180, 626-636.   | 4.3 | 5         |
| 935 | Improved carrier transport in CIGS solar cells induced by Ag treatment. Journal of Alloys and Compounds, 2021, 886, 161193.   | 2.8 | 10        |
| 936 | Hard x-ray photoelectron spectroscopy at a soft x-ray source: Present and future perspectives of hard x-ray photoelectron spectroscopy at BESSY II. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2021, 39, . | 0.9 | 1         |
| 937 | Review on incorporation of alkali elements and their effects in Cu(In,Ga)Se <sub>2</sub> solar cells. Journal of Materials Science and Technology, 2022, 96, 179-189.   | 5.6 | 27        |
| 938 | Role of Cation Ordering on Device Performance in (Ag,Cu)InSe <sub>2</sub> Solar Cells with KF Post-Deposition Treatment. ACS Applied Energy Materials, 2021, 4, 233-241.  | 2.5 | 2         |
| 939 | Chalcogenide compounds for solar cells. , 2021, , 245-270.  |     | 2         |
| 940 | Progress in Thin Film Solar Cell and Advanced Technologies for Performance Improvement. , 2022, , 661-680.  |     | 2         |
| 941 | Novel dielectrics compounds grown by atomic layer deposition as sustainable materials for chalcogenides thin-films photovoltaics technologies. , 2021, , 71-100.  |     | 2         |
| 942 | Correcting for interference effects in the photoluminescence of Cu(In,Ga)Se <sub>2</sub> thin films. Physica Status Solidi C: Current Topics in Solid State Physics, 2017, 14, .  | 0.8 | 6         |
| 943 | Quenching interface recombination in wide bandgap Cu(In,Ga)Se <sub>2</sub> by potassium treatment. Physica Status Solidi C: Current Topics in Solid State Physics, 2017, 14, .  | 0.8 | 9         |
| 944 | Over 10% Efficient Wide Bandgap CIGSe Solar Cells on Transparent Substrate with Na Predeposition Treatment. Solar Rrl, 2020, 4, 2000284.  | 3.1 | 8         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 945 | CIGS Mini-Modules with Dispensed Metallization on Transparent Conductive Oxide Layer. Solar Rrl, 2020, 4, 2000475.  | 3.1 | 7         |
| 946 | CIGS Thin Film Photovoltaic Approaches and Challenges. Springer Series in Optical Sciences, 2020, , 175-218.  | 0.5 | 5         |
| 947 | Flexible solar-rechargeable energy system. Energy Storage Materials, 2020, 32, 356-376.   | 9.5 | 23        |
| 948 | Performance enhancement of CIGS thin-film solar cell. Optik, 2020, 216, 164948.   | 1.4 | 40        |
| 949 | ALD-ZnMgO and absorber surface modifications to substitute CdS buffer layers in co-evaporated CIGSe solar cells. EPJ Photovoltaics, 2020, 11, 12.   | 0.8 | 6         |
| 950 | Evolution and role of vacancy clusters at grain boundaries of ZnO:Al during accelerated degradation of Cu(In,Ga)Se <sub>2</sub> solar cells revealed by positron annihilation. Physical Review Materials, 2018, 2, .  | 0.9 | 7         |
| 951 | Potassium fluoride postdeposition treatment with etching step on both Cu-rich and Cu-poor thin film solar cells. Physical Review Materials, 2018, 2, .  | 0.9 | 12        |
| 952 | Frank-Turnbull dopant migration may enhance heteroatom diffusivity: Evidence from alkali-doped Cu(In,Ga)Se <sub>2</sub> . Physical Review Materials, 2019, 3, .   | 0.9 | 10        |
| 953 | Challenge in Cu-rich thin film solar cells: Defect caused by etching. Physical Review Materials, 2019, 3, .   | 0.9 | 17        |
| 954 | Energy level alignment of absorber compounds with electronic defects in thin film solar cells. Physical Review Materials, 2019, 3, .  | 0.9 | 18        |
| 955 | Towards a comprehensive model. Physical Review Materials, 2019, 3, .  | 0.9 | 48        |
| 956 | Crystalline Characteristics of Epitaxial Cu(In,Ga)Se <sub>2</sub> Layers on GaAs (001) Substrates. , 2020, , .  |     | 3         |
| 957 | High Weight-Specific Power Density of Thin-Film Amorphous Silicon Solar Cells on Graphene Papers. Nanoscale Research Letters, 2019, 14, 324.  | 3.1 | 5         |
| 958 | Various Metal Sandwich Layer Oriented Efficiency Enhancement Superiority on CuInGaSe <sub>2</sub> Thin Film Solar Cells. Advances in Chemical Engineering and Science, 2019, 09, 176-181.   | 0.2 | 1         |
| 959 | Fabrication of high-efficiency Cu <sub>2</sub> (Zn,Cd)SnS <sub>4</sub> solar cells by a rubidium fluoride assisted co-evaporation/annealing method. Journal of Materials Chemistry A, 2021, 9, 25522-25530.   | 5.2 | 11        |
| 960 | Chalcopyrite Thin-Film Materials and Solar Cells. , 2022, , 335-361.  |     | 1         |
| 961 | Evolution of Morphological and Chemical Properties at n Junction of Cu(In,Ga)Se <sub>2</sub> Solar Cells with Zn(O,S) Buffer Layer as a Function of KF Postdeposition Treatment Time. ACS Applied Materials & Interfaces, 2021, 13, 48611-48621.              | 4.0 | 7         |
| 962 | Potassium versus Sodium in Cu(In,Ga)Se <sub>2</sub> Similarities and Differences in the Electrical Characteristics of Solar Cells and Thin Films after NaF or KF Postdeposition Treatment. Physica Status Solidi - Rapid Research Letters, 2022, 16, 2100459. | 1.2 | 5         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 963 | Silver-alloyed wide-gap CuGaSe <sub>2</sub> solar cells. Solar Energy, 2021, 230, 509-514.  | 2.9 | 7         |
| 964 | Gallium diffusion in CIGS thin films prepared by sequential sputtering/selenization technique. Wuli Xuebao/Acta Physica Sinica, 2014, 63, 118802.   | 0.2 | 2         |
| 965 | III-V Tandem, CuInGa(S,Se) <sub>2</sub> , and Cu <sub>2</sub> ZnSn(S,Se) <sub>4</sub> Compound Semiconductor Thin Film Solar Cells. Applied Chemistry for Engineering, 2015, 26, 526-532.   | 0.2 | 0         |
| 966 | Recent progress in nanoelectrical characterizations of CdTe and Cu(In,Ga)Se <sub>2</sub> . , 2017, , .  |     | 0         |
| 967 | In Silico Study of Polymer Sheet Drying Process. International Polymer Processing, 2017, 32, 474-482.   | 0.3 | 0         |
| 968 | Fabrication of CIGS/CZTS Thin Films Solar Cells by Non-vacuum Process. Korean Journal of Materials Research, 2018, 28, 748-757.   | 0.1 | 0         |
| 969 | Recent progress of ion migration in organometal halide perovskite. Wuli Xuebao/Acta Physica Sinica, 2019, 68, 158801.   | 0.2 | 11        |
| 970 | Ga/(Ga + In) grading effects on ultra-thin (UT) CIGS solar cell. , 2019, , .  |     | 2         |
| 972 | Influence of Structural Coherency and Interfacial Defects on the Cu(In,Ga)Se <sub>2</sub> Thin Film: Toward a High-Efficiency Solar Cell. ACS Symposium Series, 2020, , 169-187.  | 0.5 | 0         |
| 973 | Setting up a Device Model for Rb-Conditioned Chalcopyrite Solar Cells. , 2020, , .  |     | 0         |
| 974 | CIGS Device Models with Variations of Buffer Layer, Alkali Content, and Oxidation. , 2020, , .  |     | 1         |
| 975 | Efficiency improvement of flexible Cu(In,Ga)Se <sub>2</sub> solar cells by integrating a micro-prism array transferred to soft-polydimethylsiloxane. , 2020, , .  |     | 0         |
| 976 | Effect of Anti-Reflective Coating on CIGS Solar Cells Performance. , 2020, , .  |     | 3         |
| 977 | Impact of substrate temperature during NaF and KF post-deposition treatments on chemical and optoelectronic properties of alkali-free Cu(In,Ga)Se <sub>2</sub> thin film solar cell absorbers. Thin Solid Films, 2021, 739, 138979. | 0.8 | 3         |
| 978 | A numerical optimization study of CdS and Mg <sub>0.125</sub> Zn <sub>0.875</sub> O buffer layers in CIGS-based solar cells using <i>wxAMPS-1D</i> package. International Journal of Modelling and Simulation, 2022, 42, 179-191.   | 2.3 | 9         |
| 979 | Carbon quantum dots anchored on the anti-reflection silica layer as solid luminescence down-shifting materials in solar panel encapsulation. Solar Energy Materials and Solar Cells, 2022, 235, 111450.                             | 3.0 | 6         |
| 980 | Passivation of the $CuInSe_2$ surface via cadmium pre-electrolyte treatment. Physical Review Materials, 2020, 4, .  | 0.9 | 2         |
| 981 | State of Art of Thin Film Photovoltaic Cell: A Review. International Journal of Scientific Research in Science and Technology, 2020, , 157-163.   | 0.1 | 0         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 982 | Evaluation of defect formation in chalcopyrite compounds under Cu-poor conditions by advanced structural and vibrational analyses. <i>Acta Materialia</i> , 2022, 223, 117507.   | 3.8  | 5         |
| 983 | Impact of metallic potassium post-deposition treatment on epitaxial Cu(In,Ga)Se <sub>2</sub> . <i>Thin Solid Films</i> , 2022, 741, 139002.  | 0.8  | 2         |
| 984 | Charge Dissipation Behavior on the Insulating Polyimide Backsheet in Photovoltaic System. <i>Journal of Physics: Conference Series</i> , 2021, 2087, 012003.   | 0.3  | 0         |
| 985 | Alternative alkali fluoride post-deposition treatment under elemental sulfur atmosphere for high-efficiency Cu(In,Ga)Se <sub>2</sub> -based solar cells. <i>Progress in Photovoltaics: Research and Applications</i> , 2022, 30, 835-842.  | 4.4  | 5         |
| 986 | Efficiency Improvement of Flexible Cu <sub>2</sub> ZnSn(S,Se) <sub>4</sub> Solar Cells by Window Layer Interface Engineering. <i>ACS Applied Energy Materials</i> , 2021, 4, 14467-14475.  | 2.5  | 14        |
| 987 | Device Performance of Emerging Photovoltaic Materials (Version 2). <i>Advanced Energy Materials</i> , 2021, 11, .  | 10.2 | 66        |
| 988 | High efficiency CIGS solar cells on flexible stainless steel substrate with SiO <sub>2</sub> diffusion barrier layer. <i>Solar Energy</i> , 2021, 230, 1033-1039.  | 2.9  | 9         |
| 989 | Defects Passivation and Crystal Growth Promotion by Solution-Processed K Doping Strategy Toward 16.02% Efficiency Cu(In,Ga)(S,Se) <sub>2</sub> Solar Cells. <i>SSRN Electronic Journal</i> , 0, .  | 0.4  | 0         |
| 990 | Physical and chemical aspects at the interface and in the bulk of CuInSe <sub>2</sub> -based thin-film photovoltaics. <i>Physical Chemistry Chemical Physics</i> , 2022, 24, 1262-1285.  | 1.3  | 21        |
| 991 | Ultrathin Oxides for Solar Cells. <i>RSC Energy and Environment Series</i> , 2022, , 27-69.  | 0.2  | 1         |
| 992 | Insights into the Effects of Rb Post-Deposition Treatments on the Absorber Surface of High Efficiency Cu(In,Ga)Se <sub>2</sub> Solar Cells and Development of Analytical and Machine Learning Process Monitoring Methodologies Based on Combinatorial Analysis. <i>Advanced Energy Materials</i> , 2022, 12, . | 10.2 | 6         |
| 993 | Effects of alkali-metal incorporation into epitaxial Cu(In,Ga)Se <sub>2</sub> solar cells prepared by molecular beam epitaxy. <i>Thin Solid Films</i> , 2022, 741, 139034.   | 0.8  | 7         |
| 994 | Ammonia-induced surface microstructure reconstruction on ACIGS thin film at room temperature. <i>Materials Science in Semiconductor Processing</i> , 2022, 140, 106380.  | 1.9  | 6         |
| 995 | Copper-based kesterite thin films for photoelectrochemical water splitting. <i>High Temperature Materials and Processes</i> , 2021, 40, 446-460.   | 0.6  | 10        |
| 996 | Solution growth of chalcopyrite Cu(In <sub>1-x</sub> Ga <sub>x</sub> )Se <sub>2</sub> single crystals for high open-circuit voltage photovoltaic device. <i>High Temperature Materials and Processes</i> , 2021, 40, 439-445.  | 0.6  | 0         |
| 997 | Understanding copper diffusion in CuInSe <sub>2</sub> with first-principles based atomistic and continuum models. <i>Journal of Applied Physics</i> , 2021, 130, .   | 1.1  | 1         |
| 998 | High-specific-power flexible transition metal dichalcogenide solar cells. <i>Nature Communications</i> , 2021, 12, 7034.   | 5.8  | 84        |
| 999 | Exploiting the Optical Limits of Thin-Film Solar Cells: A Review on Light Management Strategies in Cu(In,Ga)Se <sub>2</sub> . <i>Advanced Photonics Research</i> , 2022, 3, .  | 1.7  | 15        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1000 | Pre-deposited alkali (Li, Na, K) chlorides layer for effective doping of CuInSSe thin films as absorber layer in solar cells. <i>Solar Energy</i> , 2022, 231, 694-704.  | 2.9 | 4         |
| 1001 | Graphene-based semiconductor nanocrystals for optoelectronics devices. , 2022, , 383-406.  |     | 0         |
| 1002 | Defects passivation and crystal growth promotion by solution-processed K doping strategy toward 16.02% efficiency Cu(In,Ga)(S,Se) <sub>2</sub> solar cells. <i>Chemical Engineering Journal</i> , 2022, 436, 135008.   | 6.6 | 17        |
| 1003 | Fabrication of high-efficiency PET polymer-based flexible dye-sensitized solar cells and tapes via heat sink-supported thermal sintering of bilayer TiO <sub>2</sub> photoanodes. <i>Sustainable Energy and Fuels</i> , 2022, 6, 2503-2513.  | 2.5 | 5         |
| 1004 | DLTS investigations on CIGS solar cells from an inline co-evaporation system with RbF post-deposition treatment. <i>EPJ Photovoltaics</i> , 2022, 13, 7.   | 0.8 | 5         |
| 1005 | Analysis of the combined effect of long-term heat light soaking and KF/NaF post-deposition treatment on the open-circuit voltage loss in CIGS solar cells. <i>Japanese Journal of Applied Physics</i> , 2022, 61, SC1050.  | 0.8 | 2         |
| 1006 | Rubidium Fluoride Absorber Treatment for Wide-gap (Ag,Cu)(In,Ga)Se <sub>2</sub> Solar Cells. <i>Solar Rrl</i> , 2022, 6, .   | 3.1 | 14        |
| 1007 | Lateral Photocurrent Method for Directly Measuring the Sheet Resistance of a Junction Partner for a Chalcogenide Light Absorber in a Thin-Film Solar Cell. <i>Physical Review Applied</i> , 2022, 17, .  | 1.5 | 4         |
| 1008 | Surface Defect Engineering of Metal Halide Perovskites for Photovoltaic Applications. <i>ACS Energy Letters</i> , 2022, 7, 1230-1239.  | 8.8 | 46        |
| 1009 | The Photovoltaic Cell Based on CIGS: Principles and Technologies. <i>Materials</i> , 2022, 15, 1908.   | 1.3 | 23        |
| 1010 | Effect of CZTS/CCZTS Stacked Structures Prepared through Split-Cycle on the Performance of Flexible Solar Cells. <i>ACS Applied Energy Materials</i> , 2022, 5, 3668-3676.   | 2.5 | 10        |
| 1011 | Perovskite/CIGS Tandem Solar Cells: From Certified 24.2% toward 30% and Beyond. <i>ACS Energy Letters</i> , 2022, 7, 1298-1307.  | 8.8 | 128       |
| 1012 | Formation of Native In <sub>x</sub> (O,S) <sub>y</sub> Buffer through Surface Oxidation of Cu(In,Ga)(S,Se) <sub>2</sub> Absorber for Significantly Enhanced Conversion Efficiency of Flexible and Cd-free Solar Cell by All-dry Process. <i>Solar Rrl</i> , 2022, 6, .   | 3.1 | 6         |
| 1013 | The impact of Ga and S concentration and gradient in Cu(In,Ga)(Se,S) <sub>2</sub> solar cells. <i>Optical Materials</i> , 2022, 126, 112143.   | 1.7 | 3         |
| 1014 | Impacts of KF Post-Deposition Treatment on the Band Alignment of Epitaxial Cu(In,Ga)Se <sub>2</sub> Heterojunctions. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 16780-16790.  | 4.0 | 3         |
| 1015 | First-principles calculations of electronic and optical properties of AgGa <sub>1-x</sub> Tl <sub>x</sub> S <sub>2</sub> alloys: Analyses and design for solar cell applications. <i>Journal of Solid State Chemistry</i> , 2022, 309, 122996.   | 1.4 | 4         |
| 1016 | Prediction of the power conversion efficiency of Perovskite-on-CIGS tandem and triple junctions thin-film cells under solar concentration irradiations by optimization of structural and optoelectronic materials characteristic. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2022, 280, 115712. | 1.7 | 4         |
| 1017 | Traces of iron impurities in copper sources can be a poison to Cu(In, Ga)Se <sub>2</sub> solar cells. <i>Nano Select</i> , 0, , .  | 1.9 | 0         |



| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1018 | CIGS photovoltaics: reviewing an evolving paradigm. Journal Physics D: Applied Physics, 2022, 55, 173001.   | 1.3  | 17        |
| 1019 | Efficiency enhancement in photoelectrochemical water splitting: Defect passivation and boosted charge transfer kinetics of zinc oxide nanostructures via chalcopyrite/chalcogenide mix sensitization. Physical Review Materials, 2021, 5, . | 0.9  | 5         |
| 1020 | Surface/Interface Effects by Alkali Postdeposition Treatments of (Ag,Cu)(In,Ga)Se <sub>2</sub> Thin Film Solar Cells. ACS Applied Energy Materials, 2022, 5, 461-468.   | 2.5  | 6         |
| 1022 | A post-deposition annealing approach for organic residue control in TiO <sub>2</sub> and its impact on Sb <sub>2</sub> Se <sub>3</sub> /TiO <sub>2</sub> device performance. Faraday Discussions, 0, 239, 273-286.                          | 1.6  | 7         |
| 1023 | Extrinsic Doping of In <sup>+</sup> -Based Cu(In,Ga)(S,Se) <sub>2</sub> Absorbers for Photovoltaic Applications. Advanced Energy Materials, 2022, 12, .   | 10.2 | 13        |
| 1024 | Toward Understanding Chalcopyrite Solar Cells via Advanced Characterization Techniques. Advanced Materials Interfaces, 2022, 9, .   | 1.9  | 1         |
| 1025 | High-yield recycling and recovery of copper, indium, and gallium from waste copper indium gallium selenide thin-film solar panels. Solar Energy Materials and Solar Cells, 2022, 241, 111691.   | 3.0  | 18        |
| 1027 | Effect of K Doping on the Performance of Aqueous Solution-Processed Cu(In,Ga)Se <sub>2</sub> Solar Cell. Advanced Energy and Sustainability Research, 0, , 2200006.   | 2.8  | 2         |
| 1028 | Growth-Promoting Mechanism of Bismuth-Doped Cu(In,Ga)Se <sub>2</sub> Solar Cells Fabricated at 400 Å°C. ACS Applied Materials & Interfaces, 2022, 14, 23426-23435.  | 4.0  | 1         |
| 1029 | Over 12% Efficient CuIn(S,Se) <sub>2</sub> Solar Cell with the Absorber Fabricated from Dimethylformamide Solution by Doctor-Blading in Ambient Air. Solar Rrl, 2022, 6, .  | 3.1  | 4         |
| 1030 | Surface Modification of Cu(in,Ga)Se <sub>2</sub> Film with a Post-Deposition Treatment Using a KI Solution and Its Effect on Solar Cell Performance. Solar Rrl, 0, , 2200058.   | 3.1  | 2         |
| 1031 | Perovskite solar cells by vapor deposition based and assisted methods. Applied Physics Reviews, 2022, 9, .  | 5.5  | 33        |
| 1032 | Study on the Performance of Oxygen-Rich Zn(O,S) Buffers Fabricated by Sputtering Deposition and Zn(O,S)/Cu(In,Ga)(S,Se) <sub>2</sub> Interfaces. ACS Applied Materials & Interfaces, 2022, 14, 24435-24446.                                 | 4.0  | 2         |
| 1033 | Precisely nanostructured HfO <sub>2</sub> rear passivation layers for ultra-thin Cu(In,Ga)Se <sub>2</sub> . Progress in Photovoltaics: Research and Applications, 2022, 30, 1289-1297.  | 4.4  | 2         |
| 1034 | Will ultrathin CIGS solar cells overtake the champion thin-film cells? Updated SCAPS baseline models reveal main differences between ultrathin and standard CIGS. Solar Energy Materials and Solar Cells, 2022, 243, 111792.                | 3.0  | 11        |
| 1035 | Performance enhancement of CIGS solar cells using ITO as buffer layer. , 2022, 168, 207289.   |      | 9         |
| 1036 | Search of chalcopyrite materials based on hybrid density functional theory calculation. Journal of Physics Communications, 2022, 6, 065001.   | 0.5  | 1         |
| 1037 | Molybdenum back contact interface engineering of kesterite CZTSSe solar cells: Ultrathin intermediate engineering layers. , 2022, , 137-160.  |      | 0         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1038 | Photovoltaics of CZTS. Springer Handbooks, 2022, , 1305-1326.   | 0.3  | 1         |
| 1039 | Sb <sub>2</sub> Se <sub>3</sub> Thin-Film Solar Cells Exceeding 10% Power Conversion Efficiency Enabled by Injection Vapor Deposition Technology. Advanced Materials, 2022, 34, .   | 11.1 | 101       |
| 1040 | Surface nanopatterning of amorphous gallium oxide thin film for enhanced solar-blind photodetection. Nanotechnology, 2022, 33, 375302.  | 1.3  | 7         |
| 1041 | Characterization of the Interfacial Defect Layer in Chalcopyrite Solar Cells by Depth-Resolved Muon Spin Spectroscopy. Advanced Materials Interfaces, 0, , 2200374.   | 1.9  | 2         |
| 1043 | Fabrication of in situ alkali doped flexible CIGSs solar cells by using aqueous spray deposition. Current Applied Physics, 2022, 41, 66-72.   | 1.1  | 7         |
| 1044 | Influence of argon pressure on sputter-deposited molybdenum back contacts for flexible Cu(In,Ga)Se <sub>2</sub> solar cells on polyimide films. Solar Energy, 2022, 241, 327-334.   | 2.9  | 2         |
| 1045 | Incorporation of Na into Ag <sub>2</sub> ZnSnSe <sub>4</sub> from hybrid functional calculations. Physica B: Condensed Matter, 2022, 640, 414084.   | 1.3  | 2         |
| 1046 | Optimization of the substrate temperature of narrow bandgap CIS solar cells by three stage coevaporation process. Materials Science in Semiconductor Processing, 2022, 149, 106879.   | 1.9  | 2         |
| 1047 | Interface Passivation and Band Alignment of High Efficiency Cu(In, Ga)Se <sub>2</sub> Solar Cells: Application of Mo(Oxse1-X) <sub>2</sub> Buffer Layer at Mo/ Cu(In, Ga)Se <sub>2</sub> Interface. SSRN Electronic Journal, 0, , . | 0.4  | 0         |
| 1048 | Surface Passivation and Detrimental Heat-Induced Diffusion Effects in RbF-Treated Cu(In,Ga)Se <sub>2</sub> Solar Cell Absorbers. ACS Applied Materials & Interfaces, 2022, 14, 34101-34112.   | 4.0  | 3         |
| 1049 | Effect of Sodium Incorporation on CuIn(S,Se) <sub>2</sub> Thin Films Fabricated by Aqueous Spray Deposition and Their Photovoltaic Properties. SSRN Electronic Journal, 0, , .  | 0.4  | 0         |
| 1050 | Back Contact Engineering to Improve CZTSs Solar Cell Performance by Inserting MoO <sub>3</sub> Sacrificial Nanolayers. Sustainability, 2022, 14, 9511.  | 1.6  | 4         |
| 1051 | Fingerprints Indicating Superior Properties of Internal Interfaces in Cu(In,Ga)Se <sub>2</sub> Thin-Film Solar Cells. Advanced Materials, 2022, 34, .   | 11.1 | 13        |
| 1052 | Performance Analysis of a Cu(In <sub>1-x</sub> Ga <sub>x</sub> )Se <sub>2</sub> Solar Cell with Nontoxic WS <sub>2</sub> and WSSe Buffer Layers. Journal of Electronic Materials, 2022, 51, 6168-6179.                              | 1.0  | 15        |
| 1053 | K Improves Cu(In,Ga)Se <sub>2</sub> Surface Band Alignment through Reconstruction. ACS Applied Energy Materials, 0, , .   | 2.5  | 0         |
| 1054 | Enhanced Performance of Ternary CuGaSe <sub>2</sub> Thin-Film Photovoltaic Solar Cells and Photoelectrochemical Water Splitting Hydrogen Evolution with Modified p-n Heterointerfaces. Advanced Materials Interfaces, 2022, 9, .    | 1.9  | 12        |
| 1056 | Effectiveness of band discontinuities between CIGS absorber and copper-based hole transport layer in limiting recombination at the back contact. Materials Today Communications, 2022, 33, 104220.                                  | 0.9  | 10        |
| 1057 | High Efficiency Aqueous Solution Sprayed CIGSs Solar Cells: Effects of Zr <sup>4+</sup> -Alloyed In <sub>2</sub> S <sub>3</sub> Buffer and K-Alloyed CIGSs Absorber. Advanced Functional Materials, 2022, 32, .                     | 7.8  | 2         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1058 | Analysis of a novel method of alkalis treatment: Effect on energy band optimization and carrier recombination at the grain boundary. <i>Solar Energy Materials and Solar Cells</i> , 2022, 248, 112007.   | 3.0 | 3         |
| 1059 | Effect of Cesium for Cu(In,Ga)(S,Se) <sub>2</sub> Solar Cells Using Photothermal Atomic Force Microscopy Under Various Photoexcitation Conditions. <i>IEEE Journal of Photovoltaics</i> , 2022, , 1-5.  | 1.5 | 0         |
| 1060 | Advancement in Copper Indium Gallium Diselenide (CIGS)-Based Thin-Film Solar Cells. <i>Advances in Sustainability Science and Technology</i> , 2022, , 5-39.  | 0.4 | 3         |
| 1061 | Oxides for Photovoltaic Applications. <i>Advances in Sustainability Science and Technology</i> , 2022, , 179-218.   | 0.4 | 0         |
| 1062 | Effect of Sodium Incorporation on CuIn(S,Se) <sub>2</sub> Thin Films Fabricated by Aqueous Spray Deposition and Their Photovoltaic Properties. <i>SSRN Electronic Journal</i> , 0, , .  | 0.4 | 0         |
| 1063 | Defects passivation by solution-processed titanium doping strategy towards high efficiency kesterite solar cells. <i>Chemical Engineering Journal</i> , 2023, 451, 139109.  | 6.6 | 25        |
| 1064 | Study of Solar energy dependent determination of wavelength using LASER source. <i>International Journal of Scientific Research in Science, Engineering and Technology</i> , 2022, , 271-276.   | 0.1 | 1         |
| 1065 | A library of polytypic copper-based quaternary sulfide nanocrystals enables efficient solar-to-hydrogen conversion. <i>Nature Communications</i> , 2022, 13, .  | 5.8 | 14        |
| 1066 | Post-deposition annealing and interfacial atomic layer deposition buffer layers of Sb <sub>2</sub> /Se <sub>3</sub> /CdS stacks for reduced interface recombination and increased open-circuit voltages. <i>Progress in Photovoltaics: Research and Applications</i> , 2023, 31, 203-219. | 4.4 | 4         |
| 1067 | Numerical study of high-efficiency CIGS solar cells by inserting a BSF $\mu$ c-Si:H layer. <i>Journal of Computational Electronics</i> , 2022, 21, 1386-1395.   | 1.3 | 6         |
| 1068 | Recent progress in defect engineering for kesterite solar cells. <i>Science China: Physics, Mechanics and Astronomy</i> , 2023, 66, .   | 2.0 | 4         |
| 1069 | Versatile Layered Hydroxide Precursors for Generic Synthesis of Cu-Based Materials. <i>Small Structures</i> , 2023, 4, .  | 6.9 | 3         |
| 1070 | Manipulation of flexible carbon cloths for stable and efficient catalysts in dye-sensitized solar cells. <i>Journal of Electroanalytical Chemistry</i> , 2022, 923, 116836.   | 1.9 | 2         |
| 1071 | Interface passivation and band alignment of high efficiency Cu(In, Ga)Se <sub>2</sub> solar cells: Application of Mo(OxSe <sub>1-x</sub> ) <sub>2</sub> buffer layer at Mo/ Cu(In, Ga)Se <sub>2</sub> interface. <i>Optical Materials</i> , 2022, 133, 113059.                            | 1.7 | 2         |
| 1072 | Lightweight and flexible Cu(In,Ga)Se <sub>2</sub> solar minimodules: toward 20% photovoltaic efficiency and beyond. <i>Npj Flexible Electronics</i> , 2022, 6, .  | 5.1 | 11        |
| 1073 | Over 11% Efficient CuGaSe <sub>2</sub> Solar Cells Without Using KCN Treatment. <i>Solar Rrl</i> , 2022, 6, .   | 3.1 | 3         |
| 1074 | Flexible kesterite thin-film solar cells under stress. <i>Npj Flexible Electronics</i> , 2022, 6, .   | 5.1 | 15        |
| 1075 | Effect of sodium incorporation on CuIn(S,Se) <sub>2</sub> thin films fabricated by aqueous spray deposition and their photovoltaic properties. <i>Journal of Crystal Growth</i> , 2023, 602, 126975.  | 0.7 | 2         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1076 | Atom-Scale Chemistry in Chalcopyrite-Based Photovoltaic Materials Visualized by Atom Probe Tomography. ACS Applied Materials & Interfaces, 2022, 14, 52825-52837.  | 4.0 | 4         |
| 1077 | Manipulating Ga growth profile enables all-flexible high-performance single-junction CIGS and 4ÅT perovskite/CIGS tandem solar cells. Chemical Engineering Journal, 2023, 455, 140960.                         | 6.6 | 11        |
| 1078 | Environment-friendly copper-based chalcogenide thin film solar cells: status and perspectives. Materials Horizons, 2023, 10, 313-339.  | 6.4 | 11        |
| 1079 | RbF-related post-deposition treatments on Cu(In,Ga)(S,Se) <sub>2</sub> absorbers: The role of the chalcogen atmosphere. Applied Surface Science, 2023, 614, 155830.  | 3.1 | 0         |
| 1080 | On current technology for light absorber materials used in highly efficient industrial solar cells. Renewable and Sustainable Energy Reviews, 2023, 173, 113027.   | 8.2 | 9         |
| 1081 | Exploring reverse-bias characteristics of CIGS solar cells: impact of alkali-post-deposition treatment and CdS buffer layer. EPJ Photovoltaics, 2022, 13, 26.  | 0.8 | 1         |
| 1082 | Dielectric Front Passivation for Cu(In,Ga)Se <sub>2</sub> Solar Cells: Status and Prospect. Advanced Energy and Sustainability Research, 2023, 4, .  | 2.8 | 4         |
| 1083 | Chalcopyrite solar cells "state-of-the-art and options for improvement. Science China: Physics, Mechanics and Astronomy, 2023, 66, .   | 2.0 | 2         |
| 1084 | 2-step process for 5.4% CuGaSe <sub>2</sub> solar cell using fluorine doped tin oxide transparent back contacts. Progress in Photovoltaics: Research and Applications, 2023, 31, 524-535.                      | 4.4 | 2         |
| 1085 | Investigation of effective local contact Al <sub>2</sub> O <sub>3</sub> rear passivation for high-efficiency thin CIGS solar cells. Optical Materials Express, 0, , .  | 1.6 | 1         |
| 1086 | Comparison and integration of CuInGaSe and perovskite solar cells. Journal of Energy Chemistry, 2023, 78, 463-475.   | 7.1 | 4         |
| 1087 | Impact of Na diffusion on Cu(In, Ga)Se <sub>2</sub> solar cells: Unveiling the role of active defects using thermal admittance spectroscopy. Thin Solid Films, 2023, 767, 139673.                              | 0.8 | 6         |
| 1088 | Nano-inks for photovoltaics. , 2023, , 413-426.  |     | 0         |
| 1089 | Thin-film materials for space power applications. , 2023, , 215-263.   |     | 1         |
| 1090 | Challenges in the development of metal-halide perovskite single crystal solar cells. Journal of Materials Chemistry A, 2023, 11, 3822-3848.  | 5.2 | 3         |
| 1091 | Revealing surface modifications of caesium indium selenium treated Cu-rich Cu(In,Ga)Se <sub>2</sub> : A study of the suppression of the interfacial recombination. Applied Surface Science, 2023, 616, 156555. | 3.1 | 1         |
| 1092 | Energy conversion materials for the space solar power station. Chinese Physics B, 2023, 32, 078802.  | 0.7 | 1         |
| 1093 | Defect suppression for high-efficiency kesterite CZTSSe solar cells: Advances and prospects. Chemical Engineering Journal, 2023, 462, 142121.  | 6.6 | 15        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1094 | Structural, optoelectronic, and thermoelectric properties of the new $\text{Ca}_{2}\text{ZnGeS}_{4}$ material using DFT methods. Journal of Materials Research, 0, ,   | 1.2  | 0         |
| 1095 | Preparation of $\text{Cu}(\text{In,Ga})(\text{S,Se})_{2}$ absorber via CuGa-NaF-KF target and the influence of Na/K ratio. Materials Science in Semiconductor Processing, 2023, 161, 107460.                                       | 1.9  | 1         |
| 1096 | Exploring the Performance of CZTS Solar Cells Using BSF Layers. Lecture Notes in Networks and Systems, 2023, , 820-825.  | 0.5  | 0         |
| 1097 | Organic Passivation of Deep Defects in $\text{Cu}(\text{In,Ga})\text{Se}_{2}$ Film for Geometry-Simplified Compound Solar Cells. Research, 2023, 6, .  | 2.8  | 3         |
| 1098 | Re-structuring of glass surface by ion post-embedding for transmission improvement and application in solar panels. Solar Energy, 2023, 252, 373-379.  | 2.9  | 0         |
| 1099 | DFT investigations of optoelectronic and thermoelectric properties of stannite phase of $\text{Cu}_{2}\text{SrXSe}_{4}$ ( $\text{X} = \text{Ge, Si, Sn}$ ) compounds using TB-mBJ mechanism. Modern Physics Letters B, 2023, 37, . | 1.0  | 0         |
| 1100 | CZTSSe solar cells: insights into interface engineering. Journal of Materials Chemistry A, 2023, 11, 4836-4849.  | 5.2  | 12        |
| 1101 | Production of Electricity using Solar Cell at 6.0 Volts. International Journal of Scientific Research in Science, Engineering and Technology, 2023, , 160-165.   | 0.1  | 0         |
| 1102 | Flexible solar cells. , 2023, , 325-352.   |      | 0         |
| 1103 | Annealing effects on $\text{Cu}(\text{In,Ga})\text{Se}_{2}$ solar cells irradiated by high-fluence proton beam. Japanese Journal of Applied Physics, 2023, 62, SK1014.   | 0.8  | 2         |
| 1104 | Anisotropic Charge Transport in $\text{Cu}(\text{In,Ga})\text{Se}_{2}$ by Heavy Alkali Postdeposition Treatment for Reducing Cell-to-Module Efficiency Loss in Monolithically Integrated Photovoltaic Modules. Solar Rrl, 0, , .   | 3.1  | 0         |
| 1105 | Vacuum-Healing of Grain Boundaries in Sodium-Doped $\text{CuInSe}_{2}$ Solar Cell Absorbers. Advanced Energy Materials, 2023, 13, .  | 10.2 | 4         |
| 1106 | Enhanced Mechanical Stability of CIGS Solar Module with Glass/Polyimide/Indium Tin Oxide for Potentially Flexible Applications. ACS Applied Energy Materials, 2023, 6, 3745-3755.  | 2.5  | 4         |
| 1107 | Perovskite organic tandem solar cell: A design towards improved efficiency. Materials Today: Proceedings, 2023, , .  | 0.9  | 4         |
| 1108 | Efficiency enhancement of CZTSe solar cells based on <i>in situ</i> K-doped precursor. Journal of Materials Chemistry A, 2023, 11, 9085-9096.  | 5.2  | 3         |
| 1109 | Nonradiative Recombination Dominates Voltage Losses in $\text{Cu}(\text{In,Ga})\text{Se}_{2}$ Solar Cells Fabricated using Different Methods. Solar Rrl, 2023, 7, .  | 3.1  | 1         |
| 1110 | Insights into the Efficiency Improvement for CZTSSe Solar Cells with over 12% Efficiency via Ga Incorporation. Advanced Functional Materials, 2023, 33, .  | 7.8  | 5         |
| 1111 | Heterogeneity of grain boundary properties in $\text{Cu}_{2}\text{ZnSnS}_{4}$ : A first-principles study. Journal of Applied Physics, 2023, 133, .   | 1.1  | 4         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1112 | II-VI Wide-Bandgap Semiconductor Device Technology: Post-Deposition Treatments. , 2023, , 551-578.  |     | 0         |
| 1113 | Insight into physical properties of carbon-doped BeSiP <sub>2</sub> and BeGeP <sub>2</sub> chalcopyrite: An ab initio study. Journal of Solid State Chemistry, 2023, 323, 124054.     | 1.4 | 1         |
| 1114 | Silver- $\delta$ -Doped Cu <sub>2</sub> (Sn,Ge)S <sub>3</sub> Solar Cells. Physica Status Solidi - Rapid Research Letters, 0, , .   | 1.2 | 0         |
| 1121 | A facile synthesis of a copper( $\delta$ ) thiourea sulphate complex and its application for highly efficient chalcopyrite solar cells. Chemical Communications, 2023, 59, 9848-9851. | 2.2 | 1         |
| 1137 | Optimization of Na <sup>+</sup> Doping in Absorb Layer for Nanoparticles Based on Cu(In,Ga)Se <sub>2</sub> Solar Cells. , 2023, , .   |     | 0         |
| 1145 | Effect of shapes and cooling media on the temperature of flexible photovoltaic panels under the climatic conditions of Khulna, Bangladesh. AIP Conference Proceedings, 2023, , .      | 0.3 | 0         |
| 1146 | Revani diffusion model in Cu(In,Ga)Se <sub>2</sub> . Journal of Materials Chemistry A, 2023, 11, 26426-26434.   | 5.2 | 3         |
| 1148 | Electrodeposition of Metal Chalcogenide Thin Films. , 0, , .  |     | 0         |
| 1151 | Influence of NaF and KF Post-Deposition Treatment on the Sub-Band Gap Absorption of Cu(In,Ga)Se <sub>2</sub> Absorber Layers. , 2023, , .   |     | 0         |
| 1159 | Performance Optimization of CuSbS <sub>2</sub> Solar Cells by Numerical Simulation Using SCAPS-1D. Advances in Sustainability Science and Technology, 2024, , 349-358.                | 0.4 | 0         |