Citation Report
List of articles citing

Self-healing chemistry enables the stable operation of silicon microparticle anodes for high-energy lithium-ion batteries

DOI: 10.1038/nchem.1802
Nature Chemistry, 2013, 5, 1042-8.

Source: https://exaly.com/paper-pdf/55136480/citation-report.pdf
Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
943	Lithium silicide nanocrystals: synthesis, chemical stability, thermal stability, and carbon encapsulation. **2014**, 53, 11289-97		20
942	Electrode Nanostructures in Lithium-Based Batteries. **2014**, 1, 1400012		123
941	Lithium diffusion at Si-C interfaces in silicon-graphene composites. **2014**, 105, 053906		2
940	Effect of Cation Structure of Ionic Liquids on Anode Properties of Si Electrodes for LIB. **2014**, 161, A1765-A1771		32
939	Improvement of desolvation and resilience of alginate binders for Si-based anodes in a lithium ion battery by calcium-mediated cross-linking. **2014**, 16, 25628-35		73
938	Systematic molecular-level design of binders incorporating Meldrum's acid for silicon anodes in lithium rechargeable batteries. **2014**, 26, 7979-85		124
937	Ge Nanoparticles Encapsulated in Nitrogen-Doped Reduced Graphene Oxide as an Advanced Anode Material for Lithium-Ion Batteries. **2014**, 118, 28502-28508		88
936	In situ transmission electron microscopy probing of native oxide and artificial layers on silicon nanoparticles for lithium ion batteries. **2014**, 8, 11816-23		90
935	Biotemplated Palladium Catalysts Can Be Stabilized on Different Support Materials. **2014**, 1, 1867-1873		8
934	Production of Silicon Particles for High-Capacity Anode Material Yielding Outstanding Production Capacity. **2014**, 62, 97-105		4
933	Synthesis of porous microspheres composed of graphitized carbon@amorphous silicon/carbon layers as high performance anode materials for Li-ion batteries. **2014**, 4, 55010-55015		6
932	Self-healing polymeric materials towards non-structural recovery of functional properties. **2014**, 63, 1741-1749		45
931	Alloy negative electrodes for Li-ion batteries. **2014**, 114, 11444-502		1329
930	Electrolytes and interphases in Li-ion batteries and beyond. **2014**, 114, 11503-618		2847
929	Synthesis and lithium storage performance of nickel oxide octahedra. **2014**, 16, 9083-9089		10
928	Catalyst engineering for lithium ion batteries: the catalytic role of Ge in enhancing the electrochemical performance of SnO2(GeO2)0.13/G anodes. **2014**, 6, 15020-8		24
927	In situ nanotomography and operando transmission X-ray microscopy of micron-sized Ge particles. **2014**, 7, 2771-2777		110

926	Dendrite-free nanostructured anode: entrapment of lithium in a 3D fibrous matrix for ultra-stable lithium-sulfur batteries. **2014**, 10, 4257-63	130
925	Free-standing hierarchically sandwich-type tungsten disulfide nanotubes/graphene anode for lithium-ion batteries. **2014**, 14, 5899-904	243
924	Uniform Carbon Coating on Silicon Nanoparticles by Dynamic CVD Process for Electrochemical Lithium Storage. **2014**, 53, 12697-12704	40
923	High Energy Density Calendered Si Alloy/Graphite Anodes. **2014**, 161, A1698-A1705	68
922	Elastic a-silicon nanoparticle backboned graphene hybrid as a self-compacting anode for high-rate lithium ion batteries. **2014**, 8, 8591-9	157
921	Building robust carbon nanotube-interweaved-nanocrystal architecture for high-performance anode materials. **2014**, 8, 9265-73	46
920	Interpenetrated Gel Polymer Binder for High-Performance Silicon Anodes in Lithium-ion Batteries. **2014**, 24, 5904-5910	354
919	Surface binding of polypyrrole on porous silicon hollow nanospheres for Li-ion battery anodes with high structure stability. **2014**, 26, 6145-50	201
918	Single-crystalline tungsten oxide quantum dots for fast pseudocapacitor and electrochromic applications. **2014**, 26, 4260-7	285
917	Three dimensional studies of particle failure in silicon based composite electrodes for lithium ion batteries. **2014**, 269, 334-343	66
916	A systematic investigation of polymer binder flexibility on the electrode performance of lithium-ion batteries. **2014**, 6, 17111-8	54
915	Design of conductive composite elastomers for stretchable electronics. **2014**, 9, 244-260	194
914	Recent advances in lithium–sulfur batteries. **2014**, 267, 770-783	329
913	Evaluating Si-Based Materials for Li-Ion Batteries in Commercially Relevant Negative Electrodes. **2014**, 161, A783-A791	134
912	Silica-assistant synthesis of three-dimensional graphene architecture and its application as anode material for lithium ion batteries. **2014**, 8, 62-70	50
911	Dual conductive network-enabled graphene/Si–C composite anode with high areal capacity for lithium-ion batteries. **2014**, 6, 211-218	137
910	Graphene Oxide Wrapped Amorphous Copper Vanadium Oxide with Enhanced Capacitive Behavior for High-Rate and Long-Life Lithium-Ion Battery Anodes. **2015**, 2, 1500154	100
909	The roles of lithium-philic giant nitrogen-doped graphene in protecting micron-sized silicon anode from fading. **2015**, 5, 15665	38

908	Self-Healing Functional Polymeric Materials. **2015**, 247-283	18
907	Preparation of porous Si and TiO2 nanofibres using a sulphur-templating method for lithium storage. **2015**, 212, 877-881	19
906	Energy Storage Materials from Nature through Nanotechnology: A Sustainable Route from Reed Plants to a Silicon Anode for Lithium-Ion Batteries. **2015**, 127, 9768-9772	68
905	Energy Storage Materials from Nature through Nanotechnology: A Sustainable Route from Reed Plants to a Silicon Anode for Lithium-Ion Batteries. **2015**, 54, 9632-6	214
904	A Self-Healing Electronic Sensor Based on Thermal-Sensitive Fluids. **2015**, 27, 4622-7	130
903	Conductive elastomers with autonomic self-healing properties. **2015**, 54, 12127-33	129
902	A High-Capacitance Salt-Free Dielectric for Self-Healable, Printable, and Flexible Organic Field Effect Transistors and Chemical Sensor. **2015**, 25, 3745-3755	99
901	Conductive Elastomers with Autonomic Self-Healing Properties. **2015**, 127, 12295-12301	29
900	From Commercial Sponge Toward 3D Graphene‐Silicon Networks for Superior Lithium Storage. **2015**, 5, 1500289	101
899	Self-Healing Electronic Nanodevices. **2015**, 401-418	
898	. **2015**,	7
897	Anomalous self-diffusion and sticky Rouse dynamics in associative protein hydrogels. **2015**, 137, 3946-57	82
896	Understanding the Effect of Different Polymeric Surfactants on Enhancing the Silicon/Reduced Graphene Oxide Anode Performance. **2015**, 119, 5848-5854	66
895	High-performance silicon-based multicomponent battery anodes produced via synergistic coupling of multifunctional coating layers. **2015**, 8, 2075-2084	110
894	High-efficiency self-healing materials based on supramolecular polymer networks. **2015**, 5, 101148-101154	24
893	Inward lithium-ion breathing of hierarchically porous silicon anodes. **2015**, 6, 8844	179
892	Integration of MnO@graphene with graphene networks towards Li-ion battery anodes. **2015**, 5, 96681-96684	12
891	High-Areal-Capacity Silicon Electrodes with Low-Cost Silicon Particles Based on Spatial Control of Self-Healing Binder. **2015**, 5, 1401826	166

890	Electrochemical lithiation performance and characterization of silicon-graphite composites with lithium, sodium, potassium, and ammonium polyacrylate binders. **2015**, 17, 3783-95	61
889	Highly oriented macroporous graphene hybrid monoliths for lithium ion battery electrodes with ultrahigh capacity and rate capability. **2015**, 12, 287-295	45
888	Recent achievements on inorganic electrode materials for lithium-ion batteries. **2015**, 137, 3140-56	400
887	Emerging In Situ and Operando Nanoscale X-Ray Imaging Techniques for Energy Storage Materials. **2015**, 25, 1622-1637	77
886	Critical roles of binders and formulation at multiscales of silicon-based composite electrodes. **2015**, 280, 533-549	167
885	Preparation of nanocrystalline silicon from SiCl4 at 200 °C in molten salt for high-performance anodes for lithium ion batteries. **2015**, 54, 3822-5	138
884	Characterization of Viscoelasticity and Self-Healing Ability of VHB 4910. **2015**, 300, 99-106	14
883	A simple and versatile approach to self-healing polymers and electrically conductive composites. **2015**, 5, 13261-13269	14
882	Regulated Breathing Effect of Silicon Negative Electrode for Dramatically Enhanced Performance of Li-Ion Battery. **2015**, 25, 1426-1433	132
881	Millipede-inspired structural design principle for high performance polysaccharide binders in silicon anodes. **2015**, 8, 1224-1230	179
880	Conductive Smart Hybrid Hydrogels with PNIPAM and Nanostructured Conductive Polymers. **2015**, 25, 1219-1225	288
879	High capacity and high density functional conductive polymer and SiO anode for high-energy lithium-ion batteries. **2015**, 7, 862-6	62
878	Interfacial oxygen stabilizes composite silicon anodes. **2015**, 15, 703-8	45
877	Bioinspired Self-Healing Organic Materials: Chemical Mechanisms and Fabrications. **2015**, 12, 1-16	28
876	An efficient multiple healing conductive composite via host-guest inclusion. **2015**, 51, 6377-80	37
875	Co3S4 porous nanosheets embedded in graphene sheets as high-performance anode materials for lithium and sodium storage. **2015**, 3, 6787-6791	214
874	High capacity group-IV elements (Si, Ge, Sn) based anodes for lithium-ion batteries. **2015**, 1, 153-169	149
873	Three-Dimensional Conductive Gel Network as an Effective Binder for High-Performance Si Electrodes in Lithium-Ion Batteries. **2015**, 7, 15961-7	51

872	Multifunctional SA-PProDOT Binder for Lithium Ion Batteries. **2015**, 15, 4440-7	72
871	Silicon carbide-free graphene growth on silicon for lithium-ion battery with high volumetric energy density. **2015**, 6, 7393	376
870	X-ray microtomography characterization of Sn particle evolution during lithiation/delithiation in lithium ion batteries. **2015**, 285, 205-209	19
869	Highly emissive, solution-processable and dynamic Eu(III)-containing coordination polymers. **2015**, 51, 8656-9	17
868	Honeycomb-like Macro-Germanium as High-Capacity Anodes for Lithium-Ion Batteries with Good Cycling and Rate Performance. **2015**, 27, 4156-4164	61
867	Supramolecular Polymers: Historical Development, Preparation, Characterization, and Functions. **2015**, 115, 7196-239	853
866	Improved Performance of the Silicon Anode for Li-Ion Batteries: Understanding the Surface Modification Mechanism of Fluoroethylene Carbonate as an Effective Electrolyte Additive. **2015**, 27, 2591-2599	385
865	The self-healing mechanism of an industrial acrylic elastomer. **2015**, 132, n/a-n/a	5
864	Integrated SnO2 nanorod array with polypyrrole coverage for high-rate and long-life lithium batteries. **2015**, 17, 7619-23	70
863	Interfacial stabilizing effect of ZnO on Si anodes for lithium ion battery. **2015**, 13, 620-625	76
862	A Si/Ge nanocomposite prepared by a one-step solid-state metathesis reaction and its enhanced electrochemical performance. **2015**, 3, 11199-11202	24
861	High rate SnO2Graphene Dual Aerogel anodes and their kinetics of lithiation and sodiation. **2015**, 15, 369-378	114
860	Graphene for flexible lithium-ion batteries: Applications and prospects. **2015**, 60, 630-644	4
859	Polymer nanofiber-guided uniform lithium deposition for battery electrodes. **2015**, 15, 2910-6	406
858	Preparation of Nanocrystalline Silicon from SiCl4 at 200 °C in Molten Salt for High-Performance Anodes for Lithium Ion Batteries. **2015**, 127, 3893-3896	27
857	Hierarchical electrode design of high-capacity alloy nanomaterials for lithium-ion batteries. **2015**, 10, 193-212	76
856	Graphene for Flexible Lithium-Ion Batteries: Development and Prospects. **2015**, 119-177	2
855	Dynamic Cross-Linking of Polymeric Binders Based on Host-Guest Interactions for Silicon Anodes in Lithium Ion Batteries. **2015**, 9, 11317-24	123

854	Synthesis of curved Si flakes using Mg powder as both the template and reductant and their derivatives for lithium-ion batteries. **2015**, 5, 67315-67322	5
853	Supramolecular Perylene Bisimide-Polysulfide Gel Networks as Nanostructured Redox Mediators in Dissolved Polysulfide Lithium–Sulfur Batteries. **2015**, 27, 6765-6770	63
852	Self-Propelled Nanomotors Autonomously Seek and Repair Cracks. **2015**, 15, 7077-85	102
851	Nanoscale silicon as anode for Li-ion batteries: The fundamentals, promises, and challenges. **2015**, 17, 366-383	177
850	A film maturation process for improving the cycle life of Si-based anodes for Li-ion batteries. **2015**, 61, 102-105	16
849	Yolk-shell silicon-mesoporous carbon anode with compact solid electrolyte interphase film for superior lithium-ion batteries. **2015**, 18, 133-142	197
848	Self-assembled asymmetric membrane containing micron-size germanium for high capacity lithium ion batteries. **2015**, 5, 92878-92884	12
847	Self-Healing of a Cross-Linked Polymer with Dynamic Covalent Linkages at Mild Temperature and Evaluation at Macroscopic and Molecular Levels. **2015**, 48, 5632-5639	102
846	A Conductive Self-Healing Hybrid Gel Enabled by Metal-Ligand Supramolecule and Nanostructured Conductive Polymer. **2015**, 15, 6276-81	294
845	Bio-complementary supramolecular polymers with effective self-healing functionality. **2015**, 5, 90466-90472	24
844	Unravelling the Impact of Reaction Paths on Mechanical Degradation of Intercalation Cathodes for Lithium-Ion Batteries. **2015**, 137, 13732-5	48
843	Review—Nano-Silicon/Carbon Composite Anode Materials Towards Practical Application for Next Generation Li-Ion Batteries. **2015**, 162, A2509-A2528	229
842	Elastomeric Polymer Multilayer Thin Film with Sustainable Gas Barrier at High Strain. **2015**, 7, 16148-51	24
841	Building sponge-like robust architectures of CNT–graphene–Si composites with enhanced rate and cycling performance for lithium-ion batteries. **2015**, 3, 3962-3967	44
840	Tailoring Hollow Silicon–Carbon Nanocomposites As High-Performance Anodes in Secondary Lithium-Based Batteries through Economical Chemistry. **2015**, 27, 37-43	39
839	Improvement of lithium storage performance of Sn-alloy anode materials by a polypyrrole protective layer. **2015**, 274, 1100-1106	5
838	Self-repair of structural and functional composites with intrinsically self-healing polymer matrices: A review. **2015**, 69, 226-239	128
837	In situ formed carbon bonded and encapsulated selenium composites for Li–Se and Na–Se batteries. **2015**, 3, 555-561	98

836	Nanoscale Engineering of Heterostructured Anode Materials for Boosting Lithium-Ion Storage. **2016**, 28, 7580-602	177
835	Core‐Shell Ge@Graphene@TiO2 Nanofibers as a High-Capacity and Cycle-Stable Anode for Lithium and Sodium Ion Battery. **2016**, 26, 1104-1111	235
834	Self-Healable Polymer Nanocomposites Capable of Simultaneously Recovering Multiple Functionalities. **2016**, 26, 3524-3531	59
833	Integration: An Effective Strategy to Develop Multifunctional Energy Storage Devices. **2016**, 6, 1501867	115
832	Carbon-coated nanoparticle superlattices for energy applications. **2016**, 8, 14359-68	9
831	Nanostructured Anode Materials for Lithium Ion Batteries: Progress, Challenge and Perspective. **2016**, 6, 1600374	294
830	Facile synthesis of the Basolite F300-like nanoscale Fe-BTC framework and its lithium storage properties. **2016**, 6, 114483-114490	48
829	Spontaneously restored electrical conductivity of bioactive gel comprising mussel adhesive protein-coated carbon nanotubes. **2016**, 6, 87044-87048	6
828	Polymers with autonomous life-cycle control. **2016**, 540, 363-370	215
827	The rise of plastic bioelectronics. **2016**, 540, 379-385	925
826	The applications of carbon nanotubes and graphene in advanced rechargeable lithium batteries. **2016**, 4, 8932-8951	90
825	High-energy-density lithium-ion battery using a carbon-nanotube‐Si composite anode and a compositionally graded Li[Ni0.85Co0.05Mn0.10]O2 cathode. **2016**, 9, 2152-2158	221
824	Enhancement of the electrochemical performance of silicon anodes through alloying with inert metals and encapsulation by graphene nanosheets. **2016**, 209, 278-284	16
823	Stretchable Self-Healing Polymeric Dielectrics Cross-Linked Through Metal-Ligand Coordination. **2016**, 138, 6020-7	341
822	Investigation of failure mechanisms in silicon based half cells during the first cycle by micro X-ray tomography and radiography. **2016**, 321, 174-184	32
821	Current status and challenges of biohydrogels for applications as supercapacitors and secondary batteries. **2016**, 4, 8952-8968	62
820	A mechanically and electrically self-healing graphite composite dough for stencil-printable stretchable conductors. **2016**, 4, 4150-4154	42
819	Organogel electrolyte for high-loading silicon batteries. **2016**, 4, 8005-8009	16

818	Enhanced electrochemical performance promoted by monolayer graphene and void space in silicon composite anode materials. **2016**, 27, 647-657	52
817	Cu-Li2O@Si core-shell nanowall arrays: Facile voltage-controlled synthesis and enhanced lithium-storage capabilities. **2016**, 689, 56-62	2
816	A Self-Healing Aqueous Lithium-Ion Battery. **2016**, 128, 14596-14600	25
815	Understanding the role of mechanics in energy materials: A perspective. **2016**, 9, 347-352	34
814	Double-plasma enhanced carbon shield for spatial/interfacial controlled electrodes in lithium ion batteries via micro-sized silicon from wafer waste. **2016**, 331, 198-207	4
813	Nanostructured positive electrode materials for post-lithium ion batteries. **2016**, 9, 3570-3611	202
812	Powering the future: application of cellulose-based materials for supercapacitors. **2016**, 18, 5930-5956	142
811	A Self-Healing Aqueous Lithium-Ion Battery. **2016**, 55, 14384-14388	151
810	Oxidized starch as a superior binder for silicon anodes in lithium-ion batteries. **2016**, 6, 97084-97088	26
809	Precise Perforation and Scalable Production of Si Particles from Low-Grade Sources for High-Performance Lithium Ion Battery Anodes. **2016**, 16, 7210-7215	89
808	Stiffer but More Healable Exponential Layered Assemblies with Boron Nitride Nanoplatelets. **2016**, 10, 9434-9445	25
807	Facile Sol‐Gel/Spray-Drying Synthesis of Interweaved Si@TiO2&CNTs Hybrid Microsphere as Superior Anode Materials for Li-Ion Batteries. **2016**, 45, 5773-5780	5
806	In Situ Lithiation‐Delithiation of Mechanically Robust Cu‐Si Core‐Shell Nanolattices in a Scanning Electron Microscope. **2016**, 1, 492-499	37
805	Towards cost-effective silicon anodes using conductive polyaniline-encapsulated silicon micropowders. **2016**, 6, 77682-77687	3
804	Rapid, in Situ Synthesis of High Capacity Battery Anodes through High Temperature Radiation-Based Thermal Shock. **2016**, 16, 5553-8	52
803	Adhesive interlayer between active film and current collector for improving the performance of silicon anodes of Li-ion batteries. **2016**, 778, 53-56	6
802	Conductive polymers for next-generation energy storage systems: recent progress and new functions. **2016**, 3, 517-535	210
801	Liquid-Infused Smooth Coating with Transparency, Super-Durability, and Extraordinary Hydrophobicity. **2016**, 26, 6693-6702	69

800	Asymmetric Membranes Containing Micron-Size Silicon for High Performance Lithium Ion Battery Anode. **2016**, 213, 46-54	11
799	Synthesis of Multiwalled Carbon Nanotube-Reinforced Polyborosiloxane Nanocomposites with Mechanically Adaptive and Self-Healing Capabilities for Flexible Conductors. **2016**, 8, 24071-8	64
798	Skin-inspired organic electronic materials and devices. **2016**, 41, 897-904	43
797	Multifunctional co-poly(amic acid): A new binder for Si-based micro-composite anode of lithium-ion battery. **2016**, 330, 246-252	14
796	Highly Transparent and Water-Enabled Healable Antifogging and Frost-Resisting Films Based on Poly(vinyl alcohol)–Nafion Complexes. **2016**, 28, 6975-6984	69
795	Humidity responsive self-healing based on intermolecular hydrogen bonding and metal–ligand coordination. **2016**, 6, 89757-89763	14
794	Cobalt-based metal organic framework with superior lithium anodic performance. **2016**, 242, 71-76	86
793	Lithiation of Crystalline Silicon As Analyzed by Operando Neutron Reflectivity. **2016**, 10, 7458-66	63
792	The effect of filler parameters on the healing of thermal conductivity and mechanical properties of a thermal interface material based on a self-healable organic–inorganic polymer matrix. **2016**, 25, 084016	5
791	A Facile 3D Binding Approach for High Si Loading Anodes. **2016**, 212, 141-146	12
790	Multifunctional Energy Storage and Conversion Devices. **2016**, 28, 8344-8364	305
789	In situ crosslinked PVA–PEI polymer binder for long-cycle silicon anodes in Li-ion batteries. **2016**, 6, 68371-68378	50
788	Promise and reality of post-lithium-ion batteries with high energy densities. **2016**, 1,	2575
787	Facile, Water-Based, Direct–Deposit Fabrication of Hybrid Silicon Assemblies for Scalable and High–Performance Li–Ion Battery Anodes. **2016**, 222, 946-955	4
786	Poly (acrylic acid sodium) grafted carboxymethyl cellulose as a high performance polymer binder for silicon anode in lithium ion batteries. **2016**, 6, 19583	105
785	3D macroporous electrode and high-performance in lithium-ion batteries using SnO2 coated on Cu foam. **2016**, 6, 18626	44
784	High-Performance Lithium Metal Negative Electrode with a Soft and Flowable Polymer Coating. **2016**, 1, 1247-1255	218
783	Crystalline Cu-silicide stabilizes the performance of a high capacity Si-based Li-ion battery anode. **2016**, 4, 19140-19146	31

782	Silicon/Mesoporous Carbon/Crystalline TiO Nanoparticles for Highly Stable Lithium Storage. **2016**, 10, 10524-10532	197
781	Ultra-fast self-assembly and stabilization of reactive nanoparticles in reduced graphene oxide films. **2016**, 7, 12332	74
780	5L-Scale Magnesio-Milling Reduction of Nanostructured SiO for High Capacity Silicon Anodes in Lithium-Ion Batteries. **2016**, 16, 7261-7269	55
779	Growth of conformal graphene cages on micrometre-sized silicon particles as stable battery anodes. **2016**, 1,	509
778	Composites of Polymer and Carbon Nanostructures for Self-Healing Chemical Sensors. **2016**, 1, 1600187	30
777	Porous V2O5/RGO/CNT hierarchical architecture as a cathode material: Emphasis on the contribution of surface lithium storage. **2016**, 6, 31275	32
776	Processing silicon microparticles recycled from wafer waste via Rapid Thermal Process for lithium-ion battery anode materials. **2016**, 335, 146-154	33
775	Activation of Oxygen-Stabilized Sulfur for Li and Na Batteries. **2016**, 26, 745-752	66
774	A Stretchable Graphitic Carbon/Si Anode Enabled by Conformal Coating of a Self-Healing Elastic Polymer. **2016**, 28, 2455-61	163
773	Cross-Linked Chitosan as a Polymer Network Binder for an Antimony Anode in Sodium-Ion Batteries. **2016**, 6, 1502130	74
772	Silicon Asymmetric Membranes for Efficient Lithium Storage: A Scalable Method. **2016**, 4, 502-509	6
771	Nanostructured Silicon Anodes for High-Performance Lithium-Ion Batteries. **2016**, 26, 647-678	216
770	Amphiphilic Graft Copolymers as a Versatile Binder for Various Electrodes of High-Performance Lithium-Ion Batteries. **2016**, 12, 3119-27	33
769	Reversible lithium storage in manganese and cobalt 1,2,4,5-benzenetetracarboxylate metal–organic framework with high capacity. **2016**, 6, 61319-61324	33
768	The Effects of Cross-Linking in a Supramolecular Binder on Cycle Life in Silicon Microparticle Anodes. **2016**, 8, 2318-24	73
767	A Deep Reduction and Partial Oxidation Strategy for Fabrication of Mesoporous Si Anode for Lithium Ion Batteries. **2016**, 10, 2295-304	104
766	Silicon as a potential anode material for Li-ion batteries: where size, geometry and structure matter. **2016**, 8, 74-103	408
765	Bimetallic coordination polymer as a promising anode material for lithium-ion batteries. **2016**, 52, 2035-8	57

764	Silicon nano-trees as high areal capacity anodes for lithium-ion batteries. **2016**, 316, 1-7	31
763	Self-Healing, Fully Functional, and Multiparametric Flexible Sensing Platform. **2016**, 28, 138-43	160
762	Latest development of nanostructured Si/C materials for lithium anode studies and applications. **2016**, 4, 1-14	77
761	Mechanical stresses and crystallization of lithium phosphorous oxynitride-coated germanium electrodes during lithiation and delithiation. **2016**, 306, 817-825	13
760	Self-Assembled NiO/Ni(OH)2 Nanoflakes as Active Material for High-Power and High-Energy Hybrid Rechargeable Battery. **2016**, 16, 1794-802	175
759	Bovine serum albumin assisted synthesis of Fe3O4@C@Mn3O4 multilayer core‐shell porous spheres as anodes for lithium ion battery. **2016**, 291, 238-243	20
758	Synthesis and investigation of poly(N-isopropylacrylamide-co-N-vinylcarbazole) hydrogels morphological, fluorescence and electrical properties. **2016**, 1108, 25-32	3
757	Silicon nanoparticles grown on a reduced graphene oxide surface as high-performance anode materials for lithium-ion batteries. **2016**, 6, 25159-25166	20
756	Composite lithium metal anode by melt infusion of lithium into a 3D conducting scaffold with lithiophilic coating. **2016**, 113, 2862-7	643
755	Dependency of Electrochemical Performances of Silicon Lithium-Ion Batteries on Glycosidic Linkages of Polysaccharide Binders. **2016**, 8, 4042-7	46
754	Building Self-Healing Alloy Architecture for Stable Sodium-Ion Battery Anodes: A Case Study of Tin Anode Materials. **2016**, 8, 7147-55	76
753	A Commercial Conducting Polymer as Both Binder and Conductive Additive for Silicon Nanoparticle-Based Lithium-Ion Battery Negative Electrodes. **2016**, 10, 3702-13	320
752	Acetylene Black Induced Heterogeneous Growth of Macroporous CoV2O6 Nanosheet for High-Rate Pseudocapacitive Lithium-Ion Battery Anode. **2016**, 8, 7139-46	74
751	Atomic-Level Understanding toward a High-Capacity and High-Power Silicon Oxide (SiO) Material. **2016**, 120, 886-892	66
750	Preparation of uniform Si nanoparticles for high-performance Li-ion battery anodes. **2016**, 18, 1521-5	47
749	Microwave-assisted ionothermal synthesis of SnSex nanodots: a facile precursor approach towards SnSe2 nanodots/graphene nanocomposites. **2016**, 6, 9835-9842	17
748	Self-healing polyelectrolyte multilayer composite film with microcapsules. **2016**, 6, 12100-12106	9
747	Strategies to succeed in improving the lithium-ion storage properties of silicon nanomaterials. **2016** , 4, 32-50	111

746	A study of the capacity fade of porous NiO/Ni foam as negative electrode for lithium-ion batteries. **2016**, 22, 173-184	9
745	Highly conductive solvent-free polymer electrolyte membrane for lithium-ion batteries: Effect of prepolymer molecular weight. **2016**, 498, 208-217	74
744	Constitutional Dynamic Materials--Toward Natural Selection of Function. **2016**, 116, 809-34	83
743	Cyclopentadithiophene-benzoic acid copolymers as conductive binders for silicon nanoparticles in anode electrodes of lithium ion batteries. **2017**, 53, 1856-1859	12
742	Large-scale production of silicon nanoparticles@graphene embedded in nanotubes as ultra-robust battery anodes. **2017**, 5, 4809-4817	51
741	Ternary perovskite cobalt titanate/graphene composite material as long-term cyclic anode for lithium-ion battery. **2017**, 700, 54-60	22
740	Complementary X-ray and neutron radiography study of the initial lithiation process in lithium-ion batteries containing silicon electrodes. **2017**, 399, 359-366	28
739	Unveiling the Critical Role of Polymeric Binders for Silicon Negative Electrodes in Lithium-Ion Full Cells. **2017**, 9, 3562-3569	42
738	Porous Sandwiched Graphene/Silicon Anodes for Lithium Storage. **2017**, 229, 445-451	54
737	Advanced Materials for Use in Soft Self-Healing Devices. **2017**, 29, 1604973	265
736	Research progress regarding Si-based anode materials towards practical application in high energy density Li-ion batteries. **2017**, 1, 1691-1708	193
735	References. **2017**, 297-307	
734	Two-Fold Anisotropy Governs Morphological Evolution and Stress Generation in Sodiated Black Phosphorus for Sodium Ion Batteries. **2017**, 17, 2299-2306	38
733	Facile Synthesis of 3D Anode Assembly with Si Nanoparticles Sealed in Highly Pure Few Layer Graphene Deposited on Porous Current Collector for Long Life Li-Ion Battery. **2017**, 4, 1601043	52
732	Reviving the lithium metal anode for high-energy batteries. **2017**, 12, 194-206	3302
731	An Omni-Healable Supercapacitor Integrated in Dynamically Cross-Linked Polymer Networks. **2017**, 27, 1700690	93
730	Polymeric materials for lithium-ion cells. **2017**, 28, 1528-1538	13
729	Inkjet-printed silicon as high performance anodes for Li-ion batteries. **2017**, 36, 313-321	71

728	Novel conductive binder for high-performance silicon anodes in lithium ion batteries. **2017**, 36, 206-212	131
727	MoS2 Decorated Fe3O4/Fe1⊠S@C Nanosheets as High-Performance Anode Materials for Lithium Ion and Sodium Ion Batteries. **2017**, 5, 4739-4745	55
726	Redox-Active Macrocycles for Organic Rechargeable Batteries. **2017**, 139, 6635-6643	79
725	Geometric design of micron-sized crystalline silicon anodes through in situ observation of deformation and fracture behaviors. **2017**, 5, 12793-12802	30
724	Healable Transparent Electronic Devices. **2017**, 27, 1606339	89
723	Self-healing strain sensors based on nanostructured supramolecular conductive elastomers. **2017**, 5, 9824-9832	141
722	Silicon Composite Electrodes with Dynamic Ionic Bonding. **2017**, 7, 1700045	31
721	Orientation and Ordering of Organic and Hybrid Inorganic⊡Organic Polyurea Films Using Molecular Layer Deposition. **2017**, 121, 11757-11764	13
720	Supramolecular Interfacial Polymerization: A Controllable Method of Fabricating Supramolecular Polymeric Materials. **2017**, 56, 7639-7643	76
719	Review on High-Loading and High-Energy Lithium⊠Sulfur Batteries. **2017**, 7, 1700260	1010
718	Supramolecular Interfacial Polymerization: A Controllable Method of Fabricating Supramolecular Polymeric Materials. **2017**, 129, 7747-7751	19
717	Methods for the Stabilization of Nanostructured Electrode Materials for Advanced Rechargeable Batteries. **2017**, 1, 1700094	42
716	Mesoporous Silicon Anodes by Using Polybenzimidazole Derived Pyrrolic N-Enriched Carbon toward High-Energy Li-Ion Batteries. **2017**, 2, 1279-1287	90
715	Study of Lithium Silicide Nanoparticles as Anode Materials for Advanced Lithium Ion Batteries. **2017**, 9, 16071-16080	34
714	Imaging the Molecular Motions of Autonomous Repair in a Self-Healing Polymer. **2017**, 29, 1701017	41
713	Electrochemomechanical degradation of high-capacity battery electrode materials. **2017**, 89, 479-521	115
712	Gum-Like Nanocomposites as Conformable, Conductive, and Adhesive Electrode Matrix for Energy Storage Devices. **2017**, 7, 1601767	32
711	A supramolecular self-assembly hydrogel binder enables enhanced cycling of SnO2-based anode for high-performance lithium-ion batteries. **2017**, 52, 3545-3555	19

710	A high-performance Li-ion anode from direct deposition of Si nanoparticles. **2017**, 38, 477-485	51
709	Flower-like carbon with embedded silicon nano particles as an anode material for Li-ion batteries. **2017**, 7, 30032-30037	12
708	Polymer Nanocomposites for Automobile Engineering Applications. **2017**, 139-172	5
707	Skin-Inspired Multifunctional Autonomic-Intrinsic Conductive Self-Healing Hydrogels with Pressure Sensitivity, Stretchability, and 3D Printability. **2017**, 29, 1700533	434
706	Rational Design of Hierarchical Carbon/Mesoporous Silicon Composite Sponges as High-Performance Flexible Energy Storage Electrodes. **2017**, 9, 22819-22825	28
705	Healable green hydrogen bonded networks for circuit repair, wearable sensor and flexible electronic devices. **2017**, 5, 13138-13144	64
704	High-Rate and Long-Cycle Silicon/Porous Nitrogen-Doped Carbon Anode via a Low-Cost Facile Pre-Template-Coating Approach for Li-ion Batteries. **2017**, 245, 14-24	31
703	High-performance Li-ion Sn anodes with enhanced electrochemical properties using highly conductive TiN nanotubes array as a 3D multifunctional support. **2017**, 360, 189-195	14
702	Tough Supramolecular Polymer Networks with Extreme Stretchability and Fast Room-Temperature Self-Healing. **2017**, 29, 1605325	234
701	The Deeply Understanding of the Self-Healing Mechanism for Self-Healing Behavior of Supramolecular Materials Based on Cyclodextrin□Guest Interactions. **2017**, 218, 1600593	11
700	Advanced anodes composed of graphene encapsulated nano-silicon in a carbon nanotube network. **2017**, 7, 15694-15701	26
699	Chemomechanical modeling of lithiation-induced failure in high-volume-change electrode materials for lithium ion batteries. **2017**, 3,	63
698	Microstructural degradation of silicon electrodes during lithiation observed via operando X-ray tomographic imaging. **2017**, 342, 904-912	44
697	Novel hybrid Si nanocrystals embedded in a conductive SiOx@C matrix from one single precursor as a high performance anode material for lithium-ion batteries. **2017**, 5, 7026-7034	40
696	Healing High-Loading Sulfur Electrodes with Unprecedented Long Cycling Life: Spatial Heterogeneity Control. **2017**, 139, 8458-8466	163
695	Lithium Metal Anodes with an Adaptive "Solid-Liquid" Interfacial Protective Layer. **2017**, 139, 4815-4820	352
694	A Transparent, Self-Healing, Highly Stretchable Ionic Conductor. **2017**, 29, 1605099	321
693	High-Performance Polycrystalline Ge Microwire Film Anodes for Li Ion Batteries. **2017**, 2, 238-243	24

692	Core-shell yolk-shell Si@C@Void@C nanohybrids as advanced lithium ion battery anodes with good electronic conductivity and corrosion resistance. **2017**, 342, 529-536	160
691	Natural karaya gum as an excellent binder for silicon-based anodes in high-performance lithium-ion batteries. **2017**, 5, 1919-1924	71
690	Nature-Inspired Electrochemical Energy-Storage Materials and Devices. **2017**, 7, 1601709	91
689	General Method of Manipulating Formation, Composition, and Morphology of Solid-Electrolyte Interphases for Stable Li-Alloy Anodes. **2017**, 139, 17359-17367	81
688	Room-Temperature Solution Synthesis of Mesoporous Silicon for Lithium Ion Battery Anodes. **2017**, 9, 40386-40393	30
687	Material and Structural Design of Novel Binder Systems for High-Energy, High-Power Lithium-Ion Batteries. **2017**, 50, 2642-2652	186
686	Self-Healing Chemistry between Organic Material and Binder for Stable Sodium-Ion Batteries. **2017** , 3, 1050-1062	63
685	A flexible all inorganic nanowire bilayer mesh as a high-performance lithium-ion battery anode. **2017**, 5, 22662-22671	12
684	Nature-Inspired Structural Materials for Flexible Electronic Devices. **2017**, 117, 12893-12941	401
683	Stimuli responsive self-healing polymers: gels, elastomers and membranes. **2017**, 8, 6464-6484	104
682	Systematic Investigation of the Alucone-Coating Enhancement on Silicon Anodes. **2017**, 9, 40143-40150	11
681	Advances in Structure and Property Optimizations of Battery Electrode Materials. **2017**, 1, 522-547	163
680	Recent developments in design and functionalization of micro- and nanostructural environmentally-sensitive hydrogels based on N-isopropylacrylamide. **2017**, 9, 516-532	30
679	Smart Electrochemical Energy Storage Devices with Self-Protection and Self-Adaptation Abilities. **2017**, 29, 1703040	57
678	Sliding chains keep particles together. **2017**, 357, 250-251	9
677	Artificial interphase engineering of electrode materials to improve the overall performance of lithium-ion batteries. **2017**, 10, 4115-4138	38
676	Effects of the Formulations of Silicon-Based Composite Anodes on their Mechanical, Storage, and Electrochemical Properties. **2017**, 10, 4080-4089	11
675	Enhanced electrochemical properties of a natural graphite anode using a promising crosslinked ionomer binder in Li-ion batteries. **2017**, 41, 11759-11765	6

674	Self-Healing Materials for Next-Generation Energy Harvesting and Storage Devices. **2017**, 7, 1700890	147
673	Mechanochemical Synthesis of PEDOT:PSS Hydrogels for Aqueous Formulation of Li-Ion Battery Electrodes. **2017**, 9, 34865-34874	29
672	Self-healing Polymers through Dynamic Covalent Chemistry. **2017**, 359-387	4
671	Autonomous self-healing multiwalled carbon nanotube nanocomposites with piezoresistive effect. **2017**, 7, 20422-20429	16
670	A Review of Inactive Materials and Components of Flexible Lithium-Ion Batteries. **2017**, 1, 1700061	28
669	Challenges and Recent Progress in the Development of Si Anodes for Lithium-Ion Battery. **2017**, 7, 1700715	459
668	New insights and perspectives into biological materials for flexible electronics. **2017**, 46, 6764-6815	245
667	Surface and Interface Engineering of Silicon-Based Anode Materials for Lithium-Ion Batteries. **2017**, 7, 1701083	249
666	Enabling electrolyte compositions for columnar silicon anodes in high energy secondary batteries. **2017**, 362, 349-357	20
665	Harnessing the Power of Plastics: Nanostructured Polymer Systems in Lithium-Ion Batteries. **2017**, 2, 1919-1936	60
664	Nanosilicon anodes for high performance rechargeable batteries. **2017**, 90, 1-44	133
663	Kinetics and electrochemical evolution of binary silicon–polymer systems for lithium ion batteries. **2017**, 7, 36541-36549	18
662	Nanostructured graphene-based materials for flexible energy storage. **2017**, 9, 150-169	177
661	Water-Soluble Sericin Protein Enabling Stable Solid-Electrolyte Interphase for Fast Charging High Voltage Battery Electrode. **2017**, 29, 1701828	114
660	Supramolecular Polymerization from Controllable Fabrication to Living Polymerization. **2017**, 38, 1700312	32
659	Oil-Repellent Antifogging Films with Water-Enabled Functional and Structural Healing Ability. **2017**, 9, 27955-27963	47
658	Rationally Designed Self-Healing Hydrogel Electrolyte toward a Smart and Sustainable Supercapacitor. **2017**, 9, 27745-27753	56
657	A room-temperature liquid metal-based self-healing anode for lithium-ion batteries with an ultra-long cycle life. **2017**, 10, 1854-1861	140

656	The Functionalization of Miniature Energy-Storage Devices. **2017**, 1, 1700211	16
655	Graphene-based composite electrodes for electrochemical energy storage devices: Recent progress and challenges. **2017**, 6, 48-76	22
654	Furan-functionalized aniline trimer based self-healing polymers exhibiting high efficiency of anticorrosion. **2017**, 125, 227-233	24
653	Highly elastic binders integrating polyrotaxanes for silicon microparticle anodes in lithium ion batteries. **2017**, 357, 279-283	670
652	Practical considerations of Si-based anodes for lithium-ion battery applications. **2017**, 10, 3970-4002	70
651	In Situ Multilength-Scale Tracking of Dimensional and Viscoelastic Changes in Composite Battery Electrodes. **2017**, 9, 27664-27675	18
650	Self-healing polymeric materials for membrane separation: an example of a polybenzimidazole-based membrane for pervaporation dehydration on isopropanol aqueous solution. **2017**, 7, 38360-38366	11
649	Intrinsic conductivity optimization of bi-metallic nickel cobalt selenides toward superior-rate Na-ion storage. **2017**, 1, 2656-2663	22
648	Design of Complex Nanomaterials for Energy Storage: Past Success and Future Opportunity. **2017**, 50, 2895-2905	198
647	Silicon Anode Design for Lithium-Ion Batteries: Progress and Perspectives. **2017**, 121, 27775-27787	97
646	Supramolecular Polymerization Controlled through Kinetic Trapping. **2017**, 129, 16802-16805	13
645	Disulfide bonds and metal-ligand co-crosslinked network with improved mechanical and self-healing properties. **2017**, 13, 282-289	23
644	A Supramolecular Capsule for Reversible Polysulfide Storage/Delivery in Lithium-Sulfur Batteries. **2017**, 56, 16223-16227	66
643	A Supramolecular Capsule for Reversible Polysulfide Storage/Delivery in Lithium-Sulfur Batteries. **2017**, 129, 16441-16445	18
642	Supramolecular Polymerization Controlled through Kinetic Trapping. **2017**, 56, 16575-16578	46
641	Walnut-inspired microsized porous silicon/graphene core‐shell composites for high-performance lithium-ion battery anodes. **2017**, 10, 4274-4283	58
640	Electrochemical synthesis of 1D core-shell Si/TiO2 nanotubes for lithium ion batteries. **2017**, 361, 243-248	27
639	Reduction of Electrolyte Components on a Coated Si Anode of Lithium-Ion Batteries. **2017**, 8, 3404-3408	12

638	Rational design of Si@carbon with robust hierarchically porous custard-apple-like structure to boost lithium storage. **2017**, 39, 253-261	100
637	Self-Healing Polyphosphonium Ionic Networks. **2017**, 50, 5253-5260	32
636	Use of regenerated cellulose to direct hetero-assembly of nanoparticles with carbon nanotubes for producing flexible battery anodes. **2017**, 5, 13944-13949	25
635	Physically cross-linked polymer binder based on poly(acrylic acid) and ion-conducting poly(ethylene glycol-co-benzimidazole) for silicon anodes. **2017**, 360, 585-592	46
634	Smart supercapacitors with deformable and healable functions. **2017**, 5, 16-30	48
633	An Iodine Quantum Dots Based Rechargeable Sodium–Iodine Battery. **2017**, 7, 1601885	80
632	Carbon-Coated Silicon Nanowires on Carbon Fabric as Self-Supported Electrodes for Flexible Lithium-Ion Batteries. **2017**, 9, 9551-9558	81
631	Ternary nanoarray electrode with corn-inspired hierarchical design for synergistic lithium storage. **2017**, 10, 172-186	11
630	Lifetime vs. rate capability: Understanding the role of FEC and VC in high-energy Li-ion batteries with nano-silicon anodes. **2017**, 6, 26-35	118
629	Novel Surface Coating Strategies for Better Battery Materials. **2017**, 1-23	8
628	. **2017**,	45
627	Self-Assembly in Dynameric Systems. **2017**, 217-240	
626	Self-Healing and Damage Resilience for Soft Robotics: A Review. **2017**, 4,	47
625	Noncovalent Interactions in Nanotechnology. **2017**, 417-451	5
624	Recent Progress in Synthesis and Application of Low-Dimensional Silicon Based Anode Material for Lithium Ion Battery. **2017**, 2017, 1-15	7
623	NIR induced self-healing electrical conductivity polyurethane/graphene nanocomposites based on Diels–Alder reaction. **2018**, 140, 150-157	68
622	Fluoroethylene Carbonate Enabling a Robust LiF-rich Solid Electrolyte Interphase to Enhance the Stability of the MoS2 Anode for Lithium-Ion Storage. **2018**, 130, 3718-3722	22
621	Three-dimensional hierarchical walnut kernel shape conducting polymer as water soluble binder for lithium-ion battery. **2018**, 269, 571-579	14

620	Molecular Layer Deposition for Energy Conversion and Storage. **2018**, 3, 899-914	96
619	High performance porous Si@C anodes synthesized by low temperature aluminothermic reaction. **2018**, 269, 509-516	38
618	Ion Transport in Dynamic Polymer Networks Based on Metal–Ligand Coordination: Effect of Cross-Linker Concentration. **2018**, 51, 2017-2026	29
617	Autonomous self-healing supramolecular elastomer reinforced and toughened by graphitic carbon nitride nanosheets tailored for smart anticorrosion coating applications. **2018**, 6, 5887-5898	94
616	Materials and Wearable Devices for Autonomous Monitoring of Physiological Markers. **2018**, 30, e1705024	110
615	Enhanced High-Temperature Cyclic Stability of Al-Doped Manganese Dioxide and Morphology Evolution Study Through in situ NMR under High Magnetic Field. **2018**, 10, 9398-9406	27
614	In situ X-ray micro-CT characterization of chemo-mechanical relaxations during Sn lithiation. **2018**, 381, 181-189	9
613	High-Performance Anode Materials for Rechargeable Lithium-Ion Batteries. **2018**, 1, 35-53	334
612	Highly stable carbon coated Mg2Si intermetallic nanoparticles for lithium-ion battery anode. **2018**, 384, 10-17	25
611	Superstretchable, Self-Healing Polymeric Elastomers with Tunable Properties. **2018**, 28, 1800741	114
610	Self-Healing Electronic Materials for a Smart and Sustainable Future. **2018**, 10, 15331-15345	122
609	Self Healing Materials and Conductivity. **2018**, 163-180	2
608	A flexible, self-healing and highly stretchable polymer electrolyte via quadruple hydrogen bonding for lithium-ion batteries. **2018**, 6, 11725-11733	102
607	Multishelled Si@Cu Microparticles Supported on 3D Cu Current Collectors for Stable and Binder-free Anodes of Lithium-Ion Batteries. **2018**, 12, 3587-3599	56
606	Reorganizable and stimuli-responsive polymers based on dynamic carbon–carbon linkages in diarylbibenzofuranones. **2018**, 137, 395-413	26
605	Thermally sensitive, adhesive, injectable, multiwalled carbon nanotube covalently reinforced polymer conductors with self-healing capabilities. **2018**, 6, 1746-1752	26
604	Engraving Electrolyte and Ion-Transport Tunnels in a Holey Carbon Nanosheet Array for Fast Sodium Ion Storage. **2018**, 4, 379-386	6
603	Evolving affinity between Coulombic reversibility and hysteretic phase transformations in nano-structured silicon-based lithium-ion batteries. **2018**, 9, 479	53

602	Polyaniline-encapsulated silicon on three-dimensional carbon nanotubes foam with enhanced electrochemical performance for lithium-ion batteries. **2018**, 381, 156-163	60
601	In situ TEM observation of rebonding on fractured silicon carbide. **2018**, 10, 6261-6269	30
600	Fluoroethylene Carbonate Enabling a Robust LiF-rich Solid Electrolyte Interphase to Enhance the Stability of the MoS Anode for Lithium-Ion Storage. **2018**, 57, 3656-3660	117
599	A semi-permanent and durable nanoscale-crack-based sensor by on-demand healing. **2018**, 10, 4354-4360	38
598	Flexible fiber-shaped energy storage devices: principles, progress, applications and challenges. **2018**, 3, 013001	24
597	An Epidermis-like Hierarchical Smart Coating with a Hardness of Tooth Enamel. **2018**, 12, 1062-1073	26
596	Self-healing Supramolecular Polymer Composites by Hydrogen Bonding Interactions between Hyperbranched Polymer and Graphene Oxide. **2018**, 36, 584-591	35
595	Carbon Nanotube Web with Carboxylated Polythiophene "Assist" for High-Performance Battery Electrodes. **2018**, 12, 3126-3139	35
594	The emerging era of supramolecular polymeric binders in silicon anodes. **2018**, 47, 2145-2164	217
593	Tough and Water-Insensitive Self-Healing Elastomer for Robust Electronic Skin. **2018**, 30, e1706846	523
592	Rehealable, fully recyclable, and malleable electronic skin enabled by dynamic covalent thermoset nanocomposite. **2018**, 4, eaaq0508	269
591	Sintered polymeric binders for Li-ion battery alloy anodes. **2018**, 96, 765-770	1
590	Ionically Conductive Self-Healing Binder for Low Cost Si Microparticles Anodes in Li-Ion Batteries. **2018**, 8, 1703138	153
589	Self-Contained Fragmentation and Interfacial Stability in Crude Micron-Silicon Anodes. **2018**, 165, A244-A250	5
588	Silicon-Based Anodes for Lithium-Ion Batteries: From Fundamentals to Practical Applications. **2018**, 14, 1702737	433
587	Research progress on silicon/carbon composite anode materials for lithium-ion battery. **2018**, 27, 1067-1090	181
586	Binder-free anode with porous Si/Cu architecture for lithium-ion batteries. **2018**, 146, 304-307	12
585	Self-Healing of a Confined Phase Change Memory Device with a Metallic Surfactant Layer. **2018**, 30, 1705587	48

584	Fundamental Understanding of Nanostructured Si Electrodes: Preparation and Characterization. **2018**, 4, 319-337	17
583	Mussel-Inspired Conductive Polymer Binder for Si-Alloy Anode in Lithium-Ion Batteries. **2018**, 10, 5440-5446	62
582	A high-performance tin dioxide@carbon anode with a super high initial coulombic efficiency via a primary cell prelithiation process. **2018**, 740, 830-835	10
581	An all-in-one self-healable capacitor with superior performance. **2018**, 6, 2500-2506	45
580	Effect of Binder Architecture on the Performance of Silicon/Graphite Composite Anodes for Lithium Ion Batteries. **2018**, 10, 3470-3478	61
579	Stabilization of planar tetra-coordinate silicon in a 2D-layered extended system and design of a high-capacity anode material for Li-ion batteries. **2018**, 10, 10450-10458	30
578	Low addition amount of self-healing ionomer binder for Si/graphite electrodes with enhanced cycling. **2018**, 42, 6742-6749	11
577	Self-Healing Liquid Metal and Si Composite as a High-Performance Anode for Lithium-Ion Batteries. **2018**, 1, 1395-1399	46
576	Smart Passivation Materials with a Liquid Metal Microcapsule as Self-Healing Conductors for Sustainable and Flexible Perovskite Solar Cells. **2018**, 28, 1800110	62
575	The origin of cycling enhanced capacity of Ni/NiO species confined on nitrogen doped carbon nanotubes for lithium-ion battery anodes. **2018**, 750, 17-22	10
574	Realizing Crack Diagnosing and Self-Healing by Electricity with a Dynamic Crosslinked Flexible Polyurethane Composite. **2018**, 5, 1800101	81
573	Mussel-inspired healing of a strong and stiff polymer. **2018**, 6, 6667-6674	34
572	Crosslinked carboxymethyl cellulose-sodium borate hybrid binder for advanced silicon anodes in lithium-ion batteries. **2018**, 29, 1773-1776	30
571	Silicon Microparticle Anodes with Self-Healing Multiple Network Binder. **2018**, 2, 950-961	196
570	Lithium Tracer Diffusion in Amorphous LixSi for Low Li Concentrations. **2018**, 122, 6508-6513	15
569	The progress of novel binder as a non-ignorable part to improve the performance of Si-based anodes for Li-ion batteries. **2018**, 42, 919-935	36
568	Review of recent achievements in self-healing conductive materials and their applications. **2018**, 53, 27-46	120
567	Functional self-healing materials and their potential applications in biomedical engineering. **2018**, 1, 94-113	40

566	Simple synthesis of Si/Sn@C-G anodes with enhanced electrochemical properties for Li-ion batteries. **2018**, 259, 1081-1088	35
565	Multi-stimuli triggered self-healing of the conductive shape memory polymer composites. **2018**, 47, 1-6	12
564	Mussel-Inspired Coating and Adhesion for Rechargeable Batteries: A Review. **2018**, 10, 7562-7573	58
563	An Omni-healable and Tailorable Aqueous Lithium-Ion Battery. **2018**, 5, 637-642	19
562	Three-dimensional Si/hard-carbon/graphene network as high-performance anode material for lithium ion batteries. **2018**, 53, 2149-2160	22
561	Triphase electrode performance adjustment for rechargeable ion batteries. **2018**, 43, 1-10	27
560	A review on manifold synthetic and reprocessing methods of 3D porous graphene-based architecture for Li-ion anode. **2018**, 335, 954-969	49
559	Lithium poly-acrylic acid as a fast Li+ transport media and a highly stable aqueous binder for Li3V2(PO4)3 cathode electrodes. **2018**, 6, 23357-23365	16
558	. **2018**,	7
557	Realizing High-Performance Sulfur Cathodes through a Self-Healing and Confining Strategy. **2018**, 1, 6919-6926	10
556	A Freestanding Stretchable and Multifunctional Transistor with Intrinsic Self-Healing Properties of all Device Components. **2019**, 15, e1803939	31
555	Self-healing Polymers: From Biological Systems to Highly Functional Polymers. **2018**, 1-53	1
554	Mechanisms of Diffusion in Associative Polymer Networks: Evidence for Chain Hopping. **2018**, 140, 14185-14194	14
553	A Self-Healing Room-Temperature Liquid-Metal Anode for Alkali-Ion Batteries. **2018**, 28, 1804649	89
552	A Multifunctional Silly-Putty Nanocomposite Spontaneously Repairs Cathode Composite for Advanced Li–S Batteries. **2018**, 28, 1804777	33
551	Long-Lasting Sustainable Self-Healing Ion Gel with Triple-Network by Trigger-Free Dynamic Hydrogen Bonds and Ion Bonds. **2018**, 6, 17087-17098	29
550	Shell-Protective Secondary Silicon Nanostructures as Pressure-Resistant High-Volumetric-Capacity Anodes for Lithium-Ion Batteries. **2018**, 18, 7060-7065	78
549	Rational Design of Core–Shell-Structured Particles by a One-Step and Template-Free Process for High-Performance Lithium/Sodium-Ion Batteries. **2018**, 122, 22232-22240	9

548	Conversion Reaction of Nanoporous ZnO for Stable Electrochemical Cycling of Binderless Si Microparticle Composite Anode. **2018**, 12, 10903-10913	22
547	Improving the Performance of Micro-Silicon Anodes in Lithium-Ion Batteries with a Functional Carbon Nanotube Interlayer. **2018**, 5, 3143-3149	6
546	A high-volumetric-capacity and high-areal-capacity ZnCo2O4 anode for Li-ion batteries enabled by a robust biopolymer binder. **2018**, 6, 19455-19462	19
545	A graphene oxide-mediated polyelectrolyte with high ion-conductivity for highly stretchable and self-healing all-solid-state supercapacitors. **2018**, 6, 19463-19469	34
544	Silicon expansion at the service of safety A reversible potential-dependent switch for safer batteries. **2018**, 10, 89-97	2
543	Hydrogen bonding directed co-assembly of polyoxometalates and polymers to core shell nanoparticles. **2018**, 2, 2070-2075	13
542	Novel Lignin-Derived Water-Soluble Binder for Micro Silicon Anode in Lithium-Ion Batteries. **2018**, 6, 12621-12629	47
541	Surface and Subsurface Reactions of Lithium Transition Metal Oxide Cathode Materials: An Overview of the Fundamental Origins and Remedying Approaches. **2018**, 8, 1802057	146
540	Polymer nanocomposite-enabled high-performance triboelectric nanogenerator with self-healing capability.. **2018**, 8, 30661-30668	20
539	Graphene Caging Silicon Particles for High-Performance Lithium-Ion Batteries. **2018**, 14, e1800635	104
538	Stretched to the Limit for Better Batteries. **2018**, 2, 818-819	3
537	A novel approach to synthesize micrometer-sized porous silicon as a high performance anode for lithium-ion batteries. **2018**, 50, 589-597	133
536	Low-Temperature Growth of All-Carbon Graphdiyne on a Silicon Anode for High-Performance Lithium-Ion Batteries. **2018**, 30, e1801459	192
535	Spontaneous repairing liquid metal/Si nanocomposite as a smart conductive-additive-free anode for lithium-ion battery. **2018**, 50, 359-366	64
534	Dopamine-conjugated Poly(acrylic acid) Blended with an Electrically Conductive Polyaniline Binder for Silicon Anode. **2018**, 39, 873-878	16
533	GeP3 with soft and tunable bonding nature enabling highly reversible alloying with Na ions. **2018**, 9, 126-136	21
532	A novel textile-like carbon wrapping for high-performance silicon anodes in lithium-ion batteries. **2018**, 6, 12475-12483	28
531	A "Sticky" Mucin-Inspired DNA-Polysaccharide Binder for Silicon and Silicon-Graphite Blended Anodes in Lithium-Ion Batteries. **2018**, 30, e1707594	68

530	Poly(aniline-co-anthranilic acid) as an electrically conductive and mechanically stable binder for high-performance silicon anodes. **2018**, 283, 260-268	30
529	Recent progress in sodium alginate based sustainable hydrogels for environmental applications. **2018**, 198, 143-159	190
528	Submicro-sized Si-Ge solid solutions with high capacity and long cyclability for lithium-ion batteries. **2018**, 33, 1553-1564	9
527	A Quadruple-Hydrogen-Bonded Supramolecular Binder for High-Performance Silicon Anodes in Lithium-Ion Batteries. **2018**, 14, e1801189	117
526	Self-Healing Micellar Ion Gels Based on Multiple Hydrogen Bonding. **2018**, 30, e1802792	131
525	Submicron silicon anode stabilized by single-step carbon and germanium coatings for high capacity lithium-ion batteries. **2018**, 138, 419-426	21
524	Utilizing Room Temperature Liquid Metals for Mechanically Robust Silicon Anodes in Lithium-Ion Batteries. **2018**, 1, 122-128	13
523	Dopamine-grafted heparin as an additive to the commercialized carboxymethyl cellulose/styrene-butadiene rubber binder for practical use of SiO/graphite composite anode. **2018**, 8, 11322	13
522	Mechanical mismatch-driven rippling in carbon-coated silicon sheets for stress-resilient battery anodes. **2018**, 9, 2924	69
521	Recent progress on silicon-based anode materials for practical lithium-ion battery applications. **2018**, 15, 422-446	192
520	Scallop-Inspired Shell Engineering of Microparticles for Stable and High Volumetric Capacity Battery Anodes. **2018**, 14, e1800752	14
519	Extremely Stretchable, Self-Healable Elastomers with Tunable Mechanical Properties: Synthesis and Applications. **2018**, 30, 6026-6039	74
518	Micron-size Silicon Monoxide Asymmetric Membranes for Highly Stable Lithium Ion Battery Anode. **2018**, 3, 8662-8668	6
517	Decoupling Bulk Mechanics and Mono- and Multivalent Ion Transport in Polymers Based on Metal–ligand Coordination. **2018**, 30, 5759-5769	34
516	Polarity-Switchable Symmetric Graphite Batteries with High Energy and High Power Densities. **2018**, 30, e1802949	38
515	Practical anodes for Li-ion batteries comprising metallurgical silicon particles and multiwall carbon nanotubes. **2018**, 22, 3289-3301	4
514	Effects of bond exchange reactions and relaxation of polymer chains on the thermomechanical behaviors of covalent adaptable network polymers. **2018**, 153, 43-51	20
513	Free-Standing Sandwich-Type Graphene/Nanocellulose/Silicon Laminar Anode for Flexible Rechargeable Lithium Ion Batteries. **2018**, 10, 29638-29646	48

512	Mechanics of self-healing polymer networks crosslinked by dynamic bonds. **2018**, 121, 409-431	53
511	In-situ constructing 3D graphdiyne as all-carbon binder for high-performance silicon anode. **2018**, 53, 135-143	62
510	Exploring Chemical, Mechanical, and Electrical Functionalities of Binders for Advanced Energy-Storage Devices. **2018**, 118, 8936-8982	337
509	Freestanding silicon microparticle and self-healing polymer composite design for effective lithiation stress relaxation. **2018**, 6, 11353-11361	17
508	Carbon nanofiber interlayer: a highly effective strategy to stabilize silicon anodes for use in lithium-ion batteries. **2018**, 10, 12430-12435	9
507	Nanocrystalline silicon embedded in an alloy matrix as an anode material for high energy density lithium-ion batteries. **2018**, 395, 328-335	22
506	Shortly Branched, Linear Dextrans as Efficient Binders for Silicon/Graphite Composite Electrodes in Li-Ion Batteries. **2018**, 57, 9062-9074	9
505	Self-Healing of Polymers via Supramolecular Chemistry. **2018**, 5, 1800384	84
504	Self-healing polyaniline-graphene oxides based electrodes with enhanced cycling stability. **2018**, 282, 835-844	21
503	Fast self-healing and rebuildable polyphosphate-based metallo-gels with mixed ionic-electronic conductivity. **2019**, 533, 216-226	9
502	Silicon carbon nanohybrids with expandable space: A high-performance lithium battery anodes. **2019**, 275, 42-49	23
501	A robust hierarchical 3D Si/CNTs composite with void and carbon shell as Li-ion battery anodes. **2019**, 360, 974-981	52
500	Development of Supramolecular Semiconducting Mn(II)-Metallogel Based Active Device with Substantial Carrier Diffusion Length. **2019**, 1, 1899-1908	20
499	Transparent and Scratch-Resistant Antifogging Coatings with Rapid Self-Healing Capability. **2019**, 11, 30300-30307	36
498	Self-Healing Nanophotonics: Robust and Soft Random Lasers. **2019**, 13, 8977-8985	6
497	In-Depth Analysis of Supramolecular Interfacial Polymerization via a Computer Simulation Strategy. **2019**, 52, 6393-6404	6
496	Energy Scavenging and Powering E-Skin Functional Devices. **2019**, 107, 2118-2136	18
495	Facile Fabrication of Room-Temperature Self-Healing, Mechanically Robust, Highly Stretchable, and Tough Polymers Using Dual Dynamic Cross-Linked Polymer Complexes. **2019**, 11, 33356-33363	22

494	Ultrafast synthesis of graphene nanosheets encapsulated Si nanoparticles via deflagration of energetic materials for lithium-ion batteries. **2019**, 65, 104028	14
493	Co-axial fibrous silicon asymmetric membranes for high-capacity lithium-ion battery anode. **2019**, 49, 1013-1025	3
492	Scalable submicron/micron silicon particles stabilized in a robust graphite-carbon architecture for enhanced lithium storage. **2019**, 555, 783-790	13
491	Notch-Insensitive, Ultrastretchable, Efficient Self-Healing Supramolecular Polymers Constructed from Multiphase Active Hydrogen Bonds for Electronic Applications. **2019**, 31, 7951-7961	47
490	Improved electrochemical performance of binder-free multi-layered silicon/carbon thin film electrode for lithium-ion batteries. **2019**, 153, 592-601	21
489	Polypropylene Carbonate-Based Adaptive Buffer Layer for Stable Interfaces of Solid Polymer Lithium Metal Batteries. **2019**, 11, 27906-27912	17
488	Self-Healing Technology for Metallic Die Attach Materials in Electronics. **2019**, 21, 1900245	1
487	Structure design and mechanism analysis of silicon anode for lithium-ion batteries. **2019**, 62, 1515-1536	39
486	Effects of polymeric binders on the cracking behavior of silicon composite electrodes during electrochemical cycling. **2019**, 438, 226938	17
485	A facile in situ synthesis of SiC&Si@CNT composite 3D frameworks as an anode material for lithium-ion batteries. **2019**, 48, 12964-12973	5
484	Mussel-Inspired Self-Healing Metallopolymers for Silicon Nanoparticle Anodes. **2019**, 13, 8364-8373	65
483	Room-temperature liquid metal and alloy systems for energy storage applications. **2019**, 12, 2605-2619	69
482	Functional materials with self-healing properties: a review. **2019**, 15, 6615-6625	25
481	Lithium Diffusion in Amorphous LixSi (x □0.4) Materials. **2019**, 391, 88-94	
480	An eggshell-structured N-doped silicon composite anode with high anti-pulverization and favorable electronic conductivity. **2019**, 443, 227265	14
479	Remarkably Improved Cycling Stability of Boron-Strengthened Multicomponent Layer Protected Micron-Si Composite Anode. **2019**, 7, 19167-19175	7
478	A Pyrene-Poly(acrylic acid)-Polyrotaxane Supramolecular Binder Network for High-Performance Silicon Negative Electrodes. **2019**, 31, e1905048	50
477	The critical role of carbon in marrying silicon and graphite anodes for high-energy lithium-ion batteries. **2019**, 1, 57-76	154

476	Hierarchical NiCoP/C Hollow Nanoflowers for Enhanced Lithium Storage. **2019**, 2, 6880-6888	8
475	Facile Synthesis of FeS@C Particles Toward High-Performance Anodes for Lithium-Ion Batteries. **2019**, 9,	1
474	Enhanced Stability Lithium-Ion Battery Based on Optimized Graphene/Si Nanocomposites by Templated Assembly. **2019**, 4, 18195-18202	14
473	Superior Cycling and Rate Performance of Micron-Sized Tin Using Aqueous-Based Binder as a Sustainable Anode for Lithium-Ion Batteries. **2019**, 7, 1900849	4
472	A three-dimensional highly conductive structure of Si/NiSi2 anode for Li-ion battery. **2019**, 252, 022135	
471	Largely Improved Battery Performance Using a Microsized Silicon Skeleton Caged by Polypyrrole as Anode. **2019**, 13, 12032-12041	36
470	Chitosan-g-Poly(acrylic acid) Copolymer and Its Sodium Salt as Stabilized Aqueous Binders for Silicon Anodes in Lithium-Ion Batteries. **2019**, 7, 16274-16283	25
469	Si-based materials derived from biomass: synthesis and applications in electrochemical energy storage. **2019**, 7, 22123-22147	53
468	A Self-Healing Integrated All-in-One Zinc-Ion Battery. **2019**, 131, 4357-4361	64
467	A Self-Healing Integrated All-in-One Zinc-Ion Battery. **2019**, 58, 4313-4317	180
466	Supramolecular Emulsion Interfacial Polymerization. **2019**, 8, 177-182	19
465	Additive manufacturing of self-healing elastomers. **2019**, 11,	63
464	Supramolecular Architecture of Molecular-Level-Ordered 1,1?-Ferrocenedicarboxylic Acid with Poly(4-vinylpyridine) for Bulk Magnetic Coupling. **2019**, 1, 397-404	3
463	Silicon oxides: a promising family of anode materials for lithium-ion batteries. **2019**, 48, 285-309	436
462	Confining Silicon Nanoparticles within Freestanding Multichannel Carbon Fibers for High-Performance Li-Ion Batteries. **2019**, 2, 5214-5218	12
461	Sandwich-Type Si@C/rGO Composite Stabilized by Polyetherimide-Derived Interface with Efficient Lithium Storage and High Rate Performance. **2019**, 166, A2096-A2104	2
460	Self-Healing Polymers: From Biological Systems to Highly Functional Polymers. **2019**, 665-717	
459	Smart Materials and Design toward Safe and Durable Lithium Ion Batteries. **2019**, 3, 1900323	34

458	Towards high energy density lithium battery anodes: silicon and lithium. **2019**, 10, 7132-7148	76
457	Nature Plant Polyphenol Coating Silicon Submicroparticle Conjugated with Polyacrylic Acid for Achieving a High-Performance Anode of Lithium-Ion Battery. **2019**, 2, 5066-5073	17
456	Infinitesimal sulfur fusion yields quasi-metallic bulk silicon for stable and fast energy storage. **2019**, 10, 2351	37
455	Recent Advances in Rochow-Müller Process Research: Driving to Molecular Catalysis and to A More Sustainable Silicone Industry. **2019**, 11, 2757-2779	10
454	Achieving high energy density and efficiency through integration: progress in hybrid zinc batteries. **2019**, 7, 15564-15574	31
453	Double Coating of Micron-Sized Silicon by TiN@NC for High-Performance Anode in Lithium-Ion Batteries. **2019**, 7, 1900487	9
452	Self-healable electrochromic ion gels for low power and robust displays. **2019**, 71, 199-205	12
451	Design of Self-Healing and Electrically Conductive Silk Fibroin-Based Hydrogels. **2019**, 11, 20394-20403	39
450	Optimized ALD-derived MgO coating layers enhancing silicon anode performance for lithium ion batteries. **2019**, 34, 2425-2434	6
449	Li-Ions Transport Promoting and Highly Stable Solid-Electrolyte Interface on Si in Multilayer Si/C through Thickness Control. **2019**, 13, 5602-5610	25
448	Healable, Highly Conductive, Flexible, and Nonflammable Supramolecular Ionogel Electrolytes for Lithium-Ion Batteries. **2019**, 11, 19413-19420	78
447	Polymer Binders Constructed through Dynamic Noncovalent Bonds for High-Capacity Silicon-Based Anodes. **2019**, 25, 10976-10994	29
446	Elucidating the interfacial evolution and anisotropic dynamics on silicon anodes in lithium-ion batteries. **2019**, 61, 304-310	22
445	An in situ formed graphene oxide–polyacrylic acid composite cage on silicon microparticles for lithium ion batteries via an esterification reaction. **2019**, 7, 12763-12772	20
444	Solid Electrolyte Interphase in Lithium-Based Batteries. **2019**, 1-17	3
443	Role of Polyacrylic Acid (PAA) Binder on the Solid Electrolyte Interphase in Silicon Anodes. **2019**, 31, 2535-2544	59
442	Skin-Inspired, Fully Autonomous Self-Warning and Self-Repairing Polymeric Material under Damaging Events. **2019**, 31, 2611-2618	29
441	Confronting the Challenges of Next-Generation Silicon Anode-Based Lithium-Ion Batteries: Role of Designer Electrolyte Additives and Polymeric Binders. **2019**, 12, 2515-2539	92

440	Chemical and mechanical degradation and mitigation strategies for Si anodes. **2019**, 419, 208-218	21
439	Introduction to Smart Polymers and Their Applications. **2019**, 1-11	25
438	A sandwich-structured double-battery device for direct evaluation of lithium diffusion coefficients and phase transition in electrodes of lithium ion batteries. **2019**, 200, 80-86	10
437	Practically Relevant Research on Silicon-Based Lithium-Ion Battery Anodes. **2019**, 261-305	2
436	A bioinspired high-modulus mineral hydrogel binder for improving the cycling stability of microsized silicon particle-based lithium-ion battery. **2019**, 12, 1121-1127	30
435	Improving the structure stabilization of red phosphorus anodes via the shape memory effect of a Ni-Ti alloy for high-performance sodium ion batteries. **2019**, 55, 4659-4662	7
434	Solvent-Processed Metallic Lithium Microparticles for Lithium Metal Batteries. **2019**, 2, 1623-1628	8
433	Cracking resistance and electrochemical performance of silicon anode on binders with different mechanical characteristics. **2019**, 74, 216-222	6
432	Silicon-Based Anodes for Advanced Lithium-Ion Batteries. **2019**, 1-12	1
431	TiO2 modified hen-egg-shell-membrane as separator for Li-ion batteries. **2019**, 6, 075512	2
430	Nanostructures of solid electrolyte interphases and their consequences for microsized Sn anodes in sodium ion batteries. **2019**, 12, 1550-1557	103
429	Superior Electrochemical Performance of Thin-Film Thermoplastic Elastomer-Coated SnSb as an Anode for Li-ion Batteries. **2019**, 9, 4301	7
428	Graphene caging silicon nanoparticles anchored on graphene sheets for high performance Li-ion batteries. **2019**, 484, 11-20	21
427	Carbon framework microbelt supporting SnO as a high performance electrode for lithium ion batteries. **2019**, 30, 325405	9
426	Understanding and controlling the self-healing behavior of 2-ureido-4[1H]-pyrimidinone-functionalized clustery and dendritic dual dynamic supramolecular network. **2019**, 172, 13-26	6
425	A new design for Si wears double jackets used as a high-performance lithium-ion battery anode. **2019**, 370, 565-572	30
424	Designing polymers for advanced battery chemistries. **2019**, 4, 312-330	333
423	Tuning self-healing properties of stiff, ion-conductive polymers. **2019**, 7, 6773-6783	19

422	From Fragile Plastic to Room-Temperature Self-Healing Elastomer: Tuning Quadruple Hydrogen Bonding Interaction through One-Pot Synthesis. **2019**, 1, 425-436	26
421	Thermally and Near-Infrared Light-Induced Shape Memory Polymers Capable of Healing Mechanical Damage and Fatigued Shape Memory Function. **2019**, 11, 9470-9477	42
420	Two-dimensional self-healing hydrogen-bond-based supramolecular polymer film. **2019**, 30, 961-965	6
419	High-Rate and Large-Capacity Lithium Metal Anode Enabled by Volume Conformal and Self-Healable Composite Polymer Electrolyte. **2019**, 6, 1802353	89
418	Toward Smart Polymeric Binders for Battery Electrodes. **2019**, 651-669	1
417	Catalyst-Free Vitrimers from Vinyl Polymers. **2019**, 52, 2105-2111	111
416	Prospect for Supramolecular Chemistry in High-Energy-Density Rechargeable Batteries. **2019**, 3, 662-682	42
415	Extremely Fast Self-Healable Bio-Based Supramolecular Polymer for Wearable Real-Time Sweat-Monitoring Sensor. **2019**, 11, 46165-46175	57
414	Engineering MoS2 Nanosheets Anchored on Metal Organic Frameworks Derived Carbon Polyhedra for Superior Lithium and Potassium Storage. **2019**, 7,	10
413	Supremely elastic gel polymer electrolyte enables a reliable electrode structure for silicon-based anodes. **2019**, 10, 5586	36
412	One-pot preparation and applications of self-healing, self-adhesive PAA-PDMS elastomers. **2019**, 40, 112602	2
411	Hydrogen Bond-Assisted Poly (ethyl oxazoline) Polymer as a Functional Binder to Stabilize the Electrochemical Performance of Sulfur Cathodes. **2019**, 166, A4080-A4087	1
410	Highly-stretchable, self-healable random copolymers for loading large amounts of multiwall carbon nanotubes (MWCNTs) for the preparation of stretchable and healable electric sensors. **2019**, 7, 13161-13175	9
409	Room-temperature self-healing and reprocessing of Diselenide-containing waterborne polyurethanes under visible light. **2019**, 136, 47071	18
408	Strategies for Building Robust Traffic Networks in Advanced Energy Storage Devices: A Focus on Composite Electrodes. **2019**, 31, e1804204	50
407	Interfacially Induced Cascading Failure in Graphite-Silicon Composite Anodes. **2019**, 6, 1801007	45
406	Recent Advances on Self-Healing Materials and Batteries. **2019**, 6, 1605-1622	31
405	A Modified Natural Polysaccharide as a High-Performance Binder for Silicon Anodes in Lithium-Ion Batteries. **2019**, 11, 4311-4317	40

404	Sodium Hyaluronate: A Versatile Polysaccharide toward Intrinsically Self-Healable Energy-Storage Devices. **2019**, 11, 3136-3141	10
403	Anomalous interfacial stress generation during sodium intercalation/extraction in MoS thin-film anodes. **2019**, 5, eaav2820	50
402	An Efficient Two-Polymer Binder for High-Performance Silicon Nanoparticle-Based Lithium-Ion Batteries: A Systematic Case Study with Commercial Polyacrylic Acid and Polyvinyl‐Butyral Polymers. **2019**, 166, A5275-A5286	19
401	Engineering the Direct Deposition of Si Nanoparticles for Improved Performance in Li-Ion Batteries. **2019**, 166, A5252-A5258	2
400	Modular and Reconfigurable Stretchable Electronic Systems. **2019**, 4, 1800417	27
399	Mechanics of light-activated self-healing polymer networks. **2019**, 124, 643-662	18
398	Dimensionally Designed Carbon‐Silicon Hybrids for Lithium Storage. **2019**, 29, 1806061	91
397	Interweaving 3D Network Binder for High-Areal-Capacity Si Anode through Combined Hard and Soft Polymers. **2019**, 9, 1802645	112
396	Hierarchical Microspheres of Aggregated Silicon Nanoparticles with Nanometre Gaps as the Anode for Lithium-Ion Batteries with Excellent Cycling Stability. **2019**, 6, 1139-1148	5
395	Ionic liquid-based high-voltage flexible supercapacitor for integration with wearable human-powered energy harvesting system. **2019**, 49, 79-86	4
394	Synthesis of Si anode with a microsized-branched structure from recovered Al scrap for use in Li-Ion batteries. **2019**, 410-411, 31-37	36
393	Small things make big deal: Powerful binders of lithium batteries and post-lithium batteries. **2019**, 20, 146-175	61
392	Biomimetic Solid-State Zn Electrolyte for Corrugated Structural Batteries. **2019**, 13, 1107-1115	48
391	Unusual Capacity Increases with Cycling for Ladder-Type Microporous Polymers. **2019**, 11, 1739-1747	23
390	Self-healable polysiloxane/graphene nanocomposite and its application in pressure sensor. **2019**, 54, 5472-5483	41
389	Lithium Titanate Matrix-Supported Nanocrystalline Silicon Film as an Anode for Lithium-Ion Batteries. **2019**, 11, 534-540	13
388	Shape-Deformable Self-Healing Electroluminescence Displays. **2019**, 7, 1801283	11
387	Spontaneous pseudo-topological silicon quantization for redesigned Si-based Li-ion batteries. **2019**, 56, 875-883	13

386	Design of Hollow Nanostructures for Energy Storage, Conversion and Production. **2019**, 31, e1801993	224
385	Bilayer-graphene-coated Si nanoparticles as advanced anodes for high-rate lithium-ion batteries. **2020**, 329, 134975	21
384	Highly Elastic Binders Incorporated with Helical Molecules to Improve the Electrochemical Stability of Black Phosphorous Anodes for Sodium-Ion Batteries. **2020**, 3, 101-107	5
383	A Bio-Inspired and Biomass-Derived Healable Photochromic Material Induced by Hierarchical Structural Design. **2020**, 305, 1900539	7
382	Bio-inspired synthesis of nanomaterials and smart structures for electrochemical energy storage and conversion. **2020**, 2, 264-280	14
381	Synthesis of self-healing polyurethane and its application in graphene/SnO2-pillared carbon anode materials. **2020**, 28, 348-355	1
380	A Game Changer: Functional Nano/Micromaterials for Smart Rechargeable Batteries. **2020**, 30, 1902499	28
379	Rational Design of Nanostructured Electrode Materials toward Multifunctional Supercapacitors. **2020**, 30, 1902564	134
378	Key functional groups defining the formation of Si anode solid-electrolyte interphase towards high energy density Li-ion batteries. **2020**, 25, 764-781	29
377	Development and application of self-healing materials in smart batteries and supercapacitors. **2020** , 380, 122565	81
376	Mutually-complementary structure design towards highly stretchable elastomers with robust strength and autonomous self-healing property. **2020**, 186, 122003	14
375	Si nanoparticles encapsulated in CNTs arrays with tubular sandwich structure for high performance Li ion battery. **2020**, 46, 3242-3249	7
374	A materials perspective on magnesium-ion-based solid-state electrolytes. **2020**, 8, 2875-2897	32
373	Materials and electrode engineering of high capacity anodes in lithium ion batteries. **2020**, 450, 227697	34
372	Collaborative Design of Hollow Nanocubes, In Situ Cross-Linked Binder, and Amorphous Void@SiO @C as a Three-Pronged Strategy for Ultrastable Lithium Storage. **2020**, 16, e1905736	26
371	Mechanics of self-healing thermoplastic elastomers. **2020**, 137, 103831	21
370	Self-healing and high stretchable polymer electrolytes based on ionic bonds with high conductivity for lithium batteries. **2020**, 450, 227629	29
369	Room-Temperature Crosslinkable Natural Polymer Binder for High-Rate and Stable Silicon Anodes. **2020**, 30, 1908433	52

368	Facile Fabrication of Porous Si Microspheres from Low-Cost Precursors for High-Capacity Electrode. **2020**, 7, 1901726	8
367	A self-healing flexible urea-g-MWCNTs/poly(urethane-sulfide) nanocomposite for sealing electronic devices. **2020**, 8, 607-618	9
366	Toward understanding the interaction within Silicon-based anodes for stable lithium storage. **2020**, 385, 123821	36
365	Strategic Pore Architecture for Accommodating Volume Change from High Si Content in Lithium-Ion Battery Anodes. **2020**, 10, 1903400	22
364	3D Meshlike Polyacrylamide Hydrogel as a Novel Binder System via in situ Polymerization for High-Performance Si-Based Electrode. **2020**, 7, 1901475	15
363	Self-Healing and Shape-Memory Superconducting Devices. **2020**, 305, 1900581	6
362	3D Network Binder via In Situ Cross-Linking on Silicon Anodes with Improved Stability for Lithium-Ion Batteries. **2020**, 221, 1900414	19
361	Lithium metal electrode protected by stiff and tough self-compacting separator. **2020**, 69, 104399	14
360	Heteroatoms-doped 3D carbon nanosphere cages embedded with MoS2 for lithium-ion battery. **2020**, 332, 135490	12
359	Reliability modeling and maintenance optimization for the two-unit system with preset self-repairing mechanism. **2020**, 234, 221-234	5
358	Recycling silicon-based industrial waste as sustainable sources of Si/SiO2 composites for high-performance Li-ion battery anodes. **2020**, 449, 227513	31
357	Self-healing polymer composites and its chemistry. **2020**, 415-427	24
356	A conductive self-healing hydrogel binder for high-performance silicon anodes in lithium-ion batteries. **2020**, 449, 227472	41
355	Self-Healing of Materials under High Electrical Stress. **2020**, 3, 989-1008	18
354	Building sandwich-like carbon coated Si@CNTs composites as high-performance anode materials for lithium-ion batteries. **2020**, 364, 137278	12
353	Microclusters of Kinked Silicon Nanowires Synthesized by a Recyclable Iodide Process for High-Performance Lithium-Ion Battery Anodes. **2020**, 10, 2002108	28
352	Arm-length-dependent phase transformation and dual dynamic healing behavior of supramolecular networks consisting of ureidopyrimidinone-end-functionalized semi-crystalline star polymers. **2020**, 138, 109976	4
351	Diffusion-Controlled Porous Crystalline Silicon Lithium Metal Batteries. **2020**, 23, 101586	4

350	A supramolecular silicone dielectric elastomer with a high dielectric constant and fast and highly efficient self-healing under mild conditions. **2020**, 8, 23330-23343	16
349	A self-healable polymer binder for Si anodes based on reversible Diels–Alder chemistry. **2020**, 364, 137311	8
348	Self-assembled materials for electrochemical energy storage. **2020**, 45, 815-822	5
347	High-performance Si-Containing anode materials in lithium-ion batteries: A superstructure of Si@Co–N–C composite works effectively. **2020**, 7, 116-116	4
346	A Review of the Design of Advanced Binders for High-Performance Batteries. **2020**, 10, 2002508	72
345	Mechanoelectrochemical issues involved in current lithium-ion batteries. **2020**, 12, 20100-20117	2
344	Design Principles of Artificial Solid Electrolyte Interphases for Lithium-Metal Anodes. **2020**, 1, 100119	58
343	Self-healing Diels–Alder engineered thermosets. **2020**, 209-233	2
342	A Comprehensive Review of Li-Ion Battery Materials and Their Recycling Techniques. **2020**, 9, 1161	54
341	Promise and reality of practical potassium-based energy storage systems. **2020**, 2, e12328	5
340	Progress of 3D network binders in silicon anodes for lithium ion batteries. **2020**, 8, 25548-25570	26
339	Two-Dimensional Silicon/Carbon from Commercial Alloy and CO for Lithium Storage and Flexible TiCT MXene-Based Lithium-Metal Batteries. **2020**,	46
338	Direct Measure of Electrode Spatial Heterogeneity: Influence of Processing Conditions on Anode Architecture and Performance. **2020**, 12, 55954-55970	11
337	Tetrathiafulvalene-Based Metal-Organic Framework as a High-Performance Anode for Lithium-Ion Batteries. **2020**, 12, 52615-52623	17
336	Brachiation of a polymer chain in the presence of a dynamic network. **2020**, 102, 020501	3
335	Electrochemical Reactivity and Passivation of Silicon Thin-Film Electrodes in Organic Carbonate Electrolytes. **2020**, 12, 40879-40890	22
334	Metal-Coordination Mediated Polyacrylate for High Performance Silicon Microparticle Anode. **2020**, 3, 1287-1295	5
333	Sequence-Defined Peptoids with -OH and -COOH Groups As Binders to Reduce Cracks of Si Nanoparticles of Lithium-Ion Batteries. **2020**, 7, 2000749	15

332	Dynamics of self-healing supramolecular guanine-modified poly(n-butyl methacrylate-co-hydroxyethyl methacrylate) copolymers. **2020**, 211, 123117	7
331	Exploiting Self-Healing in Lithium Batteries: Strategies for Next-Generation Energy Storage Devices. **2020**, 10, 2002815	23
330	Flexible and Stretchable Microbatteries for Wearable Technologies. **2020**, 5, 2000412	10
329	Critical barriers to the large scale commercialization of silicon-containing batteries. **2020**, 2, 4368-4389	6
328	Diatomite-Derived Hierarchical Porous Crystalline-AmorphousNetwork for High-Performance and Sustainable Si Anodes. **2020**, 30, 2005956	17
327	Exploration of Nanoporous CuBi Binary Alloy for Potassium Storage. **2020**, 30, 2003838	17
326	Anomalous Photoinduced Reconstructing and Dark Self-Healing Processes on BiOS Nanoplates. **2020**, 11, 7832-7838	2
325	Intrinsic self-healing polymers for advanced lithium-based batteries: Advances and strategies. **2020**, 7, 031304	25
324	Onion-Structured Si Anode Constructed with Coating by LiTiO and Cyclized-Polyacrylonitrile for Lithium-Ion Batteries. **2020**, 10,	0
323	Realizing High Volumetric Lithium Storage by Compact and Mechanically Stable Anode Designs. **2020**, 5, 1986-1995	38
322	An intrinsically healing artificial neuromorphic device. **2020**, 8, 6869-6876	6
321	Highly Stretchable Polymer Binder Engineered with Polysaccharides for Silicon Microparticles as High-Performance Anodes. **2020**, 13, 3887	10
320	Role of the binder in the mechanical integrity of micro-sized crystalline silicon anodes for Li-Ion batteries. **2020**, 465, 228290	8
319	Microscopic Theory of the Effect of Caging and Physical Bonding on Segmental Relaxation in Associating Copolymer Liquids. **2020**, 53, 4366-4380	6
318	Concentration dependent properties and plastic deformation facilitate instability of the solid-electrolyte interphase in Li-ion batteries. **2020**, 198, 99-109	7
317	Micrometer-sized ferrosilicon composites wrapped with multi-layered carbon nanosheets as industrialized anodes for high energy lithium-ion batteries. **2020**, 50, 286-295	8
316	Skin-inspired electronics: emerging semiconductor devices and systems. **2020**, 41, 041601	33
315	Tannic Acid as a Small-Molecule Binder for Silicon Anodes. **2020**, 3, 6985-6994	15

314	Self-healing polymers. **2020**, 5, 562-583	272
313	Mechanically Reinforced Localized Structure Design to Stabilize Solid-Electrolyte Interface of the Composited Electrode of Si Nanoparticles and TiO Nanotubes. **2020**, 16, e2002094	26
312	Entering the Augmented Era: Immersive and Interactive Virtual Reality for Battery Education and Research**. **2020**, 3, 1147-1164	2
311	Covalently Bonded Silicon/Carbon Nanocomposites as Cycle-Stable Anodes for Li-Ion Batteries. **2020**, 12, 16411-16416	33
310	Perspective: Enhancing Active Anode Material Performance for Lithium-Ion Batteries via Manipulation of Interfacial Chemistry. **2020**, 167, 050507	5
309	Engaging tailored capacity of layered WS2 via sulphur bonding coupled with polyetherimide (WS2@NC) nanocomposite for high power and improved lithium-ion storage. **2020**, 246, 122832	5
308	A both microscopically and macroscopically intrinsic self-healing long lifespan yarn battery. **2020**, 28, 334-341	19
307	Acrylic random copolymer and network binders for silicon anodes in lithium-ion batteries. **2020**, 458, 228054	21
306	Self-Healing Materials for Energy-Storage Devices. **2020**, 30, 1909912	57
305	Nature-inspired electrocatalysts and devices for energy conversion. **2020**, 49, 3107-3141	49
304	Flexible and Wearable Lithium-Ion Batteries. **2020**, 131-162	2
303	A Stimulus-Responsive Zinc-Iodine Battery with Smart Overcharge Self-Protection Function. **2020**, 32, e2000287	53
302	Electricity-Triggered Self-Healing of Conductive and Thermostable Vitrimer Enabled by Paving Aligned Carbon Nanotubes. **2020**, 12, 14315-14322	31
301	Anisotropic alignments of hierarchical LiSiO/TiO @nano-C anode//LiMnPO@nano-C cathode architectures for full-cell lithium-ion battery. **2020**, 7, 863-880	15
300	Photoresponsive chain collapse in a flexo-rigid functional copolymer to modulate the self-healing behaviour. **2020**, 16, 2506-2515	4
299	Molecular design principles for polymeric binders in silicon anodes. **2020**, 5, 709-724	12
298	Improved adhesion of cross-linked binder and SiO2-coating enhances structural and cyclic stability of silicon electrodes for lithium-ion batteries. **2020**, 454, 227907	30
297	Highly Stretchable and Fast Self-Healing Luminescent Materials. **2020**, 12, 13239-13247	23

296	Controlled synthesis of copper reinforced nanoporous silicon microsphere with boosted electrochemical performance. **2020**, 455, 227967	8
295	Biomass-derived porous graphitic carbon materials for energy and environmental applications. **2020**, 8, 5773-5811	110
294	Self-Healing Solid Polymer Electrolyte Facilitated by a Dynamic Cross-Linked Polymer Matrix for Lithium-Ion Batteries. **2020**, 53, 1024-1032	60
293	Flourishing Self-Healing Surface Materials: Recent Progresses and Challenges. **2020**, 7, 1901959	14
292	Mechanics of bacteria-assisted extrinsic healing. **2020**, 139, 103938	2
291	Mechanical analysis and design of flexible beads-and-thread lithium-ion battery. **2020**, 37, 100717	2
290	Research progress in bio-based self-healing materials. **2020**, 129, 109651	27
289	Mesoporous-Si embedded and anchored by hierarchical Sn nano-particles as promising anode for lithium-ion batteries. **2020**, 832, 154935	4
288	Silicon Anode with High Initial Coulombic Efficiency by Modulated Trifunctional Binder for High-Areal-Capacity Lithium-Ion Batteries. **2020**, 10, 1903110	113
287	Toward Green Battery Cells: Perspective on Materials and Technologies. **2020**, 4, 2000039	73
286	Ultra-efficient polymer binder for silicon anode in high-capacity lithium-ion batteries. **2020**, 73, 104804	27
285	MXene Frameworks Promote the Growth and Stability of LiF-Rich Solid-Electrolyte Interphases on Silicon Nanoparticle Bundles. **2020**, 12, 18541-18550	18
284	Self-Healing Janus Interfaces for High-Performance LAGP-Based Lithium Metal Batteries. **2020**, 5, 1456-1464	51
283	In situ filling of a robust carbon sponge with hydrogel electrolyte: a type of omni-healable electrode for flexible supercapacitors. **2020**, 8, 7746-7755	7
282	Readily producing a Silly Putty-like hydrogel with good self-healing, conductive and photothermal conversion properties based on dynamic coordinate bonds and hydrogen bonds. **2020**, 8, 6763-6770	13
281	Micro versus Nano: Impact of Particle Size on the Flow Characteristics of Silicon Anode Slurries. **2020**, 8, 2000056	11
280	Universally autonomous self-healing elastomer with high stretchability. **2020**, 11, 2037	126
279	Electrolyte design for LiF-rich solid–electrolyte interfaces to enable high-performance microsized alloy anodes for batteries. **2020**, 5, 386-397	250

278	Synthesis of silicon anode binders with ultra-high content of catechol groups and the effect of molecular weight on battery performance. **2020**, 463, 228188	18
277	Tattooing Plastics with Reversible and Irreversible Encryption. **2020**, 7, 1903785	5
276	Circumventing huge volume strain in alloy anodes of lithium batteries. **2020**, 11, 1584	54
275	Well-Defined Nanostructures for Electrochemical Energy Conversion and Storage. **2021**, 11, 2001537	47
274	Cyclodextrin as Lithium-ion Diffusion Channel with Enhanced Kinetics for Stable Silicon Anode. **2021**, 4, 72-80	8
273	Future of additive manufacturing: Overview of 4D and 3D printed smart and advanced materials and their applications. **2021**, 403, 126162	72
272	A multifunctional zipper-like sulfur electrode enables the stable operation of lithium-sulfur battery through self-healing chemistry. **2021**, 34, 755-767	7
271	Self-healing gallium phosphide embedded in a hybrid matrix for high-performance Li-ion batteries. **2021**, 34, 669-681	17
270	PAANa-induced ductile SEI of bare micro-sized FeS enables high sodium-ion storage performance. **2021**, 64, 105-114	9
269	Partially lithiated ternary graft copolymer with enhanced elasticity as aqueous binder for Si anode. **2021**, 138, 49950	4
268	Highly Energy-Dissipative, Fast Self-Healing Binder for Stable Si Anode in Lithium-Ion Batteries. **2021**, 31, 2005699	50
267	Dynamic siloxane materials: From molecular engineering to emerging applications. **2021**, 405, 127023	22
266	Dynamic Bonds Mediate Interaction via Phase Locking Effect for Enhanced Heat Resistant Thermoplastic Polyurethane. **2021**, 39, 154-163	9
265	Rational design of functional binder systems for high-energy lithium-based rechargeable batteries. **2021**, 35, 353-377	13
264	Cellulose nanocrystalline hydrogel based on a choline chloride deep eutectic solvent as wearable strain sensor for human motion. **2021**, 255, 117443	21
263	Molybdenum disulfide (MoS) nanosheets-based hydrogels with light-triggered self-healing property for flexible sensors. **2021**, 586, 601-612	15
262	A mechanically robust self-healing binder for silicon anode in lithium ion batteries. **2021**, 81, 105654	60
261	Autonomous Strategies for Improved Performance and Reliability of Li-Ion Batteries. **2021**, 11, 2003139	11

260	A review of rational design and investigation of binders applied in silicon-based anodes for lithium-ion batteries. **2021**, 485, 229331	32
259	Progress and Roadmap for Intelligent Self-Healing Materials in Autonomous Robotics. **2021**, 33, e2002800	29
258	A Four-Armed Polyacrylic Acid Homopolymer Binder with Enhanced Performance for SiO x /Graphite Anode. **2021**, 306, 2000525	3
257	Ultrathin Silicon Nanolayer Implanted NixSi/Ni Nanoparticles as Superlong-Cycle Lithium-Ion Anode Material. **2021**, 2, 2000126	10
256	Applications of Low-Melting-Point Metals in Rechargeable Metal Batteries. **2021**, 27, 6407-6421	3
255	Synergistic Effect of Hydrogen Bonding and π-Stacking Enables Long Cycle Life in Organic Electrode Materials. **2021**, 6, 643-649	10
254	Several carbon-coated GaO anodes: efficient coating of reduced graphene oxide enhanced the electrochemical performance of lithium ion batteries. **2021**, 50, 3660-3670	2
253	Spontaneously Self-Regenerative Hybrid Luminescent Hydrogel. **2021**, 3, 604-609	5
252	Scalable and controllable fabrication of CNTs improved yolk-shelled Si anodes with advanced in operando mechanical quantification. **2021**, 14, 3502-3509	14
251	Polymers in Lithium-Ion and Lithium Metal Batteries. **2021**, 11, 2003239	45
250	1000 Wh L lithium-ion batteries enabled by crosslink-shrunk tough carbon encapsulated silicon microparticle anodes. **2021**, 8, nwab012	16
249	A renewable future: a comprehensive perspective from materials to systems for next-generation batteries. **2021**, 5, 3344-3377	4
248	100th Anniversary of Macromolecular Science Viewpoint: Solid Polymer Electrolytes in Cathode Electrodes for Lithium Batteries. Current Challenges and Future Opportunities.. **2021**, 10, 141-153	7
247	Low-cost batteries based on industrial waste Al-Si microparticles and LiFePO for stationary energy storage. **2021**, 50, 8322-8329	3
246	A robust, freeze-resistant and highly ion conductive ionogel electrolyte towards lithium metal batteries workable at -30 °C. **2021**, 23, 6775-6782	2
245	TEMPO-oxidized cellulose nanofibers as versatile additives for highly stable silicon anode in lithium-ion batteries. **2021**, 369, 137708	4
244	Pathways of Developing High-Energy-Density Flexible Lithium Batteries. **2021**, 33, e2004419	30
243	Deep Cycling for High-Capacity Li-Ion Batteries. **2021**, 33, e2004998	15

242	Beyond the State of the Art of Electric Vehicles: A Fact-Based Paper of the Current and Prospective Electric Vehicle Technologies. **2021**, 12, 20	20
241	Temperature, Ageing and Thermal Management of Lithium-Ion Batteries. **2021**, 14, 1248	17
240	Autonomous Self-Healing Strategy for Stable Sodium-Ion Battery: A Case Study of Black Phosphorus Anodes. **2021**, 13, 13170-13182	8
239	Stable Silicon Anodes by Molecular Layer Deposited Artificial Zincone Coatings. **2021**, 31, 2010526	13
238	Zn-Imidazole Coordination Crosslinks for Elastic Polymeric Binders in High-Capacity Silicon Electrodes. **2021**, 8, 2004290	12
237	Advances of polymer binders for silicon-based anodes in high energy density lithium-ion batteries. **2021**, 3, 460-501	55
236	MXenes and the progress of Li-S battery development: a perspective. **2021**, 3, 021002	4
235	Recent Advances in Silicon-Based Electrodes: From Fundamental Research toward Practical Applications. **2021**, 33, e2004577	51
234	Guided Healing of Damaged Microelectrodes via Electrokinetic Assembly of Conductive Carbon Nanotube Bridges. **2021**, 12,	0
233	Smart Cells. **2021**, 263-300	
232	Investigation on the electrochemical performance of hybrid zinc batteries through numerical analysis. **2021**, 375, 137967	3
231	Influence of Binder Crystallinity on the Performance of Si Electrodes with Poly(vinyl alcohol) Binders. **2021**, 4, 3008-3016	7
230	Self-healing flexible/stretchable energy storage devices. **2021**, 44, 78-104	23
229	Electrochemical scissoring of disordered silicon-carbon composites for high-performance lithium storage. **2021**, 36, 139-146	9
228	Achieving High Pseudocapacitance Anode by An Nanocrystallization Strategy for Ultrastable Sodium-Ion Batteries. **2021**, 13, 22577-22585	2
227	Real-time imaging of Na reversible intercalation in "Janus" graphene stacks for battery applications. **2021**, 7,	21
226	Self-Healable Conductive Materials. **2021**, 297-319	2
225	Molecular simulation-guided and physics-informed mechanistic modeling of multifunctional polymers. **2021**, 37, 725-745	1

224	2,2-Dimethyl-1,3-dioxane-4,6-dione functionalized poly(ethylene oxide)-based polyurethanes as multi-functional binders for silicon anodes of lithium ion batteries. **2021**, 379, 138180	7
223	Understanding of supramolecular emulsion interfacial polymerization in silico. **2021**, 154, 184903	1
222	Self-Healable Batteries. 475-493	
221	Bioinspired Energy Storage and Harvesting Devices. **2021**, 6, 2001301	3
220	Control Viscoelasticity of Polymer Networks with Crosslinks of Superposed Fast and Slow Dynamics. **2021**, 60, 22332-22338	10
219	Control Viscoelasticity of Polymer Networks with Crosslinks of Superposed Fast and Slow Dynamics. **2021**, 133, 22506-22512	1
218	Formed Weave Cage-Like Nanostructure Wrapped Mesoporous Micron Silicon Anode for Enhanced Stable Lithium-Ion Battery. **2021**, 13, 29726-29736	4
217	A review of self-healing electrode and electrolyte materials and their mitigating degradation of Lithium batteries. **2021**, 84, 105907	14
216	Weakly Solvating Solution Enables Chemical Prelithiation of Graphite-SiO Anodes for High-Energy Li-Ion Batteries. **2021**, 143, 9169-9176	24
215	Silicon-Based Lithium Ion Battery Systems: State-of-the-Art from Half and Full Cell Viewpoint. **2021**, 31, 2102546	24
214	Effect of continuous pressures on electrochemical performance of Si anodes. **2021**, 20, 100632	8
213	Harmonized edge/graphitic-nitrogen doped carbon nanopolyhedron@nanosheet composite via salt-confined strategy for advanced K-ion hybrid capacitors. **2021**, 3, 891-903	7
212	Polysaccharide-based self-healing polymer binder via Schiff base chemistry for high-performance silicon anodes in lithium-ion batteries. **2021**, 384, 138364	4
211	Hollow Graphene as an Expansion-Inhibiting Electrical Interconnector for Silicon Electrodes in Lithium-Ion Batteries. **2021**, 13, 35759-35766	1
210	Transfer, Amplification, Storage, and Complete Self-Recovery of Supramolecular Chirality in an Achiral Polymer System. **2021**, 133, 18714-18719	4
209	Self-Healing Functional Electronic Devices. **2021**, 17, e2101383	13
208	Transfer, Amplification, Storage, and Complete Self-Recovery of Supramolecular Chirality in an Achiral Polymer System. **2021**, 60, 18566-18571	15
207	A Self-Healable Polyelectrolyte Binder for Highly Stabilized Sulfur, Silicon, and Silicon Oxides Electrodes. **2021**, 31, 2104433	8

206	Si/C particles on graphene sheet as stable anode for lithium-ion batteries. **2021**, 80, 259-265	12
205	Low-cost and scalable preparation of nano-Si from photovoltaic waste silicon for high-performance Li-ion battery anode. **2021**, 14, 2151033	2
204	Innovative and Economically Beneficial Use of Corn and Corn Products in Electrochemical Energy Storage Applications. **2021**, 9, 10678-10703	1
203	Structural Lithium-Ion Battery Cathodes and Anodes Based on Branched Aramid Nanofibers. **2021**, 13, 34807-34817	2
202	Progressive growth of the solid-electrolyte interphase towards the Si anode interior causes capacity fading. **2021**, 16, 1113-1120	39
201	Numerical study of the heating effects of high intensity focused ultrasound on shape memory polymer fiber reinforced self-healing polymer composite. **2021**, 30, 085026	2
200	Ion-conductive self-healing polymer network based on reversible imine bonding for Si electrodes. **2021**, 499, 229968	5
199	Recent trends in silicon/graphene nanocomposite anodes for lithium-ion batteries. **2021**, 501, 229709	9
198	Self-healing triggering mechanism in epoxy-based material containing microencapsulated amino-polysiloxane.	1
197	Mitigation and In Situ Probing of Volume Expansion in Silicon/Graphene Hybrid Anodes for High-Capacity, High-Rate-Capable Lithium-Ion Batteries. 2100125	3
196	Self-healing Ionic Liquid-based Electronics and Beyond. **2021**, 39, 1235-1245	1
195	Engineering Nanostructured Silicon and its Practical Applications in Lithium-Ion Batteries: A Critical Review. **2021**, 9, 2100400	1
194	Epoxy Cross-Linking Enhanced the Toughness of Polysaccharides as a Silicon Anode Binder for Lithium-Ion Batteries. **2021**, 13, 37704-37712	4
193	Stress-Regulation Design of Lithium Alloy Electrode towards Stable Battery Cycling.	1
192	Gifts from Nature: Bio-Inspired Materials for Rechargeable Secondary Batteries. **2021**, 33, e2006019	8
191	Li0.5PAA domains filled in porous sodium alginate skeleton: A 3D bicontinuous composite network binder to stabilize micro-silicon anode for high-performance lithium ion battery. **2021**, 386, 138361	7
190	Key Factors for Binders to Enhance the Electrochemical Performance of Silicon Anodes through Molecular Design. **2021**, e2101680	7
189	Carbon-free high-loading silicon anodes enabled by sulfide solid electrolytes. **2021**, 373, 1494-1499	81

188	Toward polymer composites based and architectural engineering induced flexible electrodes for lithium-ion batteries. **2021**, 148, 111302	2
187	Microscale Silicon-Based Anodes: Fundamental Understanding and Industrial Prospects for Practical High-Energy Lithium-Ion Batteries. **2021**, 15, 15567-15593	23
186	Design of high-energy-dissipation, deformable binder for high-areal-capacity silicon anode in lithium-ion batteries. **2021**, 420, 129991	13
185	Current density induced growth of Li15Si4 alloy in silicon-carbon anodes during first lithiation process. **2021**, 41, 102930	0
184	The significance of aqueous binders in lithium-ion batteries. **2021**, 147, 111227	11
183	Strategies of binder design for high-performance lithium-ion batteries: a mini review. 1	3
182	Silicon anode systems for lithium-ion batteries. **2022**, 3-46	0
181	Bamboo-like SiOx/C nanotubes with carbon coating as a durable and high-performance anode for lithium-ion battery. **2022**, 428, 131060	5
180	Encapsulating silicon particles by graphitic carbon enables High-performance Lithium-ion batteries. **2022**, 607, 1562-1570	0
179	Mechanical properties of silicon-based electrodes. **2022**, 119-155	
178	An introduction to self-healing of polymer composite materials and conventional repairing process. **2022**, 155-172	0
177	SEI layer and impact on Si-anodes for Li-ion batteries. **2022**, 183-263	0
176	Emergence, evidence, and effect of junction clustering in supramolecular polymer materials. **2021**, 2, 1425-1453	7
175	Recent Advances in Self-Healable Intelligent Materials Enabled by Supramolecular Crosslinking Design. **2021**, 3, 2000183	5
174	Applications of quantum dots in batteries. **2021**, 287-318	0
173	Biomass-based materials for green lithium secondary batteries. **2021**, 14, 1326-1379	55
172	Lifetime Expectancy of Lithium-Ion Batteries. **2020**, 157-180	2
171	Carbon dot-modified silicon nanoparticles for lithium-ion batteries. **2021**, 28, 1603-1610	8

170	Mathematical modeling and numerical analysis of the discharge process of an alkaline zinc-cobalt battery. **2020**, 30, 101432	3
169	Green and scalable preparation of disproportionated SiO anode materials with cocoon-like buffer layer. **2020**, 466, 228234	7
168	Modification based on primary particle level to improve the electrochemical performance of SiO -based anode materials. **2020**, 467, 228301	20
167	New Concepts in Electrolytes. **2020**, 120, 6783-6819	267
166	Physical Bond Breaking in Associating Copolymer Liquids.. **2021**, 10, 122-128	9
165	Biomimetic Impact Protective Supramolecular Polymeric Materials Enabled by Quadruple H-Bonding. **2021**, 143, 1162-1170	24
164	Lithiation-induced fracture of silicon nanowires observed by in-situ scanning electron microscopy. **2020**, 31, 364001	2
163	Challenges and prospects of nanosized silicon anodes in lithium-ion batteries. **2021**, 32, 042002	37
162	ReaxFF Molecular Dynamics Simulations on Silicon Suboxide as Anode Material for Lithium-Ion Batteries. **2020**, 167, 020547	3
161	Recent Progress on Polymeric Binders for Silicon Anodes in Lithium-Ion Batteries. **2015**, 6, 35-49	29
160	Recent Progress on Polymeric Binders for Silicon Anodes in Lithium-Ion Batteries. **2015**, 6, 35-49	34
159	Layered silicon carbide: a novel anode material for lithium ion batteries. **2021**, 45, 19105-19117	1
158	A Review on Recent Advances for Boosting Initial Coulombic Efficiency of Silicon Anodic Lithium Ion batteries. **2021**, e2102894	6
157	Silicon anodes. **2021**, 6, 995-996	18
156	Advanced Multifunctional Aqueous Rechargeable Batteries Design: From Materials and Devices to Systems. **2021**, e2104327	15
155	Functional Electrolytes: Game Changers for Smart Electrochemical Energy Storage Devices. 2100080	5
154	EGaIn coated 3D-Cu foam as a self-healing current collector for lithium ion batteries. **2021**, 132, 107145	1
153	Growth Control of CuO-Si Coaxial Nanowire Array. **2017**, 05, 59-69	

152	Silicon nanopowder synthesis by inductively coupled plasma as anode for high-energy Li-ion batteries. **2017**, 463-484	
151	Anthraquinone Covalent Organic Framework Hollow Tubes as Binder Microadditives in Li-S Batteries.	
150	Self-Healing: An Emerging Technology for Next-Generation Smart Batteries. 2102652	7
149	Guar Gel Binders for Silicon Nanoparticle Anodes: Relating Binder Rheology to Electrode Performance. **2021**, 13, 51403-51413	1
148	Anthraquinone Covalent Organic Framework Hollow Tubes as Binder Microadditives in Li-S Batteries. **2021**,	7
147	Revisiting Classical Rocking Chair Lithium-Ion Battery. **2020**, 28, 1175-1191	5
146	Modern Directions of Development of Lithium-Ion Battery Technology. **2020**, 18,	
145	Stable Rooted Solid Electrolyte Interphase for Lithium-Ion Batteries. **2021**, 12, 10521-10531	2
144	Dissecting Biological and Synthetic Soft-Hard Interfaces for Tissue-Like Systems. **2021**,	5
143	A Self-healing Zinc Ion Battery under -20 °C. **2021**,	6
142	Phase transformation mechanism and stress evolution in Sn anode. **2022**, 45, 101-109	2
141	Highly compressible glass-like supramolecular polymer networks. **2021**,	23
140	Supramolecular flame-retardant electrolyte enables safe and stable cycling of lithium-ion batteries. **2021**, 45, 182-182	1
139	A Review of Lithium-Ion Battery Electrode Drying: Mechanisms and Metrology. 2102233	6
138	Self-Healing of a Covalently Cross-Linked Polymer Electrolyte Membrane by Diels-Alder Cycloaddition and Electrolyte Embedding for Lithium Ion Batteries. **2021**, 13,	1
137	Eco-Friendly Water-Processable Polyimide Binders with High Adhesion to Silicon Anodes for Lithium-Ion Batteries.. **2021**, 11,	2
136	Reshapeable, rehealable and recyclable sensor fabricated by direct ink writing of conductive composites based on covalent adaptable network polymers. **2022**, 4, 015301	5
135	Electrochemical Preparation of Nano-Sized Silicon as a Lithium-Ion Battery Anode Material.	0

134	Liquid Metal Remedies Silicon Microparticulates Toward Highly Stable and Superior Volumetric Lithium Storage. 2103565	3
133	Nano-structured silicon and silicon based composites as anode materials for lithium ion batteries: recent progress and perspectives.	5
132	A review of self-healing electrolyte and their applications in flexible/stretchable energy storage devices. **2022**, 404, 139730	3
131	Blood clot-inspired viscoelastic fibrin gel: New aqueous binder for silicon anodes in lithium ion batteries. **2022**, 45, 730-740	3
130	A Roadmap for Transforming Research to Invent the Batteries of the Future Designed within the European Large Scale Research Initiative BATTERY 2030+. 2102785	10
129	Toward Practical High-Energy and High-Power Lithium Battery Anodes: Present and Future.. **2022**, e2105213	9
128	Effect of Liquid Metal Coating on Improved Cycle Performance of Anode-Free Lithium Metal Battery.	1
127	Host□Guest Interlocked Complex Binder for Silicon□Graphite Composite Electrodes in Lithium Ion Batteries. 2103718	4
126	Supramolecular polymer networks with high compressibility and fast self-recovery. **2022**, 5, 387-389	1
125	Worldwide ubiquitous utilization of lithium-ion batteries: What we have done, are doing, and could do safely once they are dead?. **2022**, 523, 231015	1
124	Synthetic Methodologies for Si-Containing Li-Storage Electrode Materials. 2100198	1
123	MCrosslinked poly(acrylic acid) enhances adhesion and electrochemical performance of Si anodes in Li-ion batteries. **2022**, 411, 140038	3
122	Effect and Progress of the Amorphization Process for Microscale Silicon Particles under Partial Lithiation as Active Material in Lithium-Ion Batteries. **2022**, 169, 020536	2
121	Mesolytic cleavage of homobenzylic ethers for programmable end-of-life function in redoxmers. **2022**, 10, 7739-7753	1
120	First principles study of layered silicon carbide as anode in lithium ion battery.	0
119	Perspective on gallium-based room temperature liquid metal batteries. **2022**, 16, 23-48	1
118	Self-Healing Systems in Silicon Anodes for Li-Ion Batteries.. **2022**, 15,	1
117	Chitosan-grafted-Gallic Acid as a Nature-Inspired Multifunctional Binder for High-Performance Silicon Anodes in Lithium-Ion Batteries. **2022**, 5, 3166-3178	2

116	Interface-Adaptive Binder Enabled by Supramolecular Interactions for High-Capacity Si/C Composite Anodes in Lithium-Ion Batteries. 2111560	3
115	Fast Charging Anode Materials for Lithium-Ion Batteries: Current Status and Perspectives. 2200796	15
114	Influence of Attractive Functional Groups on the Segmental Dynamics and Glass Transition in Associating Polymers. **2022**, 55, 2345-2357	1
113	A review on the critical challenges and progress of SiOx-based anodes for lithium-ion batteries. **2022**, 29, 876-895	0
112	Printable Electrolytes: Tuning 3D-Printing by Multiple Hydrogen Bonds and Added Inorganic Lithium-Salts. 2200088	2
111	Self-powered multi-color display based on stretchable self-healing alternating current electroluminescent devices. **2022**, 95, 107061	3
110	Restructuring NiO to LiNiO2: Ultrastable and reversible anodes for lithium-ion batteries. **2022**, 437, 135292	1
109	Cross-Linked Sodium Alginate-Sodium Borate Hybrid Binders for High-Capacity Silicon Anodes in Lithium-Ion Batteries.. **2021**,	2
108	Lithium Diffusion in Silicon Encapsulated with Graphene.. **2021**, 11,	1
107	Remedies to Avoid Failure Mechanisms of Lithium-Metal Anode in Li-Ion Batteries. **2022**, 10, 5	0
106	Direct-ink writing 3D printed energy storage devices: From material selectivity, design and optimization strategies to diverse applications. **2022**,	5
105	Rigidity and Flexibility in Rotaxanes and Their Relatives; On Being Stubborn and Easy-Going.. **2022**, 10, 856173	1
104	Recent Progress on Performance Modulation and Mechanism Study of Silicon-based Anodes.	0
103	Ultra-Scratch-Resistant, Hydrophobic and Transparent Organosilicon-Epoxy-Resin Coating with a Double Cross-Link Structure. **2022**, 12, 4854	0
102	One-pot synthesis of high-capacity silicon anodes via on-copper growth of a semiconducting, porous polymer.	
101	Revisit the Progress of Binders for a Silicon-Based Anode from the Perspective of Designed Binder Structure and Special Sized Silicon Nanoparticles.	2
100	Green Polymer Nanocomposites in Automotive and Packaging Industries.. **2022**,	0
99	A Brief Review on Stretchable, Compressible, and Deformable Supercapacitor for Smart Devices. **2022**, 136876	6

98	Stable silicon anodes realized by multifunctional dynamic cross-linking structure with self-healing chemistry and enhanced ionic conductivity for lithium-ion batteries. **2022**, 99, 107334	4
97	Understanding the Solution Dynamics and Binding of a PVDF Binder with Silicon, Graphite, and NMC Materials and the Influence on Cycling Performance.. **2022**,	2
96	Recent Research Progress of Silicon-Based Anode Materials for Lithium-Ion Batteries. **2022**, 7,	0
95	In-situ construction of chemically bonded conductive polymeric network for high-performance silicon microparticle anodes in lithium-ion batteries. **2022**, 539, 231591	2
94	Fundamentals and Recent Advancements in Li-Ion Batteries. **2022**, 1-26	
93	Metal-Free Catalyst, Fast Curing, Stretchable, Self-Healing Siloxane Modified Polyurea Elastomer with Tunable Properties Based on Hydrogen Bonds. **2022**, 7,	
92	Multiscale Polymeric Materials for Advanced Lithium Battery Applications. 2203194	1
91	A novel multi-functional binder based on double dynamic bonds for silicon anode of lithium-ion batteries. **2022**, 140620	2
90	A Novel High-Performance TiO 2-x /TiO 1-y N y Coating Material for Silicon Anode in Lithium-Ion Batteries. 2200430	1
89	High-areal-capacity of micron-sized silicon anodes in lithium-ion batteries by using wrinkled-multilayered-graphenes. **2022**, 50, 234-242	6
88	Polymer nanocomposites for automotive applications. **2022**, 267-317	
87	Exploring the practical applications of silicon anodes: a review of silicon-based composites for lithium-ion batteries.	1
86	Inorganic Crosslinked Supramolecular Binder with Fast Self-Healing for High Performance Silicon Based Anodes in Lithium-Ion Batteries. **2022**,	4
85	Highly Thermally Conductive Polymer/Graphene Composites with Rapid Room-Temperature Self-Healing Capacity. **2022**, 14,	4
84	Synergistic Cation–Anion Regulation of Polysulfides by Zwitterionic Polymer Binder for Lithium–Sulfur Batteries. 2204451	0
83	Synergism of Flame-Retardant, Self-Healing, High-Conductive and Polar to a Multi-Functional Binder for Lithium-Sulfur Batteries. 2205031	3
82	Boosting the Kinetics and Stability of Zn Anodes in Aqueous Electrolytes with Supramolecular Cyclodextrin Additives.	18
81	A High-Performance Polyurethane–Polydopamine Polymeric Binder for Silicon Microparticle Anodes in Lithium-Ion Batteries.	1

80	Black glasses grafted micron silicon: a resilient anode material for high-performance lithium-ion batteries.	1
79	Tannic Acid Modified Cellulose as a Multi-Functional Binder for Silicon Anodes in Lithium-Ion Batteries.	
78	Structure and properties of silicon nano- and microparticles obtained by electric-spark dispersion method. 1-16	0
77	Integrating SEI into Layered Conductive Polymer Coatings for Ultrastable Silicon Anodes. 2203617	3
76	Visualization of Degradation Mechanisms of Negative Electrodes Based on Silicon Nanoparticles in Lithium-Ion Batteries via Quasi In Situ Scanning Electron Microscopy and Energy-Dispersive X-ray Spectroscopy. **2022**, 126, 11016-11025	2
75	Chemomechanics of Rechargeable Batteries: Status, Theories, and Perspectives.	5
74	Challenges of 3D printing in LIB electrodes: Emphasis on material-design properties, and performance of 3D printed Si-based LIB electrodes. **2022**, 543, 231840	0
73	Establishing a Resilient Conductive Binding Network for Si-Based Anodes via Molecular Engineering.	0
72	Combination of 3d Conductive Network and All-Fluorinated Electrolyte for High-Performance Microsized Silicon Anode.	
71	Two-dimensional B$$_2$$C as a potential anode material for Mg-ion batteries with extremely high theoretical capacity. **2022**, 12,	0
70	Strengthening the Interfacial Stability of the Silicon-Based Electrode via an Electrolyte Additive-Allyl Phenyl Sulfone. **2022**, 14, 38281-38290	1
69	A Review on Recent Advancements of Ni-NiO Nanocomposite as an Anode for High-Performance Lithium-Ion Battery. **2022**, 12, 2930	1
68	Determination of Hydrophobic Polymer Clustering in Concentrated Aqueous Solutions through Single-Particle Tracking Diffusion Studies.	
67	Highly Stretchable and Elastic Polymer Electrolytes with High Ionic Conductivity and Li-Ion Transference Number for High-Rate Lithium Batteries.	0
66	Tortuosity Engineering for Improved Charge Storage Kinetics in High-Areal-Capacity Battery Electrodes. **2022**, 22, 6700-6708	2
65	Recent Progress and Challenges in Interdigital Microbatteries: Fabrication, Functionalization and Integration. **2022**,	
64	A new deep eutectic solvent-agarose gel with hydroxylated fullerene as electrical switch system for drug release. **2022**, 296, 119939	
63	Self-Healable Conductive and Polymeric Composite Materials. **2022**, 231-258	0

62	In Situ Synthesis of Cathode Materials for Aqueous High-Rate and Durable ZnI2 Batteries. **2022**, 4, 1872-1881	0
61	Intermolecular Chemistry for Designing Functional Binders in Silicon/Carbon Composite Anodes. **2022**, 101153	0
60	Random Copolymer Hydrogel as Elastic Binder for the SiOx Microparticle Anode in Lithium-Ion Batteries. **2022**, 14, 42494-42503	0
59	Introducing the Latest Self-healing Polymer Based on Thioctic Acid into the Undergraduate Chemistry Laboratory.	0
58	Self-Healing of Prussian Blue Analogues with Electrochemically Driven Morphological Rejuvenation. 2205625	0
57	The Contributions of Supramolecular Kinetics to Dynamics of Supramolecular Polymers.	0
56	A Multilevel Buffered Binder Network for High-Performance Silicon Anodes. 3572-3580	3
55	Rechargeable Batteries for Grid Scale Energy Storage.	14
54	Kirigami-Inspired Flexible Lithium-Ion Batteries via Transformation of Concentrated Stress into Segmented Strain. 2204745	0
53	Polyethylene Imine Crosslinked Sodium Alginate Binder for Micro-Silicon/Graphite Composite Anodes.	0
52	Exploring the Nanomechanical Properties of a Coordination-bond Based Supramolecular Polymer.	1
51	Opportunities of Flexible and Portable Electrochemical Devices for Energy Storage: Expanding the Spotlight onto Semi-solid/Solid Electrolytes.	3
50	Silicon as Emerging Anode in Solid-State Batteries. 4005-4016	8
49	Self-Healing Polymers for Electronics and Energy Devices.	0
48	Self-healing polymer binders for the Si and Si/carbon anodes of lithium-ion batteries. **2022**, 37, 802-826	0
47	Self-Healable Lithium-Ion Batteries: A Review. **2022**, 12, 3656	0
46	Self-Healing Hydrogels: Development, Biomedical Applications, and Challenges. **2022**, 14, 4539	4
45	Electrosensitive polymer gels: Controlling size and shape by means of redox processes outlook and prospects. **2022**, 29, 101656	1

44	The pursuit of commercial silicon-based microparticle anodes for advanced lithium-ion batteries: A review. **2022**, 1, e9120037	5
43	Interwoven carbon nanotube-poly(acrylic acid) network scaffolds for stable Si microparticle battery anode. **2023**, 202, 12-19	0
42	Cross-Linked Gel Electrolytes with Self-Healing Functionalities for Smart Lithium Batteries.	3
41	An Energy Dissipative Binder for Self-Tuning Silicon Anodes in Lithium-Ion Batteries. 2205443	2
40	Deformable lithium-ion batteries for wearable and implantable electronics. **2022**, 9, 041310	0
39	A Full-Device Autonomous Self-Healing Stretchable Soft Battery from Self-Bonded Eutectogels. 2208392	1
38	Combination of 3D conductive network and all-fluorinated electrolyte for high-performance microsized silicon anode. **2022**, 123723	1
37	Load transfer between permanent and dynamic networks due to stress gradients in nonlinear viscoelastic hydrogels. **2023**, 58, 101928	0
36	Advanced binder with ultralow-content for high performance silicon anode. **2023**, 556, 232237	2
35	Strain Regulating and Kinetics Accelerating of Micro-Sized Silicon Anodes via Dual-Size Hollow Graphitic Carbons Conductive Additives. 2205284	0
34	Reevaluating Flexible Lithium-Ion Batteries from the Insights of Mechanics and Electrochemistry. **2022**, 5,	0
33	Insights into Enhancing Electrochemical Performance of Li-Ion Battery Anodes via Polymer Coating. **2022**, 15, 8791	1
32	Recent advances in modification strategies of silicon-based lithium-ion batteries.	1
31	Slidable and Highly Ionic Conductive Polymer Binder for High-Performance Si Anodes in Lithium-Ion Batteries. 2205590	0
30	Effect of Binder Content on Silicon Microparticle Anodes for Lithium-Ion Batteries.	0
29	Gradient H-Bonding Supports Highly Adaptable and Rapidly Self-Healing Composite Binders with High Ionic Conductivity for Silicon Anodes in Lithium-Ion Batteries. 2200822	0
28	In-situ polymerized carbonate induced by Li-Ga alloy as novel artificial interphase on Li metal anode. **2023**, 108151	0
27	Formation of hierarchically ordered structures in conductive polymers to enhance the performances of lithium-ion batteries.	0

26	Investigation of the effects of CO2 annealing of polymer matrix composite anode electrodes used in Li-ion batteries. **2023**, 391, 116129	0
25	Intrinsically Self-Healing Polymers: From Mechanistic Insight to Current Challenges.	0
24	Healable supercapacitors. **2023**, 613-628	0
23	Understanding the Electrochemical Performances of Si Anodes Incorporating Mechanically Interlocked Binders Prepared from Cyclodextrin-Based Polyrotaxanes.	0
22	Self-healing ability of Prussian blue analogs for aqueous potassium-ion batteries. **2023**,	0
21	Prospects and future perspective of nanomaterials for energy storage applications. **2023**, 569-578	0
20	Selective Laser Sintering for Electrically Conductive Poly(dimethylsiloxane) Composites with Self-Healing Lattice Structures. **2023**, 5, 2944-2955	0
19	Self-Healable Spider Dragline Silk Materials.	0
18	Binders for Si based electrodes: current status, modification strategies and perspective. **2023**, 102776	0
17	Skin-interfaced electronics: A promising and intelligent paradigm for personalized healthcare. **2023** , 296, 122075	0
16	Protocol to fabricate ionic hydrogel with ultra-stretchable and fast self-healing ability in cryogenic environments. **2023**, 4, 102045	0
15	Exploration and Application of Self-Healing Strategies in Lithium Batteries. **2023**, 33,	0
14	Layering Charged Polymers Enable Highly Integrated High-Capacity Battery Anodes. 2213458	0
13	Self-Healing Polymer Electrolytes for Next-Generation Lithium Batteries. **2023**, 15, 1145	0
12	CNT ink as an electrode additive for an effective hybrid conductive network in silicon microparticle/graphite anodes. **2023**, 447, 142134	0
11	A mathematical model development to investigate the impact of key parameters on the generated voltage hysteresis of silicon anode based lithium half cells. **2023**, 18, 38-52	0
10	Spidroin-Inspired Hierarchical Structure Binder Achieves Highly Integrated Silicon-Based Electrodes.	0
9	A first-principles study of self-healing binders for next-generation Si-based lithium-ion batteries. **2023**, 29, 101474	0

8	Comprehensive Review of Recent Advancements in Battery Technology, Propulsion, Power Interfaces, and Vehicle Network Systems for Intelligent Autonomous and Connected Electric Vehicles. **2023**, 16, 2925	0
7	Lithium Trapping and Irreversible Atomic-Scale Structure Evolution during Delithiation of Silicon Oxides as Lithium-Ion Battery Anodes. **2023**, 170, 040514	0
6	Beyond electrode materials structure design: Binders play a vital role for battery application of micro-size electroactive materials. **2023**, 1-4	0
5	Intrinsic Self-Healing Chemistry for Next-Generation Flexible Energy Storage Devices. **2023**, 15,	0
4	Research progress of self-healing polymer materials for flexible electronic devices.	0
3	Self-Healing Binder for High-Voltage Batteries.	0
2	Magic pyromellitic acid induced stable lithium ion batteries based on recycled silicon flakes. **2023**, 142466	0
1	Hierarchical Co1.4Ni0.6P@C hollow nanoflowers assembled from ultrathin nanosheets as an anode material for high-performance lithium-ion batteries.	0