

CITATION REPORT

List of articles citing

The prevalence of mental disorders in older people in Western countries - a meta-analysis

DOI: 10.1016/j.arr.2012.09.004

Ageing Research Reviews, 2013, 12, 339-53.

Source: <https://exaly.com/paper-pdf/55146961/citation-report.pdf>

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
242	The MentDis_ICF65+ study protocol: prevalence, 1-year incidence and symptom severity of mental disorders in the elderly and their relationship to impairment, functioning (ICF) and service utilisation. 2013 , 13, 62		29
241	Epidemiologie psychischer Störungen. 2013 , 58, 191-206		5
240	What are the causes of late-life depression?. 2013 , 36, 497-516		137
239	EEG biomarkers in major depressive disorder: discriminative power and prediction of treatment response. 2013 , 25, 604-18		175
238	[Depression in late life - what does epidemiology add?]. 2013 , 40, 173-5		8
237	Anxiety Disorders in Older Adults. 2014 , 3, 273-281		1
236	Collaborative treatment of late-life depression in primary care (GermanIMPACT): study protocol of a cluster-randomized controlled trial. <i>Trials</i> , 2014 , 15, 351	2.8	15
235	Depression and outcome. 2014 , 21, 150-2		
234	Twelve-month prevalence, comorbidity and correlates of mental disorders in Germany: the Mental Health Module of the German Health Interview and Examination Survey for Adults (DEGS1-MH). 2014 , 23, 304-19		249
233	Bipolar disorder after stroke in an elderly patient. 2014 , 2014, 741934		1
232	Stress modulates illness-course of substance use disorders: a translational review. <i>Frontiers in Psychiatry</i> , 2014 , 5, 83	5	52
231	Psychosocial factors and surgical outcomes: are elderly depressed patients less satisfied with surgery?. 2014 , 39, 1614-9		30
230	The projected effect of risk factor reduction on major depression incidence: a 16-year longitudinal Canadian cohort of the National Population Health Survey. 2014 , 158, 56-61		16
229	[Mental disorders in the general population : Study on the health of adults in Germany and the additional module mental health (DEGS1-MH)]. 2014 , 85, 77-87		343
228	Investigating age-related differences in responses to screening items for internalising disorders in three national surveys. 2014 , 152-154, 229-36		3
227	The 6-month prevalence of posttraumatic stress syndrome (PTSS) among older adults: validity and reliability of the PTSS scale. <i>Canadian Journal of Psychiatry</i> , 2014 , 59, 548-55	4.8	16
226	Physical benefits and reduction of depressive symptoms among the elderly: results from the Portuguese "National Walking Program". 2015 , 20, 789-95		11

225	National trends in hospital-treated self-harm events among middle-aged adults. 2015 , 37, 613-9	15
224	The natural course of anxiety disorders in the elderly: a systematic review of longitudinal trials. 2015 , 27, 1061-9	23
223	Comparison of access, outcomes and experiences of older adults and working age adults in psychological therapy. 2015 , 30, 178-84	17
222	Depressive Erkrankungen im höheren Lebensalter. 2015 , 60, 75-87	
221	Meta-analyses on prevalence of selected Parkinson's nonmotor symptoms before and after diagnosis. 2015 , 4, 1	98
220	Screening instruments for a population of older adults: The 10-item Kessler Psychological Distress Scale (K10) and the 7-item Generalized Anxiety Disorder Scale (GAD-7). 2015 , 228, 89-94	46
219	Reciprocal associations between smoking cessation and depression in older smokers: findings from the English Longitudinal Study of Ageing. 2015 , 207, 243-9	18
218	Adding fuel to the fire: the impact of stress on the ageing brain. 2015 , 38, 13-25	84
217	Systems Neuroscience in Late-Life Depression. 2016 , 325-340	1
216	Increasing momentum in prevention of mental illness and mental health promotion across Europe. 2016 , 13, 22-23	2
215	Protective Effects of Hydrogen Sulfide in the Ageing Kidney. 2016 , 2016, 7570489	38
214	mHealth For Aging China: Opportunities and Challenges. 2016 , 7, 53-67	62
213	The Association Between Obesity and Hostility: The Mediating Role of Plasma Lipids. 2016 , 22, 166-74	2
212	Benzodiazepine use associated with co-morbid post-traumatic stress syndrome and depression in older adults seeking services in general medical settings. 2016 , 28, 913-20	2
211	A systematic review and meta-analysis of music therapy for the older adults with depression. 2016 , 31, 1188-1198	50
210	Healthcare use and costs associated with post-traumatic stress syndrome in a community sample of older adults: results from the ESA-Services study. 2016 , 28, 903-11	13
209	A Follow-Up Study of 50 Chronic Hepatitis C Patients: Adiponectin as a Resilience Biomarker for Major Depression. 2016 , 23, 88-97	4
208	Depression and Depression Treatment in a Population-Based Study of Individuals Over 60 Years Old Without Dementia. 2016 , 24, 615-623	16

207	Beliefs about antidepressant medication and associated adherence among older Chinese patients with major depression: A cross-sectional survey. 2016 , 25, 71-9	12
206	A systematic review of reviews on the prevalence of anxiety disorders in adult populations. 2016 , 6, e00497	294
205	Insulin-like growth factor 1 and risk of depression in older people: the English Longitudinal Study of Ageing. 2016 , 6, e898	22
204	Bipolar disorder and diabetes mellitus: evidence for disease-modifying effects and treatment implications. 2016 , 4, 13	30
203	Tablet-based support for older adults with severe mood disorders treated in an ambulatory geriatric psychiatry setting: Protocol of a feasibility study of the eCare@Home platform. 2016 , 6, 22-28	1
202	Antidepressants and antipsychotics classified with torsades de pointes arrhythmia risk and mortality in older adults - a Swedish nationwide study. 2016 , 81, 773-83	55
201	The good, the bad, and the vulnerable older adult 2016 , 38, 51-72	8
200	[Treatment preferences of elderly patients with mental disorders]. 2016 , 49, 120-5	3
199	Severe obesity increases the prevalence but not the incidence of depressive symptoms in the elderly-population-based cohort in Southern Brazil. 2017 , 29, 1307-1316	2
198	Age-related variability in the presentation of symptoms of major depressive disorder. 2017 , 47, 543-552	43
197	Prevalence of Mental Disorders in the Elderly in the Community of Madrid: Results of the Mentdis_ICF65+ Study. 2017 , 20, E6	6
196	Prevalence of mental disorders in elderly people: the European MentDis_ICF65+ study. 2017 , 210, 125-131	165
195	Severity of Depression Impacts Imminent Conversion from Mild Cognitive Impairment to Alzheimer's Disease. 2017 , 59, 1439-1448	16
194	Prevalence of Mental Disorders among Older Chinese People in Tianjin City. <i>Canadian Journal of Psychiatry</i> , 2017 , 62, 778-786	4.8 8
193	Psychiatric correlates of blood pressure variability in the elderly: The Three City cohort study. 2017 , 168, 91-97	11
192	Psychotropic drugs and the risk of fall injuries, hospitalisations and mortality among older adults. 2017 , 32, 414-420	64
191	Electroencephalogram (EEG)-based computer-aided technique to diagnose major depressive disorder (MDD). 2017 , 31, 108-115	75
190	Depression and chronic pain in the elderly: links and management challenges. 2017 , 12, 709-720	126

189	Study approach and field work procedures of the MentDis_ICF65+ project on the prevalence of mental disorders in the older adult European population. 2017 , 17, 366		9
188	Prevalence of mental diseases in Austria : Systematic review of the published evidence. 2018 , 130, 141-150		7
187	Social capital, socioeconomic status, and depression in community-living elderly. 2018 , 98, 133-140		33
186	Identified mental disorders in older adults in primary care: A cross-sectional database study. 2018 , 24, 84-91		11
185	Comparative efficacy and acceptability of interventions for major depression in older persons: protocol for Bayesian network meta-analysis. <i>BMJ Open</i> , 2018 , 8, e019819	3	2
184	Based Real Time Remote Health Monitoring Systems: A Review on Patients Prioritization and Related "Big Data" Using Body Sensors information and Communication Technology. 2017 , 42, 30		111
183	[Late life depression - Diagnosis, pathophysiology and therapeutic strategies]. 2018 , 86, 242-255		1
182	Psychiatric disorders among older prisoners: a systematic review and comparison study against older people in the community. 2018 , 22, 1-10		41
181	A machine learning framework involving EEG-based functional connectivity to diagnose major depressive disorder (MDD). 2018 , 56, 233-246		60
180	Walking as a Mediator of the Relationship of Social Support With Vitality and Psychological Distress in Older Adults. 2018 , 26, 430-437		7
179	What Characterizes Depression in Old Age? Results from the Bruneck Study. 2018 , 51, 153-160		5
178	Categorical and dimensional perspectives on depression in elderly primary care patients - Results of the AgeMooDe study. 2018 , 27,		3
177	Anxiety Disorders in Old Age: Psychiatric Comorbidities, Quality of Life, and Prevalence According to Age, Gender, and Country. 2018 , 26, 174-185		47
176	Potentially inappropriate prescription of antidepressants in old people: characteristics, associated factors, and impact on mortality. 2018 , 30, 715-726		5
175	Attachment to God, depression and loss in late life: a longitudinal study. 2018 , 21, 825-837		5
174	Relationship Between Pain and Frailty in Obese Community-Dwelling Elderly Subjects: A Cross-Sectional Study. 2018 , 07,		
173	Assessment of late-life depression via self-report measures: a review. 2018 , 13, 2021-2044		29
172	[Elderly patients with early onset mental illness]. 2018 , 51, 741-743		

171	Patient and health system factors associated with hospital readmission in older adults without cognitive impairment. 2018 , 53, 44-51		3
170	Electroconvulsive therapy for older adult patients with major depressive disorder: a systematic review of randomized controlled trials. 2018 , 18, 468-475		6
169	Older adult's experience of chronic low back pain and its implications on their daily life: Study protocol of a systematic review of qualitative research. 2018 , 7, 81		12
168	A qualitative study on older primary care patients' perspectives on depression and its treatments - potential barriers to and opportunities for managing depression. 2018 , 19, 2		13
167	Asthma Over the Age of 65: All's Well That Ends Well. 2018 , 6, 764-773		21
166	Computational EEG Analysis. 2018 ,		10
165	Alcohol use, abuse and dependence in an older European population: Results from the MentDis_ICF65+ study. <i>PLoS ONE</i> , 2018 , 13, e0196574	3.7	17
164	Computational EEG Analysis for the Diagnosis of Psychiatric Illnesses. 2018 , 149-175		
163	Prevalence of major depressive disorder in older adults in China: A systematic review and meta-analysis. 2018 , 241, 297-304		29
162	Associations between age and the course of major depressive disorder: a 2-year longitudinal cohort study. 2018 , 5, 581-590		56
161	Cognitive decline and alcohol consumption adjusting for functional status over a 3-year period in French speaking community living older adults. 2019 , 41, e177-e184		2
160	Diagnosing and Treating Depression in Patients with Alzheimer's Disease. 2019 , 8, 325-350		36
159	Anxiety Disorders. 2019 , 143-152		
158	Drug and Alcohol Misuse. 2019 , 153-164		
157	Mediating Effect of Cognitive Social Capital on the Relationship Between Physical Disability and Depression in Elderly People of Rural Pakistan. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	6
156	Affective disorders in the elderly in different European countries: Results from the MentDis_ICF65+ study. <i>PLoS ONE</i> , 2019 , 14, e0224871	3.7	5
155	Reciprocal associations between job strain and depression: A 2-year follow-up study from the Survey of Health, Ageing and Retirement in Europe. 2019 , 9, e01381		3
154	Exercise, Mood, Self-Efficacy, and Social Support as Predictors of Depressive Symptoms in Older Adults: Direct and Interaction Effects. 2019 , 10, 2145		22

153	[Clinical trial of a stepped and collaborative care model for mental illnesses and comorbidities in the Hamburg Network for Health Services Research]. 2019 , 62, 205-213		3
152	Prevalence of Anxiety Symptoms and Their Association With Loss Experience in a Large Cohort Sample of the Oldest-Old. Results of the AgeCoDe/AgeQualiDe Study. <i>Frontiers in Psychiatry</i> , 2019 , 10, 285	5	9
151	Changes in depressive symptoms over age among older Americans: Differences by gender, race/ethnicity, education, and birth cohort. 2019 , 7, 100399		23
150	Prevalence of depressive symptoms and its associated factors among healthy community-dwelling older adults living in Australia and the United States. 2019 , 34, 1208-1216		26
149	Self-evaluated anxiety in the Norwegian population: prevalence and associated factors. 2019 , 77, 10		13
148	Reducing emergency department visits among older adults. 2019 , 27, 37-49		1
147	Factors associated with elevated consumption of alcohol in older adults-comparison between China and Norway: the CLHLS and the HUNT Study. <i>BMJ Open</i> , 2019 , 9, e028646	3	9
146	Análise bifator da Escala Baptista de Depressão Versus Idosos (EBADEP-ID). 2019 , 50, 29948		
145	In search of the best evidence for life review therapy to reduce depressive symptoms in older adults: A meta-analysis of randomized controlled trials.. 2019 , 26, 11-11		16
144	Depression im Alter Diagnostik, Pathophysiologie und therapeutische Strategien. 2019 , 1, 135-148		0
143	Relationships Between Meaning in Life, Dispositional Mindfulness, Perceived Stress, and Psychological Symptoms Among Chinese Patients With Gastrointestinal Cancer. 2019 , 207, 34-37		14
142	Cognitive behavioural therapy for the treatment of late life depression: study protocol of a multicentre, randomized, observer-blinded, controlled trial (CBTlate). 2019 , 19, 423		5
141	Resistance Training for Older Adults: Position Statement From the National Strength and Conditioning Association. 2019 , 33, 2019-2052		279
140	Prevalence of late-life depression and its correlates in a community-dwelling low-educated population aged 75+ years: The Pietà study. 2019 , 242, 173-179		14
139	Prevalence of anxiety disorder among older adults in Spain: A meta-analysis. 2019 , 246, 408-417		10
138	Mental Health Differences Between Older and Younger Lesbian, Gay, Bisexual, and Transgender Veterans: Evidence of Resilience. 2019 , 42, 162-171		11
137	Cross-sectional and prospective inter-relationships between depressive symptoms, vascular disease and cognition in older adults. 2019 , 49, 2168-2176		4
136	Mental health service utilization and its associated social factors among elderly people with a mental disability in China: A national population-based survey. 2019 , 47, 215-220		3

135	The role of meaning in life in community-dwelling older adults with depression and relationship to other risk factors. 2019 , 23, 100-106		22
134	Post-traumatic stress reactions among individuals with visual impairments: a systematic review. 2019 , 41, 2111-2118		8
133	Assessment of Mental Health Elderly with Chronic Pain Based on Quranic Components. 2020 , 59, 2807-2818		3
132	Opioid Exposure Negatively Affects Antidepressant Response to Venlafaxine in Older Adults with Chronic Low Back Pain and Depression. 2020 , 21, 1538-1545		2
131	Comparative effectiveness of three exercise types to treat clinical depression in older adults: A systematic review and network meta-analysis of randomised controlled trials. <i>Ageing Research Reviews</i> , 2020 , 58, 100999	12	25
130	Prevalence and socio-demographic correlates of major depressive disorder in older adults in Hebei province, China. 2020 , 265, 590-594		1
129	Research is needed to understand substance use disorders in old adulthood. 2020 , 115, 600-602		4
128	Prevalence and factors associated with depression, anxiety, and stress symptoms among older adults: A cross-sectional population-based study. 2020 , 22, 1139-1152		15
127	Barriers and facilitators of engagement in psychological therapies among older adults with depression: A systematic review and thematic synthesis. 2021 , 28, 509-520		1
126	Undiagnosed depression, persistent depressive symptoms and seeking mental health care: analysis of immigrant and non-immigrant participants of the Canadian Longitudinal Study of Aging. 2020 , 29, e158		3
125	Preoperative evaluation and surgical counselling in the elderly. 2020 , 32, 100827		
124	Identification, Trend Analysis and Influencing Factors of Mental Health Status of the Chinese Older Adults. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	4
123	Temporal patterns of anxiety disorders and cortisol activity in older adults. 2020 , 277, 235-243		1
122	Epidemiology of at-risk alcohol use and associated comorbidities of interest among community-dwelling older adults: a protocol for a systematic review. <i>BMJ Open</i> , 2020 , 10, e035481	3	1
121	Impact of comorbid mental disorders on outcomes of brief outpatient treatment for DSM-5 alcohol use disorder in older adults. 2020 , 119, 108143		1
120	Sex Differences in Anxiety Disorders in Older Adults. 2020 , 22, 75		6
119	Psychometric properties of the short-form Chinese Community Nurses Stress Scale: A cross-sectional study. 2020 , 99, e21607		0
118	Addressing Mental Health in Urology Patients: The Time is Now. 2020 , 6, 1137-1139		1

117	Cognitive Behavioral Therapy for Late-Life Depression: Evidence, Issues, and Recommendations. 2020 ,		1
116	Trait resilience and mental health in older adults: A meta-analytic review. 2020 , 14, 361-375		5
115	Association of Race and Ethnicity With Late-Life Depression Severity, Symptom Burden, and Care. 2020 , 3, e201606		15
114	Prevalence and Characterization of Specific Phobia Disorder in People over 65 Years Old in a Madrid Community Sample (Spain) and its Relationship to Quality of Life. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	6
113	Quality of life, level of functioning, and its relationship with mental and physical disorders in the elderly: results from the MentDis_ICF65+ study. 2020 , 18, 61		14
112	The excess economic burden of mental disorders: findings from a cross-sectional prevalence survey in Austria. 2020 , 21, 1075-1089		2
111	Prevalence of Depression Among Empty-Nest Elderly in China: A Meta-Analysis of Observational Studies. <i>Frontiers in Psychiatry</i> , 2020 , 11, 608	5	6
110	Role of Perceived Social Support on the Association between Physical Disability and Symptoms of Depression in Senior Citizens of Pakistan. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	8
109	Physical frailty and the risk of major depressive disorder: The Irish Longitudinal Study on Ageing. 2020 , 125, 91-95		3
108	The Role of Psychological Distress in the Relationship between Drinking Motives and Hazardous Drinking in Older Adults. 2021 , 27, 33-41		3
107	Help-seeking for psychological distress and its association with anxiety in the oldest old - results from the AgeQualiDe cohort study. 2021 , 25, 923-929		2
106	The influence of age, sex and education on the phenomenology of depressive symptoms in a population-based sample aged 75+ years with major depression: the Piet��Study. 2021 , 25, 462-467		3
105	Diversity and Cultural Perspectives. 2021 ,		
104	Epidemiologie gerontopsychiatrischer Erkrankungen. 2021 , 7-14		
103	Psychische und Verhaltensst��rungen durch psychotrope Substanzen/Sucht und Substanzst��rungen im Alter. 2021 , 201-234		
102	Besonderheiten bei psychischen St��rungen im h��heren Lebensalter. 2021 , 425-440		
101	Cognitive behavioural therapy and third wave approaches for anxiety and related disorders in older people.		
100	Concomitants of Depressive Symptoms in Memory Clinic Patients. 2021 , 34, 37-44		2

99	The Relationship between the Concentration of Magnesium and the Presence of Depressive Symptoms and Selected Metabolic Disorders among Men over 50 Years of Age. 2021 , 11,			
98	Effects of Vitamin B12 Supplementation on Cognitive Function, Depressive Symptoms, and Fatigue: A Systematic Review, Meta-Analysis, and Meta-Regression. 2021 , 13,			11
97	Predictors of Depression and Insomnia in Community-Dwelling Elderly People: A Cross-Sectional Evidence of Their Bidirectional Relationship. 2021 , 13, e13965			1
96	Blended Acceptance and Commitment Therapy Versus Face-to-face Cognitive Behavioral Therapy for Older Adults With Anxiety Symptoms in Primary Care: Pragmatic Single-blind Cluster Randomized Trial. 2021 , 23, e24366			6
95	Effect of sensorimotor rehabilitation based on an immersive virtual reality model on mental health. 2021 ,			1
94	A multidimensional perspective of the relation between social isolation and depression among Portuguese older adults. 2021 ,			0
93	Unmet Expectations About Work at Age 62 and Depressive Symptoms. 2021 ,			2
92	Be Fit, Be Sharp, Be Well: The Case for Exercise as a Treatment for Cognitive Impairment in Late-life Depression. 2021 , 27, 776-789			2
91	Gender-specific prevalence and influencing factors of depression in elderly in rural China: A cross-sectional study. 2021 , 288, 99-106			6
90	Mental Health among Spanish Adults with Diabetes: Findings from a Population-Based Case-Controlled Study. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6		1
89	Clinical and Dynamic Features and Prognostic Value of Non-Cognitive Psychopathological Symptoms in Mild Cognitive Impairment (MCI). 2021 , 19, 17-28			2
88	The Prevalence and Characteristics of Psychotropic-Related Hospitalizations in Older People: A Systematic Review and Meta-Analysis. 2021 , 22, 1206-1214.e5			0
87	Associations Between Depressive Symptoms and Physical Activity Intensity in an Older Adult Population During COVID-19 Lockdown. 2021 , 12, 644106			10
86	Pragmatic Screening of Anxiety, Depression, Suicidal Ideation, and Substance Misuse in Older Adults. 2021 ,			
85	Aerobic, resistance, and mind-body exercise are equivalent to mitigate symptoms of depression in older adults: A systematic review and network meta-analysis of randomised controlled trials. 2020 , 9, 1325			6
84	Later life depression as risk factor for developing dementia: epidemiological evidence, predictive models, preventive strategies and future trends. 2021 , 112, 456-466			7
83	The association between chronic pain conditions and subclinical and clinical anxiety among community-dwelling older adults consulting in primary care. 2021 ,			0
82	Treatment adequacy and remission of depression and anxiety disorders and quality of life in primary care older adults. 2021 , 19, 218			3

81	Association between resilience and cortical thickness in the posterior cingulate cortex and the temporal pole in Japanese older people: A population-based cross-sectional study. 2021 , 142, 89-100		1
80	Feasibility and Outcome of an Inpatient Interpersonal Skills Group for Older Adults (65+) With Acute or Chronic Depression. 2020 , 33, 55-66		3
79	Aerobic, resistance, and mind-body exercise are equivalent to mitigate symptoms of depression in older adults: A systematic review and network meta-analysis of randomised controlled trials. 2020 , 9, 1325		6
78	Factors predicting malignancy in patients with polymyositis and dermatomyositis: a systematic review and meta-analysis. <i>PLoS ONE</i> , 2014 , 9, e94128	3-7	74
77	A wavelet-based technique to predict treatment outcome for Major Depressive Disorder. <i>PLoS ONE</i> , 2017 , 12, e0171409	3-7	49
76	Happiness Strategies for Older Adults: A Qualitative Study. 2020 , 13, 254-263		1
75	The prevalence and correlates of depression of the elderly in local community centers in Nantou, Taiwan. 2019 , 33, 110		1
74	Liver transplantation and aging. 2020 , 10, 256-266		2
73	Modernizing the Traditional Psychologist Role: Paraprofessionals in Psychological Health Care. 2021 ,		
72	Psychological risk and protective factors associated with depression among older adults in mainland China: A systematic review and meta-analysis. 2021 ,		0
71	Age effects on treatment patterns in 138,097 patients with unipolar depression followed in general practices in Germany. 2021 , 144, 208-216		0
70	Epidemiologie und Versorgungsepidemiologie. 2015 , 43-70		
69	Psychische Störungen im höheren Lebensalter. 2015 , 1-25		
68	Epidemiologie psychischer Störungen. 2015 , 1-25		
67	Encyclopedia of Geropsychology. 2016 , 1-8		
66	Alcohol Use and Comorbid Psychiatric and Subsyndromal Disorders Among Older Adults. 2016 , 35-53		
65	Epidemiologie psychischer Störungen. 2017 , 123-146		
64	Encyclopedia of Geropsychology. 2017 , 276-284		0

63 Die Gerontopsychiatrie. **2017**, 3-18

62 Psychische und Verhaltensstörungen durch psychotrope Substanzen/Sucht und Substanzstörungen im Alter. **2017**, 121-151

61 Case Management für Patienten mit Depression. **2017**, 311-318

60 Psychische Störungen im höheren Lebensalter. **2017**, 2849-2873

59 Mental Health Disorders in Older Adult Populations. **2018**, 243-261

58 Sucht und Depression im Alter: Grundlagen und psychotherapeutische Interventionen. **2018**, 95-115

57 Protective Psychosocial Factors of Geriatric Depression in Community Dwelling Older Adults: A Review Article. **2018**, 12,

0

56 Epidemiology and the Scale of the Problem. **2019**, 5-11

55 Recent Barriers to Effective Treatment of Asthma in Older Adults and Strategies to Address Them. **2019**, 45-52

54 HIGH-SENSITIVITY C-REACTIVE PROTEIN, POSSIBLE BIOMARKER FOR DEPRESSION IN ELDERLY POPULATION. **2019**, 15, 215-220

53 Relación entre la Salud Mental y el Nivel de Funcionamiento de las Personas Mayores de 65 Años de la Comunidad de Madrid. *Clinica Y Salud*, **2019**, 30, 63-71

1.8

0

52 Yağarda depresyon dñe skale iliðlendirilebilir mi?

1

51 Depression im Alter. **2020**, 1-17

50 Depression im Alter. **2020**, 1-17

49 Exploring the Risk Factors for Depressive Symptoms Among Chinese Rural Older Adults. **2020**, 58, 41-47

48 [Trends in psychiatric admissions in adults over 65 years old]. **2020**, 55, 201-205

47 Blended Acceptance and Commitment Therapy Versus Face-to-face Cognitive Behavioral Therapy for Older Adults With Anxiety Symptoms in Primary Care: Pragmatic Single-blind Cluster Randomized Trial (Preprint).

46 Evaluating the Real-World Representativeness of Participants with Mild Cognitive Impairment in Canadian Research Protocols: a Comparison of the Characteristics of a Memory Clinic Patients and Research Samples. *Canadian Geriatrics Journal*, **2020**, 23, 297-328

2.8

45	Factors associated with depression across age groups of older adults: The Singapore Chinese health study. 2021 ,		0
44	Risk of Late-Onset Depression and Cognitive Decline: Results From Inflammatory Proteome Analyses in a Prospective Population-Based Cohort Study.. 2021 ,		0
43	Post-Traumatic Stress Disorder in People with Visual Impairment Compared with the General Population.. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19,	4.6	0
42	Evaluating the real-world representativeness of participants with mild cognitive impairment in Canadian research protocols: a comparison of the characteristics of a memory clinic patients and research samples. <i>Canadian Geriatrics Journal</i> , 2020 , 23, 297-328	2.8	1
41	Cost-effectiveness and cost-utility of an Acceptance and Commitment Therapy intervention vs. a Cognitive Behavioral Therapy intervention for older adults with anxiety symptoms: A randomized controlled trial.. <i>PLoS ONE</i> , 2022 , 17, e0262220	3.7	0
40	Specific Phobia Disorder Symptoms in People over 65 in Madrid: A Network Analysis. <i>Clinica Y Salud</i> , 2022 , 000-000	1.8	
39	Minimally Adequate Treatment for Depression and Anxiety Associated With Mortality in Primary Care Older Adults.. <i>Canadian Journal of Psychiatry</i> , 2022 , 7067437221082883	4.8	2
38	Modifiable psychosocial risk factors and delayed onset of dementia in older populations: analysis of two prospective US cohorts.. <i>BMJ Open</i> , 2022 , 12, e059317	3	0
37	Factors Associated with Depressive Symptoms in Elderly Individuals Living in Urban Communities.. <i>Psychology Research and Behavior Management</i> , 2022 , 15, 855-864	3.8	0
36	Predictors of Regret Among Older Men After Stress Urinary Incontinence Treatment Decisions. <i>Journal of Urology</i> , 2021 , 101097JU00000000000002352	2.5	0
35	Sleep Disturbances Are Associated With Depressive Symptoms in a Chinese Population: The Rugao Longevity and Aging Cohort.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 731371	5	
34	Collaborative community mental health and aged care services with peer support to prevent late-life depression: study protocol for a non-randomised controlled trial.. <i>Trials</i> , 2022 , 23, 280	2.8	
33	DataSheet_1.docx. 2020 ,		
32	Data_Sheet_1.PDF. 2019 ,		
31	KOGNİTİF SAĞIKLI YAŞILARDA D VİTAMİNİ DEPRESYON İLE İRİTOLABİR Mİ.		
30	Moving beyond referrals to strengthen late-life depression care: a qualitative examination of primary care clinic and community-based organization partnerships.. <i>BMC Health Services Research</i> , 2022 , 22, 605	2.9	0
29	Anxiety Disorders. 2022 ,		1
28	Literatur. 2022 , 151-163		

- 27 Mental health in a heterogeneous clinical sample. A cross-sectional study of predictors and gender differences. *Heliyon*, **2022**, 8, e09823 3.6
- 26 Unmet Healthcare Needs Predict Depression Symptoms among Older Adults. *International Journal of Environmental Research and Public Health*, **2022**, 19, 8892 4.6 ○
- 25 Experiences of community-dwelling older adults with chronic low back pain in Hong Kong and Switzerland A qualitative study. 3, ○
- 24 Global burden of asthma associated with high body mass index from 1990 to 2019. **2022**, ○
- 23 Efecto de una sola infusi3n de ketamina sobre s3ntomas depresivos en pacientes geri3tricos sometidos a cirug3a oftalmol3gica: ensayo controlado aleatorizado**. **2022**, 45, 231-237 ○
- 22 Moodbuster (E-MODEL): The feasibility of digital cognitive behavioural therapy (CBT) for depressed older adults: Study protocol of two pilot feasibility studies (Preprint). ○
- 21 Association between Dietary Patterns and the Risk of Depressive Symptoms in the Older Adults in Rural China. **2022**, 14, 3538 ○
- 20 Advances in the Psychological Management of Older Adult Mental Health. **2022**, 2, 193-210 ○
- 19 Association between quality of life, sleep quality and mental disorders in Iranian older adults. **2022**, 12, ○
- 18 Using novel methodology to estimate the prevalence of mental disorders in British Columbia, Canada. ○
- 17 Creativity and art therapies to promote healthy aging: A scoping review. 13, ○
- 16 The association between adverse childhood experiences and depression symptoms in older adults in China: An analysis of the China health and retirement study. 1-18 ○
- 15 Mental Health in Non-Oncologic Urology Patients. **2022**, 10, ○
- 14 Revictimization: Towards a New Theoretical Concept. **2022**, 363-382 ○
- 13 Trajectories of generalized anxiety disorder, major depression and change in quality of life in adults aged 50 + : findings from a longitudinal analysis using representative, population-based data from Ireland. ○
- 12 The Influence of Environmental Enrichment on Affective and Neural Consequences of Social Isolation Across Development. ○
- 11 Association between neighborhood physical characteristics and mental health among older adults in Spain. **2023**, 49, 170-177 ○
- 10 Longitudinal associations between stroke and psychosis: a population-based study. ○

- 9 The Eight-Item Center for Epidemiological Studies Depression Scale in the English Longitudinal Study of Aging: Longitudinal and Gender Invariance, Sum Score Models, and External Associations. 107319112211389
- 8 Management of Elderly Asthma: Key Questions and Tentative Answers. **2023**, 15, 8 1
- 7 Therapy Strategies for Late-life Depression: A Review. **2023**, 29, 15-30 0
- 6 Social Support, Identity Affirmation, and Psychological Well-Being: A Developmental and Intersectional Comparison between Italian Cisgender and Non-Binary People with Bisexual Orientation. **2023**, 20, 3237 0
- 5 Prevalence of depression and anxiety in older people in low- and middle- income countries in Africa, Asia and South America: A systematic review and meta-analysis. **2023**, 325, 656-674 0
- 4 Overview of late-onset psychoses. 1-15 0
- 3 Prevalence of psychiatric disorders in the aging population in the northeastern of Iran. **2023**, 30, 0
- 2 Symptom Patterns of Comorbid Depression and Anxiety among Older Adults in China and Their Predictors: Latent Profile Analysis of a National Representative Sample. 0
- 1 Late-life depression: Epidemiology, phenotype, pathogenesis and treatment before and during the COVID-19 pandemic. 14, 0