## Hypertension awareness, treatment and control in Afric

BMC Cardiovascular Disorders 13, 54 DOI: 10.1186/1471-2261-13-54

Citation Report

#	Article	IF	CITATIONS
1	Use of alternative medicine for hypertension in Buikwe and Mukono districts of Uganda: a cross sectional study. BMC Complementary and Alternative Medicine, 2013, 13, 301.	3.7	31
2	Estimating the Prevalence and Awareness Rates of Hypertension in Africa: A Systematic Analysis. PLoS ONE, 2014, 9, e104300.	1.1	192
3	Learning lessons from operational research in infectious diseases: can the same model be used for noncommunicable diseases in developing countries?. Advances in Medical Education and Practice, 2014, 5, 469.	0.7	4
4	Medical Devices and Diagnostics for Cardiovascular Diseases in Low-Resource Settings. Journal of Cardiovascular Translational Research, 2014, 7, 737-748.	1.1	9
5	Is hypertension the new HIV epidemic?. International Journal of Epidemiology, 2014, 43, 8-10.	0.9	37
6	Target organ damage among hypertensive adults in rural Nigeria. Journal of Hypertension, 2014, 32, 487-494.	0.3	9
7	Contemporary aetiology, clinical characteristics and prognosis of adults with heart failure observed in a tertiary hospital in Tanzania: the prospective Tanzania Heart Failure (TaHeF) study. Heart, 2014, 100, 1235-1241.	1.2	93
8	Hypertension, kidney disease, HIV and antiretroviral therapy among Tanzanian adults: a cross-sectional study. BMC Medicine, 2014, 12, 125.	2.3	122
9	Analysing the socioeconomic determinants of hypertension in South Africa: a structural equation modelling approach. BMC Public Health, 2014, 14, 414.	1.2	52
10	Uncontrolled Hypertension in Uganda: A Comparative Crossâ€Sectional Study. Journal of Clinical Hypertension, 2015, 17, 63-69.	1.0	14
11	Validity of Selfâ€Report Data in Hypertension Research: Findings From TheÂStudy on Global Ageing and Adult Health. Journal of Clinical Hypertension, 2015, 17, 977-984.	1.0	23
12	Hypertension prevalence, incidence and risk factors among children and adolescents in Africa: a systematic review and meta-analysis protocol: TableÂ1. BMJ Open, 2015, 5, e008472.	0.8	18
13	The prevalence, awareness, and control of hypertension among workers in West Africa: a systematic review. Global Health Action, 2015, 8, 26227.	0.7	43
14	Results of a hypertension and diabetes treatment program in the slums of Nairobi: a retrospective cohort study. BMC Health Services Research, 2015, 15, 512.	0.9	15
15	Feasibility and quality of cardiovascular disease prevention within a community-based health insurance program in rural Nigeria. Journal of Hypertension, 2015, 33, 366-375.	0.3	9
16	Undiagnosed and uncontrolled hypertension among the adults in rural Bangladesh. Journal of Hypertension, 2015, 33, 2399-2406.	0.3	20
17	An observational study of hypertension treatment and patient outcomes in a primary care setting. Pan African Medical Journal, 2015, 20, 424.	0.3	14
18	An estimate of the prevalence of hypertension in Nigeria. Journal of Hypertension, 2015, 33, 230-242.	0.3	151

#	Article	IF	Citations
19	Prevalence of hypertension and its treatment among adults presenting to primary health clinics in rural Zambia: analysis of an observational database. BMC Public Health, 2015, 15, 933.	1.2	13
20	Stroke-Risk Factors Differ between Rural and Urban Communities: Population Survey in Central Uganda. Neuroepidemiology, 2015, 44, 156-165.	1.1	26
21	High sodium causes hypertension: evidence from clinical trials and animal experiments. Journal of Integrative Medicine, 2015, 13, 1-8.	1.4	17
22	Inpatients' awareness of admission reasons and management plans of their clinical conditions at a tertiary hospital in South Africa. BMC Health Services Research, 2015, 15, 89.	0.9	3
23	Elevated hypertension risk for African-origin populations in biracial societies. Journal of Hypertension, 2015, 33, 473-481.	0.3	35
24	Hypertension. Lancet, The, 2015, 386, 801-812.	6.3	539
25	Determinants of hypertension in a young adult Ugandan population in epidemiological transition—the MEPI-CVD survey. BMC Public Health, 2015, 15, 830.	1.2	42
26	High prevalence of hypertension and of risk factors for non-communicable diseases (NCDs): a population based cross-sectional survey of NCDS and HIV infection in Northwestern Tanzania and Southern Uganda. BMC Medicine, 2015, 13, 126.	2.3	134
27	Enablers and barriers for implementing high-quality hypertension care in a rural primary care setting in Nigeria: perspectives of primary care staff and health insurance managers. Global Health Action, 2016, 9, 29041.	0.7	24
28	Awareness, Treatment, and Control of Hypertension in Primary Health Care and Secondary Referral Medical Outpatient Clinic Settings at Enugu, Southeast Nigeria. International Journal of Hypertension, 2016, 2016, 1-5.	0.5	6
29	Interventions addressing risk factors of ischaemic heart disease in sub-Saharan Africa: a systematic review. BMJ Open, 2016, 6, e011881.	0.8	11
30	Uncontrolled Hypertension and Its Determinants in Patients with Concomitant Type 2 Diabetes Mellitus (T2DM) in Rural South Africa. PLoS ONE, 2016, 11, e0150033.	1.1	67
31	Social disparities explain differences in hypertension prevalence, detection and control in Colombia. Journal of Hypertension, 2016, 34, 2344-2352.	0.3	41
32	Hypertension Control and Its Correlates Among Adults Attending a Hypertension Clinic in Tanzania. Journal of Clinical Hypertension, 2016, 18, 207-216.	1.0	27
33	Physicochemical equivalence of generic antihypertensive medicines (EQUIMEDS): protocol for a quality of medicines assessment. BMJ Global Health, 2016, 1, e000086.	2.0	2
34	Hypertension in Sub-Saharan Africa; prevalence, prescriptions, pitfalls and paradigms. Journal of Human Hypertension, 2016, 30, 221-222.	1.0	7
35	Hypertension control and care at Mulago Hospital ambulatory clinic, Kampala-Uganda. BMC Research Notes, 2016, 9, 487.	0.6	12
36	An appraisal of blood pressure control and its determinants among patients with primary hypertension seen in a primary care setting in Western Nigeria. South African Family Practice: Official Journal of the South African Academy of Family Practice/Primary Care, 2016, 58, 192-201.	0.2	2

#	Article	IF	Citations
37	The feasibility and acceptability of screening for hypertension in private drug retail outlets: a pilot study in Mwanza region, Tanzania. International Health, 2016, 8, 360-366.	0.8	10
38	High prevalence, low awareness, treatment and control rates of hypertension in Guinea: results from a population-based STEPS survey. Journal of Human Hypertension, 2016, 30, 237-244.	1.0	24
39	Population-based prevalence of high blood pressure among adults in an urban slum in Enugu, South East Nigeria. Journal of Human Hypertension, 2016, 30, 285-291.	1.0	19
40	Awareness, treatment and control of hypertension in Nepal: findings from the Dhulikhel Heart Study. Heart Asia, 2017, 9, 1-8.	1.1	58
41	Association of genetic variation with blood pressure traits among East Africans. Clinical Genetics, 2017, 92, 487-494.	1.0	22
42	A survey of hypertension prevalence, awareness, treatment, and control in health screening camps of rural central Punjab, Pakistan. Journal of Epidemiology and Global Health, 2017, 7, 135.	1.1	40
43	Impact of adverse drug events and treatment satisfaction on patient adherence with antihypertensive medication – a study in ambulatory patients. British Journal of Clinical Pharmacology, 2017, 83, 2107-2117.	1.1	25
44	Patient-related beliefs and adherence toward their medications among the adult hypertensive outpatients in Tanzania. Journal of Comparative Effectiveness Research, 2017, 6, 185-193.	0.6	8
45	Hypertension management in a population of older adults in rural South Africa. Journal of Hypertension, 2017, 35, 1283-1289.	0.3	33
46	Prevalence,awareness and factors associated with hypertension in North West Tanzania. Global Health Action, 2017, 10, 1321279.	0.7	59
47	Social epidemiology of hypertension in Buffalo City Metropolitan Municipality (BCMM): cross-sectional study of determinants of prevalence, awareness, treatment and control among South African adults. BMJ Open, 2017, 7, e014349.	0.8	27
48	Impact of Bridging Income Generation with Group Integrated Care (BIGPIC) on Hypertension and Diabetes in Rural Western Kenya. Journal of General Internal Medicine, 2017, 32, 540-548.	1.3	51
49	Knowledge of Hypertension and Compliance with Therapy Among Hypertensive Patients in the Bamenda Health District of Cameroon: A Cross-sectional Study. Cardiology and Therapy, 2017, 6, 53-67.	1.1	36
50	Prevalence and associated factors of active smoking among individuals living with hypertension and/or diabetes in Africa: a systematic review and meta-analysis protocol. BMJ Open, 2017, 7, e015444.	0.8	6
51	Self-Care Knowledge of Hypertension Prevention and Control Among Women in Contemporary Ghana. American Journal of Health Education, 2017, 48, 374-381.	0.3	6
52	Prescription patterns and adequacy of blood pressure control among adult hypertensive patients in Kenya; findings and implications. Expert Review of Clinical Pharmacology, 2017, 10, 1263-1271.	1.3	44
53	Hypertension treatment practices and its determinants among ambulatory patients: retrospective cohort study in Ethiopia. BMJ Open, 2017, 7, e015743.	0.8	16
54	Awareness and management of elevated blood pressure among human immunodeficiency virus–infected adults receiving antiretroviral therapy in urban Zambia: a call to action. Global Health Action, 2017, 10, 1359923.	0.7	10

#	Article	IF	CITATIONS
55	A need to accelerate health research productivity in an African University: the case of Makerere University College of Health Sciences. Health Research Policy and Systems, 2017, 15, 33.	1.1	14
56	A Clinical Mentorship and Quality Improvement Program to Support Health Center Nurses Manage Type 2 Diabetes in Rural Rwanda. Journal of Diabetes Research, 2017, 2017, 1-10.	1.0	16
57	Nutritional Counseling for Hypertensive Patients: Have Final-Year Nursing Students Learnt Enough to Be Able to Offer Advice to Such Patients?. Journal of Biomedical Education, 2017, 2017, 1-9.	0.6	0
58	Prevalence, awareness, and associated risk factors of hypertension in older adults in Africa: a systematic review and meta-analysis protocol. Systematic Reviews, 2017, 6, 192.	2.5	16
59	Knowledge, adherence and control among patients with hypertension attending a peri-urban primary health care clinic, KwaZulu-Natal. African Journal of Primary Health Care and Family Medicine, 2017, 9, e1-e7.	0.3	20
60	Prevalence and Evolution of Renal Impairment in People Living With HIV in Rural Tanzania. Open Forum Infectious Diseases, 2018, 5, ofy072.	0.4	9
61	Burden of hypertension in The Gambia: evidence from a national World Health Organization (WHO) STEP survey. International Journal of Epidemiology, 2018, 47, 860-871.	0.9	27
62	Prevalence, awareness, treatment, and control of hypertension among rural and urban dwellers of the Far North Region of Cameroon. Journal of Hypertension, 2018, 36, 159-168.	0.3	14
63	The role of psychosocial determinants in predicting adherence to treatment in patient with hypertension. Interventional Medicine & Applied Science, 2018, 11, 8-16.	0.2	4
64	Low uptake of hypertension care after community hypertension screening events in Lagos, Nigeria. Global Health Action, 2018, 11, 1548006.	0.7	4
65	Prevalence, detection, treatment, and control of hypertension in human immunodeficiency virus (HIV)-infected patients attending HIV clinics in the Western Cape Province, South Africa. Medicine (United States), 2018, 97, e12121.	0.4	24
66	Does family involvement in patient education improve hypertension management? A single-blind randomized, parallel group, controlled trial. Cogent Medicine, 2018, 5, 1537063.	0.7	12
67	Hypertension prevalence, awareness, treatment and control in Ghanaian population: Evidence from the Ghana demographic and health survey. PLoS ONE, 2018, 13, e0205985.	1.1	71
68	Pharmacy-based hypertension care employing mHealth in Lagos, Nigeria – a mixed methods feasibility study. BMC Health Services Research, 2018, 18, 934.	0.9	33
69	Blood pressure control status and associated factors among adult hypertensive patients on outpatient follow-up at University of Gondar Referral Hospital, northwest Ethiopia: a retrospective follow-up study. Integrated Blood Pressure Control, 2018, Volume 11, 37-46.	0.4	29
70	Low potassium and high sodium intakes: a double health threat to Cape Verdeans. BMC Public Health, 2018, 18, 995.	1.2	5
71	Prevalence and predictors of hypertension in Namibia: A national-level cross-sectional study. PLoS ONE, 2018, 13, e0204344.	1.1	16
72	Healthcare professionals' level of medication knowledge in Africa: a systematic review. British Journal of Clinical Pharmacology, 2018, 84, 2729-2746.	1.1	6

#	Article	IF	CITATIONS
73	Factors Influencing Compliance and Health Seeking Behaviour for Hypertension in Mukono and Buikwe in Uganda: A Qualitative Study. International Journal of Hypertension, 2018, 2018, 1-13.	0.5	49
74	Cardiovascular Risk Factors in a Suburban Community in Nigeria. International Journal of Hypertension, 2018, 2018, 1-6.	0.5	9
75	Health insurance coverage with or without a nurse-led task shifting strategy for hypertension control: A pragmatic cluster randomized trial in Ghana. PLoS Medicine, 2018, 15, e1002561.	3.9	66
77	Returning home to die or leaving home to seek health care? Location of death of urban and rural residents in Burkina Faso and Senegal. Global Health Action, 2018, 11, 1475040.	0.7	9
78	Factors associated with uncontrolled blood pressure among Ghanaians: Evidence from a multicenter hospital-based study. PLoS ONE, 2018, 13, e0193494.	1.1	60
79	The double burden of disease and the challenge of health access: Evidence from Access, Bottlenecks, Cost and Equity facility survey in Ghana. PLoS ONE, 2018, 13, e0194677.	1.1	43
80	Prevalence, management and ethnobotanical investigation of hypertension in two Guinean urban districts. Journal of Ethnopharmacology, 2019, 231, 73-79.	2.0	13
81	Stroke, cerebrovascular diseases and vascular cognitive impairment in Africa. Brain Research Bulletin, 2019, 145, 97-108.	1.4	51
82	<p>Compliance with care and poor sleep quality among hypertensive adults in a mountainous area of Hubei Province, People's Republic of China</p> . Patient Preference and Adherence, 2019, Volume 13, 1221-1227.	0.8	5
83	Practice and predictors of self-care behaviors among ambulatory patients with hypertension in Ethiopia. PLoS ONE, 2019, 14, e0218947.	1.1	29
84	Effects of dietary nitrate and folate supplementation on blood pressure in hypertensive Tanzanians: Design and baseline characteristics of a feasibility trial. Contemporary Clinical Trials Communications, 2019, 16, 100472.	0.5	4
85	Opportunities to Leverage Telehealth Approaches Along the Hypertension Control Cascade in Sub-Saharan Africa. Current Hypertension Reports, 2019, 21, 75.	1.5	8
86	Uncontrolled hypertension and associated factors among adult hypertensive patients in Ayder comprehensive specialized hospital, Tigray, Ethiopia, 2018. BMC Cardiovascular Disorders, 2019, 19, 121.	0.7	49
87	Effects of a health education intervention on hypertension-related knowledge, prevention and self-care practices in Nigerian retirees: a quasi-experimental study. Archives of Public Health, 2019, 77, 23.	1.0	27
88	Knowledge, attitudes and practices related to hypertension among residents of a disadvantaged rural community in southern Zimbabwe. PLoS ONE, 2019, 14, e0215500.	1.1	23
89	Dimensions of internal migration and their relationship to blood pressure in South Africa. Journal of Biosocial Science, 2019, 51, 827-842.	0.5	5
90	Prevalence, patterns and factors associated with hypertensive crises in Mulago hospital emergency department; a cross-sectional study. African Health Sciences, 2019, 19, 1757.	0.3	17
91	Comparison of Dual Therapies for Lowering Blood Pressure in Black Africans. New England Journal of Medicine, 2019, 380, 2429-2439.	13.9	85

#	ARTICLE	IF	Citations
92	Prevalence and factors associated with hypertension among adults in rural Sylhet district of Bangladesh: a cross-sectional study. BMJ Open, 2019, 9, e026722.	0.8	19
93	Patterns of Raised Blood Pressure in Vietnam: Findings from the WHO STEPS Survey 2015. International Journal of Hypertension, 2019, 2019, 1-7.	0.5	8
94	Hypertension in a resourceâ€limited setting: Poor Outcomes on Shortâ€term Followâ€up in an Urban Hospital in Maputo, Mozambique. Journal of Clinical Hypertension, 2019, 21, 1831-1840.	1.0	4
95	Patients' and healthcare providers' perceptions and practices regarding hypertension, pharmacy-based care, and mHealth in Lagos, Nigeria. Journal of Hypertension, 2019, 37, 389-397.	0.3	18
96	Hypertension awareness, treatment and control in Ghana: a cross-sectional study. Ethnicity and Health, 2020, 25, 702-716.	1.5	22
97	Engaging the Entire Care Cascade in Western Kenya: A Model to Achieve the Cardiovascular Disease Secondary Prevention Roadmap Goals. Global Heart, 2015, 10, 313.	0.9	45
98	Equivalence in Active Pharmaceutical Ingredient of Generic Antihypertensive Medicines Available in Nigeria (EQUIMEDS): A Case for Further Surveillance. Global Heart, 2020, 14, 327.	0.9	9
99	Hypertension prevalence, awareness, treatment, and control and predicted 10-year CVD risk: a cross-sectional study of seven communities in East and West Africa (SevenCEWA). BMC Public Health, 2020, 20, 1706.	1.2	34
100	Cardiovascular disease prevention knowledge and associated factors among adults in Mukono and Buikwe districts in Uganda. BMC Public Health, 2020, 20, 1151.	1.2	10
101	Non-Communicable Diseases and Urbanization in African Cities: A Narrative Review. , 0, , .		19
102	Frequency & factors associated with apparent resistant hypertension among Ghanaians in a multicenter study. Journal of Clinical Hypertension, 2020, 22, 1594-1602.	1.0	11
103	Increased prevalence of hypertension in Ghana: New 2017 American College of Cardiology/American Hypertension Association hypertension guidelines application. Journal of Clobal Health, 2020, 10, 020408.	1.2	5
104	<p>Epidemiology of Hypertension in Ethiopia: A Systematic Review</p> . Integrated Blood Pressure Control, 2020, Volume 13, 135-143.	0.4	26
105	Clinical care & blood pressure control among hypertensive people living with human immune deficiency virus: Prospective cohort study. Annals of Medicine and Surgery, 2020, 54, 114-124.	0.5	5
106	Statin prescription among patients with type 2 diabetes in Botswana: findings and implications. BMC Endocrine Disorders, 2020, 20, 36.	0.9	15
107	Systems analysis and improvement approach to optimize the hypertension diagnosis and care cascade for PLHIV individuals (SAIA-HTN): a hybrid type III cluster randomized trial. Implementation Science, 2020, 15, 15.	2.5	15
108	Prevalence, risk factors, and management of uncontrolled hypertension among patients with diabetes: A hospital-based cross-sectional study. Primary Care Diabetes, 2020, 14, 610-615.	0.9	8
109	Impact of relative systemic hypertension on the heart in sickle cell anaemia. Indian Heart Journal, 2020, 72, 205-208.	0.2	1

#	Article	IF	CITATIONS
110	Cardiovascular risk factor mapping and distribution among adults in Mukono and Buikwe districts in Uganda: small area analysis. BMC Cardiovascular Disorders, 2020, 20, 284.	0.7	12
111	Antihypertensive effect of Phragmanthera incana (Schum) Balle on NG-nitro-L-Arginine methyl ester (L-NAME) induced hypertensive rats. Journal of Ethnopharmacology, 2020, 257, 112888.	2.0	19
112	Knowledge, attitudes and practices of health care professionals towards adverse drug reaction reporting in public sector primary health care facilities in a South African district. European Journal of Clinical Pharmacology, 2020, 76, 991-1001.	0.8	27
113	Relieving the tension in hypertension: Food–drug interactions and antiâ€hypertensive mechanisms of food bioactive compounds. Journal of Food Biochemistry, 2021, 45, e13317.	1.2	10
114	The role of dietary salt and alcohol use reduction in the management of hypertension. Expert Review of Cardiovascular Therapy, 2021, 19, 27-40.	0.6	8
115	Epidemiology of acutely decompensated systolic heart failure over the 2003–2013 decade in Douala General Hospital, Cameroon. ESC Heart Failure, 2021, 8, 481-488.	1.4	4
116	High prevalence of uncontrolled hypertension among patients with type 2 diabetes mellitus: a hospital-based cross-sectional study in southwestern Uganda. Pan African Medical Journal, 2021, 39, 142.	0.3	4
117	Acceptability and feasibility of a mobile health application for blood pressure monitoring in rural Uganda. JAMIA Open, 2021, 4, ooaa068.	1.0	7
118	Analyzing Trio-Anthropometric Predictors of Hypertension: Determining the Susceptibility of Blood Pressure to Sexual Dimorphism in Body Stature. International Journal of Hypertension, 2021, 2021, 1-6.	0.5	1
119	Coverage and effectiveness of hypertension screening in different altitudes of Tibet autonomous region. BMC Public Health, 2021, 21, 33.	1.2	4
120	Prevalence and Correlates of Hypertension Unawareness among Lebanese Adults: The Need to Target Those "Left Behind― International Journal of Hypertension, 2021, 2021, 1-9.	0.5	2
121	Chronic Disease in the Community (CDCom) Program: Hypertension and non-communicable disease care by village health workers in rural Uganda. PLoS ONE, 2021, 16, e0247464.	1.1	8
122	Porous and highly responsive cross-linked β-cyclodextrin based nanomatrices for improvement in drug dissolution and absorption. Life Sciences, 2021, 267, 118931.	2.0	42
123	An assessment of implementation science research capacity in Uganda. Health Research Policy and Systems, 2021, 19, 14.	1.1	1
124	Prevalence estimates of dementia in older adults in rural Kilimanjaro 2009–2010 and 2018–2019: is there evidence of changing prevalence?. International Journal of Geriatric Psychiatry, 2021, 36, 950-959.	1.3	7
125	Prevalence and 1-year incidence of HIV-associated neurocognitive disorder (HAND) in adults aged ≥50 years attending standard HIV clinical care in Kilimanjaro, Tanzania. International Psychogeriatrics, 2023, 35, 339-350.	0.6	10
126	Self-Care Practice and Associated Factors among Hypertensive Patients in Ethiopia: A Systematic Review and Meta-Analysis. International Journal of Hypertension, 2021, 2021, 1-11.	0.5	6
127	Combined management can decrease blood pressure: an investigation of health-seeking behaviors among hypertensive patients in urban communities in China. BMC Cardiovascular Disorders, 2021, 21, 256.	0.7	1

#	Article	IF	Citations
" 128	Prevalence of Hypertension and Associated Factors Among Public Servants in North Wollo Zone, Amhara Region, Ethiopia, 2020. Vascular Health and Risk Management, 2021, Volume 17, 363-370.	1.0	2
129	Glutathione S-transferase M1 and T1 genes deletion polymorphisms and blood pressure control among treated essential hypertensive patients in Burkina Faso. BMC Research Notes, 2021, 14, 244.	0.6	1
130	Seasonal and socio-demographic patterns of self-reporting major disease groups in north-west Burkina Faso: an analysis of the Nouna Health and Demographic Surveillance System (HDSS) data. BMC Public Health, 2021, 21, 1101.	1.2	1
131	The Effects of Illness Perception on Diet Adherence in Patients With Hypertension. Caspian Journal of Health Research, 2021, 6, 65-72.	0.1	0
132	Examining the Relationship Between Occupational Physical Activity and Hypertension Status: Evidence from the Ghana WHO Study on Global Ageing and Adult Health. Annals of Work Exposures and Health, 2021, 65, 1050-1060.	0.6	5
133	Unmet needs of hypertension care in Nigeria: results of the community action against non-communicable diseases (COMAAND) project preintervention survey. Blood Pressure Monitoring, 2022, 27, 27-32.	0.4	4
134	Hearing loss and hypertension: exploring the linkage. The Egyptian Journal of Otolaryngology, 2021, 37,	0.1	3
135	Risk-based antihypertensive treatment allocation in Peru: comparison of local and international guidelines analysing national health surveys between 2015-2020. The Lancet Regional Health Americas, 2021, 1, 100022.	1.5	0
136	Cost-effectiveness of a Community-based Hypertension Improvement Project (ComHIP) in Ghana: results from a modelling study. BMJ Open, 2021, 11, e039594.	0.8	3
137	Mean blood pressure according to the hypertension care cascade: Analysis of six national health surveys in Peru. The Lancet Regional Health Americas, 2021, 1, 100016.	1.5	1
138	Factors associated with hypertension in Pakistan: A systematic review and meta-analysis. PLoS ONE, 2021, 16, e0246085.	1.1	11
139	Trends in prevalence, awareness, treatment and control of high blood pressure in the Seychelles between 1989 and 2013. Journal of Hypertension, 2017, 35, 1465-1473.	0.3	9
140	Current Prevalence Pattern of Hypertension in Nigeria: A Systematic Review. PLoS ONE, 2015, 10, e0140021.	1.1	102
141	Population-Based Assessment of Hypertension Epidemiology and Risk Factors among HIV-Positive and General Populations in Rural Uganda. PLoS ONE, 2016, 11, e0156309.	1.1	65
142	Hypertension and Obesity in Dakar, Senegal. PLoS ONE, 2016, 11, e0161544.	1.1	24
143	High prevalence of undiagnosed hypertension among men in North Central Nigeria: Results from the Healthy Beginning Initiative. PLoS ONE, 2020, 15, e0242870.	1.1	12
144	USE OF BLACK SEED (NIGELLA SATIVA L.) OIL IN THE MANAGEMENT OF HYPERTENSIVE AND HYPERLIPIDEMIC INDIVIDUALS OF DISTRICT MUZAFFARABAD, AZAD KASHMIR, PAKISTAN. Applied Ecology and Environmental Research, 2017, 15, 31-48.	0.2	8
145	ARTERIAL HYPERTENSION AMONG INDIVIDUALS OF 25–64 YEARS OLD: PREVALENCE, AWARENESS, TREATMENT AND CONTROL. BY THE DATA FROM ECCD. Cardiovascular Therapy and Prevention (Russian) Tj ETÇ	9q10140.78	43 <b>16</b> 1rgBT /

		CITATION R	EPORT	
#	Article		IF	CITATIONS
147	Hypertension in Egypt: A Systematic Review. Current Hypertension Reviews, 2015, 10,	, 134-141.	0.5	16
148	Driving to Better Health: Screening for Hypertension and Associated Factors Among C Drivers in Buffalo City Metropolitan Municipality, South Africa. Open Public Health Jou 303-312.		0.1	7
149	The Effectiveness of Text Messaging for Detection and Management of Hypertension i People in Canada: Protocol for a Randomized Controlled Trial. JMIR Research Protocols	n Indigenous 5, 2017, 6, e244.	0.5	15
150	Review of Hypertension in sub-Saharan Africa. African Journal of Current Medical Resea	arch, 2017, 1, .	0.1	1
151	Prevalence and Risk Factors of Elevated Blood Pressure and Elevated Blood Glucose an of Kajiado County, Kenya: A Population-Based Cross-Sectional Survey. International Jou Environmental Research and Public Health, 2020, 17, 6957.		1.2	5
152	Blood pressure (BP) control and perceived family support in patients with essential hypat a primary care clinic in Western Nigeria. Journal of Family Medicine and Primary Care	bertension seen e, 2016, 5, 569.	0.3	34
153	Determinants of High Blood Pressure and Quality of Management in Three Regions of Journal of Epidemiology, 2018, 08, 14-28.	Benin. Open	0.2	4
154	How Group-Based Cardiovascular Health Education Affects Treatment Adherence and Control among Insured Hypertensive Nigerians: A Pre-Test, Post-Test Study. World Jou Cardiovascular Diseases, 2015, 05, 181-198.		0.0	8
155	Adherence to Antihypertensive Medication: An Interview Analysis of Southwest Ugand Perspectives. Annals of Global Health, 2020, 86, 58.	an Patients'	0.8	6
156	Prevalence, Awareness, Treatment and Control of Hypertension in Nigeria: Data from a Survey 2017. Clobal Heart, 2020, 15, 47.	Nationwide	0.9	41
157	Prevalence and determinants of hypertension in elderly population of Raipur city, Chha International Journal of Research in Medical Sciences, 2015, 3, 568.	ıttisgarh.	0.0	6
158	Medical disease as a cause of maternal mortality: the pre-imminence of cardiovascular Cardiovascular Journal of Africa, 2016, 27, 84-88.	pathology.	0.2	34
159	Prevalence, awareness, treatment and control of hypertension, diabetes and hypercho among adults in Dande municipality, Angola. Cardiovascular Journal of Africa, 2018, 29	lesterolaemia 9, 73-81.	0.2	9
160	The Relationship between Serum Vitamin C and Uric Acid Levels, Antioxidant Status ar Artery Disease: a Case-Control Study. Clinical Nutrition Research, 2020, 9, 307.	nd Coronary	0.5	2
161	Hypertension, Cardiovascular Risk Factors and Complications in Large Population Base Senegal. , 0, , 030-033.	d Study in		0
162	Hypertension (HTN) Knowledge and with Its Associated Factors: About 456 Outpatien Cardiology Department in University Hospital (UH) Gabriel Touré—Bamako (M of Cardiovascular Diseases, 2018, 08, 24-34.		0.0	1
163	Some Full Blood Count Parameters among Hypertensive Patients Attending Specialist Nigeria. Open Journal of Blood Diseases, 2019, 09, 77-91.	Hospital, Sokoto,	0.1	4
165	"We shall have gone to a higher standard― Training village heath teams (VHTs) to smartphone-guided intervention to link older Ugandans with hypertension and diabete Open Research, 2020, 3, 25.	o use a es to care. AAS	1.5	2

#	Article	IF	CITATIONS
166	Nonadherence to Self-Care Practices, Antihypertensive Medications, and Associated Factors among Hypertensive Patients in a Follow-up Clinic at Asella Referral and Teaching Hospital, Ethiopia: A Cross-Sectional Study. International Journal of Hypertension, 2021, 2021, 1-10.	0.5	2
167	Current approach to isolated diastolic hypertension. Archives of Clinical Hypertension, 2020, , 029-031.	0.0	1
168	Relationship between Perceived Spousal Social Support and Blood Pressure Control among Hypertensive Patients Attending General Outpatient Clinic in Federal Teaching Hospital, Ido-Ekiti, Nigeria. Archives of Clinical Hypertension, 2020, , 022-028.	0.0	1
169	Complementary and alternative medicine use among hypertensive patients receiving biomedical treatment: a cross-sectional survey at the LEKMA General Hospital in Accra, Ghana Health Sciences Investigations Journal, 2020, 1, 121-127.	0.2	0
170	Ambulatory Blood Pressure Profiles and Correlation with Cardiovascular Risk Factors in a Sample of 390 University Employees in Tanzania. Integrated Blood Pressure Control, 2020, Volume 13, 197-208.	0.4	1
171	Individual awareness and treatment effectiveness of hypertension among older adults in Ghana: evidence from the World Health Organization study of global ageing and adult health wave 2. Pan African Medical Journal, 2020, 37, 264.	0.3	0
173	Hypertensive patients' knowledge of cardiovascular disease in Calabar, Nigeria. Journal of the Egyptian Public Health Association, The, 2020, 95, 16.	1.0	2
174	Determinants of uncontrolled hypertension in an Iranian population. ARYA Atherosclerosis, 2014, 10, 25-31.	0.4	10
175	BLOOD PRESSURE CONTROL AMONG HYPERTENSIVE SUBJECTS IN DUTSE, NORTHWESTERN NIGERIA. Annals of Ibadan Postgraduate Medicine, 2019, 17, 59-64.	0.1	0
176	Attitudinal, regional and sex related vulnerabilities to COVID-19: Considerations for early flattening of curve in Nigeria. Medical Journal of the Islamic Republic of Iran, 2020, 34, 61.	0.9	2
177	Obesity in patients with hypertension attending a medical outpatient clinic in a tertiary health facility in Enugu, Southeast Nigeria. Annals of African Medicine, 2021, 20, 84-91.	0.2	0
178	Hypertension care cascade in the Ingwavuma rural community, uMkhanyakude District, KwaZulu-Natal province of South Africa. PeerJ, 2021, 9, e12372.	0.9	5
179	Causes of medication non-adherence and the acceptability of support strategies for people with hypertension in Uganda: A qualitative study. International Journal of Nursing Studies, 2022, 126, 104143.	2.5	5
180	"We shall have gone to a higher standard†Training village heath teams (VHTs) to use a smartphone-guided intervention to link older Ugandans with hypertension and diabetes to care. AAS Open Research, 0, 3, 25.	1.5	1
181	Blood pressure-lowering medicines implemented in 12 African countries: the cross-sectional multination EIGHT study. BMJ Open, 2021, 11, e049632.	0.8	2
182	An integrated community-based hypertension improvement program improves hypertension awareness in Ghana. Journal of Global Health Science, 0, 3, .	1.7	0
183	Adherence Clubs to Improve Hypertension Management in Nigeria: Clubmeds, a Feasibility Study. Global Heart, 2022, 17, 21.	0.9	2
184	Prevalence, awareness, treatment, and control of hypertension in Bissau, Western Africa. Journal of Clinical Hypertension, 2022, 24, 358-361.	1.0	7

#	Article	IF	CITATIONS
185	Correlates of Blood Pressure Awareness, Treatment, and Control Among Adults 50 Years or Older by HIV Status in Northwestern Tanzania. Current Hypertension Reports, 2022, , 1.	1.5	1
188	Prevalence and control of hypertension among people living with HIV receiving care at a Nigerian hospital Pan African Medical Journal, 2022, 41, 153.	0.3	4
189	Pengaruh Pemberian Edukasi Terhadap Pengetahuan Hipertensi Peserta Prolanis Perempuan Di Puskesmas Brambang, Kabupaten Jombang. Media Gizi Kesmas, 2022, 11, 159-165.	0.2	0
190	Assessing descriptions of scalability for hypertension control interventions implemented in low-and middle-income countries: A systematic review. PLoS ONE, 2022, 17, e0272071.	1.1	4
191	Characteristics and Predictors of Controlled Hypertension at A Tertiary Health Facility in Nigeria. European Journal of Medical and Health Sciences, 2022, 4, 60-69.	0.1	0
193	Prevalence of cardiovascular risk factors in active tuberculosis in Africa: a systematic review and meta-analysis. Scientific Reports, 2022, 12, .	1.6	5
194	Gamma glutamyl transferases in association with cardiovascular risk scores in non-diabetic hypertensive Cameroonians: preliminary data from HYRICCA study. BMC Research Notes, 2022, 15, .	0.6	2
195	Early Stage and Established Hypertension in Sub-Saharan Africa: Results From Population Health Surveys in 17 Countries, 2010–2017. Circulation: Cardiovascular Quality and Outcomes, 2022, 15, .	0.9	4
196	Determinants of Self-Care and Home-Based Management of Hypertension: An Integrative Review. Global Heart, 2023, 18, 16.	0.9	4