

CITATION REPORT

List of articles citing

Estimating optimal complexity for ecological niche models: A jackknife approach for species with small sample sizes

DOI: 10.1016/j.ecolmodel.2013.08.011
Ecological Modelling, 2013, 269, 9-17.

Source: <https://exaly.com/paper-pdf/55265485/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
348	Diversity and distribution of deep-sea shrimps in the Ross Sea region of Antarctica. 2014 , 9, e103195		21
347	Can biotic interactions cause allopatry? Niche models, competition, and distributions of South American mouse opossums. 2014 , 37, 741-753		61
346	SDMtoolbox: a python-based GIS toolkit for landscape genetic, biogeographic and species distribution model analyses. 2014 , 5, 694-700		556
345	Making better Maxent models of species distributions: complexity, overfitting and evaluation. 2014 , 41, 629-643		677
344	Spatial filtering to reduce sampling bias can improve the performance of ecological niche models. <i>Ecological Modelling</i> , 2014 , 275, 73-77	3	577
343	Bioclimatic variables derived from remote sensing: assessment and application for species distribution modelling. 2014 , 5, 1033-1042		23
342	Modeling ecological two-sidedness for complex ecosystems. <i>Ecological Modelling</i> , 2014 , 287, 36-43	3	5
341	ENMeval: An R package for conducting spatially independent evaluations and estimating optimal model complexity for Maxent ecological niche models. 2014 , 5, 1198-1205		744
340	Predicting potential ranges of primary malaria vectors and malaria in northern South America based on projected changes in climate, land cover and human population. 2015 , 8, 431		33
339	Historical demography of the Eurasian green woodpecker: integrating phylogeography and ecological niche modelling to test glacial refugia hypothesis. 2015 , 64, 284-295		8
338	Predicting the distribution of forest tree species using topographic variables and vegetation index in eastern Acre, Brazil. 2015 , 45, 167-174		8
337	Predicting Species Distributions Using Record Centre Data: Multi-Scale Modelling of Habitat Suitability for Bat Roosts. 2015 , 10, e0128440		22
336	Combining Niche Modelling, Land-Use Change, and Genetic Information to Assess the Conservation Status of <i>Pouteria splendens</i> Populations in Central Chile. 2015 , 2015, 1-12		8
335	Lichen-Forming Fungi of the Genus <i>Montaneli</i> in Poland and Their Potential Distribution in Central Europe. 2015 , 28, 697-712		4
334	A practical method to speed up the discovery of unknown populations using Species Distribution Models. <i>Journal for Nature Conservation</i> , 2015 , 24, 42-48	2.3	52
333	Individualistic response to past climate changes: niche differentiation promotes diverging Quaternary range dynamics in the subspecies of <i>Testudo graeca</i> . 2015 , 38, 956-966		21
332	spThin: an R package for spatial thinning of species occurrence records for use in ecological niche models. 2015 , 38, 541-545		541

331	Assessing the Global Risk of Establishment of <i>Cydia pomonella</i> (Lepidoptera: Tortricidae) using CLIMEX and MaxEnt Niche Models. 2015 , 108, 1708-19		58
330	Maxent modeling for predicting the potential distribution of <i>Sanghuang</i> , an important group of medicinal fungi in China. 2015 , 17, 140-145		58
329	Impact of model complexity on cross-temporal transferability in Maxent species distribution models: An assessment using paleobotanical data. <i>Ecological Modelling</i> , 2015 , 312, 308-317	3	95
328	Impacts of climate change on distributions and diversity of ungulates on the Tibetan Plateau. 2015 , 25, 24-38		48
327	Modelling the ecological niche of an endangered population of <i>Puma concolor</i> : First application of the GNESFA method to an elusive carnivore. <i>Ecological Modelling</i> , 2015 , 297, 11-19	3	16
326	Modeling the Potential Distribution and Richness of Cetaceans in the Azores from Fisheries Observer Program Data. 2016 , 3,		38
325	Global Potential Distribution of <i>Bactrocera carambolae</i> and the Risks for Fruit Production in Brazil. 2016 , 11, e0166142		13
324	Exploring the Distribution of the Spreading Lethal Salamander Chytrid Fungus in Its Invasive Range in Europe - A Macroecological Approach. 2016 , 11, e0165682		26
323	Ecological divergence of two closely related <i>Roscoea</i> species associated with late Quaternary climate change. 2016 , 43, 1990-2001		22
322	Glacial refugia, recolonization patterns and diversification forces in Alpine-endemic <i>Megabunus</i> harvestmen. 2016 , 25, 2904-19		27
321	Modelling the spatial and seasonal distribution of suitable habitats of schistosomiasis intermediate host snails using Maxent in Ndumo area, KwaZulu-Natal Province, South Africa. 2016 , 9, 572		29
320	Using spatiotemporal correlative niche models for evaluating the effects of climate change on mountain pine beetle. 2016 , 7, e01396		13
319	Landscape history improves detection of marginal habitats on semi-natural grasslands. 2016 , 539, 359-369		7
318	Conservation status and protection of three Antillean endemic damselflies. 2016 , 20, 277-284		4
317	Revision of widespread red squirrels (genus: <i>Tamiasciurus</i>) highlights the complexity of speciation within North American forests. 2016 , 100, 170-182		27
316	Prime Hoverfly (Insecta: Diptera: Syrphidae) Areas (PHA) as a conservation tool in Serbia. 2016 , 198, 22-32		14
315	Landscape and flow metrics affecting the distribution of a federally-threatened fish: Improving management, model fit, and model transferability. <i>Ecological Modelling</i> , 2016 , 342, 1-18	3	14
314	Novel methods to select environmental variables in MaxEnt: A case study using invasive crayfish. <i>Ecological Modelling</i> , 2016 , 341, 5-13	3	67

313	Identifying appropriate protected areas for endangered fern species under climate change. 2016 , 5, 904	7
312	Presence-only approach to assess landslide triggering-thickness susceptibility: a test for the Mili catchment (north-eastern Sicily, Italy). 2016 , 84, 565-588	36
311	Mapping Global Potential Risk of Establishment of <i>Rhagoletis pomonella</i> (Diptera: Tephritidae) Using MaxEnt and CLIMEX Niche Models. 2016 , 109, 2043-2053	34
310	Predicting Future Effects of Multiple Drivers of Extinction Risk in Peru's Endemic Primate Fauna. 2016 , 315-349	3
309	Ethnoprimatology. 2016 ,	5
308	Land use and soil contamination with <i>Toxoplasma gondii</i> oocysts in urban areas. 2016 , 568, 1086-1091	21
307	Forecasting the fate of high mountain ponds in the Andean region under future climate change. 2016 , 41, 983-992	4
306	Inferring responses to climate dynamics from historical demography in neotropical forest lizards. 2016 , 113, 7978-85	73
305	Predicting distribution of major forest tree species to potential impacts of climate change in the central Himalayan region. 2016 , 97, 593-609	41
304	Niche partitioning among sexual and unisexual <i>Ambystoma</i> salamanders. 2016 , 7, e01579	10
303	Predicting the genetic consequences of future climate change: The power of coupling spatial demography, the coalescent, and historical landscape changes. 2016 , 103, 153-63	30
302	Modeling habitat distribution of <i>Cornus officinalis</i> with Maxent modeling and fuzzy logics in China. 2016 , 9, 742-751	32
301	Climate change impacts on endemic, high-elevation lichens in a biodiversity hotspot. 2016 , 25, 555-568	58
300	A high-resolution model of bat diversity and endemism for continental Africa. <i>Ecological Modelling</i> , 2016 , 320, 9-28	3 51
299	Climatic Similarity of Extant and Extinct <i>Dasyurus</i> Armadillos. 2017 , 24, 193-206	5
298	Tropical high Andean drylands: species diversity and its environmental determinants in the Central Andes. 2017 , 26, 1257-1273	4
297	Meteorological conditions and land cover as predictors for the prevalence of Bluetongue virus in the Inner Mongolia Autonomous Region of Mainland China. 2017 , 138, 88-93	8
296	Habitat and spatial thinning improve the Maxent models performed with incomplete data. 2017 , 122, 1359-1370	12

295	Tracing a toad invasion: lack of mitochondrial DNA variation, haplotype origins, and potential distribution of introduced <i>Duttaphrynus melanostictus</i> in Madagascar. 2017 , 38, 197-207	9
294	Setting conservation priorities for Argentina's pseudocereal crop wild relatives. 2017 , 209, 349-355	9
293	Influence of land use and meteorological factors on the spatial distribution of <i>Toxocara canis</i> and <i>Toxocara cati</i> eggs in soil in urban areas. 2017 , 233, 80-85	7
292	In-depth comparisons of MaxEnt, biased SVM and one-class SVM for one-class classification of remote sensing data. 2017 , 8, 290-299	28
291	Evolutionarily significant units of the critically endangered leaf frog (<i>Anura</i> , Phyllomedusidae) are not effectively preserved by the Brazilian protected areas network. 2017 , 7, 8812-8828	13
290	Parasite biodiversity faces extinction and redistribution in a changing climate. 2017 , 3, e1602422	125
289	Evaluating mechanisms of diversification in a Guineo-Congolian tropical forest frog using demographic model selection. 2017 , 26, 5245-5263	91
288	Climate and environmental changes driving idiosyncratic shifts in the distribution of tropical and temperate worm reefs. 2017 , 97, 1023-1035	1
287	A spatial framework for targeting urban planning for pollinators and people with local stakeholders: A route to healthy, blossoming communities?. 2017 , 158, 255-268	24
286	Habitat preferences of baleen whales in a mid-latitude habitat. 2017 , 141, 155-167	26
285	A single-algorithm ensemble approach to estimating suitability and uncertainty: cross-time projections for four Malagasy tenrecs. 2017 , 23, 196-208	10
284	Species distribution models for critically endangered liverworts (Bryophyta) from the Czech Republic: a guide to future survey expeditions.. 2017 , 66, 101-110	1
283	Codling Moth (Lepidoptera: Tortricidae) Establishment in China: Stages of Invasion and Potential Future Distribution. 2017 , 17,	7
282	Effects of Climate Change on the Potentially Suitable Climatic Geographical Range of <i>Liriodendron chinense</i> . 2017 , 8, 399	13
281	The fate of endemic insects of the Andean region under the effect of global warming. 2017 , 12, e0186655	7
280	Little pigeons can carry great messages: potential distribution and ecology of <i>Uranotaenia</i> (<i>Pseudoficalbia</i>) <i>unguiculata</i> Edwards, 1913 (Diptera: Culicidae), a lesser-known mosquito species from the Western Palaearctic. 2017 , 10, 464	2
279	How many species of mammals are there in Brazil? New records of rare rodents (Rodentia: Cricetidae: Sigmodontinae) from Amazonia raise the current known diversity. 2017 , 5, e4071	12
278	MaxEnt's parameter configuration and small samples: are we paying attention to recommendations? A systematic review. 2017 , 5, e3093	154

277	The importance of historical land use in the maintenance of early successional habitat for a threatened rattlesnake. 2018 , 13, e00370	7
276	Remote sensing techniques to predict salinity intrusion: application for a data-poor area of the coastal Mekong Delta, Vietnam. 2018 , 39, 6676-6691	9
275	Compatible ecological niche signals between biological and archaeological datasets for late-surviving Neandertals. 2018 , 166, 968-974	1
274	Revised distributional estimates for the recently discovered olinguito (<i>Bassaricyon neblina</i>), with comments on natural and taxonomic history. 2018 , 99, 321-332	11
273	Potential global distribution of <i>Diabrotica</i> species and the risks for agricultural production. 2018 , 74, 2100	17
272	Transferability of species distribution models for the detection of an invasive alien bryophyte using imaging spectroscopy data. 2018 , 68, 61-72	11
271	Optimizing ensembles of small models for predicting the distribution of species with few occurrences. 2018 , 9, 802-808	59
270	Geological effects influence population genetic connectivity more than Pleistocene glaciations in the water strider <i>Metrocoris sichuanensis</i> (Insecta: Hemiptera: Gerridae). 2018 , 45, 690-701	8
269	Characterizing environmental suitability of <i>Aedes albopictus</i> (Diptera: Culicidae) in Mexico based on regional and global niche models. 2018 , 55, 69-77	13
268	Assessing the aggregated risk of invasive crayfish and climate change to freshwater crabs: A Southeast Asian case study. 2018 , 223, 58-67	11
267	Predicting the distribution of <i>Stipa purpurea</i> across the Tibetan Plateau via the MaxEnt model. 2018 , 18, 10	59
266	Predicting the effects of future climate change on the distribution of an endemic damselfly (Odonata, Coenagrionidae) in subtropical South American grasslands. 2018 , 22, 303-319	5
265	Ecological niche modeling for a cultivated plant species: a case study on taro (<i>Colocasia esculenta</i>) in Hawaii. 2018 , 28, 967-977	2
264	Maximum Entropy modeling for habitat suitability assessment of Red-crowned crane. 2018 , 91, 439-446	24
263	Diversification mechanisms in the Andean grasshopper genus <i>Orotettix</i> (Orthoptera: Acrididae): ecological niches and evolutionary history. 2018 , 123, 697-711	8
262	The challenge of modeling niches and distributions for data-poor species: a comprehensive approach to model complexity. 2018 , 41, 726-736	71
261	Niche dynamics of two cryptic <i>Prosopis</i> invading South American drylands. 2018 , 20, 181-194	6
260	Landscape epidemiology in urban environments: The example of rodent-borne <i>Trypanosoma</i> in Niamey, Niger. 2018 , 63, 307-315	3

259	Vulnerability of forest vegetation to anthropogenic climate change in China. 2018 , 621, 1633-1641		35
258	In search of relevant predictors for marine species distribution modelling using the MarineSPEED benchmark dataset. 2018 , 24, 144-157		25
257	Quantifying the climatic niche of symbiont partners in a lichen symbiosis indicates mutualist-mediated niche expansions. 2018 , 41, 1380-1392		28
256	Distributional pattern of Sardinian orchids under a climate change scenario. 2018 , 19, 223-232		12
255	Full Issue. 2018 , 120, iii-iii		
254	Resolving distribution and population fragmentation in two leaf-tailed gecko species of north-east Australia: key steps in the conservation of microendemic species. 2018 , 66, 152		3
253	Using Machine Learning to Predict Geomorphic Disturbance: The Effects of Sample Size, Sample Prevalence, and Sampling Strategy. 2018 , 123, 2954-2970		13
252	Identifying drivers of historical genetic decline in an endemic Patagonian rodent, the colonial tuco-tuco, <i>Ctenomys sociabilis</i> (Rodentia: Ctenomyidae). 2018 ,		1
251	Using insects to detect, monitor and predict the distribution of <i>Xylella fastidiosa</i> : a case study in Corsica. 2018 , 8, 15628		38
250	Comparative niche modeling of two bush-shrikes (<i>Laniarius</i>) and the conservation of mid-elevation Afromontane forests of the Albertine Rift. 2018 , 120, 803-814		5
249	The effect of large sample sizes on ecological niche models: Analysis using a North American rodent, <i>Peromyscus maniculatus</i> . <i>Ecological Modelling</i> , 2018 , 386, 83-88	3	12
248	Combining habitat suitability models and spatial graphs for more effective landscape conservation planning: An applied methodological framework and a species case study. <i>Journal for Nature Conservation</i> , 2018 , 46, 38-47	2.3	50
247	Influence of Host and Environmental Factors on the Distribution of the Japanese Encephalitis Vector in China. 2018 , 15,		13
246	First genome-wide analysis of the endangered, endemic lichen <i>Cetradonia linearis</i> reveals isolation by distance and strong population structure. 2018 , 105, 1556-1567		23
245	Predicting <i>Ambystoma ordinarius</i> Habitat in Central Mexico Using Species Distribution Models. 2018 , 74, 117-126		5
244	. 2018 ,		
243	Invasion of a Legume Ecosystem Engineer in a Cold Biome Alters Plant Biodiversity. 2018 , 9, 715		11
242	Population Genetics and Speciation of Yellow-Bellied, Red-Naped, and Red-Breasted Sapsuckers (<i>Sphyrapicus varius</i> , <i>S. nuchalis</i> , and <i>S. ruber</i>). 2018 , 109, 663-674		3

241	Multi-criteria spatial identification of carnivore conservation areas under data scarcity and conflict: a jaguar case study in Sierra Nevada de Santa Marta, Colombia. 2018 , 27, 3373-3392	4
240	Distributional patterns and conservation planning for a snake assemblage from temperate South America. <i>Journal for Nature Conservation</i> , 2018 , 45, 79-89	2,3 3
239	Evaluating high-altitude Ramsar wetlands in the Eastern Himalayas. 2019 , 20, e00715	8
238	Effects of climate change on the distributional potential of three range-restricted West African bird species. 2019 , 121,	6
237	NOO3D: A procedure to perform 3D species distribution models. 2019 , 54, 101008	2
236	Spatio-Temporal Distribution of Monarch Butterflies Along Their Migratory Route. 2019 , 7,	2
235	Collinearity in ecological niche modeling: Confusions and challenges. 2019 , 9, 10365-10376	76
234	Exploring rain forest diversification using demographic model testing in the African foam-nest treefrog <i>Chiromantis rufescens</i> . 2019 , 46, 2706-2721	15
233	Predicting Optimal Sites for Ecosystem Restoration Using Stacked-Species Distribution Modeling. 2019 , 6,	17
232	Different approaches to assess the local invasion risk on a threatened species: Opportunities of using high-resolution species distribution models by selecting the optimal model complexity. 2019 , 20, e00767	1
231	Expansion of the agricultural frontier in the largest South American Dry Forest: Identifying priority conservation areas for snakes before everything is lost. 2019 , 14, e0221901	12
230	State of knowledge and potential distribution of the Colombian endemic brown hairy dwarf porcupine <i>Coendou vestitus</i> (Rodentia). 2019 , 99, 1-11	3
229	New species, diversity, systematics, and conservation assessment of the Puppet Toads of Sumatra (Anura: Bufonidae: <i>Sigalegalephrynus</i>). 2019 , 4679, zootaxa.4679.2.9	2
228	Predicting the potential distribution of Raphidophorinae (Orthoptera, Raphidophoridae) in China. 2019 , 4683, zootaxa.4683.1.6	
227	Risk of biodiversity collapse under climate change in the Afro-Arabian region. 2019 , 9, 955	18
226	Species distribution modelling supports Nectar corridor hypothesis for migratory nectarivorous bats and conservation of tropical dry forest. 2019 , 25, 1399-1415	12
225	Using remotely sensed and climate data to predict the current and potential future geographic distribution of a bird at multiple scales: the case of <i>Agelastes meleagrides</i> , a western African forest endemic. 2019 , 10,	3
224	New Techniques for Standardization of Environmental Impact Assessment. 2019 , 275-313	1

223	Modeling algorithm influence on the success of predicting new populations of rare species: ground-truthing models for the Pale-Belly Frost Lichen (<i>Physconia subpallida</i>) in Ontario. 2019 , 28, 1853-1862	3
222	Modeling the potential range expansion of larger grain borer, <i>Prostephanus truncatus</i> (Coleoptera: Bostrichidae). 2019 , 9, 6862	19
221	A new null model approach to quantify performance and significance for ecological niche models of species distributions. 2019 , 46, 1101-1111	18
220	Testing effects of Pleistocene climate change on the altitudinal and horizontal distributions of frogs from the Colombian Andes: a species distribution modeling approach. 2019 , 11,	4
219	Diet-dependent habitat shifts at different life stages of two sympatric primate species. 2019 , 44, 1	2
218	Long-distance influence of the Rhine River plume on the marine benthic ecosystem: Integrating descriptive ecology and predictive modelling. 2019 , 673, 790-809	2
217	Experience in the Use of GIS Tools in Plant Systematics and Conservation. 2019 , 159-168	
216	Information Technologies in the Research of Biodiversity. 2019 ,	1
215	Niche conservatism predominates in adaptive radiation: comparing the diversification of Hawaiian arthropods using ecological niche modelling. 2019 , 127, 479-492	5
214	Modelling the potential distribution of arbovirus vector <i>Aedes aegypti</i> under current and future climate scenarios in Taiwan, China. 2019 , 75, 3076-3083	12
213	Effects of climate change and grazing pressure on shrub communities of West Asian rangelands. 2019 , 11, 660-671	7
212	Akaike information criterion should not be a best of geographical prediction accuracy in ecological niche modelling. 2019 , 51, 25-32	32
211	Modeling the Effect of Climate Change on the Potential Distribution of Qinghai Spruce (<i>Picea crassifolia</i> Kom.) in Qilian Mountains. 2019 , 10, 62	25
210	Links between prey assemblages and poison frog toxins: A landscape ecology approach to assess how biotic interactions affect species phenotypes. 2019 , 9, 14317-14329	6
209	Critical shifts on spatial traits and the risk of extinction of Andean anurans: an assessment of the combined effects of climate and land-use change in Colombia. 2019 , 17, 206-219	5
208	Modeling endangered mammal species distributions and forest connectivity across the humid Upper Guinea lowland rainforest of West Africa. 2019 , 28, 671-685	12
207	Searching for a needle in a haystack: Where to survey for climatically-matched biological control agents for two grasses (<i>Sporobolus</i> spp.) invading Australia. 2019 , 129, 37-44	7
206	Niche modelling of the potential distribution of the Egyptian Vulture <i>Neophron percnopterus</i> during summer and winter in Iran, to identify gaps in protected area coverage. 2019 , 29, 423-436	4

205	Ecological niche modelling of <i>Gargaphia decoris</i> (Heteroptera), a biological control agent of the invasive tree <i>Solanum mauritianum</i> (Solanales: Solanaceae). 2020 , 76, 1273-1281		7
204	The impacts of climate change on the habitat distribution of the vulnerable Patagonian-Fuegian species <i>Ctenomys magellanicus</i> (Rodentia, Ctenomyidae). <i>Journal of Arid Environments</i> , 2020 , 173, 104016 ⁵		8
203	Effects of climate and geography on spatial patterns of genetic structure in tropical skinks. 2020 , 143, 106661		2
202	Evolutionary history and eco-climatic diversification in southern African dung beetle <i>Sisyphus</i> . 2020 , 47, 2698-2713		2
201	Different Criteria for Evaluation of the Conservation Status of <i>Ceratozamia Miqueliana</i> (Zamiaceae). 2020 , 13, 194008292095268		1
200	Phylogenetic conservatism of abiotic niche in sympatric Southwestern Atlantic skates. 2020 , 16, 458-473		1
199	Predicting the Impact of Climate Change on Freshwater Fish Distribution by Incorporating Water Flow Rate and Quality Variables. 2020 , 12, 10001		4
198	Overwintering Distribution of Fall Armyworm () in Yunnan, China, and Influencing Environmental Factors. 2020 , 11,		12
197	Predicting geographic distributions of fishes in remote stream networks using maximum entropy modeling and landscape characterizations. <i>Ecological Modelling</i> , 2020 , 433, 109231	3	3
196	Meta-replication, sampling bias, and multi-scale model selection: A case study on snow leopard () in western China. 2020 , 10, 7686-7712		12
195	Biogeographical patterns and processes in the genus group <i>Scotussae</i> (Acrididae: Melanoplinae): an integrative approach. 2020 , 131, 417-433		3
194	Habitat suitability mapping of stone pine (<i>Pinus pinea</i> L.) under the effects of climate change. 2020 , 75, 2175-2187		4
193	Climate change influences on the potential distribution of <i>Dianthus polylepis</i> Bien. ex Boiss. (Caryophyllaceae), an endemic species in the Irano-Turanian region. 2020 , 15, e0237527		7
192	Distribution of rose hip (<i>Rosa canina</i> L.) under current and future climate conditions. 2020 , 20, 1		10
191	Modeling of Forest Communities Spatial Structure at the Regional Level through Remote Sensing and Field Sampling: Constraints and Solutions. 2020 , 11, 1088		4
190	Modelling the habitat of the endangered Carpentarian Grasswren (<i>Amytornis dorotheae</i>): The importance of spatio-temporal habitat availability in a fire prone landscape. 2020 , 24, e01341		1
189	MaxEnt Modeling of <i>Dermacentor marginatus</i> (Acari: Ixodidae) Distribution in Xinjiang, China. 2020 , 57, 1659-1667		2
188	Potential Distribution and the Risks of and Its Associated Plant Pathogen <i>Liberibacter Solanacearum</i> for Global Potato Production. 2020 , 11,		8

187	Genomic data reveal two distinct species from the widespread alpine ginger <i>Roscoea tibetica</i> Batalin (Zingiberaceae). 2020 ,		4
186	Using temporally explicit habitat suitability models to infer the migratory pattern of a large mobile shark. 2020 , 77, 1529-1539		3
185	Integration of landscape metric surfaces derived from vector data improves species distribution models. <i>Ecological Modelling</i> , 2020 , 431, 109160	3	3
184	Finding complexity in complexes: Assessing the causes of mitonuclear discordance in a problematic species complex of Mesoamerican toads. 2020 , 29, 3543-3559		11
183	Predicting the Potential Global Geographical Distribution of Two <i>Icerya</i> Species under Climate Change. 2020 , 11, 684		12
182	Predicting the distribution of a rare chipmunk (<i></i>): comparing MaxEnt and occupancy models. 2020 , 101, 1035-1048		5
181	Potential distributions of <i>Bacillus anthracis</i> and <i>Bacillus cereus</i> biovar anthracis causing anthrax in Africa. 2020 , 14, e0008131		10
180	Optimized Maxent Model Predictions of Climate Change Impacts on the Suitable Distribution of <i>Cunninghamia lanceolata</i> in China. 2020 , 11, 302		32
179	A sequential multi-level framework to improve habitat suitability modelling. 2020 , 35, 1001-1020		8
178	Past and future climate-driven shifts in the distribution of a warm-adapted bird species, the European Roller <i>Coracias garrulus</i> . 2020 , 67, 143-159		1
177	Minimizing Risk and Maximizing Spatial Transferability: Challenges in Constructing a Useful Model of Potential Suitability for an Invasive Insect. 2020 , 113, 100-113		4
176	Assessing the habitat use, suitability and activity pattern of the rusty-spotted cat <i>Prionailurus rubiginosus</i> in Kanha Tiger Reserve, India. 2020 , 84, 459-468		3
175	Incorporating Local Adaptation Into Species Distribution Modeling of <i></i> , an Endemic Plant to China. 2019 , 10, 1717		15
174	Phylogeographic analyses point to long-term survival on the spot in micro-endemic Lycian salamanders. 2020 , 15, e0226326		3
173	Climatic dynamics and topography control genetic variation in Atlantic Forest montane birds. 2020 , 148, 106812		6
172	Deer density drives habitat use of establishing wolves in the Western European Alps. 2020 , 57, 995-1008		4
171	MaxEnt Modeling for Predicting the Current and Future Potential Geographical Distribution of <i>Quercus libani</i> Olivier. 2020 , 12, 2671		31
170	What is an optimal value of k in k-fold cross-validation in discrete Bayesian network analysis?. 2021 , 36, 2009-2031		41

169	Oh the places they go: improving species distribution modelling for invasive forest pests in an uncertain world. 2021 , 23, 297-349	10
168	Fine-scale roadkill risk models: understanding the intersection of wildlife and roads. 2021 , 30, 139-164	3
167	The more you search, the more you find: Cryptic diversity and admixture within the Anatolian rock lizards (Squamata, Darevskia). 2021 , 50, 193-209	2
166	Unequal sisters - Past and potential future range development of Anatolian and Hyrcanian brown frogs. 2021 , 144, 125873	2
165	Genome-wide genetic variation coupled with demographic and ecological niche modeling of the dusky-footed woodrat (<i>Neotoma fuscipes</i>) reveal patterns of deep divergence and widespread Holocene expansion across northern California. 2021 , 126, 521-536	0
164	Balancing transferability and complexity of species distribution models for rare species conservation. 2021 , 27, 95-108	7
163	Modeling and mapping the habitat suitability and the potential distribution of Arboviruses vectors in Morocco. 2021 , 28, 37	2
162	Species versus within-species niches: a multi-modelling approach to assess range size of a spring-dwelling amphibian. 2021 , 11, 597	4
161	Flock Size Predicts Niche Breadth and Focal Wintering Regions for a Rapidly Declining Boreal-Breeding Passerine, the Rusty Blackbird. 2021 , 13, 62	0
160	Climate change, habitat connectivity, and conservation gaps: a case study of four ungulate species endemic to the Tibetan Plateau. 2021 , 36, 1071-1087	2
159	Environmental Factors Shape the Nonbreeding Distribution of the Harlan's Red-Tailed Hawk: A Maximum Entropy Approach. 2021 , 55,	0
158	The Potential Global Distribution of (Hymenoptera: Siricidae) under Near Current and Future Climatic Conditions as Predicted by the Maximum Entropy Model. 2021 , 12,	1
157	Using landscape metrics and species potential distribution modeling in cities to develop the Selection of Areas for Species Conservation Index (SASCI). 2021 , 35, 1341-1350	
156	Niche Contraction of an Endangered Frog Driven by the Amphibian Chytrid Fungus. 2021 , 18, 134-144	1
155	Present in the western European Alps but absent in the eastern part: Can habitat availability explain the differences in red-billed chough occurrence?. 2021 , 52,	1
154	Ecological Niches and Suitability Areas of Three Host Pine Species of Bark Beetle <i>Dendroctonus mexicanus</i> Hopkins. 2021 , 12, 385	2
153	Where is the genus <i>Elysia</i> in the western Atlantic? Potential distribution, species richness and representation in marine protected areas. 2021 , 87,	
152	Historical diversification and biogeography of the endemic southern African dung beetle genus, <i>Epirinus</i> (Scarabaeidae: Scarabaeinae). 2021 , 133, 751-765	1

151	Impact of climate change on the Andean distribution of <i>Poa scaberula</i> (Poaceae). 2021 , 278, 151805	3
150	Spatiotemporal Modeling of Coniferous Forests Dynamics along the Southern Edge of Their Range in the Central Russian Plain. 2021 , 13, 1886	0
149	Predicting the current and future suitable habitat distribution of the medicinal tree <i>Oroxylum indicum</i> (L.) Kurz in India. 2021 , 23, 100309	7
148	Expanding the knowledge on a desert sigmodontine rodent in Central Argentina with remarks on its conservation status. 2021 ,	2
147	Species-Distribution Modeling: Advantages and Limitations of Its Application. 2. MaxEnt. 2021 , 11, 265-275	10
146	Potential Distribution and Environmental Niche of the Black Corals <i>Antipathes galapagensis</i> and <i>Myriopathes panamensis</i> in the Eastern Tropical Pacific1. 2021 , 75,	0
145	A rangewide distribution model for the Pallas's cat (<i>Otocolobus manul</i>): identifying potential new survey regions for an understudied small cat. 2021 ,	0
144	Potential Distribution of Colonizing Nine-Banded Armadillos at Their Northern Range Edge. 2021 , 13, 266	1
143	Temporal matching of occurrence localities and forest cover data helps improve range estimates and predict climate change vulnerabilities. 2021 , 27, e01569	0
142	Potential distribution and habitat suitability of <i>Picea crassifolia</i> with climate change scenarios.	0
141	An Appalachian population of neochoristoderes (Diapsida, Choristodera) elucidated using fossil evidence and ecological niche modelling. 2021 , 64, 629-643	1
140	Modeling the distribution of the Near Eastern fire salamander (<i>Salamandra infraimmaculata</i>) and Kurdistan newt (<i>Neurergus derjugini</i>) under current and future climate conditions in Iraq. 2021 , 63, 101309	6
139	Biological control of <i>Parkinsonia aculeata</i> : Using species distribution models to refine agent surveys and releases. 2021 , 159, 104630	1
138	Responses of an endemic species (<i>Roscoea humeana</i>) in the Hengduan Mountains to climate change. 2021 , 27, 2231	0
137	Predicting the distributional range shifts of <i>Rhizocarpon geographicum</i> (L.) DC. in Indian Himalayan Region under future climate scenarios. 2021 , 1	1
136	Exploring the effects of the quaternary glacial/interglacial cycles on the geographic distributions of tropical Andean rodents: species in the genus <i>Aepeomys</i> Thomas, 1898 (Thomasomyini: Sigmodontinae: Cricetidae) as a case study. 1-17	0
135	Delimitation despite discordance: Evaluating the species limits of a confounding species complex in the face of mitonuclear discordance. 2021 , 11, 12739-12753	0
134	Impacts of changing climate on the distribution of migratory birds in China: Habitat change and population centroid shift. 2021 , 127, 107729	5

133	Ecological niche evolution, speciation, and feedback loops: Investigating factors promoting niche evolution in Ordovician brachiopods of eastern Laurentia. 2021 , 578, 110555		2
132	Want to model a species niche? A step-by-step guideline on correlative ecological niche modelling. <i>Ecological Modelling</i> , 2021 , 456, 109671	3	9
131	Local ecological knowledge reveals combined landscape effects of light pollution, habitat loss, and fragmentation on insect populations. 2021 , 262, 109311		4
130	Current and potential geographic distribution of red palm mite (<i>Raoiella indica</i> Hirst) in Brazil. 2021 , 65, 101396		0
129	Climate change impacts on the ecological dynamics of two coral reef species, the humphead wrasse (<i>Cheilinus undulatus</i>) and crown-of-thorns starfish (<i>Acanthaster planci</i>). 2021 , 65, 101399		1
128	Effects of climate change and land cover on the distributions of a critical tree family in the Philippines. 2021 , 11, 276		4
127	Improving area of occupancy estimates for parapatric species using distribution models and support vector machines. 2021 , 31, e02228		3
126	Potential distribution of endangered Mexican golden trout (<i>Oncorhynchus chrysogaster</i>) in the Rio Sinaloa and Rio Culiacan basins (Sierra Madre Occidental) based on landscape characterization and species distribution models. 2017 , 100, 981-993		6
125	Wetlands rise and fall: Six endangered wetland species showed different patterns of habitat shift under future climate change. 2020 , 731, 138518		14
124	MaxEnt parameter configuration and small samples: Are we paying attention to recommendations?.		1
123	First genome-wide analysis of an endangered lichen reveals isolation by distance and strong population structure.		2
122	Using insects to detect, monitor and predict the distribution of <i>Xylella fastidiosa</i> : a case study in Corsica.		4
121	Predicting the Potential Habitat and Risk Assessment of <i>Amaranthus patulus</i> using MaxEnt. 2018 , 36, 672-679		2
120	The disjunct pattern of the Neotropical harvestman <i>Discocyrtus dilatatus</i> (Gonyleptidae) explained by climate-driven range shifts in the Quaternary: Paleodistributional and molecular evidence. 2017 , 12, e0187983		7
119	Extinctions of Threatened Frogs may Impact Ecosystems in a Global Hotspot of Anuran Diversity. 2020 , 76, 121		4
118	Prediction of future and current distribution of <i>Phoenix theophrasti</i> Gr. with using MaxEnt model and its utilization for planting design. 2019 , 20, 274-283		3
117	Efecto del cambio climático en la distribución de especies clave en la vegetación de duna costera en la península de Yucatán, México. 2020 , 91,		1
116	A new record of <i>Stylophorum diphyllum</i> (Michx.) Nutt. in Canada: A case study of the value and limitations of building species distribution models for very rare plants. 2019 , 146, 119		3

115	Habitat Suitability Modeling of the Federally Endangered Poweshiek Skipperling in Michigan. 2016 , 7, 359-368	7
114	Climatic niche comparison between closely related trans-Palearctic species of the genus (Insecta: Heteroptera: Miridae: Orthotylinae). 2020 , 8, e10517	5
113	Phylogeographic investigation and ecological niche modelling of the endemic frog species revealed multiple refugia in the eastern Tibetan Plateau. 2017 , 5, e3770	11
112	SDMtoolbox 2.0: the next generation Python-based GIS toolkit for landscape genetic, biogeographic and species distribution model analyses. 2017 , 5, e4095	313
111	One-class land-cover classification using MaxEnt: the effect of modelling parameterization on classification accuracy. 2019 , 7, e7016	7
110	Spread of the non-native anemone <i>Hüssermann & Fñsterra</i> , 2001 along the Humboldt-current large marine ecosystem: an ecological niche model approach. 2019 , 7, e7156	2
109	Exploring snake occurrence records: Spatial biases and marginal gains from accessible social media. 2019 , 7, e8059	4
108	Reduced host-plant specialization is associated with the rapid range expansion of a Mediterranean butterfly. 2021 , 48, 3016	2
107	Predicting distribution and range dynamics of <i>Trillium govanianum</i> under climate change and growing human footprint for targeted conservation. 2022 , 223, 53	0
106	Geographical isolation versus dispersal: Relictual alpine grasshoppers support a model of interglacial diversification with limited hybridization. 2021 ,	0
105	Projected Impact of Climate Change on Habitat Suitability of a Vulnerable Endemic <i>Vachellia negrii</i> (pic.serm.) kyal. & Boatwr (Fabaceae) in Ethiopia. 2021 , 13, 11275	0
104	Distribuciñ potencial bajo escenarios de cambio climñico de corales del gñero <i>Pocillopora</i> (Anthozoa: Scleractinia) en el Pacñico oriental tropical. 2019 , 90,	2
103	Effects of prey turnover on poison frog toxins: a landscape ecology approach to assess how biotic interactions affect species phenotypes.	1
102	Potential Geographic Distributions of Two Parthenogenetic Weevils (Coleoptera: Curculionidae) Associated with Citrus in Argentina and Brazil. 2019 , 102, 459	1
101	Environmental variables determining the distribution of an avian parasite: the case of the <i>Philornis torquans</i> complex (Diptera: Muscidae) in South America.	1
100	Assessing the Relative Role of Environmental Factors That Limit the Distribution of the Yucatan Rattlesnake (<i>Crotalus tzabcan</i>). 2020 , 54, 216	1
99	Species distribution modeling and conservation assessment of the black-headed night monkey (<i>Aotus nigriceps</i>) A species of Least Concern that faces widespread anthropogenic threats.	1
98	Potential enlargement of the European roller breeding range in the Carpathian Basin. <i>Journal for Nature Conservation</i> , 2020 , 56, 125841	2.3 0

97	Predicting the Potential Distribution of Perennial Plant <i>Coptis chinensis</i> Franch. in China under Multiple Climate Change Scenarios. 2021 , 12, 1464	2
96	Environmental matching reveals non-uniform range-shift patterns in benthic marine Crustacea. 2021 , 168, 1	2
95	Predictive Habitat Model Reveals Specificity in a Broadly Distributed Forest Raptor, The Harpy Eagle. 2020 , 54,	0
94	Mor İnkli Ormangıllı (Rhododendron ponticum L.) Gıllı ve Gelecekteki İlim Koşullarına Göre Yayılma Alanlarının Modellenmesi.	
93	Prediction of present and future spread of <i>Adenocarpus complicatus</i> (L.) Gay species according to climate variables. 498-508	0
92	GreenMaps: a Tool for Addressing the Wallacean Shortfall in the Global Distribution of Plants.	2
91	Effects of climate change on the ecological niche of common hornbeam (<i>Carpinus betulus</i> L.). 2021 , 66, 101478	1
90	OUP accepted manuscript.	
89	Assessing Suitable Habitats for Treefrog Species after Previous Declines in Costa Rica. 2021 , 13, 577	0
88	Effects of geographic variation in host plant resources for a specialist herbivore's contemporary and future distribution. 2021 , 12, e03822	1
87	Spatial patterns of phylogenetic diversity and endemism in the Western Ghats, India: A case study using ancient predatory arthropods.. 2021 , 11, 16499-16513	1
86	Prediction of Potentially Suitable Distributions of <i>Codonopsis pilosula</i> in China Based on an Optimized MaxEnt Model. 2021 , 9,	2
85	River network rearrangements promote speciation in lowland Amazonian birds.	0
84	Global potential distribution of three underappreciated arboviruses vectors (<i>Aedes japonicus</i> , <i>Aedes vexans</i> and <i>Aedes vittatus</i>) under current and future climate conditions. 2021 ,	0
83	Niche dynamics of in Sri Lanka: Distribution patterns, climate change effects, and conservation priorities.. 2021 , 11, 18196-18215	
82	Connectivity conservation at the crossroads: protected areas versus payments for ecosystem services in conserving connectivity for Colombian carnivores.. 2022 , 9, 201154	1
81	Projecting the Potential Distribution Areas of (Acari: Ixodidae) Driven by Climate Change.. 2022 , 11,	0
80	Niche Divergence at Intraspecific Level in the Hyrcanian Wood Frog, <i>Rana pseudodalmatina</i> : A Phylogenetic, Climatic, and Environmental Survey. 2022 , 10,	1

- 79 Predicting the future distributions of *Calomicrus apicalis* Demaison, 1891 (Coleoptera: Chrysomelidae) under climate change. 1
- 78 Biogeographic consequences of shifting climate for the western massasauga (). **2022**, 12, e8599
- 77 Identifying Potential Planting Sites for Three Non-Native Plants to Be Used for Soil Rehabilitation in the Tula Watershed. **2022**, 13, 270 0
- 76 Climate-inferred distribution estimates of mid-to-late Pliocene hominins. **2022**, 210, 103756
- 75 Impacts of climatic changes on the worldwide potential geographical dispersal range of the leopard moth, *Zeuzera pyrina* (L.) (Lepidoptera: Cossidae). **2022**, 34, e02050 0
- 74 One step ahead of sea anemone invasions with ecological niche modeling: potential distributions and niche dynamics of three successful invasive species. 1
- 73 Spatial Distribution of Bat Species on Hispaniola Island, the Greater Antilles. **2022**, 23,
- 72 Strengthening Angel Shark Conservation in the Northeastern Mediterranean Sea. **2022**, 10, 269 0
- 71 Native range estimates for red-listed vascular plants.. **2022**, 9, 117 0
- 70 Modelado Espacial Actual y Futuro de la Idoneidad de Hbitat de *Triatoma nitida* Usinger1 en Latinoamfca. **2022**, 47,
- 69 Increasing Arctic Tundra Flooding Threatens Wildlife Habitat and Survival: Impacts on the Critically Endangered Siberian Crane (*Grus leucogeranus*). **2022**, 3, 0
- 68 Climatic niche comparisons of eastern North American and eastern Asian disjunct plant genera. 1
- 67 Biodiversity and conservation of solar-powered sea slugs from the Western Atlantic under climate change scenarios.
- 66 Data_Sheet_1.docx. **2019**,
- 65 DataSheet_1.xlsx. **2020**,
- 64 Data_Sheet_1.pdf. **2018**,
- 63 River network rearrangements promote speciation in lowland Amazonian birds.. **2022**, 8, eabn1099 0
- 62 Extensive protected area coverage and an updated global population estimate for the Endangered Madagascar Serpent-eagle identified from species-habitat associations using remote sensing data.

61	Need for split: integrative taxonomy reveals unnoticed diversity in the subaquatic species of (Pylaisiaceae, Bryophyta).. 2022 , 10, e13260	2
60	Modeling the effect of climate change on the distribution of threatened medicinal orchid <i>Satyrium nepalense</i> D. Don in India.. 2022 , 1	0
59	Feature tuning improves MAXENT predictions of the potential distribution of Rudolph and its variant.. 2022 , 10, e13337	0
58	Prediction of the global potential geographical distribution of <i>Hylurgus ligniperda</i> using a maximum entropy model. 2022 , 100042	
57	Two Sides of the Same Desert: Floristic Connectivity and Isolation Along the Hyperarid Coast and Precordillera in Peru and Chile. 10,	0
56	The Effects of Climate Change on Habitat Connectivity: A Case Study of the Brown-Eared Pheasant in China. 2022 , 11, 806	
55	Climate-driven range shifts of a rare specialist bee, <i>Macropis nuda</i> (Melittidae), and its host plant, <i>Lysimachia ciliata</i> (Primulaceae). 2022 , 37, e02180	
54	The Kingŕ Lace Bug <i>Recareodus rex</i> Distant, 1909 (Hemiptera: Heteroptera: Tingidae): Systematic Position, First Palaearctic and Afrotropical Records, and Ecological Niche Modelling. 2022 , 13, 558	0
53	Finding what you donŕ know: Testing SDM methods for poorly known species.	1
52	Climate change and range restriction of common salamanders in eastern Canada and the United States. 2022 , 86,	
51	Morphological characterization and habitat suitability modeling of the goat population of Benin under climate change scenarios. 2022 , 11,	0
50	Integrative Phylogeography Reveals Conservation Priorities for the Giant Anteater <i>Myrmecophaga tridactyla</i> in Brazil. 2022 , 14, 542	0
49	Climate change is expected to restructure forest frugivorous bird communities in a biodiversity hot-point within the Atlantic Forest.	1
48	Determination of priority areas for amphibian conservation in Guerrero (Mexico), through systematic conservation planning tools. <i>Journal for Nature Conservation</i> , 2022 , 68, 126235	2.3 0
47	Range distribution of the invasive alien species <i>Calotropis procera</i> in South America dry environments under climatic change scenarios. <i>Journal of Arid Environments</i> , 2022 , 205, 104819	2.5 0
46	Distribution Prediction of <i>Hyalomma asiaticum</i> (Acari: Ixodidae) in a Localized Region in Northwestern China. <i>Journal of Parasitology</i> , 2022 , 108,	0.9
45	Microsite Habitat, Species Associations, and Habitat Suitability Model of a Globally Imperiled Shrub. <i>Natural Areas Journal</i> , 2022 , 42,	0.8
44	Ecological Niche Modeling of Water Lily (<i>Nymphaea</i> L.) Species in Australia under Climate Change to Ascertain Habitat Suitability for Conservation Measures. 2022 , 11, 1874	0

- 43 Climate Change Impact on the Habitat Suitability of *Pseudotsuga menziesii* Mirb. Franco in Mexico: An Approach for Its Conservation. **2022**, 14, 8888 ○
- 42 Assessing genomic and ecological differentiation among subspecies of the Rough-footed Mud Turtle, *Kinosternon hirtipes*.
- 41 Assessing the suitable regions and the key factors for three Cd-accumulating plants (*Sedum alfredii*, *Phytolacca americana*, and *Hylotelephium spectabile*) in China using MaxEnt model. **2022**, 158202
- 40 Trees planted under a global restoration pledge have mixed futures under climate change. 1
- 39 The global distribution of known and undiscovered ant biodiversity. **2022**, 8, 4
- 38 Novelty predictors for shrub (and climbers) ecological niche modeling, based on their successional stage. **2022**, 71, 101771
- 37 Climate change threatens the distribution of major woody species and ecosystem services provision in southern Africa. **2022**, 850, 158006
- 36 Testing MaxEnt model performance in a novel geographic region using an intentionally introduced insect. **2022**, 473, 110139 ○
- 35 Predicting the Potential Distribution Area of the *Platanus orientalis* L. in Turkey Today and in the Future. **2022**, 14, 11706 ○
- 34 Ecological niche modelling as a tool to identify candidate indigenous chicken ecotypes of Tigray (Ethiopia). 13, ○
- 33 Predicting the distributions of *Scleroderma guani* (Hymenoptera: Bethyridae) under climate change in China. **2022**, 12, 1
- 32 A review of the genus *Glyphomitrium* Brid. (Rhabdoweisiaceae, Bryophyta) in the Russian Far East. 1-21 ○
- 31 Preferable and limiting conditions of trans-Palearctic Orthocephalus species (Heteroptera: Miridae). **2022**, 67, ○
- 30 Species distribution modelling and predictor variables for species distribution and niche preferences of *Pilosocereus leucocephalus* group s.s. (Cactaceae). **2022**, 20, ○
- 29 Forest cover and geographical distance influence fine-scale genetic structure of leaf-toed geckos in the tropical dry forests of western Mexico. ○
- 28 Simulation of citrus production space based on MaxEnt. 10, ○
- 27 Risk analysis of the spread of the quarantine pest mite *Schizotetranychus hindustanicus* in Brazil. ○
- 26 The expansion process of the Iberian ibex in the Sierra de Guadarrama National Park, Madrid (Spain). 299-313 ○

- 25 Dispersal limitations increase vulnerability under climate change for reptiles and amphibians in the southwestern United States. 0
- 24 Predicting non-native seaweeds global distributions: The importance of tuning individual algorithms in ensembles to obtain biologically meaningful results. 9, 1
- 23 How Can Climate Change Limit the Distribution of Cooperative Pseudoscorpions in Brazil?. 0
- 22 Interpreting spatially explicit variation in dietary proxies through species distribution modeling reveals foraging preferences of mammoth (*Mammuthus*) and American mastodon (*Mammut americanum*). 10, 0
- 21 Bioclimatic Preferences of the Great Bustard in a Steppe Region. **2022**, 14, 1138 1
- 20 Impact of climate change on *Melipona beecheii* and socioeconomic assessment of meliponiculture in the Mexican southeast. 8-17 0
- 19 Dynamic distribution modelling of the swamp tigertail dragonfly *Synthemis eustalacta* (Odonata: Anisoptera: Synthemistidae) over a 20-year bushfire regime. 0
- 18 Impacts of climate change on species distribution patterns of *Polyspora sweetii* in China. **2022**, 12, 0
- 17 Growth, maturity, reproduction, and life expectancy in ex-situ Pacific walrus (*Odobenus rosmarus divergens*). **2022**, 7, 0
- 16 Current and Potential Future Distribution of Endemic *Salvia ceratophylloides* Ard. (Lamiaceae). **2023**, 12, 247 0
- 15 Primates facing climate crisis in a tropical forest hotspot will lose climatic suitable geographical range. **2023**, 13, 0
- 14 Using Species Distribution Models (SDMs) to Estimate the Suitability of European Mediterranean Non-Native Area for the Establishment of *Toumeyella parvicornis* (Hemiptera: Coccidae). **2023**, 14, 46 0
- 13 Phylogeography within the *Peromyscus maniculatus* species group: Understanding past distribution of genetic diversity and areas of refugia in western North America. **2023**, 180, 107701 0
- 12 Maxent Modeling for Predicting Habitat Suitability and Potential Distribution of Plateau Pika (*Ochotona curzoniae*) on the Qinghai-Tibet Plateau, China. **2023**, 87, 34-43 0
- 11 Small population of the largest water strider after the late Pleistocene and the implications for its conservation. **2023**, 859, 147219 0
- 10 Flexible species distribution modelling methods perform well on spatially separated testing data. **2023**, 32, 369-383 0
- 9 High functional diversity of avian breeders of the mammoth steppe during the last glacial maximum. **2023**, 304, 107977 0
- 8 Historical demography and species distribution models shed light on past speciation in primates of northeast India. 0

- 7 Extensive protected area coverage and an updated global population estimate for the Endangered Madagascar Serpent-eagle *Eutriorchis astur*. **2023**, 33, ○
- 6 Predicting of the current and future geographical distribution of *Laurus nobilis* L. under the effects of climate change. **2023**, 195, ○
- 5 Not only climate: The importance of biotic interactions in shaping species distributions at macro scales. **2023**, 13, ○
- 4 Climatic envelopes of the genus *Lacerta* Linnaeus, 1758 in Türkiye: an application of ecological niche modeling. **2023**, 30, 56382-56397 ○
- 3 Comparing multiscale, presence-only habitat suitability models created with structured survey data and community science data for a rare warbler species at the southern range margin. **2023**, 18, e0275556 ○
- 2 Transmission risk of Oropouche fever across the Americas. **2023**, 12, ○
- 1 Predicting Climate Change Impacts on Candelilla (*Euphorbia antisiphilitica* Zucc.) for Mexico: An Approach for Mexico's Primary Harvest Area. **2023**, 15, 7737 ○