

CITATION REPORT

List of articles citing

Synaptic electronics: materials, devices and applications

DOI: 10.1088/0957-4484/24/38/382001
Nanotechnology, 2013, 24, 382001.

Source: <https://exaly.com/paper-pdf/55272741/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
902	Experimental demonstration of array-level learning with phase change synaptic devices. 2013,		29
901	Stochastic learning in oxide binary synaptic device for neuromorphic computing. 2013, 7, 186		108
900	Orientation classification by a winner-take-all network with oxide RRAM based synaptic devices. 2014,		8
899	Electro-grafted organic memristors: Properties and prospects for artificial neural networks based on STDP. 2014,		8
898	Origin and suppressing methodology of intrinsic variations in metal-oxide RRAM based synaptic devices. 2014,		3
897	Critical parasitic capacitance in nano-scale phase-change memory (PCM) cell. 2014,		
896	A tantalum oxide memristor for artificial synapse applications. 2014,		1
895	Nanotechnology-Neuroscience Convergence. 2014, 1-11		
894	Modeling and simulation of electrochemical metallization memory cells. 2014,		
893	Highly scalable neuromorphic hardware with 1-bit stochastic nano-synapses. 2014,		6
892	Neuromimetic Circuits with Synaptic Devices Based on Strongly Correlated Electron Systems. 2014, 2,		41
891	Solution-Processed Chitosan-Gated IZO-Based Transistors for Mimicking Synaptic Plasticity. 2014, 35, 280-282		34
890	Analog resistive switching behavior of Al/Nb2O5/Al device. 2014, 29, 104002		22
889	. 2014,		63
888	A nitrogen-treated memristive device for tunable electronic synapses. 2014, 29, 104006		10
887	Compact modelling of ferroelectric tunnel memristor and its use for neuromorphic simulation. 2014, 104, 053505		25
886	Recent progress in resistive random access memories: Materials, switching mechanisms, and performance. 2014, 83, 1-59		950

885	Memristive switching: physical mechanisms and applications. 2014 , 28, 1430003	19
884	Ferroelectric Artificial Synapses for Recognition of a Multishaded Image. 2014 , 61, 2827-2833	105
883	Inorganic proton conducting electrolyte coupled oxide-based dendritic transistors for synaptic electronics. 2014 , 6, 4491-7	48
882	Multi-level control of conductive nano-filament evolution in HfO ₂ ReRAM by pulse-train operations. 2014 , 6, 5698-702	113
881	Ferroelectric tunnel memristor-based neuromorphic network with 1T1R crossbar architecture. 2014 ,	13
880	Design considerations of synaptic device for neuromorphic computing. 2014 ,	17
879	Atomic Layer Deposition of TiO _x /Al ₂ O ₃ Bilayer Structures for Resistive Switching Memory Applications. 2014 , 20, 282-290	10
878	Ultra-low-energy three-dimensional oxide-based electronic synapses for implementation of robust high-accuracy neuromorphic computation systems. 2014 , 8, 6998-7004	148
877	Bivariate-continuous-tunable interface memristor based on Bi ₂ S ₃ nested nano-networks. 2014 , 7, 953-962	22
876	Brain-like associative learning using a nanoscale non-volatile phase change synaptic device array. 2014 , 8, 205	147
875	. 2015 ,	110
874	Development of a neuromorphic computing system. 2015 ,	15
873	NVM neuromorphic core with 64k-cell (256-by-256) phase change memory synaptic array with on-chip neuron circuits for continuous in-situ learning. 2015 ,	83
872	Real time unsupervised learning of visual stimuli in neuromorphic VLSI systems. 2015 , 5, 14730	17
871	Synaptic plasticity functions in an organic electrochemical transistor. 2015 , 107, 263302	110
870	Utilizing multiple state variables to improve the dynamic range of analog switching in a memristor. 2015 , 107, 173105	67
869	Unsupervised learning in neuromemristive systems. 2015 ,	1
868	Biorealistic Implementation of Synaptic Functions with Oxide Memristors through Internal Ionic Dynamics. 2015 , 25, 4290-4299	270

867	Fragile-to-Strong Crossover in Supercooled Liquid Ag-In-Sb-Te Studied by Ultrafast Calorimetry. 2015 , 25, 4851-4858	91
866	Neuromorphic Functions in PEDOT:PSS Organic Electrochemical Transistors. 2015 , 27, 7176-80	316
865	Associative Learning with Temporal Contiguity in a Memristive Circuit for Large-Scale Neuromorphic Networks. 2015 , 1, 1500125	57
864	Simple square pulses for implementing spike-timing-dependent plasticity in phase-change memory. 2015 , 9, 414-419	23
863	Plasticity in memristive devices for spiking neural networks. 2015 , 9, 51	148
862	Characterization and Modeling of Nonfilamentary Ta/TaOx/TiO2/Ti Analog Synaptic Device. 2015 , 5, 10150	122
861	Non-volatile memory as hardware synapse in neuromorphic computing: A first look at reliability issues. 2015 ,	9
860	Understanding the Dual Nature of the Filament Dissolution in Conductive Bridging Devices. 2015 , 6, 1919-24	54
859	Parallel Architecture With Resistive Crosspoint Array for Dictionary Learning Acceleration. 2015 , 5, 194-204	45
858	Memristive Hebbian plasticity model: device requirements for the emulation of Hebbian plasticity based on memristive devices. 2015 , 9, 197-206	34
857	Oxide based nanoscale analog synapse device for neural signal recognition system. 2015 ,	27
856	Design and analysis of neuromemristive echo state networks with limited-precision synapses. 2015 ,	5
855	Memristive computational architecture of an echo state network for real-time speech-emotion recognition. 2015 ,	5
854	. 2015 ,	2
853	Fully parallel write/read in resistive synaptic array for accelerating on-chip learning. <i>Nanotechnology</i> , 2015 , 26, 455204	3-4 78
852	Energy-Efficient Artificial Synapses Based on Flexible IGZO Electric-Double-Layer Transistors. 2015 , 36, 198-200	82
851	Memristor models for machine learning. 2015 , 27, 725-47	30
850	Resistive switching and synaptic properties of fully atomic layer deposition grown TiN/HfO2/TiN devices. 2015 , 117, 044901	67

849	Complementary and bipolar regimes of resistive switching in TiN/HfO ₂ /TiN stacks grown by atomic-layer deposition. 2015 , 212, 809-816	35
848	Activity-dependent synaptic plasticity of a chalcogenide electronic synapse for neuromorphic systems. 2014 , 4, 4906	174
847	Non-exponential resistive switching in Ag ₂ S memristors: a key to nanometer-scale non-volatile memory devices. 2015 , 7, 4394-9	27
846	Bipolar resistive switching and charge transport in silicon oxide memristor. 2015 , 194, 48-54	62
845	Investigation of the synaptic device based on the resistive switching behavior in hafnium oxide. 2015 , 25, 47-50	18
844	On-chip Sparse Learning with Resistive Cross-point Array Architecture. 2015 ,	3
843	Complex Learning in Bio-plausible Memristive Networks. 2015 , 5, 10684	31
842	Mott Memory and Neuromorphic Devices. 2015 , 103, 1289-1310	191
841	Associative memory realized by a reconfigurable memristive Hopfield neural network. 2015 , 6, 7522	144
840	Synaptic potentiation and depression in Al:HfO ₂ -based memristor. 2015 , 147, 41-44	37
839	Understanding the gradual reset in Pt/Al ₂ O ₃ /Ni RRAM for synaptic applications. 2015 , 30, 105014	55
838	Projected phase-change memory devices. 2015 , 6, 8181	92
837	Oxygenated amorphous carbon for resistive memory applications. 2015 , 6, 8600	64
836	Programming Protocol Optimization for Analog Weight Tuning in Resistive Memories. 2015 , 36, 1157-1159	52
835	Trade-off between number of conductance states and variability of conductance change in Pr _{0.7} Ca _{0.3} MnO ₃ -based synapse device. 2015 , 106, 113701	14
834	High-endurance megahertz electrical self-oscillation in Ti/NbO _x bilayer structures. 2015 , 106, 212902	36
833	Computations with near-field coupled plasmon particles interacting with phase-change materials. 2015 , 121, 1323-1327	3
832	On the impact of OxRAM-based synapses variability on convolutional neural networks performance. 2015 ,	9

831	Understanding the influence of Ea and band-offset toward the conductance modulation in Al2O3 and HfO2 synaptic RRAM. 2015,	
830	. 2015, 62, 2494-2501	145
829	Programming protocol optimization for analog weight tuning in resistive memories. 2015,	5
828	Layered memristive and memcapacitive switches for printable electronics. 2015, 14, 199-204	325
827	Hierarchical Chunking of Sequential Memory on Neuromorphic Architecture with Reduced Synaptic Plasticity. 2016, 10, 136	4
826	Acceleration of Deep Neural Network Training with Resistive Cross-Point Devices: Design Considerations. 2016, 10, 333	227
825	Spiking Neural Networks Based on OxRAM Synapses for Real-Time Unsupervised Spike Sorting. 2016, 10, 474	41
824	Analog Memristive Synapse in Spiking Networks Implementing Unsupervised Learning. 2016, 10, 482	95
823	Development of three-dimensional synaptic device and neuromorphic computing hardware. 2016,	
822	Weight tuning of resistive memories and convolution kernel operation on cross-point array for neuro-inspired computing. 2016,	2
821	A synaptic device built in one diode-one resistor (1D1R) architecture with intrinsic SiOx-based resistive switching memory. 2016, 1,	
820	Correlation and ordering of defects in the formation of conducting nanofilaments. 2016, 49, 125303	2
819	Change of immitance during electroforming and resistive switching in the metal-insulator-metal memristive structures based on SiO x. 2016, 61, 745-749	10
818	Resistive switching in the Au/Zr/ZrO2-Y2O3/TiN/Ti memristive devices deposited by magnetron sputtering. 2016, 741, 012174	8
817	Partition SRAM and RRAM based synaptic arrays for neuro-inspired computing. 2016,	8
816	A Vision for All-Spin Neural Networks: A Device to System Perspective. 2016, 63, 2267-2277	44
815	Orientation selectivity with organic photodetectors and an organic electrochemical transistor. 2016, 6, 111307	28
814	HfO2-based memristors for neuromorphic applications. 2016,	22

813	Charge transport and bipolar switching mechanism in a Cu/HfO ₂ /Pt resistive switching cell. 2016 , 25, 117306		4
812	Metal oxide resistive random access memory based synaptic devices for brain-inspired computing. 2016 , 55, 04EA06		23
811	A sub-1-volt analog metal oxide memristive-based synaptic device with large conductance change for energy-efficient spike-based computing systems. 2016 , 109, 223501		53
810	Synaptic devices based on purely electronic memristors. 2016 , 108, 013504		52
809	3D Ta/TaO _x /TiO ₂ /Ti synaptic array and linearity tuning of weight update for hardware neural network applications. <i>Nanotechnology</i> , 2016 , 27, 365204	3-4	101
808	Organic/inorganic hybrid synaptic transistors gated by proton conducting methylcellulose films. 2016 , 108, 043508		33
807	Investigation of Cycle-to-Cycle Variability in HfO ₂ -Based OxRAM. 2016 , 37, 721-723		12
806	Crossbar Nanoscale HfO ₂ -Based Electronic Synapses. 2016 , 11, 147		37
805	Recent progress in tungsten oxides based memristors and their neuromorphological applications. 2016 , 12, 715-731		24
804	Spin wave based synapse and neuron for ultra low power neuromorphic computation system. 2016 ,		2
803	New pulse amplitude modulation for fine tuning of memristor synapses. 2016 , 55, 162-168		10
802	. 2016 , 16, 15-30		93
801	A Mini Review of Neuromorphic Architectures and Implementations. 2016 , 63, 3819-3829		95
800	Nonassociative learning implementation by a single memristor-based multi-terminal synaptic device. 2016 , 8, 18897-18904		65
799	. 2016 , 2, 257-264		26
798	Memristors for Energy-Efficient New Computing Paradigms. 2016 , 2, 1600090		188
797	Compact oscillation neuron exploiting metal-insulator-transition for neuromorphic computing. 2016 ,		19
796	Spintronic Nanodevices for Bioinspired Computing. 2016 , 104, 2024-2039		254

795	Bottom-Up Approaches for Resistive Switching Memories. 2016 , 661-694	1
794	Multistate Resistive Switching Memory for Synaptic Memory Applications. 2016 , 3, 1600192	17
793	Ion-gel gated field-effect transistors with solution-processed oxide semiconductors for bioinspired artificial synapses. 2016 , 39, 64-70	51
792	Long-Term Synaptic Plasticity Emulated in Modified Graphene Oxide Electrolyte Gated IZO-Based Thin-Film Transistors. 2016 , 8, 30281-30286	68
791	Orientation selectivity in a multi-gated organic electrochemical transistor. 2016 , 6, 27007	63
790	Verilog-A compact model for a novel Cu/SiO ₂ /W quantum memristor. 2016 ,	0
789	ReRAM-based analog synapse and IMT neuron device for neuromorphic system. 2016 ,	16
788	Artificial Synaptic Devices Based on Natural Chicken Albumen Coupled Electric-Double-Layer Transistors. 2016 , 6, 23578	72
787	Proton Conducting Graphene Oxide/Chitosan Composite Electrolytes as Gate Dielectrics for New-Concept Devices. 2016 , 6, 34065	26
786	Synaptic organic transistors with a vacuum-deposited charge-trapping nanosheet. 2016 , 6, 33355	31
785	TiO _x -Based RRAM Synapse With 64-Levels of Conductance and Symmetric Conductance Change by Adopting a Hybrid Pulse Scheme for Neuromorphic Computing. 2016 , 37, 1559-1562	123
784	A Dynamically Reconfigurable Ambipolar Black Phosphorus Memory Device. 2016 , 10, 10428-10435	72
783	Training a Probabilistic Graphical Model With Resistive Switching Electronic Synapses. 2016 , 63, 5004-5011	27
782	Organic core-sheath nanowire artificial synapses with femtojoule energy consumption. 2016 , 2, e1501326	296
781	Adaptive behaviour of silicon oxide memristive nanostructures. 2016 , 741, 012161	4
780	Physical properties of metal-insulator- semiconductor structures based on n-GaAs with InAs quantum dots deposited onto the surface of an n-GaAs layer. 2016 , 50, 1589-1594	1
779	All Spin Artificial Neural Networks Based on Compound Spintronic Synapse and Neuron. 2016 , 10, 828-36	61
778	Neuromorphic architectures with electronic synapses. 2016 ,	22

777	Emerging Memory Technologies: Recent Trends and Prospects. 2016 , 8, 43-56	256
776	Filamentary-Based Resistive Switching. 2016 , 11-45	3
775	Analog Synapse Device With 5-b MLC and Improved Data Retention for Neuromorphic System. 2016 , 37, 1067-1070	32
774	Electrode-induced digital-to-analog resistive switching in TaO _x -based RRAM devices. <i>Nanotechnology</i> , 2016 , 27, 305201	3-4 33
773	Organometal Halide Perovskite Artificial Synapses. 2016 , 28, 5916-22	221
772	Energy-Efficient Hybrid Perovskite Memristors and Synaptic Devices. 2016 , 2, 1600100	215
771	Stochasticity Modeling in Memristors. 2016 , 15, 15-28	62
770	Identifying and Engineering the Electronic Properties of the Resistive Switching Interface. 2016 , 45, 1142-11536	
769	Energy consumption analysis for various memristive networks under different learning strategies. 2016 , 380, 903-909	13
768	Two step technology for porous ZnO nanosystem formation for potential use in hydrogen gas sensors. 2016 , 604, 48-54	19
767	Memristive Switching in Bi(1-x)Sb(x) Nanowires. 2016 , 8, 9224-30	7
766	Oxide-based Synaptic Transistors Gated by Sol-Gel Silica Electrolytes. 2016 , 8, 3050-5	41
765	Brains on a chip—Towards engineered neural networks. 2016 , 78, 60-69	36
764	Medium-energy ion-beam simulation of the effect of ionizing radiation and displacement damage on SiO ₂ -based memristive nanostructures. 2016 , 379, 13-17	2
763	Memristor emulator with spike-timing-dependent-plasticity. 2017 , 73, 16-22	56
762	Neuromorphic computing using non-volatile memory. 2017 , 2, 89-124	424
761	A historical survey of algorithms and hardware architectures for neural-inspired and neuromorphic computing applications. 2017 , 19, 49-64	29
760	Magnetic skyrmion-based synaptic devices. <i>Nanotechnology</i> , 2017 , 28, 08LT02	3-4 152

759	Neuromemristive Systems: A Circuit Design Perspective. 2017 , 45-64	2
758	Compact Model of HfOX-Based Electronic Synaptic Devices for Neuromorphic Computing. 2017 , 64, 614-621	38
757	Multiple Binary OxRAMs as Synapses for Convolutional Neural Networks. 2017 , 109-127	0
756	Pattern Recognition Using Carbon Nanotube Synaptic Transistors with an Adjustable Weight Update Protocol. 2017 , 11, 2814-2822	192
755	Synaptic Plasticity Selectively Activated by Polarization-Dependent Energy-Efficient Ion Migration in an Ultrathin Ferroelectric Tunnel Junction. 2017 , 17, 1949-1955	62
754	High-Density Reconfigurable Devices With Programmable Bottom-Gate Array. 2017 , 38, 564-567	8
753	Stochastic CBRAM-Based Neuromorphic Time Series Prediction System. 2017 , 13, 1-14	3
752	Spatially-correlated neuron transistors with ion-gel gating for brain-inspired applications. 2017 , 44, 25-31	36
751	Multi-gate organic neuron transistors for spatiotemporal information processing. 2017 , 110, 083302	88
750	Face classification using electronic synapses. 2017 , 8, 15199	502
749	Tolerance of intrinsic device variation in fuzzy restricted Boltzmann machine network based on memristive nano-synapses. 2017 , 1, 015003	9
748	Memristor-based nonvolatile synchronous flip-flop circuits. 2017 ,	5
747	Approximate computing for spiking neural networks. 2017 ,	19
746	A Synaptic Transistor based on Quasi-2D Molybdenum Oxide. 2017 , 29, 1700906	231
745	Weight Tuning of Resistive Synaptic Devices and Convolution Kernel Operation on 12 \times 2 Cross-Point Array. 2017 , 135-151	
744	Memristive device based on a depletion-type SONOS field effect transistor. 2017 , 32, 06LT01	8
743	Single crystalline SrTiO ₃ as memristive model system: From materials science to neurological and psychological functions. 2017 , 39, 210-222	10
742	Pavlovian conditioning demonstrated with neuromorphic memristive devices. 2017 , 7, 713	38

741	Circuit design for beyond von Neumann applications using emerging memory: From nonvolatile logics to neuromorphic computing. 2017,	12
740	Toward Human-Scale Brain Computing Using 3D Wafer Scale Integration. 2017, 13, 1-21	7
739	Introduction to Neuro-Inspired Computing Using Resistive Synaptic Devices. 2017, 1-15	5
738	Synaptic Devices Based on Phase-Change Memory. 2017, 19-51	5
737	Pr0.7Ca0.3MnO3 (PCMO)-Based Synaptic Devices. 2017, 53-71	
736	Amorphous InGaZnO 4 Neuron Transistors with Temporal and Spatial Summation Function. 2017, 34, 058502	4
735	Neuromorphic device architectures with global connectivity through electrolyte gating. 2017, 8, 15448	182
734	Recent Advances on Neuromorphic Systems Using Phase-Change Materials. 2017, 12, 347	43
733	Neuromorphic Computing based on Resistive RAM. 2017,	4
732	Magnetic skyrmion-based artificial neuron device. <i>Nanotechnology</i> , 2017, 28, 31LT01	3.4 105
731	Towards memristive crossbar-based neuromorphic HW accelerators for signal processing. 2017,	
730	Nanoscale phase-change materials and devices. 2017, 50, 243002	13
729	HfZrOx-Based Ferroelectric Synapse Device With 32 Levels of Conductance States for Neuromorphic Applications. 2017, 38, 732-735	140
728	2D MoS Neuromorphic Devices for Brain-Like Computational Systems. 2017, 13, 1700933	200
727	High-Density and Near-Linear Synaptic Device Based on a Reconfigurable Gated Schottky Diode. 2017, 38, 1153-1156	38
726	Top-Gate Electric-Double-Layer IZO-Based Synaptic Transistors for Neuron Networks. 2017, 38, 588-591	24
725	Oxide-based synaptic transistors gated by solution-processed gelatin electrolytes. 2017, 123, 1	14
724	Ab initio modelling of oxygen vacancy arrangement in highly defective HfO resistive layers. 2017, 19, 11318-11325	5

723	The End of Moore's Law: A New Beginning for Information Technology. 2017 , 19, 41-50	264
722	Carrier transport of carbon nanotube embedded organic semiconductor composite. 2017 , 90, 232-236	4
721	Nanoionics-Based Three-Terminal Synaptic Device Using Zinc Oxide. 2017 , 9, 1609-1618	91
720	3-D Memristor Crossbars for Analog and Neuromorphic Computing Applications. 2017 , 64, 312-318	126
719	Printed Neuromorphic Devices Based on Printed Carbon Nanotube Thin-Film Transistors. 2017 , 27, 1604447	112
718	Long-Term Depression Mimicked in an IGZO-Based Synaptic Transistor. 2017 , 38, 191-194	39
717	Role of nanorods insertion layer in ZnO-based electrochemical metallization memory cell. 2017 , 32, 124003	24
716	Flexible three-dimensional artificial synapse networks with correlated learning and trainable memory capability. 2017 , 8, 752	176
715	Phase-Change Memory Towards a Storage-Class Memory. 2017 , 64, 4374-4385	191
714	On-chip photonic synapse. 2017 , 3, e1700160	226
713	Synaptic Computation Demonstrated in a Two-Synapse Network Based on Top-Gate Electric-Double-Layer Synaptic Transistors. 2017 , 38, 1496-1499	13
712	Artificial Synapses with Short- and Long-Term Memory for Spiking Neural Networks Based on Renewable Materials. 2017 , 11, 8962-8969	204
711	Highly Non-linear and Reliable Amorphous Silicon Based Back-to-Back Schottky Diode as Selector Device for Large Scale RRAM Arrays. 2017 , 6, N143-N147	9
710	NbOx based oscillation neuron for neuromorphic computing. 2017 , 111, 103503	77
709	Realization of tunable artificial synapse and memory based on amorphous oxide semiconductor transistor. 2017 , 7, 10997	15
708	Comprehensive modeling of electrochemical metallization memory cells. 2017 , 16, 1017-1037	15
707	Tuning analog resistive switching and plasticity in bilayer transition metal oxide based memristive synapses. 2017 , 7, 43132-43140	21
706	Silicon synaptic transistor for hardware-based spiking neural network and neuromorphic system. <i>Nanotechnology</i> , 2017 , 28, 405202	3-4 52

705	Simulation of synaptic coupling of neuron-like generators via a memristive device. 2017 , 62, 1259-1265	15
704	Role of Al doping in the filament disruption in HfO resistance switches. <i>Nanotechnology</i> , 2017 , 28, 3952034	23
703	From algorithms to devices: Enabling machine learning through ultra-low-power VLSI mixed-signal array processing. 2017 ,	5
702	A light-stimulated synaptic device based on graphene hybrid phototransistor. 2017 , 4, 035022	132
701	Classical-nucleation-theory analysis of priming in chalcogenide phase-change memory. 2017 , 139, 226-235	41
700	Delay dynamics of neuromorphic optoelectronic nanoscale resonators: Perspectives and applications. 2017 , 27, 114323	17
699	Memristor interpretations based on constitutive relations. 2017 , 38, 104005	1
698	Exploiting NbOx metal-insulator-transition device as oscillation neuron for neuro-inspired computing. 2017 ,	2
697	Unsupervised Learning Using Charge-Trap Transistors. 2017 , 38, 1204-1207	16
696	Electrical characterization of MoS2 field-effect transistors with different dielectric polymer gate. 2017 , 7, 065121	7
695	P-type polymer-based Ag2S atomic switch for bug of war operation. 2017 , 56, 06GF03	5
694	Electrochemical-reaction-induced synaptic plasticity in MoO-based solid state electrochemical cells. 2017 , 19, 4190-4198	46
693	Memristor-based 3D neuromorphic computing system and its application to associative memory learning. 2017 ,	8
692	Fully Coupled Multiphysics Simulation of Crosstalk Effect in Bipolar Resistive Random Access Memory. 2017 , 64, 3647-3653	19
691	Threshold switching in SiGeAsTeN chalcogenide glass prepared by As ion implantation into sputtered SiGeTeN film. 2017 , 111, 252102	10
690	A multiscale modeling approach for the simulation of OxRRAM devices. 2017 ,	0
689	Challenges of emerging memory and memristor based circuits: Nonvolatile logics, IoT security, deep learning and neuromorphic computing. 2017 ,	5
688	Implementation of pulse timing discriminator functionality into a GeSbTe/GeCuTe double layer structure. 2017 , 25, 26825-26831	1

687	Training Deep Convolutional Neural Networks with Resistive Cross-Point Devices. 2017 , 11, 538	82
686	A compact skyrmionic leaky-integrate-fire spiking neuron device. 2018 , 10, 6139-6146	57
685	Multi-terminal memtransistors from polycrystalline monolayer molybdenum disulfide. 2018 , 554, 500-504	469
684	Multistate resistive switching characteristics of ZnO nanoparticles embedded polyvinylphenol device. 2018 , 64, 85-89	7
683	Oxide-based RRAM materials for neuromorphic computing. 2018 , 53, 8720-8746	107
682	Mitigating Asymmetric Nonlinear Weight Update Effects in Hardware Neural Network Based on Analog Resistive Synapse. 2018 , 8, 116-124	57
681	A Two-dimensional Assembly of Luminescent Silicon Nanocrystals at Air-Water Interface. 2018 , 5, 10143-10148	
680	Synaptic devices based on two-dimensional layered single-crystal chromium thiophosphate (CrPS4). 2018 , 10, 23-30	35
679	Analysis of Ti valence states in resistive switching regions of a rutile TiO ₂ four-terminal memristive device. 2018 , 57, 06KB02	3
678	Understanding and Optimization of Pulsed SET Operation in HfO _x -Based RRAM Devices for Neuromorphic Computing Applications. 2018 , 39, 672-675	26
677	Ion Gated Synaptic Transistors Based on 2D van der Waals Crystals with Tunable Diffusive Dynamics. 2018 , 30, e1800195	271
676	Experimental Observation and Mitigation of Dielectric Screening in Hexagonal Boron Nitride Based Resistive Switching Devices. 2018 , 53, 1800006	6
675	Organic memristive element with Chitosan as solid polyelectrolyte. 2018 , 193, 65-70	7
674	Synaptic characteristics with strong analog potentiation, depression, and short-term to long-term memory transition in a Pt/CeO/Pt crossbar array structure. <i>Nanotechnology</i> , 2018 , 29, 265204	3-4 8
673	Microbial nanowires - Electron transport and the role of synthetic analogues. 2018 , 69, 1-30	34
672	Neuro-inspired computing with emerging nonvolatile memories. 2018 , 106, 260-285	498
671	From biomaterial-based data storage to bio-inspired artificial synapse. 2018 , 21, 537-552	159
670	Experimental Study of Artificial Neural Networks Using a Digital Memristor Simulator. 2018 , 29, 5098-5110	26

669	Impact of Synaptic Device Variations on Pattern Recognition Accuracy in a Hardware Neural Network. 2018 , 8, 2638	43
668	Breaking the Current-Retention Dilemma in Cation-Based Resistive Switching Devices Utilizing Graphene with Controlled Defects. 2018 , 30, e1705193	157
667	Multiplication on the edge. 2018 , 1, 8-9	12
666	Mimicking Biological Synaptic Functionality with an Indium Phosphide Synaptic Device on Silicon for Scalable Neuromorphic Computing. 2018 , 12, 1656-1663	73
665	Unsupervised heart-rate estimation in wearables with Liquid states and a probabilistic readout. 2018 , 99, 134-147	36
664	NeuroSim: A Circuit-Level Macro Model for Benchmarking Neuro-Inspired Architectures in Online Learning. 2018 , 37, 3067-3080	170
663	Light Stimulated IGZO-Based Electric-Double-Layer Transistors For Photoelectric Neuromorphic Devices. 2018 , 39, 897-900	61
662	Demonstration of Unsupervised Learning With Spike-Timing-Dependent Plasticity Using a TFT-Type NOR Flash Memory Array. 2018 , 65, 1774-1780	40
661	Quantitative Observation of Threshold Defect Behavior in Memristive Devices with Operando X-ray Microscopy. 2018 , 12, 4938-4945	6
660	Ultrasensitive artificial synapse based on conjugated polyelectrolyte. 2018 , 48, 575-581	64
659	Effect of Ag doping on hydrothermally grown ZnO thin-film electronic synapse device. 2018 , 7, 82-89	6
658	An energy efficient and high speed architecture for convolution computing based on binary resistive random access memory. 2018 , 57, 04FE05	0
657	Training deep neural networks with discrete state transition. 2018 , 272, 154-162	8
656	On-Demand Reconfiguration of Nanomaterials: When Electronics Meets Ionics. 2018 , 30, 1702770	116
655	Memristor Device Overview. 2018 , 1-29	2
654	Light-Emitting Devices Based on Electrochemiluminescence: Comparison to Traditional Light-Emitting Electrochemical Cells. 2018 , 5, 267-277	32
653	Hardware Acceleration Implementation of Sparse Coding Algorithm with Spintronic Devices. 2018 ,	1
652	Hybrid Structure of Silicon Nanocrystals and 2D WSe ₂ for Broadband Optoelectronic Synaptic Devices. 2018 ,	10

651	Resistive switching of the HfO ₂ /HfO bilayer heterostructure and its transmission characteristics as a synapse.. 2018 , 8, 41884-41891	18
650	High Performance 2D Perovskite/Graphene Optical Synapses as Artificial Eyes. 2018 ,	13
649	Low Temperature Polycrystalline Silicon Thin Film Synaptic Transistor with Bilingual Plasticity for Neuromorphic Computing. 2018 ,	2
648	Resistive Coupled VO ₂ Oscillators for Image Recognition. 2018 ,	8
647	Emulating dynamic synaptic plasticity over broad timescales with memristive device. 2018 , 113, 203102	15
646	Recent Advances in Memristive Materials for Artificial Synapses. 2018 , 3, 1800457	102
645	A self-rectifying TaO _y /nanoporous TaO _x memristor synaptic array for learning and energy-efficient neuromorphic systems. 2018 , 10, 1097-1106	46
644	Memristors for the Curious Outsiders. 2018 , 6, 118	19
643	Modeling of Read-Disturb-Induced SET-State Current Degradation in a Tungsten Oxide Resistive Switching Memory. 2018 , 39, 1648-1651	2
642	Perspective: A review on memristive hardware for neuromorphic computation. 2018 , 124, 151903	82
641	Synaptic Behavior in Metal Oxide-Based Memristors. 2018 ,	2
640	One-Board Design and Simulation of Double-Layer Perceptron Based on Metal-Oxide Memristive Nanostructures. 2018 , 2, 371-379	24
639	A Recoverable Synapse Device Using a Three-Dimensional Silicon Transistor. 2018 , 28, 1804844	22
638	Chain of magnetic tunnel junctions as a spintronic memristor. 2018 , 124, 152116	12
637	Mott insulators: A large class of materials for Leaky Integrate and Fire (LIF) artificial neuron. 2018 , 124, 152124	14
636	Wood-Derived Nanopaper Dielectrics for Organic Synaptic Transistors. 2018 , 10, 39983-39991	50
635	Rectifying Resistive Memory Devices as Dynamic Complementary Artificial Synapses. 2018 , 12, 755	6
634	Deep-ultraviolet-triggered neuromorphic functions in In-Zn-O phototransistors. 2018 , 113, 151101	51

633	Stochastic learning in deep neural networks based on nanoscale PCMO device characteristics. 2018 , 321, 227-236	9
632	Optimization of non-linear conductance modulation based on metal oxide memristors. 2018 , 7, 443-468	19
631	Illumination Time Dependent Learning in Dye Sensitized Solar Cells. 2018 , 10, 36602-36607	4
630	Gate-Tunable Synaptic Plasticity through Controlled Polarity of Charge Trapping in Fullerene Composites. 2018 , 28, 1805599	88
629	Electroluminescent synaptic devices with logic functions. 2018 , 54, 383-389	51
628	Neuromorphic Technology Based on Charge Storage Memory Devices. 2018 ,	7
627	Dendrite Integration Mimicked on Starch-Based Electrolyte-Gated Oxide Dendrite Transistors. 2018 , 10, 40008-40013	29
626	Tutorial: Neuromorphic spiking neural networks for temporal learning. 2018 , 124, 152002	14
625	All-Solid-State Synaptic Transistor with Ultralow Conductance for Neuromorphic Computing. 2018 , 28, 1804170	209
624	Electrochemical metallization cell with solid phase tunable GeSbTe electrolyte. 2018 , 8, 12101	12
623	Simulation of the Spiking Neural Network based on Practical Memristor. 2018 , 173, 01025	1
622	Reduced Graphene Oxide-Based Artificial Synapse Yarns for Wearable Textile Device Applications. 2018 , 28, 1804123	30
621	Electrochemical metallization cell with anion supplying active electrode. 2018 , 8, 12617	7
620	RRAM fabric for neuromorphic and reconfigurable compute-in-memory systems. 2018 ,	3
619	First demonstration of Leaky Integrate and Fire Artificial neuron behavior on (V _{0.95} Cr _{0.05}) ₂ O ₃ thin film. 2018 , 8, 835-841	7
618	Neuromorphic Computing with Memristor Crossbar. 2018 , 215, 1700875	31
617	Nanoscale Conductive Filament with Alternating Rectification as an Artificial Synapse Building Block. 2018 , 12, 5946-5955	24
616	Neuromorphic computing with memristive devices. 2018 , 61, 1	18

615	Biological Spiking Synapse Constructed from Solution Processed Bimetal Core-Shell Nanoparticle Based Composites. 2018 , 14, e1800288	54
614	Phonon Instability and Broken Long-Ranged p Bond in Ge-Sb-Te Phase-Change Materials from First Principles. 2018 , 9,	4
613	Artificial Synapses Emulated by an Electrolyte-Gated Tungsten-Oxide Transistor. 2018 , 30, e1801548	186
612	. 2018 ,	
611	Physical properties of cubic BaGeO perovskite at various pressure using first-principle calculations for energy renewable devices. 2018 , 84, 152-159	18
610	Chalcogenides for Phase-Change Memory. 2018 , 6, 685-734	6
609	Ultra-low power HfZrO based ferroelectric tunnel junction synapses for hardware neural network applications. 2018 , 10, 15826-15833	108
608	Low-Power, Electrochemically Tunable Graphene Synapses for Neuromorphic Computing. 2018 , 30, e1802353	154
607	Synthesis of Nanoparticles. 2018 , 392-429	8
606	Spike-driven threshold-based learning with memristive synapses and neuromorphic silicon neurons. 2018 , 51, 344003	20
605	CMOS Compatible Bio-Realistic Implementation with Ag/HfO ₂ -Based Synaptic Nanoelectronics for Artificial Neuromorphic System. 2018 , 7, 80	9
604	The resistive switching characteristics of Ni-doped HfO film and its application as a synapse. 2018 , 766, 918-924	16
603	Transient security transistors self-supported on biodegradable natural-polymer membranes for brain-inspired neuromorphic applications. 2018 , 10, 14893-14901	69
602	Resistive Memory-Based Analog Synapse: The Pursuit for Linear and Symmetric Weight Update. 2018 , 12, 36-44	54
601	Synaptic Barristor Based on Phase-Engineered 2D Heterostructures. 2018 , 30, e1801447	99
600	The Role of Short-Term Plasticity in Neuromorphic Learning: Learning from the Timing of Rate-Varying Events with Fatiguing Spike-Timing-Dependent Plasticity. 2018 , 12, 45-53	11
599	Organic electronics for neuromorphic computing. 2018 , 1, 386-397	393
598	Neuromorphic behavior in nanofloating-gate organic field-effect transistors. 2018 ,	

597	Electric-double-layer transistors for synaptic devices and neuromorphic systems. 2018 , 6, 5336-5352	110
596	Evidence of soft bound behaviour in analogue memristive devices for neuromorphic computing. 2018 , 8, 7178	39
595	Phosphorene nano-heterostructure based memristors with broadband response synaptic plasticity. 2018 , 6, 9383-9393	37
594	Electronic synapses made of layered two-dimensional materials. 2018 , 1, 458-465	316
593	Handwritten-Digit Recognition by Hybrid Convolutional Neural Network based on HfO Memristive Spiking-Neuron. 2018 , 8, 12546	25
592	Acceleration of Convolutional Networks Using Nanoscale Memristive Devices. 2018 , 240-251	1
591	Implementation of Convolutional Kernel Function Using 3-D TiOx Resistive Switching Devices for Image Processing. 2018 , 65, 4716-4718	9
590	Electrolyte Gated Oxide Pseudodiode for Inhibitory Synapse Applications. 2018 , 4, 1800371	8
589	Broadband optoelectronic synaptic devices based on silicon nanocrystals for neuromorphic computing. 2018 , 52, 422-430	97
588	Hardware-based Neural Networks using a Gated Schottky Diode as a Synapse Device. 2018 ,	9
587	Programmable Synaptic Metaplasticity and below Femtojoule Spiking Energy Realized in Graphene-Based Neuromorphic Memristor. 2018 , 10, 20237-20243	48
586	Design of memristive interface between electronic neurons. 2018 ,	5
585	Adaptive learning rule for hardware-based deep neural networks using electronic synapse devices. 2019 , 31, 8101-8116	29
584	Unsupervised Learning on Resistive Memory Array Based Spiking Neural Networks. 2019 , 13, 812	30
583	Recent Advances in Transistor-Based Artificial Synapses. 2019 , 29, 1903700	213
582	A Swarm Optimization Solver Based on Ferroelectric Spiking Neural Networks. 2019 , 13, 855	11
581	Memristive Synapses and Neurons for Bioinspired Computing. 2019 , 5, 1900287	66
580	Resistance-Based Embedded Non-Volatile Memories as Synaptic Devices in Spiking Neural Networks. 2019 ,	

579	RRAM fabric for neuromorphic and reconfigurable compute-in-memory systems. 2019 ,		
578	Ultra-wide temperature electronic synapses based on self-rectifying ferroelectric memristors. <i>Nanotechnology</i> , 2019 , 30, 464001	3-4	10
577	Topotactic Phase Transition Driving Memristive Behavior. 2019 , 31, e1903391		32
576	Synaptic Devices Based on 3-D AND Flash Memory Architecture for Neuromorphic Computing. 2019 , ,		7
575	Oxide Neuromorphic Transistors Gated by Polyvinyl Alcohol Solid Electrolytes with Ultralow Power Consumption. 2019 , 11, 28352-28358		28
574	Gate Tuning of Synaptic Functions Based on Oxygen Vacancy Distribution Control in Four-Terminal TiO Memristive Devices. 2019 , 9, 10013		2
573	Silicon nanocrystals: unfading silicon materials for optoelectronics. 2019 , 138, 85-117		41
572	Direct observation of delithiation as the origin of analog memristance in Li_xNbO_2 . 2019 , 7, 071103		7
571	Training Neural Networks using Memristive Devices with Nonlinear Accumulative Behavior. 2019 ,		1
570	Mimicking Neurotransmitter Release and Long-Term Plasticity by Oxygen Vacancy Migration in a Tunnel Junction Memristor. 2019 , 1, 1900036		8
569	Optoelectronic pressure dependent study of MgZrO_3 oxide and ground state thermoelectric response using Ab-initio calculations. 2019 , 27, 194-201		10
568	Bipolar plasticity of the synapse transistors based on IGZO channel with $\text{HfO}_x\text{Ny}/\text{HfO}_2/\text{HfO}_x\text{Ny}$ sandwich gate dielectrics. 2019 , 115, 022902		8
567	Functional Oxides for Photoneuromorphic Engineering: Toward a Solar Brain. 2019 , 6, 1900471		14
566	Mott-transition-based RRAM. 2019 , 28, 63-80		24
565	Efficient two-terminal artificial synapse based on a network of functionalized conducting polymer nanowires. 2019 , 7, 9933-9938		18
564	Programmable responsive hydrogels inspired by classical conditioning algorithm. 2019 , 10, 3267		29
563	Unsupervised online learning of temporal information in spiking neural network using thin-film transistor-type NOR flash memory devices. <i>Nanotechnology</i> , 2019 , 30, 435206	3-4	8
562	A Pt/ITO/CeO ₂ /Pt memristor with an analog, linear, symmetric, and long-term stable synaptic weight modulation. 2019 , 7, 071113		14

561	Synaptic silicon-nanocrystal phototransistors for neuromorphic computing. 2019 , 63, 103859	51
560	Flexible oxide neuromorphic transistors with synaptic learning functions. 2019 , 52, 405101	4
559	Electronic Skin: Recent Progress and Future Prospects for Skin-Attachable Devices for Health Monitoring, Robotics, and Prosthetics. 2019 , 31, e1904765	498
558	Inducing alternating nanoscale rectification in a dielectric material for bidirectional-trigger artificial synapses. 2019 , 37, 061806	4
557	Oxygen vacancy dynamics in redox-based interfaces: tailoring the memristive response. 2019 , 53, 015302	2
556	. 2019 , 36, 97-110	40
555	Precision-extension technique for accurate vector-matrix multiplication with a CNT transistor crossbar array. 2019 , 11, 21449-21457	8
554	Versatile stochastic dot product circuits based on nonvolatile memories for high performance neurocomputing and neurooptimization. 2019 , 10, 5113	40
553	CMOS Compatible Hf0.5Zr0.5O2 Ferroelectric Tunnel Junctions for Neuromorphic Devices. 2019 , 1, 1900034	9
552	ReBNN: in-situ acceleration of binarized neural networks in ReRAM using complementary resistive cell. 2019 , 1, 196-208	4
551	Emergent dynamics of neuromorphic nanowire networks. 2019 , 9, 14920	39
550	Impact of Synaptic Device Variations on Classification Accuracy in a Binarized Neural Network. 2019 , 9, 15237	13
549	Off-State Operation of a Three Terminal Ionic FET for Logic-in-Memory. 2019 , 7, 1232-1238	0
548	Dual-Phase All-Inorganic Cesium Halide Perovskites for Conducting-Bridge Memory-Based Artificial Synapses. 2019 , 29, 1906686	39
547	Bridging Biological and Artificial Neural Networks with Emerging Neuromorphic Devices: Fundamentals, Progress, and Challenges. 2019 , 31, e1902761	220
546	A Spiking Neural Network with a Global Self-Controller for Unsupervised Learning Based on Spike-Timing-Dependent Plasticity Using Flash Memory Synaptic Devices. 2019 ,	5
545	Operation Scheme of Multi-Layer Neural Networks Using NAND Flash Memory as High-Density Synaptic Devices. 2019 , 7, 1085-1093	16
544	Artificial synaptic device based on a multiferroic heterostructure. 2019 , 52, 465303	4

543	Investigation of Neural Networks Using Synapse Arrays Based on Gated Schottky Diodes. 2019 ,	2
542	Current-Mode Memristor Crossbars for Neuromorphic Computing. 2019 ,	1
541	Area of Hysteresis Loop of a Generic Memristor Emulator. 2019 ,	1
540	Gelatin-hydrogel based organic synaptic transistor. 2019 , 75, 105409	24
539	Competitive conductive mechanism of interstitial Ag and oxygen vacancies in Ag/Ta ₂ O ₅ /Pt stack. 2019 , 126, 065104	1
538	Graphene/ferroelectric transistors as complementary synapses for supervised learning in spiking neural network. 2019 , 3,	39
537	Nanoscale vacuum channel transistors fabricated on silicon carbide wafers. 2019 , 2, 405-411	39
536	Neuromorphic Spiking Neural Networks and Their Memristor-CMOS Hardware Implementations. 2019 , 12,	33
535	Binarized Neural Network with Silicon Nanosheet Synaptic Transistors for Supervised Pattern Classification. 2019 , 9, 11705	6
534	Electrospun ZnSnO Nanofibers for Neuromorphic Transistors With Ultralow Energy Consumption. 2019 , 40, 1776-1779	27
533	A Floating Gate Memory with U-Shape Recessed Channel for Neuromorphic Computing and MCU Applications. 2019 , 10,	3
532	Transposable 3T-SRAM Synaptic Array Using Independent Double-Gate Feedback Field-Effect Transistors. 2019 , 66, 4753-4758	3
531	Analog Memristive Characteristics of Mesoporous Silica-Titania Nanocomposite Device Concurrent with Selection Diode Property. 2019 , 11, 36807-36816	6
530	PrxCa _{1-x} MnO ₃ based stochastic neuron for Boltzmann machine to solve Maximum cut problem. 2019 , 7, 091112	5
529	Emerging synaptic devices: from two-terminal memristors to multiterminal neuromorphic transistors. 2019 , 8, 100059	33
528	Memristive Electronic Synapses Made by Anodic Oxidation. 2019 , 31, 8394-8401	16
527	2D electric-double-layer phototransistor for photoelectronic and spatiotemporal hybrid neuromorphic integration. 2019 , 11, 1360-1369	132
526	Artificial synapses emulated through a light mediated organic/organic hybrid transistor. 2019 , 7, 48-59	44

525	A bio-inspired electronic synapse using solution processable organic small molecule. 2019 , 7, 1491-1501	42
524	Proton-electron-coupled MoS ₂ synaptic transistors with a natural renewable biopolymer neurotransmitter for brain-inspired neuromorphic learning. 2019 , 7, 682-691	43
523	Synapse behavior characterization and physical mechanism of a TiN/SiO _x /p-Si tunneling memristor device. 2019 , 7, 1561-1567	27
522	Si-Based FET-Type Synaptic Device With Short-Term and Long-Term Plasticity Using High- κ Gate-Stack. 2019 , 66, 917-923	9
521	Bio-realistic synaptic characteristics in the cone-shaped ZnO memristive device. 2019 , 11,	35
520	Advances in nanocarriers enabled brain targeted drug delivery across blood brain barrier. 2019 , 559, 360-372	83
519	IGZO/Al ₂ O ₃ based depressed synaptic transistor. 2019 , 128, 177-180	16
518	Two-dimensional materials for synaptic electronics and neuromorphic systems. 2019 , 64, 1056-1066	38
517	Tunable synaptic behavior realized in C ₃ N composite based memristor. 2019 , 58, 293-303	71
516	Solar-blind SnO ₂ nanowire photo-synapses for associative learning and coincidence detection. 2019 , 62, 393-400	58
515	Resistive switching characteristics of ZnO nanoparticles layer-by-layer assembly based on cortisol and its antibody immune binding. 2019 , 78, 66-72	2
514	Memristive devices based on emerging two-dimensional materials beyond graphene. 2019 , 11, 12413-12435	64
513	Low-Power Resistive Switching Characteristic in HfO/TiO Bi-Layer Resistive Random-Access Memory. 2019 , 14, 157	34
512	Mimicking the spike-timing dependent plasticity in HfO ₂ -based memristors at multiple time scales. 2019 , 215, 111014	8
511	Developing near-infrared quantum-dot light-emitting diodes to mimic synaptic plasticity. 2019 , 62, 1470-1478	15
510	Reliability of CMOS Integrated Memristive HfO ₂ Arrays with Respect to Neuromorphic Computing. 2019 ,	4
509	Hardware Acceleration Implementation of Sparse Coding Algorithm With Spintronic Devices. 2019 , 18, 518-531	13
508	Analog-Type Resistive Switching Devices for Neuromorphic Computing. 2019 , 13, 1900204	48

507	Superposition of interface and volume type resistive switching in perovskite nanoionic devices. 2019 , 7, 7580-7592	4
506	ZnO ₂ /ZnO bilayer switching film for making fully transparent analog memristor devices. 2019 , 7, 051108	32
505	Demystifying Emerging Nonvolatile Memory Technologies: Understanding Advantages, Challenges, Trends, and Novel Applications. 2019 ,	3
504	Hybrid optoelectronic synaptic functionality realized with ion gel-modulated In ₂ O ₃ phototransistors. 2019 , 71, 72-78	23
503	Biologically-Inspired Neuromorphic Computing. 2019 , 102, 261-276	4
502	Improved resistive switching and synaptic characteristics using Ar plasma irradiation on the Ti/HfO ₂ interface. 2019 , 797, 277-283	14
501	BiFe _{1-x} Cr _x O ₃ Ferroelectric Tunnel Junctions for Neuromorphic Systems. 2019 , 1, 828-835	3
500	Functional Connectivity of Organic Neuromorphic Devices by Global Voltage Oscillations. 2019 , 1, 1900013	19
499	Flexible Pyrene/Phenanthro[9,10-d]imidazole-Based Memristive Devices for Mimicking Synaptic Plasticity. 2019 , 1, 1900008	22
498	Time-Dependent Operations in Molecular Gap Atomic Switches. 2019 , 256, 1900068	9
497	Towards Oxide Electronics: a Roadmap. 2019 , 482, 1-93	160
496	Vacancy-Induced Synaptic Behavior in 2D WS Nanosheet-Based Memristor for Low-Power Neuromorphic Computing. 2019 , 15, e1901423	142
495	Ultrathin electronic synapse having high temporal/spatial uniformity and an Al ₂ O ₃ /graphene quantum dots/Al ₂ O ₃ sandwich structure for neuromorphic computing. 2019 , 11,	25
494	Flexible Transparent Organic Artificial Synapse Based on the Tungsten/Egg Albumen/Indium Tin Oxide/Polyethylene Terephthalate Memristor. 2019 , 11, 18654-18661	48
493	Unsupervised Learning to Overcome Catastrophic Forgetting in Neural Networks. 2019 , 5, 58-66	18
492	Fully Printed All-Solid-State Organic Flexible Artificial Synapse for Neuromorphic Computing. 2019 , 11, 16749-16757	42
491	Dual-Functional Long-Term Plasticity Emulated in IGZO-Based Photoelectric Neuromorphic Transistors. 2019 , 40, 818-821	22
490	Synaptic device using a floating fin-body MOSFET with memory functionality for neural network. 2019 , 156, 23-27	3

489	Voltage-Controlled Spintronic Stochastic Neuron Based on a Magnetic Tunnel Junction. 2019 , 11,	36
488	Emerging Artificial Synaptic Devices for Neuromorphic Computing. 2019 , 4, 1900037	99
487	Dimensionality Dependent Plasticity in Halide Perovskite Artificial Synapses for Neuromorphic Computing. 2019 , 5, 1900008	58
486	A Ferrite Synaptic Transistor with Topotactic Transformation. 2019 , 31, e1900379	85
485	Memristive Devices and Networks for Brain-Inspired Computing. 2019 , 13, 1900029	43
484	Tuning a Binary Ferromagnet into a Multistate Synapse with SpinOrbit-Torque-Induced Plasticity. 2019 , 29, 1808104	93
483	Mechanisms of Oxygen Vacancy Aggregation in SiO ₂ and HfO ₂ . 2019 , 7,	16
482	Spatiotemporal Information Processing Emulated by Multiterminal Neuro-Transistor Networks. 2019 , 31, e1900903	96
481	All-Solid-State Synaptic Transistors with High-Temperature Stability Using Proton Pump Gating of Strongly Correlated Materials. 2019 , 11, 15733-15740	23
480	Microstructural engineering in interface-type synapse device for enhancing linear and symmetric conductance changes. <i>Nanotechnology</i> , 2019 , 30, 305202	3-4 9
479	Nanodomain Engineering for Programmable Ferroelectric Devices. 2019 , 19, 3194-3198	25
478	Synaptic behaviors of HfO ₂ ReRAM by pulse frequency modulation. 2019 , 154, 31-35	8
477	Mediation in the second-order synaptic emulator with conductive atomic force microscopy. 2019 , 11, 8744-8751	9
476	2D-Organic Hybrid Heterostructures for Optoelectronic Applications. 2019 , 31, e1803831	46
475	Light-Stimulated Synaptic Transistors Fabricated by a Facile Solution Process Based on Inorganic Perovskite Quantum Dots and Organic Semiconductors. 2019 , 15, e1900010	116
474	Mimicking Synaptic Behaviors with Cross-Point Structured TiO _x /TiO _y -Based Filamentary RRAM for Neuromorphic Applications. 2019 , 14, 869-875	8
473	Optoelectronic Properties of Printed Photogating Carbon Nanotube Thin Film Transistors and Their Application for Light-Stimulated Neuromorphic Devices. 2019 , 11, 12161-12169	54
472	VO ₂ oscillators coupling for Neuromorphic Computation. 2019 ,	2

471	Effect of ion irradiation on resistive switching in metal-oxide memristive nanostructures. 2019 , 1410, 012245		1
470	A Silicon-Compatible Synaptic Transistor Capable of Multiple Synaptic Weights toward Energy-Efficient Neuromorphic Systems. 2019 , 8, 1102		6
469	Memristor Synapses for Neuromorphic Computing. 2019 ,		4
468	Hardware Spiking Neural Networks: Slow Tasks Resilient Learning with Longer Term-Memory Bits. 2019 ,		0
467	Robust Ag/ZrO/WS/Pt Memristor for Neuromorphic Computing. 2019 , 11, 48029-48038		58
466	Evaluation of Radiation Effects in RRAM-Based Neuromorphic Computing System for Inference. 2019 , 66, 97-103		10
465	Energy-Efficient Organic Ferroelectric Tunnel Junction Memristors for Neuromorphic Computing. 2019 , 5, 1800795		80
464	A Robust Artificial Synapse Based on Organic Ferroelectric Polymer. 2019 , 5, 1800600		81
463	IndiumGalliumZincOxide Schottky Synaptic Transistors for Silent Synapse Conversion Emulation. 2019 , 40, 139-142		15
462	A MoS /PTCDA Hybrid Heterojunction Synapse with Efficient Photoelectric Dual Modulation and Versatility. 2019 , 31, e1806227		203
461	Coupling Cortical Neurons through Electronic Memristive Synapse. 2019 , 4, 1800350		42
460	Memristive networks: From graph theory to statistical physics. 2019 , 125, 10001		3
459	Polymer Analog Memristive Synapse with Atomic-Scale Conductive Filament for Flexible Neuromorphic Computing System. 2019 , 19, 839-849		84
458	Design and Characterization of Semi-Floating-Gate Synaptic Transistor. 2019 , 10,		8
457	Emerging memory technologies for neuromorphic computing. <i>Nanotechnology</i> , 2019 , 30, 032001	3-4	40
456	Single- and double-gate synaptic transistor with TaO gate insulator and IGZO channel layer. <i>Nanotechnology</i> , 2019 , 30, 025203	3-4	14
455	PdCo alloy as an efficient recyclable catalyst for the reduction of hazardous 4-nitrophenol. 2019 , 45, 815-832		9
454	Switchable polar spirals in tricolor oxide superlattices. 2019 , 164, 493-498		11

453	Proton Conductor Gated Synaptic Transistor Based on Transparent IGZO for Realizing Electrical and UV Light Stimulus. 2019 , 7, 38-45		15
452	Device and materials requirements for neuromorphic computing. 2019 , 52, 113001		64
451	Ultrathin Conformable Organic Artificial Synapse for Wearable Intelligent Device Applications. 2019 , 11, 1071-1080		63
450	Adaptive Weight Quantization Method for Nonlinear Synaptic Devices. 2019 , 66, 395-401		18
449	Photonic Organolead Halide Perovskite Artificial Synapse Capable of Accelerated Learning at Low Power Inspired by Dopamine-Facilitated Synaptic Activity. 2019 , 29, 1806646		99
448	Memristor devices for neural networks. 2019 , 52, 023003		48
447	Recommended Methods to Study Resistive Switching Devices. 2019 , 5, 1800143		297
446	Artificial synapses based on nanomaterials. <i>Nanotechnology</i> , 2019 , 30, 012001	3-4	30
445	A Probabilistic Synapse With Strained MTJs for Spiking Neural Networks. 2020 , 31, 1113-1123		4
444	When Flexible Organic Field-Effect Transistors Meet Biomimetics: A Prospective View of the Internet of Things. 2020 , 32, e1901493		75
443	Spatially Arranged Sparse Recurrent Neural Networks for Energy Efficient Associative Memory. 2020 , 31, 24-38		11
442	Thwarting Replication Attack Against Memristor-Based Neuromorphic Computing System. 2020 , 39, 2192-2205		2
441	Nano-scale single layer TiO ₂ -based artificial synaptic device. 2020 , 10, 611-616		16
440	Realizing Behavior Level Associative Memory Learning Through Three-Dimensional Memristor-Based Neuromorphic Circuits. 2020 , 1-11		10
439	Emerging neuromorphic devices. <i>Nanotechnology</i> , 2020 , 31, 092001	3-4	97
438	Flexible Neuromorphic Electronics for Computing, Soft Robotics, and Neuroprosthetics. 2020 , 32, e1903558		140
437	Selective UV-Gating Organic Memtransistors with Modulable Levels of Synaptic Plasticity. 2020 , 6, 1900955		18
436	Memristive and CMOS Devices for Neuromorphic Computing. 2020 , 13,		42

435	Multi-gate memristive synapses realized with the lateral heterostructure of 2D WSe and WO. 2020 , 12, 380-387	29
434	Gate-Tunable Synaptic Dynamics of Ferroelectric-Coupled Carbon-Nanotube Transistors. 2020 , 12, 4707-4714	30
433	Synaptic Plasticity and Filtering Emulated in Metal-Organic Frameworks Nanosheets Based Transistors. 2020 , 6, 1900978	30
432	Effects of CaO Interlayer on the Performance of Biodegradable Transient MgO-Based Resistive Random Access Memory. 2020 , 67, 481-486	1
431	Lithium Ion Alloying-Type Artificial Synapses. 2020 , 2, 316-322	4
430	Broadband Optoelectronic Synaptic Thin-Film Transistors Based on Oxide Semiconductors. 2020 , 14, 1900630	10
429	Flexible Femtojoule Energy-Consumption In-Ga-Zn-O Synaptic Transistors With Extensively Tunable Memory Time. 2020 , 67, 105-112	10
428	Synaptic plasticity and preliminary-spike-enhanced plasticity in a CMOS-compatible Ta2O5 memristor. 2020 , 187, 108400	14
427	Implementation of homeostasis functionality in neuron circuit using double-gate device for spiking neural network. 2020 , 165, 107741	7
426	Implementation of Simple but Powerful Trilayer Oxide-Based Artificial Synapses with a Tailored Bio-Synapse-Like Structure. 2020 , 12, 1036-1045	16
425	Bioinspired Flexible, Dual-Modulation Synaptic Transistors toward Artificial Visual Memory Systems. 2020 , 5, 1900888	29
424	Light-Stimulated Artificial Synapses Based on 2D Organic Field-Effect Transistors. 2020 , 6, 1901217	36
423	Nonvolatile Memory and Artificial Synapse Based on the Cu/P(VDF-TrFE)/Ni Organic Memtranstor. 2020 , 12, 4673-4677	10
422	Hardware Implementation of PCM-Based Neurons with Self-Regulating Threshold for Homeostatic Scaling in Unsupervised Learning. 2020 ,	3
421	Flexible Oxide-Based Schottky Neuromorphic TFTs With Configurable Spiking Dynamic Functions. 2020 , 67, 5216-5220	6
420	. 2020 ,	
419	Oxide-Based Electrolyte-Gated Transistors for Spatiotemporal Information Processing. 2020 , 32, e2003018	48
418	Two-Dimensional Near-Atom-Thickness Materials for Emerging Neuromorphic Devices and Applications. 2020 , 23, 101676	21

4 ¹⁷	Reset-voltage-dependent precise tuning operation of TiOx/Al ₂ O ₃ memristive crossbar array. 2020 , 117, 152103	24
4 ¹⁶	Multi-terminal ionic-gated low-power silicon nanowire synaptic transistors with dendritic functions for neuromorphic systems. 2020 , 12, 16348-16358	13
4 ¹⁵	Laterally Coupled 2D MoS ₂ Synaptic Transistor With Ion Gating. 2020 , 41, 1424-1427	6
4 ¹⁴	Hysteresis Modulation on Van der Waals-Based Ferroelectric Field-Effect Transistor by Interfacial Passivation Technique and Its Application in Optic Neural Networks. 2020 , 16, e2004371	14
4 ¹³	Violet-light stimulated synaptic and learning functions in a zinc-tin oxide photoelectric transistor for neuromorphic computation.. 2020 , 10, 42682-42687	0
4 ¹²	An On-Chip Learning Method for Neuromorphic Systems Based on Non-Ideal Synapse Devices. 2020 , 9, 1946	2
4 ¹¹	File Classification Based on Spiking Neural Networks. 2020 ,	1
4 ¹⁰	Artificial visual systems enabled by quasi-two-dimensional electron gases in oxide superlattice nanowires. 2020 , 6,	21
4 ⁰⁹	Optoelectronic In-Ga-Zn-O Memtransistors for Artificial Vision System. 2020 , 30, 2002325	24
4 ⁰⁸	Neuromorphic Engineering for Hardware Computational Acceleration and Biomimetic Perception Motion Integration. 2020 , 2, 2000124	2
4 ⁰⁷	A Quantum-Well Charge-Trap Synaptic Transistor With Highly Linear Weight Tunability. 2020 , 8, 834-840	3
4 ⁰⁶	Noble-Metal-Free Memristive Devices Based on IGZO for Neuromorphic Applications. 2020 , 6, 2000242	16
4 ⁰⁵	WO _x -Based Synapse Device With Excellent Conductance Uniformity for Hardware Neural Networks. 2020 , 19, 594-600	8
4 ⁰⁴	16-Bit Fixed-Point Number Multiplication With CNT Transistor Dot-Product Engine. 2020 , 8, 133597-133604	2
4 ⁰³	Stimuli-Enabled Artificial Synapses for Neuromorphic Perception: Progress and Perspectives. 2020 , 16, e2001504	25
4 ⁰²	Emulating synaptic response in n- and p-channel MoS transistors by utilizing charge trapping dynamics. 2020 , 10, 12178	9
4 ⁰¹	Effect of interlayer on resistive switching properties of SnO ₂ -based memristor for synaptic application. 2020 , 18, 103325	18
4 ⁰⁰	Light-Stimulated Artificial Synapse with Memory and Learning Functions by Utilizing an Aqueous Solution-Processed In ₂ O ₃ /AlLiO Thin-Film Transistor. 2020 , 2, 2772-2779	9

399	CMOS-compatible synaptic transistor gated by chitosan electrolyte-TaO hybrid electric double layer. 2020 , 10, 15561	10
398	Compacted Self-Assembly Graphene with Hydrogen Plasma Surface Modification for Robust Artificial Electronic Synapses of Gadolinium Oxide Memristors. 2020 , 7, 2000860	3
397	Recent Progress in Optoelectronic Synapses for Artificial Visual-Perception System. 2020 , 1, 2000029	33
396	Leveraging 3D Vertical RRAM to Developing Neuromorphic Architecture for Pattern Classification. 2020 ,	2
395	Emulation of Biological Synapse Characteristics from Cu/AlN/TiN Conductive Bridge Random Access Memory. 2020 , 10,	18
394	Biological receptor-inspired flexible artificial synapse based on ionic dynamics. 2020 , 6, 84	12
393	Flexible full two-dimensional memristive synapses of graphene/WSeO/graphene. 2020 , 22, 20658-20664	7
392	Achievement of Gradual Conductance Characteristics Based on Interfacial Phase-Change Memory for Artificial Synapse Applications. 2020 , 9, 1268	3
391	A New Approach to the Fabrication of Memristive Neuromorphic Devices: Compositionally Graded Films. 2020 , 13,	1
390	Highly Controllable and Silicon-Compatible Ferroelectric Photovoltaic Synapses for Neuromorphic Computing. 2020 , 23, 101874	9
389	Improved Pulse-Controlled Conductance Adjustment in Trilayer Resistors by Suppressing Current Overshoot. 2020 , 10,	4
388	Emerging Materials for Neuromorphic Devices and Systems. 2020 , 23, 101846	21
387	Color-Recognizing Si-Based Photonic Synapse for Artificial Visual System. 2020 , 2, 2000107	12
386	Growth and Interlayer Engineering of 2D Layered Semiconductors for Future Electronics. 2020 ,	13
385	A tactile sensor system with sensory neurons and a perceptual synaptic network based on semivolatile carbon nanotube transistors. 2020 , 12,	2
384	Opto-electronic memristors: Prospects and challenges in neuromorphic computing. 2020 , 117, 230502	9
383	Electrical Properties and Biological Synaptic Simulation of Ag/MXene/SiO ₂ /Pt RRAM Devices. 2020 , 9, 2098	11
382	Polymer-Decorated 2D MoS ₂ Synaptic Transistors for Biological Bipolar Metaplasticities Emulation. 2020 , 37, 088501	18

381	Neuromorphic Engineering: From Biological to Spike-Based Hardware Nervous Systems. 2020 , 32, e2003610	56
380	Self-Rectifying Resistive Switching and Short-Term Memory Characteristics in Pt/HfO/TaO/TiN Artificial Synaptic Device. 2020 , 10,	23
379	Flexible organic field-effect transistor arrays for wearable neuromorphic device applications. 2020 , 12, 23150-23158	9
378	A Spiking Recurrent Neural Network with Phase Change Memory Synapses for Decision Making. 2020 ,	1
377	Conduction mechanism and synaptic behaviour of interfacial switching AlO ₂ -based RRAM. 2020 , 35, 085006	5
376	Perovskite neural trees. 2020 , 11, 2245	18
375	A van der Waals Synaptic Transistor Based on Ferroelectric Hf _{0.5} Zr _{0.5} O ₂ and 2D Tungsten Disulfide. 2020 , 6, 2000057	41
374	Bio-Inspired Techniques in a Fully Digital Approach for Lifelong Learning. 2020 , 14, 379	7
373	Novel Type of Synaptic Transistors Based on a Ferroelectric Semiconductor Channel. 2020 , 12, 24920-24928	14
372	Implementation of an electrically modifiable artificial synapse based on ferroelectric field-effect transistors using Al-doped HfO thin films. 2020 , 12, 13421-13430	20
371	Silicon-based optoelectronic synaptic devices. 2020 , 29, 070703	10
370	Artificial synaptic transistors based on Schottky barrier height modulation using reduced graphene oxides. 2020 , 165, 455-460	9
369	Power Efficient Sense Amplifier For Emerging Non Volatile Memories. 2020 ,	1
368	Controlling the Neuromorphic Behavior of Organic Electrochemical Transistors by Blending Mixed and Ion Conductors. 2020 , 2, 2224-2228	16
367	Recent Advances in Synaptic Devices Based on Halide Perovskite. 2020 , 2, 1815-1825	16
366	Emerging memory devices for artificial synapses. 2020 , 8, 9163-9183	20
365	Implementation of PPI with Nano Amorphous Oxide Semiconductor Devices for Medical Applications. 2020 , 15, 1863-1870	2
364	Sub-nanosecond memristor based on ferroelectric tunnel junction. 2020 , 11, 1439	73

363	Gas nanosensors. 2020 , 267-283		
362	Spatial Properties of STDP in a Self-Learning Spiking Neural Network Enable Controlling a Mobile Robot. 2020 , 14, 88		43
361	Surface Initiated Polymer Thin Films for the Area Selective Deposition and Etching of Metal Oxides. 2020 , 14, 4276-4288		11
360	IGZO-based floating-gate synaptic transistors for neuromorphic computing. 2020 , 53, 215106		24
359	2D photonic memristor beyond graphene: progress and prospects. 2020 , 9, 1579-1599		32
358	Reversible transition of filamentary and ferroelectric resistive switching in BaTiO ₃ /SmNiO ₃ heterostructures. 2020 , 8, 5815-5820		5
357	Initial states and analog switching behaviors of two major tantalum oxide resistive memories. 2020 , 59, 044004		2
356	Development of a metal oxide-based molecular-gap atomic switch for unconventional computing. 2020 , 59, 040605		2
355	A spiking neuron constructed by the skyrmion-based spin torque nano-oscillator. 2020 , 116, 122402		10
354	Complex electrical spiking activity in resistive switching nanostructured Au two-terminal devices. <i>Nanotechnology</i> , 2020 , 31, 234001	3-4	12
353	Low consumption two-terminal artificial synapse based on transfer-free single-crystal MoS ₂ memristor. <i>Nanotechnology</i> , 2020 , 31, 265202	3-4	20
352	In Situ Hydrogen Plasma Exposure for Varying the Stoichiometry of Atomic Layer Deposited Niobium Oxide Films for Use in Neuromorphic Computing Applications. 2020 , 12, 16639-16647		8
351	Effect of nitrogen-doping on drain current modulation characteristics of an indium-gallium-zinc oxide thin-film transistor. <i>Nanotechnology</i> , 2020 , 31, 265201	3-4	3
350	Role of resistive memory devices in brain-inspired computing. 2020 , 3-16		4
349	Synaptic devices based on field-effect transistors. 2020 , 121-143		2
348	Recent Advances of Volatile Memristors: Devices, Mechanisms, and Applications. 2020 , 2, 2000055		45
347	Two-dimensional materials for next-generation computing technologies. 2020 , 15, 545-557		196
346	Analog Switching and Artificial Synaptic Behavior of Ag/SiO ₂ /Ag/TiO ₂ /p-Si Memristor Device. 2020 , 15, 30		26

345	Threshold switching synaptic device with tactile memory function. 2020 , 76, 105109	9
344	High-performance synaptic transistors for neuromorphic computing. 2020 , 29, 040703	8
343	Neuromorphic nanoelectronic materials. 2020 , 15, 517-528	207
342	Li-Ion Doping as a Strategy to Modulate the Electrical-Double-Layer for Improved Memory and Learning Behavior of Synapse Transistor Based on Fully Aqueous-Solution-Processed In ₂ O ₃ /ALiO Film. 2020 , 6, 1901363	14
341	Lead-free monocrystalline perovskite resistive switching device for temporal information processing. 2020 , 71, 104616	43
340	Artificial Synapse Based on van der Waals Heterostructures with Tunable Synaptic Functions for Neuromorphic Computing. 2020 , 12, 11945-11954	43
339	The Design of 3D-Interface Architecture in an Ultralow-Power, Electrospun Single-Fiber Synaptic Transistor for Neuromorphic Computing. 2020 , 16, e1907472	29
338	A comprehensive review on emerging artificial neuromorphic devices. 2020 , 7, 011312	180
337	Efficient Hybrid CMOS/Memristor Implementation of Bidirectional Associative Memory Using Passive Weight Array. 2020 , 98, 104725	2
336	Electroforming in Metal-Oxide Memristive Synapses. 2020 , 12, 11806-11814	9
335	Modulation of the plasticity of an all-metal oxide synaptic transistor via laser irradiation. <i>Nanotechnology</i> , 2020 , 31, 215202	3-4 5
334	Electrolyte-gated transistors for synaptic electronics, neuromorphic computing, and adaptable biointerfacing. 2020 , 7, 011307	79
333	Multi-Level Long-Term Memory Resembling Human Memory Based on Photosensitive Field-Effect Transistors with Stable Interfacial Deep Traps. 2020 , 6, 1901044	3
332	Solution-Processed Multiterminal Artificial Synapses Based on Ion-Doped Solid Electrolytes. 2020 , 2, 339-345	9
331	Multi-terminal Transistor-like Devices Based on Strongly Correlated Metallic Oxides for Neuromorphic Applications. 2020 , 13,	0
330	Low power non-volatile memory switching in monolayer-rich 2D WS ₂ and MoS ₂ devices. 2020 , 10, 025102	6
329	. 2020 , 8, 110-115	15
328	Synaptic learning and memory functions in SiO ₂ :Ag/TiO ₂ based memristor devices. 2020 , 53, 175102	8

327	Zero-power optoelectronic synaptic devices. 2020 , 73, 104790	44
326	2D MoS ₂ -Based Threshold Switching Memristor for Artificial Neuron. 2020 , 41, 936-939	29
325	Two-terminal artificial synapse with hybrid organic/inorganic perovskite (CH ₃ NH ₃)PbI ₃ and low operating power energy (~47 fJ/μm ²). 2020 , 833, 155064	18
324	Two-terminal photonic neuromorphic devices with short/long-term plasticity based on interface charge effects. 2020 , 83, 105749	2
323	Bioinspired bio-voltage memristors. 2020 , 11, 1861	79
322	Analog Coding in Emerging Memory Systems. 2020 , 10, 6831	1
321	Electric-double-layer-gated transistors based on two-dimensional crystals: recent approaches and advances. 2020 , 3, 032001	13
320	Bifurcations of Negative Responses to Positive Feedback Current Mediated by Memristor in a Neuron Model with Bursting Patterns. 2020 , 30, 2030009	23
319	Evolution of Bio-Inspired Artificial Synapses: Materials, Structures, and Mechanisms. 2021 , 17, e2000041	20
318	Neuromorphic computing systems based on flexible organic electronics. 2021 , 531-574	2
317	In-memory Learning with Analog Resistive Switching Memory: A Review and Perspective. 2021 , 109, 14-42	37
316	Redox MXene Artificial Synapse with Bidirectional Plasticity and Hypersensitive Responsibility. 2021 , 31, 2007232	19
315	Stochasticity and robustness in spiking neural networks. 2021 , 419, 23-36	3
314	Hybrid CMOS/memristor crossbar structure for implementing hopfield neural network. 2021 , 107, 249-261	3
313	Optoelectronic synaptic transistors based on upconverting nanoparticles. 2021 , 9, 640-648	7
312	Highly Uniform All-Vacuum-Deposited Inorganic Perovskite Artificial Synapses for Reservoir Computing. 2021 , 3, 2000196	7
311	Optoelectronic Synaptic Devices for Neuromorphic Computing. 2021 , 3, 2000099	42
310	Low-Power Computing with Neuromorphic Engineering. 2021 , 3, 2000150	11

309	Time-Domain Digital-to-Analog Converter for Spiking Neural Network Hardware. 2021 , 40, 2763-2781	0
308	Hardware-based spiking neural network architecture using simplified backpropagation algorithm and homeostasis functionality. 2021 , 428, 153-165	2
307	Neuromorphic computing: From devices to integrated circuits. 2021 , 39, 010801	3
306	Facile Approach for Improving Synaptic Modulation of Analog Resistive Characteristics by Embedding Oxygen Vacancies-Rich Sub-TaO _x in Pt/Ta ₂ O ₅ /Ti Device Stacks. 2021 , 218, 2000534	
305	Synaptic Iontronic Devices for Brain-Mimicking Functions: Fundamentals and Applications.. 2021 , 4, 71-84	5
304	Highly transparent solid-state artificial synapse based on oxide memristor. 2021 , 536, 147738	12
303	Memory Devices for Flexible and Neuromorphic Device Applications. 2021 , 3, 2000206	7
302	Modulation of Excitatory Behavior by Organic-Inorganic Hybrid Electric-Double-Layers in Polysilicon Synaptic Transistors. 2021 , 42, 70-73	2
301	Transition from noise-induced to self-sustained current spiking generated by a NbO _x thin film threshold switch. 2021 , 118, 023502	4
300	Synaptic transistors with human brain-like fJ energy consumption via double oxide semiconductor engineering for neuromorphic electronics. 2021 , 9, 10243-10253	7
299	Synaptic devices based on HfO ₂ memristors. 2021 , 383-426	1
298	ZnO Based Resistive Random Access Memory Device: A Prospective Multifunctional Next-Generation Memory. 2021 , 9, 105012-105047	4
297	Electron-beam-irradiated rhenium disulfide memristors with low variability for neuromorphic computing. 2021 , 5,	24
296	Oxide semiconductor-based ferroelectric thin-film transistors for advanced neuromorphic computing. 2021 , 118, 032902	8
295	Intrinsic memristive mechanisms in 2D layered materials for high-performance memory. 2021 , 129, 050902	8
294	Facile synthesis of nickel cobaltite quasi-hexagonal nanosheets for multilevel resistive switching and synaptic learning applications. 2021 , 13,	17
293	. 2021 , 68, 879-884	11
292	Photonic Synapses with Ultra-Low Energy Consumption Based on Vertical Organic Field-Effect Transistors. 2021 , 9, 2002030	15

291	Vertical-organic-nanocrystal-arrays for crossbar memristors with tuning switching dynamics toward neuromorphic computing. 2021 , 2, 99-108	32
290	Emerging Opportunities for 2D Semiconductor/Ferroelectric Transistor-Structure Devices. 2021 , 33, e2005620	20
289	Mixed-Signal Neuromorphic Computing Circuits Using Hybrid CMOS-RRAM Integration. 2021 , 68, 581-586	3
288	Ultralow switching voltage and power consumption of GeS ₂ thin film resistive switching memory. 2021 , 11, 2150004	2
287	On-chip trainable hardware-based deep Q-networks approximating a backpropagation algorithm. 2021 , 33, 9391-9402	1
286	Suppressed Stochastic Switching Behavior and Improved Synaptic Functions in an Atomic Switch Embedded with a 2D NbSe Material. 2021 , 13, 10161-10170	8
285	Silicon-based inorganic-organic hybrid optoelectronic synaptic devices simulating cross-modal learning. 2021 , 64, 1	4
284	Flexible printed single-walled carbon nanotubes olfactory synaptic transistors with crosslinked poly(4-vinylphenol) as dielectrics. 2021 , 6, 034001	8
283	Digital and analog memory devices based on 2D layered MPS ₃ (M = Mn, Co, Ni) materials*. 2021 , 30, 047303	1
282	Indium gallium zinc oxide thin-film transistors: Materials, devices, and applications. 2021 , 42, 031101	6
281	Changes in the temperature dependence of Ag/Ta ₂ O ₅ /Pt gapless-type atomic switches caused by desorption/adsorption of water molecules from/into the Ta ₂ O ₅ matrix. 2021 , 60, SCCF05	0
280	Toward Reliable Compact Modeling of Multilevel 1T-1R RRAM Devices for Neuromorphic Systems. 2021 , 10, 645	14
279	Weak Light-Stimulated Synaptic Hybrid Phototransistors Based on Islandlike Perovskite Films Prepared by Spin Coating. 2021 , 13, 13362-13371	11
278	Gradually Tunable Conductance in TiO ₂ /Al ₂ O ₃ Bilayer Resistors for Synaptic Device. 2021 , 11, 440	11
277	Memristive Artificial Synapses for Neuromorphic Computing. 2021 , 13, 85	22
276	All-Solid-State Ion Synaptic Transistor for Wafer-Scale Integration with Electrolyte of a Nanoscale Thickness. 2021 , 31, 2010971	13
275	Multi-Level Switching of Al-Doped HfO ₂ RRAM with a Single Voltage Amplitude Set Pulse. 2021 , 10, 731	7
274	Emulation of synaptic behavior by organic ferroelectric tunnel junctions. 2021 , 392, 127138	5

273	Contact-electrification-activated artificial afferents at femtojoule energy. 2021 , 12, 1581	33
272	A Compact Model for Relaxation Effect in Analog RRAM for Computation-in-Memory System Design and Benchmark. 2021 ,	1
271	Stimuli-Responsive Memristive Materials for Artificial Synapses and Neuromorphic Computing. 2021 , 33, e2006469	22
270	Artificial Neuron and Synapse Devices Based on 2D Materials. 2021 , 17, e2100640	17
269	Tunable synaptic devices based on ambipolar MoTe ₂ transistor. 2021 ,	0
268	Mimicking associative learning using an ion-trapping non-volatile synaptic organic electrochemical transistor. 2021 , 12, 2480	34
267	Use of Plc as ICTS for Humidity Control in the Refrigeration Area of an Agricultural Industry of the Mexicali Valley, México. 2021 , 10, 91-100	
266	Resistive switching memory for high density storage and computing*. 2021 , 30, 058702	3
265	Nanoscale wedge resistive-switching synaptic device and experimental verification of vector-matrix multiplication for hardware neuromorphic application. 2021 , 60, 050905	6
264	Multistate Magnetic Domain Wall Devices for Neuromorphic Computing. 2021 , 15, 2100125	1
263	Hybrid oxide brain-inspired neuromorphic devices for hardware implementation of artificial intelligence. 2021 , 22, 326-344	7
262	Neural Functional Connectivity Reconstruction with Second-Order Memristor Network. 2021 , 3, 2000276	2
261	Halide perovskite two-terminal analog memristor capable of photo-activated synaptic weight modulation for neuromorphic computing. 2021 , 118, 182103	6
260	Recent Progress on Emerging Transistor-Based Neuromorphic Devices. 2021 , 3, 2000210	14
259	PEDOT:PSS-Based Bioelectronic Devices for Recording and Modulation of Electrophysiological and Biochemical Cell Signals. 2021 , 10, e2100061	26
258	Synaptic plasticity modulation and coincidence detection emulated in multi-terminal neuromorphic transistors. 2021 , 92, 106125	1
257	Graphene-based 3D XNOR-VRRAM with ternary precision for neuromorphic computing. 2021 , 5,	4
256	Total Ionizing Dose Effects on Multistate HfO _x -Based RRAM Synaptic Array. 2021 , 68, 756-761	2

255	Implementation of Multinary Źkasiewicz Logic Using Memristive Devices. 2021 ,	1
254	A Visible-Blind Photodetector and Artificial Optoelectronic Synapse Using Liquid-Metal Exfoliated ZnO Nanosheets. 2021 , 9, 2100449	16
253	Emerging 2D Memory Devices for In-Memory Computing. 2021 , 33, e2007081	30
252	Recent advanced applications of ion-gel in ionic-gated transistor. 2021 , 5,	10
251	Phase field study on the performance of artificial synapse device based on the motion of domain wall in ferroelectric thin films. 2021 , 118, 242902	1
250	Recent progress on 2D materials-based artificial synapses. 1-26	5
249	Complementary Photo-Synapses Based on Light-Stimulated Porphyrin-Coated Silicon Nanowires Field-Effect Transistors (LPSNFET). 2021 , 17, e2101434	4
248	Multi-Level Control of Conductive Filament Evolution and Enhanced Resistance Controllability of the Cu-Cone Structure Embedded Conductive Bridge Random Access Memory. 2100209	2
247	Low-Voltage Electrochemical LiWO ₃ Synapses with Temporal Dynamics for Spiking Neural Networks. 2021 , 3, 2100021	2
246	Design of a Robust Memristive Spiking Neuromorphic System with Unsupervised Learning in Hardware. 2021 , 17, 1-26	1
245	Enhancement of Synaptic Characteristics Achieved by the Optimization of Proton-Electron Coupling Effect in a Solid-State Electrolyte-Gated Transistor. 2021 , 17, e2100242	3
244	Substrate-morphology driven tunable nanoscale artificial synapse. 1-10	0
243	Artificial Synapse Based on Organic/Inorganic Hybrid Perovskite with Electric and Optical Modulation. 2021 , 7, 2100291	10
242	Analytical model for memristive systems for neuromorphic computation. 2021 , 54, 355101	0
241	Neuromorphic Devices for Bionic Sensing and Perception. 2021 , 15, 690950	6
240	MXene/SiO ₂ Structure-based RRAM devices for the Application of Neuromorphic Computing. 2021 ,	0
239	Charge trap-based carbon nanotube transistor for synaptic function mimicking. 1	5
238	Engineering Anisotropic Klein Tunneling in Black Phosphorene through Elemental Substitution. 2021 , 258, 2100071	1

237	A Marr's Three-Level Analytical Framework for Neuromorphic Electronic Systems. 2021 , 3, 2100054	0
236	Core-Shell Dual-Gate Nanowire Charge-Trap Memory for Synaptic Operations for Neuromorphic Applications. 2021 , 11,	3
235	Direct Gradient Calculation: Simple and Variation-Tolerant On-Chip Training Method for Neural Networks. 2021 , 3, 2100064	0
234	Boost of the Bio-memristor Performance for Artificial Electronic Synapses by Surface Reconstruction. 2021 , 13, 39641-39651	9
233	Combinatorial optimization by weight annealing in memristive hopfield networks. 2021 , 11, 16383	3
232	Neuromorphic Systems. 2022 , 123-183	
231	Stochastic Memristive Interface for Neural Signal Processing. 2021 , 21,	5
230	3-D AND-Type Flash Memory Architecture With High- ϵ Gate Dielectric for High-Density Synaptic Devices. 2021 , 68, 3801-3806	3
229	A Brain-Inspired Homeostatic Neuron Based on Phase-Change Memories for Efficient Neuromorphic Computing. 2021 , 15, 709053	3
228	Memristors Based on an Iridium(III) Complex Containing Viologen for Advanced Synaptic Bionics. 2021 , 60, 13021-13028	0
227	Advances in Flexible Memristors with Hybrid Perovskites. 2021 , 12, 8798-8825	16
226	Wafer-Scale 2D Hafnium Diselenide Based Memristor Crossbar Array for Energy-Efficient Neural Network Hardware. 2021 , e2103376	27
225	Printable, ultralow-power ternary synaptic transistors for multifunctional information processing system. 2021 , 87, 106197	17
224	A More Hardware-Oriented Spiking Neural Network Based on Leading Memory Technology and Its Application With Reinforcement Learning. 2021 , 68, 4411-4417	3
223	Mixed-Halide Perovskite Film-Based Neuromorphic Phototransistors for Mimicking Experience-History-Dependent Sensory Adaptation. 2021 , 13, 47807-47816	3
222	Biocompatible and Biodegradable Neuromorphic Device Based on Hyaluronic Acid for Implantable Bioelectronics. 2107074	3
221	Multideck light-induced reset in a transparent bilayer synaptic device. 2021 , 39, 053202	1
220	Sub-Nanosecond Pulses Enable Partial Reset for Analog Phase Change Memory. 2021 , 42, 1291-1294	4

219	Recent advances in emerging neuromorphic computing and perception devices.	5
218	Advances in Neuromorphic Spin-Based Spiking Neural Networks: A review. 2021 , 15, 33-44	0
217	Ultralow-Power Synaptic Transistor Based on Wafer-Scale MoS ₂ Thin Film for Neuromorphic Application. 2021 , 42, 1555-1558	3
216	Recent progress on two-dimensional neuromorphic devices and artificial neural network. 2021 , 31, 182-198	8
215	Emulating synaptic plasticity and resistive switching characteristics through amorphous Ta ₂ O ₅ embedded layer for neuromorphic computing. 2021 , 47, 30764-30776	7
214	Solid-state electrolyte gated synaptic transistor based on SrFeO _{2.5} film channel. 2021 , 210, 110022	4
213	Organic and perovskite memristors for neuromorphic computing. 2021 , 98, 106301	12
212	An air-stable artificial synapse based on a lead-free double perovskite Cs ₂ AgBiBr ₆ film for neuromorphic computing. 2021 , 9, 5706-5712	13
211	Bipolar and Complementary Resistive Switching Characteristics and Neuromorphic System Simulation in a Pt/ZnO/TiN Synaptic Device. 2021 , 11,	9
210	Core-Shell Dual-Gate Nanowire Memory as a Synaptic Device for Neuromorphic Application. 2021 , 1-1	1
209	Viewpoint: Pavlovian Materials-Functional Biomimetics Inspired by Classical Conditioning. 2020 , 32, e1906619	15
208	Impact of Nonideal Resistive Synaptic Device Behaviors on Implementation of Sparse Coding Algorithm. 2017 , 233-251	1
207	TaO _x /TiO ₂ -Based Synaptic Devices. 2017 , 73-95	3
206	Floating-gate photosensitive synaptic transistors with tunable functions for neuromorphic computing. 2021 , 64, 1219-1229	2
205	Current status and prospects of memristors based on novel 2D materials. 2020 , 7, 1495-1518	59
204	The fabrication of LiNbO memristors for electronic synapses using oxygen annealing. <i>Nanotechnology</i> , 2021 , 32, 025706	3-4 5
203	Photoelectronic memory based on nitride multiple quantum wells and the hybrid of graphene nanoflakes and a-IGZO film. 2020 , 28, 13542-13552	3
202	Tunable nanophotonics enabled by chalcogenide phase-change materials. 2020 , 9, 1189-1241	134

201	Memristor based on a layered FePS ₃ 2D material with dual modes of resistive switching. 2020 , 13, 105001	2
200	Fundamental circuit element and nonvolatile memory based on magnetoelectric effect. 2018 , 67, 127501	3
199	Dual-Modal Optoelectronic Synaptic Devices with Versatile Synaptic Plasticity. 2107973	12
198	Influence of optical axons on the synaptic weights. 2021 ,	0
197	Single-Crystalline SrTiO ₃ as Memristive Model System: From Materials Science to Neurological and Psychological Functions. 2022 , 333-354	
196	Mimicking Neuroplasticity via Ion Migration in van der Waals Layered Copper Indium Thiophosphate. 2021 , e2104676	7
195	Ferroelectric P(VDF-TrFE) wrapped InGaAs nanowires for ultralow-power artificial synapses. 2022 , 91, 106654	11
194	Printed Memtransistor Utilizing a Hybrid Perovskite/Organic Heterojunction Channel. 2021 , 13, 51592-51601	4
193	Spray pyrolysis deposited iron tungstate memristive device for artificial synapse application. 2021 , 29, 102900	1
192	Peripheral Circuit Design Considerations of Neuro-inspired Architectures. 2017 , 167-182	2
191	Introduction. 2019 , 1-32	
190	All-optical synapses based on silicon microring resonators actuated by the phase change material Ge ₂ Sb ₂ Te ₅ . 2019 ,	2
189	Neuromorphic Devices and Networks Based on Memristors with Ionic Dynamics. 2019 , 527-554	
188	On Buildings that Compute. A Proposal. 2020 , 311-335	
187	Modeling and Simulation of Spiking Neural Networks with Resistive Switching Synapses. 2020 , 49-60	1
186	Mimicking synaptic plasticity with wedged Pt/Co/Pt spin-orbit torque device.	2
185	Artificial Synapse Based on a 2D-SnO Memtransistor with Dynamically Tunable Analog Switching for Neuromorphic Computing. 2021 ,	9
184	Ag:SrTiO ₃ /CuAlO ₂ based photoelectronic synapse for artificial vision system. 2021 ,	

183	Simulation Framework for Performance Evaluation of HfZrOx Based Ferroelectric Synaptic Devices. 2020,	
182	Partially Oxidized MXene Ti3C2Tx Sheets for Memristor having Synapse and Threshold Resistive Switching Characteristics. 2021, 7, 2000866	12
181	The Road for Two-Dimensional Semiconductors in Silicon Age. 2021, e2106886	10
180	Percolation with plasticity for neuromorphic systems. 2020, 1, 035009	
179	Neuromorphic Computation. 2021, 187-213	
178	NVM Device-Based Deep Inference Architecture Using Self-gated Activation Functions (Swish). 2021, 33-44	1
177	Electrolyte-gated neuromorphic transistors for brain-like dynamic computing. 2021, 130, 190904	8
176	Analog programing of conducting-polymer dendritic interconnections and control of their morphology. 2021, 12, 6898	2
175	High-Speed Ionic Synaptic Memory Based on 2D Titanium Carbide MXene. 2109970	9
174	ReSe2-Based RRAM and Circuit-Level Model for Neuromorphic Computing. 2021, 3,	0
173	Artificial Adaptive and Maladaptive Sensory Receptors Based on a Surface-Dominated Diffusive Memristor. 2021, e2103484	8
172	Surface acoustic wave controlled skyrmion-based synapse devices. <i>Nanotechnology</i> , 2021,	3-4 1
171	CMOS-Compatible Low-Power Gated Diode Synaptic Device for Hardware-Based Neural Network. 2021, 1-6	2
170	Polymer-Based Composites for Engineering Organic Memristive Devices. 2101192	
169	Light-stimulated artificial synapse based on Schottky barrier modulated CVD Mos2 transistors. 2020,	
168	Crossbar Array of Artificial Synapses Based on Ferroelectric Diodes. 2021, 7, 2100558	1
167	Highly Stable Artificial Synapses Based on Ferroelectric Tunnel Junctions for Neuromorphic Computing Applications. 2101323	5
166	Programmable Terahertz Metamaterials with Non-Volatile Memory. 2100472	4

165	Ferroelectric-based synapses and neurons for neuromorphic computing. 2022 , 2, 012002	4
164	Nanoscale Electrolyte-Gated Vertical Organic Transistors with Low Operation Voltage and Five Orders of Magnitude Switching Range for Neuromorphic Systems.. 2022 ,	2
163	Two-dimensional materials for artificial synapses: toward a practical application.	1
162	Ultralow-Power Synaptic Transistors Based on Ta ₂ O ₅ /Al ₂ O ₃ Bilayer Dielectric for Algebraic Arithmetic. 2100922	1
161	Advanced artificial synaptic thin-film transistor based on doped potassium ions for neuromorphic computing via third-generation neural network.	2
160	Ultralow Power Consumption and Large Dynamic Range Synaptic Transistor Based on Hn ₂ Se ₃ Nanosheets.	4
159	Emergent solution based IGZO memristor towards neuromorphic applications. 2022 , 10, 1991-1998	2
158	Layer-dependent effects of interfacial phase change memory for an artificial synapse.	1
157	Graphene/Ferroelectric (Ge-Doped HfO) Adaptable Transistors Acting as Reconfigurable Logic Gates.. 2022 , 12,	1
156	Conjugated Polymer-Wrapped Single-Wall Carbon Nanotubes for High-Mobility Photonic/Electrical Fully Modulated Synaptic Transistor. 2101506	3
155	Amorphous InGaZnO (a-IGZO) Synaptic Transistor for Neuromorphic Computing.	2
154	Improved Crossbar Array Architecture for Compensating Interconnection Resistance: A Ferroelectric HZO-based Synapse Case. 2022 , 1-1	
153	Memristive Devices Based on Two-Dimensional Transition Metal Chalcogenides for Neuromorphic Computing.. 2022 , 14, 58	8
152	Neuromorphic applications using MO _x -based memristors. 2022 , 465-508	1
151	Novel charm of 2D materials engineering in memristor: when electronics encounter layered morphology.. 2022 ,	8
150	Resistive switching in metal-oxide memristive materials and devices. 2022 , 33-78	
149	Nanostructured perovskites for nonvolatile memory devices.. 2022 ,	7
148	Flexible neuromorphic transistors for bio-inspired perception application. 2022 ,	

147	Neuromorphic Neural Interfaces. 2022 , 1-33	0
146	Impact of the Barrier Layer on the High Thermal and Mechanical Stability of a Flexible Resistive Memory in a Neural Network Application. 2022 , 4, 1072-1081	0
145	Utilizing an SWCNT-TFT Electronic Hourglass for Artificial Synapse Application. 2022 , 4, 974-981	0
144	Classification Performances due to Asymmetric Nonlinear Weight Updates in Analog Artificial Synapse-Based Hardware Neural Networks. 2022 ,	
143	Flexible synaptic floating gate devices with dual electrical modulation based on ambipolar black phosphorus.. 2022 , 25, 103947	0
142	Emulation of synaptic functions with low voltage organic memtransistor for hardware oriented neuromorphic computing.. 2022 , 12, 3808	3
141	Periodic Analysis of Resistive Random Access Memory (RRAM)-Based Switch Activation Function. 2022 , 3, 1	0
140	Recent progress of fiber-based transistors: materials, structures and applications. 2022 , 15, 1	1
139	Ferroelectric artificial synapse for neuromorphic computing and flexible applications. 2022 ,	
138	Effect of weight overlap region on neuromorphic system with memristive synaptic devices. 2022 , 157, 111999	2
137	A TSTDTP memristive synapse based on a comprehensive mathematical model of memory-TFT threshold voltage shift.. 2022 , 111119	
136	Effect of Adjacent Lateral Inhibition on Light and Electric-Stimulated Synaptic Transistors. 2022 , 43, 573-575	
135	Synaptic plasticity features and neuromorphic system simulation in AlN-based memristor devices. 2022 , 164870	3
134	Halide perovskite based synaptic devices for neuromorphic systems. 2022 , 24, 100667	
133	Superionic rubidium silver iodide gated low voltage synaptic transistor. 2021 , 119, 253502	3
132	Oxygen Diffusion in Platinum Electrodes: A Molecular Dynamics Study of the Role of Extended Defects. 2022 , 9, 2101257	0
131	Flexible Ferroelectric Hafnia-Based Synaptic Transistor by Focused-Microwave Annealing.. 2021 ,	8
130	Artificial synapses based on layered multi-component metal oxides. 2022 ,	

- 129 Designing of nanocarriers for enhancing drugs absorption through gastrointestinal tract. **2022**, 177-208
- 128 Nanocarriers systems for brain targeted drug delivery and diagnosis. **2022**, 25-43
- 127 Recent Progresses of Organic Photonic Synaptic Transistors. 0
- 126 Versatile Functionality of Four-Terminal TiO₂ Memristive Devices as Artificial Synapses for Neuromorphic Computing. 0
- 125 Interface state-dependent synaptic characteristics of Pt/CeO₂/Pt memristors controlled by post-deposition annealing. **2022**, 147, 106718 0
- 124 Data_Sheet_1.PDF. **2019**,
- 123 Data_Sheet_1.pdf. **2020**,
- 122 Video_1.AVI. **2020**,
- 121 Video_2.AVI. **2020**,
- 120 Video_3.AVI. **2020**,
- 119 Applications of biomemristors in the next generation wearable electronics. 4
- 118 Effect of OTS Selector Reliabilities on NVM Crossbar-based Neuromorphic Training. **2022**, 1
- 117 Programmable van-der-Waals heterostructure-enabled optoelectronic synaptic floating-gate transistors with ultra-low energy consumption. 4
- 116 Analog synaptic devices applied to spiking neural networks for reinforcement learning applications. **2022**, 37, 075002
- 115 Bio-Inspired Control System for Fingers Actuated by Multiple SMA Actuators. **2022**, 7, 62 0
- 114 Reconfigurable Field Effect Transistors: A Technology Enablers Perspective. **2022**, 108381 1
- 113 Self-rectifying-based memristors for neuromorphic computing. **2022**, 1
- 112 IGZO synaptic thin-film transistors with embedded AlO_x charge-trapping layers. 0

111	Artificial Neural Pathway Based on a Memristor Synapse for Optically Mediated Motion Learning.. 2022,	8
110	Multifunctional neurosynaptic devices for human perception systems. 2022, 43, 051201	3
109	Progressive and Stable Synaptic Plasticity with Femtojoule Energy Consumption by the Interface Engineering of a Metal/Ferroelectric/Semiconductor. 2201502	1
108	Synaptic Tunnel Field-Effect Transistors for Extremely-Low-Power Operation. 2022, 1-1	1
107	Nonvolatile Memories in Spiking Neural Network Architectures: Current and Emerging Trends. 2022, 11, 1610	0
106	Flexible Artificial Synapses Based on Field Effect Transistors: From Materials, Mechanics towards Applications. 2200015	0
105	Ion-Movement-Based Synaptic Device for Brain-Inspired Computing. 2022, 12, 1728	
104	Multifunctional Analog Resistance Switching of Si ₃ N ₄ -Based Memristors through Migration of Ag ⁺ Ions and Formation of Si-Dangling Bonds. 5101-5108	2
103	Strain manipulation of ferroelectric skyrmion bubbles in a freestanding PbTiO ₃ film: A phase field simulation. 2022, 105,	2
102	A Learning-Rate Modulable and Reliable TiO _x Memristor Array for Robust, Fast, and Accurate Neuromorphic Computing. 2201117	1
101	Organic Optoelectronic Synaptic Devices for Energy-Efficient Neuromorphic Computing. 2022, 1-1	1
100	Humidity-Enabled Organic Artificial Synaptic Devices with Ultrahigh Moisture Resistivity. 2200320	
99	Ferroelectrics at the nanoscale: materials and devices  a critical review. 1-19	1
98	Synaptic transistors with a memory time tunability over seven orders of magnitude. 2022, 120, 252903	1
97	Structural and Electrical Properties of Annealed Ge ₂ Sb ₂ Te ₅ Films Grown on Flexible Polyimide. 2022, 12, 2001	1
96	Simulation platform for pattern recognition based on reservoir computing with memristor networks. 2022, 12,	0
95	Resistive switching of two-dimensional Ag ₂ S nanowire networks for neuromorphic applications. 2022, 40, 043201	
94	Challenges and Perspectives for Energy-efficient Brain-inspired Edge Computing Applications (Invited Paper). 2022,	

93	Bending Resistant Multibit Memristor for Flexible Precision Inference Engine Application. 2022 , 1-7	0
92	Mott transistor with giant switching ratio at room temperature and its emulation of artificial synapses.	1
91	Controlled Formation of Conduction Channels in Memristive Devices Observed by X-ray Multimodal Imaging. 2203209	1
90	Sputtered Electrolyte-Gated Transistor with Modulated Metaplasticity Behaviors. 2200463	0
89	Multi-Stimuli-Responsive Synapse Based on Vertical van der Waals Heterostructures.	2
88	Quantum materials for energy-efficient neuromorphic computing: Opportunities and challenges. 2022 , 10, 070904	2
87	Learning about nanodevices using experimental characterization equipment. 2022 ,	
86	Biocompatible Casein Electrolyte-Based Electric-Double-Layer for Artificial Synaptic Transistors. 2022 , 12, 2596	1
85	Emulating synaptic plasticity in ionic liquid-gated zinc tin oxide neuromorphic transistor.	
84	Understanding synaptic characteristics of nonvolatile analog redox transistor based on mobile ion-modulated-electrolyte thickness model for neuromorphic applications. 2022 , 121, 072105	0
83	Neuromorphic-computing-based adaptive learning using ion dynamics in flexible energy storage devices.	2
82	Solid-State Optoelectronic Synapse Transistor Using a LaF ₃ Gate Dielectric. 2200173	
81	High-Performance Flexible Photonic Synapse Transistors Based on a Bulk Composite Film of Organic Semiconductors with Complementary Absorption. 2022 , 80, 936	0
80	Negative differential resistance in novel nanoscale devices. 2022 , 197, 108464	0
79	Artificial synapses enabled neuromorphic computing: From blueprints to reality. 2022 , 103, 107744	1
78	Transparent glass-ceramics functionalized with EuSiO ₃ constrained BaF ₂ : Eu ²⁺ -nanocrystals: Theoretical design and experimental fulfillment towards an efficient spectral converter.	0
77	Light-stimulated artificial synapses based on Si-doped GaN thin films. 2022 , 10, 13099-13106	0
76	On-Chip Nano Pulse Test Element Group for Analysis of Synaptic Devices. 2022 ,	0

75	Co-existence of bipolar nonvolatile and volatile resistive switching based on WO ₃ nanowire for applications in neuromorphic computing and selective memory. 2022 , 121, 093502	2
74	Resistive Switching Crossbar Arrays Based on Layered Materials. 2205402	2
73	Superlow Power Consumption Artificial Synapses Based on WSe ₂ Quantum Dots Memristor for Neuromorphic Computing. 2022 , 2022, 1-13	0
72	Directional Formation of Conductive Filaments for a Reliable Organic-Based Artificial Synapse by Doping Molybdenum Disulfide Quantum Dots into a Polymer Matrix. 2022 , 14, 44724-44734	0
71	Advances in optoelectronic artificial synapses. 2022 , 3, 101037	2
70	Emulating the Signal Transmission in a Neural System Using Polymer Membranes. 2022 , 14, 42308-42316	1
69	Ferroelectrics-Integrated Two-Dimensional Devices toward Next-Generation Electronics. 2022 , 16, 13595-13611	
68	Neuromorphic device based on silicon nanosheets. 2022 , 13,	1
67	Review on data-centric brain-inspired computing paradigms exploiting emerging memory devices. 2022 , 2,	0
66	Atomic-scale tuning of ultrathin memristors. 2022 , 5,	0
65	Spintronic Integrate-Fire-Reset Neuron with Stochasticity for Neuromorphic Computing.	0
64	Nanowires for UV-Vis-IR Optoelectronic Synaptic Devices. 2208807	2
63	Artificial Synapse Based on an InAs Nanowire Field-Effect Transistor with Ferroelectric Polymer P(VDF-TrFE) Passivation. 2022 , 4, 5008-5016	0
62	Porphyrin-Based Metal-Organic Frameworks for Neuromorphic Electronics. 2200150	0
61	Electronegative metal dopants improve switching variability in Al ₂ O ₃ resistive switching devices. 2022 , 6,	0
60	Recent Advances in Synaptic Nonvolatile Memory Devices and Compensating Architectural and Algorithmic Methods Toward Fully Integrated Neuromorphic Chips. 2200884	1
59	Self-rectifying and artificial synaptic characteristics of amorphous Ta ₂ O ₅ thin film grown on two-dimensional metal-oxide nanosheet. 2023 , 609, 155353	0
58	Synaptic plasticity in electro-polymerized PEDOT based memristors for neuromorphic application.	0

57	An electronic synaptic memory device based on four-cation mixed halide perovskite. 2022 , 2,	0
56	Emerging MXene-Based Memristors for In-Memory, Neuromorphic Computing, and Logic Operation. 2208320	1
55	Synergistic Effect of Oxoammonium Salt and Its Counterions for Fabricating Organic Electrochemical Transistors with Low Power Consumption. 2022 , 14, 51165-51174	1
54	Advanced Synaptic Devices and Their Applications in Biomimetic Sensory Neural System. 2022 , 100031	0
53	Transient memristive device based on lead-free double perovskite for secured data storage and artificial learning systems. 2022 ,	0
52	Exploring Neuromorphic Computing Based on Spiking Neural Networks: Algorithms to Hardware.	0
51	Realization of Short- and Long-Term Memories at Nanoscale and their Temporal Evolution in Two-Terminal Memristive Synapses. 2023 , 611, 155563	0
50	A Flexible Organic Electrochemical Synaptic Transistor with Dopamine-Mediated Plasticity. 2022 , 1-1	1
49	Centimetre-scale single crystal HfMoO ₃ : oxygen assisted self-standing growth and low-energy consumption synaptic devices.	1
48	Two-Terminal Photoelectric Dual Modulation Synaptic Devices for Face Recognition. 2022 , 1-1	0
47	An Analog Memristive and Memcapacitive Device for Neuromorphic Computing. 2022 ,	0
46	Photoresponses and Memory Effects in Optoelectronic Synaptic Devices Based on CdSe Quantum Dots and Poly(3-hexylthiophene). 2022 ,	0
45	Biodegradable Materials for Transient Organic Transistors. 2208521	0
44	Tunable Intervalence Charge Transfer in Ruthenium Prussian Blue Analog Enables Stable and Efficient Biocompatible Artificial Synapses. 2207595	0
43	Electrospun Nanofiber-Based Synaptic Transistor with Tunable Plasticity for Neuromorphic Computing. 2208055	0
42	Operating region-dependent characteristics of weight updates in synaptic InGaZnO thin-film transistors. 2022 , 12,	0
41	Artificial Synapse Based on Oxygen Vacancy Migration in Ferroelectric-Like C-Axis-Aligned Crystalline InGaSnO Semiconductor Thin-Film Transistors for Highly Integrated Neuromorphic Electronics. 2212367	0
40	Ultrafine Nickel Sulfide-Based Bipolar Resistive Switching Device as Artificial Synapses for Neuromorphic Application. 2022 , 4, 6117-6124	0

- 39 The Impact of Trap-Assisted Tunneling and Poole-Frenkel Emission on Synaptic Potentiation in an $\text{Fe}_2\text{O}_3/\text{p-Si}$ Memristive Device. **2023**, 5, 3 ○
- 38 CMOS-compatible self-aligned 3D memristive elements for reservoir computing systems. **2023**, 122, 022905 1
- 37 Enhanced Synaptic Properties in Biocompatible Casein Electrolyte via Microwave-Assisted Efficient Solution Synthesis. **2023**, 15, 293 ○
- 36 Bio-plausible memristive neural components towards hardware implementation of brain-like intelligence. **2023**, ○
- 35 CsPbBr_3 /graphene nanowall artificial optoelectronic synapses for controllable perceptual learning. **2023**, 4, ○
- 34 Two-terminal self-rectifying optoelectronic synaptic devices with largest-dynamic-range updates. **2023**, 30, 101728 ○
- 33 Rational Design on Polymorphous Phase Switching in Molybdenum Diselenide-Based Memristor Assisted by All-Solid-State Reversible Intercalation toward Neuromorphic Application. **2023**, 17, 84-93 ○
- 32 Synaptic Characteristic of Hafnia-Based Ferroelectric Tunnel Junction Device for Neuromorphic Computing Application. **2023**, 13, 114 ○
- 31 Defect-induced Analogue Resistive Switching Behavior in FeO_x -based Memristor and Synaptic Paired-pulse Facilitation Feature. **2023**, 721 ○
- 30 Organic Neuromorphic Systems. **2023**, ○
- 29 The Strong Sensitivity of the Characteristics of Binary Stochastic Neurons Employing Low Barrier Nanomagnets to Small Geometrical Variations. **2023**, 1-9 ○
- 28 Bio-Voltage Memristors: From Physical Mechanisms to Neuromorphic Interfaces. 2200972 ○
- 27 Tailor-made synaptic dynamics based on memristive devices. 3, ○
- 26 Neuromorphic Neural Interfaces. **2023**, 1421-1453 ○
- 25 Short-term synaptic plasticity in emerging devices for neuromorphic computing. **2023**, 26, 106315 ○
- 24 Low-fluctuation nonlinear model using incremental step pulse programming with memristive devices. **2023**, 170, 113359 ○
- 23 Neurotransmitter ligand effect of dopamine and cortisol conjugation on ZnO nanoparticles embedded polyvinylphenol resistive switching device. **2023**, 160, 107412 ○
- 22 Improvement of polarization switching in ferroelectric transistor by interface trap reduction for brain-inspired artificial synapses. **2023**, 22, 100320 ○

- 21 Experimental Assessment of Multilevel RRAM-Based Vector-Matrix Multiplication Operations for In-Memory Computing. **2023**, 70, 2009-2014 ○
- 20 Bioartificial Synapses for Neuromorphic Computing. **2023**, 11, 2229-2237 ○
- 19 A ferroelectric memristor with a capacitor-like structure for neuromorphic computing. **2023**, 56, 125302 ○
- 18 Synaptic Transistors Based on PVA: Chitosan Biopolymer Blended Electric-Double-Layer with High Ionic Conductivity. **2023**, 15, 896 ○
- 17 A Single Chip SPAD Based Vision Sensing System With Integrated Memristive Spiking Neuromorphic Processing. **2023**, 11, 19441-19457 ○
- 16 Spintronic Heterostructures for Artificial Intelligence: A Materials Perspective. 2200493 ○
- 15 Pseudo-transistors for emerging neuromorphic electronics. **2023**, 24, ○
- 14 Temperature-controlled multisensory neuromorphic devices for artificial visual dynamic capture enhancement. ○
- 13 Neuromorphic Functional Modules of a Spiking Neural Network. **2022**, 17, S80-S90 ○
- 12 Emerging photoelectric devices for neuromorphic vision applications: principles, developments, and outlooks. **2023**, 24, ○
- 11 Highly Reliable Ovonic Threshold Switch with TiN/GeTe/TiN Structure. **2023**, 16, 2066 ○
- 10 2D-Material-Based Volatile and Nonvolatile Memristive Devices for Neuromorphic Computing. **2023**, 5, 1109-1135 ○
- 9 Resource-Efficient Convolutional Networks: A Survey on Model-, Arithmetic-, and Implementation-Level Techniques. ○
- 8 INCA: Input-stationary Dataflow at Outside-the-box Thinking about Deep Learning Accelerators. **2023**, ○
- 7 Fe₂O₃-based artificial synaptic RRAM device for pattern recognition using artificial neural networks. **2023**, 34, 265703 ○
- 6 Planar Multi-Gate Artificial Synaptic Transistor with Solution-Processed AlO_x Solid Electric Double Layer Dielectric and InO_x Channel. **2023**, 13, 719 ○
- 5 Proton-Gated Synaptic Transistors, Based on an Electron-Beam Patterned Nafion Electrolyte. **2023**, 15, 19279-19289 ○
- 4 Design-Dependent Switching Mechanisms of Schottky-Barrier-Modulated Memristors based on 2D Semiconductor. ○

- 3 The FAPbI₃ perovskite memristor with a PMMA passivation layer as an artificial synapse. **2023**, 129, ○
- 2 Promising Materials and Synthesis Methods for Resistive Switching Memory Devices: A Status Review. ○
- 1 Biological UV Photoreceptors-Inspired Sn-Doped Polycrystalline α -Ga₂O₃ Optoelectronic Synaptic Phototransistor for Neuromorphic Computing. ○