CITATION REPORT List of articles citing

Molecular understanding of sulphuric acid-amine particle nucleation in the atmosphere

DOI: 10.1038/nature12663 Nature, 2013, 502, 359-63.

Source: https://exaly.com/paper-pdf/55283598/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
698	Observational Evidence for the Involvement of Dicarboxylic Acids in Particle Nucleation.		
697	Atmospheric nanoparticles and climate change. 2013 , 59, 4006-4019		8
696	CIMS sulfuric acid detection efficiency enhanced by amines due to higher dipole moments: a computational study. <i>Journal of Physical Chemistry A</i> , 2013 , 117, 14109-19	2.8	28
695	Characterisation of organic contaminants in the CLOUD chamber at CERN. 2013,		1
694	Molecular understanding of atmospheric particle formation from sulfuric acid and large oxidized organic molecules. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 17223-8	11.5	249
693	Difference in particle formation at a mountaintop location during spring and summer: Implications for the role of sulfuric acid and organics in nucleation. 2014 , 119, 12,246-12,255		14
692	Amine permeation sources characterized with acid neutralization and sensitivities of an amine mass spectrometer. <i>Atmospheric Measurement Techniques</i> , 2014 , 7, 3611-3621	4	31
691	Effect of ions on the measurement of sulfuric acid in the CLOUD experiment at CERN. <i>Atmospheric Measurement Techniques</i> , 2014 , 7, 3849-3859	4	6
690	Trimethylamine emissions in animal husbandry. 2014 , 11, 5073-5085		34
689	Bibliography. 2014 , 135-140		
688	. 2014,		
687	Resolving the anomalous infrared spectrum of the MeCN-HCl molecular cluster using ab initio molecular dynamics. <i>Physical Chemistry Chemical Physics</i> , 2014 , 16, 24685-90	3.6	7
686	Effect of Hydration and Base Contaminants on Sulfuric Acid Diffusion Measurement: A Computational Study. 2014 , 48, 593-603		8
685	Frequency characteristic of response of surface air pressure to changes in flux of cosmic rays. 2014 , 54, 813-818		
684	Measurement of gas-phase ammonia and amines in air by collection onto an ion exchange resin and analysis by ion chromatography. <i>Atmospheric Measurement Techniques</i> , 2014 , 7, 2733-2744	4	40
683	Measurement of gas-phase ammonia and amines in air by collection onto an ion exchange resin and analysis by ion chromatography. 2014 ,		7
682	Ab intio Investigation of the Thermochemistry and Kinetics of the SO2 + O3liSO3l- O2 Reaction in Aircraft Engines and the Environment. 2014 , 16, 6300-6312		1

681	Observations of new particle formation at two distinct Indian subcontinental urban locations. <i>Atmospheric Environment</i> , 2014 , 96, 370-379	5.3	45
68o	Effect of ions on the measurement of sulphuric acid in the CLOUD experiment at CERN. 2014,		
679	UV polarization lidar for remote sensing new particles formation in the atmosphere. 2014 , 22 Suppl 3, A1009-22		14
678	AmineAmine Exchange in AminiumMethanesulfonate Aerosols. 2014 , 118, 29431-29440		26
677	Activation barriers in the growth of molecular clusters derived from sulfuric acid and ammonia. <i>Journal of Physical Chemistry A</i> , 2014 , 118, 11547-54	2.8	19
676	Insight into acid-base nucleation experiments by comparison of the chemical composition of positive, negative, and neutral clusters. <i>Environmental Science & Environmental Sc</i>	10.3	40
675	Characterisation of organic contaminants in the CLOUD chamber at CERN. <i>Atmospheric Measurement Techniques</i> , 2014 , 7, 2159-2168	4	32
674	The charging of neutral dimethylamine and dimethylamine-sulphuric acid clusters using protonated acetone. 2014 ,		
673	Oxidation products of biogenic emissions contribute to nucleation of atmospheric particles. 2014 , 344, 717-21		375
672	Infrequent occurrence of new particle formation at a semi-rural location, Gadanki, in tropical Southern India. <i>Atmospheric Environment</i> , 2014 , 94, 264-273	5.3	20
672 671		5.3	20
	Southern India. Atmospheric Environment, 2014, 94, 264-273 Infrared studies of the reaction of methanesulfonic acid with trimethylamine on surfaces.		
671	Infrared studies of the reaction of methanesulfonic acid with trimethylamine on surfaces. Environmental Science & Damp; Technology, 2014, 48, 323-30 X-ray induced fragmentation of size-selected salt cluster-ions stored in an ion trap. RSC Advances,	10.3	15
671 670	Infrared studies of the reaction of methanesulfonic acid with trimethylamine on surfaces. Environmental Science & amp; Technology, 2014, 48, 323-30 X-ray induced fragmentation of size-selected salt cluster-ions stored in an ion trap. RSC Advances, 2014, 4, 47743-47751 Neutral molecular cluster formation of sulfuric acid-dimethylamine observed in real time under atmospheric conditions. Proceedings of the National Academy of Sciences of the United States of	10.3 3.7	15
671 670 669	Infrared studies of the reaction of methanesulfonic acid with trimethylamine on surfaces. Environmental Science & amp; Technology, 2014, 48, 323-30 X-ray induced fragmentation of size-selected salt cluster-ions stored in an ion trap. RSC Advances, 2014, 4, 47743-47751 Neutral molecular cluster formation of sulfuric acid-dimethylamine observed in real time under atmospheric conditions. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 15019-24 Observations on the formation, growth and chemical composition of aerosols in an urban	10.3 3.7 11.5	15 3 155
671 670 669	Infrared studies of the reaction of methanesulfonic acid with trimethylamine on surfaces. Environmental Science & Samp; Technology, 2014, 48, 323-30 X-ray induced fragmentation of size-selected salt cluster-ions stored in an ion trap. RSC Advances, 2014, 4, 47743-47751 Neutral molecular cluster formation of sulfuric acid-dimethylamine observed in real time under atmospheric conditions. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 15019-24 Observations on the formation, growth and chemical composition of aerosols in an urban environment. Environmental Science & Samp; Technology, 2014, 48, 6588-96 Growth rates of atmospheric molecular clusters based on appearance times and	10.3 3.7 11.5	15 3 155 16
671 670 669 668	Infrared studies of the reaction of methanesulfonic acid with trimethylamine on surfaces. Environmental Science & Damp; Technology, 2014, 48, 323-30 X-ray induced fragmentation of size-selected salt cluster-ions stored in an ion trap. RSC Advances, 2014, 4, 47743-47751 Neutral molecular cluster formation of sulfuric acid-dimethylamine observed in real time under atmospheric conditions. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 15019-24 Observations on the formation, growth and chemical composition of aerosols in an urban environment. Environmental Science & Damp; Technology, 2014, 48, 6588-96 Growth rates of atmospheric molecular clusters based on appearance times and collision Byaporation fluxes: Growth by monomers. 2014, 78, 55-70	10.3 3.7 11.5	15 3 155 16

663	Critical cluster size cannot in practice be determined by slope analysis in atmospherically relevant applications. 2014 , 77, 127-144		24
662	Hydration of the sulfuric acid-methylamine complex and implications for aerosol formation. <i>Journal of Physical Chemistry A</i> , 2014 , 118, 7430-41	2.8	43
661	Trimethylamine/sulfuric acid/water clusters: a matrix isolation infrared study. <i>Journal of Physical Chemistry A</i> , 2014 , 118, 1004-11	2.8	21
660	Hydration of atmospherically relevant molecular clusters: computational chemistry and classical thermodynamics. <i>Journal of Physical Chemistry A</i> , 2014 , 118, 2599-611	2.8	80
659	Benchmarking ab initio binding energies of hydrogen-bonded molecular clusters based on FTIR spectroscopy. <i>Journal of Physical Chemistry A</i> , 2014 , 118, 5316-22	2.8	48
658	Molecular interaction of pinic acid with sulfuric acid: exploring the thermodynamic landscape of cluster growth. <i>Journal of Physical Chemistry A</i> , 2014 , 118, 7892-900	2.8	57
657	From collisions to clusters: first steps of sulphuric acid nanocluster formation dynamics. 2014 , 112, 197	79-1986	5 13
656	Gas-phase alkyl amines in urban air; comparison with a boreal forest site and importance for local atmospheric chemistry. <i>Atmospheric Environment</i> , 2014 , 94, 192-197	5.3	20
655	Nitrogen and Sulfur Compounds in Atmospheric Aerosols: A New Parametrization of Polarized Molecular Orbital Model Chemistry and Its Validation against Converged CCSD(T) Calculations for Large Clusters. 2014 , 10, 3129-39		8
654	Stabilization of sulfuric acid dimers by ammonia, methylamine, dimethylamine, and trimethylamine. 2014 , 119, 7502-7514		126
653	Molecular constraints on particle growth during new particle formation. 2014 , 41, 6045-6054		24
652	Atmospheric amines and ammonia measured with a chemical ionization mass spectrometer (CIMS). <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 12181-12194	6.8	99
651	Analysis of feedbacks between nucleation rate, survival probability and cloud condensation nuclei formation. <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 5577-5597	6.8	55
650	Ion [particle interactions during particle formation and growth at a coniferous forest site in central Europe. <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 10547-10563	6.8	13
649	Methane sulfonic acid-enhanced formation of molecular clusters of sulfuric acid and dimethyl amine. <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 12023-12030	6.8	86
648	Modeling of gaseous methylamines in the global atmosphere: impacts of oxidation and aerosol uptake. <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 12455-12464	6.8	43
647	The direct and indirect radiative effects of biogenic secondary organic aerosol. <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 447-470	6.8	146
646	Overview of the Manitou Experimental Forest Observatory: site description and selected science results from 2008 to 2013. <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 6345-6367	6.8	51

645	Chemistry of new particle growth in mixed urban and biogenic emissions linsights from CARES. <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 6477-6494	6.8	42
644	Enhancement of atmospheric H ₂ SO ₄ / H₂O nucleation: organic oxidation products versus amines. <i>Atmospheric</i> Chemistry and Physics, 2014 , 14, 751-764	6.8	42
643	Electrical charging changes the composition of sulfuric acidemmonia/dimethylamine clusters. <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 7995-8007	6.8	47
642	Oxidation of SO2 and formation of water droplets under irradiation of 20 MeV protons in N2/H2O/SO2. 2015 , 365, 616-621		
641	Organic aerosol processing in tropical deep convective clouds: Development of a new model (CRM-ORG) and implications for sources of particle number. 2015 , 120, 10,441		12
640	Global oceanic emission of ammonia: Constraints from seawater and atmospheric observations. 2015 , 29, 1165-1178		71
639	On the properties and atmospheric implication of amine-hydrated clusters. RSC Advances, 2015, 5, 915	00 5.9 15	151
638	Model studies of volatile diesel exhaust particle formation: are organic vapours involved in nucleation and growth?. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 10435-10452	6.8	28
637	The role of organic condensation on ultrafine particle growth during nucleation events. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 6337-6350	6.8	15
636	Formation of highly oxidized multifunctional compounds: autoxidation of peroxy radicals formed in the ozonolysis of alkenes Eleduced from structure product relationships. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 6745-6765	6.8	134
635	Experimental investigation of ionIbn recombination under atmospheric conditions. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 7203-7216	6.8	33
634	Particulate matter, air quality and climate: lessons learned and future needs. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 8217-8299	6.8	462
633	Thermodynamics of the formation of sulfuric acid dimers in the binary (H ₂ SO ₄ H ₂ O) and ternary (H ₂ SO ₄ H ₂ ONH _{3<!--</td--><td>6.8 'sub&g</td><td>22 t;)</td>}	6.8 'sub&g	22 t;)
632	system. Atmospheric Chemistry and Physics, 2015, 15, 10701-10721 Modelling the contribution of biogenic volatile organic compounds to new particle formation in the Jlich plant atmosphere chamber. Atmospheric Chemistry and Physics, 2015, 15, 10777-10798	6.8	17
631	Natural new particle formation at the coastal Antarctic site Neumayer. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 11399-11410	6.8	31
630	Spring and summer contrast in new particle formation over nine forest areas in North America. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 13993-14003	6.8	26
629	On the derivation of particle nucleation rates from experimental formation rates. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 4063-4075	6.8	25
628	Elemental composition and clustering behaviour of pinene oxidation products for different oxidation conditions. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 4145-4159	6.8	14

627	Iodine observed in new particle formation events in the Arctic atmosphere during ACCACIA. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 5599-5609	6.8	76
626	Technical Note: Using DEG-CPCs at upper tropospheric temperatures. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 7547-7555	6.8	11
625	Geographical and diurnal features of amine-enhanced boundary layer nucleation. 2015 , 120, 9606-9624	ŀ	24
624	Ideas and perspectives: on the emission of amines from terrestrial vegetation in the context of new atmospheric particle formation. 2015 , 12, 3225-3240		16
623	Bisulfate Itluster based atmospheric pressure chemical ionization mass spectrometer for high-sensitivity (< 100 ppqV) detection of atmospheric dimethyl amine: proof-of-concept and first ambient data from boreal forest. <i>Atmospheric Measurement Techniques</i> , 2015 , 8, 4001-4011	4	25
622	A Review of Aerosol Nanoparticle Formation from Ions. 2015 , 32, 57-74		11
621	The charging of neutral dimethylamine and dimethylamineBulfuric acid clusters using protonated acetone. <i>Atmospheric Measurement Techniques</i> , 2015 , 8, 2577-2588	4	1
620	On the composition of ammoniaBulfuric-acid ion clusters during aerosol particle formation. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 55-78	6.8	68
619	Water Activities and Osmotic Coefficients of Aqueous Solutions of Five Alkylaminium Sulfates and Their Mixtures with H2SO4 at 25oC. 2015 , 49, 566-579		14
618	Protonation Dynamics and Hydrogen Bonding in Aqueous Sulfuric Acid. 2015 , 119, 11732-9		22
617	A means to an interface: investigating monoethanolamine behavior at an aqueous surface. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 21458-69	3.6	10
616	Volatility of atmospherically relevant alkylaminium carboxylate salts. <i>Journal of Physical Chemistry A</i> , 2015 , 119, 4336-46	2.8	12
615	The molecular identification of organic compounds in the atmosphere: state of the art and challenges. 2015 , 115, 3919-83		300
614	An experimental and theoretical study of the gas phase kinetics of atomic chlorine reactions with CH3NH2, (CH3)2NH, and (CH3)3N. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 911-7	3.6	22
613	Sulfuric acid nucleation: An experimental study of the effect of seven bases. 2015 , 120, 1933-1950		123
612	Interaction of gas phase oxalic acid with ammonia and its atmospheric implications. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 9552-63	3.6	50
611	Reply to the Comment on Enhancement in the production of nucleating clusters due to dimethylamine and large uncertainties in the thermochemistry of amine-enhanced nucleation by Kupiainen-Maatta et al 2015, 624, 111-118		13
610	Comment on Enhancement in the production of nucleating clusters due to dimethylamine and large uncertainties in the thermochemistry of amine-enhanced nucleation by Nadykto et al., Chem. Phys. Lett. 609 (2014) 4249 2015 624 107-110		11

(2015-2015)

609	Techniques and instruments used for real-time analysis of atmospheric nanoscale molecular clusters: A review. 2015 , 1, 33-38		6	
608	Properties and Atmospheric Implication of Methylamine-Sulfuric Acid-Water Clusters. <i>Journal of Physical Chemistry A</i> , 2015 , 119, 8657-66	2.8	34	
607	Computational Study of the Clustering of a Cyclohexene Autoxidation Product C6H8O7 with Itself and Sulfuric Acid. <i>Journal of Physical Chemistry A</i> , 2015 , 119, 8414-21	2.8	37	
606	Estimating the Lower Limit of the Impact of Amines on Nucleation in the Earth Atmosphere. 2015 , 17, 2764-2780		40	
605	Rayleigh light scattering properties of atmospheric molecular clusters consisting of sulfuric acid and bases. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 15701-9	3.6	9	
604	Surface-active organic matter induces salt morphology transitions during new atmospheric particle formation and growth. <i>RSC Advances</i> , 2015 , 5, 63240-63251	3.7	3	
603	Bisulphate-cluster based atmospheric pressure chemical ionization mass spectrometer for ultra-high sensitivity (10 ppq) detection of atmospheric amines: proof-of-concept and first ambient data from boreal forest. 2015 ,		1	
602	The effect of large amplitude motions on the vibrational intensities in hydrogen bonded complexes. 2015 , 142, 094304		34	
601	Hygroscopic and phase transition properties of alkyl aminium sulfates at low relative humidities. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 19789-96	3.6	22	
600	IMS-MS and IMS-IMS investigation of the structure and stability of dimethylamine-sulfuric acid nanoclusters. <i>Journal of Physical Chemistry A</i> , 2015 , 119, 2026-36	2.8	25	
599	Roles of SO2 oxidation in new particle formation events. <i>Journal of Environmental Sciences</i> , 2015 , 30, 90-101	6.4	7	
598	Chemistry and the Linkages between Air Quality and Climate Change. 2015 , 115, 3856-97		205	
597	The validation and measurement uncertainty of an automated gas chromatograph for marine studies of atmospheric dimethylsulfide. 2015 , 7, 3893-3902		8	
596	Size-resolved characterisation of organic compounds in atmospheric aerosols collected at Welgegund, South Africa. 2015 , 72, 43-64		16	
595	The mass thobility distributions of ions produced by a Po-210 source in air. 2015 , 90, 36-50		48	
594	Growth of Ammonium Bisulfate Clusters by Adsorption of Oxygenated Organic Molecules. <i>Journal of Physical Chemistry A</i> , 2015 , 119, 11191-8	2.8	11	
593	Communication: kinetics of scavenging of small, nucleating clusters: first nucleation theorem and sum rules. 2015 , 142, 011102		11	
592	Nanoscale interfacial gradients formed by the reactive uptake of OH radicals onto viscous aerosol surfaces. 2015 , 6, 7020-7027		66	

591	Structures, Hydration, and Electrical Mobilities of Bisulfate Ion-Sulfuric Acid-Ammonia/Dimethylamine Clusters: A Computational Study. <i>Journal of Physical Chemistry A</i> , 2015 , 119, 9670-9	2.8	28
590	New particle formation and growth from methanesulfonic acid, trimethylamine and water. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 13699-709	3.6	67
589	Mathematics of Energy and Climate Change. 2015,		1
588	Connection of organics to atmospheric new particle formation and growth at an urban site of Beijing. <i>Atmospheric Environment</i> , 2015 , 103, 7-17	5.3	43
587	Measurement of atmospheric amines and ammonia using the high resolution time-of-flight chemical ionization mass spectrometry. <i>Atmospheric Environment</i> , 2015 , 102, 249-259	5.3	97
586	Cryogenic ion trap vibrational spectroscopy of hydrogen-bonded clusters relevant to atmospheric chemistry. 2015 , 34, 1-34		140
585	Heterogeneous uptake of amines onto kaolinite in the temperature range of 232B00 K. 2016 ,		
584	Analysis of multiple new-particle growth pathways observed at the US DOE Southern Great Plains field site. 2016 ,		
583	Growth of nucleation mode particles in the summertime Arctic: a case study. 2016,		1
582	A Monte Carlo approach for determining cluster evaporation rates from concentration measurements. 2016 ,		
581	Implementation of state-of-the-art ternary new particle formation scheme to the regional chemical transport model PMCAMx-UF in Europe. 2016 ,		2
580	Chemical ionization of clusters formed from sulfuric acid and dimethylamine or diamines. 2016,		
579	Implementation of state-of-the-art ternary new-particle formation scheme to the regional chemical transport model PMCAMx-UF in Europe. 2016 , 9, 2741-2754		10
578	Temperature-dependent diffusion coefficient of H<sub> in air: laboratory measurements using laminar flow technique. 2016 ,		4
577	A global view on atmospheric concentrations of sub-3 nm particles measured with the Particle Size Magnifier. 2016 ,		1
576	Technical Note: Conversion of Isoprene Hydroxy Hydroperoxides (ISOPOOH) on Metal Environmental Simulation Chamber Walls. 2016 ,		
575	Detection of dimethylamine in the low pptv range using nitrate chemical ionization atmospheric pressure interface time-of-flight (CI-APi-TOF) mass spectrometry. <i>Atmospheric Measurement Techniques</i> , 2016 , 9, 2135-2145	4	20
574	Can Open Science save us from a solar-driven monsoon?. 2016 , 6, A11		

573	Heterogeneous uptake of ammonia and dimethylamine into sulfuric and oxalic acid particles. 2016,		1
572	Detection of atmospheric gaseous amines and amides by a high resolution time-of-flight chemical ionization mass spectrometer with protonated ethanol reagent ions. 2016 ,		
571	A new high-transmission inlet for the Caltech nano-RDMA for size distribution measurements of sub-3 nm ions at ambient concentrations. <i>Atmospheric Measurement Techniques</i> , 2016 , 9, 2709-2720	4	13
570	Operation of the Airmodus A11 nano Condensation Nucleus Counter at various inlet pressures and various operation temperatures, and design of a new inlet system. <i>Atmospheric Measurement Techniques</i> , 2016 , 9, 2977-2988	4	28
569	The Carbon Aerosol / Particles Nucleation with a Lidar: Numerical Simulations and Field Studies. 2016 , 119, 18001		1
568	Solar irradiance observed at Summit, Greenland: Possible links to magnetic activity on short timescales. 2016 , 147, 59-70		10
567	BAECC: A Field Campaign to Elucidate the Impact of Biogenic Aerosols on Clouds and Climate. 2016 , 97, 1909-1928		57
566	Effect of ions on sulfuric acid-water binary particle formation: 2. Experimental data and comparison with QC-normalized classical nucleation theory. 2016 , 121, 1752-1775		80
565	Free energy of formation of clusters of sulphuric acid and water molecules determined by guided disassembly. 2016 , 42, 1125-1134		1
564	Effect of ions on sulfuric acid-water binary particle formation: 1. Theory for kinetic- and nucleation-type particle formation and atmospheric implications. 2016 , 121, 1736-1751		28
563	Evidence of atmospheric nanoparticle formation from emissions of marine microorganisms. 2016 , 43, 6596-6603		15
562	Quantized Faraday and Kerr rotation and axion electrodynamics of a 3D topological insulator. 2016 , 354, 1124-1127		169
561	Effect of dimethylamine on the gas phase sulfuric acid concentration measured by Chemical Ionization Mass Spectrometry. 2016 , 121, 3036-3049		13
560	Sulphur KI\(\text{Pmission spectra reveal protonation states of aqueous sulfuric acid. \(\textit{Scientific Reports,}\) 2016 , 6, 21012	4.9	10
559	Experimental particle formation rates spanning tropospheric sulfuric acid and ammonia abundances, ion production rates, and temperatures. 2016 , 121, 12,377		54
558	The Effect of Water and Bases on the Clustering of a Cyclohexene Autoxidation Product C6H8O7 with Sulfuric Acid. <i>Journal of Physical Chemistry A</i> , 2016 , 120, 2240-9	2.8	27
557	Ion-induced nucleation of pure biogenic particles. <i>Nature</i> , 2016 , 533, 521-6	50.4	377
556	Infrared spectroscopic probing of dimethylamine clusters in an Ar matrix. <i>Journal of Environmental Sciences</i> , 2016 , 40, 51-9	6.4	16

555	Nitrogen-Containing Low Volatile Compounds from Pinonaldehyde-Dimethylamine Reaction in the Atmosphere: A Laboratory and Field Study. <i>Environmental Science & Environmental S</i>	0 ^{10.3}	20
554	Role of Double Hydrogen Atom Transfer Reactions in Atmospheric Chemistry. 2016 , 49, 877-83		60
553	Strong Hydrogen Bonded Molecular Interactions between Atmospheric Diamines and Sulfuric Acid. Journal of Physical Chemistry A, 2016 , 120, 3693-700	2.8	45
552	Hydration of oxalic acidemmonia complex: atmospheric implication and Rayleigh-scattering properties. <i>RSC Advances</i> , 2016 , 6, 46582-46593	3.7	15
551	Ion mobility spectrometry-mass spectrometry examination of the structures, stabilities, and extents of hydration of dimethylamine-sulfuric acid clusters. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 22962-72	3.6	30
550	Quantification of glycine betaine, choline and trimethylamine N-oxide in seawater particulates: Minimisation of seawater associated ion suppression. 2016 , 938, 114-22		17
549	Formation of the H2SO4 [HSO] dimer in the atmosphere as a function of conditions: a simulation study. 2016 , 114, 3475-3482		4
548	Characterization of the nucleation precursor (H2SO4(CH3)2NH) complex: intra-cluster interactions and atmospheric relevance. <i>RSC Advances</i> , 2016 , 6, 5824-5836	3.7	8
547	Anions Stabilize Each Other inside Macrocyclic Hosts. 2016 , 128, 14263-14268		22
546	Aerosol Chemistry Resolved by Mass Spectrometry: Insights into Particle Growth after Ambient New Particle Formation. <i>Environmental Science & Environmental Science & Environm</i>	10.3	16
545	Anions Stabilize Each Other inside Macrocyclic Hosts. 2016 , 55, 14057-14062		94
544	Ozonolysis of Trimethylamine Exchanged with Typical Ammonium Salts in the Particle Phase. <i>Environmental Science & Environmental Science & Environment</i>	10.3	9
543	Effects of amines on particle growth observed in new particle formation events. 2016 , 121, 324-335		41
542	Theoretical Studies on Reactions of OH with H2SO4NH3 Complex and NH2 with H2SO4 in the Presence of Water. 2016 , 1, 1421-1430		15
541	Branching Ratios and Vibrational Distributions in Water-Forming Reactions of OH and OD Radicals with Methylamines. <i>Journal of Physical Chemistry A</i> , 2016 , 120, 6698-711	2.8	11
540	Highlights from Faraday Discussion: Chemistry in the urban atmosphere, United Kingdom, April 2016. 2016 , 52, 9162-72		2
539	Contribution of Arctic seabird-colony ammonia to atmospheric particles and cloud-albedo radiative effect. 2016 , 7, 13444		65
538	Diamine-sulfuric acid reactions are a potent source of new particle formation. 2016 , 43, 867-873		56

Aerosol Nucleation in the Terrestrial Atmosphere. **2016**, 87-114

536	Modeling the thermodynamics and kinetics of sulfuric acid-dimethylamine-water nanoparticle growth in the CLOUD chamber. 2016 , 50, 1017-1032		10
535	Global atmospheric particle formation from CERN CLOUD measurements. 2016, 354, 1119-1124		207
534	The effect of acid-base clustering and ions on the growth of atmospheric nano-particles. 2016 , 7, 11594		88
533	Accurate thermodynamic properties of gas phase hydrogen bonded complexes. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 23831-9	3.6	17
532	Aerosol measurements during COPE: composition, size, and sources of CCN and INPs at the interface between marine and terrestrial influences. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 1168	7 ⁶ 1 ⁸ 70)9 ⁹
531	A chamber study of the influence of boreal BVOC emissions and sulfuric acid on nanoparticle formation rates at ambient concentrations. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 1955-1970	6.8	6
530	Multiple new-particle growth pathways observed at the US DOE Southern Great Plains field site. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 9321-9348	6.8	24
529	Unexpectedly acidic nanoparticles formed in dimethylaminelmmonialulfuric-acid nucleation experiments at CLOUD. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 13601-13618	6.8	18
528	Detection of atmospheric gaseous amines and amides by a high-resolution time-of-flight chemical ionization mass spectrometer with protonated ethanol reagent ions. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 14527-14543	6.8	69
527	Using satellite-based measurements to explore spatiotemporal scales and variability of drivers of new particle formation. 2016 , 121, 12217-12235		5
526	Chemical ionization of clusters formed from sulfuric acid and dimethylamine or diamines. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 12513-12529	6.8	22
525	Observation of new particle formation and measurement of sulfuric acid, ammonia, amines and highly oxidized organic molecules at a rural site in central Germany. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 12793-12813	6.8	51
524	A Monte Carlo approach for determining cluster evaporation rates from concentration measurements. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 14585-14598	6.8	7
523	High concentrations of sub-3nm clusters and frequent new particle formation observed in the Po Valley, Italy, during the PEGASOS 2012 campaign. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 1919-19	3 5 .8	18
522	Comprehensive modelling study on observed new particle formation at the SORPES station in Nanjing, China. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 2477-2492	6.8	35
521	Nucleation and growth of sub-3 nm particles in the polluted urban atmosphere of a megacity in China. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 2641-2657	6.8	42
520	Hygroscopicity of nanoparticles produced from homogeneous nucleation in the CLOUD experiments. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 293-304	6.8	19

519	Size distribution and mixing state of black carbon particles during a heavy air pollution episode in Shanghai. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 5399-5411	6.8	58
518	Growth of nucleation mode particles in the summertime Arctic: a case study. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 7663-7679	6.8	86
517	Regional effect on urban atmospheric nucleation. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 8715-8	726 8	40
516	Modeling impacts of NH3 on uptake of H2SO4 by charged nucleating nanoparticles in the Earth atmosphere. 2016 ,		
515	Indirect evidence of the composition of nucleation mode atmospheric particles in the high Arctic. 2016 , 121, 965-975		34
514	Correlation between total solar irradiance and global land temperatures for the last 120 years. 2016 ,		
513	Reactions of Methanesulfonic Acid with Amines and Ammonia as a Source of New Particles in Air. 2016 , 120, 1526-36		86
512	On secondary new particle formation in China. 2016 , 10, 1		39
511	Dynamic and chemical controls on new particle formation occurrence and characteristics from in situ and satellite-based measurements. <i>Atmospheric Environment</i> , 2016 , 127, 316-325	5.3	3
510	Clustering of amines and hydrazines in atmospheric nucleation. 2016 , 472, 198-207		12
509	Coupled Cluster Evaluation of the Stability of Atmospheric Acid-Base Clusters with up to 10 Molecules. <i>Journal of Physical Chemistry A</i> , 2016 , 120, 621-30	2.8	62
508	"Sizing" Heterogeneous Chemistry in the Conversion of Gaseous Dimethyl Sulfide to Atmospheric Particles. <i>Environmental Science & Environmental Scienc</i>	10.3	18
507	Dimethyl sulfide and other biogenic volatile organic compound emissions from branching coral and reef seawater: potential sources of secondary aerosol over the Great Barrier Reef. 2016 , 73, 303-328		30
506	Stimulation of soil organic nitrogen pool: The effect of plant and soil organic matter degrading enzymes. 2016 , 96, 97-106		37
505	Computational Study on the Effect of Hydration on New Particle Formation in the Sulfuric Acid/Ammonia and Sulfuric Acid/Dimethylamine Systems. <i>Journal of Physical Chemistry A</i> , 2016 , 120, 1886-96	2.8	56
504	Can Highly Oxidized Organics Contribute to Atmospheric New Particle Formation?. <i>Journal of Physical Chemistry A</i> , 2016 , 120, 1452-8	2.8	30
503	Review on recent progress in observations, source identifications and countermeasures of PM2.5. 2016 , 86, 150-70		184
502	Dimethylamine Addition to Formaldehyde Catalyzed by a Single Water Molecule: A Facile Route for Atmospheric Carbinolamine Formation and Potential Promoter of Aerosol Growth. <i>Journal of Physical Chemistry A</i> , 2016 , 120, 1358-68	2.8	26

501	Cluster Model Studies of Anion and Molecular Specificities via Electrospray Ionization Photoelectron Spectroscopy. <i>Journal of Physical Chemistry A</i> , 2017 , 121, 1389-1401	2.8	37
500	The high charge fraction of flame-generated particles in the size range below 3 nm measured by enhanced particle detectors. 2017 , 176, 72-80		24
499	Oxygenate-Induced Tuning of Aldehyde-Amine Reactivity and Its Atmospheric Implications. <i>Journal of Physical Chemistry A</i> , 2017 , 121, 1022-1031	2.8	11
498	The Role of Oxalic Acid in New Particle Formation from Methanesulfonic Acid, Methylamine, and Water. <i>Environmental Science & Environmental Science & </i>	10.3	38
497	Vibrational transitions in hydrogen bonded bimolecular complexes 🖪 local mode perturbation theory approach to transition frequencies and intensities. 2017 , 334, 1-9		18
496	Regional and local new particle formation events observed in the Yangtze River Delta region, China. 2017 , 122, 2389-2402		31
495	Reaction of SO with OH in the atmosphere. <i>Physical Chemistry Chemical Physics</i> , 2017 , 19, 8091-8100	3.6	49
494	Contribution of methane sulfonic acid to new particle formation in the atmosphere. 2017 , 174, 689-699		40
493	Laboratory observations of temperature and humidity dependencies of nucleation and growth rates of sub-3 nm particles. 2017 , 122, 1919-1929		20
492	Atmospheric Aerosols: Clouds, Chemistry, and Climate. 2017 , 8, 427-444		50
491	The enhancement mechanism of glycolic acid on the formation of atmospheric sulfuric acidammonia molecular clusters. 2017 , 146, 184308		30
490	Chemical Characterization of Gas- and Particle-Phase Products from the Ozonolysis of Pinene in the Presence of Dimethylamine. <i>Environmental Science & Environmental Science &</i>	10.3	16
489	Computational Fluid Dynamics Studies of a Flow Reactor: Free Energies of Clusters of Sulfuric Acid with NH or Dimethyl Amine. <i>Journal of Physical Chemistry A</i> , 2017 , 121, 3976-3990	2.8	10
488	Ion Pairing and Co-facial Stacking Drive High-Fidelity Bisulfate Assembly with Cyanostar Macrocyclic Hosts. 2017 , 23, 10652-10662		41
487	What Is Required for Highly Oxidized Molecules To Form Clusters with Sulfuric Acid?. <i>Journal of Physical Chemistry A</i> , 2017 , 121, 4578-4587	2.8	43
486	Introductory lecture: atmospheric chemistry in the Anthropocene. 2017 , 200, 11-58		15
485	Proton Transfer in Mixed Clusters of Methanesulfonic Acid, Methylamine, and Oxalic Acid: Implications for Atmospheric Particle Formation. <i>Journal of Physical Chemistry A</i> , 2017 , 121, 2377-2385	2.8	29
484	Formation of Low-Volatility Organic Compounds in the Atmosphere: Recent Advancements and Insights. 2017 , 8, 1503-1511		61

483	Interaction of oxalic acid with dimethylamine and its atmospheric implications. <i>RSC Advances</i> , 2017 , 7, 6374-6388	3.7	34
482	Formation of atmospheric molecular clusters consisting of sulfuric acid and CHO tricarboxylic acid. <i>Physical Chemistry Chemical Physics</i> , 2017 , 19, 4877-4886	3.6	37
481	Reactive Uptake of Dimethylamine by Ammonium Sulfate and Ammonium Sulfate-Sucrose Mixed Particles. <i>Journal of Physical Chemistry A</i> , 2017 , 121, 206-215	2.8	18
480	Atmospheric implication of the hydrogen bonding interaction in hydrated clusters of HONO and dimethylamine in the nighttime. 2017 , 19, 65-77		13
479	Phosphoric acid a potentially elusive participant in atmospheric new particle formation. 2017 , 115, 2168-2179		12
478	Basis set convergence of the binding energies of strongly hydrogen-bonded atmospheric clusters. <i>Physical Chemistry Chemical Physics</i> , 2017 , 19, 1122-1133	3.6	55
477	Elucidating the Limiting Steps in Sulfuric Acid-Base New Particle Formation. <i>Journal of Physical Chemistry A</i> , 2017 , 121, 8288-8295	2.8	35
476	Particle formation and growth from oxalic acid, methanesulfonic acid, trimethylamine and water: a combined experimental and theoretical study. <i>Physical Chemistry Chemical Physics</i> , 2017 , 19, 28286-283	30 ³¹ 6	30
475	Contribution of livestock HS to total sulfur emissions in a region with intensive animal production. 2017 , 8, 1069		23
474	New Particle Formation and Growth Mechanisms in Highly Polluted Environments. 2017 , 3, 245-253		28
473	Knudsen cell studies of the uptake of gaseous ammonia and amines onto C3-C7 solid dicarboxylic acids. <i>Physical Chemistry Chemical Physics</i> , 2017 , 19, 26296-26309	3.6	4
472	Diamines Can Initiate New Particle Formation in the Atmosphere. <i>Journal of Physical Chemistry A</i> , 2017 , 121, 6155-6164	2.8	49
471	Causes and importance of new particle formation in the present-day and preindustrial atmospheres. 2017 , 122, 8739-8760		119
470	On the sources of uncertainty in the sub-3 nm particle concentration measurement. 2017 , 112, 34-51		23
469	Antarctic sea ice region as a source of biogenic organic nitrogen in aerosols. <i>Scientific Reports</i> , 2017 , 7, 6047	4.9	43
468	Cosmic rays, aerosols, clouds, and climate: Recent findings from the CLOUD experiment. 2017 , 122, 80	51-805	5 17
467	A molecular-scale study on the role of lactic acid in new particle formation: Influence of relative humidity and temperature. <i>Atmospheric Environment</i> , 2017 , 166, 479-487	5.3	31
466	Molecular understanding of the interaction of methyl hydrogen sulfate with ammonia/dimethylamine/water. 2017 , 186, 331-340		13

465	Study of BenW (n = 1112) clusters: An electron collision perspective. 2017 , 24, 083514		4
464	Ion pair particles at the air-water interface. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 12401-12406	11.5	19
463	Arctic sea ice melt leads to atmospheric new particle formation. Scientific Reports, 2017, 7, 3318	4.9	67
462	Aerosols in the Pre-industrial Atmosphere. 2017 , 3, 1-15		65
461	C1-C2 alkyl aminiums in urban aerosols: Insights from ambient and fuel combustion emission measurements in the Yangtze River Delta region of China. 2017 , 230, 12-21		18
460	Atmospheric Fate of Monoethanolamine: Enhancing New Particle Formation of Sulfuric Acid as an Important Removal Process. <i>Environmental Science & Environmental Science & Envi</i>	10.3	60
459	New particle formation from sulfuric acid and amines: Comparison of monomethylamine, dimethylamine, and trimethylamine. 2017 , 122, 7103-7118		64
458	Molecular-resolution simulations of new particle formation: Evaluation of common assumptions made in describing nucleation in aerosol dynamics models. 2017 , 51, 397-408		10
457	New Particle Formation from Methanesulfonic Acid and Amines/Ammonia as a Function of Temperature. <i>Environmental Science & Environmental Science & Env</i>	10.3	57
456	Perspective: Aerosol microphysics: From molecules to the chemical physics of aerosols. 2017 , 147, 2209	901	30
455	The role of highly oxygenated molecules (HOMs) in determining the composition of ambient ions in the boreal forest. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 13819-13831	6.8	34
151			
454	The role of ions in new particle formation in the CLOUD chamber. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 15181-15197	6.8	32
453		6.8	3 ²
	Physics, 2017, 17, 15181-15197 Measurements of sub-3 nm particles using a particle size magnifier in different environments: from		
453	Physics, 2017, 17, 15181-15197 Measurements of sub-3 nm particles using a particle size magnifier in different environments: from clean mountain top to polluted megacities. Atmospheric Chemistry and Physics, 2017, 17, 2163-2187 Chemical characterization of atmospheric ions at the high altitude research station Jungfraujoch	6.8	56
453 452	Physics, 2017, 17, 15181-15197 Measurements of sub-3 nm particles using a particle size magnifier in different environments: from clean mountain top to polluted megacities. Atmospheric Chemistry and Physics, 2017, 17, 2163-2187 Chemical characterization of atmospheric ions at the high altitude research station Jungfraujoch (Switzerland). Atmospheric Chemistry and Physics, 2017, 17, 2613-2629 Technical note: Conversion of isoprene hydroxy hydroperoxides (ISOPOOHs) on metal	6.8 6.8 6.8	56
453 452 451	Measurements of sub-3 nm particles using a particle size magnifier in different environments: from clean mountain top to polluted megacities. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 2163-2187 Chemical characterization of atmospheric ions at the high altitude research station Jungfraujoch (Switzerland). <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 2613-2629 Technical note: Conversion of isoprene hydroxy hydroperoxides (ISOPOOHs) on metal environmental simulation chamber walls. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 4053-4062	6.8 6.8 6.8	56 13 12

447	Estimation of atmospheric particle formation rates through an analytical formula: validation and application in Hyytilland Puijo, Finland. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 13361-13371	6.8	1
446	Overview and preliminary results of the Surface Ocean Aerosol Production (SOAP) campaign. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 13645-13667	6.8	18
445	Heterogeneous uptake of ammonia and dimethylamine into sulfuric and oxalic acid particles. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 6323-6339	6.8	14
444	Temperature-Dependent Diffusion of H2SO4 in Air at Atmospherically Relevant Conditions: Laboratory Measurements Using Laminar Flow Technique. 2017 , 8, 132		5
443	Particulate trimethylamine in the summertime Canadian high Arctic lower troposphere. 2017,		1
442	Estimation of atmospheric particle formation rates through an analytical formula: Validation and application in Hyytilland Puijo, Finland. 2017 ,		
441	An Overview of the Surface Ocean Aerosol Production (SOAP) campaign. 2017,		
440	Hydrogen Bonding Interaction between Atmospheric Gaseous Amides and Methanol. 2016, 18,		16
439	Soil concentrations and soil through the exchange of alkylamines in a boreal Scots pine forest. 2017 , 14, 1075-1091		3
438	Measurement-model comparison of stabilized Criegee Intermediate and Highly Oxygenated Molecule production in the CLOUD chamber. 2017 ,		
437	Quantitation of 11 alkylamines in atmospheric samples: separating structural isomers by ion chromatography. <i>Atmospheric Measurement Techniques</i> , 2017 , 10, 1061-1078	4	15
436	The role of ions in new-particle formation in the CLOUD chamber. 2017 ,		
435	The Interplay Between Hydrogen Bonding and Coulombic Forces in Determining the Structure of Sulfuric Acid-Amine Clusters. 2018 , 9, 1216-1222		21
434	Can Urea Be a Seed for Aerosol Particle Formation in Air?. <i>Journal of Physical Chemistry A</i> , 2018 , 122, 3261-3269	2.8	10
433	Thermal Stability of Particle-Phase Monoethanolamine Salts. <i>Environmental Science & Environmental Sci</i>	10.3	4
432	Identification of amines in wintertime ambient particulate material using high resolution aerosol mass spectrometry. <i>Atmospheric Environment</i> , 2018 , 180, 173-183	5.3	7
431	Nitric Acid-Amine Chemistry in the Gas Phase and at the Air-Water Interface. 2018, 140, 6456-6466		31
430	Guanidine: A Highly Efficient Stabilizer in Atmospheric New-Particle Formation. <i>Journal of Physical Chemistry A</i> , 2018 , 122, 4717-4729	2.8	17

429	Vertically resolved concentration and liquid water content of atmospheric nanoparticles at the US DOE Southern Great Plains site. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 311-326	6.8	21
428	Theoretical and Experimental Study on the Reaction of tert-Butylamine with OH Radicals in the Atmosphere. <i>Journal of Physical Chemistry A</i> , 2018 , 122, 4470-4480	2.8	10
427	Interaction of oxalic acid with methylamine and its atmospheric implications <i>RSC Advances</i> , 2018 , 8, 7225-7234	3.7	12
426	Evidence for Diverse Biogeochemical Drivers of Boreal Forest New Particle Formation. 2018 , 45, 2038-2	046	16
425	Ab initio kinetics of the HOSO + O -iSO + HO reaction. <i>Physical Chemistry Chemical Physics</i> , 2018 , 20, 667	7 5. 6 68	78
424	Novel insights on new particle formation derived from a pan-european observing system. <i>Scientific Reports</i> , 2018 , 8, 1482	4.9	34
423	Current state of aerosol nucleation parameterizations for air-quality and climate modeling. <i>Atmospheric Environment</i> , 2018 , 179, 77-106	5.3	18
422	Effect of Mixing Ammonia and Alkylamines on Sulfate Aerosol Formation. <i>Journal of Physical Chemistry A</i> , 2018 , 122, 1612-1622	2.8	40
421	An investigation about the structures, thermodynamics and kinetics of the formic acid involved molecular clusters. 2018 , 507, 44-50		5
420	Effects of NO_{<i>x</i>} and SO₂ on the secondary organic aerosol formation from photooxidation of <i></i>-pinene and limonene. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 1611-1628	6.8	66
419	Measurement in the CLOUD chamber. Atmospheric Chemistry and Physics, 2018, 18, 2363-2380	6.8	13
418	New particle formation in the sulfuric aciddimethylaminellater system: reevaluation of CLOUD chamber measurements and comparison to an aerosol nucleation and growth model. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 845-863	6.8	62
417	Clustering of sulfuric acid, bisulfate ion and organonitrate C10H15O10N: Thermodynamics and atmospheric implications. 2018 , 1133, 40-46		1
416	Towards understanding the role of amines in the SO hydration and the contribution of the hydrated product to new particle formation in the Earth's atmosphere. 2018 , 205, 275-285		13
415	Atmospheric new particle formation at the research station Melpitz, Germany: connection with gaseous precursors and meteorological parameters. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 1835-	1861	18
414	Influence of temperature on the molecular composition of ions and charged clusters during pure biogenic nucleation. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 65-79	6.8	39
413	Observations of biogenic ion-induced cluster formation in the atmosphere. 2018 , 4, eaar5218		37
412	Sub-2 nm particle measurement in high-temperature aerosol reactors: a review. 2018 , 21, 60-66		10

411	The potential role of malonic acid in the atmospheric sulfuric acid - Ammonia clusters formation. 2018 , 203, 26-33		26
410	Synergistic Effect of Ammonia and Methylamine on Nucleation in the Earth's Atmosphere. A Theoretical Study. <i>Journal of Physical Chemistry A</i> , 2018 , 122, 3470-3479	2.8	27
409	Hydrogen bond docking preference in furans: OH?Ū⁄s. OH?O. 2018 , 191, 155-164		15
408	Mass spectrometry of aerosol particle analogues in molecular beam experiments. 2018 , 37, 630-651		38
407	New particle formation and growth at a suburban site and a background site in Hong Kong. 2018 , 193, 664-674		12
406	Impacts of Future European Emission Reductions on Aerosol Particle Number Concentrations Accounting for Effects of Ammonia, Amines, and Organic Species. <i>Environmental Science & Environmental Science & Technology</i> , 2018 , 52, 692-700	10.3	11
405	Cosmic rays and climate. 2018 , 62, 2880-2891		8
404	Technical note: Effects of Uncertainties and Number of Data points on Inference from Data la Case Study on New Particle Formation. 2018 ,		
403	H₂SO₄日₂ONH<sub>3</subarrary ion-mediated nucleation (TIMN): kinetic-based model and comparison with CLOUD measurements. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 17451-17474	u b&g t; 6.8	34
402	High-resolution modeling of gaseous methylamines over a polluted region in China: source-dependent emissions and implications of spatial variations. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 7933-7950	6.8	25
401	A proxy for atmospheric daytime gaseous sulfuric acid concentration in urban Beijing. 2018,		
400	Hydration of 3-hydroxy-4,4-dimethylglutaric acid with dimethylamine complex and its atmospheric implications. <i>Physical Chemistry Chemical Physics</i> , 2018 , 20, 25780-25791	3.6	8
399	Driving parameters of biogenic volatile organic compounds and consequences on new particle formation observed at an Eastern Mediterranean background site. 2018 ,		
398	Galactic Cosmic Rays and Low Clouds: Possible Reasons for Correlation Reversal. 2018,		
397	Constraining nucleation, condensation, and chemistry in oxidation flow reactors using size-distribution measurements and aerosol microphysical modelling. 2018 ,		
396	Driving parameters of biogenic volatile organic compounds and consequences on new particle formation observed at an eastern Mediterranean background site. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 14297-14325	6.8	22
395	Errors in nanoparticle growth rates inferred from measurements in chemically reacting aerosol systems. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 8979-8993	6.8	12
394	Theoretical Insights into the Electron Capture Behavior of HBOIIINID Complex: A DFT and Molecular Dynamics Study. 2018 , 23,		2

393	Amines in boreal forest air at SMEAR II station in Finland. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 6367-6380	5.8	18
392	Characterization of aerosol growth events over Ellesmere Island during the summers of 2015 and 2016. 2018 ,		2
391	Large Increases in Primary Trimethylaminium and Secondary Dimethylaminium in Atmospheric Particles Associated With Cyclonic Eddies in the Northwest Pacific Ocean. 2018 , 123, 12,133-12,146		9
390	Multicomponent new particle formation from sulfuric acid, ammonia, and biogenic vapors. 2018 , 4, eaau	5363	105
389	A molecular-scale study on the hydration of sulfuric acid-amide complexes and the atmospheric implication. 2018 , 213, 453-462		10
388	Characterization of a high-resolution supercritical differential mobility analyzer at reduced flow rates. 2018 , 52, 1332-1343		9
387	Consequences of dynamic and timing properties of new aerosol particle formation and consecutive growth events. 2018 ,		
386	Exploring non-linear associations between atmospheric new-particle formation and ambient variables: a mutual information approach. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 12699-12714	5.8	14
385	Constraining nucleation, condensation, and chemistry in oxidation flow reactors using size-distribution measurements and aerosol microphysical modeling. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 12433-12460	5.8	10
384	The role of H₂SO₄-NH₃ anion clusters in ion-induced aerosol nucleation mechanisms in the boreal forest. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 13231-13243	5.8	19
383	Arctic marine secondary organic aerosol contributes significantly to summertime particle size distributions in the Canadian Arctic Archipelago. 2018 ,		1
382	Exploring the potential of nano-Killer theory to describe the growth of atmospheric molecular clusters by organic vapors using cluster kinetics simulations. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 13733-13754	5.8	7
381	Global analysis of continental boundary layer new particle formation based on long-term measurements. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 14737-14756	6.8	73
380	Multi-year statistical and modeling analysis of submicrometer aerosol number size distributions at a rain forest site in Amazonia. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 10255-10274	5.8	19
379	Processes Controlling the Composition and Abundance of Arctic Aerosol. 2018 , 56, 621-671		54
378	Global analysis of continental boundary layer new particle formation based on long-term measurements. 2018 ,		2
377	Multi-year statistical and modelling analysis of submicrometer aerosol number size distributions at a rain forest site in Amazonia. 2018 ,		
376	Size resolved chemical composition of nanoparticles from reactions of sulfuric acid with ammonia and dimethylamine. 2018 , 52, 1120-1133		14

375	Study of carbon suboxide-containing clusters: A potential sink for cumulene. 2018 , 1142, 78-82		1
374	Direct Link between Structure and Hydration in Ammonium and Aminium Bisulfate Clusters Implicated in Atmospheric New Particle Formation. 2018 , 9, 5647-5652		17
373	High resolution modeling of gaseous methylamines over a polluted region in China: Source-dependent emissions and implications to spatial variations. 2018 ,		
372	H ₂ SO ₄ -H ₂ O-NH _{3ternary ion-mediated nucleation (TIMN): Kinetic-based model and comparison with CLOUD measurements. 2018,}	ıb&g	t; 1
371	A kinetics study of the heterogeneous reaction of n-butylamine with succinic acid using an ATR-FTIR flow reactor. <i>Physical Chemistry Chemical Physics</i> , 2018 , 20, 15464-15472	.6	6
370	Experimental study of H₂SO₄ aerosol nucleation at high ionization levels. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 5921-5930	.8	6
369	Laboratory study of H2SO4/H2O nucleation using a new technique 🗈 laminar co-flow tube. 2018 , 70, 1-11		2
368	Stabilities of protonated water-ammonia clusters. 2018 , 148, 184306		3
367	The role of hydroxymethanesulfonic acid in the initial stage of new particle formation. <i>Atmospheric Environment</i> , 2018 , 189, 244-251	.3	15
366	Direct Observation of Hierarchic Molecular Interactions Critical to Biogenic Aerosol Formation. 2018 , 1,		11
365	New Particle Formation and Growth. 2018, 315-352		8
364	Hygroscopicity of dimethylaminium-, sulfate-, and ammonium-containing nanoparticles. 2018 , 52, 971-983	3	3
363	From O-Initiated SO Oxidation to Sulfate Formation in the Gas Phase. <i>Journal of Physical Chemistry A</i> , 2018 , 122, 5781-5788	.8	8
362	Measurement of methylamines in seawater using solid phase microextraction and gas chromatography. 2018 , 16, 411-420		6
361	Atmospheric new particle formation from sulfuric acid and amines in a Chinese megacity. 2018 , 361, 278-281		265
360	Hydration of Atmospheric Molecular Clusters: A New Method for Systematic Configurational Sampling. <i>Journal of Physical Chemistry A</i> , 2018 , 122, 5026-5036	.8	40
359	Gas phase transformation from organic acid to organic sulfuric anhydride: Possibility and atmospheric fate in the initial new particle formation. 2018 , 212, 504-512		21
358	Uptake of water by an acid-base nanoparticle: theoretical and experimental studies of the methanesulfonic acid-methylamine system. <i>Physical Chemistry Chemical Physics</i> , 2018 , 20, 22249-22259 3	.6	12

357	Self-Catalytic Reaction of SO and NH To Produce Sulfamic Acid and Its Implication to Atmospheric Particle Formation. 2018 , 140, 11020-11028	58
356	Determination of atmospheric alkylamines by ion chromatography using 18-crown-6 as mobile phase additive. 2018 , 1563, 154-161	10
355	Clustering of highly oxidized organic acid with atmospheric NO3Iand HSO4Ilons and neutral species: Thermochemistry and implications to new particle formation. 2018 , 706, 175-181	3
354	New particle formation leads to cloud dimming. 2018 , 1,	12
353	Clustering mechanism of oxocarboxylic acids involving hydration reaction: Implications for the atmospheric models. 2018 , 148, 214303	15
352	Overview of the HI-SCALE Field Campaign: A New Perspective on Shallow Convective Clouds. 2019 , 100, 821-840	23
351	Effects of Continental Clouds on Surface Aitken and Accumulation Modes. 2019 , 124, 5479-5502	11
350	Toward the improvement of total nitrogen deposition budgets in the United States. <i>Science of the Total Environment</i> , 2019 , 691, 1328-1352	10
349	The heterogeneous reaction of dimethylamine/ammonia with sulfuric acid to promote the growth of atmospheric nanoparticles. 2019 , 6, 2767-2776	6
348	Observations of Highly Oxidised Molecules and Particle Nucleation in the Atmosphere of Beijing. 2019 ,	
347	Remote Sensing Observation of New Particle Formation Events with a (UV, VIS) Polarization Lidar. 2019 , 11, 1761	6
346	Temperature effects on sulfuric acid aerosol nucleation and growth: initial results from the TANGENT study. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 8915-8929	11
345	Piperazine Enhancing Sulfuric Acid-Based New Particle Formation: Implications for the Atmospheric Fate of Piperazine. <i>Environmental Science & Environmental Science & Environ</i>	19
344	New Particle Formation in the Atmosphere: From Molecular Clusters to Global Climate. 2019 , 124, 7098-714	5 95
343	Emission of trace gases and aerosols from biomass burning lan updated assessment. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 8523-8546	236
342	Characterising Particulate Organic Nitrogen at A Savannah-Grassland Region in South Africa. 2019 , 10, 492	5
341	New particle formation, growth and apparent shrinkage at a rural background site in western Saudi Arabia. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 10537-10555	11
340	Size-segregated water-soluble N-bearing species in the land-sea boundary zone of East China. Atmospheric Environment, 2019 , 218, 116990 5-3	2

339	Methanesulfonic Acid-driven New Particle Formation Enhanced by Monoethanolamine: A Computational Study. <i>Environmental Science & Enhanced & Enhanced Science & Enhanced & Enh</i>	10.3	24
338	Hydration of glycolic acid sulfate and lactic acid sulfate: Atmospheric implications. <i>Atmospheric Environment</i> , 2019 , 216, 116921	5.3	2
337	Technical note: Effects of uncertainties and number of data points on line fitting (a) case study on new particle formation. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 12531-12543	6.8	8
336	Nonlocal heat conduction approach in a bi-layer tissue during magnetic fluid hyperthermia with dual phase lag model. 2019 , 30, 387-402		7
335	An Atmospheric Cluster Database Consisting of Sulfuric Acid, Bases, Organics, and Water. <i>ACS Omega</i> , 2019 , 4, 10965-10974	3.9	32
334	Role of base strength, cluster structure and charge in sulfuric-acid-driven particle formation. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 9753-9768	6.8	29
333	Molecular insights into organic particulate formation. 2019 , 2,		3
332	Characteristics and sources of aerosol aminiums over the eastern coast of China: insights from the integrated observations in a coastal city, adjacent island and surrounding marginal seas. Atmospheric Chemistry and Physics, 2019, 19, 10447-10467	6.8	14
331	H₂SO₄ and particle production in a photolytic flow reactor: chemical modeling, cluster thermodynamics and contamination issues. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 8999-9015	6.8	5
330	Characteristics and sources of aerosol aminiums over the eastern coast of China: Insights from the integrated observations in a coastal city, adjacent island and the marginal seas. 2019 ,		
329	Electrospray Ionization-Based Synthesis and Validation of Amine-Sulfuric Acid Clusters of Relevance to Atmospheric New Particle Formation. 2019 , 30, 2267-2277		8
328	Parameters governing the performance of electrical mobility spectrometers for measuring sub-3 nm particles. 2019 , 127, 102-115		8
327	Hydration motifs of ammonium bisulfate clusters of relevance to atmospheric new particle formation. 2019 , 217, 47-66		9
326	Elucidating the molecular mechanisms of Criegee-amine chemistry in the gas phase and aqueous surface environments. 2019 , 10, 743-751		13
325	Particle Formation in a Complex Environment. 2019 , 10, 275		5
324	Multiphase chemistry in the troposphere: It all starts and ends with gases. 2019 , 51, 736-752		4
323	New particle formation from sulfuric acid and ammonia: nucleation and growth model based on thermodynamics derived from CLOUD measurements for a wide range of conditions. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 5033-5050	6.8	22
322	Characterization of aerosol growth events over Ellesmere Island during the summers of 2015 and 2016. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 5589-5604	6.8	16

321	Dynamic and timing properties of new aerosol particle formation and consecutive growth events. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 5835-5852	6.8	10	
320	Gibbs energy of complex formation Lombining infrared spectroscopy and vibrational theory. 2019 , 38, 115-148		17	
319	An Experimental and Modeling Study of Nanoparticle Formation and Growth from Dimethylamine and Nitric Acid. <i>Journal of Physical Chemistry A</i> , 2019 , 123, 5640-5648	2.8	12	
318	Chemical Characteristics of PM2.5 and Water-Soluble Organic Nitrogen in Yangzhou, China. 2019 , 10, 178		11	
317	Simultaneous Detection of Alkylamines in the Surface Ocean and Atmosphere of the Antarctic Sympagic Environment. 2019 , 3, 854-862		23	
316	Unexpected Growth Coordinate in Large Clusters Consisting of Sulfuric Acid and CHO Tricarboxylic Acid. <i>Journal of Physical Chemistry A</i> , 2019 , 123, 3170-3175	2.8	11	
315	Chemical Composition of Aerosol over the Arctic Ocean from Summer ARctic EXpedition (AREX) 2011 2 012 Cruises: Ions, Amines, Elemental Carbon, Organic Matter, Polycyclic Aromatic Hydrocarbons, n-Alkanes, Metals, and Rare Earth Elements. 2019 , 10, 54		19	
314	Molecular-Level Understanding of Synergistic Effects in Sulfuric Acid-Amine-Ammonia Mixed Clusters. <i>Journal of Physical Chemistry A</i> , 2019 , 123, 2420-2425	2.8	38	
313	Impact of neutral and acidic species on cycloalkenes nucleation. 2019 , 30, 1415-1426		1	
312	Role of Criegee Intermediates in Secondary Sulfate Aerosol Formation in Nocturnal Power Plant Plumes in the Southeast US. 2019 , 3, 748-759		8	
311	Arctic marine secondary organic aerosol contributes significantly to summertime particle size distributions in the Canadian Arctic Archipelago. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 2787-281	2 ^{6.8}	25	
310	Atmospheric new particle formation in China. Atmospheric Chemistry and Physics, 2019, 19, 115-138	6.8	73	
309	Ion Mobility-Mass Spectrometry of Iodine Pentoxide-Iodic Acid Hybrid Cluster Anions in Dry and Humidified Atmospheres. 2019 , 10, 1935-1941		16	
308	Aliphatic amines at the Cape Verde Atmospheric Observatory: Abundance, origins and sea-air fluxes. <i>Atmospheric Environment</i> , 2019 , 203, 183-195	5.3	14	
307	A proxy for atmospheric daytime gaseous sulfuric acid concentration in urban Beijing. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 1971-1983	6.8	26	
306	Understanding Hygroscopic Nucleation of Sulfate Aerosols: Combination of Molecular Dynamics Simulation with Classical Nucleation Theory. 2019 , 10, 1126-1132		3	
305	Characterisation of the transfer of cluster ions through an atmospheric pressure interface time-of-flight mass spectrometer with hexapole ion guides. <i>Atmospheric Measurement Techniques</i> , 2019 , 12, 5231-5246	4	6	
304	Observations of highly oxidized molecules and particle nucleation in the atmosphere of Beijing. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 14933-14947	6.8	17	

303	Hydration of acetic acid-dimethylamine complex and its atmospheric implications. <i>Atmospheric Environment</i> , 2019 , 219, 117005	5.3	3
302	Impact of a hydrophobic ion on the early stage of atmospheric aerosol formation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 22540-22544	11.5	4
301	Fission of charged nano-hydrated ammonia clusters - microscopic insights into the nucleation processes. <i>Physical Chemistry Chemical Physics</i> , 2019 , 21, 25749-25762	3.6	4
300	Clustering of HClO4 with Brfisted (H2SO4, HClO4, HNO3) and Lewis acids BX3 (X = H, F, Cl, Br, OH): a DFT study. 2019 , 43, 16932-16944		3
299	Diesel Soot and Amine-Containing Organic Sulfate Aerosols in an Arctic Oil Field. <i>Environmental Science & Environmental Scien</i>	10.3	6
298	Unexpected quenching effect on new particle formation from the atmospheric reaction of methanol with SO. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 24966-24971	11.5	17
297	Rate enhancement in collisions of sulfuric acid molecules due to long-range intermolecular forces. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 13355-13366	6.8	18
296	A density functional theory study of the molecular interactions between a series of amides and sulfuric acid. 2019 , 214, 781-790		15
295	Modeling on Fragmentation of Clusters inside a Mass Spectrometer. <i>Journal of Physical Chemistry A</i> , 2019 , 123, 611-624	2.8	20
294	Formation of atmospheric molecular clusters consisting of methanesulfonic acid and sulfuric acid: Insights from flow tube experiments and cluster dynamics simulations. <i>Atmospheric Environment</i> , 2019 , 199, 380-390	5.3	9
293	Can formaldehyde contribute to atmospheric new particle formation from sulfuric acid and water?. <i>Atmospheric Environment</i> , 2019 , 201, 323-333	5.3	7
292	Atmospheric Reactive Nitrogen in China. 2020 ,		1
291	Understanding the deposition and reaction mechanism of ammonium bisulfate on a vanadia SCR catalyst: A combined DFT and experimental study. 2020 , 260, 118168		38
290	Novel ionization reagent for the measurement of gas-phase ammonia and amines using a stand-alone atmospheric pressure gas chromatography (APGC) source. 2020 , 34, e8561		2
289	Atmospheric implications of hydration on the formation of methanesulfonic acid and methylamine clusters: A theoretical study. 2020 , 244, 125538		12
288	Precision characterization of three ultrafine condensation particle counters using singly charged salt clusters in the 14 nm size range generated by a bipolar electrospray source. 2020 , 54, 396-409		7
287	Role of glycine on sulfuric acid-ammonia clusters formation: Transporter or participator. <i>Journal of Environmental Sciences</i> , 2020 , 89, 125-135	6.4	4
286	Theoretical study of the hydration effects on alkylamine and alkanolamine clusters and the atmospheric implication. 2020 , 243, 125323		7

Atmospheric Sulfuric Acid-Dimethylamine Nucleation Enhanced by Trifluoroacetic Acid. 2020, 47, e2019GL085627 285 Influence of atmospheric conditions on sulfuric acid-dimethylamine-ammonia-based new particle 284 16 formation. 2020, 245, 125554 Formation mechanism of methanesulfonic acid and ammonia clusters: A kinetics simulation study. 283 5.3 14 Atmospheric Environment, 2020, 222, 117161 Seasonal variation of amine-containing particles in urban Guangzhou, China. Atmospheric 282 8 5.3 Environment, 2020, 222, 117102 Characteristics and potential source areas of aliphatic amines in PM2.5 in Yangzhou, China. 2020, 281 11 11, 296-302 Rapid and highly sensitive measurement of trimethylamine in seawater using dynamic purge-release and dopant-assisted atmospheric pressure photoionization mass spectrometry. 2020 280 , 1137, 56-63 Highly oxygenated organic molecule cluster decomposition in atmospheric pressure interface 279 2 4 time-of-flight mass spectrometers. Atmospheric Measurement Techniques, 2020, 13, 3581-3593 Particle formation and surface processes on atmospheric aerosols: A review of applied quantum 10 chemical calculations. 2020, 120, e26350 Size-Resolved Chemical Composition of Sub-20 nm Particles from Methanesulfonic Acid Reactions 8 277 with Methylamine and Ammonia. 2020, 4, 1182-1194 Determinant Factor for Thermodynamic Stability of Sulfuric Acid-Amine Complexes. Journal of 2.8 276 Physical Chemistry A, **2020**, 124, 10246-10257 Deepening into the nucleation and fission processes of nano-hydrated ammonia clusters - a 275 combined theoretical and experimental study. 2020, 1412, 202030 Establishing the structural motifs present in small ammonium and aminium bisulfate clusters of 274 7 relevance to atmospheric new particle formation. 2020, 153, 034307 . 2020, 273 3 Molecular Specificity and Proton Transfer Mechanisms in Aerosol Prenucleation Clusters Relevant 6 272 to New Particle Formation. 2020, 53, 2816-2827 Structural Effects of Amines in Enhancing Methanesulfonic Acid-Driven New Particle Formation. 271 10.3 14 Environmental Science & Environmental Frequent new particle formation over the high Arctic pack ice by enhanced iodine emissions. 2020, 270 35 11.4924 Can nitrous acid contribute to atmospheric new particle formation from nitric acid and water?. 2020 269 2 , 44, 15625-15635 Competition between the hydrogen bond and the halogen bond in a [CHOH-CCl] complex: a matrix 268 isolation IR spectroscopy and computational study. *Physical Chemistry Chemical Physics*, **2020**, 22, 22465-22476

267	Atmospheric Autoxidation of Amines. Environmental Science & Technology, 2020, 54, 11087-11099	10.3	15
266	Room Temperature Gas-Phase Detection and Gibbs Energies of Water Amine Bimolecular Complex Formation. <i>Journal of Physical Chemistry A</i> , 2020 , 124, 7113-7122	2.8	8
265	Quantification of Atmospheric Ammonia Concentrations: A Review of Its Measurement and Modeling. 2020 , 11, 1092		17
264	Detection of gaseous dimethylamine using vocus proton-transfer-reaction time-of-flight mass spectrometry. <i>Atmospheric Environment</i> , 2020 , 243, 117875	5.3	7
263	Neutral Sulfuric Acid-Water Clustering Rates: Bridging the Gap between Molecular Simulation and Experiment. 2020 , 11, 4239-4244		4
262	Interactions of sulfuric acid with common atmospheric bases and organic acids: Thermodynamics and implications to new particle formation. <i>Journal of Environmental Sciences</i> , 2020 , 95, 130-140	6.4	6
261	Volatile organic compounds enhancing sulfuric acid-based ternary homogeneous nucleation: The important role of synergistic effect. <i>Atmospheric Environment</i> , 2020 , 233, 117609	5.3	2
260	Atmospheric New Particle Formation and Cloud Condensation Nuclei. 2020, 415-451		
259	A molecular-scale study on the role of methanesulfinic acid in marine new particle formation. <i>Atmospheric Environment</i> , 2020 , 227, 117378	5.3	7
258	Nucleation mechanisms of iodic acid in clean and polluted coastal regions. 2020 , 253, 126743		10
257	Simultaneous determination of nine atmospheric amines and six inorganic ions by non-suppressed ion chromatography using acetonitrile and 18-crown-6 as eluent additive. 2020 , 1624, 461234		5
256	Hydration of Atmospheric Molecular Clusters III: Procedure for Efficient Free Energy Surface Exploration of Large Hydrated Clusters. <i>Journal of Physical Chemistry A</i> , 2020 , 124, 5253-5261	2.8	10
255	Assessment of the DLPNO Binding Energies of Strongly Noncovalent Bonded Atmospheric Molecular Clusters. <i>ACS Omega</i> , 2020 , 5, 7601-7612	3.9	24
254	A possible unaccounted source of atmospheric sulfate formation: amine-promoted hydrolysis and non-radical oxidation of sulfur dioxide. 2020 , 11, 2093-2102		3
253	Online Aerosol Chemical Characterization by Extractive Electrospray Ionization-Ultrahigh-Resolution Mass Spectrometry (EESI-Orbitrap). <i>Environmental Science & Technology</i> , 2020 , 54, 3871-3880	10.3	13
252	Determination of the amine-catalyzed SO hydrolysis mechanism in the gas phase and at the air-water interface. 2020 , 252, 126292		4
251	A new marine biogenic emission: methane sulfonamide (MSAM), dimethyl sulfide (DMS), and dimethyl sulfone (DMSO₂) measured in air over the Arabian Sea. <i>Atmospheric Chemistry and Physics</i> , 2020 , 20, 6081-6094	6.8	9
250	Measurement of ammonia, amines and iodine compounds using protonated water cluster chemical ionization mass spectrometry. <i>Atmospheric Measurement Techniques</i> , 2020 , 13, 2501-2522	4	8

249	Seasonal Characteristics of New Particle Formation and Growth in Urban Beijing. <i>Environmental Science & Environmental Science</i>	10.3	35
248	Formation Mechanisms of Iodine-Ammonia Clusters in Polluted Coastal Areas Unveiled by Thermodynamics and Kinetic Simulations. <i>Environmental Science & Environmental Science &</i>	2 ^{10.3}	6
247	Modeling the formation and growth of atmospheric molecular clusters: A review. 2020 , 149, 105621		40
246	Fast Evolution of Sulfuric Acid Aerosol Activated by External Fields for Enhanced Emission Control. <i>Environmental Science & Environmental Science & E</i>	10.3	17
245	Enhancing Potential of Trimethylamine Oxide on Atmospheric Particle Formation. 2020, 11, 35		7
244	Effect of NOx and SO on the photooxidation of methylglyoxal: Implications in secondary aerosol formation. <i>Journal of Environmental Sciences</i> , 2020 , 92, 151-162	6.4	7
243	Formation and growth of sub-3-nm aerosol particles in experimental chambers. 2020 , 15, 1013-1040		21
242	Integrated experimental and theoretical approach to probe the synergistic effect of ammonia in methanesulfonic acid reactions with small alkylamines. 2020 , 22, 305-328		10
241	Delineation of possible influence of solar variability and galactic cosmic rays on terrestrial climate parameters. 2020 , 65, 1831-1842		7
2 40	Water-Mediated Peptide Bond Formation in the Gas Phase: A Model Prebiotic Reaction. <i>Journal of Physical Chemistry A</i> , 2020 , 124, 4150-4159	2.8	6
239	Formation of atmospheric molecular clusters of methanesulfonic acid D iethylamine complex and its atmospheric significance. <i>Atmospheric Environment</i> , 2020 , 226, 117404	5.3	7
238	Sources and sinks driving sulphuric acid concentrations in contrasting environments: implications on proxy calculations. 2020 ,		
237	Analysis and accurate prediction of ambient PM2.5 in China using Multi-layer Perceptron. <i>Atmospheric Environment</i> , 2020 , 232, 117534	5.3	15
236	Enhanced New Particle Formation Above the Marine Boundary Layer Over the Yellow Sea: Potential Impacts on Cloud Condensation Nuclei. 2020 , 125, e2019JD031448		9
235	The impact of the atmospheric turbulence-development tendency on new particle formation: a common finding on three continents. <i>National Science Review</i> , 2021 , 8, nwaa157	10.8	4
234	Formation and growth of sub-3hm particles in megacities: impact of background aerosols. 2021 , 226, 348-363		13
233	Understanding vapor nucleation on the molecular level: A review. 2021 , 153, 105676		8
232	Autoxidation mechanism for atmospheric oxidation of tertiary amines: Implications for secondary organic aerosol formation. 2021 , 273, 129207		4

231	Biogenic particles formed in the Himalaya as an important source of free tropospheric aerosols. 2021 , 14, 4-9		15
230	Different characteristics and source contributions to aerosol aminiums over a coastal city and adjacent marginal seas. 2021 ,		2
229	Hydration motifs of ammonium bisulfate clusters show complex temperature dependence. 2021 , 154, 014304		4
228	Long-term measurement of sub-3 nm particles and their precursor gases in the boreal forest. <i>Atmospheric Chemistry and Physics</i> , 2021 , 21, 695-715	6.8	7
227	Molecular properties affecting the hydration of acid-base clusters. <i>Physical Chemistry Chemical Physics</i> , 2021 , 23, 13106-13114	3.6	2
226	Pickup and reactions of molecules on clusters relevant for atmospheric and interstellar processes. <i>Physical Chemistry Chemical Physics</i> , 2021 , 23, 3195-3213	3.6	12
225	New particle formation from agricultural recycling of organic waste products. 2021, 4,		1
224	Catalytic sulfate formation mechanism influenced by important constituents of cloud water the reaction of SO oxidized by hypobromic acid in marine areas. <i>Physical Chemistry Chemical Physics</i> , 2021 , 23, 15935-15949	3.6	
223	Role of iodine oxoacids in atmospheric aerosol nucleation. 2021 , 371, 589-595		31
222	Measurement report: Sulfuric acid nucleation and experimental conditions in a photolytic flow reactor. <i>Atmospheric Chemistry and Physics</i> , 2021 , 21, 1987-2001	6.8	1
221	Explosive Secondary Aerosol Formation during Severe Haze in the North China Plain. <i>Environmental Science & Eamp; Technology</i> , 2021 , 55, 2189-2207	10.3	29
220	NOIInitiated Gas-Phase Formation of Nitrated Phenolic Compounds in Polluted Atmosphere. <i>Environmental Science & Environmental Science & Environmental</i>	10.3	4
219	Sulfuric acidamine nucleation in urban Beijing. <i>Atmospheric Chemistry and Physics</i> , 2021 , 21, 2457-2468	6.8	25
218	Influence of vegetation on occurrence and time distributions of regional new aerosol particle formation and growth. <i>Atmospheric Chemistry and Physics</i> , 2021 , 21, 2861-2880	6.8	2
217	A global model perturbed parameter ensemble study of secondary organic aerosol formation. <i>Atmospheric Chemistry and Physics</i> , 2021 , 21, 2693-2723	6.8	4
216	Radiatively driven NH3 release from agricultural field during wintertime slack season. <i>Atmospheric Environment</i> , 2021 , 247, 118228	5.3	1
215	Clusteromics I: Principles, Protocols, and Applications to Sulfuric Acid-Base Cluster Formation. <i>ACS Omega</i> , 2021 , 6, 7804-7814	3.9	9
214	Measurement report: Cloud processes and the transport of biological emissions affect southern ocean particle and cloud condensation nuclei concentrations. <i>Atmospheric Chemistry and Physics</i> , 2021 , 21, 3427-3446	6.8	12

213	New Particle Formation and Growth from Dimethyl Sulfide Oxidation by Hydroxyl Radicals. 2021 , 5, 801	-811	4
212	Gas-to-Particle Partitioning of Cyclohexene- and ⊕inene-Derived Highly Oxygenated Dimers Evaluated Using COSMO. <i>Journal of Physical Chemistry A</i> , 2021 , 125, 3726-3738	2.8	5
211	The Synergistic Role of Sulfuric Acid, Bases, and Oxidized Organics Governing New-Particle Formation in Beijing. 2021 , 48, e2020GL091944		23
210	Modeling of exhaust gas cleaning by acid pollutant conversion to aerosol particles. 2021 , 290, 120044		3
209	Formation of nighttime sulfuric acid from the ozonolysis of alkenes in Beijing. <i>Atmospheric Chemistry and Physics</i> , 2021 , 21, 5499-5511	6.8	5
208	The simplest sulfur-nitrogen hydrogen bond: Matrix isolation spectroscopy of H2SINH3. 2021 , 378, 1114	140	1
207	Competitive formation of HSO4- and HSO5- from ion-induced SO2 oxidation: Implication in atmospheric aerosol formation. <i>Atmospheric Environment</i> , 2021 , 253, 118362	5.3	
206	An indicator for sulfuric acidamine nucleation in atmospheric environments. 2021 , 55, 1059-1069		5
205	Molecular-Scale Mechanism of Sequential Reaction of Oxalic Acid with SO: Potential Participator in Atmospheric Aerosol Nucleation. <i>Journal of Physical Chemistry A</i> , 2021 , 125, 4200-4208	2.8	2
204	Toward Building a Physical Proxy for Gas-Phase Sulfuric Acid Concentration Based on Its Budget Analysis in Polluted Yangtze River Delta, East China. <i>Environmental Science & Eamp; Technology</i> , 2021 , 55, 6665-6676	10.3	5
203	Open ocean and coastal new particle formation from sulfuric acid and amines around the Antarctic Peninsula. 2021 , 14, 383-388		20
202	Application of smog chambers in atmospheric process studies <i>National Science Review</i> , 2022 , 9, nwab1	0 260.8	3
201	Multicomponent nucleation of malonic acid involved in the sulfuric acid - dimethylamine system and its atmospheric implications. <i>Atmospheric Environment</i> , 2021 , 267, 118558	5.3	0
200	Chemistry of new particle formation and growth events during wintertime in suburban area of Beijing: Insights from highly polluted atmosphere. 2021 , 255, 105553		3
199	Retrieval of process rate parameters in the general dynamic equation for aerosols using Bayesian state estimation: BAYROSOL1.0. 2021 , 14, 3715-3739		3
198	Large hemispheric difference in nucleation mode aerosol concentrations in the lowermost stratosphere at mid- and high latitudes. <i>Atmospheric Chemistry and Physics</i> , 2021 , 21, 9065-9088	6.8	1
197	Real-Time Measurements of Botanical Disinfectant Emissions, Transformations, and Multiphase Inhalation Exposures in Buildings. <i>Environmental Science and Technology Letters</i> , 2021 , 8, 558-566	11	5
196	Discovery of a Potent Source of Gaseous Amines in Urban China. <i>Environmental Science and Technology Letters</i> , 2021 , 8, 725-731	11	6

195	Valine involved sulfuric acid-dimethylamine ternary homogeneous nucleation and its atmospheric implications. <i>Atmospheric Environment</i> , 2021 , 254, 118373	5.3	2
194	Kinetics and Products of the Aqueous Phase Oxidation of Triethylamine by OH. 2021 , 5, 1889-1895		2
193	Synergistic effect of glutaric acid and ammonia/amine/amide on their hydrates in the clustering: A theoretical study. 2021 , 275, 130063		1
192	Contribution of New Particle Formation to Cloud Condensation Nuclei Activity and its Controlling Factors in a Mountain Region of Inland China. 2021 , 126, e2020JD034302		O
191	Photocatalytic Oxidation of SO by TiO: Aerosol Formation and the Key Role of Gaseous Reactive Oxygen Species. <i>Environmental Science & Environmental S</i>	10.3	6
190	Observation of sub-3nm particles and new particle formation at an urban location in India. <i>Atmospheric Environment</i> , 2021 , 256, 118460	5.3	3
189	A predictive model for salt nanoparticle formation using heterodimer stability calculations. <i>Atmospheric Chemistry and Physics</i> , 2021 , 21, 11637-11654	6.8	3
188	Acid-Base Clusters during Atmospheric New Particle Formation in Urban Beijing. <i>Environmental Science & Environmental Science </i>	10.3	9
187	Potential Enhancement in Atmospheric Nanoparticles Growth by Amine-Assisted Nitrate Condensation at Room Temperature.		
186	Zeppelin-led study on the onset of new particle formation in the planetary boundary layer. <i>Atmospheric Chemistry and Physics</i> , 2021 , 21, 12649-12663	6.8	5
185	Atmospheric Chemistry of 2-Amino-2-methyl-1-propanol: A Theoretical and Experimental Study of the OH-Initiated Degradation under Simulated Atmospheric Conditions. <i>Journal of Physical Chemistry A</i> , 2021 , 125, 7502-7519	2.8	0
184	Rapid sulfuric acid-dimethylamine nucleation enhanced by nitric acid in polluted regions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	6
183	A tutorial guide on new particle formation experiments using a laminar flow reactor. 2021 , 157, 105808		0
182	Role of Criegee intermediates in the formation of sulfuric acid at a Mediterranean (Cape Corsica) site under influence of biogenic emissions. <i>Atmospheric Chemistry and Physics</i> , 2021 , 21, 13333-13351	6.8	1
181	Tri-Base Synergy in Sulfuric Acid-Base Clusters. 2021 , 12, 1260		3
180	A pH dependent sulfate formation mechanism caused by hypochlorous acid in the marine atmosphere. <i>Science of the Total Environment</i> , 2021 , 787, 147551	10.2	0
179	The driving factors of new particle formation and growth in the polluted boundary layer. <i>Atmospheric Chemistry and Physics</i> , 2021 , 21, 14275-14291	6.8	8
178	Laser induced aerosol formation mediated by resonant excitation of volatile organic compounds. 2021 , 8, 1256		O

177	The nucleation mechanism of succinic acid involved sulfuric acid - Dimethylamine in new particle formation. <i>Atmospheric Environment</i> , 2021 , 263, 118683	5.3	1
176	Interactions between isocyanic acid and atmospheric acidic, neutral and basic species. 2021 , 1204, 113	384	1
175	Characteristics and sources of amine-containing particles in the urban atmosphere of Liaocheng, a seriously polluted city in North China during the COVID-19 outbreak. 2021 , 289, 117887		2
174	Enhanced uptake of methacrolein at the acidic nanoparticle interface: Adsorption, heterogeneous reaction and impact for the secondary organic aerosol formation. <i>Science of the Total Environment</i> , 2021 , 800, 149532	10.2	1
173	Organic acid-ammonia ion-induced nucleation pathways unveiled by quantum chemical calculation and kinetics modeling: A case study of 3-methyl-1,2,3-butanetricarboxylic acid. 2021 , 284, 131354		O
172	The potential mechanism of atmospheric new particle formation involving amino acids with multiple functional groups. <i>Physical Chemistry Chemical Physics</i> , 2021 , 23, 10184-10195	3.6	2
171	Simultaneous measurement of methylamine in size-segregated aerosols and the gas phase. 2021 , 73, 1-10		0
170	Interaction topologies of the SO chalcogen bond: the conformational equilibrium of the cyclohexanolSO cluster. <i>Physical Chemistry Chemical Physics</i> , 2021 , 23, 10799-10806	3.6	4
169	Catalytic effect of water and formic acid on the reaction of carbonyl sulfide with dimethyl amine under tropospheric conditions. <i>Physical Chemistry Chemical Physics</i> , 2021 , 23, 8752-8766	3.6	1
168	Propionamide participating in HSO-based new particle formation: a theory study <i>RSC Advances</i> , 2020 , 11, 493-500	3.7	3
167	Observational Evidence for the Involvement of Dicarboxylic Acids in Particle Nucleation. <i>Environmental Science and Technology Letters</i> , 2020 , 7, 388-394	11	13
166	Mechanism for Rapid Conversion of Amines to Ammonium Salts at the Air-Particle Interface. 2021 , 143, 1171-1178		9
165	Geological support for the Umbrella Effect as a link between geomagnetic field and climate. <i>Scientific Reports</i> , 2017 , 7, 40682	4.9	16
164	metadynamics calculations of dimethylamine for probing p variations in bulk surface environments. <i>Physical Chemistry Chemical Physics</i> , 2020 , 22, 26265-26277	3.6	7
163	Dimethyl sulfide control of the clean summertime Arctic aerosol and cloud. 2013, 1,		83
162	Molecular insights into new particle formation in Barcelona, Spain. <i>Atmospheric Chemistry and Physics</i> , 2020 , 20, 10029-10045	6.8	14
161	Sources and sinks driving sulfuric acid concentrations in contrasting environments: implications on proxy calculations. <i>Atmospheric Chemistry and Physics</i> , 2020 , 20, 11747-11766	6.8	20
160	Molecular understanding of the suppression of new-particle formation by isoprene. <i>Atmospheric Chemistry and Physics</i> , 2020 , 20, 11809-11821	6.8	16

159	The potential role of organics in new particle formation and initial growth in the remote tropical upper troposphere. <i>Atmospheric Chemistry and Physics</i> , 2020 , 20, 15037-15060	4
158	Identification of molecular cluster evaporation rates, cluster formation enthalpies and entropies by Monte Carlo method. <i>Atmospheric Chemistry and Physics</i> , 2020 , 20, 15867-15906	3
157	Molecular understanding of new-particle formation from <i></i>-pinene between B0 and +25 LC. Atmospheric Chemistry and Physics, 2020 , 20, 9183-9207	32
156	Analysis of feedbacks between nucleation rate, survival probability and cloud condensation nuclei formation.	1
155	Technical Note: Using DEG CPCs at upper tropospheric temperatures.	1
154	Electrical charging changes the composition of sulfuric acid-ammonia/dimethylamine clusters.	2
153	Atmospheric amines and ammonia measured with a Chemical Ionization Mass Spectrometer (CIMS).	4
152	Overview of the Manitou Experimental Forest Observatory: site description and selected science results from 2008\(\textbf{D} 013.	8
151	Ion particle interactions during particle formation and growth at a coniferous forest site in central Europe.	1
150	Iodine observed in new particle formation events in the Arctic atmosphere during ACCACIA.	1
149	A chamber study of the influence of boreal BVOC emissions and sulphuric acid on nanoparticle formation rates at ambient concentrations.	3
148	Thermodynamics of the formation of sulfuric acid dimers in the binary (H ₂ SO ₄ -H ₂ O) and ternary (H ₂ SO ₄ -H ₂ O-NH _{3<td>1 kgt;)</td>}	1 kgt;)
147	Spring and summer contrast in new particle formation over nine forest areas in North America.	3
146	Evolution of gaseous precursors and meteorological parameters during new particle formation events in the Central European boundary layer.	7
145	Formation of highly oxidized multifunctional compounds: autoxidation of peroxy radicals formed in the ozonolysis of alkenes Ideduced from structure product relationships.	6
144	Size distribution and mixing state of black carbon particles during a heavy air pollution episode in Shanghai.	2
143	Model studies of volatile diesel exhaust particle formation: organic vapours involved in nucleation and growth?.	6
142	Particulate matter, air quality and climate: lessons learned and future needs.	12

141	Assessment of particle size magnifier inversion methods to obtain the particle size distribution from atmospheric measurements. <i>Atmospheric Measurement Techniques</i> , 2020 , 13, 4885-4898	4	7
140	Quantifying amine permeation sources with acid neutralization: calibrations and amines measured in coastal and continental atmospheres.		3
139	A new high transmission inlet for the Caltech nano-RDMA for size distribution measurements of sub-3 nm ions at ambient concentrations.		1
138	Trimethylamine emissions in animal husbandry.		1
137	Characterizing Atmospheric Aerosols off the Atlantic Canadian Coast During C-FOG. 2021 , 181, 345		
136	Low-Volatility Vapors and New Particle Formation Over the Southern Ocean During the Antarctic Circumnavigation Expedition. 2021 , 126, e2021JD035126		3
135	Potential Enhancement in Atmospheric New Particle Formation by Amine-Assisted Nitric Acid Condensation at Room Temperature.		
134	Chemistry of new particle growth in mixed urban and biogenic emissions linsights from CARES.		1
133	On the composition of ammonia-sulfuric acid clusters during aerosol particle formation.		Ο
132	Modelling of gaseous dimethylamine in the global atmosphere: impacts of oxidation and aerosol uptake.		1
131	Methane sulfonic acid enhanced formation of molecular clusters of sulfuric acid and dimethyl amine.		
130	On the derivation of particle nucleation rates from experimental formation rates.		
129	Modelling the contribution of biogenic VOCs to new particle formation in the Jllch plant atmosphere chamber.		1
128	Scanning supersaturation CPC applied as a nano-CCN counter for size-resolved analysis of the hygroscopicity and chemical composition of nanoparticles.		
127	Elemental composition and clustering of pinene oxidation products for different oxidation conditions.		
126	The Role of Clouds, Aerosols and Galactic Cosmic Rays in Climate Change. 2015 , 339-344		
125	Ideas and Perspectives: On the emission of amines from terrestrial vegetation in the context of atmospheric new particle formation.		
124	Hygroscopicity of nanoparticles produced from homogeneous nucleation in the CLOUD experiments.		

123	First comprehensive modelling study on observed new particle formation at the SORPES station in Nanjing, China.		1
122	High concentrations of sub-3 nm clusters and frequent new particle formation observed in the Po Valley, Italy, during the PEGASOS 2012 campaign.		
121	Technical note: Detection of dimethylamine in the low pptv range using nitrate Chemical Ionization-Atmospheric Pressure interface-Time Of Flight (CI-APi-TOF) mass spectrometry.		
120	Reducing uncertainties in nucleation rates: A comparison of measurements and simulations. 2016 ,		
119	Contribution of Atmospheric Reactive Nitrogen to Haze Pollution in China. 2020 , 113-134		
118	The synergistic effects of methanesulfonic acid (MSA) and methane-sulfinic acid (MSIA) on marine new particle formation. <i>Atmospheric Environment</i> , 2021 , 269, 118826	5.3	O
117	Seed-Adsorbate Interactions as the Key of Heterogeneous Butanol and Diethylene Glycol Nucleation on Ammonium Bisulfate and Tetramethylammonium Bromide. <i>Journal of Physical Chemistry A</i> , 2020 , 124, 10527-10539	2.8	3
116	Kinetics of the oxidation of ammonia and amines with hydroxyl radicals in the aqueous phase. 2021,		О
115	Comparison results of eight oxygenated organic molecules: Unexpected contribution to new particle formation in the atmosphere. <i>Atmospheric Environment</i> , 2022 , 268, 118817	5.3	1
114	Observations of Gas-Phase Alkylamines at a Coastal Site in the East Mediterranean Atmosphere. 2021 , 12, 1454		1
113	Binary and multicomponent gas[Iquid nucleation. 2022, 107-137		
112	Mapping gaseous dimethylamine, trimethylamine, ammonia, and their particulate counterparts in marine atmospheres of China's marginal seas [Part[]]: Differentiating marine emission from continental transport. <i>Atmospheric Chemistry and Physics</i> , 2021 , 21, 16413-16425	6.8	3
111	Aerial drone furnished with miniaturized versatile air sampling systems for selective collection of nitrogen containing compounds in boreal forest. <i>Science of the Total Environment</i> , 2021 , 808, 152011	10.2	1
110	OH Kinetics with a Range of Nitrogen-Containing Compounds: -Methylformamide, -Butylamine, and -Methyl-propane Diamine. <i>Journal of Physical Chemistry A</i> , 2021 , 125, 10439-10450	2.8	
109	Wintertime subarctic new particle formation from Kola Peninsula sulfur emissions. <i>Atmospheric Chemistry and Physics</i> , 2021 , 21, 17559-17576	6.8	2
108	Reduction in Anthropogenic Emissions Suppressed New Particle Formation and Growth: Insights From the COVID-19 Lockdown. 2022 , 127, e2021JD035392		O
107	Effects of Amides on the Formation of Atmospheric HONO and the Nucleation of Nitric Acid Hydrates. SSRN Electronic Journal,	1	О
106	Formation mechanism of typical aromatic sulfuric anhydrides and their potential role in atmospheric nucleation process. <i>Journal of Environmental Sciences</i> , 2022 ,	6.4	

A theoretical perspective on the structure and thermodynamics of secondary organic aerosols from toluene: molecular hierarchical synergistic effects.

104	Short-term air quality forecasting model based on hybrid RF-IACA-BPNN algorithm 2022, 1		1
103	A study on the fragmentation of sulfuric acid and dimethylamine clusters inside an atmospheric pressure interface time-of-flight mass spectrometer. <i>Atmospheric Measurement Techniques</i> , 2022 , 15, 11-19	4	1
102	The reaction of Criegee intermediates with formamide and its implication to atmospheric aerosols 2022 , 296, 133717		O
101	Mapping gaseous dimethylamine, trimethylamine, ammonia, and their particulate counterparts in marine atmospheres of Chinal marginal seas (Part 2: Spatiotemporal heterogeneity, causes, and hypothesis. <i>Atmospheric Chemistry and Physics</i> , 2022 , 22, 1515-1528	6.8	2
100	N-nitration of secondary aliphatic amines in the particle phase 2022 , 133639		2
99	Contribution of reaction of atmospheric amine with sulfuric acid to mixing particle formation from clay mineral <i>Science of the Total Environment</i> , 2022 , 821, 153336	10.2	О
98	Pyruvic acid, an efficient catalyst in SO₃ hydrolysis and effective clustering agent in sulfuric-acid-based new particle formation. <i>Atmospheric Chemistry and Physics</i> , 2022 , 22, 1951-1	1963	1
97	Electron collisions with dimethylamine and trimethylamine molecules and molecular ions. <i>International Journal of Mass Spectrometry</i> , 2022 , 474, 116802	1.9	
96	A theoretical study on the formation mechanism of carboxylic sulfuric anhydride and its potential role in new particle formation <i>RSC Advances</i> , 2022 , 12, 5501-5508	3.7	1
95	Removal of Atmospheric Monoethanolamine and Piperazine by Nitric Acid Assisted Condensation at Room Temperature.		
94	Measurement report: Long-term measurements of aerosol precursor concentrations in the Finnish subarctic boreal forest. <i>Atmospheric Chemistry and Physics</i> , 2022 , 22, 2237-2254	6.8	1
93	A new method of simultaneous determination of atmospheric amines in gaseous and particulate phases by gas chromatography-mass spectrometry <i>Journal of Environmental Sciences</i> , 2022 , 114, 401-4	£14	
92	The role of organic acids in new particle formation from methanesulfonic acid and methylamine. <i>Atmospheric Chemistry and Physics</i> , 2022 , 22, 2639-2650	6.8	2
91	Measurement of atmospheric nanoparticles: Bridging the gap between gas-phase molecules and larger particles. <i>Journal of Environmental Sciences</i> , 2022 ,	6.4	1
90	Microbial uptake dynamics of choline and glycine betaine in coastal seawater. <i>Limnology and Oceanography</i> ,	4.8	O
89	Hydrogen-Bond Topology Is More Important Than Acid/Base Strength in Atmospheric Prenucleation Clusters <i>Journal of Physical Chemistry A</i> , 2022 ,	2.8	4
88	Effect of Hydration on Electron Attachment to Methanesulfonic Acid Clusters <i>Journal of Physical Chemistry A</i> , 2022 ,	2.8	1

87	Single-particle Raman spectroscopy for studying physical and chemical processes of atmospheric particles. <i>Atmospheric Chemistry and Physics</i> , 2022 , 22, 3017-3044	6.8	1
86	Outbreaks of Ethyl-Amines during Haze Episodes in North China Plain: A Potential Source of Amines from Ethanol Gasoline Vehicle Emission. <i>Environmental Science and Technology Letters</i> ,	11	2
85	Perspective on the Recent Measurements of Reduced Nitrogen Compounds in the Atmosphere. <i>Frontiers in Environmental Science</i> , 2022 , 10,	4.8	0
84	The striking effect of vertical mixing in the planetary boundary layer on new particle formation in the Yangtze River Delta <i>Science of the Total Environment</i> , 2022 , 829, 154607	10.2	3
83	Microscopic Insights Into the Formation of Methanesulfonic AcidMethylamineAmmonia Particles Under Acid-Rich Conditions. <i>Frontiers in Ecology and Evolution</i> , 2022 , 10,	3.7	
82	Terpene emissions from boreal wetlands can initiate stronger atmospheric new particle formation than boreal forests. <i>Communications Earth & Environment</i> , 2022 , 3,	6.1	O
81	Clusteromics III: Acid Synergy in Sulfuric Acid-Methanesulfonic Acid-Base Cluster Formation <i>ACS Omega</i> , 2022 , 7, 15206-15214	3.9	3
80	Competitive Uptake of Dimethylamine and Trimethylamine against Ammonia on Acidic Particles in Marine Atmospheres <i>Environmental Science & Environmental Science & Environmen</i>	10.3	1
79	Emissions of Ammonia and Other Nitrogen-Containing Volatile Organic Compounds from Motor Vehicles under Low-Speed Driving Conditions <i>Environmental Science & Environmental </i>	10.3	3
78	Iodous acid-a more efficient nucleation precursor than iodic acid. <i>Physical Chemistry Chemical Physics</i> ,	3.6	1
77	Molecular-level nucleation mechanism of iodic acid and methanesulfonic acid. <i>Atmospheric Chemistry and Physics</i> , 2022 , 22, 6103-6114	6.8	2
76	An evaluation of new particle formation events in Helsinki during a Baltic Sea cyanobacterial summer bloom. <i>Atmospheric Chemistry and Physics</i> , 2022 , 22, 6365-6391	6.8	O
75	Amine-Enhanced Methanesulfonic Acid-Driven Nucleation: Predictive Model and Cluster Formation Mechanism <i>Environmental Science & Environmental Scien</i>	10.3	0
74	Studies on the Conformation, Thermodynamics, and Evaporation Rate Characteristics of Sulfuric Acid and Amines Molecular Clusters Jiao Chen1. SSRN Electronic Journal,	1	
73	Atmospheric Sulfuric Acid Dimer Formation in a Polluted Environment. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 6848	4.6	
72	Large contributions of anthropogenic sources to amines in fine particles at a coastal area in northern China in winter. <i>Science of the Total Environment</i> , 2022 , 839, 156281	10.2	2
71	Bridged-ozonolysis of mixed aromatic hydrocarbons and organic amines: Inter-inhibited decay rate, altered product yield and synergistic-effect-enhanced secondary organic aerosol formation. <i>Science of the Total Environment</i> , 2022 , 156872	10.2	
70	Role of gasfholecular clusterflerosol dynamics in atmospheric new-particle formation. <i>Scientific Reports</i> , 2022 , 12,	4.9	1

69	A high-transmission axial ion mobility classifier for massEnobility measurements of atmospheric ions. <i>Atmospheric Measurement Techniques</i> , 2022 , 15, 3705-3720	4	
68	Experimental and Theoretical Study on the Enhancement of Alkanolamines on Sulfuric Acid Nucleation. <i>Journal of Physical Chemistry A</i> ,	2.8	0
67	Changes in the new particle formation and shrinkage events of the atmospheric ions during the COVID-19 lockdown. <i>Urban Climate</i> , 2022 , 44, 101214	6.8	
66	A sulfuric acid nucleation potential model for the atmosphere. <i>Atmospheric Chemistry and Physics</i> , 2022 , 22, 8287-8297	6.8	1
65	Effect of methyl hydrogen sulfate on the formation of sulfuric acid-ammonia clusters: A theoretical study. <i>Journal of the Chinese Chemical Society</i> ,	1.5	
64	Diurnal evolution of negative atmospheric ions above the boreal forest: from ground level to the free troposphere. <i>Atmospheric Chemistry and Physics</i> , 2022 , 22, 8547-8577	6.8	O
63	Investigation of new particle formation mechanisms and aerosol processes at Marambio Station, Antarctic Peninsula. <i>Atmospheric Chemistry and Physics</i> , 2022 , 22, 8417-8437	6.8	1
62	Nonisothermal nucleation in the gas phase is driven by cool subcritical clusters. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022 , 119,	11.5	O
61	Water-soluble organic nitrogen in fine aerosols over the Southern Ocean. <i>Atmospheric Environment</i> , 2022 , 119287	5.3	0
60	Potential enhancement in atmospheric new particle formation by amine-assisted nitric acid condensation at room temperature. <i>Atmospheric Environment</i> , 2022 , 287, 119252	5.3	Ο
59	A potential source of tropospheric secondary organic aerosol precursors: The hydrolysis of N2O5 in water dimer and small clusters of sulfuric acid. <i>Atmospheric Environment</i> , 2022 , 287, 119245	5.3	
58	The missing base molecules in atmospheric acid-base nucleation. <i>National Science Review</i> ,	10.8	1
57	Amino Acids Compete with Ammonia in Sulfuric Acid-Based Atmospheric Aerosol Prenucleation: The Case of Glycine and Serine. <i>Journal of Physical Chemistry A</i> ,	2.8	1
56	Theoretical analysis of sulfuric aciddimethylamineBxalic acidwater clusters and implications for atmospheric cluster formation. 2022 , 12, 22425-22434		
55	Anharmonic IR spectra of solvated ammonium and aminium ions: resemblance between water and bisulfate solvations.		О
54	Aerosol processes. 2022 , 135-185		
53	Computational chemistry of cluster: Understanding the mechanism of atmospheric new particle formation at the molecular level. 2022 , 136109		
52	Heterogeneous iodine-organic chemistry fast-tracks marine new particle formation. 2022, 119,		2

51	2022 , 22, 10061-10076	
50	Sensitivity analysis of an ammonium salt formation model applied to pollutant removal in marine diesel exhaust gases. 2023 , 332, 126001	0
49	The Driving Effects of Common Atmospheric Molecules for Formation of Prenucleation Clusters: The Case of Sulfuric Acid, Formic Acid, Nitric Acid, Ammonia, and Dimethyl Amine.	2
48	New Particle Formation at a Mixed Peri-Urban and Agricultural Site.	O
47	Studies on the conformation, thermodynamics, and evaporation rate characteristics of sulfuric acid and amines molecular clusters. 2022 , 4, 100527	О
46	Review of online measurement techniques for chemical composition of atmospheric clusters and sub-20[hm particles. 10,	0
45	Resolving the amine-promoted hydrolysis mechanism of N 2 O 5 under tropospheric conditions. 2022 , 119,	О
44	Atmospherically Relevant Chemistry and Aerosol box model [ARCA box (version 1.2). 2022, 15, 7257-7286	O
43	Critical Role of Iodous Acid in Neutral Iodine Oxoacid Nucleation. 2022 , 56, 14166-14177	О
42	The effect of COVID-19 restrictions on atmospheric new particle formation in Beijing. 2022 , 22, 12207-12220	О
41	Atmospheric Oxidation of Imine Derivative of Piperazine Initiated by OH Radical.	O
40	Atmospheric oxidation mechanism and kinetics of indole initiated by ?OH and ?Cl: a computational study. 2022 , 22, 11543-11555	Ο
39	OH Group Orientation Leads to Organosulfate Formation at the Liquid Aerosol Surface. 2022, 144, 16953-169	6 <u>4</u>
38	Contribution of Methanesulfonic Acid to the Formation of Molecular Clusters in the Marine Atmosphere.	1
37	Dimethylamine in cloud water: a case study over the northwest Atlantic Ocean.	1
36	Experiment-Theory Hybrid Method for Studying Atmospheric New Particle Formation Mechanism.	O
35	IonMolecule Rate Constants for Reactions of Sulfuric Acid with Acetate and Nitrate Ions.	1
34	Towards fully ab initio simulation of atmospheric aerosol nucleation. 2022 , 13,	0

33	Unexpectedly significant stabilizing mechanism of iodous acid on iodic acid nucleation under different atmospheric conditions. 2022 , 159832	О
32	On the development of a new prototype PTR-ToF-MS instrument and its application to the detection of atmospheric amines. 2022 , 15, 6297-6307	O
31	New particle formation at a peri-urban agricultural site. 2023 , 857, 159370	О
30	Seasonal variations of low molecular alkyl amines in PM2.5 in a North China Plain industrial city: Importance of secondary formation and combustion emissions. 2023 , 857, 159371	O
29	Vigorous New Particle Formation Above Polluted Boundary Layer in the North China Plain. 2022 , 49,	O
28	The critical role of dimethylamine in the rapid formation of iodic acid particles in marine areas. 2022 , 5,	1
27	Dust emission reduction enhanced gas-to-particle conversion of ammonia in the North China Plain. 2022 , 13,	О
26	A year-round study of ambient gaseous pollutants, their atmospheric chemistry and role in secondary particle formation at an urban site in Delhi. 2023 , 295, 119557	Ο
25	The importance of ammonia for springtime atmospheric new particle formation and aerosol number abundance over the United States. 2023 , 863, 160756	О
24	Enhanced sulfur in the upper troposphere and lower stratosphere in spring 2020. 2022 , 22, 15135-15151	Ο
23	Measurement report: Increasing trend of atmospheric ion concentrations in the boreal forest. 2022 , 22, 15223-15242	О
22	Observation and Source Apportionment of Atmospheric Alkaline Gases in Urban Beijing. 2022 , 56, 17545-17.	555
21	Ocean Emission Pathway and Secondary Formation Mechanism of Aminiums Over the Chinese Marginal Sea. 2022 , 127,	0
20	Massive Assessment of the Binding Energies of Atmospheric Molecular Clusters. 2022 , 18, 7373-7383	O
19	The determination of volatile amines in aquatic marine systems: A review. 2022, 340707	0
18	Variations of aminiums in fine particles at a suburban site in Guangzhou, China: Importance of anthropogenic and natural emissions. 2022 ,	O
17	Benchmarking general neural network potential ANI -2x on aerosol nucleation molecular clusters.	0
16	Bridging Gaps between Clusters in Molecular-Beam Experiments and Aerosol Nanoclusters. 2023 , 14, 287-294	O

15	Seasonal measurements of the nitrogenous osmolyte glycine betaine in marine temperate coastal waters.	0
14	An unexpectedly feasible route for the formation of organosulfates by the gas phase reaction of sulfuric acid with acetaldehyde catalyzed by dimethylamine in the atmosphere.	O
13	A new advance in pollution profile, transformation process, and contribution to SOA formation of atmospheric organic amines.	О
12	The Possible Influence of Cosmic Rays on the Planetary Albedo of the Earth. 2022 , 62, S68-S73	О
11	Optical trapping and light scattering in atmospheric aerosol science. 2023 , 25, 7066-7089	0
10	Machine Learning Reveals the Parameters Affecting the Gaseous Sulfuric Acid Distribution in a Coastal City: Model Construction and Interpretation.	О
9	Infrequent new particle formation in a coastal Mediterranean city during the summer. 2023, 302, 119732	О
8	Reducing chemical complexity in representation of new-particle formation: evaluation of simplification approaches. 2023 , 3, 552-567	O
7	Atmospheric Sulfuric AcidMulti-Base New Particle Formation Revealed through Quantum Chemistry Enhanced by Machine Learning. 2023 , 127, 2091-2103	0
6	Clusteromics V: Organic Enhanced Atmospheric Cluster Formation. 2023 , 8, 9621-9629	O
5	Sulfur Dioxide Transported From the Residual Layer Drives Atmospheric Nucleation During Haze Periods in Beijing. 2023 , 50,	0
4	Nitrate radicals suppress biogenic new particle formation from monoterpene oxidation.	O
3	Hydrogen-Bonding Interactions of Malic Acid with Common Atmospheric Bases.	0
2	Selective and efficient sampling of nitrogen-containing compounds from air by in-tube extraction devices packed with zinc oxide-modified mesoporous silica microspheres. 2023 , 100081	O
1	Enhancement of Atmospheric Nucleation Precursors on Iodic Acid-Induced Nucleation: Predictive Model and Mechanism.	O