

CITATION REPORT

List of articles citing

A Comparative Computational Study of Structures, Diffusion, and Dopant Interactions between Li and Na Insertion into Si

DOI: 10.7567/apex.6.027301

Applied Physics Express, 2013, 6, 027301.

Source: <https://exaly.com/paper-pdf/55294137/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|----|---|------|-----------|
| 77 | A computational study of the insertion of Li, Na, and Mg atoms into Si(111) nanosheets. <i>Nano Energy</i> , 2013 , 2, 1149-1157 | 17.1 | 68 |
| 76 | Improved binding and stability in Si/CNT hybrid nanostructures via interfacial functionalization: a first-principles study. <i>RSC Advances</i> , 2013 , 3, 8446 | 3.7 | 11 |
| 75 | Comparative computational study of the diffusion of Li, Na, and Mg in silicon including the effect of vibrations. <i>Solid State Ionics</i> , 2013 , 253, 157-163 | 3.3 | 43 |
| 74 | Effect of the adsorption of ethylene carbonate on Si surfaces on the Li insertion behavior. <i>Chemical Physics Letters</i> , 2013 , 585, 157-161 | 2.5 | 2 |
| 73 | Enhanced Li adsorption and diffusion in single-walled silicon nanotubes: an ab initio study. <i>ChemPhysChem</i> , 2013 , 14, 1161-7 | 3.2 | 21 |
| 72 | In search of high performance anode materials for Mg batteries: Computational studies of Mg in Ge, Si, and Sn. <i>Journal of Power Sources</i> , 2013 , 233, 341-345 | 8.9 | 85 |
| 71 | Computational study of Mg insertion into amorphous silicon: advantageous energetics over crystalline silicon for Mg storage. <i>Materials Research Society Symposia Proceedings</i> , 2013 , 1540, 3601 | | 3 |
| 70 | Role of Inter-Dopant Interactions on the Diffusion of Li and Na Atoms in Bulk Si Anodes. <i>Materials Research Society Symposia Proceedings</i> , 2013 , 1541, 75601 | | 2 |
| 69 | Bridging the Fields of Solar Cell and Battery Research to Develop High-Performance Anodes for Photoelectrochemical Cells and Metal Ion Batteries. <i>Challenges</i> , 2013 , 4, 116-135 | 3.4 | 6 |
| 68 | Curvature drastically changes diffusion properties of Li and Na on graphene. <i>MRS Communications</i> , 2013 , 3, 171-175 | 2.7 | 12 |
| 67 | Multi-scale simulation of the stability and diffusion of lithium in the presence of a 90° partial dislocation in silicon. <i>Journal of Applied Physics</i> , 2014 , 116, 213504 | 2.5 | 5 |
| 66 | Lithium diffusion at Si-C interfaces in silicon-graphene composites. <i>Applied Physics Letters</i> , 2014 , 105, 053906 | 3.4 | 2 |
| 65 | Multi-scale simulation of lithium diffusion in the presence of a 30° partial dislocation and stacking fault in Si. <i>Journal of Applied Physics</i> , 2014 , 115, 043532 | 2.5 | 6 |
| 64 | A Comparative Computational Study of Li, Na, and Mg Insertion in Sn. <i>Materials Research Society Symposia Proceedings</i> , 2014 , 1678, 1 | | 7 |
| 63 | The electrochemical reactions of pure indium with Li and Na: Anomalous electrolyte decomposition, benefits of FEC additive, phase transitions and electrode performance. <i>Journal of Power Sources</i> , 2014 , 248, 1105-1117 | 8.9 | 73 |
| 62 | Controlling Na diffusion by rational design of Si-based layered architectures. <i>Physical Chemistry Chemical Physics</i> , 2014 , 16, 4260-7 | 3.6 | 62 |
| 61 | Comparison of tetragonal and cubic tin as anode for Mg ion batteries. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 6786-9 | 9.5 | 41 |

| | | | |
|----|--|------|-----|
| 60 | A comparative computational study of the diffusion of Na and Li atoms in Sn(111) nanosheets. <i>Solid State Ionics</i> , 2014 , 268, 273-276 | 3.3 | 5 |
| 59 | Comparative computational study of the energetics of Li, Na, and Mg storage in amorphous and crystalline silicon. <i>Computational Materials Science</i> , 2014 , 94, 214-217 | 3.2 | 56 |
| 58 | Composition Dependence of Lithium Diffusion in Lithium Silicide: A Density Functional Theory Study. <i>ChemElectroChem</i> , 2015 , 2, 1292-1297 | 4.3 | 15 |
| 57 | A computational study of Na behavior on graphene. <i>Applied Surface Science</i> , 2015 , 333, 235-243 | 6.7 | 71 |
| 56 | Si clusters/defective graphene composites as Li-ion batteries anode materials: A density functional study. <i>Applied Surface Science</i> , 2015 , 345, 337-343 | 6.7 | 37 |
| 55 | Lithium and sodium storage on tetracyanoethylene (TCNE) and TCNE-(doped)-graphene complexes: A computational study. <i>Materials Chemistry and Physics</i> , 2015 , 156, 180-187 | 4.4 | 31 |
| 54 | Phosphorene as an anode material for Na-ion batteries: a first-principles study. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 13921-8 | 3.6 | 267 |
| 53 | Atomistic Study of Lithium Ion Dynamics in Li ₁₂ Si ₇ . <i>Electrochimica Acta</i> , 2015 , 186, 71-75 | 6.7 | 5 |
| 52 | Aluminum doping improves the energetics of lithium, sodium, and magnesium storage in silicon: A first-principles study. <i>Journal of Power Sources</i> , 2015 , 274, 65-70 | 8.9 | 50 |
| 51 | Reversible Na-Ion Uptake in Si Nanoparticles. <i>Advanced Energy Materials</i> , 2016 , 6, 1501436 | 21.8 | 81 |
| 50 | Theoretical prediction of MoN ₂ monolayer as a high capacity electrode material for metal ion batteries. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 15224-15231 | 13 | 154 |
| 49 | Borophene as an extremely high capacity electrode material for Li-ion and Na-ion batteries. <i>Nanoscale</i> , 2016 , 8, 15340-7 | 7.7 | 272 |
| 48 | Recent Progress in Electrode Materials for Sodium-Ion Batteries. <i>Advanced Energy Materials</i> , 2016 , 6, 1600943 | 21.8 | 686 |
| 47 | Voltage and capacity control of polyaniline based organic cathodes: An ab initio study. <i>Journal of Power Sources</i> , 2016 , 336, 126-131 | 8.9 | 27 |
| 46 | Effects of 30° partial dislocation and stacking fault on Na and Mg storage and diffusion in Si anode. <i>Computational Materials Science</i> , 2016 , 118, 16-21 | 3.2 | 4 |
| 45 | A comparative computational study of lithium and sodium insertion into van der Waals and covalent tetracyanoethylene (TCNE)-based crystals as promising materials for organic lithium and sodium ion batteries. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 8874-80 | 3.6 | 34 |
| 44 | Effects of defect on the storage and diffusion of Na and Mg interstitials in Si anode. <i>Journal of Alloys and Compounds</i> , 2016 , 654, 157-162 | 5.7 | 7 |
| 43 | A computational study of lithium interaction with tetracyanoethylene (TCNE) and tetracyanquinodimethane (TCNQ) molecules. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 1470-7 | 3.6 | 28 |

| | | | |
|----|---|------|------|
| 42 | Disodium Pyridine Dicarboxylate vs Disodium Terephthalate as Anode Materials for Organic Na Ion Batteries: Effect of Molecular Structure on Voltage from the Molecular Modeling Perspective. <i>MRS Advances</i> , 2017 , 2, 3231-3235 | 0.7 | 8 |
| 41 | Cu ₃ N and its analogs: a new class of electrodes for lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 8762-8768 | 13 | 25 |
| 40 | Sodium-ion batteries: present and future. <i>Chemical Society Reviews</i> , 2017 , 46, 3529-3614 | 58.5 | 2356 |
| 39 | A first-principles comparative study of lithium, sodium, and magnesium storage in pure and gallium-doped germanium: Competition between interstitial and substitutional sites. <i>Journal of Chemical Physics</i> , 2017 , 146, 034706 | 3.9 | 14 |
| 38 | First-principles investigation of the complex of 2, 5-furandicarbonitrile-Al-doped graphene as a possible electrode material for Na-ion batteries. <i>Current Applied Physics</i> , 2017 , 17, 272-278 | 2.6 | 6 |
| 37 | Doping of active electrode materials for electrochemical batteries: an electronic structure perspective. <i>MRS Communications</i> , 2017 , 7, 523-540 | 2.7 | 20 |
| 36 | Feasibility of Reversible Electrochemical Na-Storage and Cyclic Stability of Amorphous Silicon and Silicon-Graphene Film Electrodes. <i>Journal of the Electrochemical Society</i> , 2017 , 164, A2559-A2565 | 3.9 | 20 |
| 35 | Addition to "On the Charge State of Titanium in Titanium Dioxide". <i>Journal of Physical Chemistry Letters</i> , 2017 , 8, 3945-3946 | 6.4 | 6 |
| 34 | Energy landscape and diffusion kinetics of lithiated silicon: A kinetic activation-relaxation technique study. <i>Physical Review B</i> , 2017 , 96, | 3.3 | 9 |
| 33 | Lithium ion adsorption and diffusion on black phosphorene nanotube: A first-principles study. <i>Applied Surface Science</i> , 2017 , 392, 88-94 | 6.7 | 23 |
| 32 | Insertion of Mono- vs. Bi- vs. Trivalent Atoms in Prospective Active Electrode Materials for Electrochemical Batteries: An ab Initio Perspective. <i>Energies</i> , 2017 , 10, 2061 | 3.1 | 7 |
| 31 | An Ab Initio and Kinetic Monte Carlo Simulation Study of Lithium Ion Diffusion on Graphene. <i>Materials</i> , 2017 , 10, | 3.5 | 14 |
| 30 | Light metal decoration on nitrogen/sulfur codoped graphyne: An efficient strategy for designing hydrogen storage media. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2018 , 101, 167-173 | 3 | 10 |
| 29 | MnSb ₂ S ₄ Monolayer as an Anode Material for Metal-Ion Batteries. <i>Chemistry of Materials</i> , 2018 , 30, 3208-3214 | 3.2 | 38 |
| 28 | Electrochemical properties of stanene as an efficient anode material for Na-ion batteries. <i>Computational Condensed Matter</i> , 2018 , 14, 84-88 | 1.7 | 7 |
| 27 | An amorphous Si material with a sponge-like structure as an anode for Li-ion and Na-ion batteries. <i>Nanoscale</i> , 2018 , 10, 3153-3158 | 7.7 | 43 |
| 26 | A systematic investigation of cycle number, temperature and electric field strength effects on Si anode. <i>Materials and Design</i> , 2018 , 144, 1-13 | 8.1 | 1 |
| 25 | Dopant-dopant interactions in beryllium doped indium gallium arsenide: An ab initio study. <i>Journal of Materials Research</i> , 2018 , 33, 401-413 | 2.5 | 2 |

| | | | |
|----|---|------|-----|
| 24 | Mechanism of Na accumulation at extended defects in Si from first-principles. <i>Journal of Applied Physics</i> , 2018 , 123, 161560 | 2.5 | 10 |
| 23 | Computational Studies of Electrode Materials in Sodium-Ion Batteries. <i>Advanced Energy Materials</i> , 2018 , 8, 1702998 | 21.8 | 87 |
| 22 | Cobalt selenide decorated carbon spheres for excellent cycling performance of sodium ion batteries. <i>Energy Storage Materials</i> , 2018 , 13, 19-28 | 19.4 | 110 |
| 21 | Charge and Discharge Processes and Sodium Storage in Disodium Pyridine-2,5-Dicarboxylate Anode: Insights from Experiments and Theory. <i>Advanced Energy Materials</i> , 2018 , 8, 1701572 | 21.8 | 28 |
| 20 | A DFT study of Li adsorption on surface of Si clusters anchored N-doped defective graphene composite. <i>Applied Surface Science</i> , 2018 , 457, 789-796 | 6.7 | 13 |
| 19 | Amorphous germanium as a promising anode material for sodium ion batteries: a first principle study. <i>Journal of Materials Science</i> , 2018 , 53, 14423-14434 | 4.3 | 15 |
| 18 | Lithium Attachment to C60 and Nitrogen- and Boron-Doped C60: A Mechanistic Study. <i>Materials</i> , 2019 , 12, | 3.5 | 6 |
| 17 | Superflexible C68-graphyne as a promising anode material for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 17357-17365 | 13 | 14 |
| 16 | Peering into Alloy Anodes for Sodium-Ion Batteries: Current Trends, Challenges, and Opportunities. <i>Advanced Functional Materials</i> , 2019 , 29, 1808745 | 15.6 | 133 |
| 15 | Two-Dimensional Covalent Triazine Framework as a Promising Anode Material for Li-Ion Batteries. <i>Journal of Physical Chemistry C</i> , 2019 , 123, 30155-30164 | 3.8 | 19 |
| 14 | Semiconducting borophene as a promising anode material for Li-ion and Na-ion batteries. <i>Materials Science in Semiconductor Processing</i> , 2019 , 89, 250-255 | 4.3 | 21 |
| 13 | First-Principle Insights Into Molecular Design for High-Voltage Organic Electrode Materials for Mg Based Batteries. <i>Frontiers in Chemistry</i> , 2020 , 8, 83 | 5 | 5 |
| 12 | Atomic mechanism of the distribution and diffusion of lithium in a cracked Si anode. <i>Scripta Materialia</i> , 2021 , 197, 113807 | 5.6 | 2 |
| 11 | Fast Charging of Lithium-Ion Batteries: A Review of Materials Aspects. <i>Advanced Energy Materials</i> , 2021 , 11, 2101126 | 21.8 | 65 |
| 10 | Polyaniline and CN-functionalized polyaniline as organic cathodes for lithium and sodium ion batteries: a combined molecular dynamics and density functional tight binding study in solid state. <i>Physical Chemistry Chemical Physics</i> , 2017 , 20, 232-237 | 3.6 | 22 |
| 9 | Understanding Na-ion adsorption in nitrogen doped graphene oxide anode for rechargeable sodium ion batteries. <i>Applied Surface Science</i> , 2022 , 579, 152147 | 6.7 | 3 |
| 8 | Revealing Na-segregation at the Si/Graphene Interface and Its Implications toward the Na-storage Behavior of Si-Based Electrodes.. <i>ACS Applied Materials & Interfaces</i> , 2022 , | 9.5 | 0 |
| 7 | Sodium effects on the electronic and structural properties of porous silicon for energy storage. <i>International Journal of Energy Research</i> , | 4.5 | 0 |

6 Data_Sheet_1.PDF. **2020**,

5 Atomic-Scale Design of Anode Materials for Alkali Metal (Li/Na/K)-Ion Batteries: Progress and Perspectives. *Advanced Energy Materials*, 2200662 21.8 6

4 Atomistic Diffusion Pathways of Lithium Ions in Crystalline Lithium Silicides from ab Initio Molecular Dynamics Simulations. *Journal of Physical Chemistry C*,

3 ZW-21: A novel two-dimensional graphene-based anode material for the lithium-ion battery. **2022**, 128, 109298 1

2 A DFT prediction of two-dimensional MB₃ (M = V, Nb, and Ta) monolayers as excellent anode materials for lithium-ion batteries. **2022**, 12, 28525-28532 0

1 Computational Studies on Na-Ion Electrode Materials. **2022**, 259-300 0