

Response assessment in [Waldenström macroglobulinemia](#)
[Vith International Workshop](#)

British Journal of Haematology

160, 171-176

DOI: [10.1111/bjh.12102](https://doi.org/10.1111/bjh.12102)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Waldenström macroglobulinaemia: the key questions. <i>British Journal of Haematology</i> , 2013, 162, 295-303.	1.2	7
2	Primary therapy of Waldenström macroglobulinemia (WM) with weekly bortezomib, low-dose dexamethasone, and rituximab (BDR): long-term results of a phase 2 study of the European Myeloma Network (EMN). <i>Blood</i> , 2013, 122, 3276-3282.	0.6	180
3	Comparative Response Assessment by Serum Immunoglobulin M M-Protein and Total Serum Immunoglobulin M After Treatment of Patients With Waldenström Macroglobulinemia. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2013, 13, 250-252.	0.2	9
4	MYD88 L265P is a marker highly characteristic of, but not restricted to, Waldenström's macroglobulinemia. <i>Leukemia</i> , 2013, 27, 1722-1728.	3.3	238
5	Waldenström macroglobulinemia: 2013 update on diagnosis, risk stratification, and management. <i>American Journal of Hematology</i> , 2013, 88, 703-711.	2.0	46
6	Challenges With Serum Protein Electrophoresis in Assessing Progression and Clinical Response in Patients With Waldenström Macroglobulinemia. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2013, 13, 247-249.	0.2	9
7	Waldenström's macroglobulinaemia: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. <i>Annals of Oncology</i> , 2013, 24, vi155-vi159.	0.6	62
8	Waldenström Macroglobulinemia: Clinical and Immunological Aspects, Natural History, Cell of Origin, and Emerging Mouse Models. <i>ISRN Hematology</i> , 2013, 2013, 1-25.	1.6	23
9	How to manage Waldenström's macroglobulinemia. <i>Leukemia</i> , 2013, 27, 762-772.	3.3	42
10	Waldenström's macroglobulinemia - a review. <i>Revista Da Associação Médica Brasileira</i> , 2014, 60, 490-499.	0.3	2
11	Current and future therapeutic approach for Waldenström's macroglobulinemia. <i>Immunotherapy</i> , 2014, 6, 333-348.	1.0	1
12	Role of MYD88 in lymphoplasmacytic lymphoma diagnosis and pathogenesis. <i>Hematology American Society of Hematology Education Program</i> , 2014, 2014, 113-118.	0.9	34
13	Impact of Informative Censoring on the Kaplan-Meier Estimate of Progression-Free Survival in Phase II Clinical Trials. <i>Journal of Clinical Oncology</i> , 2014, 32, 3068-3074.	0.8	44
14	Detection of MYD88 L265P Mutation by Real-Time Allele-Specific Oligonucleotide Polymerase Chain Reaction. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2014, 22, 768-773.	0.6	28
15	PI3K γ Inhibition by Idelalisib in Patients with Relapsed Indolent Lymphoma. <i>New England Journal of Medicine</i> , 2014, 370, 1008-1018.	13.9	956
16	Waldenström macroglobulinemia: from biology to treatment. <i>Expert Review of Hematology</i> , 2014, 7, 157-168.	1.0	16
17	Guidelines on the diagnosis and management of Waldenström macroglobulinaemia. <i>British Journal of Haematology</i> , 2014, 165, 316-333.	1.2	52
18	BEAM-conditioned autologous SCT improves the quality of response in Waldenström's macroglobulinaemia and lymphoplasmacytic lymphoma: a single centre's 10-year experience. <i>Bone Marrow Transplantation</i> , 2014, 49, 1231-1232.	1.3	7

#	ARTICLE	IF	CITATIONS
19	Overview on clinical trials in Waldenstrom's macroglobulinemia. <i>Clinical Investigation</i> , 2014, 4, 1139-1154.	0.0	0
20	Treatment recommendations for patients with Waldenström macroglobulinemia (WM) and related disorders: IWWM-7 consensus. <i>Blood</i> , 2014, 124, 1404-1411.	0.6	138
21	Carfilzomib, rituximab, and dexamethasone (CaRD) treatment offers a neuropathy-sparing approach for treating Waldenström's macroglobulinemia. <i>Blood</i> , 2014, 124, 503-510.	0.6	168
22	Waldenström macroglobulinemia at 70. <i>International Journal of Hematologic Oncology</i> , 2014, 3, 253-266.	0.7	0
23	Waldenström macroglobulinemia with extramedullary involvement at initial diagnosis portends a poorer prognosis. <i>Journal of Hematology and Oncology</i> , 2015, 8, 74.	6.9	15
24	Lenalidomide is safe and active in Waldenström macroglobulinemia. <i>American Journal of Hematology</i> , 2015, 90, 1055-1059.	2.0	23
25	How I treat Waldenström macroglobulinemia. <i>Blood</i> , 2015, 126, 721-732.	0.6	165
26	Waldenström macroglobulinemia: 2015 update on diagnosis, risk stratification, and management. <i>American Journal of Hematology</i> , 2015, 90, 346-354.	2.0	36
27	Bendamustine and rituximab combination is safe and effective as salvage regimen in Waldenström macroglobulinemia. <i>Leukemia and Lymphoma</i> , 2015, 56, 2637-2642.	0.6	55
28	Kidney Diseases Associated With Monoclonal Immunoglobulin M "Secreting B-Cell Lymphoproliferative Disorders: A Case Series of 35 Patients. <i>American Journal of Kidney Diseases</i> , 2015, 66, 756-767.	2.1	68
29	Multiple Myeloma. <i>PET Clinics</i> , 2015, 10, 227-241.	1.5	5
30	Emerging therapeutic options for Waldenström macroglobulinemia/lymphoplasmacytic lymphoma. <i>Expert Review of Anticancer Therapy</i> , 2015, 15, 1143-1156.	1.1	5
31	Pentostatin, cyclophosphamide and rituximab is a safe and effective treatment in patients with Waldenström's macroglobulinemia. <i>Leukemia and Lymphoma</i> , 2015, 56, 97-102.	0.6	12
32	Otlertuzumab (TRU 016), an anti-CD 37 monospecific ADAPTIR , therapeutic protein, for relapsed or refractory NHL patients. <i>British Journal of Haematology</i> , 2015, 168, 38-45.	1.2	33
33	Waldenstrom macroglobulinemia: prognosis and management. <i>Blood Cancer Journal</i> , 2015, 5, e394-e394.	2.8	41
34	Phase II clinical trials for Waldenstrom's macroglobulinemia. <i>Expert Opinion on Orphan Drugs</i> , 2015, 3, 537-547.	0.5	0
35	Phase I/II trial of everolimus in combination with bortezomib and rituximab (RVR) in relapsed/refractory Waldenstrom macroglobulinemia. <i>Leukemia</i> , 2015, 29, 2338-2346.	3.3	34
36	MYD88 mutant lymphoplasmacytic lymphoma/Waldenström macroglobulinemia has distinct clinical and pathological features as compared to its mutation negative counterpart. <i>Leukemia and Lymphoma</i> , 2015, 56, 420-425.	0.6	16

#	ARTICLE	IF	CITATIONS
37	A phase 1 clinical trial of the selective BTK inhibitor ONO/GS-4059 in relapsed and refractory mature B-cell malignancies. <i>Blood</i> , 2016, 127, 411-419.	0.6	231
38	Current therapy guidelines for Waldenstrom's macroglobulinaemia. <i>Best Practice and Research in Clinical Haematology</i> , 2016, 29, 194-205.	0.7	5
39	Waldenstrom Macroglobulinemia: Genomic Aberrations and Treatment. <i>Cancer Treatment and Research</i> , 2016, 169, 321-361.	0.2	6
40	Histological transformation to diffuse large B-cell lymphoma in patients with Waldenstrom macroglobulinemia. <i>American Journal of Hematology</i> , 2016, 91, 1032-1035.	2.0	53
41	Renal disease related to Waldenstrom macroglobulinaemia: incidence, pathology and clinical outcomes. <i>British Journal of Haematology</i> , 2016, 175, 623-630.	1.2	68
42	Immunophenotype of normal vs. myeloma plasma cells: Toward antibody panel specifications for <sc>MRD</sc> detection in multiple myeloma. <i>Cytometry Part B - Clinical Cytometry</i> , 2016, 90, 61-72.	0.7	177
43	Effective treatment of Bing-Neel Syndrome with oral fludarabine: a case series of four consecutive patients. <i>British Journal of Haematology</i> , 2016, 172, 461-464.	1.2	18
44	Plasma Cell Disorders. <i>Primary Care - Clinics in Office Practice</i> , 2016, 43, 677-691.	0.7	22
45	Efficacy and long-term toxicity of the rituximab-fludarabine-cyclophosphamide combination therapy in Waldenstrom's macroglobulinemia. <i>American Journal of Hematology</i> , 2016, 91, 782-786.	2.0	27
46	Lymphoplasmacytic Lymphoma With a Non-IgM Paraprotein Shows Clinical and Pathologic Heterogeneity and May Harbor MYD88L265P Mutations. <i>American Journal of Clinical Pathology</i> , 2016, 145, 843-851.	0.4	43
47	Waldenstrom's macroglobulinemia: a clinical perspective in the era of novel therapeutics. <i>Annals of Oncology</i> , 2016, 27, 233-240.	0.6	13
48	TCL1 expression patterns in Waldenstrom macroglobulinemia. <i>Modern Pathology</i> , 2016, 29, 83-88.	2.9	4
49	Clinicopathologic features and outcomes of lymphoplasmacytic lymphoma patients with monoclonal IgG or IgA paraprotein expression. <i>Leukemia and Lymphoma</i> , 2016, 57, 1104-1113.	0.6	40
50	Treatment of patients with Waldenstrom macroglobulinaemia: clinical practice guidelines from the Myeloma Foundation of Australia Medical and Scientific Advisory Group. <i>Internal Medicine Journal</i> , 2017, 47, 35-49.	0.5	10
51	Waldenstrom macroglobulinemia: 2017 update on diagnosis, risk stratification, and management. <i>American Journal of Hematology</i> , 2017, 92, 209-217.	2.0	42
52	Infiltración meníngea de linfoma linfoplasmocítico: síndrome de Bing-Neel. <i>Revista Del Laboratorio Clínico</i> , 2017, 10, 49-54.	0.1	1
53	Investigation and management of IgM and Waldenstrom-associated peripheral neuropathies: recommendations from the <sc>IWWM</sc> consensus panel. <i>British Journal of Haematology</i> , 2017, 176, 728-742.	1.2	58
54	Plasma exchanges for severe acute neurological deterioration in patients with IgM anti-myelin-associated glycoprotein (anti-MAG) neuropathy. <i>Journal of Neurology</i> , 2017, 264, 1132-1135.	1.8	16

#	ARTICLE	IF	CITATIONS
55	Current options to manage Waldenström's macroglobulinemia. Expert Review of Hematology, 2017, 10, 637-647.	1.0	4
56	Clinical presentation and outcomes of patients with type 1 monoclonal cryoglobulinemia. American Journal of Hematology, 2017, 92, 668-673.	2.0	75
58	Current treatment options and investigational drugs for Waldenström's Macroglobulinemia. Expert Opinion on Investigational Drugs, 2017, 26, 197-205.	1.9	12
59	Low-dose bortezomib and dexamethasone as primary therapy in elderly patients with Waldenström macroglobulinemia. European Journal of Haematology, 2017, 99, 489-494.	1.1	4
60	Dexamethasone, rituximab and cyclophosphamide for relapsed and/or refractory and treatment-naïve patients with Waldenström macroglobulinemia. British Journal of Haematology, 2017, 179, 98-105.	1.2	25
61	CXCL13 levels are elevated in patients with Waldenström macroglobulinemia, and are predictive of major response to ibrutinib. Haematologica, 2017, 102, e452-e455.	1.7	22
62	Transformed Waldenström macroglobulinaemia: clinical presentation and outcome. A multi-institutional retrospective study of 77 cases from the French Innovative Leukemia Organization (<sc>FILO</sc>). British Journal of Haematology, 2017, 179, 439-448.	1.2	39
63	Retrospective analysis of prognostic factors for Waldenström macroglobulinemia: a multicenter cooperative study in Japan. International Journal of Hematology, 2017, 106, 681-690.	0.7	3
64	Retrospective analysis of bendamustine and rituximab use in indolent and mantle cell non-Hodgkin lymphoma based on initial starting dose. Leukemia and Lymphoma, 2017, 58, 1589-1597.	0.6	2
65	Phase 2 study of ofatumumab, fludarabine and cyclophosphamide in relapsed/refractory Waldenström's macroglobulinemia. Leukemia and Lymphoma, 2017, 58, 1506-1508.	0.6	9
66	Idelalisib in Waldenström macroglobulinemia: high incidence of hepatotoxicity. Leukemia and Lymphoma, 2017, 58, 1002-1004.	0.6	31
67	Waldenström Macroglobulinaemia: Pathological Features and Diagnostic Assessment. , 2017, , 3-19.		0
68	Laboratory Investigations and Findings: Hematological Abnormalities, Biochemical Investigations, Free Light and Heavy Chains. , 2017, , 239-261.		0
69	Response Assessment in Waldenström's Macroglobulinaemia. , 2017, , 265-275.		0
70	Waldenström's Macroglobulinemia Immunophenotype. , 2017, , 21-34.		3
71	Prospective, Multicenter Clinical Trial of Everolimus as Primary Therapy in Waldenström Macroglobulinemia (WMCTG 09-214). Clinical Cancer Research, 2017, 23, 2400-2404.	3.2	23
72	Disease control should be the goal of therapy for WM patients. Blood Advances, 2017, 1, 2483-2485.	2.5	5
73	Phosphatidylinositol 3-Kinase Inhibition by Copanlisib in Relapsed or Refractory Indolent Lymphoma. Journal of Clinical Oncology, 2017, 35, 3898-3905.	0.8	320

#	ARTICLE	IF	CITATIONS
74	Immunophenotyping of Mature B-Cell Lymphomas. , 0, , 105-127.		1
75	Response and survival for primary therapy combination regimens and maintenance rituximab in Waldenström macroglobulinaemia. <i>British Journal of Haematology</i> , 2018, 181, 77-85.	1.2	41
76	Bendamustine plus rituximab for indolent B-cell lymphoma of renal significance. <i>American Journal of Hematology</i> , 2018, 93, 356-362.	2.0	6
77	Bendamustine and rituximab (BR) versus dexamethasone, rituximab, and cyclophosphamide (DRC) in patients with Waldenström macroglobulinemia. <i>Annals of Hematology</i> , 2018, 97, 1417-1425.	0.8	71
78	How we manage patients with Waldenström macroglobulinaemia. <i>British Journal of Haematology</i> , 2018, 181, 737-751.	1.2	8
79	Waldenström's Macroglobulinemia. <i>Hematologic Malignancies</i> , 2018, , 191-220.	0.2	2
80	Ibrutinib discontinuation in Waldenström macroglobulinemia: Etiologies, outcomes, and IgM rebound. <i>American Journal of Hematology</i> , 2018, 93, 511-517.	2.0	61
81	Phase 1 study of the PI3K inhibitor INCB040093 ± JAK1 inhibitor itacitinib in relapsed/refractory B-cell lymphoma. <i>Blood</i> , 2018, 132, 293-306.	0.6	45
82	Carfilzomib as salvage therapy in Waldenstrom macroglobulinemia: a case series. <i>Leukemia and Lymphoma</i> , 2018, 59, 259-261.	0.6	10
83	Cardiac side effects of bruton tyrosine kinase (BTK) inhibitors. <i>Leukemia and Lymphoma</i> , 2018, 59, 1554-1564.	0.6	43
84	First report of ibrutinib in IgM-related amyloidosis: few responses, poor tolerability, and short survival. <i>Blood</i> , 2018, 131, 368-371.	0.6	30
85	A global call to arms for clinical laboratories – Harmonised quantification and reporting of monoclonal proteins. <i>Clinical Biochemistry</i> , 2018, 51, 4-9.	0.8	19
86	Ibrutinib Monotherapy in Symptomatic, Treatment-Naïve Patients With Waldenström Macroglobulinemia. <i>Journal of Clinical Oncology</i> , 2018, 36, 2755-2761.	0.8	142
87	Waldenström's macroglobulinaemia: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. <i>Annals of Oncology</i> , 2018, 29, iv41-iv50.	0.6	63
88	Clinical features and survival outcomes of patients with lymphoplasmacytic lymphoma, including non-IgM type, in Korea: a single-center experience. <i>Blood Research</i> , 2018, 53, 189.	0.5	10
89	Onsets of progression and second treatment determine survival of patients with symptomatic Waldenström macroglobulinemia. <i>Blood Advances</i> , 2018, 2, 3102-3111.	2.5	3
90	Impact of ibrutinib dose intensity on patient outcomes in previously treated Waldenström macroglobulinemia. <i>Haematologica</i> , 2018, 103, e466-e468.	1.7	18
91	Waldenström Macroglobulinemia/Lymphoplasmacytic Lymphoma. , 2018, , 1419-1431.e5.		0

#	ARTICLE	IF	CITATIONS
92	Flow Cytometry. Hematology/Oncology Clinics of North America, 2018, 32, 765-775.	0.9	20
93	Waldenstrom's Macroglobulinemia. , 2018, , 617-638.		0
94	Idelalisib in a patient with refractory Waldenström's macroglobulinemia complicated by anuric renal failure: a case report. Journal of Medical Case Reports, 2018, 12, 164.	0.4	2
95	A head-to-head Phase III study comparing zanubrutinib versus ibrutinib in patients with Waldenström macroglobulinemia. Future Oncology, 2018, 14, 2229-2237.	1.1	37
96	Kidney Involvement of Patients with Waldenström Macroglobulinemia and Other IgM-Producing B Cell Lymphoproliferative Disorders. Clinical Journal of the American Society of Nephrology: CJASN, 2018, 13, 1037-1046.	2.2	46
97	Ibrutinib for Treating Waldenström's Macroglobulinaemia: An Evidence Review Group Perspective of a NICE Single Technology Appraisal. Pharmacoeconomics, 2019, 37, 7-18.	1.7	1
98	<i>CXCR4</i> mutation subtypes impact response and survival outcomes in patients with Waldenström macroglobulinaemia treated with ibrutinib. British Journal of Haematology, 2019, 187, 356-363.	1.2	73
99	Lymphoplasmacytic Lymphoma and Marginal Zone Lymphoma. Hematology/Oncology Clinics of North America, 2019, 33, 639-656.	0.9	12
101	A Phase Ib/II Study of Oprozomib in Patients with Advanced Multiple Myeloma and Waldenström Macroglobulinemia. Clinical Cancer Research, 2019, 25, 4907-4916.	3.2	36
102	Rituximab-based combination therapy in patients with Waldenström macroglobulinemia: a systematic review and meta-analysis. OncoTargets and Therapy, 2019, Volume 12, 2751-2766.	1.0	9
103	Clinicopathological spectrum of renal parenchymal involvement in B-cell lymphoproliferative disorders. Kidney International, 2019, 96, 94-103.	2.6	16
104	Phase I study of tirabrutinib (ONO4059/GS4059) in patients with relapsed or refractory B-cell malignancies in Japan. Cancer Science, 2019, 110, 1686-1694.	1.7	43
105	Parsaclisib, a potent and highly selective PI3K γ inhibitor, in patients with relapsed or refractory B-cell malignancies. Blood, 2019, 133, 1742-1752.	0.6	84
106	Carfilzomib-based combination regimens are highly effective frontline therapies for multiple myeloma and Waldenström's macroglobulinemia. Leukemia and Lymphoma, 2019, 60, 964-970.	0.6	11
107	Diagnostic framing of IgM monoclonal gammopathy: Focus on Waldenström macroglobulinemia. Hematological Oncology, 2019, 37, 117-128.	0.8	15
108	Long survival in patients with Waldenström macroglobulinaemia diagnosed at a young age. British Journal of Haematology, 2019, 185, 799-802.	1.2	4
109	Low risk of Pneumocystis jirovecii pneumonia and invasive aspergillosis in patients with Waldenström macroglobulinaemia on ibrutinib. British Journal of Haematology, 2019, 185, 788-790.	1.2	12
110	Waldenström macroglobulinemia: 2019 update on diagnosis, risk stratification, and management. American Journal of Hematology, 2019, 94, 266-276.	2.0	68

#	ARTICLE	IF	CITATIONS
111	Ibrutinib for the treatment of Bing-Neel syndrome: a multicenter study. <i>Blood</i> , 2019, 133, 299-305.	0.6	69
112	Low levels of von Willebrand markers associate with high serum IgM levels and improve with response to therapy, in patients with Waldenström macroglobulinaemia. <i>British Journal of Haematology</i> , 2019, 184, 1011-1014.	1.2	19
113	Deepening of response after completing rituximab-containing therapy in patients with Waldenstrom macroglobulinemia. <i>American Journal of Hematology</i> , 2020, 95, 372-378.	2.0	6
114	Acalabrutinib monotherapy in patients with Waldenström macroglobulinemia: a single-arm, multicentre, phase 2 study. <i>Lancet Haematology</i> , 2020, 7, e112-e121.	2.2	119
115	IgM AL amyloidosis: delineating disease biology and outcomes with clinical, genomic and bone marrow morphological features. <i>Leukemia</i> , 2020, 34, 1373-1382.	3.3	40
116	A practical guide to laboratory investigations at diagnosis and follow up in Waldenström macroglobulinaemia: recommendations from the Medical and Scientific Advisory Group, Myeloma Australia, the Pathology Sub-committee of the Lymphoma and Related Diseases Registry and the Australasian Association of Clinical Biochemists Monoclonal Gammopathy Working Group. <i>Pathology</i> , 2020, 52, 167-170.	0.3	23
117	Response and Survival Outcomes to Ibrutinib Monotherapy for Patients With Waldenström Macroglobulinemia on and off Clinical Trials. <i>HemaSphere</i> , 2020, 4, e363.	1.2	12
118	Zanubrutinib for the treatment of patients with Waldenström macroglobulinemia: 3 years of follow-up. <i>Blood</i> , 2020, 136, 2027-2037.	0.6	78
119	A multicenter, open-label, phase II study of tirabrutinib (ONO/GSâ€4059) in patients with Waldenströmâ€™s macroglobulinemia. <i>Cancer Science</i> , 2020, 111, 3327-3337.	1.7	60
120	A randomized phase 3 trial of zanubrutinib vs ibrutinib in symptomatic Waldenström macroglobulinemia: the ASPEN study. <i>Blood</i> , 2020, 136, 2038-2050.	0.6	281
121	Complete Response of a Young Woman With MYD88WT Bing-Neel Syndrome on Ibrutinib Monotherapy Following a Single Cycle of B Hyper-CVAD/IT MTX. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, e809-e812.	0.2	0
122	Younger patients with Waldenström Macroglobulinemia exhibit low risk profile and excellent outcomes in the era of immunotherapy and targeted therapies. <i>American Journal of Hematology</i> , 2020, 95, 1473-1478.	2.0	7
123	Systemic Amyloidosis due to Low-Grade Lymphoma. <i>Hematology/Oncology Clinics of North America</i> , 2020, 34, 1027-1039.	0.9	8
124	A rare case of MGRS with immunotactoid glomerulopathy responding to bortezomib, dexamethasone, and rituximab. <i>Clinical Case Reports (discontinued)</i> , 2020, 8, 1984-1987.	0.2	2
125	Zanubrutinib for the treatment of MYD88 wild-type Waldenström macroglobulinemia: a substudy of the phase 3 ASPEN trial. <i>Blood Advances</i> , 2020, 4, 6009-6018.	2.5	57
126	Premedication with montelukast and rupatadine decreased rituximab infusion time, rate, severity of reactions and use of rescue medications. <i>International Journal of Cancer</i> , 2020, 147, 1979-1986.	2.3	6
127	Genomic Landscape of Waldenström Macroglobulinemia and Its Impact on Treatment Strategies. <i>Journal of Clinical Oncology</i> , 2020, 38, 1198-1208.	0.8	103
128	High plasma D-dimer level is a poor prognostic factor for patients with waldenström macroglobulinemia. <i>Leukemia and Lymphoma</i> , 2020, 61, 1140-1146.	0.6	1

#	ARTICLE	IF	CITATIONS
129	Waldenström's macroglobulinemia in the era of immunotherapy. <i>Leukemia and Lymphoma</i> , 2020, 61, 1292-1304.	0.6	1
130	A matched case-control study comparing features, treatment and outcomes between patients with non-IgM lymphoplasmacytic lymphoma and Waldenström macroglobulinemia. <i>Leukemia and Lymphoma</i> , 2020, 61, 1388-1394.	0.6	9
131	Waldenström Macroglobulinemia: Clinico-pathological Profile and Treatment Outcomes of Patients from a Tertiary Care Centre of North India. <i>Indian Journal of Hematology and Blood Transfusion</i> , 2021, 37, 386-390.	0.3	0
132	Partial response or better at six months is prognostic of superior progression-free survival in Waldenström macroglobulinaemia patients treated with ibrutinib. <i>British Journal of Haematology</i> , 2021, 192, 542-550.	1.2	8
133	Current and Emerging Treatments for Waldenström Macroglobulinemia. <i>Acta Haematologica</i> , 2021, 144, 146-157.	0.7	7
134	Long-Term Follow-Up of Ibrutinib Monotherapy in Symptomatic, Previously Treated Patients With Waldenström Macroglobulinemia. <i>Journal of Clinical Oncology</i> , 2021, 39, 565-575.	0.8	98
135	Low number of KIR ligands in lymphoma patients favors a good rituximab-dependent NK cell response. <i>Oncolmmunology</i> , 2021, 10, 1936392.	2.1	14
136	Clinical application of genomics in Waldenström macroglobulinemia. <i>Leukemia and Lymphoma</i> , 2021, 62, 1805-1815.	0.6	3
137	The evaluation and management of monoclonal gammopathy of renal significance and monoclonal gammopathy of neurological significance. <i>American Journal of Hematology</i> , 2021, 96, 846-853.	2.0	16
138	Clinicopathological features of Chinese patients with B-cell lymphoproliferative disorders and kidney infiltration. <i>Nephrology</i> , 2021, 26, 650-658.	0.7	1
139	Molecular and genetic biomarkers implemented from next-generation sequencing provide treatment insights in clinical practice for Waldenström macroglobulinemia. <i>Neoplasia</i> , 2021, 23, 361-374.	2.3	16
140	Phase I, first-in-human trial of Bruton's tyrosine kinase inhibitor M7583 in patients with B-cell malignancies. <i>Leukemia and Lymphoma</i> , 2021, 62, 1-8.	0.6	1
141	A comprehensive retrospective cohort study of the journey of B-cell lymphoma in Taiwan. <i>Scientific Reports</i> , 2021, 11, 10069.	1.6	3
142	Obinutuzumab and idelalisib in symptomatic patients with relapsed/refractory Waldenström macroglobulinemia. <i>Blood Advances</i> , 2021, 5, 2438-2446.	2.5	20
143	Copanlisib plus rituximab versus placebo plus rituximab in patients with relapsed indolent non-Hodgkin lymphoma (CHRONOS-3): a double-blind, randomised, placebo-controlled, phase 3 trial. <i>Lancet Oncology</i> , The, 2021, 22, 678-689.	5.1	83
144	Assessment of fixed-duration therapies for treatment-naïve Waldenström macroglobulinemia. <i>American Journal of Hematology</i> , 2021, 96, 945-953.	2.0	12
145	Retrospective Analysis of the Impact of Adverse Event-Triggered Idelalisib Interruption and Dose Reduction on Clinical Outcomes in Patients With Relapsed/Refractory B-Cell Malignancies. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021, 21, e432-e448.	0.2	11
146	Waldenström macroglobulinemia and relationship to immune deficiency. <i>Leukemia and Lymphoma</i> , 2021, 62, 2665-2670.	0.6	1

#	ARTICLE	IF	CITATIONS
147	Chemokine Receptor 4-Targeted 68Ga-Pentixafor PET/CT in Response Assessment of Waldenström Macroglobulinemia/Lymphoplasmacytic Lymphoma. <i>Clinical Nuclear Medicine</i> , 2021, 46, 732-737.	0.7	9
148	Natural history of Waldenström macroglobulinemia following acquired resistance to ibrutinib monotherapy. <i>Haematologica</i> , 2022, 107, 1163-1171.	1.7	11
149	The Spectrum of Ocular Manifestations in Patients with Waldenström's Macroglobulinemia. <i>Ocular Immunology and Inflammation</i> , 2021, , 1-10.	1.0	5
150	Feasibility of Combining the Phosphatidylinositol 3-Kinase Inhibitor Copanlisib With Rituximab-Based Immunochemotherapy in Patients With Relapsed Indolent B-cell Lymphoma, Myeloma and Leukemia, 2021, 21, e886-e894.	0.2	8
151	A Phase II Trial of the Bruton Tyrosine-Kinase Inhibitor Zanubrutinib (BGB-3111) in Patients with Relapsed/Refractory Waldenström Macroglobulinemia. <i>Clinical Cancer Research</i> , 2021, 27, 5492-5501.	3.2	19
152	Combining Ixazomib With Subcutaneous Rituximab and Dexamethasone in Relapsed or Refractory Waldenström's Macroglobulinemia: Final Analysis of the Phase I/II HOVON124/ECWM-R2 Study. <i>Journal of Clinical Oncology</i> , 2022, 40, 40-51.	0.8	22
153	Long-term follow-up of ibrutinib monotherapy in treatment-naive patients with Waldenstrom macroglobulinemia. <i>Leukemia</i> , 2022, 36, 532-539.	3.3	50
154	Waldenström macroglobulinemia: 2021 update on diagnosis, risk stratification, and management. <i>American Journal of Hematology</i> , 2021, 96, 258-269.	2.0	49
155	Carfilzomib, Rituximab and Dexamethasone (CaRD) Is Highly Active and Offers a Neuropathy Sparing Approach For Proteasome-Inhibitor Based Therapy In Waldenstrom's Macroglobulinemia. <i>Blood</i> , 2013, 122, 757-757.	0.6	6
156	KIDNEY DISEASE ASSOCIATED WITH MONOCLONAL GAMMOPATHIES: SINGLE-CENTER STUDY. <i>Nephrology (Saint-Petersburg)</i> , 2018, 22, 38-46.	0.1	8
157	Ibrutinib Plus Rituximab Versus Placebo Plus Rituximab for Waldenström's Macroglobulinemia: Final Analysis From the Randomized Phase III iNOVATE Study. <i>Journal of Clinical Oncology</i> , 2022, 40, 52-62.	0.8	62
158	Waldenström's Macroglobulinemia. , 2014, , 303-329.		0
159	Waldenström Macroglobulinemia: Clinical Presentation, Diagnosis, and Management. <i>Journal of the Advanced Practitioner in Oncology</i> , 2020, 11, 381-389.	0.2	2
160	Waldenström Macroglobulinemia: A Clinicopathological Profile and Review of Six Cases. <i>Indian Journal of Medical and Paediatric Oncology</i> , 2020, 41, 596-601.	0.1	0
161	Semi-quantitative measurements of chemokine receptor 4-targeted 68Ga-pentixafor PET/CT in response assessment of Waldenström macroglobulinemia/lymphoplasmacytic lymphoma. <i>EJNMMI Research</i> , 2021, 11, 110.	1.1	3
162	Clinical and morphological spectrum and long-term outcome in monoclonal gammopathy of renal significance: one center study. <i>Nephrology (Saint-Petersburg)</i> , 2020, 24, 19-27.	0.1	1
163	Paraprotein Sample Exchange in Australia and New Zealand - 2018. <i>Clinical Biochemist Reviews</i> , 2019, 40, 43-54.	3.3	3
164	The Paraprotein - an Enduring Biomarker. <i>Clinical Biochemist Reviews</i> , 2019, 40, 5-22.	3.3	16

#	ARTICLE	IF	CITATIONS
165	Multicenter phase 2 study of daratumumab monotherapy in patients with previously treated Waldenström macroglobulinemia. <i>Blood Advances</i> , 2020, 4, 5089-5092.	2.5	5
166	Venetoclax in Previously Treated Waldenström Macroglobulinemia. <i>Journal of Clinical Oncology</i> , 2022, 40, 63-71.	0.8	53
167	Post-relapse survival in Waldenström macroglobulinemia patients experiencing therapy failure following autologous transplantation. <i>Hematological Oncology</i> , 2022, 40, 49-57.	0.8	2
168	Plamotamab (XmAb [®] 13676) for Ibrutinib- refractory CXCR4-mutated extramedullary Waldenström macroglobulinemia. <i>Leukemia and Lymphoma</i> , 2022, 63, 738-742.	0.6	2
169	A phase-II study of atezolizumab in combination with obinutuzumab or rituximab for relapsed or refractory mantle cell or marginal zone lymphoma or Waldenström's macroglobulinemia. <i>Leukemia and Lymphoma</i> , 2022, 63, 1058-1069.	0.6	3
170	Diagnosis and management of Waldenström macroglobulinaemia. <i>British Society for Haematology</i> guideline. <i>British Journal of Haematology</i> , 2022, 197, 171-187.	1.2	30
171	A Case of Waldenström Macroglobulinemia/Lymphoplasmacytic Lymphoma Associated with Nephrotic Syndrome during Hemodialysis, Treated Successfully with Tirabrutinib. <i>Internal Medicine</i> , 2022, , .	0.3	0
172	Response and survival predictors in a cohort of 319 patients with Waldenström macroglobulinemia treated with ibrutinib monotherapy. <i>Blood Advances</i> , 2022, 6, 1015-1024.	2.5	12
173	Mast cell density and its clinical relevance in Waldenström's macroglobulinemia. <i>EJHaem</i> , 2022, 3, 371-378.	0.4	1
174	Phase 1/2 study of acalabrutinib and the PI3K delta inhibitor ACP-319 in relapsed/refractory B-cell Non-Hodgkin lymphoma. <i>Leukemia and Lymphoma</i> , 2022, 63, 1728-1732.	0.6	2
175	A two-part, single-arm, multicentre, phase I study of zanubrutinib, a selective Bruton tyrosine kinase inhibitor, in Chinese patients with relapsed/refractory B-cell malignancies. <i>British Journal of Haematology</i> , 2022, 198, 62-72.	1.2	10
176	First-versus second-generation Bruton tyrosine kinase inhibitors in Waldenström's Macroglobulinemia: A systematic review and meta-analysis. <i>American Journal of Hematology</i> , 2022, 97, 942-950.	2.0	5
177	Two-year outcomes of tirabrutinib monotherapy in Waldenström's macroglobulinemia. <i>Cancer Science</i> , 2022, 113, 2085-2096.	1.7	15
181	Revisiting the spectrum of IgM-related neuropathies in a large cohort of IgM monoclonal gammopathy. <i>Journal of Neurology</i> , 2022, 269, 4955-4960.	1.8	4
182	The characteristics of seronegative and seropositive non-hepatitis-associated cryoglobulinemic glomerulonephritis. <i>Kidney International</i> , 2022, 102, 382-394.	2.6	6
183	Waldenström Macroglobulinemia: Tailoring Therapy for the Individual. <i>Journal of Clinical Oncology</i> , 2022, 40, 2600-2608.	0.8	3
184	A pilot study on dasatinib in patients with Waldenström macroglobulinemia progressing on ibrutinib. <i>EJHaem</i> , 2022, 3, 927-929.	0.4	1
185	Differential Diagnosis of Waldenström's Macroglobulinemia and Early Management: Perspectives from Clinical Practice. <i>Blood and Lymphatic Cancer: Targets and Therapy</i> , 0, Volume 12, 107-117.	1.2	5

#	ARTICLE	IF	CITATIONS
186	Baseline 18F-FDG PET/CT May Portend the Prognosis of Patients With Waldenström Macroglobulinemia/Lymphoplasmacytic Lymphoma After First-Line Treatment. <i>Clinical Nuclear Medicine</i> , 2022, 47, 954-960.	0.7	2
187	Treatment and Survival Outcomes of Waldenstrom Macroglobulinemia in Latin American Patients: A Multinational Retrospective Cohort Study. <i>JCO Global Oncology</i> , 2022, , .	0.8	3
188	The Role of [68Ga]Ga-Pentixafor PET/CT or PET/MRI in Lymphoma: A Systematic Review. <i>Cancers</i> , 2022, 14, 3814.	1.7	10
189	Clinicopathological features and individualized treatment of kidney involvement in B-cell lymphoproliferative disorder. <i>Frontiers in Immunology</i> , 0, 13, .	2.2	2
190	Successful and safe response to ibrutinib alone in treating relapsed Waldenström macroglobulinemia and related acquired von Willebrand syndrome: an option to consider. <i>Leukemia and Lymphoma</i> , 0, , 1-5.	0.6	0
191	Evaluation of orelabrutinib monotherapy in patients with relapsed or refractory Waldenström's macroglobulinemia in a single-arm, multicenter, open-label, phase 2 study. <i>EClinicalMedicine</i> , 2022, 52, 101682.	3.2	15
192	Molecular remission is an independent predictor of progression-free survival in patients with Waldenström macroglobulinemia treated with chemoimmunotherapy: Results from the FIL_BIOWM study. <i>Hematological Oncology</i> , 2023, 41, 574-577.	0.8	1
193	Clinicopathologic characteristics and prognostic analysis of monoclonal gammopathy of renal significance (MGRS) in patients with IgM monoclonal gammopathy: a case series. <i>Scientific Reports</i> , 2022, 12, .	1.6	1
194	IgM-Related Immunoglobulin Light Chain (AL) Amyloidosis. <i>Hemato</i> , 2022, 3, 731-741.	0.2	0
195	Zanubrutinib in patients with previously treated B-cell malignancies intolerant of previous Bruton tyrosine kinase inhibitors in the USA: a phase 2, open-label, single-arm study. <i>Lancet Haematology</i> , the, 2023, 10, e35-e45.	2.2	22
196	A phase 1, open-label, randomized drug-drug interaction study of zanubrutinib with moderate or strong CYP3A inhibitors in patients with B-cell malignancies. <i>Leukemia and Lymphoma</i> , 2023, 64, 329-338.	0.6	1
197	Light chain amyloidosis associated with Waldenström macroglobulinemia: treatment and survival outcomes. <i>Haematologica</i> , 2023, 108, 1680-1684.	1.7	2
198	Dose reductions in patients with Waldenström macroglobulinaemia treated with ibrutinib. <i>British Journal of Haematology</i> , 2023, 201, 897-904.	1.2	10
199	Zanubrutinib in patients with treatment-naïve or relapsed/refractory Waldenström macroglobulinemia: An expanded-access study of 50 patients in the United States. <i>EJHaem</i> , 2023, 4, 301-304.	0.4	2
200	Long-term safety profile of tirabrutinib: final results of a Japanese Phase I study in patients with relapsed or refractory B-cell malignancies. <i>International Journal of Hematology</i> , 2023, 117, 553-562.	0.7	5
201	Ibrutinib in relapsed/refractory patients with Waldenström macroglobulinemia: a real-life, retrospective study on behalf of the RTL (regional Tuscan lymphoma network). <i>Annals of Hematology</i> , 0, , .	0.8	1
202	Lymphoplasmacytic lymphoma with IgG λ paraproteinemia presenting as a hepatic bulky mass. <i>Journal of Clinical and Experimental Hematopathology: JCEH</i> , 2022, 62, 273-278.	0.3	0
203	Unique Presentation of Bing-Neel Syndrome With Co-existing Chronic Lymphocytic Leukemia. <i>HemaSphere</i> , 2022, 6, e805.	1.2	0

#	ARTICLE	IF	CITATIONS
204	Bortezomib-Dexamethasone, Rituximab, and Cyclophosphamide as First-Line Treatment for Waldenström's Macroglobulinemia: A Prospectively Randomized Trial of the European Consortium for Waldenström's Macroglobulinemia. <i>Journal of Clinical Oncology</i> , 2023, 41, 2607-2616.	0.8	16
205	Bendamustine plus rituximab for the treatment of Waldenström Macroglobulinemia: Patient outcomes and impact of bendamustine dosing. <i>American Journal of Hematology</i> , 2023, 98, 750-759.	2.0	3
206	BeEAM Conditioning including High-Dose Bendamustine before Autologous Stem Cell Transplantation Is Safe and Effective in Patients with Waldenström's Macroglobulinemia. <i>Journal of Clinical Medicine</i> , 2023, 12, 2378.	1.0	0
207	Report of Consensus Panel 6 from the 11 th International Workshop on Waldenström's Macroglobulinemia on Management of Waldenström's Macroglobulinemia Related Amyloidosis. <i>Seminars in Hematology</i> , 2023, , .	1.8	0
208	Report of consensus Panel 4 from the 11th International Workshop on Waldenström's macroglobulinemia on diagnostic and response criteria. <i>Seminars in Hematology</i> , 2023, 60, 97-106.	1.8	7
224	Waldenström Macroglobulinemia. , 2024, , .		0