A Modification of Slide-Culture Technique

Nature 156, 391-392 DOI: 10.1038/156391c0

Citation Report

#	Article	IF	CITATIONS
1	Mode of Multiplication of Theileria in Cultures of Bovine Lymphocytic Cells. Nature, 1964, 203, 728-730.	27.8	144
2	The growth ofTheileria annulata infected cells in suspension culture. Tropical Animal Health and Production, 1975, 7, 23-28.	1.4	13
3	Vaccination against bovine tropical theileriasis (Theileria annulata). Nature, 1976, 264, 355-356.	27.8	28
4	Bovine lymphocyte antigens (BoLA) of bovine lymphocytes and derived lymphoblastoid lines transformed by Theileria parva and Theileria annulata. Parasite Immunology, 1980, 2, 163-174.	1.5	21
5	Sequential study of lymph node and splenic aspirates during Theileriaparva infection in calves. Research in Veterinary Science, 1981, 30, 181-184.	1.9	5
6	Cloning and characterisation of a repetitive DNA sequence fromTheileria mutans: Application as a species-specific probe. Parasitology Research, 1994, 80, 33-41.	1.6	5
7	Serumâ€free in vitro cultivation of <i>Theileria annulata</i> and <i>Theileria parva</i> schizontâ€infected lymphocytes. Transboundary and Emerging Diseases, 2020, 67, 35-39.	3.0	8
8	Progress in the Chemotherapy of Theileriosis. , 1981, , 186-208.		24
9	Current and Future Vaccines against Theileriosis. Progress in Vaccinology, 1993, , 318-337.	0.7	0

ITATION REDOR