Pairwise constraints based multiview features fusion fo

Pattern Recognition 46, 483-496

DOI: 10.1016/j.patcog.2012.08.006

Citation Report

#	Article	IF	CITATIONS
1	Laplacian Eigenmaps for Dimensionality Reduction and Data Representation. Neural Computation, 2003, 15, 1373-1396.	2.2	5,873
2	Skeleton correspondence construction and its applications in animation style reusing. Neurocomputing, 2013, 120, 461-468.	5.9	1
3	Correspondence construction for cartoon animation via sparse coding. , 2013, , .		0
4	Rank Preserving Sparse Learning for Kinect Based Scene Classification. IEEE Transactions on Cybernetics, 2013, 43, 1406-1417.	9.5	196
6	Automatic cartoon matching in computer-assisted animation production. Neurocomputing, 2013, 120, 397-403.	5.9	5
7	Multi-view hypergraph learning by patch alignment framework. Neurocomputing, 2013, 118, 79-86.	5.9	28
8	High-level attributes modeling for indoor scenes classification. Neurocomputing, 2013, 121, 337-343.	5.9	12
9	Image-Based 3D Human Pose Recovery with Locality Sensitive Sparse Retrieval. , 2013, , .		19
10	Scene classification based on SIFT combined with GIST. , 2014, , .		6
11	Fast Image-based Chinese Calligraphic Character Retrieval on Large Scale Data. , 2014, , .		2
12	Exploiting Click Constraints and Multi-view Features for Image Re-ranking. IEEE Transactions on Multimedia, 2014, 16, 159-168.	7.2	155
13	Online MIL tracking with instance-level semi-supervised learning. Neurocomputing, 2014, 139, 272-288.	5.9	17
14	Semi-supervised classification with pairwise constraints. Neurocomputing, 2014, 139, 130-137.	5.9	20
15	Semi-supervised discriminative common vector method for computer vision applications. Neurocomputing, 2014, 129, 289-297.	5.9	2
16	Feature structure fusion and its application. Information Fusion, 2014, 20, 146-154.	19.1	18
17	A collaborative approach for face verification and attributes refinement. Information Sciences, 2014, 281, 620-634.	6.9	4
18	Multiple spatial pooling for visual object recognition. Neurocomputing, 2014, 129, 225-231.	5.9	16
19	Sparse semantic metric learning for image retrieval. Multimedia Systems, 2014, 20, 635-643.	4.7	5

#	Article	IF	CITATIONS
20	Spectral embedding based facial expression recognition with multiple features. Neurocomputing, 2014, 129, 136-145.	5.9	26
21	Improve the performance of co-training by committee with refinement of class probability estimations. Neurocomputing, 2014, 136, 30-40.	5.9	24
22	Robust locality preserving projection based on maximum correntropy criterion. Journal of Visual Communication and Image Representation, 2014, 25, 1676-1685.	2.8	10
23	Video anomaly detection based on a hierarchical activity discovery within spatio-temporal contexts. Neurocomputing, 2014, 143, 144-152.	5.9	82
24	Graph regularized multiset canonical correlations with applications to joint feature extraction. Pattern Recognition, 2014, 47, 3907-3919.	8.1	41
25	Topic-Sensitive Influencer Mining in Interest-Based Social Media Networks via Hypergraph Learning. IEEE Transactions on Multimedia, 2014, 16, 796-812.	7.2	87
26	A novel semi-supervised canonical correlation analysis and extensions for multi-view dimensionality reduction. Journal of Visual Communication and Image Representation, 2014, 25, 1894-1904.	2.8	35
27	Low-level and high-level prior learning for visual saliency estimation. Information Sciences, 2014, 281, 573-585.	6.9	24
28	Image clustering by hyper-graph regularized non-negative matrix factorization. Neurocomputing, 2014, 138, 209-217.	5.9	86
29	Semantic preserving distance metric learning and applications. Information Sciences, 2014, 281, 674-686.	6.9	108
30	Color CENTRIST: Embedding color information in scene categorization. Journal of Visual Communication and Image Representation, 2014, 25, 840-854.	2.8	5
31	Quality of information-based source assessment and selection. Neurocomputing, 2014, 133, 95-102.	5.9	22
32	Action recognition based on overcomplete independent components analysis. Information Sciences, 2014, 281, 635-647.	6.9	42
33	Semi-supervised classification with Laplacian multiple kernel learning. Neurocomputing, 2014, 140, 19-26.	5.9	12
34	Sparse Discriminative Information Preservation for Chinese character font categorization. Neurocomputing, 2014, 129, 159-167.	5.9	13
35	Scene categorization based on local–global feature fusion and multi-scale multi-spatial resolution encoding. Signal, Image and Video Processing, 2014, 8, 145-154.	2.7	2
36	Conditional simultaneous localization and mapping: A robust visual SLAM system. Neurocomputing, 2014, 145, 269-284.	5.9	10
37	Scene classification based on knowledge sharing and latent structural constraints. , 2015, , .		0

#	Article	IF	Citations
38	Overlapping spikes sorting using feature fusion. , 2015, , .		0
39	Heterogeneous structure fusion for Target Recognition in infrared imagery. , 2015, , .		5
40	A unified framework of image latent feature learning on Sina microblog. New Review of Hypermedia and Multimedia, 2015, 21, 259-277.	1.1	0
41	Adaptive NormalHedge for robust visual tracking. Signal Processing, 2015, 110, 132-142.	3.7	38
42	Scene Recognition by Manifold Regularized Deep Learning Architecture. IEEE Transactions on Neural Networks and Learning Systems, 2015, 26, 2222-2233.	11.3	178
43	Semantic embedding for indoor scene recognition by weighted hypergraph learning. Signal Processing, 2015, 112, 129-136.	3.7	13
44	Ensemble manifold regularized sparse low-rank approximation for multiview feature embedding. Pattern Recognition, 2015, 48, 3102-3112.	8.1	260
45	Automatic player detection and identification for sports entertainment applications. Pattern Analysis and Applications, 2015, 18, 971-982.	4.6	31
46	Classification of farmland images based on color features. Journal of Visual Communication and Image Representation, 2015, 29, 138-146.	2.8	29
47	Local structure preserving discriminative projections for RGB-D sensor-based scene classification. Information Sciences, 2015, 320, 383-394.	6.9	25
48	Matrixized learning machine with modified pairwise constraints. Pattern Recognition, 2015, 48, 3797-3809.	8.1	4
49	Face and palmprint multimodal biometric systems using Gabor–Wigner transform as feature extraction. Pattern Analysis and Applications, 2015, 18, 921-932.	4.6	25
50	Evaluating cluster detection algorithms and feature extraction techniques in automatic classification of fish species. Pattern Analysis and Applications, 2015, 18, 783-797.	4.6	17
51	A new discriminative coding method for image classification. Multimedia Systems, 2015, 21, 133-145.	4.7	5
52	Large-margin multi-view Gaussian process. Multimedia Systems, 2015, 21, 147-157.	4.7	9
53	Evaluating classifier combination in object classification. Pattern Analysis and Applications, 2015, 18, 799-816.	4.6	3
54	Support vector machine with hypergraph-based pairwise constraints. SpringerPlus, 2016, 5, 1651.	1.2	3
55	Multiview clustering based on Robust and Regularized Matrix Approximation. , 2016, , .		0

#	ARTICLE	IF	CITATIONS
56	Congested scene classification via efficient unsupervised feature learning and density estimation. Pattern Recognition, 2016, 56, 159-169.	8.1	52
57	Learning feature fusion strategies for various image types to detect salient objects. Pattern Recognition, 2016, 60, 106-120.	8.1	23
58	Efficient multi-temporal hyperspectral signatures classification using a Gaussian-Bernoulli RBM based approach. Pattern Recognition and Image Analysis, 2016, 26, 190-196.	1.0	4
59	Multi-view Sparsity Preserving Projection for dimension reduction. Neurocomputing, 2016, 216, 286-295.	5.9	26
60	Deep Learning Driven Visual Path Prediction From a Single Image. IEEE Transactions on Image Processing, 2016, 25, 5892-5904.	9.8	48
61	C 2 DMCP: View-consistent collaborative discriminative multiset correlation projection for data representation. Journal of Visual Communication and Image Representation, 2016, 40, 393-405.	2.8	6
62	Laplacian Embedded Infinite Kernel Model for Semi-Supervised Classification. International Journal of Pattern Recognition and Artificial Intelligence, 2016, 30, 1650022.	1.2	3
63	Graph Embedded One-Class Classifiers for media data classification. Pattern Recognition, 2016, 60, 585-595.	8.1	37
64	Environmental microbiology aided by content-based image analysis. Pattern Analysis and Applications, 2016, 19, 531-547.	4.6	18
65	Uncooperative gait recognition: Re-ranking based on sparse coding and multi-view hypergraph learning. Pattern Recognition, 2016, 53, 116-129.	8.1	21
66	Multilayer Extreme Learning Machine With Subnetwork Nodes for Representation Learning. IEEE Transactions on Cybernetics, 2016, 46, 2570-2583.	9.5	98
67	Extreme Learning Machine With Subnetwork Hidden Nodes for Regression and Classification. IEEE Transactions on Cybernetics, 2016, 46, 2885-2898.	9.5	44
68	Local voting based multi-view embedding. Neurocomputing, 2016, 171, 901-909.	5.9	8
69	Heterogeneous feature structure fusion for classification. Pattern Recognition, 2016, 53, 1-11.	8.1	18
70	Salient object detection via spectral matting. Pattern Recognition, 2016, 51, 209-224.	8.1	12
71	Hierarchical prostate MRI segmentation via level set clustering with shape prior. Neurocomputing, 2017, 257, 154-163.	5.9	20
72	Multi-layer multi-view topic model for classifying advertising video. Pattern Recognition, 2017, 68, 66-81.	8.1	28
73	Weakly Supervised PatchNets: Describing and Aggregating Local Patches for Scene Recognition. IEEE Transactions on Image Processing, 2017, 26, 2028-2041.	9.8	64

#	Article	IF	Citations
74	Learning discriminated and correlated patches for multi-view object detection using sparse coding. Pattern Recognition, 2017, 69, 26-38.	8.1	12
75	Sparse Relational Topical Coding on multi-modal data. Pattern Recognition, 2017, 72, 368-380.	8.1	5
76	Semi-supervised classification of multiple kernels embedding manifold information. Cluster Computing, 2017, 20, 3417-3426.	5.0	3
77	Unsupervised Single and Multiple Views Feature Extraction with Structured Graph. IEEE Transactions on Knowledge and Data Engineering, 2017, 29, 2347-2359.	5.7	51
78	Dual structural consistency based multi-modal correlation propagation projections for data representation. Multimedia Tools and Applications, 2017, 76, 20909-20933.	3.9	0
79	Cost Sensitive Semi-Supervised Canonical Correlation Analysis for Multi-view Dimensionality Reduction. Neural Processing Letters, 2017, 45, 411-430.	3.2	10
80	High discriminative SIFT feature and feature pair selection to improve the bag of visual words model. IET Image Processing, 2017, 11, 994-1001.	2.5	8
81	Fractional discriminative multiview correlation projection for face feature fusion., 2017,,.		0
82	Semi-Supervised Clustering Based on Exemplars Constraints. IEICE Transactions on Information and Systems, 2017, E100.D, 1231-1241.	0.7	0
83	Biological modeling of human visual system for object recognition using GLoP filters and sparse coding on multi-manifolds. Machine Vision and Applications, 2018, 29, 965-977.	2.7	7
84	Improved spatial pyramid matching for scene recognition. Pattern Recognition, 2018, 82, 118-129.	8.1	39
85	A novel multi-view dimensionality reduction and recognition framework with applications to face recognition. Journal of Visual Communication and Image Representation, 2018, 53, 161-170.	2.8	14
86	Autoencoder With Invertible Functions for Dimension Reduction and Image Reconstruction. IEEE Transactions on Systems, Man, and Cybernetics: Systems, 2018, 48, 1065-1079.	9.3	66
87	A fast classification strategy for SVM on the large-scale high-dimensional datasets. Pattern Analysis and Applications, 2018, 21, 1023-1038.	4.6	3
88	Place Recognition: An Overview of Vision Perspective. Applied Sciences (Switzerland), 2018, 8, 2257.	2.5	17
89	Video Anomaly Detection Using Ensemble One-Class Classifiers. , 2018, , .		0
90	RGB-D Scene Classification via Multi-modal Feature Learning. Cognitive Computation, 2019, 11, 825-840.	5.2	11
91	Recomputation of dense layers for the performance improvement of DCNN. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2019, 42, 1-1.	13.9	21

#	Article	IF	CITATIONS
92	Features Combined From Hundreds of Midlayers: Hierarchical Networks With Subnetwork Nodes. IEEE Transactions on Neural Networks and Learning Systems, 2019, 30, 3313-3325.	11.3	14
93	Collaborative hashing adopted in locality-constrained linear coding for scene classification. Multimedia Tools and Applications, 2019, 78, 16329-16343.	3.9	1
94	Recognizing Food Places in Egocentric Photo-Streams Using Multi-Scale Atrous Convolutional Networks and Self-Attention Mechanism. IEEE Access, 2019, 7, 39069-39082.	4.2	5
95	Robust Unsupervised Multi-View Feature Learning With Dynamic Graph. IEEE Access, 2019, 7, 72197-72209.	4.2	2
96	Discriminative information-based nonparallel support vector machine. Signal Processing, 2019, 162, 169-179.	3.7	9
97	Auto-weighted multi-view clustering via kernelized graph learning. Pattern Recognition, 2019, 88, 174-184.	8.1	156
98	Label embedded dictionary learning for image classification. Neurocomputing, 2020, 385, 122-131.	5.9	20
99	Multi-view subspace learning via bidirectional sparsity. Pattern Recognition, 2020, 108, 107524.	8.1	31
100	Multiset Canonical Correlations Analysis With Global Structure Preservation. IEEE Access, 2020, 8, 53595-53603.	4.2	3
101	Outlier-robust multi-view clustering for uncertain data. Knowledge-Based Systems, 2021, 211, 106567.	7.1	34
102	Atom specific multiple kernel dictionary based Sparse Representation Classifier for medium scale image classification. Journal of Visual Communication and Image Representation, 2021, 79, 103228.	2.8	2
103	Improving human action recognition by jointly exploiting video and WiFi clues. Neurocomputing, 2021, 458, 14-23.	5.9	16
104	Deep feature fusion through adaptive discriminative metric learning for scene recognition. Information Fusion, 2020, 63, 1-12.	19.1	38
105	Spectral embedding-based multiview features fusion for content-based image retrieval. Journal of Electronic Imaging, 2017, 26, 1.	0.9	7
106	Action Recognition Using Form and Motion Modalities. ACM Transactions on Multimedia Computing, Communications and Applications, 2020, 16, 1-16.	4.3	12
107	Image Classification Using Fusion of Holistic Visual Descriptions. International Journal of Image Graphics and Signal Processing, 2016, 8, 47-57.	1.2	3
108	Reductive and effective discriminative information-based nonparallel support vector machine. Applied Intelligence, $0$ , $1$ .	5.3	0
109	MALLET-Privacy Preserving Influencer Mining in Social Media Networks via Hypergraph. International Journal of Innovative Research in Computer and Communication Engineering, 2015, 03, 767-771.	0.1	0

#	Article	IF	CITATIONS
110	Coupled multiview autoencoders with locality sensitivity for three-dimensional human pose estimation. Journal of Electronic Imaging, 2017, 26, 1.	0.9	1
111	A hierarchical inferential method for indoor scene classification. International Journal of Applied Mathematics and Computer Science, 2017, 27, 839-852.	1.5	2
112	Index migration directed by lattice reduction for feature data fusion. Applied Intelligence, 0, , .	5.3	1
113	Geographic Scene Understanding of High-Spatial-Resolution Remote Sensing Images: Methodological Trends and Current Challenges. Applied Sciences (Switzerland), 2022, 12, 6000.	2.5	3
114	Safe semi-supervised learning for pattern classification. Engineering Applications of Artificial Intelligence, 2023, 121, 106021.	8.1	5
115	An indoor scene recognition system based on deep learning evolutionary algorithms. Soft Computing, 2023, 27, 15581-15594.	3.6	0
116	Multi-scale convolutional neural networks and saliency weight maps for infrared and visible image fusion. Journal of Visual Communication and Image Representation, 2024, 98, 104015.	2.8	0