

CITATION REPORT

List of articles citing

Inhibition of α -helix-mediated protein-protein interactions using designed molecules

DOI: 10.1038/nchem.1568

Nature Chemistry, 2013, 5, 161-73.

Source: <https://exaly.com/paper-pdf/55471845/citation-report.pdf>

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
602	Functional, metal-based crosslinkers for α -helix induction in short peptides. 2013 , 4, 3740-3747		19
601	Efficient α -helix induction in a linear peptide chain by N-capping with a bridged-tricyclic diproline analogue. 2013 , 52, 9539-43		24
600	Design and Synthesis of a Prototype Scaffold for Five-Residue α -Helix Mimetics. 2013 , 2013, 5566-5569		12
599	Protein-protein interactions as druggable targets: recent technological advances. 2013 , 13, 791-6		94
598	Light-regulated stapled peptides to inhibit protein-protein interactions involved in clathrin-mediated endocytosis. 2013 , 52, 7704-8		63
597	Monosubstituted alkenyl amino acids for peptide "stapling". 2013 , 49, 9131-3		43
596	Short antibacterial peptides with significantly reduced hemolytic activity can be identified by a systematic L-to-D exchange scan of their amino acid residues. 2013 , 15, 585-92		34
595	Alternierende asymmetrische Selbstinduktion in funktionalisierten Pyrrolidin-Oligomeren. 2013 , 125, 12969-12973		4
594	Peptides: minimal drug surrogates to interrogate and interfere with protein function. 2013 , 4, 1218-1221		6
593	Alternating asymmetric self-induction in functionalized pyrrolidine oligomers. 2013 , 52, 12736-40		19
592	De novo design, synthesis and evaluation of benzylpiperazine derivatives as highly selective binders of Mcl-1. 2013 , 8, 1986-2014		16
591	Switching the H-bonding network of a foldamer by modulating the backbone chirality and constitutional ratio of amino acids. 2013 , 11, 7072-5		4
590	Efficient α -Helix Induction in a Linear Peptide Chain by N-Capping with a Bridged-tricyclic Diproline Analogue. 2013 , 125, 9718-9722		3
589	Unintended consequences? Water molecules at biological and crystallographic protein-protein interfaces. 2013 , 47, 126-41		11
588	Dual mode of action of phenyl-pyrazole-phenyl (6-5-6 system)-based PPI inhibitors: alpha-helix backbone versus alpha-helix binding epitope. 2013 , 4, 1597		3
587	Synthesis of a tetrasubstituted tetrahydronaphthalene scaffold for α -helix mimicry via a MgBr ₂ -catalyzed Friedel-Crafts epoxide cycloalkylation. 2013 , 15, 4892-5		14
586	Targeting Protein-Protein Interactions to Treat Cancer: Recent Progress and Future Directions. 2013 , 48, 227-245		8

585	Evaluating minimalist mimics by exploring key orientations on secondary structures (EKOS). 2013 , 11, 7789-801	24
584	Development of stapled short helical peptides capable of inhibiting vitamin D receptor (VDR)-coactivator interactions. 2013 , 23, 4292-6	19
583	Amphipathic Helix mimetics based on a 1,2-diphenylacetylene scaffold. 2013 , 15, 3234-7	36
582	Differential impact of H and I residue preorganization on H peptide helix stability in water. 2013 , 135, 8149-52	33
581	Pharmaceutical implications of helix length control in helix-mediated protein-protein interactions. 2013 , 5, 2175-83	9
580	Activated Ras as a Therapeutic Target: Constraints on Directly Targeting Ras Isoforms and Wild-Type versus Mutated Proteins. 2013 , 2013, 536529	17
579	Recapitulating the Helix: nonpeptidic, low-molecular-weight ligands for the modulation of helix-mediated protein-protein interactions. 2013 , 5, 2157-74	12
578	Understanding and Exploiting Protein-Protein Interactions as Drug Targets. 2013 ,	2
577	HippDB: a database of readily targeted helical protein-protein interactions. 2013 , 29, 2806-7	30
576	Protein domain mimetics as in vivo modulators of hypoxia-inducible factor signaling. 2013 , 110, 15602-7	71
575	Super-secondary structure peptidomimetics: design and synthesis of an H hairpin analogue. 2013 , 25, 586-590	5
574	Oligonucleotide-Based Systems for Input-Controlled and Non-Covalently Regulated Protein-Binding. 2013 , 25,	8
573	The RalGEF/Ral pathway: evaluating an intervention opportunity for Ras cancers. 2013 , 34 Pt. B, 137-56	13
572	An orthosteric inhibitor of the RAS-SOS interaction. 2013 , 34 Pt. B, 25-39	13
571	Protein-protein interaction networks studies and importance of 3D structure knowledge. 2013 , 10, 511-20	14
570	Light-Regulated Stapled Peptides to Inhibit Protein-Protein Interactions Involved in Clathrin-Mediated Endocytosis. 2013 , 125, 7858-7862	25
569	Mixed oligoureas based on constrained bicyclic and acyclic H amino acids derivatives: on the significance of the subunit configuration for folding. 2013 , 19, 16963-71	13
568	Developing a PPI inhibitor-based therapy for STXBP1 haploinsufficiency-associated epileptic disorders. 2014 , 7, 6	6

567	. 2014 ,	1
566	In vivo modulation of hypoxia-inducible signaling by topographical helix mimetics. 2014 , 111, 7531-6	80
565	Fixierung cyclischer Peptide: Mimetika von Proteinstrukturmotiven. 2014 , 126, 13234-13257	67
564	Tailor-made designer helical peptides that induce mitochondrion-mediated cell death without necrosis. 2014 , 15, 2571-6	3
563	Antagonism of mTOR Activity by a Kinetically Inert Rhodium(III) Complex. 2014 , 79, 508-511	25
562	Development and validation of a high-content bimolecular fluorescence complementation assay for small-molecule inhibitors of HIV-1 Nef dimerization. 2014 , 19, 556-65	14
561	Advancements in Stapled Peptide Drug Discovery & Development. 2014 , 49, 331-345	10
560	Comparative α -Helicity of Cyclic Pentapeptides in Water. 2014 , 126, 7085-7089	40
559	An iterative in silico and modular synthetic approach to aqueous soluble teracyclic α -helix mimetics. 2014 , 12, 4432-44	5
558	Tailoring peptidomimetics for targeting protein-protein interactions. 2014 , 12, 967-78	37
557	Solid-State Properties and Vibrational Circular Dichroism Spectroscopy in Solution of Hybrid Foldamers Stereoisomeric Mixtures. 2014 , 79, 114-121	6
556	Two-face, two-turn α -helix mimetics based on a cross-acridine scaffold: analogues of the Bim BH3 domain. 2014 , 15, 1280-5	10
555	Linear aliphatic dialkynes as alternative linkers for double-click stapling of p53-derived peptides. 2014 , 15, 2680-3	36
554	Drug-Like Protein-Protein Interaction Modulators: Challenges and Opportunities for Drug Discovery and Chemical Biology. 2014 , 33, 414-437	84
553	Small-molecule proteomimetic inhibitors of the HIF-1 β 300 protein-protein interaction. 2014 , 15, 1083-7	52
552	β - and α -Amino Acids at α -Helical Interfaces: Toward the Formation of Highly Stable Foldameric Coiled Coils. 2014 , 5, 1300-3	8
551	Dynamic covalent side-chain cross-links via intermolecular oxime or hydrazone formation from bifunctional peptides and simple organic linkers. 2014 , 20, 108-14	25
550	2P2I HUNTER: a tool for filtering orthosteric protein-protein interaction modulators via a dedicated support vector machine. 2014 , 11, 20130860	29

549	Interaction study of rice stripe virus proteins reveals a region of the nucleocapsid protein (NP) required for NP self-interaction and nuclear localization. 2014 , 183, 6-14	12
548	Functionalised staple linkages for modulating the cellular activity of stapled peptides. 2014 , 5, 1804-1809	147
547	Diphenylacetylene-linked peptide strands induce bidirectional β -sheet formation. 2014 , 53, 3650-3	39
546	NMR-based approaches for the identification and optimization of inhibitors of protein-protein interactions. 2014 , 114, 4749-63	78
545	Focused chemical libraries--design and enrichment: an example of protein-protein interaction chemical space. 2014 , 6, 1291-307	30
544	Constrained peptides with target-adapted cross-links as inhibitors of a pathogenic protein-protein interaction. 2014 , 53, 2489-93	101
543	Rational design of topographical helix mimics as potent inhibitors of protein-protein interactions. 2014 , 136, 7877-88	91
542	A Natural-Product Switch for a Dynamic Protein Interface. 2014 , 126, 6561-6566	4
541	The ID proteins: master regulators of cancer stem cells and tumour aggressiveness. 2014 , 14, 77-91	235
540	Multifaceted roles of disulfide bonds. Peptides as therapeutics. 2014 , 114, 901-26	365
539	Discovery of Cell-Permeable Inhibitors That Target the BRCT Domain of BRCA1 Protein by Using a Small-Molecule Microarray. 2014 , 126, 8561-8566	8
538	Synthesis and conformational analysis of macrocyclic peptides consisting of both α -helix and polyproline helix segments. 2014 , 101, 279-86	3
537	Stabilization of protein-protein interactions by small molecules. 2014 , 19, 1812-1821	38
536	3-substituted indazoles as configurationally locked 4EGI-1 mimetics and inhibitors of the eIF4E/eIF4G interaction. 2014 , 15, 595-611	10
535	A natural-product switch for a dynamic protein interface. 2014 , 53, 6443-8	22
534	Controlling leucine-zipper partner recognition in cells through modification of α -g interactions. 2014 , 50, 6364-7	5
533	Design, solid-phase synthesis, and evaluation of a phenyl-piperazine-triazine scaffold as α -helix mimetics. 2014 , 16, 695-701	21
532	Protein surface recognition by calixarenes. 2014 , 4, 41529-41542	30

531	Orthogonal functionalisation of Helix mimetics. 2014 , 12, 6794-9	22
530	Intramolecular C#N hydrogen bonding-induced 1,2,3-triazole-based foldamers. 2014 , 1, 494-500	22
529	Comparative Helicity of cyclic pentapeptides in water. 2014 , 53, 6965-9	128
528	Biomimetic Chiral Nematic Mesoporous Materials from Crab Cuticles. 2014 , 2, 1031-1037	54
527	Investigating peptide sequence variations for 'double-click' stapled p53 peptides. 2014 , 12, 4074-7	45
526	Targeting the Transcriptional Hub β -Catenin Using Stapled Peptides. 2014 , 365-378	
525	Modular synthesis of bis- and tris-1,2,3-triazoles by permutable sequential azide-alkyne and azide-alkyne cycloadditions. 2014 , 12, 7489-93	38
524	Structure-Based Design and Synthesis of Potent Cyclic Peptides Inhibiting the YAP-TEAD Protein-Protein Interaction. 2014 , 5, 993-8	91
523	De novo designed library of linear helical peptides: an exploratory tool in the discovery of protein-protein interaction modulators. 2014 , 16, 250-8	15
522	Crystal structures of stapled and hydrogen bond surrogate peptides targeting a fully buried protein-helix interaction. 2014 , 9, 2204-9	37
521	Comprehensive analysis of loops at protein-protein interfaces for macrocycle design. 2014 , 10, 716-22	129
520	Direct targeting of Rab-GTPase-effector interactions. 2014 , 53, 2498-503	65
519	Potential pharmacological chaperones targeting cancer-associated MCL-1 and Parkinson disease-associated Synuclein. 2014 , 111, 11007-12	51
518	Asymmetric triplex metallohelices with high and selective activity against cancer cells. <i>Nature Chemistry</i> , 2014 , 6, 797-803	17.6 99
517	An overview of recent advances in structural bioinformatics of protein-protein interactions and a guide to their principles. 2014 , 116, 141-50	51
516	A potent peptide analogue of GLP-1 with prolonged action in vivo. 2014 , 136, 12848-51	70
515	High-affinity small-molecule inhibitors of the menin-mixed lineage leukemia (MLL) interaction closely mimic a natural protein-protein interaction. 2014 , 57, 1543-56	69
514	Stereoselective Synthesis of Tricyclic Diproline Analogues that Mimic a PPII Helix: Structural Consequences of Ring-Size Variation. 2014 , 2014, 6467-6480	9

513	Small-molecule inhibitors of protein-protein interactions: progressing toward the reality. 2014 , 21, 1102-14	699
512	Constraining cyclic peptides to mimic protein structure motifs. 2014 , 53, 13020-41	277
511	A computationally designed inhibitor of an Epstein-Barr viral Bcl-2 protein induces apoptosis in infected cells. 2014 , 157, 1644-1656	96
510	Designer proteins to trigger cell death. 2014 , 157, 1506-8	3
509	Controlling Helix Handedness in Water-Soluble Quinoline Oligoamide Foldamers. 2014 , 2014, 4265-4275	26
508	Anatomy of β -strands at protein-protein interfaces. 2014 , 9, 1747-54	85
507	Discovery of cell-permeable inhibitors that target the BRCT domain of BRCA1 protein by using a small-molecule microarray. 2014 , 53, 8421-6	29
506	Altered sedative effects of ethanol in mice with α glycine receptor subunits that are insensitive to GABA modulation. 2014 , 39, 2538-48	28
505	Structure of a complex formed by a protein and a helical aromatic oligoamide foldamer at 2.1 Å resolution. 2014 , 53, 883-7	53
504	Design, synthesis, and conformational analysis of trispyrimidonamides as β -helix mimetics. 2014 , 79, 1582-93	3
503	Synthesis of cell-permeable stapled BH3 peptide-based Mcl-1 inhibitors containing simple aryl and vinylaryl cross-linkers. 2014 , 70, 7740-7745	25
502	Modulators of protein-protein interactions. 2014 , 114, 4695-748	341
501	Inhibition of STAT3 activation by KT-18618 via the disruption of the interaction between JAK3 and STAT3. 2014 , 89, 62-73	3
500	Synthesis of hydrogen-bond surrogate β -helices as inhibitors of protein-protein interactions. 2014 , 6, 101-116	15
499	Folding-induced folding: the assembly of aromatic amide and 1,2,3-triazole hybrid helices. 2014 , 20, 1418-26	21
498	Structure of a Complex Formed by a Protein and a Helical Aromatic Oligoamide Foldamer at 2.1 Å Resolution. 2014 , 126, 902-906	20
497	Makrocyclische Peptide mit dem Zielprotein angepassten Kohlenwasserstoffbrücken: Inhibitoren einer pathogenen Protein-Protein-Wechselwirkung. 2014 , 126, 2522-2526	24
496	Direkte Modulation von Rab-GTPase-Effektor-Wechselwirkungen. 2014 , 126, 2531-2536	12

495	Diphenylacetylene-Linked Peptide Strands Induce Bidirectional β -Sheet Formation. 2014 , 126, 3724-3727	14
494	New solid phase submonomer synthesis of arylopeptoid oligomers using reductive amination. 2015 , 56, 6726-6729	7
493	Structure-Based Design of Inhibitors of Protein-Protein Interactions: Mimicking Peptide Binding Epitopes. 2015 , 54, 8896-927	398
492	Strukturbasierte Entwicklung von Protein-Protein-Interaktionsinhibitoren: Stabilisierung und Nachahmung von Peptidliganden. 2015 , 127, 9022-9054	74
491	Selective and Potent Proteomimetic Inhibitors of Intracellular Protein-Protein Interactions. 2015 , 127, 3003-3008	23
490	Peptidomimetics of α -Helical and β -Strand Protein Binding Epitopes. 2015 , 431-464	1
489	In Silico Approaches Assisting the Rational Design of Low Molecular Weight Protein-Protein Interaction Modulators. 2015 , 441-482	
488	Swedish mutant APP-based BACE1 binding site peptide reduces APP β -cleavage and cerebral A β levels in Alzheimer's mice. 2015 , 5, 11322	19
487	Machine learning of single molecule free energy surfaces and the impact of chemistry and environment upon structure and dynamics. 2015 , 142, 105101	26
486	Design, synthesis and conformational analyses of bifacial benzamide based foldamers. 2015 , 5, 104187-104192	5
485	Design of Decorin-Based Peptides That Bind to Collagen I and their Potential as Adhesion Moieties in Biomaterials. 2015 , 54, 10980-4	18
484	Regulating Molecular Recognition with C-Shaped Strips Attained by Chirality-Assisted Synthesis. 2015 , 54, 12772-6	33
483	Double Strain-Promoted Macrocyclization for the Rapid Selection of Cell-Active Stapled Peptides. 2015 , 54, 15410-3	74
482	Direkte Modulation von Aktivit und Funktion kleiner GTPasen. 2015 , 127, 13718-13741	9
481	β -Strand Mimetic Foldamers Rigidified through Dipolar Repulsion. 2015 , 127, 2687-2690	8
480	Quadruple Switching of Pleated Foldamers of Tetrathiafulvalene-Bipyridinium Alternating Dynamic Covalent Polymers. 2015 , 127, 4100-4103	3
479	Straightforward strategy to substitute amide bonds by 1,2,3-triazoles in peptaibols analogs using Aib[Trz]-Xaa dipeptides. 2015 , 104, 611-21	8
478	Sensing Protein Surfaces with Targeted Fluorescent Receptors. 2015 , 21, 15981-7	13

- 477 Conformational Switching in Heterochiral β , β -Hybrid Peptides in Response to Solvent Polarity. **2015**, 2015, 5321-5325 6
- 476 Abstracts|CBS 3rd Annual Conference Driving Biology with Chemistry November 17-19, 2014 San Francisco, California. **2015**, 13, 102-141
- 475 Passende Kleider für Proteine schneiden. **2015**, 63, 1068-1072
- 474 Design von Decorin-basierten Peptiden, die an Kollagen I binden, und ihr Potenzial als Adhäsionssequenzen in Biomaterialien. **2015**, 127, 11131-11135
- 473 Double Strain-Promoted Macrocyclization for the Rapid Selection of Cell-Active Stapled Peptides. **2015**, 127, 15630-15633 20
- 472 Direct Modulation of Small GTPase Activity and Function. **2015**, 54, 13516-37 56
- 471 Foldamers as Anticancer Therapeutics: Targeting Protein-Protein Interactions and the Cell Membrane. **2015**, 16, 1840-1853 18
- 470 A Modular Synthesis of Conformationally Preorganised Extended β -Strand Peptidomimetics. **2015**, 21, 14699-702 12
- 469 Regulating Molecular Recognition with C-Shaped Strips Attained by Chirality-Assisted Synthesis. **2015**, 127, 12963-12967 13
- 468 β -Peptide-Oligoureia Chimeras: Stabilization of Short β -Helices by Non-Peptide Helical Foldamers. **2015**, 54, 9816-20 49
- 467 Regulation of protein-protein interactions using stapled peptides. **2015**, 65 11
- 466 Multi-Facial, Non-Peptidic β -Helix Mimetics. **2015**, 4, 540-55 10
- 465 Design, Synthesis and Evaluation of 2,5-Diketopiperazines as Inhibitors of the MDM2-p53 Interaction. **2015**, 10, e0137867 9
- 464 . **2015**, 5 5
- 463 A molecular signature in the pannexin1 intracellular loop confers channel activation by the β adrenoreceptor in smooth muscle cells. **2015**, 8, ra17 78
- 462 Amphiphilic oligoamide β -helix peptidomimetics inhibit islet amyloid polypeptide aggregation. **2015**, 56, 3670-3673 24
- 461 Design of a selenylsulfide-bridged EGFR dimerization arm mimic. **2015**, 23, 2761-6 9
- 460 Bipyridinium radical cation dimerization-driven polymeric pleated foldamers and a homoduplex that undergo ion-tuned interconversion. **2015**, 6, 4404-4408 13

459	Adaptive Assembly: Maximizing the Potential of a Given Functional Peptide with a Tailor-Made Protein Scaffold. 2015 , 22, 1165-73	2
458	Structural development of stapled short helical peptides as vitamin D receptor (VDR)-coactivator interaction inhibitors. 2015 , 23, 1055-61	18
457	All-Atom Molecular Dynamics Study of Four RADA 16-I Peptides: The Effects of Salts on Cluster Formation. 2015 , 26, 631-643	10
456	Getting across the cell membrane: an overview for small molecules, peptides, and proteins. 2015 , 1266, 29-53	350
455	Selective and potent proteomimetic inhibitors of intracellular protein-protein interactions. 2015 , 54, 2960-5	70
454	Stereocontrolled protein surface recognition using chiral oligoamide proteomimetic foldamers. 2015 , 6, 2434-2443	52
453	Quadruple switching of pleated foldamers of tetrathiafulvalene-bipyridinium alternating dynamic covalent polymers. 2015 , 54, 4028-31	37
452	Protein-protein interface mimicry by an oxazoline piperidine-2,4-dione. 2015 , 17, 632-5	14
451	β-strand mimetic foldamers rigidified through dipolar repulsion. 2015 , 54, 2649-52	30
450	A Small-Molecule Protein-Protein Interaction Inhibitor of PARP1 That Targets Its BRCT Domain. 2015 , 127, 2545-2549	11
449	A small-molecule protein-protein interaction inhibitor of PARP1 that targets its BRCT domain. 2015 , 54, 2515-9	33
448	A two-component 'double-click' approach to peptide stapling. 2015 , 10, 585-94	54
447	In silico design of low molecular weight protein-protein interaction inhibitors: Overall concept and recent advances. 2015 , 119, 20-32	46
446	Overcoming Chemical, Biological, and Computational Challenges in the Development of Inhibitors Targeting Protein-Protein Interactions. 2015 , 22, 689-703	103
445	Helix mimetics: Recent developments. 2015 , 119, 33-40	20
444	State-of-the-art strategies for targeting protein-protein interactions by small-molecule inhibitors. 2015 , 44, 8238-59	104
443	Towards more drug-like proteomimetics: two-faced, synthetic β-helix mimetics based on a purine scaffold. 2015 , 13, 8642-6	13
442	PKA-type I selective constrained peptide disruptors of AKAP complexes. 2015 , 10, 1502-10	32

441	AlphaSpace: Fragment-Centric Topographical Mapping To Target Protein-Protein Interaction Interfaces. 2015 , 55, 1585-99	35
440	Targeting cyclin-dependent kinases in human cancers: from small molecules to Peptide inhibitors. 2015 , 7, 179-237	196
439	The Interplay of Disulfide Bonds, β -Helicity, and Hydrophobic Interactions Leads to Ultrahigh Proteolytic Stability of Peptides. 2015 , 16, 2347-55	19
438	Structural development of stabilized helical peptides as inhibitors of estrogen receptor (ER)-mediated transcription. 2015 , 23, 4132-4138	17
437	Comparison of hydrocarbon-and lactam-bridged cyclic peptides as dimerization inhibitors of Leishmania infantum trypanothione reductase. 2015 , 5, 55784-55794	12
436	Exploration of the HIF-1 α /p300 interface using peptide and Adhiron phage display technologies. 2015 , 11, 2738-49	27
435	Mapping the BH3 Binding Interface of Bcl-xL, Bcl-2, and Mcl-1 Using Split-Luciferase Reassembly. 2015 , 54, 2632-43	8
434	Microwave Controlled Reductive Cyclization: A Selective Synthesis of Novel Benzimidazole-alkyloxyprolo[1,2-a]quinoxalinones. 2015 , 17, 310-6	19
433	Computational and biophysical approaches to protein-protein interaction inhibition of Plasmodium falciparum AMA1/RON2 complex. 2015 , 29, 525-39	12
432	Structural Elucidation and Synthesis of Eudistidine A: An Unusual Polycyclic Marine Alkaloid that Blocks Interaction of the Protein Binding Domains of p300 and HIF-1 β . 2015 , 137, 5569-75	29
431	Solid phase synthesis of constrained 13-membered peptide macrocycles employing Fukuyama-Mitsunobu alkylations. 2015 , 56, 2456-2459	7
430	Docking small peptides remains a great challenge: an assessment using AutoDock Vina. 2015 , 16, 1045-56	81
429	Receptor-templated stapling of intrinsically disordered peptide ligands. 2015 , 13, 4183-9	4
428	A combination of in silico and SAR studies to identify binding hot spots of Bcl-xL inhibitors. 2015 , 23, 1747-57	5
427	Encoded libraries of chemically modified peptides. 2015 , 26, 89-98	84
426	Synthesis of a bis-cationic β -disubstituted amino acid (9-amino-bispidine-9-carboxylic acid) and its effects on the conformational properties of peptides. 2015 , 71, 2241-2245	12
425	Residue-Based Preorganization of BH3-Derived β -Peptides: Modulating Affinity, Selectivity and Proteolytic Susceptibility in β -Helix Mimics. 2015 , 10, 1667-75	35
424	Diaminodiacid-based solid-phase synthesis of all-hydrocarbon stapled β -helical peptides. 2015 , 13, 6286-90	22

423	Terfestatins B and C, New p-Terphenyl Glycosides Produced by Streptomyces sp. RM-5-8. 2015 , 17, 2796-9	34
422	Hydrocarbon stapled peptides as modulators of biological function. 2015 , 10, 1362-75	189
421	Influence of side-chain interactions on the self-assembly of discotic tricarboxyamides: a crystallographic insight. 2015 , 5, 31845-31851	18
420	Selectivity and anti-Parkinson's potential of thiadiazolidinone RGS4 inhibitors. 2015 , 6, 911-9	34
419	Phosphorylation of Capsaicinoid Derivatives Provides Highly Potent and Selective Inhibitors of the Transcription Factor STAT5b. 2015 , 10, 2884-90	15
418	Multivalent peptides displayed on OEGMA-based copolymers for the modulation of protein-protein interactions. 2015 , 6, 7862-7870	1
417	Origin of Helical Screw Sense Selectivity Induced by Chiral Constrained C ₂ -Tetrasubstituted α -Amino Acids in Aib-based Peptides. 2015 , 119, 14003-13	14
416	An overview of peptide and peptoid foldamers in medicinal chemistry. 2015 , 10, 1163-77	49
415	Peptide-Oligoureia Chimeras: Stabilization of Short α -Helices by Non-Peptide Helical Foldamers. 2015 , 127, 9954-9958	22
414	Diversity-Oriented Synthesis of a Library of Star-Shaped 2H-Imidazolines. 2015 , 17, 682-90	12
413	A chiral ligand mediated aza-conjugate addition strategy for the enantioselective synthesis of α -amino esters that contain hydrogenolytically sensitive functionality. 2015 , 71, 8838-8847	10
412	TRB3 links insulin/IGF to tumour promotion by interacting with p62 and impeding autophagic/proteasomal degradations. 2015 , 6, 7951	90
411	Rational design of selective small-molecule inhibitors for β -catenin/B-cell lymphoma 9 protein-protein interactions. 2015 , 137, 12249-60	46
410	An Effective Strategy for Stabilizing Minimal Coiled Coil Mimetics. 2015 , 137, 11618-21	47
409	Protein-Protein Interactions Mediated by Helical Tertiary Structure Motifs. 2015 , 137, 11622-30	48
408	Expedient access to pre-organized α -helix mimetics based on an isocinchomeric acid core. 2015 , 56, 6819-6822	1
407	Mechanism of stabilization of helix secondary structure by constrained C ₂ -Tetrasubstituted α -amino acids. 2015 , 119, 1350-61	21
406	Peptide stapling techniques based on different macrocyclisation chemistries. 2015 , 44, 91-102	350

405	Searching for Dual Inhibitors of the MDM2-p53 and MDMX-p53 Protein-Protein Interaction by a Scaffold-Hopping Approach. 2015 , 86, 180-9	10
404	Allele-specific chemical genetics: concept, strategies, and applications. 2015 , 10, 343-63	23
403	Modulating protein-protein interactions: the potential of peptides. 2015 , 51, 3302-15	164
402	Hydrogen-bonding-driven aromatic foldamers: their structural and functional evolution. 2015 , 15, 233-51	24
401	Model foldamers: applications and structures of stable macrocyclic peptides identified using in vitro selection. 2015 , 39, 3197-3207	14
400	Multivalent helix mimetics for PPI-inhibition. 2015 , 13, 258-64	14
399	Synthesis and screening of small-molecule α -helix mimetic libraries targeting protein-protein interactions. 2015 , 24, 38-47	36
398	Rational design of protein-protein interaction inhibitors. 2015 , 6, 51-60	41
397	Structure-based inhibition of protein-protein interactions. 2015 , 94, 480-8	37
396	An In-tether Chiral Center Modulates the Helicity, Cell Permeability, and Target Binding Affinity of a Peptide. 2016 , 128, 8145-8149	16
395	Development of cell-penetrating peptide-based drug leads to inhibit MDMX:p53 and MDM2:p53 interactions. 2016 , 106, 853-863	21
394	Helix Nucleation via Hydrocarbon Cross-link Mimicking N-capping Box. 2016 , 37, 566-570	5
393	Probing Protein Surfaces: QSAR Analysis with Helix Mimetics. 2016 , 17, 768-73	3
392	Rapid biocompatible macrocyclization of peptides with decafluoro-diphenylsulfone. 2016 , 7, 3785-3790	58
391	Helix Nucleation by the Smallest Known α -Helix in Water. 2016 , 128, 8415-8419	13
390	Non-covalent π - π interactions control conformation in a scaffold that disrupts islet amyloid polypeptide fibrillation. 2016 , 7, 6435-6439	18
389	An In-tether Chiral Center Modulates the Helicity, Cell Permeability, and Target Binding Affinity of a Peptide. 2016 , 55, 8013-7	97
388	Stabile Peptide statt β -gestapelte Peptide α -hochaffine α -selektive Integrinliganden. 2016 , 128, 1559-1563	11

387	Examination of the Effect of N-terminal Diproline and Charged Side Chains on the Stabilization of Helical Conformation in Alanine-Based Short Peptides: A Molecular Dynamics Study. 2016 , 1, 6321-6327	3
386	Tuning Oligovalent Biomacromolecular Interfaces Using Double-Layered β -Helical Coiled-Coil Nanoassemblies from Lariat-Type Building Blocks. 2016 , 5, 1406-1410	6
385	Crosslinked Aspartic Acids as Helix-Nucleating Templates. 2016 , 128, 12267-12272	7
384	Effect of introducing aib in a designed helical inhibitor of hdm2-p53 interaction: A molecular dynamics study. 2016 , 106, 51-61	0
383	Synthesis of highly functionalized oligobenzamide proteomimetic foldamers by late stage introduction of sensitive groups. 2016 , 14, 3782-6	13
382	Both Epistasis and Diversifying Selection Drive the Structural Evolution of the Ebola Virus Glycoprotein Mucin-Like Domain. 2016 , 90, 5475-5484	12
381	An optimal hydrogen-bond surrogate for β -helices. 2016 , 52, 5738-41	15
380	Multiepitope Templates Imprinted Particles for the Simultaneous Capture of Various Target Proteins. 2016 , 88, 5621-5	32
379	Dynamic foldamer chemistry. 2016 , 52, 4852-63	111
378	Reversible, Short β -Peptide Assembly for Controlled Capture and Selective Release of Enantiomers. 2016 , 138, 5773-6	39
377	β -Turn mimetic-based stabilizers of protein-protein interactions for the study of the non-canonical roles of leucyl-tRNA synthetase. 2016 , 7, 2753-2761	4
376	Residue dependent hydrogen-bonding preferences in orthoamino acid-based short peptide β -turn motifs. 2016 , 6, 35328-35331	1
375	Development of a peptide-based inducer of nuclear receptors degradation. 2016 , 26, 2655-8	20
374	Designing helical peptide inhibitors of protein-protein interactions. 2016 , 39, 27-38	44
373	Inhibition of Mcl-1 through covalent modification of a noncatalytic lysine side chain. 2016 , 12, 931-936	110
372	New insights into transcriptional and leukemogenic mechanisms of AML1-ETO and E2A fusion proteins. 2016 , 11, 285-304	2
371	Disrupting the PCSK9/LDLR protein-protein interaction by an imidazole-based minimalist peptidomimetic. 2016 , 14, 9736-9740	31
370	The key position: influence of staple location on constrained peptide conformation and binding. 2016 , 14, 9731-9735	3

369	Side-Chain Conformational Preferences Govern Protein-Protein Interactions. 2016 , 138, 10386-9	22
368	An α -Helix-Mimicking 12,13-Helix: Designed β -Foldamers as Selective Inhibitors of Protein-Protein Interactions. 2016 , 128, 11262-11266	13
367	An α -Helix-Mimicking 12,13-Helix: Designed β -Foldamers as Selective Inhibitors of Protein-Protein Interactions. 2016 , 55, 11096-100	45
366	Development of a Multifunctional Benzophenone Linker for Peptide Stapling and Photoaffinity Labelling. 2016 , 17, 689-92	17
365	Helical β -peptides with alternating residue types: conformational change from the 11-helix to the 14/15-helix. 2016 , 14, 8438-42	1
364	Crosslinked Aspartic Acids as Helix-Nucleating Templates. 2016 , 55, 12088-93	47
363	Anion Recognition by Aliphatic Helical Oligoureas. 2016 , 22, 15684-15692	21
362	Molecular Recognition in Biomimetic Receptors. 2016 , 146-164	
361	Recent Advances in Computational Models for the Study of Protein-Peptide Interactions. 2016 , 105, 27-57	18
360	Therapeutic Potential of Foldamers: From Chemical Biology Tools To Drug Candidates?. 2016 , 59, 9599-9621	94
359	Synthesis of Pyridazine-Based α -Helix Mimetics. 2016 , 18, 651-654	7
358	3-Aminothiophenecarboxylic acid (3-Atc)-induced folding in peptides. 2016 , 40, 9205-9210	2
357	Iterative Evolution of an Abiotic Foldamer Sequence for the Recognition of Guest Molecules with Atomic Precision. 2016 , 138, 10314-22	44
356	Ruthenium-Catalyzed Azide Alkyne Cycloaddition Reaction: Scope, Mechanism, and Applications. 2016 , 116, 14726-14768	206
355	Inhibiting complex IL-17A and IL-17RA interactions with a linear peptide. 2016 , 6, 26071	23
354	Oligooxopiperazines as Topographical Helix Mimetics. 2016 , 1-24	1
353	Cu(I) catalyzed microwave assisted telescopic synthesis of 3,5-disubstituted isoxazoles in green media. 2016 , 57, 5514-5517	26
352	Stable Peptides Instead of Stapled Peptides: Highly Potent β -Selective Integrin Ligands. 2016 , 55, 1535-9	49

351	Unveiling the "Three-Finger Pharmacophore" Required for p53-MDM2 Inhibition by Saturation-Transfer Difference (STD) NMR Initial Growth-Rates Approach. 2016 , 22, 5858-62	7
350	Structural Re-engineering of the α -Helix Mimetic JY-1-106 into Small Molecules: Disruption of the Mcl-1-Bak-BH3 Protein-Protein Interaction with 2,6-Di-Substituted Nicotines. 2016 , 11, 827-33	21
349	A Discontinuous Potential Model for Protein-Protein Interactions. 2016 , 2016, 1-20	
348	Systematic Targeting of Protein-Protein Interactions. 2016 , 37, 702-713	101
347	Prediction of residue-residue contact matrix for protein-protein interaction with Fisher score features and deep learning. 2016 , 110, 97-105	28
346	Foundations of Molecular Modeling and Simulation. 2016 ,	
345	Can Side Chain Interactions Nucleate Supramolecular Heterogeneity in Synthetic Tripeptides?. 2016 , 16, 2130-2139	11
344	13-Helix folding of a β -peptide manifold designed from a "minimal-constraint" blueprint. 2016 , 52, 7802-5	26
343	Tunable Helicity, Stability and DNA-Binding Properties of Short Peptides with Hybrid Metal Coordination Motifs. 2016 , 7, 5453-5461	8
342	Metal complexes as "protein surface mimetics". 2016 , 52, 9745-56	23
341	Helix Nucleation by the Smallest Known α -Helix in Water. 2016 , 55, 8275-9	33
340	Stabilization of an α -Helix by short adjacent accessory foldamers. 2016 , 19, 123-131	6
339	Design of Potent and Proteolytically Stable Oxyntomodulin Analogs. 2016 , 11, 324-8	29
338	Converting One-Face α -Helix Mimetics into Amphiphilic α -Helix Mimetics as Potent Inhibitors of Protein-Protein Interactions. 2016 , 18, 36-42	10
337	The genetic landscape of the epileptic encephalopathies of infancy and childhood. 2016 , 15, 304-16	317
336	In situ iodination and X-ray crystal structure of a foldamer helix bundle. 2016 , 52, 1202-5	11
335	Targeting anti-apoptotic Bcl2 proteins with scyllatoxin-based BH3 domain mimetics. 2016 , 14, 440-446	10
334	Towards "bionic" proteins: replacement of continuous sequences from HIF-1 α with proteomimetics to create functional p300 binding HIF-1 α mimics. 2016 , 52, 5421-4	16

333	Bcl-2/MDM2 Dual Inhibitors Based on Universal Pyramid-Like β -Helical Mimetics. 2016 , 59, 3152-62	18
332	Structure-Based Design of Peptidic Inhibitors of the Interaction between CC Chemokine Ligand 5 (CCL5) and Human Neutrophil Peptides 1 (HNP1). 2016 , 59, 4289-301	20
331	Drugging Membrane Protein Interactions. 2016 , 18, 51-76	148
330	A new GLP-1 analogue with prolonged glucose-lowering activity in vivo via backbone-based modification at the N-terminus. 2016 , 24, 1163-70	10
329	Peptidines: glycine-amidine-based oligomers for solution- and solid-phase synthesis. 2016 , 7, 3317-3324	6
328	Eukaryotic V-ATPase and Its Super-complexes: From Structure and Function to Disease and Drug Targeting. 2016 , 301-335	2
327	Hydrocarbon constrained peptides - understanding preorganisation and binding affinity. 2016 , 7, 3694-3702	53
326	Design and biological testing of peptidic dimerization inhibitors of human Hsp90 that target the C-terminal domain. 2016 , 1860, 1043-55	13
325	Phage Selection of Chemically Stabilized β -Helical Peptide Ligands. 2016 , 11, 1422-7	48
324	Regulation of Ca ²⁺ -ATPases, V-ATPases and F-ATPases. 2016 ,	1
323	Property Focused Structure-Based Optimization of Small Molecule Inhibitors of the Protein-Protein Interaction between Menin and Mixed Lineage Leukemia (MLL). 2016 , 59, 892-913	47
322	Improved and scalable synthesis of building blocks for the modular synthesis of teraryl-based alpha-helix mimetics. 2016 , 147, 509-521	5
321	Exploiting the Biginelli reaction: nitrogen-rich pyrimidine-based teracyclic β -helix mimetics. 2016 , 72, 1151-1160	7
320	Length-Dependent Formation of Transmembrane Pores by β 10-Helical β -Aminoisobutyric Acid Foldamers. 2016 , 138, 688-95	62
319	Recent progress in the development of protein-protein interaction inhibitors targeting androgen receptor-coactivator binding in prostate cancer. 2016 , 161, 36-44	13
318	Diversity-Oriented Peptide Stapling: A Third Generation Copper-Catalysed Azide-Alkyne Cycloaddition Stapling and Functionalisation Strategy. 2017 , 23, 3490-3495	19
317	Interfacing native and non-native peptides: using Affimers to recognise β -helix mimicking foldamers. 2017 , 53, 2834-2837	11
316	β -Helix Mimetics as Modulators of A β Self-Assembly. 2017 , 139, 5744-5755	43

315	Precisely Regulated and Efficient Locking of Linear Peptides into Stable Multicyclic Topologies through a One-Pot Reaction. 2017 , 56, 4458-4463	29
314	Identifying Loop-Mediated Protein-Protein Interactions Using LoopFinder. 2017 , 1561, 255-277	3
313	Stabilization of peptides against proteolysis through disulfide-bridged conjugation with synthetic aromatics. 2017 , 15, 1921-1929	14
312	Molecular Biodynamers: Dynamic Covalent Analogues of Biopolymers. 2017 , 50, 376-386	48
311	Self-Assembled Protein-Aromatic Foldamer Complexes with 2:3 and 2:2:1 Stoichiometries. 2017 , 139, 2928-2931	22
310	Precisely Regulated and Efficient Locking of Linear Peptides into Stable Multicyclic Topologies through a One-Pot Reaction. 2017 , 129, 4529-4534	11
309	Helical Oligopeptides of a Quaternized Amino Acid with Tunable Chiral-Induction Ability and an Anomalous pH Response. 2017 , 23, 4818-4826	6
308	Identification of residues or motif(s) of the rice stripe virus NS3 protein required for self-interaction and for silencing suppressor activity. 2017 , 235, 14-23	7
307	Stapled Voltage-Gated Calcium Channel (Ca) Interaction Domain (AID) Peptides Act As Selective Protein-Protein Interaction Inhibitors of Ca Function. 2017 , 8, 1313-1326	23
306	A critical assessment of the synthesis and biological activity of p53/human double minute 2-stapled peptide inhibitors. 2017 , 174, 2613-2622	15
305	Carbonylation as a novel method for the assembly of pyrazine based oligoamide alpha-helix mimetics. 2017 , 15, 373-378	6
304	Cascade Synthesis of Benzimidazole-Linked Pyrroles via Copper Catalyzed Oxidative Cyclization and Ketonization. 2017 , 19, 3103-3106	12
303	Tuning Sulfur Oxidation States on Thioether-Bridged Peptide Macrocycles for Modulation of Protein Interactions. 2017 , 18, 1836-1844	12
302	Enhancing Specific Disruption of Intracellular Protein Complexes by Hydrocarbon Stapled Peptides Using Lipid Based Delivery. 2017 , 7, 1763	23
301	Orally Absorbed Cyclic Peptides. 2017 , 117, 8094-8128	209
300	Protein Domain Mimics as Modulators of Protein-Protein Interactions. 2017 , 50, 1313-1322	48
299	Double quick, double click reversible peptide "stapling". 2017 , 8, 5166-5171	53
298	Polymeric Tubular Aromatic Amide Helices. 2017 , 38, 1700179	17

- 297 3-2-1: Structural insights from stepwise shrinkage of a three-helix Fc-binding domain to a single helix. **2017**, 30, 619-625 15
- 296 Divergent unprotected peptide macrocyclisation by palladium-mediated cysteine arylation. **2017**, 8, 4257-4263 79
- 295 Arrangement of Proteinogenic α -Amino Acids on a Cyclic Peptide Comprising Alternate Biphenyl-Cored β -Amino Acids. **2017**, 12, 1087-1094 2
- 294 Macrocyclic Organo-Peptide Hybrids by Intein-Mediated Ligation: Synthesis and Applications. **2017**, 391-419
- 293 Peptidomimetics II. **2017**, 2
- 292 A comprehensive look of poly(ADP-ribose) polymerase inhibition strategies and future directions for cancer therapy. **2017**, 9, 37-60 9
- 291 An in-tether sulfoxide chiral center influences the biophysical properties of the N-capped peptides. **2017**, 25, 1756-1761 10
- 290 Fidelity of the DNA Ligase-Catalyzed Scaffolding of Peptide Fragments on Nucleic Acid Polymers. **2017**, 28, 314-318 5
- 289 Saccharide-Containing Dynamic Proteoids. **2017**, 23, 16162-16166 3
- 288 Structural Basis of Inhibition of ER α Coactivator Interaction by High-Affinity N-Terminus Isoaspartic Acid Tethered Helical Peptides. **2017**, 60, 8731-8740 19
- 287 A novel peptide stapling strategy enables the retention of ring-closing amino acid side chains for the Wnt/ β -catenin signalling pathway. **2017**, 8, 7368-7373 36
- 286 Homochirality of β -Peptides: A Significant Biomimetic Property of Unnatural Systems. **2017**, 6, 492-496 5
- 285 Biorenewable Nanofiber and Nanocrystal: Renewable Nanomaterials for Constructing Novel Nanocomposites. **2017**, 155-226
- 284 Cell Permeable Stapled Peptide Inhibitor of Wnt Signaling that Targets β -Catenin Protein-Protein Interactions. **2017**, 24, 958-968.e5 63
- 283 Peptide-Directed Binding for the Discovery of Modulators of β -Helix-Mediated Protein-Protein Interactions: Proof-of-Concept Studies with the Apoptosis Regulator Mcl-1. **2017**, 56, 10446-10450 8
- 282 A Computational Investigation of Small-Molecule Engagement of Hot Spots at Protein-Protein Interaction Interfaces. **2017**, 57, 2250-2272 11
- 281 Peptide-Directed Binding for the Discovery of Modulators of β -Helix-Mediated Protein-Protein Interactions: Proof-of-Concept Studies with the Apoptosis Regulator Mcl-1. **2017**, 129, 10582-10586 1
- 280 Enzyme-assisted peptide folding, assembly and anti-cancer properties. **2017**, 9, 11987-11993 43

- 279 Blocking the RecA activity and SOS-response in bacteria with a short helical peptide. **2017**, 45, 9788-9796 18
- 278 Targeting pseudokinase TRIB3 brings about a new therapeutic option for acute promyelocytic leukemia. **2017**, 4, e1337547 2
- 277 Cathepsin-Mediated Cleavage of Peptides from Peptide Amphiphiles Leads to Enhanced Intracellular Peptide Accumulation. **2017**, 28, 2316-2326 12
- 276 Small-Molecule Modulation of Protein Homeostasis. **2017**, 117, 11269-11301 147
- 275 Multivalent Protein Recognition Using Synthetic Receptors. **2017**, 229-261
- 274 Macrocycles for Protein-Protein Interactions. **2017**, 185-204
- 273 Helical Foldamers from Aromatic Polymers. **2017**, 1-41
- 272 Reversible and Versatile On-Tether Modification of Chiral-Center-Induced Helical Peptides. **2017**, 28, 2001-2007 11
- 271 Expanding the Cancer Arsenal with Targeted Therapies: Disarmament of the Antiapoptotic Bcl-2 Proteins by Small Molecules. **2017**, 60, 821-838 54
- 270 Protein Surface Mimetics: Understanding How Ruthenium Tris(Bipyridines) Interact with Proteins. **2017**, 18, 223-231 13
- 269 Small Molecule Microarrays. **2017**,
- 268 Synthesis of 1,4-Benzodiazepine-2,5-diones by Base Promoted Ring Expansion of 3-Aminoquinoline-2,4-diones. **2017**, 82, 715-722 13
- 267 An helical peptidomimetic scaffold for dynamic combinatorial library formation. **2016**, 53, 313-316 7
- 266 Therapeutic design of peptide modulators of protein-protein interactions in membranes. **2017**, 1859, 577-585 34
- 265 Calmodulin EF-hand peptides as Ca²⁺-switchable recognition tags. **2017**, 108, e22937 0
- 264 Protein-Protein Interaction Inhibitors of BRCA1 Discovered Using Small Molecule Microarrays. **2017**, 1518, 139-156 4
- 263 Electrophilic Helical Peptides That Bond Covalently, Irreversibly, and Selectively in a Protein-Protein Interaction Site. **2017**, 8, 22-26 18
- 262 Molecular Recognition Using Foldamers. **2017**, 511-537 3

261	Small-Molecule Inhibitors of Protein-Protein Interactions. 2017 , 329-353	2
260	Foldamers in Medicinal Chemistry. 2017 , 89-125	10
259	Protein Surface Recognition by Synthetic Molecules. 2017 , 295-349	
258	Thermosensitive Metal Chelation Dual-Template Epitope Imprinting Polymer Using Distillation-Precipitation Polymerization for Simultaneous Recognition of Human Serum Albumin and Transferrin. 2018 , 10, 9060-9068	45
257	In Situ Monitoring of p53 Protein and MDM2 Protein Interaction in Single Living Cells Using Single-Molecule Fluorescence Spectroscopy. 2018 , 90, 6144-6151	14
256	Molecular cloning, characterization and expression analysis of C/EBP β and δ in adipose-related tissues and adipocyte of duck (<i>Anas platyrhynchos</i>). 2018 , 221-222, 29-43	5
255	Epitope imprinting of iron binding protein of <i>Neisseria meningitidis</i> bacteria through multiple monomers imprinting approach. 2018 , 31, e2709	11
254	Peptidomimetic-Based Multidomain Targeting Offers Critical Evaluation of A β Structure and Toxic Function. 2018 , 140, 6562-6574	28
253	Rational design and screening of peptide-based inhibitors of heat shock factor 1 (HSF1). 2018 , 26, 5299-5306	9
252	Discovery of Hydrocarbon-Stapled Short α -Helical Peptides as Promising Middle East Respiratory Syndrome Coronavirus (MERS-CoV) Fusion Inhibitors. 2018 , 61, 2018-2026	30
251	Different stapling-based peptide drug design: Mimicking α -helix as inhibitors of protein-protein interaction. 2018 , 29, 1088-1092	15
250	Glucuronic acid as a helix-inducing linker in short peptides. 2018 , 54, 2162-2165	7
249	Tetraphenylethylene Foldamers with Double Hairpin-Turn Linkers, TNT-Binding Mode and Detection of Highly Diluted TNT Vapor. 2018 , 24, 2004-2012	11
248	Contiguous hydrophobic and charged surface patches in short helix-constrained peptides drive cell permeability. 2018 , 16, 367-371	18
247	Impact of Backbone Pattern and Residue Substitution on Helicity in α -Peptides. 2018 , 140, 1394-1400	17
246	Development of Stabilized Peptide-Based PROTACs against Estrogen Receptor β . 2018 , 13, 628-635	69
245	Reversible Laser-Induced Bending of Pseudorotaxane Crystals. 2018 , 140, 90-93	39
244	Mono-Substituted Hydrocarbon Diastereomer Combinations Reveal Stapled Peptides with High Structural Fidelity. 2018 , 24, 2094-2097	6

243	Immobilization of Crosslinked Peptides that Possess High Helical Contents and Their Binding to Target DNAs on Au Surfaces. 2018 , 47, 365-368	
242	Isolation of a peptide containing d-amino acid residues that inhibits the Helix-mediated p53-MDM2 interaction from a one-bead one-compound library. 2018 , 28, 231-234	4
241	Discovery of bicyclo[3,3,1]non-2-ene as a novel skeleton for HIF-1 inhibitors. 2018 , 26, 3345-3351	6
240	Programmed cell death 5 suppresses AKT-mediated cytoprotection of endothelium. 2018 , 115, 4672-4677	12
239	Single helically folded aromatic oligoamides that mimic the charge surface of double-stranded B-DNA. <i>Nature Chemistry</i> , 2018 , 10, 511-518	17.6 32
238	Lanthanide-doped nanoparticles conjugated with an anti-CD33 antibody and a p53-activating peptide for acute myeloid leukemia therapy. 2018 , 167, 132-142	37
237	Enhanced Permeability and Binding Activity of Isobutylene-Grafted Peptides. 2018 , 19, 48-52	10
236	Modulators of 14-3-3 Protein-Protein Interactions. 2018 , 61, 3755-3778	121
235	Perspectives on the discovery of NOTCH2-specific inhibitors. 2018 , 91, 691-706	6
234	Synthesis and characterization of water-soluble macrocyclic peptides stabilizing protein Turn. 2018 , 16, 459-471	8
233	design of constrained and sequence-independent peptide scaffolds with topologically-formidable disulfide connectivities. 2018 , 9, 569-575	13
232	Peptide-nanoparticle conjugates: a next generation of diagnostic and therapeutic platforms?. 2018 , 5, 38	79
231	p53-Mdm2 Interaction Inhibitors as Novel Nongenotoxic Anticancer Agents. 2018 , 18, 749-772	17
230	Constrained Helical Peptides as Inhibitors of Protein-Protein and Protein-DNA Interactions. 2018 , 6,	10
229	Small-molecule Ca ²⁺ antagonist suppresses neuronal voltage-gated calcium-channel trafficking. 2018 , 115, E10566-E10575	15
228	Differential Effects of D- versus L-Amino Acid Residues on the Helicity and Recognition Properties of Bim BH3-Derived Peptides. 2018 , 130, 14025-14028	5
227	Differential Effects of D versus L Amino Acid Residues on the Helicity and Recognition Properties of Bim BH3-Derived Peptides. 2018 , 57, 13829-13832	13
226	Identification and application of self-binding zipper-like sequences in SARS-CoV spike protein. 2018 , 101, 103-112	2

225	Recent advances in peptidomimetics antagonists targeting estrogen receptor β coactivator interaction in cancer therapy. 2018 , 28, 2827-2836	7
224	Inhibition of low-density lipoprotein receptor degradation with a cyclic peptide that disrupts the homodimerization of IDOL E3 ubiquitin ligase. 2018 , 9, 5957-5966	13
223	Stapling strategy enables improvement of antitumor activity and proteolytic stability of host-defense peptide hymenochirin-1B.. 2018 , 8, 22268-22275	10
222	The Bump-and-Hole Tactic: Expanding the Scope of Chemical Genetics. 2018 , 25, 1171-1184	36
221	coiled-coil peptides as scaffolds for disrupting protein-protein interactions. 2018 , 9, 7656-7665	24
220	Using Peptidomimetics and Constrained Peptides as Valuable Tools for Inhibiting Protein-Protein Interactions. 2018 , 23,	49
219	Impact of Secondary Structure of Polypeptides on Glucose Concentration Sensitivity of Nanocarriers for Insulin Delivery.. 2018 , 1, 328-339	2
218	Conformationally Programmable Chiral Foldamers with Compact and Extended Domains Controlled by Monomer Structure. 2018 , 57, 8478-8482	6
217	Complexity of Blocking Bivalent Protein-Protein Interactions: Development of a Highly Potent Inhibitor of the Menin-Mixed-Lineage Leukemia Interaction. 2018 , 61, 4832-4850	36
216	Optically Active Vibrational Spectroscopy of β Aminoisobutyric Acid Foldamers in Organic Solvents and Phospholipid Bilayers. 2018 , 24, 9399-9408	12
215	Tuning peptide self-assembly by an in-tether chiral center. 2018 , 4, eaar5907	28
214	CHAT gene polymorphism rs3810950 is associated with the risk of Alzheimer's disease in the Czech population. 2018 , 25, 41	7
213	All-Hydrocarbon Staples and Their Effect over Peptide Conformation under Different Force Fields. 2018 , 58, 2015-2023	7
212	Modulating Vitamin D Receptor Coregulator Binding With Small Molecules. 2018 , 657-666	1
211	Conformationally Programmable Chiral Foldamers with Compact and Extended Domains Controlled by Monomer Structure. 2018 , 130, 8614-8618	1
210	Current Trends in Macrocyclic Drug Discovery and beyond-Ro5. 2018 , 57, 113-233	12
209	Rational Design of a 3 -Helical PIP-Box Mimetic Targeting PCNA, the Human Sliding Clamp. 2018 , 24, 11325-11331	9
208	Inhibitors of protein-protein interactions (PPIs): an analysis of scaffold choices and buried surface area. 2018 , 44, 75-86	112

207	Proteolysis Targeting Chimeras for the Selective Degradation of Mcl-1/Bcl-2 Derived from Nonselective Target Binding Ligands. 2019 , 62, 8152-8163	53
206	Small molecules for modulating the localisation of the water channel aquaporin-2-disease relevance and perspectives for targeting local cAMP signalling. 2019 , 392, 1049-1064	5
205	Structural features of methionine aminopeptidase2-active core peptide essential for binding with S100A4. 2019 , 516, 1123-1129	1
204	β-Helical Motif as Inhibitors of Toxic Amyloid-β Oligomer Generation via Highly Specific Recognition of Amyloid Surface. 2019 , 17, 87-100	7
203	Adaptive vision-based force/position tracking of robotic manipulators interacting with uncertain environment. 2019 ,	1
202	A Novel Long-Range n to π Interaction Secures the Smallest known β-Helix in Water. 2019 , 58, 18873-18877	15
201	Discovery and optimization of covalent Bcl-xL antagonists. 2019 , 29, 126682	8
200	Targeting the Side-Chain Convergence of Hydrophobic β-Helical Hot Spots To Design Small-Molecule Mimetics: Key Binding Features for , + 3, and + 7. 2019 , 62, 9906-9917	3
199	. 2019 ,	18
198	Constrained Peptides with Fine-Tuned Flexibility Inhibit NF-Y Transcription Factor Assembly. 2019 , 131, 17512-17519	1
197	Constrained Peptides with Fine-Tuned Flexibility Inhibit NF-Y Transcription Factor Assembly. 2019 , 58, 17351-17358	12
196	Integrated Vibration Control of In-Wheel Motor-Suspensions Coupling System via Dynamics Parameter Optimization. 2019 , 2019, 1-14	3
195	Characterization of VQ motif-containing protein family and their expression patterns under phytohormones and abiotic stresses in melon (Cucumis melo L.). 2019 , 89, 273-285	4
194	Predicting and Experimentally Validating Hot-Spot Residues at Protein-Protein Interfaces. 2019 , 14, 2252-2263	33
193	Artificial intelligence facilitates drug design in the big data era. 2019 , 194, 103850	13
192	Non-naturally Occurring Helical Molecules Can Interfere with p53-MDM2 and p53-MDMX Protein-Protein Interactions. 2019 , 67, 1139-1143	6
191	Targeting cancer's Achilles' heel: role of BCL-2 inhibitors in cellular senescence and apoptosis. 2019 , 11, 2287-2312	6
190	An expeditious synthetic route to proteomimetic foldamers. 2019 , 43, 556-560	1

189	Dithiocarbamate-inspired side chain stapling chemistry for peptide drug design. 2019 , 10, 1522-1530	25
188	Toolbox of Diverse Linkers for Navigating the Cellular Efficacy Landscape of Stapled Peptides. 2019 , 14, 526-533	16
187	Foldamers. 2019 , 337-374	4
186	Folding Then Binding vs Folding Through Binding in Macrocyclic Peptide Inhibitors of Human Pancreatic β -Amylase. 2019 , 14, 1751-1759	10
185	Design, Synthesis, and Conformational Analysis of Oligobenzanilides as Multifacial β -Helix Mimetics. 2019 , 21, 4433-4438	5
184	Inhibition of β -catenin/B cell lymphoma 9 protein-protein interaction using β -helix-mimicking sulfono- β -AApeptide inhibitors. 2019 , 116, 10757-10762	42
183	Multi-targeting protein-protein interaction inhibitors: Evolution of macrocyclic ligands with embedded carbohydrates (MECs) to improve selectivity. 2019 , 176, 292-309	3
182	Structure-Based Peptide Inhibitor Design of Amyloid- β Aggregation. 2019 , 12, 54	36
181	Inhibition of NLRP3 inflammasome activation by cell-permeable stapled peptides. 2019 , 9, 4913	4
180	Correlations between secondary structure- and protein-protein interface-mimicry: the interface mimicry hypothesis. 2019 , 17, 3267-3274	14
179	A one-pot four-component domino protocol for the synthesis of indole and coumarin containing pyridine-3-carbonitrile derivatives. 2019 , 150, 691-702	5
178	A 'catch-and-release' receptor for the cholera toxin. 2019 , 219, 112-127	5
177	Pyrrrolopyrimidine vs Imidazole-Phenyl-Thiazole Scaffolds in Nonpeptidic Dimerization Inhibitors of <i>Leishmania infantum</i> Trypanothione Reductase. 2019 , 5, 873-891	13
176	Emerging roles of allosteric modulators in the regulation of protein-protein interactions (PPIs): A new paradigm for PPI drug discovery. 2019 , 39, 2314-2342	44
175	Interchain doubly-bridged β -helical peptides for the development of protein binders. 2019 , 30, 924-928	2
174	Peptide-oligourea hybrids analogue of GLP-1 with improved action in vivo. 2019 , 10, 924	24
173	Ordered and Isomerically Stable Bicyclic Peptide Scaffolds Constrained through Cystine Bridges and Proline Turns. 2019 , 20, 1514-1518	4
172	Bridged β -helix mimetic small molecules. 2019 , 55, 13311-13314	3

171	A Novel Long-Range π - π Interaction Secures the Smallest known β -Helix in Water. 2019 , 131, 19049-19053	5
170	Mimicking Strategy for Protein-Protein Interaction Inhibitor Discovery by Virtual Screening. 2019 , 24,	9
169	Exploiting a multicomponent domino reaction strategy for the tailoring of versatile environmentally sensitive fluorophore-based nicotinonitriles incorporating pyrene and fluorene moieties.. 2019 , 9, 40118-40130	3
168	Recognition of ASF1 by Using Hydrocarbon-Constrained Peptides. 2019 , 20, 891-895	6
167	Design of Stapled Oxyntomodulin Analogs Containing Functionalized Biphenyl Cross-Linkers. 2019 , 75, 286-295	2
166	A Road Map to Personalizing Targeted Cancer Therapies Using Synthetic Lethality. 2019 , 5, 11-29	12
165	Self-derived structure-disrupting peptides targeting methionine aminopeptidase in pathogenic bacteria: a new strategy to generate antimicrobial peptides. 2019 , 33, 2095-2104	5
164	Insights from molecular dynamics simulations and steered molecular dynamics simulations to exploit new trends of the interaction between HIF-1 β and p300. 2020 , 38, 1-12	59
163	Peptidomimetics: A Synthetic Tool for Inhibiting Protein-Protein Interactions in Cancer. 2020 , 26, 225-241	39
162	Development of cell-permeable peptide-based PROTACs targeting estrogen receptor β . 2020 , 187, 111967	15
161	Discovery of hPRDX5-based peptide inhibitors blocking PD-1/PD-L1 interaction through in silico proteolysis and rational design. 2020 , 85, 185-193	3
160	Amphipathic helical peptide-based fluorogenic probes for a marker-free analysis of exosomes based on membrane-curvature sensing.. 2020 , 10, 38323-38327	4
159	Effects of Single E-to-R Residue Replacements on Recognition of an Extended Segment in a Viral Fusion Protein. 2020 , 6, 2017-2022	5
158	Noncellular screening for the discovery of protein-protein interaction modulators. 2020 , 25, 1592-1603	3
157	Toward COVID-19 Therapeutics: A Viewpoint from the Nonprotein Amino Acid Based Synthetic Peptide Design Approach. 2020 , 11, 3701-3703	3
156	A Bimane-Based Peptide Staple for Combined Helical Induction and Fluorescent Imaging. 2020 , 21, 3423-3432	2
155	Stapled Helical Peptides Bearing Different Anchoring Residues. 2020 , 120, 10079-10144	48
154	A twist in the road less traveled: The AMBER ff15ipq-m force field for protein mimetics. 2020 , 153, 064101	5

153	Proteomimetic surface fragments distinguish targets by function. 2020 , 11, 10390-10398		1
152	Stimuli-responsive conformational transformation of antimicrobial peptides stapled with an azobenzene unit. 2020 , 44, 14777-14780		2
151	Aromatic Foldamer Helices as β -Helix Extended Surface Mimetics. 2020 , 26, 17366-17370		1
150	Covalent Targeting of Ras G12C by Rationally Designed Peptidomimetics. 2020 , 15, 1604-1612		9
149	Bifunctional Molecules beyond PROTACs. 2020 , 63, 2802-2806		4
148	Computational studies of protein aggregation mediated by amyloid: Fibril elongation and secondary nucleation. 2020 , 170, 461-504		4
147	Rationally Designed Polypharmacology: β -Helix Mimetics as Dual Inhibitors of the Oncoproteins Mcl-1 and HDM2. 2020 , 15, 1691-1698		1
146	Proteomimetics as protein-inspired scaffolds with defined tertiary folding patterns. <i>Nature Chemistry</i> , 2020 , 12, 331-337	17.6	47
145	Stapled peptide targeting the CDK4/Cyclin D interface combined with Abemaciclib inhibits KRAS mutant lung cancer growth. 2020 , 10, 2008-2028		9
144	Synthesis of amide-linked benzazolyl isoxazoles adopting green methods and evaluation as antimicrobials. 2020 , 57, 1882-1892		2
143	A Conserved Helix in the C-Terminal Region of Watermelon Silver Mottle Virus Nonstructural Protein S Is Imperative For Protein Stability Affecting Self-Interaction, RNA Silencing Suppression, and Pathogenicity. 2020 , 33, 637-652		2
142	Analysis of Interactions Stabilized by Fusicoccin A Reveals an Expanded Suite of Potential 14-3-3 Binding Partners. 2020 , 15, 305-310		6
141	Green synthesis of 3,4-disubstituted isoxazol-5(4H)-ones using ZnO@Fe ₃ O ₄ core-shell nanocatalyst in water. 2020 , 34, e5544		16
140	Characterization of the Menin-MLL Interaction as Therapeutic Cancer Target. 2020 , 12,		16
139	β -Helix-Mimicking Sulfono- β -AApeptide Inhibitors for p53-MDM2/MDMX Protein-Protein Interactions. 2020 , 63, 975-986		18
138	A Structural View on Druggability. 2020 , 23-52		
137	Targeting Protein-Protein Interactions Perspective. 2020 , 479-502		2
136	Design of Drug-Like Protein-Protein Interaction Stabilizers Guided By Chelation-Controlled Bioactive Conformation Stabilization. 2020 , 26, 7131-7139		9

135	Targeting Trypanosoma evansi with disulphide-rich peptides derived from a phage display library. 2020 , 212, 107885	1
134	Biophysical Techniques for Target Validation and Drug Discovery in Transcription-Targeted Therapy. 2020 , 21,	5
133	A cell-based high-content screen identifies isocotoin as a small molecule inhibitor of the meiosis-specific MEIOB-SPATA22 complex 2020 , 103, 333-342	1
132	Stapled Peptides as HIF-1 α Inhibitors: Helicity Enhancement in the Bound State Increases Inhibitory Potency. 2020 , 26, 7638-7646	6
131	Modulation of virus-induced NF- κ B signaling by NEMO coiled coil mimics. 2020 , 11, 1786	16
130	Synthesis of a Bcl9 Alpha-Helix Mimetic for Inhibition of PPIs by a Combination of Electrooxidative Phenol Coupling and Pd-Catalyzed Cross Coupling. 2020 , 10, 340	3
129	Design, synthesis and evaluation of E2-25K derived stapled peptides. 2021 , 113, e24158	1
128	Evolution in non-peptide α -helix mimetics on the road to effective protein-protein interaction modulators. 2021 , 211, 113015	2
127	Design and synthesis of 14 and 15-membered macrocyclic scaffolds exhibiting inhibitory activities of hypoxia-inducible factor 1 α 2021 , 30, 115949	1
126	Structural Basis for α -Helix Mimicry and Inhibition of Protein-Protein Interactions with Oligourea Foldamers. 2021 , 133, 2326-2333	0
125	Selective Affimers Recognise the BCL-2 Family Proteins BCL-x and MCL-1 through Noncanonical Structural Motifs*. 2021 , 22, 232-240	4
124	Structural Basis for α -Helix Mimicry and Inhibition of Protein-Protein Interactions with Oligourea Foldamers. 2021 , 60, 2296-2303	11
123	The iPPI-DB initiative: A Community-centered database of Protein-Protein Interaction modulators. 2021 ,	4
122	Query-guided protein-protein interaction inhibitor discovery. 2021 , 12, 4753-4762	1
121	Exploring the Potential of Peptides and Peptidomimetics in Biosensing. 2021 , 33-65	
120	Stapled ACE2 peptidomimetics designed to target the SARS-CoV-2 spike protein do not prevent virus internalization. 2021 , 113, e24217	11
119	Synthesis of In-Tether Chiral Center Peptides and Their Biophysical Properties Study. 2021 , 25-63	
118	Deep Learning Solutions for Protein: Recent Development and Future Directions. 2021 , 254-271	

117	Targeting the bacterial SOS response for new antimicrobial agents: drug targets, molecular mechanisms and inhibitors. 2021 , 13, 143-155	4
116	Peptoid-based reprogrammable template for cell-permeable inhibitors of protein-protein interactions. 2021 , 12, 13292-13300	3
115	Peptide-based inhibitors of protein-protein interactions: biophysical, structural and cellular consequences of introducing a constraint. 2021 , 12, 5977-5993	11
114	POSS-based starlike hybrid helical poly(phenyl isocyanide)s: their synthesis, self-assembly, and enantioselective crystallization ability. 2021 , 12, 3917-3924	5
113	Urea based foldamers. 2021 , 656, 59-92	2
112	Fragment-based covalent ligand discovery. 2021 , 2, 354-367	18
111	Metallohelices emulate the properties of short cationic helical peptides. 2021 , 12, 1620-1631	12
110	Towards optimizing peptide-based inhibitors of protein-protein interactions: predictive saturation variation scanning (PreSaVS). 2021 , 2, 1474-1478	1
109	Cyclisation strategies for stabilising peptides with irregular conformations. 2021 , 12, 887-901	1
108	Facile Chemoselective Modification of Thioethers Generates Chiral Center-Induced Helical Peptides. 2021 , 2355, 301-322	
107	Applications of Discrete Synthetic Macromolecules in Life and Materials Science: Recent and Future Trends. 2021 , 8, 2004038	24
106	Elaboration of Non-naturally Occurring Helical Tripeptides as p53-MDM2/MDMX Interaction Inhibitors. 2021 , 69, 681-692	4
105	Characterizing Native and Hydrocarbon-Stapled Enfuvirtide Conformations with Ion Mobility Mass Spectrometry and Hydrogen-Deuterium Exchange. 2021 , 32, 753-761	2
104	A stapled peptide mimetic of the CtIP tetramerization motif interferes with double-strand break repair and replication fork protection. 2021 , 7,	5
103	N-Alkylated Aromatic Poly- and Oligoamides. 2021 , 86, 298-312	1
102	Targeting the transmembrane domain 5 of latent membrane protein 1 using small molecule modulators. 2021 , 214, 113210	1
101	Trimodular Solution-Phase Protocol for Rapid Large-Scale Synthesis of Hydrogen Bond Surrogate-Constrained β -Helicomimics. 2021 , 2021, 1714-1719	2
100	Generalized-ensemble method study: A helix-mimetic compound inhibits protein-protein interaction by long-range and short-range intermolecular interactions. 2021 , 42, 956-969	1

99	Optimal anchoring of a foldamer inhibitor of ASF1 histone chaperone through backbone plasticity. 2021 , 7,	4
98	Natural and Synthetic Oligoarylamides: Privileged Structures for Medical Applications. 2021 , 27, 7321-7339	3
97	A versatile resin for the generation of thioether-bonded head-to-tail cyclized peptides. 2021 , 67, 152867	
96	Bicyclic β -Sheet Mimetics that Target the Transcriptional Coactivator β -Catenin and Inhibit Wnt Signaling. 2021 , 60, 13937-13944	14
95	Efficient Dimerization Disruption of Trypanothione Reductase by Triazole-phenyl-thiazoles. 2021 , 64, 6137-6160	2
94	Living-System-Driven Evolution of Self-Assembled-Peptide Probes: For Boosting Glioma Theranostics. 2021 , 93, 8035-8044	2
93	Bicyclic β -Sheet Mimetics that Target the Transcriptional Coactivator β -Catenin and Inhibit Wnt Signaling. 2021 , 133, 14056-14063	3
92	Heterocycles as a Peptidomimetic Scaffold: Solid-Phase Synthesis Strategies. 2021 , 14,	2
91	Recent advances in β -catenin/BCL9 protein-protein interaction inhibitors. 2021 , 13, 927-940	1
90	Applications of artificial intelligence to drug design and discovery in the big data era: a comprehensive review. 2021 , 25, 1643-1664	4
89	Stabilized Peptide Covalent Inhibitors. 2021 , 159-180	
88	Protein mimetic amyloid inhibitor potently abrogates cancer-associated mutant p53 aggregation and restores tumor suppressor function. 2021 , 12, 3962	5
87	Identification of Secondary Binding Sites on Protein Surfaces for Rational Elaboration of Synthetic Protein Mimics. 2021 , 16, 1179-1183	2
86	Functionalized 1,8-Diazapyrenes as Monomers for Aromatic Oligoamide Foldamers. 2021 , 86, 1162-1166	
85	Helix-Constrained Peptides Constructed by Head-to-Side Chain Cross-Linking Strategies. 2021 , 23, 7792-7796	0
84	Potent Inhibition of HIF1 α and p300 Interaction by a Constrained Peptide Derived from CITED2. 2021 , 64, 13693-13703	3
83	Introduction. 2021 , 1-24	
82	Stapled Peptides as Potential Therapeutics. 1-9	1

81	Aromatase inhibitors: Role in postmenopausal breast cancer. 2020 , 353, e2000081	17
80	De novo design of stable β -helices. 2014 , 1216, 1-14	7
79	Modeling and Design of Peptidomimetics to Modulate Protein-Protein Interactions. 2017 , 1561, 291-307	4
78	Characterizing alpha helical properties of Ebola viral proteins as potential targets for inhibition of alpha-helix mediated protein-protein interactions. 2014 , 3, 251	8
77	Correlating the ability of VP24 protein from Ebola and Marburg viruses to bind human karyopherin to their immune suppression mechanism and pathogenicity using computational methods. 3, 265	7
76	Correlating the ability of VP24 protein from Ebola and Marburg viruses to bind human karyopherin to their immune suppression mechanism and pathogenicity using computational methods. 3, 265	1
75	The PDB database is a rich source of alpha-helical anti-microbial peptides to combat disease causing pathogens. 2014 , 3, 295	7
74	The PDB database is a rich source of alpha-helical anti-microbial peptides to combat disease causing pathogens. 2014 , 3, 295	7
73	Local Geometry and Evolutionary Conservation of Protein Surfaces Reveal the Multiple Recognition Patches in Protein-Protein Interactions. 2015 , 11, e1004580	23
72	Analysis and prediction of highly effective antiviral peptides based on random forests. 2013 , 8, e70166	59
71	Resolving hot spots in the C-terminal dimerization domain that determine the stability of the molecular chaperone Hsp90. 2014 , 9, e96031	21
70	8-Triazolylpurines: Towards Fluorescent Inhibitors of the MDM2/p53 Interaction. 2015 , 10, e0124423	8
69	Rational Structure-Based Rescaffolding Approach to De Novo Design of Interleukin 10 (IL-10) Receptor-1 Mimetics. 2016 , 11, e0154046	2
68	Plakophilin-2 induced EGFR phosphorylation: a focus on the intracellular activators of EGFR. 2014 , 2, e485	1
67	How to Target Activated Ras Proteins: Direct Inhibition vs. Induced Mislocalization. 2016 , 16, 358-69	29
66	Protein-Protein Interactions and Aggregation Inhibitors in Alzheimer's Disease. 2019 , 19, 501-533	14
65	MicroScale Thermophoresis as a Tool to Study Protein-peptide Interactions in the Context of Large Eukaryotic Protein Complexes. 2017 , 7, e2632	10
64	Bispidine as a β -strand nucleator: from a β -arch to self-assembled cages and vesicles.. 2021 , 12, 15757-15764	0

- 63 An overview of metal-free synthetic routes to isoxazoles: the privileged scaffold.. **2021**, 11, 32680-32705 4
- 62 Genome-wide analysis of valine-glutamine motif-containing proteins related to abiotic stress response in cucumber (*Cucumis sativus* L.). **2021**, 21, 492 0
- 61 Peptides and peptidomimetics as therapeutic agents for Covid-19.. **2021**, e24245 2
- 60 Synthesis of peptidomimetic scaffolds. **2013**, 74-89
- 59 Development of Stabilized Short Helical Peptides and Their Functionalization. **2014**, 72, 1336-1347
- 58 Characterizing alpha helical properties of Ebola viral proteins as potential targets for inhibition of alpha-helix mediated protein-protein interactions. 3, 251
- 57 Characterizing alpha helical properties of Ebola viral proteins as potential targets for inhibition of alpha-helix mediated protein-protein interactions. **2014**, 3, 251 6
- 56 Overview of Protein-Protein Interactions and Small-Molecule Inhibitors Under Clinical Development. **2018**, 3-28
- 55 Surface plasmon resonance and cytotoxicity assays of drug efficacies predicted computationally to inhibit p53/MDM2 interaction. **2019**, 569, 53-58
- 54 Selective Affimers Recognize BCL-2 Family Proteins Through Non-Canonical Structural Motifs. 0
- 53 CHAPTER 7:Helix-mimetics as ProteinProtein Interaction Inhibitors. **2020**, 147-170
- 52 Protein mimetic amyloid inhibitor potently abrogates cancer-associated mutant p53 aggregation and restores tumor suppressor function.
- 51 Constrained peptides mimic a viral suppressor of RNA silencing. **2021**, 2
- 50 Suprastapled Peptides: Hybridization-Enhanced Peptide Ligation and Enforced α -Helical Conformation for Affinity Selection of Combinatorial Libraries. **2021**, 143, 18932-18940 4
- 49 Synthesis and Structural Stability of α -Helical Gold(I)-Metallopeptides. **2021**, 32, 344-349
- 48 Backbone distortions in lactam-bridged helical peptides.. **2022**, e3400
- 47 The Renaissance of Cyclin Dependent Kinase Inhibitors.. **2022**, 14, 6
- 46 Neutralizing SARS-CoV-2 by dimeric side chain-to-side chain cross-linked ACE2 peptide mimetics.. **2022**,

45	Biofunctionality with a twist: the importance of molecular organisation, handedness and configuration in synthetic biomaterial design. 2021 ,	0
44	Backbone thioamide directed macrocyclisation: lactam stapling of peptides.. 2022 ,	1
43	Modular Synthesis of Teraryl-based α -Helix Mimetics, Part 3: Iodophenyltriflate Core Fragments Featuring Side Chains of Proteinogenic Amino Acids.	0
42	Modular Synthesis of Teraryl-based α -Helix Mimetics, Part 4: Core Fragments with two Halide Leaving Groups Featuring Side Chains of Proteinogenic Amino Acids.	
41	Rationally designed helical peptidomimetics disrupt β -Synuclein fibrillation.. 2022 ,	1
40	A Bionic-Homodimerization Strategy for Optimizing Modulators of Protein-Protein Interactions: From Statistical Mechanics Theory to Potential Clinical Translation.. 2022 , e2105179	9
39	Harnessing the therapeutic potential of biomacromolecules through intracellular delivery of nucleic acids, peptides and proteins.. 2022 , e2102600	0
38	Development of Low-Molecular-Weight Compounds Targeting the Cancer-Associated KLF5 Transcription Factor.. 2022 , 13, 687-694	0
37	Characterization of Hydrophilic β -Helical Hot Spots on the Protein-Protein Interaction Interfaces for the Design of β -Helix Mimetics.. 2022 ,	0
36	Comprehensive exploration of chemical space using trisubstituted carboranes.. 2021 , 11, 24101	3
35	Design of Potent and Proteolytically Stable Biaryl-Stapled GLP-1R/GIPR Peptide Dual Agonists.. 2022 ,	0
34	Data_Sheet_1.doc. 2019 ,	
33	Small Molecule Agents Targeting PD-1 Checkpoint Pathway for Cancer Immunotherapy: Mechanisms of Action and Other Considerations for Their Advanced Development.. 2022 , 13, 752065	2
32	Landscaping macrocyclic peptides: stapling hDM2-binding peptides for helicity, protein affinity, proteolytic stability and cell uptake.	2
31	Alpha-Synuclein Aggregation Pathway in Parkinson's Disease: Current Status and Novel Therapeutic Approaches. 2022 , 11, 1732	3
30	A novel mRNA decay inhibitor abolishes pathophysiological cellular transition. 2022 , 8,	
29	Sulfonium-Tethered Peptide. 2022 , 169-175	
28	Microscale Thermophoresis as a Tool to Study Protein Interactions and Their Implication in Human Diseases. 2022 , 23, 7672	0

- 27 Development and Characterization of an Inducible Assay System to Measure Zika Virus Capsid Interaction.
- 26 Leveraging the therapeutic, biological, and self-assembling potential of peptides for the treatment of viral infections. **2022**, 348, 1028-1049 1
- 25 Design of peptide-based foldamers for inhibiting the Hdm2-p53 interaction using backbone modification: a molecular dynamics study.
- 24 Accelerating the discovery of anticancer peptides targeting lung and breast cancers with the Wasserstein autoencoder model and PSO algorithm. 0
- 23 Pseudo-Isolated α -Helix Platform for the Recognition of Deep and Narrow Targets. 0
- 22 Therapeutic peptidomimetics: targeting the undruggable space. **2022**, 37-55 0
- 21 Common Structural Features of Hydrophobic α -Helical Hot Spots: Insights for the Design of Novel α -Helix Mimetics. 0
- 20 Targeting the ATG5-ATG16L1 Protein-Protein Interaction with a Hydrocarbon-Stapled Peptide Derived from ATG16L1 for Autophagy Inhibition. **2022**, 144, 17671-17679 2
- 19 Helical structure in cyclic peptides: effect of N-methyl amides versus esters. 0
- 18 Amide Bond Activation by Twisting and Nitrogen Pyramidalization. **2022**, 79-99 0
- 17 Peptide-based covalent inhibitors of protein-protein interactions. 0
- 16 Hierarchical Materials from High Information Content Macromolecular Building Blocks: Construction, Dynamic Interventions, and Prediction. 2
- 15 Binary combinatorial scanning reveals potent poly-alanine-substituted inhibitors of protein-protein interactions. **2022**, 5, 0
- 14 How to Design Peptides. **2023**, 187-216 0
- 13 Two-helix supramolecular proteomimetic binders assembled via PNA-assisted disulfide cross-linking. 0
- 12 Design and Synthesis of Novel Helix Mimetics Based on the Covalent H-Bond Replacement and Amide Surrogate. **2023**, 28, 780 0
- 11 Fmoc-diphenylalanine gelating nanoarchitectonics: A simplistic peptide self-assembly to meet complex applications. **2023**, 636, 113-133 0
- 10 Recognition Site Modifiable Macrocycle: Synthesis, Functional Group Variation and Structural Inspection. **2023**, 28, 1338 0

- 9 Bicyclic Schellman Loop Mimics (BSMs): Rigid Synthetic C-Caps for Enforcing Peptide Helicity. ○
- 8 Molecular Peptide Grafting as a Tool to Create Novel Protein Therapeutics. **2023**, 28, 2383 ○
- 7 Impact of Hydrogen-Bond Surrogate Model on Helix Stabilization and Development of Protein-Protein Interaction Inhibitors. **2023**, 8, ○
- 6 Fine Tuning the Properties of Stapled Peptides by Stereogenic β -Amino Acid Bridges. ○
- 5 Ionic Liquids: Momentous Tools in Transdermal Delivery of Biomacromolecules. 2200332 ○
- 4 Maleimide constrained BAD BH3 domain peptides as BCL-xL Inhibitors: A versatile approach to rapidly identify sites compatible with peptide constraining. **2023**, 87, 129260 ○
- 3 Effect of Cholesterol on Biomimetic Membrane Curvature and Coronavirus Fusion Peptide Encapsulation. ○
- 2 Targeting Protein-Protein Interfaces with Peptides: The Contribution of Chemical Combinatorial Peptide Library Approaches. **2023**, 24, 7842 ○
- 1 Aromatic oligoesters as novel helix mimetic scaffolds. **2023**, 87, 117311 ○