

# CITATION REPORT

List of articles citing

**Genome-wide association analyses identify 18 new loci associated with serum urate concentrations**

**DOI: 10.1038/ng.2500**

**Nature Genetics, 2013, 45, 145-54.**

**Source:** <https://exaly.com/paper-pdf/55479248/citation-report.pdf>

**Version:** 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
618	Genetics: Metabolic pathways newly implicated in gout epidemiology. <b>2013</b> , 9, 64		0
617	Genome-wide association study of chronic periodontitis in a general German population. <b>2013</b> , 40, 977-85		109
616	The pathophysiology of hyperuricaemia and its possible relationship to cardiovascular disease, morbidity and mortality. <b>2013</b> , 14, 164		108
615	Association analysis of the SLC22A11 (organic anion transporter 4) and SLC22A12 (urate transporter 1) urate transporter locus with gout in New Zealand case-control sample sets reveals multiple ancestral-specific effects. <b>2013</b> , 15, R220		31
614	Signatures of natural selection on genetic variants affecting complex human traits. <b>2013</b> , 2, 78-94		21
613	Hyperuricemia influences tryptophan metabolism via inhibition of multidrug resistance protein 4 (MRP4) and breast cancer resistance protein (BCRP). <b>2013</b> , 1832, 1715-22		39
612	Gout-causing Q141K mutation in ABCG2 leads to instability of the nucleotide-binding domain and can be corrected with small molecules. <b>2013</b> , 110, 5223-8		87
611	The rate of production of uric acid by hepatocytes is a sensitive index of compromised cell ATP homeostasis. <b>2013</b> , 305, E1255-65		26
610	Current world literature. Pharmacology and therapeutics. <b>2013</b> , 22, 584-6		
609	What are the key arguments against uric acid as a true risk factor for hypertension?. <b>2013</b> , 61, 948-51		44
608	Urate transporters in the genomic era. <b>2013</b> , 22, 545-50		35
607	Pathological basis of hyperuricemia and gout. <b>2013</b> , 24-37		
606	Molecular Genetics of Hyperuricaemia and Gout. <b>2013</b> ,		
605	Association of the lipoprotein receptor-related protein 2 gene with gout and non-additive interaction with alcohol consumption. <b>2013</b> , 15, R177		28
604	Genome-wide association analysis confirms and extends the association of SLC2A9 with serum uric acid levels to Mexican Americans. <b>2013</b> , 4, 279		25
603	On the analysis of a repeated measure design in genome-wide association analysis. <b>2014</b> , 11, 12283-303		5
602	Linking uric acid metabolism to diabetic complications. <b>2014</b> , 5, 787-95		53

601	Mendelian randomization analysis associates increased serum urate, due to genetic variation in uric acid transporters, with improved renal function. <b>2014</b> , 85, 344-51	60
600	Identification of novel genetic Loci associated with thyroid peroxidase antibodies and clinical thyroid disease. <b>2014</b> , 10, e1004123	122
599	Crystal arthritis: Environment and genetics in gout: a maze for clinicians?. <b>2014</b> , 10, 8-9	3
598	Detection of pleiotropy through a Phenome-wide association study (PheWAS) of epidemiologic data as part of the Environmental Architecture for Genes Linked to Environment (EAGLE) study. <b>2014</b> , 10, e1004678	47
597	Fried food consumption, genetic risk, and body mass index: gene-diet interaction analysis in three US cohort studies. <b>2014</b> , 348, g1610	181
596	Genetic determinants influencing human serum metabolome among African Americans. <b>2014</b> , 10, e1004212	57
595	Abundant local interactions in the 4p16.1 region suggest functional mechanisms underlying SLC2A9 associations with human serum uric acid. <b>2014</b> , 23, 5061-8	23
594	Gout: a review of nonmodifiable and modifiable risk factors. <b>2014</b> , 40, 581-604	56
593	Assessing the utility of intermediate phenotypes for genetic mapping of psychiatric disease. <b>2014</b> , 37, 733-41	60
592	12q24 locus association with type 1 diabetes: SH2B3 or ATXN2?. <b>2014</b> , 5, 316-27	43
591	[Update gout: what has changed in diagnosis and treatment?]. <b>2014</b> , 156, 58-62; quiz 63	
590	Copy number polymorphisms near SLC2A9 are associated with serum uric acid concentrations. <b>2014</b> , 15, 81	14
589	The relationship of apolipoprotein B and very low density lipoprotein triglyceride with hyperuricemia and gout. <b>2014</b> , 16, 495	15
588	PharmGKB summary: uric acid-lowering drugs pathway, pharmacodynamics. <b>2014</b> , 24, 464-76	30
587	Familial aggregation of a Chinese female premenopausal gout: monogenic, polygenic, or clinical coincidence?. <b>2014</b> , 20, 386-8	
586	Diastrophic dysplasia sulfate transporter (SLC26A2) is expressed in the adrenal cortex and regulates aldosterone secretion. <b>2014</b> , 63, 1102-9	15
585	Association of uric acid genetic risk score with blood pressure: the Rotterdam study. <b>2014</b> , 64, 1061-6	21
584	The efficacy of probiotics for monosodium glutamate-induced obesity: dietology concerns and opportunities for prevention. <b>2014</b> , 5, 2	38

583	Mendelian randomization provides no evidence for a causal role of serum urate in increasing serum triglyceride levels. <b>2014</b> , 7, 830-7	28
582	A polymorphism in the major gene regulating serum uric acid associates with clinic SBP and the white-coat effect in a family-based study. <b>2014</b> , 32, 1621-8; discussion 1628	31
581	Gene-centric meta-analysis in 87,736 individuals of European ancestry identifies multiple blood-pressure-related loci. <b>2014</b> , 94, 349-60	131
580	Impaired response or insufficient dosage? Examining the potential causes of "inadequate response" to allopurinol in the treatment of gout. <b>2014</b> , 44, 170-4	29
579	Pleiotropic genes for metabolic syndrome and inflammation. <b>2014</b> , 112, 317-38	81
578	Metabolite profiling reveals new insights into the regulation of serum urate in humans. <b>2014</b> , 10, 141-151	36
577	The frequency of single nucleotide polymorphisms and their association with uric acid concentration based on data from genome-wide association studies in the Korean population. <b>2014</b> , 34, 777-83	4
576	A genome-wide association study identifies common variants influencing serum uric acid concentrations in a Chinese population. <b>2014</b> , 7, 10	44
575	Influence of the ABCG2 gout risk 141 K allele on urate metabolism during a fructose challenge. <b>2014</b> , 16, R34	23
574	Gout in 2013. Imaging, genetics and therapy: gout research continues apace. <b>2014</b> , 10, 67-9	5
573	Identifying causal variants at loci with multiple signals of association. <b>2014</b> , 198, 497-508	266
572	Sugar-sweetened beverage consumption: a risk factor for prevalent gout with SLC2A9 genotype-specific effects on serum urate and risk of gout. <b>2014</b> , 73, 2101-6	65
571	The ABCG2 gene Q141K polymorphism contributes to an increased risk of gout: a meta-analysis of 2185 cases. <b>2014</b> , 24, 829-34	6
570	Inborn errors of purine metabolism: clinical update and therapies. <b>2014</b> , 37, 669-86	26
569	Population-specific effects of SLC17A1 genotype on serum urate concentrations and renal excretion of uric acid during a fructose load. <b>2014</b> , 73, 313-4	6
568	Hyperuricaemia in the Pacific: why the elevated serum urate levels?. <b>2014</b> , 34, 743-57	22
567	Quality control and conduct of genome-wide association meta-analyses. <b>2014</b> , 9, 1192-212	278
566	Tubular urate transporter gene polymorphisms differentiate patients with gout who have normal and decreased urinary uric acid excretion. <b>2014</b> , 41, 1863-70	25

565	Gout: joints and beyond, epidemiology, clinical features, treatment and co-morbidities. <b>2014</b> , 78, 245-51	53
564	The genetic basis of gout. <b>2014</b> , 40, 279-90	30
563	Is uric acid an underdiagnosed mediator of adverse outcome in metabolically healthy overweight/obese individuals?. <b>2014</b> , 127, e21	1
562	[Hyperuricemia and gout]. <b>2015</b> , 140, 1615-26	0
561	Mendelian randomization analysis to examine for a causal effect of urate on bone mineral density. <b>2015</b> , 30, 985-91	41
560	Association between ABCG2 Q141K polymorphism and gout risk affected by ethnicity and gender: a systematic review and meta-analysis. <b>2015</b> , 18, 382-91	22
559	Potential causal associations between vitamin D and uric acid: Bidirectional mediation analysis. <b>2015</b> , 5, 14528	15
558	Evolutionary context for the association of HbA1c, serum uric acid, and hypertension in African Americans. <b>2015</b> , 16, 103	6
557	Serum uric acid and the risk of cardiovascular and renal disease. <b>2015</b> , 33, 1729-41; discussion 1741	267
556	Association of SLC2A9 genotype with phenotypic variability of serum urate in pre-menopausal women. <b>2015</b> , 6, 313	12
555	Common Variants in LRP2 and COMT Genes Affect the Susceptibility of Gout in a Chinese Population. <b>2015</b> , 10, e0131302	9
554	DNA Methylation Variants at HIF3A Locus, B-Vitamin Intake, and Long-term Weight Change: Gene-Diet Interactions in Two U.S. Cohorts. <b>2015</b> , 64, 3146-54	34
553	A Mendelian Randomization Study of Circulating Uric Acid and Type 2 Diabetes. <b>2015</b> , 64, 3028-36	79
552	Genome-wide association analysis identifies three new risk loci for gout arthritis in Han Chinese. <b>2015</b> , 6, 7041	68
551	The anatomical distribution of genetic associations. <b>2015</b> , 43, 10804-20	26
550	Genome-wide association meta-analysis identifies novel variants associated with fasting plasma glucose in East Asians. <b>2015</b> , 64, 291-8	43
549	A genome-wide association study identifies PLCL2 and AP3D1-DOT1L-SF3A2 as new susceptibility loci for myocardial infarction in Japanese. <b>2015</b> , 23, 374-80	39
548	Cohort Profile: Estonian Biobank of the Estonian Genome Center, University of Tartu. <b>2015</b> , 44, 1137-47	175

547	Metabolite-based genome-wide association studies in plants. <b>2015</b> , 24, 31-8	129
546	Genome-wide association study identifies ABCG2 (BCRP) as an allopurinol transporter and a determinant of drug response. <b>2015</b> , 97, 518-25	81
545	Fucosyltransferase 2 (FUT2) non-secretor status and blood group B are associated with elevated serum lipase activity in asymptomatic subjects, and an increased risk for chronic pancreatitis: a genetic association study. <b>2015</b> , 64, 646-56	60
544	Identification of causal genes for complex traits. <b>2015</b> , 31, i206-13	51
543	Genetics of human metabolism: an update. <b>2015</b> , 24, R93-R101	79
542	Global epidemiology of gout: prevalence, incidence and risk factors. <b>2015</b> , 11, 649-62	608
541	Insight in genome-wide association of metabolite quantitative traits by exome sequence analyses. <b>2015</b> , 11, e1004835	49
540	SLC transporters as therapeutic targets: emerging opportunities. <b>2015</b> , 14, 543-60	363
539	No association between polygenic risk for schizophrenia and brain volume in the general population. <b>2015</b> , 78, e41-2	28
538	Pharmacogenetic considerations in the treatment of gout. <b>2015</b> , 16, 619-29	4
537	Renal clearance of uric acid is linked to insulin resistance and lower excretion of sodium in gout patients. <b>2015</b> , 35, 1519-24	42
536	Uric Acid and Cardiovascular Events: A Mendelian Randomization Study. <b>2015</b> , 26, 2831-8	151
535	An update on the genetic architecture of hyperuricemia and gout. <b>2015</b> , 17, 98	90
534	Socioeconomic inequalities show remarkably poor association with health and disease in Southern Croatia. <b>2015</b> , 60, 417-26	4
533	Genetic variation and gastric cancer risk: a field synopsis and meta-analysis. <b>2015</b> , 64, 1209-19	130
532	A coronary artery disease-associated SNP rs6903956 contributed to asymptomatic hyperuricemia susceptibility in Han Chinese. <b>2015</b> , 14, 33	4
531	New medications in development for the treatment of hyperuricemia of gout. <b>2015</b> , 27, 164-9	52
530	Genetic variations in the CLNK gene and ZNF518B gene are associated with gout in case-control sample sets. <b>2015</b> , 35, 1141-7	15

529	Familial aggregation of gout and relative genetic and environmental contributions: a nationwide population study in Taiwan. <b>2015</b> , 74, 369-74	49
528	Positive association of tomato consumption with serum urate: support for tomato consumption as an anecdotal trigger of gout flares. <b>2015</b> , 16, 196	19
527	Polymorphisms in GCKR, SLC17A1 and SLC22A12 were associated with phenotype gout in Han Chinese males: a case-control study. <b>2015</b> , 16, 66	12
526	A genetic marker of hyperuricemia predicts cardiovascular events in a meta-analysis of three cohort studies in high risk patients. <b>2015</b> , 25, 1087-94	14
525	Lack of gene-diuretic interactions on the risk of incident gout: the Nurses' Health Study and Health Professionals Follow-up Study. <b>2015</b> , 74, 1394-8	15
524	ABCG2: the molecular mechanisms of urate secretion and gout. <b>2015</b> , 309, F485-8	26
523	Multiplicative interaction of functional inflammasome genetic variants in determining the risk of gout. <b>2015</b> , 17, 288	46
522	Discovery of URAT1 SNPs and association between serum uric acid levels and URAT1. <b>2015</b> , 5, e009360	25
521	The molecular physiology of uric acid homeostasis. <b>2015</b> , 77, 323-45	232
520	Polymorphisms in the vitamin D receptor and risk of gout in Chinese Han male population. <b>2015</b> , 35, 963-71	2
519	Genetic basis of dyslipidemia in disease precipitation of coronary artery disease (CAD) associated type 2 diabetes mellitus (T2DM). <b>2015</b> , 31, 663-71	13
518	RegScan: a GWAS tool for quick estimation of allele effects on continuous traits and their combinations. <b>2015</b> , 16, 39-44	25
517	A genetic marker of uric acid level, carotid atherosclerosis, and arterial stiffness: a family-based study. <b>2015</b> , 65, 294-302	20
516	2. Biologie und Pathogenese der Gicht.	
515	1. Geschichte der Gicht. 1-9	
514	Metabolomics: Bridging the Gap between Pharmaceutical Development and Population Health. <b>2016</b> , 6,	33
513	Survey Definitions of Gout for Epidemiologic Studies: Comparison With Crystal Identification as the Gold Standard. <b>2016</b> , 68, 1894-1898	22
512	The Sweet Path to Metabolic Demise: Fructose and Lipid Synthesis. <b>2016</b> , 27, 719-730	116

511	Coevolution of URAT1 and Uricase during Primate Evolution: Implications for Serum Urate Homeostasis and Gout. <b>2016</b> , 33, 2193-200	43
510	"You Don't Have to Be a Drinker to Get Gout, But It Helps": A Content Analysis of the Depiction of Gout in Popular Newspapers. <b>2016</b> , 68, 1721-1725	26
509	Significant impact of miRNA-target gene networks on genetics of human complex traits. <b>2016</b> , 6, 22223	36
508	Emerging uricosurics for gout. <b>2017</b> , 10, 247-249	3
507	Genetic variants of PPAR-gamma coactivator 1B augment NLRP3-mediated inflammation in gouty arthritis. <b>2017</b> , 56, 457-466	8
506	Common UCP2 variants contribute to serum urate concentrations and the risk of hyperuricemia. <b>2016</b> , 6, 27279	8
505	Summary of the 2015 Purine and Pyrimidine Society/Purine Metabolic Patients Association H. Anne Simmonds Memorial Lecture. <b>2016</b> , 35, 502-506	0
504	Dietary carbohydrate and control of hepatic gene expression: mechanistic links from ATP and phosphate ester homeostasis to the carbohydrate-response element-binding protein. <b>2016</b> , 75, 10-18	14
503	A causal relationship between uric acid and diabetic macrovascular disease in Chinese type 2 diabetes patients: A Mendelian randomization analysis. <b>2016</b> , 214, 194-9	25
502	Gout. <b>2016</b> , 388, 2039-2052	517
501	Four Susceptibility Loci for Gallstone Disease Identified in a Meta-analysis of Genome-Wide Association Studies. <b>2016</b> , 151, 351-363.e28	54
500	Clinical and genetic features of diuretic-associated gout: a case-control study. <b>2016</b> , 55, 1172-6	4
499	Urate Handling in the Human Body. <b>2016</b> , 18, 34	62
498	Discovery and refinement of genetic loci associated with cardiometabolic risk using dense imputation maps. <i>Nature Genetics</i> , <b>2016</b> , 48, 1303-1312	36.3 51
497	Common variant of PDZ domain containing 1 (PDZK1) gene is associated with gout susceptibility: A replication study and meta-analysis in Japanese population. <b>2016</b> , 31, 464-466	15
496	Stanniocalcin-1 Hormone in Nonpreclamptic and Preeclamptic Pregnancy: Clinical, Life-Style, and Genetic Modulators. <b>2016</b> , 101, 4799-4807	14
495	Hyperuricemia, the kidneys, and the spectrum of associated diseases: a narrative review. <b>2016</b> , 32, 1863-1869	29
494	Insight into rheumatological cause and effect through the use of Mendelian randomization. <b>2016</b> , 12, 486-96	28



493	Mendelian Randomization as an Approach to Assess Causality Using Observational Data. <b>2016</b> , 27, 3253-3265	119
492	Assessment of genetic polymorphisms associated with hyperuricemia or gout in the Hmong. <b>2016</b> , 13, 429-440	16
491	Mechanism of high affinity inhibition of the human urate transporter URAT1. <b>2016</b> , 6, 34995	36
490	Urate transporter URAT1 inhibitors: a patent review (2012 - 2015). <b>2016</b> , 26, 1129-1138	9
489	Identification of rs671, a common variant of ALDH2, as a gout susceptibility locus. <b>2016</b> , 6, 25360	27
488	Gout. <b>2016</b> , 165, ITC1-ITC16	20
487	Epidermal growth factor gene is a newly identified candidate gene for gout. <b>2016</b> , 6, 31082	2
486	Lesinurad, a novel, oral compound for gout, acts to decrease serum uric acid through inhibition of urate transporters in the kidney. <b>2016</b> , 18, 214	72
485	Genome wide association study of uric acid in Indian population and interaction of identified variants with Type 2 diabetes. <b>2016</b> , 6, 21440	23
484	Association analysis of the beta-3 adrenergic receptor Trp64Arg (rs4994) polymorphism with urate and gout. <b>2016</b> , 36, 255-61	8
483	Hyperuricemia contributes to the faster progression of diabetic kidney disease in type 2 diabetes mellitus. <b>2016</b> , 30, 1300-7	36
482	Allopurinol et fonction rénale. <b>2016</b> , 83, 328-333	
481	Low birthweight and risk of type 2 diabetes: a Mendelian randomisation study. <b>2016</b> , 59, 1920-7	53
480	Additive composite ABCG2, SLC2A9 and SLC22A12 scores of high-risk alleles with alcohol use modulate gout risk. <b>2016</b> , 61, 803-10	11
479	Causal Inference in Medicine via Mendelian Randomization. <b>2016</b> , 499-520	
478	Multiple testing correction in linear mixed models. <b>2016</b> , 17, 62	44
477	Analysis of ABCG2 and other urate transporters in uric acid homeostasis in chronic kidney disease: potential role of remote sensing and signaling. <b>2016</b> , 9, 444-53	62
476	Weight Loss, Xanthine Oxidase, and Serum Urate Levels: A Prospective Longitudinal Study of Obese Patients. <b>2016</b> , 68, 1036-42	30

475	Twenty-eight loci that influence serum urate levels: analysis of association with gout. <b>2016</b> , 75, 124-30	84
474	Soluble uric acid primes TLR-induced proinflammatory cytokine production by human primary cells via inhibition of IL-1Ra. <b>2016</b> , 75, 755-62	122
473	Meta-analysis of genome-wide association studies identifies multiple lung cancer susceptibility loci in never-smoking Asian women. <b>2016</b> , 25, 620-9	32
472	WDR1 and CLNK gene polymorphisms correlate with serum glucose and high-density lipoprotein levels in Tibetan gout patients. <b>2016</b> , 36, 405-12	3
471	Gouty arthropathy: Review of clinico-pathologic and imaging features. <b>2016</b> , 60, 9-20	7
470	Precision autophagy directed by receptor regulators - emerging examples within the TRIM family. <b>2016</b> , 129, 881-91	72
469	Causal Assessment of Serum Urate Levels in Cardiometabolic Diseases Through a Mendelian Randomization Study. <b>2016</b> , 67, 407-416	101
468	Uric acid: a modulator of prostate cells and activin sensitivity. <b>2016</b> , 414, 187-99	11
467	Hyperuricaemia: contributions of urate transporter ABCG2 and the fractional renal clearance of urate. <b>2016</b> , 75, 1363-6	29
466	No causal effect of serum urate on bone-related outcomes among a population of postmenopausal women and elderly men of Chinese Han ethnicity--a Mendelian randomization study. <b>2016</b> , 27, 1031-1039	21
465	Serum urate gene associations with incident gout, measured in the Framingham Heart Study, are modified by renal disease and not by body mass index. <b>2016</b> , 36, 263-70	3
464	Allopurinol and kidney function: An update. <b>2016</b> , 83, 19-24	17
463	Hyperuricemia-induced inflammasome and kidney diseases. <b>2016</b> , 31, 890-6	74
462	Genomics and metabolomics of muscular mass in a community-based sample of UK females. <b>2016</b> , 24, 277-83	24
461	Genome-wide association study of clinically defined gout identifies multiple risk loci and its association with clinical subtypes. <b>2016</b> , 75, 652-9	117
460	The serum uric acid concentration is not causally linked to diabetic nephropathy in type 1 diabetes. <b>2017</b> , 91, 1178-1185	28
459	Exploration of haplotype research consortium imputation for genome-wide association studies in 20,032 Generation Scotland participants. <b>2017</b> , 9, 23	85
458	Investigation into the association between P2RX7 gene polymorphisms and susceptibility to primary gout and hyperuricemia in a Chinese Han male population. <b>2017</b> , 37, 571-578	7

457	Effects of multiple genetic loci on the pathogenesis from serum urate to gout. <b>2017</b> , 7, 43614	30
456	Joker de Bruijn: Sequence Libraries to Cover All -mers Using Joker Characters. <b>2017</b> , 10229, 389-390	
455	Missing heritability: is the gap closing? An analysis of 32 complex traits in the Lifelines Cohort Study. <b>2017</b> , 25, 877-885	43
454	Influence of genetic variants on renal uric acid handling in response to frusemide: an acute intervention study. <b>2017</b> , 3, e000424	2
453	Copy number variants of ABCF1, IL17REL, and FCGR3A are associated with the risk of gout. <b>2017</b> , 8, 467-470	9
452	Gene-Environment Interaction in the Behavioral Sciences: Findings, Challenges, and Prospects. <b>2017</b> , 35-57	4
451	Uric acid priming in human monocytes is driven by the AKT-PRAS40 autophagy pathway. <b>2017</b> , 114, 5485-5490	59
450	Gene-Environment Transactions in Developmental Psychopathology. <b>2017</b> ,	
449	Efficacy of Fenugreek-based bionanocomposite on renal dysfunction and endogenous intoxication in high-calorie diet-induced obesity rat model-comparative study. <b>2017</b> , 8, 377-390	13
448	Saponins extracted from <i>Dioscorea collettii</i> rhizomes regulate the expression of urate transporters in chronic hyperuricemia rats. <b>2017</b> , 93, 88-94	18
447	The genetics revolution in rheumatology: large scale genomic arrays and genetic mapping. <b>2017</b> , 13, 421-432	18
446	and Loci Associate with Plasma Osmolality. <b>2017</b> , 28, 2311-2321	14
445	Population-Specific Resequencing Associates the ATP-Binding Cassette Subfamily C Member 4 Gene With Gout in New Zealand Māori and Pacific Men. <b>2017</b> , 69, 1461-1469	34
444	Population-specific association between ABCG2 variants and tophaceous disease in people with gout. <b>2017</b> , 19, 43	16
443	Genetic risk scores, sex and dietary factors interact to alter serum uric acid trajectory among African-American urban adults. <b>2017</b> , 117, 686-697	13
442	Allopurinol: insights from studies of dose-response relationships. <b>2017</b> , 13, 449-462	8
441	GWAS of clinically defined gout and subtypes identifies multiple susceptibility loci that include urate transporter genes. <b>2017</b> , 76, 869-877	79
440	Uric acid in the pathogenesis of metabolic, renal, and cardiovascular diseases: A review. <b>2017</b> , 8, 537-548	141

439	PLATO software provides analytic framework for investigating complexity beyond genome-wide association studies. <b>2017</b> , 8, 1167	23
438	Dietary Sodium Modifies Serum Uric Acid Concentrations in Humans. <b>2017</b> , 30, 1196-1202	8
437	Local Genetic Correlation Gives Insights into the Shared Genetic Architecture of Complex Traits. <b>2017</b> , 101, 737-751	95
436	The management of hyperuricemia: back to the pathophysiology of uric acid. <b>2017</b> , 33, 1-4	18
435	Multiple common and rare variants of cause gout. <b>2017</b> , 3, e000464	33
434	Independent prognostic miRNAs for bladder urothelial carcinoma. <b>2017</b> , 14, 3001-3005	5
433	Functional non-synonymous variants of ABCG2 and gout risk. <b>2017</b> , 56, 1982-1992	44
432	Cardiovascular Research in Germany. <b>2017</b> , 121, 492-495	4
431	Epidemiology in Germany-general development and personal experience. <b>2017</b> , 32, 635-656	1
430	A comprehensive analysis of the association of common variants of ABCG2 with gout. <b>2017</b> , 7, 9988	12
429	Genomic Influences on Hyperuricemia and Gout. <b>2017</b> , 43, 389-399	12
428	Transcriptome-Wide Analysis Identifies Novel Associations With Blood Pressure. <b>2017</b> , 70, 743-750	21
427	Deep RNA Sequencing Uncovers a Repertoire of Human Macrophage Long Intergenic Noncoding RNAs Modulated by Macrophage Activation and Associated With Cardiometabolic Diseases. <b>2017</b> , 6,	27
426	Replication of Gout/Urate Concentrations GWAS Susceptibility Loci Associated with Gout in a Han Chinese Population. <b>2017</b> , 7, 4094	12
425	CCL2 promoter hypomethylation is associated with gout risk in Chinese Han male population. <b>2017</b> , 190, 15-19	23
424	Genetic variation underlying renal uric acid excretion in Hispanic children: the Viva La Familia Study. <b>2017</b> , 18, 6	7
423	The genetics of gout: towards personalised medicine?. <b>2017</b> , 15, 108	30
422	Genetic pleiotropy between age-related macular degeneration and 16 complex diseases and traits. <b>2017</b> , 9, 29	41

421	Lack of replication of previous autism spectrum disorder GWAS hits in European populations. <b>2017</b> , 10, 202-211	24
420	Endophenotype best practices. <b>2017</b> , 111, 115-144	44
419	Loss of expression of SMARCA4 (BRG1), SMARCA2 (BRM) and SMARCB1 (INI1) in undifferentiated carcinoma of the endometrium is not uncommon and is not always associated with rhabdoid morphology. <b>2017</b> , 70, 359-366	55
418	Review: Gout: A Roadmap to Approaches for Improving Global Outcomes. <b>2017</b> , 69, 22-34	19
417	Genetics of Sex Hormone-Binding Globulin and Testosterone Levels in Fertile and Infertile Men of Reproductive Age. <b>2017</b> , 1, 560-576	7
416	Serum uric acid levels and multiple health outcomes: umbrella review of evidence from observational studies, randomised controlled trials, and Mendelian randomisation studies. <b>2017</b> , 357, j2376	154
415	Uric acid transporter inhibitors for gout. <b>2017</b> , 5, 59	8
414	Recent advances in understanding and managing gout. <b>2017</b> , 6, 247	11
413	ABCG2 Polymorphism Is Associated with Hyperuricemia in a Study of a Community-Based Korean Cohort. <b>2017</b> , 32, 1451-1459	5
412	Genome-wide copy number variation analysis identified deletions in SFMBT1 associated with fasting plasma glucose in a Han Chinese population. <b>2017</b> , 18, 591	7
411	ABCG2 polymorphisms in gout: insights into disease susceptibility and treatment approaches. <b>2017</b> , 10, 129-142	47
410	Impact of comorbidities on gout and hyperuricaemia: an update on prevalence and treatment options. <b>2017</b> , 15, 123	138
409	Interaction of the GCKR and A1CF loci with alcohol consumption to influence the risk of gout. <b>2017</b> , 19, 161	16
408	Performance of gout definitions for genetic epidemiological studies: analysis of UK Biobank. <b>2017</b> , 19, 181	28
407	DNA hypomethylation of a transcription factor binding site within the promoter of a gout risk gene upregulates its expression by inhibition of TFAP2A binding. <b>2017</b> , 9, 99	8
406	Association between ABCG2 rs2231142 and poor response to allopurinol: replication and meta-analysis. <b>2018</b> , 57, 656-660	22
405	Coffee consumption and gout: a Mendelian randomisation study. <b>2018</b> , 77, 1544-1546	14
404	Hypouricemic and Nephroprotective Effects of an Active Fraction from Polyrhachis Vicina Roger On Potassium Oxonate-Induced Hyperuricemia in Rats. <b>2018</b> , 43, 220-233	14

403	Genetic variants in two pathways influence serum urate levels and gout risk: a systematic pathway analysis. <b>2018</b> , 8, 3848	3
402	Hyperuricemia, Acute and Chronic Kidney Disease, Hypertension, and Cardiovascular Disease: Report of a Scientific Workshop Organized by the National Kidney Foundation. <b>2018</b> , 71, 851-865	181
401	Clinical and Functional Relevance of the Monocarboxylate Transporter Family in Disease Pathophysiology and Drug Therapy. <b>2018</b> , 11, 352-364	55
400	ABCG2 contributes to the development of gout and hyperuricemia in a genome-wide association study. <b>2018</b> , 8, 3137	30
399	Gout: A Disease of Kings. <b>2018</b> , 192, 77-81	12
398	MR-PheWAS: exploring the causal effect of SUA level on multiple disease outcomes by using genetic instruments in UK Biobank. <b>2018</b> , 77, 1039-1047	43
397	Genome-wide meta-analysis identifies five new susceptibility loci for pancreatic cancer. <b>2018</b> , 9, 556	103
396	The polymorphism rs671 at ALDH2 associated with serum uric acid levels in Chinese Han males: A genome-wide association study. <b>2018</b> , 651, 62-69	6
395	The impact of diuretic use and ABCG2 genotype on the predictive performance of a published allopurinol dosing tool. <b>2018</b> , 84, 937-943	8
394	Hyperuricemia enhances intracellular urate accumulation via down-regulation of cell-surface BCRP/ABCG2 expression in vascular endothelial cells. <b>2018</b> , 1860, 973-980	24
393	Uric acid and cardiovascular risk: What genes can say. <b>2018</b> , 72, e13048	12
392	Investigation of the transport of xanthine dehydrogenase inhibitors by the urate transporter ABCG2. <b>2018</b> , 33, 77-81	11
391	Genetic analysis for rs2280205 (A>G) and rs2276961 (T>C) in SLC2A9 polymorphism for the susceptibility of gout in Cameroonians: a pilot study. <b>2018</b> , 11, 230	
390	Genetic variants related to urate and risk of Parkinson's disease. <b>2018</b> , 53, 4-9	5
389	U-Shaped Association Between Serum Uric Acid Level and Risk of Mortality: A Cohort Study. <b>2018</b> , 70, 1122-1132	54
388	PheWAS and Beyond: The Landscape of Associations with Medical Diagnoses and Clinical Measures across 38,662 Individuals from Geisinger. <b>2018</b> , 102, 592-608	42
387	Effect of hydrochlorothiazide on serum uric acid concentration: a genome-wide association study. <b>2018</b> , 19, 517-527	
386	Gout: state of the art after a decade of developments. <b>2019</b> , 58, 27-44	41

385	Clinical significance of SLC2A9/GLUT9 rs11722228 polymorphisms in gout. <b>2018</b> , 21, 705-709	4
384	PDZ domain containing protein 1 (PDZK1), a modulator of membrane proteins, is regulated by the nuclear receptor THR $\beta$ <b>2018</b> , 461, 215-225	6
383	Tonicity-Responsive Enhancer-Binding Protein Mediates Hyperglycemia-Induced Inflammation and Vascular and Renal Injury. <b>2018</b> , 29, 492-504	19
382	An association of smoking with serum urate and gout: A health paradox. <b>2018</b> , 47, 825-842	16
381	Uric Acid Is a Strong Risk Marker for Developing Hypertension From Prehypertension: A 5-Year Japanese Cohort Study. <b>2018</b> , 71, 78-86	99
380	Renal organic anion transporters in drug-drug interactions and diseases. <b>2018</b> , 112, 8-19	32
379	Identification of CDC42BPG as a novel susceptibility locus for hyperuricemia in a Japanese population. <b>2018</b> , 293, 371-379	6
378	51 Hyperurikämie und Gicht. <b>2018</b> ,	
377	Uric Acid and Xanthine Levels in Pregnancy Complicated by Gestational Diabetes Mellitus-The Effect on Adverse Pregnancy Outcomes. <b>2018</b> , 19,	6
376	Copy number loss in is common among Finnish and Norwegian patients with INPH. <b>2018</b> , 4, e291	7
375	Type 2 diabetes genetic loci informed by multi-trait associations point to disease mechanisms and subtypes: A soft clustering analysis. <b>2018</b> , 15, e1002654	180
374	Phenotype-Specific Enrichment of Mendelian Disorder Genes near GWAS Regions across 62 Complex Traits. <b>2018</b> , 103, 535-552	43
373	Evaluation of the diet wide contribution to serum urate levels: meta-analysis of population based cohorts. <b>2018</b> , 363, k3951	82
372	Large-scale whole-exome sequencing association studies identify rare functional variants influencing serum urate levels. <b>2018</b> , 9, 4228	31
371	Large-scale genome-wide enrichment analyses identify new trait-associated genes and pathways across 31 human phenotypes. <b>2018</b> , 9, 4361	48
370	Genetics of serum urate concentrations and gout in a high-risk population, patients with chronic kidney disease. <b>2018</b> , 8, 13184	6
369	Genetically Determined Serum Uric Acid and Alzheimer's Disease Risk. <b>2018</b> , 65, 1259-1265	10
368	The polymorphism rs35767 at IGF1 locus is associated with serum urate levels. <b>2018</b> , 8, 12255	1

367	Integration of multi-omics data and deep phenotyping enables prediction of cytokine responses. <b>2018</b> , 19, 776-786	63
366	Uric acid and cardiovascular disease. <b>2018</b> , 484, 150-163	151
365	Spinal gout causing reversible quadriplegia: a case report and literature review. <b>2018</b> , 8, 111-114	1
364	Fast and Accurate Genome-Wide Association Test of Multiple Quantitative Traits. <b>2018</b> , 2018, 2564531	3
363	Identification of four genes as novel susceptibility loci for early-onset type 2 diabetes mellitus, metabolic syndrome, or hyperuricemia. <b>2018</b> , 9, 21-36	6
362	Common variant of BCAS3 is associated with gout risk in Japanese population: the first replication study after gout GWAS in Han Chinese. <b>2018</b> , 19, 96	3
361	Mediation analysis to understand genetic relationships between habitual coffee intake and gout. <b>2018</b> , 20, 135	7
360	Venous thromboembolism, factor VIII and chronic kidney disease. <b>2018</b> , 170, 10-19	8
359	Interactions between Genetics and Sugar-Sweetened Beverage Consumption on Health Outcomes: A Review of Gene-Diet Interaction Studies. <b>2017</b> , 8, 368	10
358	Heritability and Genome-Wide Association Analyses of Serum Uric Acid in Middle and Old-Aged Chinese Twins. <b>2018</b> , 9, 75	11
357	Physiology of Hyperuricemia and Urate-Lowering Treatments. <b>2018</b> , 5, 160	98
356	Glut9-mediated Urate Uptake Is Responsible for Its Protective Effects on Dopaminergic Neurons in Parkinson's Disease Models. <b>2018</b> , 11, 21	7
355	Plasma urate and risk of Parkinson's disease: A mendelian randomization study. <b>2018</b> , 84, 178-190	23
354	Mendelian randomization study shows no causal relationship between circulating urate levels and Parkinson's disease. <b>2018</b> , 84, 191-199	29
353	Assessing the causal association between smoking behavior and risk of gout using a Mendelian randomization study. <b>2018</b> , 37, 3099-3105	5
352	Nature versus nurture in the spectrum of rheumatic diseases: Classification of spondyloarthritis as autoimmune or autoinflammatory. <b>2018</b> , 17, 935-941	38
351	The Effect of Lesinurad in Combination With Allopurinol on Serum Uric Acid Levels in Patients With Gout. <b>2018</b> , 58, 1164-1170	8
350	An update on the genetics of hyperuricaemia and gout. <b>2018</b> , 14, 341-353	114



349	Clinically relevant mutations in the ABCG2 transporter uncovered by genetic analysis linked to erythrocyte membrane protein expression. <b>2018</b> , 8, 7487	14
348	The relationship between ferritin and urate levels and risk of gout. <b>2018</b> , 20, 179	12
347	Renal hypouricemia caused by novel compound heterozygous mutations in the SLC22A12 gene: a case report with literature review. <b>2018</b> , 19, 142	8
346	SLC2A9 (GLUT9) mediates urate reabsorption in the mouse kidney. <b>2018</b> , 470, 1739-1751	17
345	Genetic association between adiposity and gout: a Mendelian randomization study. <b>2018</b> , 57, 2145-2148	30
344	A non-coding genetic variant maximally associated with serum urate levels is functionally linked to HNF4A-dependent PDZK1 expression. <b>2018</b> , 27, 3964-3973	16
343	Genetic Polymorphisms Associated with the Neutrophil/Lymphocyte Ratio and Their Clinical Implications for Metabolic Risk Factors. <b>2018</b> , 7,	2
342	Diatom Allantoin Synthase Provides Structural Insights into Natural Fusion Protein Therapeutics. <b>2018</b> , 13, 2237-2246	2
341	Cardio-metabolic disease genetic risk factors among Māori and Pacific Island people in Aotearoa New Zealand: current state of knowledge and future directions. <b>2018</b> , 45, 202-214	11
340	GLUT9 influences uric acid concentration in patients with Lesch-Nyhan disease. <b>2018</b> , 21, 1270-1276	4
339	Googling Gout: Exploring Perceptions About Gout Through a Linguistic Analysis of Online Search Activities. <b>2019</b> , 71, 419-426	5
338	Common gene variants interactions related to uric acid transport are associated with knee osteoarthritis susceptibility. <b>2019</b> , 60, 219-229	4
337	Evolutionary history of disease-susceptibility loci identified in longitudinal exome-wide association studies. <b>2019</b> , 7, e925	1
336	A conserved role of the insulin-like signaling pathway in diet-dependent uric acid pathologies in <i>Drosophila melanogaster</i> . <b>2019</b> , 15, e1008318	20
335	Genome-wide association study revealed novel loci which aggravate asymptomatic hyperuricaemia into gout. <b>2019</b> , 78, 1430-1437	46
334	ABCG2 gene polymorphism rs2231142 is associated with gout comorbidities but not allopurinol response in primary gout patients of a Chinese Han male population. <b>2019</b> , 156, 26	5
333	Value of ABCG2 Q141K and Q126X genotyping in predicting risk of preeclampsia in Chinese Han women population. <b>2019</b> , 17, 197-202	1
332	ZNF518B gene up-regulation promotes dissemination of tumour cells and is governed by epigenetic mechanisms in colorectal cancer. <b>2019</b> , 9, 9339	5

331	Genetically determined serum urate levels and cardiovascular and other diseases in UK Biobank cohort: A phenome-wide mendelian randomization study. <b>2019</b> , 16, e1002937	39
330	The association between sedentary behavior, physical activity and hyperuricemia. <b>2019</b> , 15, 291-299	10
329	Clinical and Functional Characterization of a Novel URAT1 Dysfunctional Variant in a Pediatric Patient with Renal Hypouricemia. <b>2019</b> , 9, 3479	1
328	Autoimmune Diseases and Lung Cancer: A Mendelian Randomization Study. <b>2019</b> , 14, e161-e163	3
327	The RNA-Binding Protein A1CF Regulates Hepatic Fructose and Glycerol Metabolism via Alternative RNA Splicing. <b>2019</b> , 29, 283-300.e8	13
326	Contribution of SLC22A12 on hypouricemia and its clinical significance for screening purposes. <b>2019</b> , 9, 14360	5
325	Population-specific factors associated with fractional excretion of uric acid. <b>2019</b> , 21, 234	9
324	Interaction Between ITM2B and GLUT9 Links Urate Transport to Neurodegenerative Disorders. <b>2019</b> , 10, 1323	8
323	HOPS: a quantitative score reveals pervasive horizontal pleiotropy in human genetic variation is driven by extreme polygenicity of human traits and diseases. <b>2019</b> , 20, 222	25
322	Application effect of apatinib in patients with failure of standard treatment for advanced malignant tumours. <b>2019</b> , 20, 61	5
321	Habitual consumption of long-chain n-3 PUFAs and fish attenuates genetically associated long-term weight gain. <b>2019</b> , 109, 665-673	15
320	Association of miR-100 expression with clinicopathological features and prognosis of patients with lung cancer. <b>2019</b> , 18, 1318-1322	5
319	Mapping eGFR loci to the renal transcriptome and phenome in the VA Million Veteran Program. <b>2019</b> , 10, 3842	36
318	Genetically Determined Uric Acid and the Risk of Cardiovascular and Neurovascular Diseases: A Mendelian Randomization Study of Outcomes Investigated in Randomized Trials. <b>2019</b> , 8, e012738	27
317	Target genes, variants, tissues and transcriptional pathways influencing human serum urate levels. <i>Nature Genetics</i> , <b>2019</b> , 51, 1459-1474	36,3 122
316	Making the right thing the easy thing to do: strategies to improve outcomes in gout. <b>2019</b> , 1, e122-e131	3
315	Glucocorticoids Increase Renal Excretion of Urate in Mice by Downregulating Urate Transporter 1. <b>2019</b> , 47, 1343-1351	6
314	Genetic advances in gout: potential applications in clinical practice. <b>2019</b> , 31, 144-151	12

313	Influence of Genetic and Non-Genetic Risk Factors for Serum Uric Acid Levels and Hyperuricemia in Mexicans. <b>2019</b> , 11,	16
312	Learning Physiology From Inherited Kidney Disorders. <b>2019</b> , 99, 1575-1653	28
311	A catalog of genetic loci associated with kidney function from analyses of a million individuals. <i>Nature Genetics</i> , <b>2019</b> , 51, 957-972	36.3 217
310	Patterns of gene expression characterize T1 and T3 clear cell renal cell carcinoma subtypes. <b>2019</b> , 14, e0216793	4
309	Mouse models for human hyperuricaemia: a critical review. <b>2019</b> , 15, 413-426	46
308	Dual actions of norathyriol as a new candidate hypouricaemic agent: uricosuric effects and xanthine oxidase inhibition. <b>2019</b> , 853, 371-380	9
307	Functional Characterization of Clinically-Relevant Rare Variants in Identified in a Gout and Hyperuricemia Cohort. <b>2019</b> , 8,	28
306	Novel Risk Loci Identified in a Genome-Wide Association Study of Urolithiasis in a Japanese Population. <b>2019</b> , 30, 855-864	16
305	The impact of dysfunctional variants of ABCG2 on hyperuricemia and gout in pediatric-onset patients. <b>2019</b> , 21, 77	33
304	Integrative Genome-Wide Association Studies of eQTL and GWAS Data for Gout Disease Susceptibility. <b>2019</b> , 9, 4981	10
303	Whole-Exome Sequencing in the Isolated Populations of Cilento from South Italy. <b>2019</b> , 9, 4059	3
302	Genome-wide meta-analysis identifies multiple novel loci associated with serum uric acid levels in Japanese individuals. <b>2019</b> , 2, 115	42
301	Genome-Wide Association and Functional Studies Reveal Novel Pharmacological Mechanisms for Allopurinol. <b>2019</b> , 106, 623-631	15
300	Study on the diagnosis of gout with xanthine and hypoxanthine. <b>2019</b> , 33, e22868	13
299	Common variants in the gene are associated with serum uric acid level and hyperuricemia and gout in Han Chinese. <b>2019</b> , 156, 4	4
298	Mineral Nutrition and the Risk of Chronic Diseases: A Mendelian Randomization Study. <b>2019</b> , 11,	18
297	Functional Urate-Associated Genetic Variants Influence Expression of lincRNAs and. <b>2018</b> , 9, 733	12
296	OP0048 GENOME-WIDE META-ANALYSIS REVEALED MULTIPLE NOVEL LOCI ASSOCIATED WITH SERUM URIC ACIDLEVELS IN JAPANESE. <b>2019</b> ,	

295	OP0047 A GENOME-WIDE ASSOCIATION STUDY IDENTIFIED NOVEL LOCI ASSOCIATED WITH THE PROGRESSION FROM ASYMPTOMATIC HYPERURICEMIA TO GOUT. <b>2019</b> ,	
294	Fish and marine fatty acids intakes, the genotypes and long-term weight gain: a prospective cohort study. <b>2019</b> , 9, e022877	2
293	Hyperuricemia and Hypertension: Links and Risks. <b>2019</b> , 12, 43-62	29
292	Fine mapping and identification of serum urate loci in American Indians: The Strong Heart Family Study. <b>2019</b> , 9, 17899	1
291	Gout. <b>2019</b> , 5, 69	146
290	Uromodulin in a Pathway Between Decreased Renal Urate Excretion and Albuminuria. <b>2019</b> , 32, 384-392	1
289	Circulating antioxidants and Alzheimer disease prevention: a Mendelian randomization study. <b>2019</b> , 109, 90-98	17
288	Genetics of Hydrocephalus: Causal and Contributory Factors. <b>2019</b> , 115-129	0
287	Cerebrospinal Fluid Disorders. <b>2019</b> ,	1
286	Polymorphisms of and Genes Associated with Gout Risk in Vietnamese Population. <b>2019</b> , 55,	6
285	No causal effects of serum urate levels on the risk of chronic kidney disease: A Mendelian randomization study. <b>2019</b> , 16, e1002725	54
284	Interactions between serum urate-associated genetic variants and sex on gout risk: analysis of the UK Biobank. <b>2019</b> , 21, 13	12
283	Genetics of Hyperuricemia and Gout. <b>2019</b> , 9-27	
282	Comorbidities in Gout. <b>2019</b> , 73-87	
281	Improving Imputation Accuracy by Inferring Causal Variants in Genetic Studies. <b>2019</b> , 26, 1203-1213	
280	Genetic contributors to serum uric acid levels in Mexicans and their effect on premature coronary artery disease. <b>2019</b> , 279, 168-173	11
279	Hyperuricemia and Gout. <b>2020</b> , 389-394	3
278	Cellular expression and function of naturally occurring variants of the human ABCG2 multidrug transporter. <b>2020</b> , 77, 365-378	12

277	Solute Carrier Transporters as Potential Targets for the Treatment of Metabolic Disease. <b>2020</b> , 72, 343-379	44
276	Differential DNA Methylation of Networked Signaling, Transcriptional, Innate and Adaptive Immunity, and Osteoclastogenesis Genes and Pathways in Gout. <b>2020</b> , 72, 802-814	13
275	Asymptomatic hyperuricaemia: a silent activator of the innate immune system. <b>2020</b> , 16, 75-86	48
274	Refining genome-wide associated loci for serum uric acid in individuals with African ancestry. <b>2020</b> , 29, 506-514	5
273	The absolute risk of gout by clusters of gout-associated comorbidities and lifestyle factors-30 years follow-up of the Malmö Preventive Project. <b>2020</b> , 22, 244	3
272	Prevalence and associated factors of hyperuricemia among urban adults aged 35-79 years in southwestern China: a community-based cross-sectional study. <b>2020</b> , 10, 15683	5
271	Association Between Vitamin D and Uric Acid in Adults: A Systematic Review and Meta-Analysis. <b>2020</b> , 52, 732-741	3
270	The ABCG2/BCRP transporter and its variants - from structure to pathology. <b>2020</b> , 594, 4012-4034	13
269	Genetic influence on the metabolome. <b>2020</b> , 105-121	
268	Do Serum Urate-Associated Genetic Variants Differentially Contribute to Gout Risk According to Body Mass Index? Analysis of the UK Biobank. <b>2020</b> , 72, 1184-1191	6
267	Gout Is Prevalent but Under-Registered Among Patients With Cardiovascular Events: A Field Study. <b>2020</b> , 7, 560	2
266	Causal Pathways from Body Components and Regional Fat to Extensive Metabolic Phenotypes: A Mendelian Randomization Study. <b>2020</b> , 28, 1536-1549	6
265	Whole genome sequence analysis identifies a PAX2 mutation to establish a correct diagnosis for a syndromic form of hyperuricemia. <b>2020</b> , 182, 2521-2528	1
264	Using Mendelian randomization to understand and develop treatments for neurodegenerative disease. <b>2020</b> , 2, fcaa031	4
263	Genetic Correlation Analysis and Transcriptome-wide Association Study Suggest the Overlapped Genetic Mechanism between Gout and Attention-deficit Hyperactivity Disorder: L'analyse de corrélation génétique et l'étude d'association à l'échelle du transcriptome suggèrent un mécanisme génétique superposé entre la goutte et le trouble de déficit de l'attention avec	0
262	Secondary Genome-Wide Association Study Using Novel Analytical Strategies Disentangle Genetic Components of Cleft Lip and/or Cleft Palate in 1q32.2. <b>2020</b> , 11,	2
261	Hyperuricemia and Hypertension, Coronary Artery Disease, Kidney Disease: From Concept to Practice. <b>2020</b> , 21,	11
260	The association between genetic polymorphisms in ABCG2 and SLC2A9 and urate: an updated systematic review and meta-analysis. <b>2020</b> , 21, 210	7

259	2020 American College of Rheumatology Guideline for the Management of Gout. <b>2020</b> , 72, 879-895	82
258	2020 American College of Rheumatology Guideline for the Management of Gout. <b>2020</b> , 72, 744-760	157
257	A mendelian randomization analysis: The causal association between serum uric acid and atrial fibrillation. <b>2020</b> , 50, e13300	5
256	The ABCG2 Q141K hyperuricemia and gout associated variant illuminates the physiology of human urate excretion. <b>2020</b> , 11, 2767	39
255	Association between habitual coffee consumption and multiple disease outcomes: A Mendelian randomisation phenome-wide association study in the UK Biobank. <b>2020</b> , 39, 3467-3476	14
254	Using genetics to prioritize diagnoses for rheumatology outpatients with inflammatory arthritis. <b>2020</b> , 12,	17
253	Polygenic analysis of the effect of common and low-frequency genetic variants on serum uric acid levels in Korean individuals. <b>2020</b> , 10, 9179	6
252	Soluble Uric Acid Is an Intrinsic Negative Regulator of Monocyte Activation in Monosodium Urate Crystal-Induced Tissue Inflammation. <b>2020</b> , 205, 789-800	15
251	Toll-Like receptor 4 (TLR4) polymorphism rs2149356 and risk of gout in a Spanish cohort. <b>2020</b> , 39, 1424-1431	2
250	Sex Differences in Urate Handling. <b>2020</b> , 21,	20
249	ABCG2 rs2231142 variant in hyperuricemia is modified by SLC2A9 and SLC22A12 polymorphisms and cardiovascular risk factors in an elderly community-dwelling population. <b>2020</b> , 21, 54	6
248	Systems Biology Analysis Reveals Eight SLC22 Transporter Subgroups, Including OATs, OCTs, and OCTNs. <b>2020</b> , 21,	23
247	Mendelian randomization study of serum uric acid levels and diabetes risk: evidence from the Dongfeng-Tongji cohort. <b>2020</b> , 8,	17
246	Assessment Causality in Associations Between Serum Uric Acid and Risk of Schizophrenia: A Two-Sample Bidirectional Mendelian Randomization Study. <b>2020</b> , 12, 223-233	5
245	The evolving role of TonEBP as an immunometabolic stress protein. <b>2020</b> , 16, 352-364	21
244	Impact of modifiable risk factors on Alzheimer's disease: A two-sample Mendelian randomization study. <b>2020</b> , 91, 167.e11-167.e19	7
243	Pleiotropic effect of the ABCG2 gene in gout: involvement in serum urate levels and progression from hyperuricemia to gout. <b>2020</b> , 22, 45	13
242	Multifactor dimensionality reduction reveals a strong gene-gene interaction between STC1 and COL11A1 genes as a possible risk factor of knee osteoarthritis. <b>2020</b> , 47, 2627-2634	2

241	Gout inheritance in an extended Chinese family analyzed by whole-exome sequencing: A case-report. <b>2020</b> , 99, e20057	
240	The biology of urate. <b>2020</b> , 50, S2-S10	24
239	Personalized Medicine of Urate-Lowering Therapy for Gout. <b>2020</b> ,	1
238	Gout epidemiology and comorbidities. <b>2020</b> , 50, S11-S16	48
237	Association of Serum Uric Acid with Metabolic Syndrome and Its Components: A Mendelian Randomization Analysis. <b>2020</b> , 2020, 6238693	13
236	The Systems Biology of Drug Metabolizing Enzymes and Transporters: Relevance to Quantitative Systems Pharmacology. <b>2020</b> , 108, 40-53	15
235	Genomic dissection of 43 serum urate-associated loci provides multiple insights into molecular mechanisms of urate control. <b>2020</b> , 29, 923-943	20
234	Whole-Exome Sequencing Reveals a Rare Missense Variant in in a Pedigree with Early-Onset Gout. <b>2020</b> , 2020, 4321419	5
233	A Unifying Framework for Imputing Summary Statistics in Genome-Wide Association Studies. <b>2020</b> , 27, 418-428	1
232	Elevated triglyceride to high-density lipoprotein cholesterol (TG/HDL-C) ratio increased risk of hyperuricemia: a 4-year cohort study in China. <b>2020</b> , 68, 71-80	11
231	ABCG2 expression and uric acid metabolism of the intestine in hyperuricemia model rat. <b>2020</b> , 39, 744-759	8
230	J-shaped association between serum uric acid and acute coronary syndrome in patients with essential hypertension. <b>2020</b> , 96, 73-78	1
229	Epistatic interaction between PKD2 and ABCG2 influences the pathogenesis of hyperuricemia and gout. <b>2020</b> , 157, 2	0
228	A mouse model of MSU-induced acute inflammation suggests imiquimod-dependent targeting of as relevant therapy for gout patients. <b>2020</b> , 10, 2158-2171	15
227	Systematic genetic analysis of early-onset gout: ABCG2 is the only associated locus. <b>2020</b> , 59, 2544-2549	16
226	Genetic Analyses in Dent Disease and Characterization of CLCN5 Mutations in Kidney Biopsies. <b>2020</b> , 21,	5
225	Serum Uric Acid Level and Multiple Sclerosis: A Mendelian Randomization Study. <b>2020</b> , 11, 254	1
224	The impact of the illness label 'gout' on illness and treatment perceptions in Māori (Indigenous New Zealanders). <b>2020</b> , 4, 23	2

223	Detecting Shared Genetic Architecture Among Multiple Phenotypes by Hierarchical Clustering of Gene-Level Association Statistics. <b>2020</b> , 215, 511-529	3
222	A population-specific low-frequency variant of SLC22A12 (p.W258*) explains nearby genome-wide association signals for serum uric acid concentrations among Koreans. <b>2020</b> , 15, e0231336	0
221	Contribution of Rare Variants of the Gene to the Missing Heritability of Serum Urate Levels. <b>2020</b> , 214, 1079-1090	9
220	The Optimal Range of Serum Uric Acid for Cardiometabolic Diseases: A 5-Year Japanese Cohort Study. <b>2020</b> , 9,	15
219	Sex Differences in the Clinical Profile Among Patients With Gout: Cross-sectional Analyses of an Observational Study. <b>2021</b> , 48, 286-292	8
218	Risk of pre-eclampsia in patients with a maternal genetic predisposition to common medical conditions: a case-control study. <b>2021</b> , 128, 55-65	3
217	Trans-ancestral dissection of urate- and gout-associated major loci SLC2A9 and ABCG2 reveals primate-specific regulatory effects. <b>2021</b> , 66, 161-169	1
216	A novel mouse model of hyperuricemia expressing a human functional ABCG2 variant. <b>2021</b> , 99, 12-14	1
215	Association between plasma uric acid and insulin resistance in type 2 diabetes: A Mendelian randomization analysis. <b>2021</b> , 171, 108542	11
214	Mendelian randomization study shows no causal effects of serum urate levels on the risk of MS. <b>2021</b> , 8,	2
213	Evaluation of the causal effects of blood lipid levels on gout with summary level GWAS data: two-sample Mendelian randomization and mediation analysis. <b>2021</b> , 66, 465-473	7
212	Diverse functions associate with trans-species polymorphisms in humans.	
211	Urate, Blood Pressure, and Cardiovascular Disease: Evidence From Mendelian Randomization and Meta-Analysis of Clinical Trials. <b>2021</b> , 77, 383-392	15
210	GWAS of three molecular traits highlights core genes and pathways alongside a highly polygenic background. <b>2021</b> , 10,	23
209	Genetically predicted serum urate levels have no causal role on depression or other psychiatric disorders. <b>2021</b> , 40, 3729-3733	0
208	Epigenetic Mechanisms Are Involved in the Oncogenic Properties of in Colorectal Cancer. <b>2021</b> , 13,	0
207	Polymorphisms of the genes , and and their relation with hyperuricemia and hypercholesterolemia in Mexican young adults. <b>2021</b> , 10, 217	1
206	The comparative effect of exposure to various risk factors on the risk of hyperuricaemia: diet has a weak causal effect. <b>2021</b> , 23, 75	5



205	Large Bi-Ethnic Study of Plasma Proteome Leads to Comprehensive Mapping of cis-pQTL and Models for Proteome-wide Association Studies.	5
204	Serum Uric Acid Levels and Risk of Eight Site-Specific Cancers: A Mendelian Randomization Study. <b>2021</b> , 12, 608311	1
203	What multiple Mendelian randomization approaches reveal about obesity and gout.	
202	Genetic Predisposition to Type 2 Diabetes and Insulin Levels Is Positively Associated With Serum Urate Levels. <b>2021</b> , 106, e2547-e2556	1
201	The Epidemiology and Genetics of Hyperuricemia and Gout across Major Racial Groups: A Literature Review and Population Genetics Secondary Database Analysis. <b>2021</b> , 11,	18
200	Variants in urate transporters, ADH1B, GCKR and MEPE genes associate with transition from asymptomatic hyperuricaemia to gout: results of the first gout versus asymptomatic hyperuricaemia GWAS in Caucasians using data from the UK Biobank. <b>2021</b> , 80, 1220-1226	6
199	Local genetic covariance between serum urate and kidney function obtained from local Bayesian regressions.	
198	Gout, Hyperuricaemia and Crystal-Associated Disease Network (G-CAN) common language definition of gout. <b>2021</b> , 7,	1
197	Integrating disease and drug-related phenotypes for improved identification of pharmacogenomic variants. <b>2021</b> , 22, 251-261	1
196	Redefining replication in multi-ancestry genome-wide association studies.	0
195	An atlas connecting shared genetic architecture of human diseases and molecular phenotypes provides insight into COVID-19 susceptibility. <b>2021</b> , 13, 83	8
194	Estimation of non-additive genetic variance in human complex traits from a large sample of unrelated individuals. <b>2021</b> , 108, 786-798	19
193	Serum anti-inflammatory and inflammatory markers have no causal impact on telomere length: a Mendelian randomization study. <b>2021</b> , 17, 739-751	0
192	Mendelian Randomisation Finds No Causal Association between Urate and Parkinson's Disease Progression. <b>2021</b> , 36, 2182-2187	1
191	Oxypurinol pharmacokinetics and pharmacodynamics in healthy volunteers: Influence of BCRP Q141K polymorphism and patient characteristics. <b>2021</b> , 14, 1431-1443	2
190	DeepNull: Modeling non-linear covariate effects improves phenotype prediction and association power.	
189	Active surveillance in prostate cancer management: where do we stand now?. <b>2021</b> , 17, 805-811	1
188	Gout prevalence in the Hmong: a prime example of health disparity and the role of community-based genetic research. <b>2021</b> , 18, 311-327	5

187	Gout. <b>2021</b> , 397, 1843-1855	67
186	Higher Serum Urate Levels Are Associated With an Increased Risk for Sudden Cardiac Death. <b>2021</b> , 48, 1745-1753	0
185	Genetically predicted serum uric acid levels and the risk of coronary artery disease in patients with diabetes: A Mendelian randomization study. <b>2021</b> , 31, 1832-1839	1
184	Serum urate and lung cancer: a cohort study and Mendelian randomization using UK Biobank. <b>2021</b> , 22, 179	0
183	Understanding the effect of smoking and drinking behavior on Parkinson's disease risk: a Mendelian randomization study. <b>2021</b> , 11, 13980	7
182	An update of genetics, co-morbidities and management of hyperuricaemia. <b>2021</b> , 48, 1305-1316	2
181	Urate-induced epigenetic modifications in myeloid cells. <b>2021</b> , 23, 202	4
180	Function of Uric Acid Transporters and Their Inhibitors in Hyperuricaemia. <b>2021</b> , 12, 667753	3
179	Causal Associations of Urate With Cardiovascular Risk Factors: Two-Sample Mendelian Randomization. <b>2021</b> , 12, 687279	0
178	The individual and global impact of copy number variants on complex human traits.	0
177	Assessing the Relationship Between Serum Urate and Urolithiasis Using Mendelian Randomization: An Analysis of the UK Biobank. <b>2021</b> , 78, 210-218	3
176	SNP rs4971059 predisposes to breast carcinogenesis and chemoresistance via TRIM46-mediated HDAC1 degradation. <b>2021</b> , 40, e107974	1
175	CNest: A Novel Copy Number Association Discovery Method Uncovers 862 New Associations from 200,629 Whole Exome Sequence Datasets in the UK Biobank.	
174	Genetic and Physiological Effects of Insulin on Human Urate Homeostasis. <b>2021</b> , 12, 713710	3
173	Association of rs2231142 Allele and BMI With Hyperuricemia in an East Asian Population. <b>2021</b> , 12, 709887	0
172	Using multiple Mendelian randomization approaches and genetic correlations to understand obesity, urate, and gout. <b>2021</b> , 11, 17799	0
171	Polymorphisms of the genes ABCG2, SLC22A12 and XDH and their relation with hyperuricemia and hypercholesterolemia in Mexican young adults. <b>2021</b> , 10, 217	
170	Quantile-Dependent Expressivity of Serum Uric Acid Concentrations. <b>2021</b> , 2021, 3889278	3

169	Protein-coding repeat polymorphisms strongly shape diverse human phenotypes. <b>2021</b> , 373, 1499-1505	15
168	Uric acid extrarenal excretion: the gut microbiome as an evident yet understated factor in gout development. <b>2021</b> , 1	4
167	Sex differences in genetic architecture in the UK Biobank. <i>Nature Genetics</i> , <b>2021</b> , 53, 1283-1289	36.3 7
166	Characterization of a Compound Heterozygous SLC2A9 Mutation That Causes Hypouricemia. <b>2021</b> , 9,	0
165	mGWAS identification of six novel single nucleotide polymorphism loci with strong correlation to gastric cancer. <b>2021</b> , 9, 34	0
164	Both variants of A1CF and BAZ1B genes are associated with gout susceptibility: a replication study and meta-analysis in a Japanese population. <b>2021</b> , 34, 293-299	0
163	Therapeutic Strategies for the Treatment of Chronic Hyperuricemia: An Evidence-Based Update. <b>2021</b> , 57,	18
162	Causal associations of iron status with gout and rheumatoid arthritis, but not with inflammatory bowel disease. <b>2020</b> , 39, 3119-3124	7
161	The Shared Genetic Basis of Hyperuricemia, Gout, and Kidney Function. <b>2020</b> , 40, 586-599	3
160	Molecular Pathophysiology of Uric Acid Homeostasis. <b>2020</b> , 40, 535-549	8
159	Structural Insights into the Atomistic Mechanisms of Uric Acid Recognition and Translocation of Human Urate Anion Transporter 1. <b>2020</b> , 5, 33421-33432	6
158	Genetic correlations between traits associated with hyperuricemia, gout, and comorbidities. <b>2021</b> , 29, 1438-1445	2
157	The effects of URAT1/SLC22A12 nonfunctional variants, R90H and W258X, on serum uric acid levels and gout/hyperuricemia progression. <b>2016</b> , 6, 20148	24
156	Widespread pleiotropy confounds causal relationships between complex traits and diseases inferred from Mendelian randomization.	13
155	A large-scale genome-wide enrichment analysis identifies new trait-associated genes, pathways and tissues across 31 human phenotypes*.	5
154	A systematic framework for assessing the clinical impact of polygenic risk scores.	4
153	GWAS of three molecular traits highlights core genes and pathways alongside a highly polygenic background.	5
152	Sexual differences in genetic architecture in UK Biobank.	2

151	Estimation of non-additive genetic variance in human complex traits from a large sample of unrelated individuals.	3
150	An atlas connecting shared genetic architecture of human diseases and molecular phenotypes provides insight into COVID-19 susceptibility. <b>2020</b> ,	19
149	PKD2 influence uric acid levels and gout risk by interacting with ABCG2.	1
148	HOPS: a quantitative score reveals pervasive horizontal pleiotropy in human genetic variation is driven by extreme polygenicity of human traits and diseases.	5
147	Clustering of Type 2 Diabetes Genetic Loci by Multi-Trait Associations Identifies Disease Mechanisms and Subtypes.	5
146	A conserved role of the insulin-like signaling pathway in uric acid pathologies revealed in <i>Drosophila melanogaster</i> .	2
145	Genetic predisposition to hypouricemia on whole-exome sequencing analysis and its utilities in primary screening purposes.	0
144	Genetics of 38 blood and urine biomarkers in the UK Biobank.	25
143	Genomic dissection of 43 serum urate-associated loci provides multiple insights into molecular mechanisms of urate control.	2
142	Disseminated Cutaneous Tophi in a Patient with Chronic Tophaceous Gout and Renal Impairment: A Case Report of a Rare Manifestation of Gout. <b>2020</b> , 21, e919349	2
141	Polymorphism of ABCG2 Gene in Hyperuricemia Patients of Han And Uygur Ethnicity with Phlegm/Non-Phlegm Block in Xinjiang, China. <b>2018</b> , 24, 6305-6312	1
140	Expression of SLC2A9 isoforms in the kidney and their localization in polarized epithelial cells. <b>2014</b> , 9, e84996	48
139	Modulation of genetic associations with serum urate levels by body-mass-index in humans. <b>2015</b> , 10, e0119752	31
138	SLC2A9 Genotype Is Associated with SLC2A9 Gene Expression and Urinary Uric Acid Concentration. <b>2015</b> , 10, e0128593	9
137	The Toll-Like Receptor 4 (TLR4) Variant rs2149356 and Risk of Gout in European and Polynesian Sample Sets. <b>2016</b> , 11, e0147939	28
136	TT genotype of rs2941484 in the human HNF4G gene is associated with hyperuricemia in Chinese Han men. <b>2017</b> , 8, 26918-26926	3
135	Identification of C21orf59 and ATG2A as novel determinants of renal function-related traits in Japanese by exome-wide association studies. <b>2017</b> , 8, 45259-45273	7
134	The Landscape of Pervasive Horizontal Pleiotropy in Human Genetic Variation is Driven by Extreme Polygenicity of Human Traits and Diseases.	2

133	Changing paradigms in the management of gout. <b>2020</b> , 50, 124-132	2
132	An old disease with new insights: Update on diagnosis and treatment of gout. <b>2014</b> , 1, 72-77	9
131	Identifying causality, genetic correlation, priority and pathways of large-scale complex exposures of breast and ovarian cancers. <b>2021</b> , 125, 1570-1581	2
130	Urate transport in health and disease. <b>2021</b> , 101717	1
129	Etiology and pathogenesis of gout. <b>2015</b> , 1555-1568	
128	Progression of Chronic Kidney Disease and Nephroprotective Therapy. <b>2016</b> , 1399-1423	0
127	Improving Imputation Accuracy by Inferring Causal Variants in Genetic Studies. <b>2017</b> , 303-317	1
126	Uric Acid-Hypertension Relationships. <b>2018</b> , 351-382	
125	Elevated serum urate is a potential factor in reduction of total bilirubin: a Mendelian randomization study. <b>2017</b> , 8, 103864-103873	
124	Phenotype-specific enrichment of Mendelian disorder genes near GWAS regions across 62 complex traits.	
123	A non-coding genetic variant maximally associated with serum urate levels is functionally linked to HNF4A-dependent PDZK1 expression.	1
122	GWAS identifies nine nephrolithiasis susceptibility loci related with metabolic metabolic and crystallization pathways.	1
121	A Phenome-wide Mendelian Randomisation study on genetically determined serum urate levels in UK Biobank cohort.	
120	ABCG2 GENE POLYMORPHISM IN PATIENTS WITH GOUT IN ZABAIKALSKY KRAI. <b>2019</b> , 8, 77-86	
119	NLRP3- and AIM2-autonomy in a mouse model of MSU crystal-induced acute inflammation in vivo suggests imiquimod-dependent targeting of IL-1[beta] expression as relevant therapy for gout patients..	
118	Evaluation of the causal effects of blood lipid levels on gout with summary level GWAS data: two-sample Mendelian randomization and mediation analysis.	0
117	Using genetics to differentiate patients with similar symptoms: application to inflammatory arthritis in the rheumatology outpatient clinic.	
116	Reclassification of SLC22 Transporters: Analysis of OAT, OCT, OCTN, and other Family Members Reveals 8 Functional Subgroups.	

- 115 Urate, blood pressure and cardiovascular disease: updated evidence from Mendelian randomization and meta-analysis of clinical trials.
- 114 Hyperuricemia in renal disease patients. **2020**, 66, 259-266 0
- 113 The genetic basis of urate control and gout: Insights into molecular pathogenesis from follow-up study of genome-wide association study loci. **2021**, 35, 101721 1
- 112 Genome-wide meta-analysis revealed several genetic loci associated with serum uric acid levels in Korean population: an analysis of Korea Biobank data. **2021**, 0
- 111 Pleiotropic effect of ABCG2 in gout: involvement in serum urate levels and progression from hyperuricemia to gout.
- 110 Cut-Off Value of Serum Uric Acid for Development of Gout Disease in Patients with Multiple Co-Morbidities.. **2021**, 32, 243-248
- 109 Unraveling the genetic causes in large pedigrees with gout by whole-exome sequencing. **2020**, 45, 1047-1058
- 108 Do Serum Urate-associated Genetic Variants Influence Gout Risk in People Taking Diuretics? Analysis of the UK Biobank. **2020**, 47, 1704-1711 1
- 107 Risk of preeclampsia in patients with genetic predisposition to common medical conditions: a case-control study.
- 106 Interaction of Alcohol Consumption and rs2231142 Variant Contributes to Hyperuricemia in a Taiwanese Population. **2021**, 11, 0
- 105 Pathophysiology of Gout. **2020**, 40, 550-563 4
- 104 The Management of Gout in Renal Disease. **2020**, 40, 600-613 0
- 103 Genetic insights into cardiometabolic risk factors. **2014**, 35, 15-36 26
- 102 The Daniel K. Inouye College of Pharmacy Scripts: Perspectives on the Epidemiology of Gout and Hyperuricemia. **2019**, 78, 71-76 7
- 101 Association of GCKR rs780094 polymorphism with circulating lipid levels in type 2 diabetes and hyperuricemia in Uygur Chinese. **2018**, 11, 4684-4694
- 100 Maternal and Paternal Effects on Hyperuricemia: A Cross-Sectional Study from the 7th Korean National Health and Nutrition Examination Survey. **2021**,
- 99 Global biobank analyses provide lessons for computing polygenic risk scores across diverse cohorts. 3
- 98 insertion variants alter gene transcript levels. **2021**, 1

97	Causal Inference of Carnitine on Blood Pressure and potential mediation by uric acid: A mendelian randomization analysis.. <b>2021</b> , 11, 200120	0
96	Genetics of hyperuricemia and gout: Insights from recent genome-wide association studies and Mendelian randomization studies. <b>2021</b> ,	
95	DeepNull models non-linear covariate effects to improve phenotypic prediction and association power.. <b>2022</b> , 13, 241	0
94	Translational Science Kidney traits on repeat - the role of MUC1 VNTR.. <b>2022</b> ,	
93	Genetic assessment of hyperuricemia and gout in Asian, Native Hawaiian, and Pacific Islander subgroups of pregnant women: biospecimens repository cross-sectional study.. <b>2022</b> , 6, 1	4
92	Genetic risk of hyperuricemia in hypertensive patients associated with antihypertensive drug therapy: a longitudinal study.. <b>2022</b> ,	0
91	Promoter DNA Methylation in GWAS-Identified Genes as Potential Functional Elements for Blood Pressure: An Observational and Mendelian Randomization Study.. <b>2021</b> , 12, 791146	0
90	Clinical Predictors and Long-term Impact of Acute Kidney Injury on Progression of Diabetic Kidney Disease in Chinese Patients with Type 2 Diabetes.. <b>2022</b> ,	0
89	Association and interaction between dietary patterns and gene polymorphisms in Liangshan residents with hyperuricemia.. <b>2022</b> , 12, 1356	
88	The Role of the Intestine in the Development of Hyperuricemia.. <b>2022</b> , 13, 845684	1
87	The development from hyperuricemia to gout. <b>2022</b> , Publish Ahead of Print,	2
86	Association of DNA Methylation in Blood Pressure-Related Genes With Ischemic Stroke Risk and Prognosis.. <b>2022</b> , 9, 796245	0
85	Coffee Consumption Reduces Gout Risk Independently of Serum Uric Acid Levels: Mendelian Randomization Analyses Across Ancestry Populations.. <b>2022</b> ,	0
84	Whole-Exome Sequencing Identifies a Novel Mutation in a Pedigree With Gout.. <b>2022</b> , 10, 802635	
83	Assessing the Causal Effects of Adipokines on Uric Acid and Gout: A Two-Sample Mendelian Randomization Study.. <b>2022</b> , 14,	0
82	Racial Disparities in the Modern Gout Epidemic.. <b>2022</b> ,	1
81	Cerebrospinal fluid biomarkers and genetic factors associated with normal pressure hydrocephalus and Alzheimer's disease: a narrative review. <b>2022</b> , 23,	
80	Uric Acid and Oxidative Stress-Relationship with Cardiovascular, Metabolic, and Renal Impairment.. <b>2022</b> , 23,	3

79	Assessing causality between osteoarthritis with urate levels and gout: a bidirectional Mendelian randomization study.. <b>2021</b> ,	1
78	Organisation of gene programs revealed by unsupervised analysis of diverse gene-trait associations.	
77	Association between glucokinase regulator gene polymorphisms and serum uric acid levels in Taiwanese adolescents.. <b>2022</b> , 12, 5519	0
76	Serum Uric Acid Levels and Non-alcoholic Fatty Liver Disease: A Two-sample Bidirectional Mendelian Randomization Study.. <b>2022</b> ,	0
75	The individual and global impact of copy-number variants on complex human traits.. <b>2022</b> ,	1
74	SLC22 Transporters in the Fly Renal System Regulate Response to Oxidative Stress In Vivo.. <b>2021</b> , 22,	3
73	Excess comorbidities in gout: the causal paradigm and pleiotropic approaches to care.. <b>2021</b> ,	4
72	Epigenome-wide association study of serum urate reveals insights into urate co-regulation and the SLC2A9 locus. <b>2021</b> , 12, 7173	1
71	Impact of adiposity on risk of female gout among those genetically predisposed: sex-specific prospective cohort study findings over >32 years. <b>2021</b> ,	1
70	OMICS in Chronic Kidney Disease: Focus on Prognosis and Prediction.. <b>2021</b> , 23,	2
69	Systematic analysis of inflammation and pain pathways in a mouse model of gout.. <b>2022</b> , 17448069221097760	
68	Fast Kernel-based Association Testing of non-linear genetic effects for Biobank-scale data.	
67	Table_1.DOCX. <b>2018</b> ,	
66	Table_2.DOCX. <b>2018</b> ,	
65	Table_3.DOCX. <b>2018</b> ,	
64	Table_4.DOCX. <b>2018</b> ,	
63	Table_5.DOCX. <b>2018</b> ,	
62	Data_Sheet_1.PDF. <b>2019</b> ,	



61	Table_1.xlsx. <b>2019,</b>		
60	Data_Sheet_1.PDF. <b>2019,</b>		
59	The Role of Lipid Traits in Mediating the Effect of Body Mass Index on Serum Urate.		
58	OUP accepted manuscript.		0
57	Pharmacogenetic Perspective for Optimal Gout Management. <b>2022,</b> 2, 135-152		1
56	Plasma proteome analyses in individuals of European and African ancestry identify cis-pQTLs and models for proteome-wide association studies.. <i>Nature Genetics</i> , <b>2022,</b>	36.3	2
55	Healthy lifestyle counteracts the risk effect of genetic factors on incident gout: a large population-based longitudinal study.. <b>2022,</b> 20, 138		0
54	Differential diagnosis in Charcot neuroarthropathy. <b>2022,</b> 223-259		
53	Serum uric acid is not associated with major depressive disorder in European and South American populations: a meta-analysis and two-sample bidirectional Mendelian Randomization study.		0
52	Genetically predicted physical activity is associated with lower serum urate concentrations.		0
51	GWAS of Clinically Defined Gout Identifies Non-Urate-Related Loci and Implicates Novel Gene, Pathway and Cell Type Associations.		
50	Diverse functions associate with non-coding polymorphisms shared between humans and chimpanzees. <b>2022,</b> 22,		
49	Deep-PheWAS: a pipeline for phenotype generation and association analysis for phenome-wide association studies.		0
48	Are polymorphisms affecting serum urate, renal urate handling and alcohol intake associated with co-morbidities in gout cases? A case-control study using data from the UK Biobank.		
47	Pathway for ascertaining the role of uric acid in neurodegenerative diseases. <b>2022,</b> 14,		
46	Global Trends in Research of Gouty Arthritis Over Past Decade: A Bibliometric Analysis. 13,		1
45	Upregulated expression of FFAR2 and SOC3 genes is associated with Gout.		0
44	Trends in the Contribution of Genetic Susceptibility Loci to Hyperuricemia and Gout and Associated Novel Mechanisms. 10,		2

- 43 Caffeic acid phenethyl ester alleviated hypouricemia in hyperuricemic mice through inhibiting XOD and up-regulating OAT3. **2022**, 103, 154256 ○
- 42 Examining an Association of Single Nucleotide Polymorphisms with Hyperuricemia in Chinese Flight Attendants. Volume 15, 589-602
- 41 An association study of ABCG2 rs2231142 on the concentrations of allopurinol and its metabolites. 1
- 40 Cross-sectional and longitudinal associations between lipid accumulation product and hyperuricemia. **2022**,
- 39 Appraising the causal role of smoking in multiple diseases: A systematic review and meta-analysis of Mendelian randomization studies. **2022**, 82, 104154 1
- 38 A widely distributed gene cluster compensates for uricase loss in hominids. ○
- 37 Genetic polymorphisms and decreased protein expression of ABCG2 urate transporters are associated with susceptibility to gout, disease severity and renal-overload hyperuricemia. ○
- 36 Separating the effects of childhood and adult body size on inflammatory arthritis: a Mendelian randomisation study. **2022**, 8, e002321 ○
- 35 The Association of Serum Uric Acid Level, Gout, and Alzheimer's Disease: A Bidirectional Mendelian Randomization Study. **2022**, 1-11
- 34 Investigating Causal Associations of Diet-Derived Circulating Antioxidants with the Risk of Digestive System Cancers: A Mendelian Randomization Study. **2022**, 14, 3237
- 33 The role of obesity, type 2 diabetes, and metabolic factors in gout: A Mendelian randomization study. 13, ○
- 32 Assessing the causal associations of obstructive sleep apnea with serum uric acid levels and gout: a bidirectional two-sample Mendelian randomization study. **2022**, 57, 152095 ○
- 31 The role of lipid traits in mediating the effect of body mass index on serum urate. 13, ○
- 30 Novel Insights into the Effects of Genetic Variants on Serum Urate Response to an Acute Fructose Challenge: A Pilot Study. **2022**, 14, 4030 ○
- 29 Unbiased metabolome screen links serum urate to risk of Alzheimer's disease. **2022**, 120, 167-176 ○
- 28 Polygenic risk score trend and new variants on chromosome 1 are associated with male gout in genome-wide association study. **2022**, 24, ○
- 27 Medicinal fungus *Phellinus igniarius* alleviates gout in vitro by modulating TLR4/NF- $\kappa$ B/NLRP3 signaling. 13, ○
- 26 Exercise serum regulates uric acid transporters in normal rat kidney cells. **2022**, 12, ○

25	Association Between Triglyceride-Glucose Index and Serum Uric Acid Levels: A Biochemical Study on Anthropometry in Non-Obese Type 2 Diabetes Mellitus Patients. Volume 15, 3447-3458	○
24	Uric acid and gamma-glutamyl-transferase in children and adolescents with obesity: Association to anthropometric measures and cardiometabolic risk markers depending on pubertal stage, sex, degree of weight loss and type of patient care: Evaluation of the adiposity patient follow-up registry.	○
23	Whey protein peptide PEW attenuates hyperuricemia and associated renal inflammation in potassium oxonate and hypoxanthine-induced rat. <b>2023</b> , 51, 102311	○
22	New insight into the management of renal excretion and hyperuricemia: Potential therapeutic strategies with natural bioactive compounds. 13,	○
21	A genome-wide association analysis of 2,622,830 individuals reveals new pathogenic pathways in gout.	○
20	Assessment of causal associations between uric acid and 25-hydroxyvitamin D levels. 13,	○
19	Vitamin D pathway gene variation rs3740165 is associated with serological uric acid levels in healthy Chinese women. 13,	○
18	Interactions Between Genetic Risk and Diet Influencing Risk of Incident Female Gout: Discovery and Replication Analysis of Four Prospective Cohorts.	1
17	Associations between serum urate and telomere length and inflammation markers: Evidence from UK Biobank cohort. 13,	○
16	Hypouricemic Actions of the Pericarp of Mangosteen in Vitro and in Vivo.	○
15	Genetic and Physiological Effects of Insulin-Like Growth Factor-1 (IGF-1) on Human Urate Homeostasis. <b>2023</b> , Publish Ahead of Print,	○
14	Genetic Risk, Adherence to a Healthy Lifestyle, and Hyperuricemia: the TCLSIH cohort study. <b>2023</b> ,	○
13	Global status and trends in gout research from 2012 to 2021: a bibliometric and visual analysis.	○
12	Progression of Chronic Kidney Disease and Nephroprotective Therapy. <b>2023</b> , 1483-1515	○
11	The regulatory role of miRNA towards expressed genes in the pathogenesis of gout: A review. <b>2023</b> , 36, 201163	○
10	Uric acid and risk of pre-eclampsia: results from a large case-control study and meta-analysis of prospective studies. <b>2023</b> , 13,	○
9	TGF-βs elevated in hyperuricemic individuals and mediates urate-induced hyperinflammatory phenotype in human mononuclear cells. <b>2023</b> , 25,	○
8	Serum Urate and Risk of Chronic Kidney Disease. <b>2023</b> , 98, 513-521	○

- 7 A review on gout: Looking back and looking ahead. **2023**, 117, 109977 ○
- 6 Differences in the Association Between Alcoholic Beverage Type and Serum Urate Levels Using Standardized Ethanol Content. **2023**, 6, e233398 ○
- 5 Cross-phenotype association analysis of gastric cancer: in-silico functional annotation based on the disease-gene network. ○
- 4 Clinical Features of Gout. **2023**, 505-511 ○
- 3 Dissecting the causal effect between gut microbiota, DHA, and urate metabolism: A large-scale bidirectional Mendelian randomization. 14, ○
- 2 Novel genetic loci in adolescent-onset gout derived from whole genome sequencing of a Chinese cohort. ○
- 1 A functional genomics approach reveals suggestive quantitative trait loci associated with combined TLR4 and BCP crystal-induced inflammation and osteoarthritis. **2023**, ○