

Generic allometric models including height best estimate stocks in Indonesia

Forest Ecology and Management

307, 219-225

DOI: [10.1016/j.foreco.2013.07.013](https://doi.org/10.1016/j.foreco.2013.07.013)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Community Monitoring of Carbon Stocks for REDD+: Does Accuracy and Cost Change over Time?. Forests, 2014, 5, 1834-1854.	0.9	48
2	A critical review of forest biomass estimation models, common mistakes and corrective measures. Forest Ecology and Management, 2014, 329, 237-254.	1.4	289
3	Tree biomass equations for tropical peat swamp forest ecosystems in Indonesia. Forest Ecology and Management, 2014, 334, 241-253.	1.4	48
4	Large trees as key elements of carbon storage and dynamics after selective logging in the Eastern Amazon. Forest Ecology and Management, 2014, 318, 103-109.	1.4	102
6	Effects of elevation and land use on the biomass of trees, shrubs and herbs at Mount Kilimanjaro. Ecosphere, 2015, 6, 1-15.	1.0	106
7	Community assessment of tropical tree biomass: challenges and opportunities for REDD+. Carbon Balance and Management, 2015, 10, 17.	1.4	8
8	Estimating above Ground Biomass and Carbon Stock in the Lake Hawassa Watershed, Ethiopia by Integrating Remote Sensing and Allometric Equations. Journal of Forest Research: Open Access, 2015, 04, .	0.0	5
9	Development of Allometric Equations for Tree Biomass in Forest Ecosystems in Paraguay. Japan Agricultural Research Quarterly, 2015, 49, 281-291.	0.1	8
10	Deadwood biomass: an underestimated carbon stock in degraded tropical forests?. Environmental Research Letters, 2015, 10, 044019.	2.2	60
11	Efficacy of generic allometric equations for estimating biomass: a test in Japanese natural forests. Ecological Applications, 2015, 25, 1433-1446.	1.8	56
12	A review of forest and tree plantation biomass equations in Indonesia. Annals of Forest Science, 2015, 72, 981-997.	0.8	21
13	Development of allometric models for above and belowground biomass in swidden cultivation fallows of Northern Laos. Forest Ecology and Management, 2015, 357, 104-116.	1.4	31
14	ABOVEGROUND BIOMASS AND CARBON STOCK ESTIMATION USING DOUBLE SAMPLING APPROACH AND REMOTELY-SENSED DATA. Jurnal Teknologi (Sciences and Engineering), 2016, 78, .	0.3	5
15	Developing Aboveground Biomass Equations Both Compatible with Tree Volume Equations and Additive Systems for Single-Trees in Poplar Plantations in Jiangsu Province, China. Forests, 2016, 7, 32.	0.9	16
16	Incorporating Canopy Cover for Airborne-Derived Assessments of Forest Biomass in the Tropical Forests of Cambodia. PLoS ONE, 2016, 11, e0154307.	1.1	6
17	Tree Height Reduction After Selective Logging in a Tropical Forest. Biotropica, 2016, 48, 285-289.	0.8	35
18	Taller trees, denser stands and greater biomass in semi-deciduous than in evergreen lowland central African forests. Forest Ecology and Management, 2016, 374, 42-50.	1.4	48
19	Mapping the structure of Borneo's tropical forests across a degradation gradient. Remote Sensing of Environment, 2016, 176, 84-97.	4.6	93

#	ARTICLE	IF	CITATIONS
20	Error in the estimation of emission factors for forest degradation in central Africa. <i>Journal of Forest Research</i> , 2016, 21, 23-30.	0.7	5
21	Review of allometric equations for major land covers in SE Asia: Uncertainty and implications for above- and below-ground carbon estimates. <i>Forest Ecology and Management</i> , 2016, 360, 323-340.	1.4	77
22	Carbon sinks and tropical forest biomass estimation: a review on role of remote sensing in aboveground-biomass modelling. <i>Geocarto International</i> , 2017, 32, 701-716.	1.7	47
23	Individual tree biomass equations and growth models sensitive to climate variables for <i>Larix</i> spp. in China. <i>European Journal of Forest Research</i> , 2017, 136, 233-249.	1.1	65
24	New insights on above ground biomass and forest attributes in tropical montane forests. <i>Forest Ecology and Management</i> , 2017, 399, 235-246.	1.4	30
25	Optimal climate for large trees at high elevations drives patterns of biomass in remote forests of Papua New Guinea. <i>Global Change Biology</i> , 2017, 23, 4873-4883.	4.2	33
26	Construction of compatible and additive individual-tree biomass models for <i>Pinus tabulaeformis</i> in China. <i>Canadian Journal of Forest Research</i> , 2017, 47, 467-475.	0.8	32
27	Estimating the aboveground biomass in an old secondary forest on limestone in the Moluccas, Indonesia: Comparing locally developed versus existing allometric models. <i>Forest Ecology and Management</i> , 2017, 389, 27-34.	1.4	37
28	Model selection changes the spatial heterogeneity and total potential carbon in a tropical dry forest. <i>Forest Ecology and Management</i> , 2017, 405, 69-80.	1.4	10
29	Wood biomass availability for smallholder charcoal production in dry forest and savannah ecosystems of south-western Madagascar. <i>Journal of Arid Environments</i> , 2017, 146, 86-94.	1.2	9
30	High Resolution of Three-Dimensional Dataset for Aboveground Biomass Estimation in Tropical Rainforests. , 2017, , 115-130.		0
31	Predicting of biomass in Brazilian tropical dry forest: a statistical evaluation of generic equations. <i>Anais Da Academia Brasileira De Ciencias</i> , 2017, 89, 1815-1828.	0.3	8
32	Height-diameter allometry and above ground biomass in tropical montane forests: Insights from the Albertine Rift in Africa. <i>PLoS ONE</i> , 2017, 12, e0179653.	1.1	37
33	Least squares-based biomass conversion and expansion factors best estimate biomass than ratio-based ones: Statistical evidences based on tropical timber species. <i>MethodsX</i> , 2018, 5, 30-38.	0.7	3
34	Field methods for sampling tree height for tropical forest biomass estimation. <i>Methods in Ecology and Evolution</i> , 2018, 9, 1179-1189.	2.2	78
35	Height “ Diameter allometry in South Africa’s indigenous high forests: Assessing generic models performance and function forms. <i>Forest Ecology and Management</i> , 2018, 410, 1-11.	1.4	55
36	Species-specific allometric models for estimation of the above-ground carbon stock in miombo woodlands of Copperbelt Province of Zambia. <i>Forest Ecology and Management</i> , 2018, 417, 184-196.	1.4	14
37	The imprint of logging on tropical forest carbon stocks: A Bornean case-study. <i>Forest Ecology and Management</i> , 2018, 417, 154-166.	1.4	11

#	ARTICLE	IF	CITATIONS
38	Mixed-species allometric equations and estimation of aboveground biomass and carbon stocks in restoring degraded landscape in northern Ethiopia. <i>Environmental Research Letters</i> , 2018, 13, 024022.	2.2	26
39	Mapping tree aboveground biomass and carbon in Omo Forest Reserve Nigeria using Landsat 8 OLI data. <i>Southern Forests</i> , 2018, 80, 341-350.	0.2	6
40	Estimating aboveground carbon density and its uncertainty in Borneo's structurally complex tropical forests using airborne laser scanning. <i>Biogeosciences</i> , 2018, 15, 3811-3830.	1.3	47
41	An Assessment of Temporal Decorrelation Compensation Methods for Forest Canopy Height Estimation Using Airborne L-Band Same-Day Repeat-Pass Polarimetric SAR Interferometry. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2018, 11, 95-111.	2.3	39
42	A regional allometry for the Congo basin forests based on the largest ever destructive sampling. <i>Forest Ecology and Management</i> , 2018, 430, 228-240.	1.4	44
43	Site-effects on biomass allometric models for early growth plantations of Norway spruce (<i>Picea abies</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10	2.9	28
44	Forest Height Estimation Using Multibaseline PolInSAR and Sparse Lidar Data Fusion. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2018, 11, 3415-3433.	2.3	26
45	Species-specific allometric equations for improving aboveground biomass estimates of dry deciduous woodland ecosystems. <i>Journal of Forestry Research</i> , 2019, 30, 1619-1632.	1.7	13
46	Landscape-level validation of allometric relationships for carbon stock estimation reveals bias driven by soil type. <i>Ecological Applications</i> , 2019, 29, e01987.	1.8	6
47	Aboveground biomass quantification and tree-level prediction models for the Brazilian subtropical Atlantic Forest. <i>Southern Forests</i> , 2019, 81, 261-271.	0.2	10
48	A practical measure for determining if diameter (D) and height (H) should be combined into D2H in allometric biomass models. <i>Forestry</i> , 2019, 92, 627-634.	1.2	6
49	Modeling the height-diameter relationship of planted <i>Pinus kesiya</i> in Zambia. <i>Forest Ecology and Management</i> , 2019, 447, 1-11.	1.4	20
50	Taxon-specific modeling systems for improving reliability of tree aboveground biomass and its components estimates in tropical dry dipterocarp forests. <i>Forest Ecology and Management</i> , 2019, 437, 156-174.	1.4	15
51	The Variation Driven by Differences between Species and between Sites in Allometric Biomass Models. <i>Forests</i> , 2019, 10, 976.	0.9	11
52	Allometric Models for Predicting Aboveground Biomass of Trees in the Dry Afromontane Forests of Northern Ethiopia. <i>Forests</i> , 2019, 10, 1114.	0.9	26
53	Potential of Carbon Stocks and Its Economic Values in Tropical Karst Landscape (Case Study in) Tj ETQq1 1 0.784314 rgBT /Q1	0.3	10
54	Assessing the Uncertainty of Tree Height and Aboveground Biomass From Terrestrial Laser Scanner and Hypsometer Using Airborne LiDAR Data in Tropical Rainforests. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2019, 12, 4149-4159.	2.3	17
55	Social valuation of regulating and cultural ecosystem services of Arroceros Forest Park: A man-made forest in the city of Manila, Philippines. <i>Journal of Urban Management</i> , 2019, 8, 159-177.	2.3	21

#	ARTICLE	IF	CITATIONS
56	Trends in global research in forest carbon sequestration: A bibliometric analysis. <i>Journal of Cleaner Production</i> , 2020, 252, 119908.	4.6	126
57	Carbon Stock and Mitigation Potentials of Zeghie Natural Forest for Climate Change Disaster Reduction, Blue Nile Basin, Ethiopia. <i>Earth Systems and Environment</i> , 2020, 4, 27-41.	3.0	7
58	The tree height estimated by non-power models on volumetric models provides reliable predictions of wood volume: The Amazon species height modelling issue. <i>Trees, Forests and People</i> , 2020, 2, 100028.	0.8	3
59	Improving the knowledge base for tropical dry forest management in southern Africa: Regional volume models for <i>Pterocarpus angolensis</i> . <i>Forest Ecology and Management</i> , 2020, 477, 118485.	1.4	0
60	How does replacing natural forests with rubber and oil palm plantations affect soil respiration and methane fluxes?. <i>Ecosphere</i> , 2020, 11, e03284.	1.0	5
61	Spatial pattern of carbon mangrove stock based on habitat characteristics in Bali Province. <i>IOP Conference Series: Earth and Environmental Science</i> , 2020, 481, 012067.	0.2	0
62	Improving the forecasts of commercial timber volume in transition forest in the northern Brazilian Amazon. <i>Southern Forests</i> , 2020, 82, 148-158.	0.2	3
63	Variability and uncertainty in forest biomass estimates from the tree to landscape scale: the role of allometric equations. <i>Carbon Balance and Management</i> , 2020, 15, 8.	1.4	54
64	Deterministic growth factors: Temperature and precipitation effect above ground biomass of <i>Larix</i> spp. in Eurasia. <i>Acta Ecologica Sinica</i> , 2021, 41, 377-383.	0.9	1
65	Estimation of Forest Biomass in Beijing (China) Using Multisource Remote Sensing and Forest Inventory Data. <i>Forests</i> , 2020, 11, 163.	0.9	34
66	Species-specific or generic allometric equations: which option is better when estimating the biomass of Mexican tropical humid forests?. <i>Carbon Management</i> , 2020, 11, 241-249.	1.2	7
67	Conservation set-asides improve carbon storage and support associated plant diversity in certified sustainable oil palm plantations. <i>Biological Conservation</i> , 2020, 248, 108631.	1.9	13
68	Allometric Biomass Model for <i>Aquilaria Malaccensis</i> Lam. in Bangladesh: A Nondestructive Approach. <i>Journal of Sustainable Forestry</i> , 2021, 40, 594-606.	0.6	3
69	Height-diameter relationship of trees in Omo strict nature forest reserve, Nigeria. <i>Trees, Forests and People</i> , 2021, 3, 100051.	0.8	14
70	Dynamic allometric scaling of tree biomass and size. <i>Nature Plants</i> , 2021, 7, 42-49.	4.7	27
71	Biomass Estimation Models for Six Shrub Species in Hunshandake Sandy Land in Inner Mongolia, Northern China. <i>Forests</i> , 2021, 12, 167.	0.9	5
72	Stem and Total Above-Ground Biomass Models for the Tree Species of Freshwater Wetlands Forest, Coastal Areas and Dry Areas of Bangladesh: Using a Non-Destructive Approach. <i>Open Journal of Forestry</i> , 2021, 11, 73-82.	0.1	1
73	Exploring urban tree diversity and carbon stocks in Zaria Metropolis, North Western Nigeria. <i>Applied Geography</i> , 2021, 127, 102385.	1.7	6

#	ARTICLE	IF	CITATIONS
74	Prediction of Biomass in Dry Tropical Forests: An Approach on the Importance of Total Height in the Development of Local and Pan-tropical Models. <i>Journal of Sustainable Forestry</i> , 2022, 41, 983-998.	0.6	3
75	Generic Additive Allometric Models and Biomass Allocation for Two Natural Oak Species in Northeastern China. <i>Forests</i> , 2021, 12, 715.	0.9	6
77	Compatible Models of Carbon Content of Individual Trees on a <i>Cunninghamia lanceolata</i> Plantation in Fujian Province, China. <i>PLoS ONE</i> , 2016, 11, e0151527.	1.1	2
78	Sensitivity of Above-Ground Biomass Estimates to Height-Diameter Modelling in Mixed-Species West African Woodlands. <i>PLoS ONE</i> , 2016, 11, e0158198.	1.1	16
79	Development and Evaluation of Species-Specific Biomass Models for Most Common Timber and Fuelwood Species of Bangladesh. <i>Open Journal of Forestry</i> , 2020, 10, 172-185.	0.1	3
80	Estimation of Stand-level Above Ground Biomass in Intact Tropical Rain Forests of Brunei using Airborne LiDAR data. <i>Korean Journal of Remote Sensing</i> , 2015, 31, 127-136.	0.4	1
81	The Effects of Combining the Variables in Allometric Biomass Models on Biomass Estimates over Large Forest Areas: A European Beech Case Study. <i>Forests</i> , 2021, 12, 1428.	0.9	0
82	Biomass estimation in mangrove forests: a comparison of allometric models incorporating species and structural information. <i>Environmental Research Letters</i> , 2021, 16, 124002.	2.2	17
83	Efecto del riego y la fertilización en el crecimiento de <i>Eucalyptus x urograndis</i> como cultivo energético en Huelva. <i>Cuadernos De La Sociedad Española De Ciencias Forestales</i> , 2016, , .	0.1	1
84	Additive Allometric Models of Single-Tree Biomass of <i>Betula</i> Sp. as a Basis of Regional Taxation Standards for Eurasia. <i>Civil and Environmental Engineering</i> , 2018, 14, 105-115.	0.4	1
85	Modeling the additive allometric of stand biomass of <i>Larix</i> sp. for Eurasia. <i>Ecological Questions</i> , 2019, 30, 1.	0.1	0
86	<i>allodb</i> : An R package for biomass estimation at globally distributed extratropical forest plots. <i>Methods in Ecology and Evolution</i> , 2022, 13, 330-338.	2.2	11
87	Accommodating heteroscedasticity in allometric biomass models. <i>Forest Ecology and Management</i> , 2022, 505, 119865.	1.4	5
88	A bibliometric review on carbon accounting in social science during 1997â€“2020. <i>Environmental Science and Pollution Research</i> , 2022, 29, 9393-9407.	2.7	9
89	Assessing the Spectral Information of Sentinel-1 and Sentinel-2 Satellites for Above-Ground Biomass Retrieval of a Tropical Forest. <i>ISPRS International Journal of Geo-Information</i> , 2022, 11, 199.	1.4	2
90	Height-diameter allometry for tropical forest in northern Amazonia. <i>PLoS ONE</i> , 2021, 16, e0255197.	1.1	1
91	Additive Root Biomass Equations for <i>Betula platyphylla</i> Suk. Plantations in Northeast China. <i>Forests</i> , 2022, 13, 661.	0.9	2
92	Estimation of Aboveground Carbon Density of Forests Using Deep Learning and Multisource Remote Sensing. <i>Remote Sensing</i> , 2022, 14, 3022.	1.8	16

#	ARTICLE	IF	CITATIONS
93	Evaluating Trade-Offs between Using Regional and Site-Specific Allometric Models to Predict Growing Stock Volume of Subtropical Atlantic Forests. <i>Forest Science</i> , 0, , .	0.5	0
94	Allometric equations for biomass and carbon stock estimation of small diameter woody species from tropical dry deciduous forests: Support to REDD+. <i>Trees, Forests and People</i> , 2022, 9, 100289.	0.8	12
95	Climate mediates the effects of forest gaps on tree crown allometry. <i>Forest Ecology and Management</i> , 2022, 525, 120563.	1.4	2
96	Improved allometric models to estimate the aboveground biomass of younger secondary tropical forests. <i>Global Ecology and Conservation</i> , 2023, 41, e02359.	1.0	2
97	Structural attributes estimation in a natural tropical forest fragment using very high-resolution imagery from unmanned aircraft systems. <i>Earth Sciences Research Journal</i> , 2022, 26, 1-12.	0.4	0
98	Carbon stocks of tree plantations in a Western Ghats landscape, India: influencing factors and management implications. <i>Environmental Monitoring and Assessment</i> , 2023, 195, .	1.3	5
99	Allocation Patterns and Temporal Dynamics of Chinese Fir Biomass in Hunan Province, China. <i>Forests</i> , 2023, 14, 286.	0.9	5
100	Co-benefits of biomass and biodiversity in a protected mountain forest of West Java, Indonesia. <i>IForest</i> , 2023, 16, 62-69.	0.5	0
101	Allometric Models and Biomass Conversion and Expansion Factors to Predict Total Tree-level Aboveground Biomass for Three Conifers Species in Iran. <i>Forest Science</i> , 0, , .	0.5	0
102	Effects of Climate on Stand-Level Biomass for Larch Plantations in Heilongjiang Province, Northeast China. <i>Forests</i> , 2023, 14, 820.	0.9	0