

Split-dose administration of a dual-action, low-volume the SEE CLEAR I study

Gastrointestinal Endoscopy

78, 132-141

DOI: [10.1016/j.gie.2013.02.024](https://doi.org/10.1016/j.gie.2013.02.024)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Achieving the best bowel preparation for colonoscopy. <i>World Journal of Gastroenterology</i> , 2014, 20, 17709-17726.	1.4	59
2	Preparation, sedation, and monitoring. <i>Endoscopy</i> , 2014, 46, 342-345.	1.0	2
3	Randomized controlled trial comparing efficacy and acceptability of split- and standard-dose sodium picosulfate plus magnesium citrate for bowel cleansing prior to colonoscopy. <i>Endoscopy</i> , 2014, 46, 662-669.	1.0	28
4	A comparison of oral sulfate solution with sodium picosulfate+Âmagnesium citrate in split doses as bowel preparationÂfor colonoscopy. <i>Gastrointestinal Endoscopy</i> , 2014, 80, 1113-1123.	0.5	38
5	Editorial: hyponatremia - a possible but forgotten consequence of bowel preparation for colonoscopy; authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2014, 40, 1112-1115.	1.9	0
6	A randomized, controlled trial of oral sulfate solution plus polyethylene glycol as a bowel preparation for colonoscopy. <i>Gastrointestinal Endoscopy</i> , 2014, 80, 482-491.	0.5	16
7	Randomised clinical trial: polyethylene glycol 3350 with sports drink vs. polyethylene glycol with electrolyte solution as purgatives for colonoscopy â€“ the incidence of hyponatraemia. <i>Alimentary Pharmacology and Therapeutics</i> , 2014, 40, 610-619.	1.9	16
8	Optimizing adequacy of bowel cleansing for colonoscopy: recommendations from the U.S. Multi-Society Task Force on Colorectal Cancer. <i>Gastrointestinal Endoscopy</i> , 2014, 80, 543-562.	0.5	106
9	Optimizing Adequacy of Bowel Cleansing for Colonoscopy: Recommendations From the US Multi-Society Task Force on Colorectal Cancer. <i>American Journal of Gastroenterology</i> , 2014, 109, 1528-1545.	0.2	119
10	Optimal bowel preparationâ€”a practical guide for clinicians. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2014, 11, 419-425.	8.2	53
11	Optimizing Adequacy of Bowel Cleansing for Colonoscopy: Recommendations From the US Multi-Society Task Force on Colorectal Cancer. <i>Gastroenterology</i> , 2014, 147, 903-924.	0.6	322
13	Prospective, Randomized Comparison of Same-Day Dose of 2 Different Bowel Cleanser for Afternoon Colonoscopy. <i>Medicine (United States)</i> , 2015, 94, e628.	0.4	22
14	Low-residue breakfast during the preparation for colonoscopy using a polyethylene glycol electrolyte solution: a randomised non-inferiority trial. <i>BMJ Open Gastroenterology</i> , 2015, 2, e000029.	1.1	10
15	Using segmented regression analysis of interrupted time series data to assess colonoscopy quality outcomes of a web-enhanced implementation toolkit to support evidence-based practices for bowel preparation: a study protocol. <i>Implementation Science</i> , 2015, 10, 85.	2.5	3
16	Polyethylene Glycol versus sodium picosulfate Bowel Preparation in the Setting of a Colorectal Cancer Screening Program. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2015, 29, 384-390.	0.8	6
17	Serum magnesium concentrations in patients receiving sodium picosulfate and magnesium citrate bowel preparation: an assessment of renal function and electrocardiographic conduction. <i>Clinical and Experimental Gastroenterology</i> , 2015, 8, 215.	1.0	9
18	A comparison of oral sulfate solution with sodium picosulfate and magnesium citrate in split doses as bowel preparation for colonoscopy. <i>Gastrointestinal Endoscopy</i> , 2015, 81, 778.	0.5	0
19	Response:. <i>Gastrointestinal Endoscopy</i> , 2015, 81, 778-779.	0.5	0

#	ARTICLE	IF	CITATIONS
21	Quality Indicators for Colonoscopy. American Journal of Gastroenterology, 2015, 110, 72-90.	0.2	714
22	Randomized controlled trial of low-volume bowel preparation agents for colonic bowel preparation: 2-L polyethylene glycol with ascorbic acid versus sodium picosulfate with magnesium citrate. International Journal of Colorectal Disease, 2015, 30, 251-258.	1.0	28
23	Split-Dose Preparations Are Superior to Day-Before Bowel Cleansing Regimens: A Meta-analysis. Gastroenterology, 2015, 149, 79-88.	0.6	171
24	Bowel preparation before colonoscopy. Gastrointestinal Endoscopy, 2015, 81, 781-794.	0.5	356
25	“Pico”Bello”Klean study™. European Journal of Gastroenterology and Hepatology, 2015, 27, 29-38.	0.8	19
26	Quality measures and quality improvements in colonoscopy. Current Opinion in Gastroenterology, 2015, 31, 56-61.	1.0	12
27	Quality indicators for colonoscopy. Gastrointestinal Endoscopy, 2015, 81, 31-53.	0.5	1,029
28	Polyethylene glycol plus ascorbic acid is as effective as sodium picosulfate with magnesium citrate for bowel preparation: A randomized trial. Journal of Digestive Diseases, 2016, 17, 268-273.	0.7	9
29	Body mass index and quality of bowel preparation: Real life vs. clinical trials. Arab Journal of Gastroenterology, 2016, 17, 11-16.	0.4	12
30	Improving the utility of colonoscopy: Recent advances in practice. Journal of Gastroenterology and Hepatology (Australia), 2016, 31, 32-44.	1.4	10
31	More Is Not Always Better: A Randomized Trial Of Low Volume Oral Laxative, Enemas, And Combination Of Both Demonstrate That Enemas Alone Are Most Efficacious For Preparation For Flexible Sigmoidoscopy. Clinical and Translational Gastroenterology, 2016, 7, e156.	1.3	0
32	Addition of Lubiprostone to polyethylene glycol(PEG) enhances the quality & efficacy of colonoscopy preparation: a randomized, double-blind, placebo controlled trial. BMC Gastroenterology, 2016, 16, 133.	0.8	15
33	Validation of a Patient Satisfaction Scale in Patients Undergoing Bowel Preparation Prior to Colonoscopy. Patient, 2016, 9, 27-34.	1.1	18
34	Systematic review and meta-analysis: sodium picosulfate/magnesium citrate vs. polyethylene glycol for colonoscopy preparation. European Journal of Clinical Pharmacology, 2016, 72, 523-532.	0.8	47
35	Split-dose sodium picosulfate”magnesium citrate colonoscopy preparation achieves lower residual gastric volume with higher cleansing effectiveness than a previous-day regimen. Gastrointestinal Endoscopy, 2016, 83, 566-573.	0.5	18
36	A Customized Mobile Application in Colonoscopy Preparation: A Randomized Controlled Trial. Clinical and Translational Gastroenterology, 2017, 8, e211.	1.3	41
37	Efficacy and safety of PICOPREP tailored dosing compared with PICOPREP day-before dosing for colon cleansing: a multi-centric randomised study. Endoscopy International Open, 2017, 05, E282-E290.	0.9	5
38	Colorectal Cancer Screening. Surgical Clinics of North America, 2017, 97, 487-502.	0.5	41

#	ARTICLE	IF	CITATIONS
39	Systematic review and meta-analysis: Sodium picosulphate with magnesium citrate as bowel preparation for colonoscopy. <i>United European Gastroenterology Journal</i> , 2017, 5, 917-943.	1.6	12
40	Comparison of claims data on hospitalization rates and repeat procedures in patients receiving a bowel preparation prior to colonoscopy. <i>SAGE Open Medicine</i> , 2017, 5, 205031211772799.	0.7	9
41	White Diet with split-dose Picosalax is preferred, better tolerated, and non-inferior to day-before clear fluids with polyethylene glycol plus sodium picosulfate-magnesium citrate for morning colonoscopy: A randomized, non-inferiority trial. <i>JGH Open</i> , 2017, 1, 38-43.	0.7	8
42	Systematic Review: Outcomes by Duration of NPO Status prior to Colonoscopy. <i>Gastroenterology Research and Practice</i> , 2017, 2017, 1-9.	0.7	9
43	Randomized clinical trial comparing fixed-time split dosing and split dosing of oral Picosulfate regimen for bowel preparation. <i>World Journal of Gastroenterology</i> , 2017, 23, 5986.	1.4	3
44	Efficacy and tolerability of 2-L polyethylene glycol with ascorbic acid versus sodium picosulfate with magnesium citrate: a randomized controlled trial. <i>International Journal of Colorectal Disease</i> , 2018, 33, 541-548.	1.0	12
45	Split-dose bowel cleansing with picosulphate is safe and better tolerated than 2-l polyethylene glycol solution. <i>European Journal of Gastroenterology and Hepatology</i> , 2018, 30, 709-717.	0.8	6
46	Do adjuvants add to the efficacy and tolerance of bowel preparations? A meta-analysis of randomized trials. <i>Endoscopy</i> , 2018, 50, 159-176.	1.0	11
47	Sodium picosulphate or polyethylene glycol before elective colonoscopy in outpatients? A systematic review and meta-analysis. <i>World Journal of Gastrointestinal Endoscopy</i> , 2018, 10, 422-441.	0.4	14
48	Bowel preparation quality scales for colonoscopy. <i>World Journal of Gastroenterology</i> , 2018, 24, 2833-2843.	1.4	130
49	Bowel Preparation for Colonoscopy. , 2019, , 102-109.e2.		0
50	Colon cleansing efficacy and safety with 1 L NER1006 versus sodium picosulfate with magnesium citrate: a randomized phase 3 trial. <i>Endoscopy</i> , 2019, 51, 73-84.	1.0	65
51	Single Atom Electrocatalysts: Carbon-Rich Nonprecious Metal Single Atom Electrocatalysts for CO ₂ Reduction and Hydrogen Evolution (Small Methods 10/2019). <i>Small Methods</i> , 2019, 3, 1970033.	4.6	4
52	Efficacy and safety of a ready-to-drink bowel preparation for colonoscopy: a randomized, controlled, non-inferiority trial. <i>Therapeutic Advances in Gastroenterology</i> , 2019, 12, 175628481985151.	1.4	8
53	Bowel preparation for colonoscopy. <i>Current Opinion in Gastroenterology</i> , 2019, 35, 51-57.	1.0	14
54	Does It work in Clinical Practice? A Comparison of Colonoscopy Cleansing Effectiveness in Clinical Practice Versus Efficacy from Selected Prospective Trials. <i>Journal of the Canadian Association of Gastroenterology</i> , 2020, 3, 111-119.	0.1	1
55	A Randomized Trial Comparing the Bowel Cleansing Efficacy of Sodium Picosulfate/Magnesium Citrate and Polyethylene Glycol/Bisacodyl (The Bowklean Study). <i>Scientific Reports</i> , 2020, 10, 5604.	1.6	11
56	Colonoscopy, Polypectomy, and Related Techniques. , 2021, , 639-659.e4.		0

#	ARTICLE	IF	CITATIONS
57	Comparison of laxatives used in CT colonography with full bowel preparation. <i>Medical Visualization</i> , 2021, 25, 54-72.	0.1	0
58	Cleansing efficacy and safety of bowel preparation protocol using sodium picosulfate/magnesium citrate considering subjective experiences: An observational study. <i>World Journal of Clinical Cases</i> , 2021, 9, 3586-3596.	0.3	1
59	Safe and appropriate use of laxatives for colonoscopy. <i>Journal of the Korean Medical Association</i> , 2021, 64, 561-569.	0.1	0
60	Evaluating patient acceptability and bowel preparation efficacy of sodium picosulfate+magnesium citrate for colonoscopy. <i>DEN Open</i> , 2022, 2, e59.	0.5	0
61	Randomized trial of oral sulfate solution versus polyethylene glycol+ascorbic acid for bowel cleansing in elderly people. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2022, 37, 319-326.	1.4	8
62	Mechanical colon cleansing for screening colonoscopy: A randomized controlled trial. <i>Journal of Digestive Diseases</i> , 2017, 18, 691-697.	0.7	1
63	A Safety and Efficacy Comparison of a New Sulfate-Based Tablet Bowel Preparation Versus a PEG and Ascorbate Comparator in Adult Subjects Undergoing Colonoscopy. <i>American Journal of Gastroenterology</i> , 2021, 116, 319-328.	0.2	21
64	Superiority of a Split-dose Regimen of Sodium Picosulfate/ Magnesium Citrate (SPMC) in Comparison to a Prior-day Schedule (AM/PM) for Colonoscopy Preparation. A Randomized Single-blinded Study. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2020, 25, 295-302.	0.5	7
65	Upper airway obstruction resulting from acute mucosal injury induced by direct ingestion of sodium picosulfate/magnesium citrate powder. <i>Clinical and Experimental Emergency Medicine</i> , 2016, 3, 109-111.	0.5	1
66	Combination could be another tool for bowel preparation?. <i>World Journal of Gastroenterology</i> , 2016, 22, 2915.	1.4	11
67	Pediatric bowel preparation: Sodium picosulfate, magnesium oxide, citric acid vs polyethylene glycol, a randomized trial. <i>World Journal of Gastroenterology</i> , 2020, 26, 6260-6269.	1.4	4
68	Bowel cleansing before colonoscopy: Balancing efficacy, safety, cost and patient tolerance. <i>World Journal of Gastrointestinal Endoscopy</i> , 2016, 8, 4.	0.4	36
69	Sodium Picosulfate with Magnesium Citrate (SPMC) Plus Laxative Is a Good Alternative to Conventional Large Volume Polyethylene Glycol in Bowel Preparation: A Multicenter Randomized Single-Blinded Trial. <i>Gut and Liver</i> , 2015, 9, 494.	1.4	28
70	Safety and Efficacy of Low-Volume Preparation in the Elderly: Oral Sulfate Solution on the Day before and Split-Dose Regimens (SEE SAFE) Study. <i>Gut and Liver</i> , 2019, 13, 176-182.	1.4	27
71	The newly developed MoviPrep can reduce the patients' burden in the preparation for colonoscopy. <i>Progress of Digestive Endoscopy</i> , 2014, 85, 47-50.	0.0	0
72	Colon cleansing before colonoscopy: balance of effectiveness, safety and accessibility of the medications. <i>Endoscopic Surgery</i> , 2015, 21, 30.	0.0	2
73	A case of severe hyponatremia with consciousness disorder occurring after bowel preparation. <i>Progress of Digestive Endoscopy</i> , 2020, 97, 117-119.	0.0	0
75	Dietary Plant and Animal Protein Sources Oppositely Modulate Fecal <i>Bifidobacteria</i> and <i>Lachnospirillum</i> in Vegetarians and Omnivores. <i>Microbiology Spectrum</i> , 2022, 10, e0204721.	1.2	6

#	ARTICLE	IF	CITATIONS
76	A multicenter randomized phase 4 trial comparing sodium picosulphate plus magnesium citrate vs. polyethylene glycol plus ascorbic acid for bowel preparation before colonoscopy. The PRECOL trial. <i>Frontiers in Medicine</i> , 0, 9, .	1.2	0
77	Cleaning effect and tolerance of 16 bowel preparation regimens on adult patients before colonoscopy: a network meta-analysis. <i>International Journal of Colorectal Disease</i> , 2023, 38, .	1.0	1