

Effects of oil exposure and dispersant use upon environment and fitness in the European sea bass, *Dicentrarchus labrax*

Aquatic Toxicology

130-131, 160-170

DOI: [10.1016/j.aquatox.2013.01.004](https://doi.org/10.1016/j.aquatox.2013.01.004)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Impact of dispersed fuel oil on cardiac mitochondrial function in polar cod <i>Boreogadus saida</i> . <i>Environmental Science and Pollution Research</i> , 2014, 21, 13779-13788.	2.7	19
2	Aquatic ecosystem dynamics following petroleum hydrocarbon perturbations: A review of the current state of knowledge. <i>Journal of Great Lakes Research</i> , 2014, 40, 56-72.	0.8	23
3	Hypoxia tolerance variance between swimming and resting striped bass <i>Morone saxatilis</i> . <i>Journal of Fish Biology</i> , 2015, 87, 510-518.	0.7	13
4	Biomarker modulation associated with marine diesel contamination in the Iceland scallop ( <i>Chlamys</i> ) Tj ETQq1 1 0.784314 rgBT /Overl	2.7	9
5	Acute and long-term biological effects of mechanically and chemically dispersed oil on lumpsucker ( <i>Cyclopterus lumpus</i> ). <i>Marine Environmental Research</i> , 2015, 105, 8-19.	1.1	25
6	Oil spill problems and sustainable response strategies through new technologies. <i>Environmental Sciences: Processes and Impacts</i> , 2015, 17, 1201-1219.	1.7	250
7	Effect of dispersed crude oil on cardiac function in seabass <i>Dicentrarchus labrax</i> . <i>Chemosphere</i> , 2015, 134, 192-198.	4.2	17
8	Growth and immune system performance to assess the effect of dispersed oil on juvenile sea bass ( <i>Dicentrarchus labrax</i> ). <i>Ecotoxicology and Environmental Safety</i> , 2015, 120, 215-222.	2.9	13
9	Innate immunity and antioxidant systems in different tissues of sea bass ( <i>Dicentrarchus labrax</i> ) exposed to crude oil dispersed mechanically or chemically with Corexit 9500. <i>Ecotoxicology and Environmental Safety</i> , 2015, 120, 270-278.	2.9	18
10	Calcium response of KCl-excited populations of ventricular myocytes from the European sea bass ( <i>Dicentrarchus labrax</i> ): a promising approach to integrate cell-to-cell heterogeneity in studying the cellular basis of fish cardiac performance. <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 2015, 185, 755-765.	0.7	4
11	Bayesian inference-based environmental decision support systems for oil spill response strategy selection. <i>Marine Pollution Bulletin</i> , 2015, 96, 87-102.	2.3	32
12	Individual variation in whole-animal hypoxia tolerance is associated with cardiac hypoxia tolerance in a marine teleost. <i>Biology Letters</i> , 2016, 12, 20150708.	1.0	34
13	Responses by fishes to environmental hypoxia: integration through Fry's concept of aerobic metabolic scope. <i>Journal of Fish Biology</i> , 2016, 88, 232-251.	0.7	198
14	Domestication compromises athleticism and respiratory plasticity in response to aerobic exercise training in Atlantic salmon ( <i>Salmo salar</i> ). <i>Aquaculture</i> , 2016, 463, 79-88.	1.7	46
15	Assessing chronic fish health: An application to a case of an acute exposure to chemically treated crude oil. <i>Aquatic Toxicology</i> , 2016, 178, 197-208.	1.9	46
16	Effects of dispersed oil exposure on biomarker responses and growth in juvenile wolfish <i>Anarhichas denticulatus</i> . <i>Environmental Science and Pollution Research</i> , 2016, 23, 21441-21450.	2.7	8
17	Context dependency of trait repeatability and its relevance for management and conservation of fish populations. , 2016, 4, cow007.		95
18	The effects of weathering and chemical dispersion on Deepwater Horizon crude oil toxicity to mahi-mahi ( <i>Coryphaena hippurus</i> ) early life stages. <i>Science of the Total Environment</i> , 2016, 543, 644-651.	3.9	159

#	ARTICLE	IF	CITATIONS
19	Intraspecific individual variation of temperature tolerance associated with oxygen demand in the European sea bass ( <i>Dicentrarchus labrax</i> ). , 2016, 4, cov060.		17
20	Dispersed oil decreases the ability of a model fish ( <i>Dicentrarchus labrax</i> ) to cope with hydrostatic pressure. <i>Environmental Science and Pollution Research</i> , 2017, 24, 3054-3062.	2.7	7
21	Influence of euthanasia method on blood and gill variables in normoxic and hypoxic Gulf killifish <i>Fundulus grandis</i> . <i>Journal of Fish Biology</i> , 2017, 90, 2323-2343.	0.7	9
22	Physiological determinants of individual variation in sensitivity to an organophosphate pesticide in Nile tilapia <i>Oreochromis niloticus</i> . <i>Aquatic Toxicology</i> , 2017, 189, 108-114.	1.9	6
23	Effectiveness of N,O-carboxymethyl chitosan on destabilization of Marine Diesel, Diesel and Marine-2T oil for oil spill treatment. <i>Carbohydrate Polymers</i> , 2017, 167, 326-336.	5.1	58
24	Exposure of European sea bass ( <i>Dicentrarchus labrax</i> ) to chemically dispersed oil has a chronic residual effect on hypoxia tolerance but not aerobic scope. <i>Aquatic Toxicology</i> , 2017, 191, 95-104.	1.9	34
25	Influence of crude oil exposure on cardiac function and thermal tolerance of juvenile rainbow trout and European sea bass. <i>Environmental Science and Pollution Research</i> , 2017, 24, 19624-19634.	2.7	18
26	A rainbow trout <i>Oncorhynchus mykiss</i> strain with higher aerobic scope in normoxia also has superior tolerance of hypoxia. <i>Journal of Fish Biology</i> , 2018, 92, 487-503.	0.7	27
27	The effects of oil induced respiratory impairment on two indices of hypoxia tolerance in Atlantic croaker ( <i>Micropogonias undulatus</i> ). <i>Chemosphere</i> , 2018, 200, 143-150.	4.2	25
28	Physiological implications of ocean acidification for marine fish: emerging patterns and new insights. <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 2018, 188, 1-13.	0.7	80
29	The potential for dispersant use as a maritime oil spill response measure in German waters. <i>Marine Pollution Bulletin</i> , 2018, 129, 623-632.	2.3	25
30	Extreme Environments: The New Exploration/Production Oil Area Problem. , 2018, , 83-121.		0
31	Toxicity in Aquatic Environments: The Cocktail Effect. , 2018, , 203-234.		3
32	Effects of acute exposure to dispersed oil and burned oil residue on long-term survival, growth, and reproductive development in polar cod ( <i>Boreogadus saida</i> ). <i>Marine Environmental Research</i> , 2018, 140, 468-477.	1.1	18
33	Oil Spill Dispersant Use: Toxicity on Marine Teleost Fish. , 2018, , 71-82.		0
34	Repeatable Interindividual Variation in Hypoxia Tolerance in the Gulf Killifish, <i>Fundulus grandis</i> . <i>Physiological and Biochemical Zoology</i> , 2018, 91, 1046-1056.	0.6	15
35	The sensitivity of a deep-sea fish species ( <i>Anoplopoma fimbria</i> ) to oil-associated aromatic compounds, dispersant, and Alaskan North Slope crude oil. <i>Environmental Toxicology and Chemistry</i> , 2018, 37, 2210-2221.	2.2	30
36	Critical review and analysis of aquatic toxicity data on oil spill dispersants. <i>Environmental Toxicology and Chemistry</i> , 2018, 37, 2989-3001.	2.2	57

#	ARTICLE	IF	CITATIONS
37	Repeatability of Hypoxia Tolerance of Individual Juvenile Striped Bass ( <i>Morone saxatilis</i> ) and Effects of Social Status. <i>Physiological and Biochemical Zoology</i> , 2019, 92, 396-407.	0.6	4
38	Physiological impacts of Deepwater Horizon oil on fish. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2019, 224, 108558.	1.3	46
39	Food deprivation reduces social interest in the European sea bass ( <i>Dicentrarchus labrax</i> ). <i>Journal of Experimental Biology</i> , 2019, 222, .	0.8	5
40	Amphiphilic Janus particles for efficient dispersion of oil contaminants in seawater. <i>Journal of Colloid and Interface Science</i> , 2019, 556, 54-64.	5.0	33
41	Oil exposure alters social group cohesion in fish. <i>Scientific Reports</i> , 2019, 9, 13520.	1.6	27
42	Acute exposure of larval rainbow trout ( <i>Oncorhynchus mykiss</i> ) to elevated temperature limits hsp70b expression and influences future thermotolerance. <i>Hydrobiologia</i> , 2019, 836, 155-167.	1.0	18
43	Growth and metabolism of adult polar cod ( <i>Boreogadus saida</i> ) in response to dietary crude oil. <i>Ecotoxicology and Environmental Safety</i> , 2019, 180, 53-62.	2.9	13
44	The effect of hypoxia and hydrocarbons on the anti-predator performance of European sea bass ( <i>Dicentrarchus labrax</i> ). <i>Environmental Pollution</i> , 2019, 251, 581-590.	3.7	6
45	Ecological response of phytoplankton to the oil spills in the oceans. <i>Geomatics, Natural Hazards and Risk</i> , 2019, 10, 853-872.	2.0	20
46	Oil toxicity and implications for environmental tolerance in fish. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2019, 220, 52-61.	1.3	11
47	Oil-induced responses of cardiac and red muscle mitochondria in red drum ( <i>Sciaenops ocellatus</i> ). <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2019, 219, 35-41.	1.3	10
48	Assessing the long-term effect of exposure to dispersant-treated oil on fish health using hypoxia tolerance and temperature susceptibility as ecologically relevant biomarkers. <i>Environmental Toxicology and Chemistry</i> , 2019, 38, 210-221.	2.2	13
49	Oil exposure impairs predator-prey dynamics in larval red drum ( <i>Sciaenops ocellatus</i> ). <i>Marine and Freshwater Research</i> , 2020, 71, 99.	0.7	20
50	Intraspecific variation in tolerance of warming in fishes. <i>Journal of Fish Biology</i> , 2021, 98, 1536-1555.	0.7	69
51	Loss of hypoxia-inducible factor 1 $\alpha$ affects hypoxia tolerance in larval and adult zebrafish ( <i>Danio rerio</i> ). <i>Journal of Experimental Biology</i> , 2020, 233, 187-195.	2.2	18
52	The additive effects of oil exposure and hypoxia on aerobic performance in red drum ( <i>Sciaenops ocellatus</i> ). <i>Journal of Experimental Biology</i> , 2020, 233, 187-195.	3.9	21
53	Hypoxia tolerance is unrelated to swimming metabolism of wild, juvenile striped bass ( <i>Morone saxatilis</i> ). <i>Journal of Experimental Biology</i> , 2020, 233, 187-195.	0.8	0
54	Effects of diluted bitumen exposure on Atlantic salmon smolts: Molecular and metabolic responses in relation to swimming performance. <i>Aquatic Toxicology</i> , 2020, 221, 105423.	1.9	12

#	ARTICLE	IF	CITATIONS
55	Effects of diluted bitumen exposure and recovery on the seawater acclimation response of Atlantic salmon smolts. <i>Aquatic Toxicology</i> , 2020, 221, 105419.	1.9	13
56	Unlocking the intraspecific aquaculture potential from the wild biodiversity to facilitate aquaculture development. <i>Reviews in Aquaculture</i> , 2020, 12, 2212-2227.	4.6	11
57	Effects of dispersant treated oil upon exploratory behaviour in juvenile European sea bass ( <i>Dicentrarchus labrax</i> ). <i>Ecotoxicology and Environmental Safety</i> , 2021, 208, 111592.	2.9	6
58	Stage-dependent and regioselective toxicity of 2- and 6-hydroxychrysene during Japanese medaka embryogenesis. <i>Aquatic Toxicology</i> , 2021, 234, 105791.	1.9	3
59	Behavioral Changes in a Coastal Marine Fish Lead to Increased Predation Risk Following Oil Exposure. <i>Environmental Science &amp; Technology</i> , 2021, 55, 8119-8127.	4.6	8
60	Hypoxia Performance Curve: Assess a Whole-Organism Metabolic Shift from a Maximum Aerobic Capacity towards a Glycolytic Capacity in Fish. <i>Metabolites</i> , 2021, 11, 447.	1.3	8
62	Intraspecific variation in freshwater tolerance has consequences for telomere dynamics in the euryhaline teleost <i>Dicentrarchus labrax</i> . <i>Journal of Experimental Marine Biology and Ecology</i> , 2021, 545, 151611.	0.7	1
63	The effects of hypoxia on aerobic metabolism in oil-contaminated sea bass ( <i>Dicentrarchus labrax</i> ). <i>Chemosphere</i> , 2020, 253, 126678.	4.2	7
64	Effects of warming rate, acclimation temperature and ontogeny on the critical thermal maximum of temperate marine fish larvae. <i>PLoS ONE</i> , 2017, 12, e0179928.	1.1	68
65	Hypoxia tolerance and responses to hypoxic stress during heart and skeletal muscle inflammation in Atlantic salmon ( <i>Salmo salar</i> ). <i>PLoS ONE</i> , 2017, 12, e0181109.	1.1	48
66	DISCOBIOL: Assessment of the Impact of Dispersant Use for Oil Spill Response in Coastal or Estuarine Areas. <i>International Oil Spill Conference Proceedings</i> , 2014, 2014, 491-503.	0.1	9
67	Novel dispersant based on the synergy of nickel hydroxide and sulfonated lignin for applications in oil spill remediation. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 106607.	3.3	10
68	OUP accepted manuscript. , 2022, 10, coab102.		5
69	Acute measures of upper thermal and hypoxia tolerance are not reliable predictors of mortality following environmental challenges in rainbow trout ( <i>Oncorhynchus mykiss</i> ). , 2021, 9, coab095.		14
70	A lack of repeatability creates the illusion of a trade-off between basal and plastic cold tolerance. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2021, 288, 20212121.	1.2	7
71	Characterizing the hypoxic performance of a fish using a new metric: PAAS-50. <i>Journal of Experimental Biology</i> , 2022, , .	0.8	5
72	Ocean acidification induced changes in <i>Ulva fasciata</i> biochemistry may improve <i>Dicentrarchus labrax</i> aquaculture via enhanced antimicrobial activity. <i>Aquaculture</i> , 2022, 560, 738474.	1.7	12
73	Warm, but not hypoxic acclimation, prolongs ventricular diastole and decreases the protein level of Na <sup>+</sup> /Ca <sup>2+</sup> exchanger to enhance cardiac thermal tolerance in European sea bass. <i>Comparative Biochemistry and Physiology Part A, Molecular &amp; Integrative Physiology</i> , 2022, 272, 111266.	0.8	3

#	ARTICLE	IF	CITATIONS
74	Tolerance of an acute warming challenge declines with body mass in Nile tilapia: evidence of a link to capacity for oxygen uptake. <i>Journal of Experimental Biology</i> , 2022, 225, .	0.8	6
75	Are resistances to acute hyperthermia or hypoxia stress similar and consistent between early and late ages in rainbow trout using isogenic lines?. <i>Aquaculture</i> , 2023, 562, 738800.	1.7	5
76	Testing the hypoxia tolerance and hypoxic performance of fishes: A two-tier screening approach. <i>Frontiers in Marine Science</i> , 0, 9, .	1.2	3
77	Current knowledge of approval procedures of dispersant use at sea: looking for potential harmonization from global to Mediterranean scale. <i>Environmental Science and Pollution Research</i> , 0, , .	2.7	0
78	Cardiovascular oxygen transport and peripheral oxygen extraction capacity contribute to acute heat tolerance in European seabass. <i>Comparative Biochemistry and Physiology Part A, Molecular &amp; Integrative Physiology</i> , 2023, 275, 111340.	0.8	3
79	Age matters: Comparing life-stage responses to diluted bitumen exposure in coho salmon ( <i>Oncorhynchus kisutch</i> ). <i>Aquatic Toxicology</i> , 2022, 253, 106350.	1.9	2
80	The ecological relevance of critical thermal maxima methodology for fishes. <i>Journal of Fish Biology</i> , 2023, 102, 1000-1016.	0.7	26
81	Endurance Swimming Is Related to Summer Lake Survival of Rainbow Trout in a Warm Lake with Avian Piscivores. <i>Fishes</i> , 2023, 8, 213.	0.7	0
84	Crude oil-induced cardiotoxicity in fishes. , 2023, , .		0