

CITATION REPORT

List of articles citing

Enhanced detection of open-angle glaucoma with an anatomically accurate optical coherence tomography-derived neuroretinal rim parameter

DOI: 10.1016/j.opthta.2012.09.055
Ophthalmology, 2013, 120, 535-543.

Source: <https://exaly.com/paper-pdf/55711371/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
295	From clinical examination of the optic disc to clinical assessment of the optic nerve head: a paradigm change. <i>American Journal of Ophthalmology</i> , 2013 , 156, 218-227.e2	4.9	196
294	Author reply: To PMID 23265804. <i>Ophthalmology</i> , 2013 , 120, e79	7.3	0
293	Detection of glaucoma with an optical coherence tomography-derived neuroretinal rim parameter. <i>Ophthalmology</i> , 2013 , 120, e78	7.3	2
292	Cataract surgery in patients with nanophthalmos. Author reply. <i>Ophthalmology</i> , 2013 , 120, e77-8	7.3	1
291	Anatomic vs. acquired image frame discordance in spectral domain optical coherence tomography minimum rim measurements. 2014 , 9, e92225		41
290	Longitudinal detection of optic nerve head changes by spectral domain optical coherence tomography in early experimental glaucoma. 2014 , 55, 574-86		74
289	Correlation between optic nerve head structural parameters and glaucomatous visual field indices. <i>Clinical Ophthalmology</i> , 2014 , 8, 1203-8	2.5	18
288	The relationship between retinal nerve fiber layer thickness and optic nerve head neuroretinal rim tissue in glaucoma. 2014 , 55, 6802-16		34
287	Variation of the axial location of Bruch's membrane opening with age, choroidal thickness, and race. 2014 , 55, 2004-9		65
286	Variations of retinal nerve fiber layer thickness and ganglion cell-inner plexiform layer thickness according to the torsion direction of optic disc. 2014 , 55, 1048-55		16
285	Automated segmentation of optic nerve head structures with optical coherence tomography. 2014 , 55, 1161-8		28
284	Comparing optic nerve head analysis between confocal scanning laser ophthalmoscopy and spectral domain optical coherence tomography. 2014 , 39, 1026-32		5
283	Structure-function relationships with spectral-domain optical coherence tomography retinal nerve fiber layer and optic nerve head measurements. 2014 , 55, 2953-62		99
282	Glaucoma progression detection using nonlocal Markov random field prior. 2014 , 1, 034504		5
281	Ocular hypertension: an approach to assessment and management. 2014 , 49, 489-96		8
280	Relationship between ganglion cell layer thickness and estimated retinal ganglion cell counts in the glaucomatous macula. <i>Ophthalmology</i> , 2014 , 121, 2371-9	7.3	50
279	Relation between macular retinal ganglion cell/inner plexiform layer thickness and multifocal electroretinogram measures in experimental glaucoma. 2014 , 55, 4512-24		23

278	The pathophysiology and treatment of glaucoma: a review. 2014 , 311, 1901-11		1511
277	Diagnosing glaucoma progression with optical coherence tomography. <i>Current Opinion in Ophthalmology</i> , 2014 , 25, 104-11	5.1	89
276	Age-associated changes in the retinal nerve fiber layer and optic nerve head. 2014 , 55, 5134-43		66
275	Objective optic nerve head assessment using optical coherence tomography and Heidelberg retinal tomograph. <i>Clinical and Experimental Ophthalmology</i> , 2014 , 42, 711-2	2.4	
274	Influence of the disc-fovea angle on limits of RNFL variability and glaucoma discrimination. 2014 , 55, 7332-42		40
273	Relationship between disc margin to fovea distance and central visual field defect in normal tension glaucoma. <i>Graefers Archive for Clinical and Experimental Ophthalmology</i> , 2014 , 252, 307-14	3.8	6
272	A method to estimate the amount of neuroretinal rim tissue in glaucoma: comparison with current methods for measuring rim area. <i>American Journal of Ophthalmology</i> , 2014 , 157, 540-9.e1-2	4.9	97
271	Eye Care Quality and Accessibility Improvement in the Community (EQUALITY) for adults at risk for glaucoma: study rationale and design. 2015 , 14, 135		23
270	The morphological difference between glaucoma and other optic neuropathies. <i>Journal of Neuro-Ophthalmology</i> , 2015 , 35 Suppl 1, S8-S21	2.6	46
269	Enhanced structure-function relationship in glaucoma with an anatomically and geometrically accurate neuroretinal rim measurement. 2014 , 56, 98-105		74
268	Determinants of optical coherence tomography-derived minimum neuroretinal rim width in a normal Chinese population. 2015 , 56, 3337-44		29
267	A Global Shape Index to Characterize Anterior Lamina Cribrosa Morphology and Its Determinants in Healthy Indian Eyes. 2015 , 56, 3604-14		32
266	Structure-Function Relationship Between Bruch's Membrane Opening-Based Optic Nerve Head Parameters and Visual Field Defects in Glaucoma. 2015 , 56, 3320-8		27
265	In Vivo Changes in Lamina Cribrosa Microarchitecture and Optic Nerve Head Structure in Early Experimental Glaucoma. 2015 , 10, e0134223		32
264	Macular Bruch's Membrane Length and Axial Length. The Beijing Eye Study. 2015 , 10, e0136833		38
263	Structural Measurements for Monitoring Change in Glaucoma: Comparing Retinal Nerve Fiber Layer Thickness With Minimum Rim Width and Area. 2015 , 56, 6886-91		53
262	In vivo imaging methods to assess glaucomatous optic neuropathy. <i>Experimental Eye Research</i> , 2015 , 141, 139-53	3.7	15
261	Applicability of ISNT and IST rules to the retinal nerve fibre layer using spectral domain optical coherence tomography in early glaucoma. <i>British Journal of Ophthalmology</i> , 2015 , 99, 1713-7	5.5	10

260	Disc segmentation and BMO-MRW measurement from SD-OCT image using graph search and tracing of three bench mark reference layers of retina. 2015 ,			6
259	[New neuroretinal rim analysis with spectral domain optical coherence tomography, Spectralis (Heidelberg Engineering, Germany). Preliminary study]. 2015 , 38, 46-52			6
258	Rat optic nerve head anatomy within 3D histomorphometric reconstructions of normal control eyes. <i>Experimental Eye Research</i> , 2015 , 139, 1-12	3.7		22
257	Neuroretinal rim examination: A vintage phenomenon or a revolution?. 2015 , 90, 203-205			
256	Optical Coherence Tomography for the Radiologist. 2015 , 25, 367-82			4
255	Strategies to improve early diagnosis in glaucoma. 2015 , 221, 103-33			23
254	The non-human primate experimental glaucoma model. <i>Experimental Eye Research</i> , 2015 , 141, 57-73	3.7		43
253	Multimodal Segmentation of Optic Disc and Cup From SD-OCT and Color Fundus Photographs Using a Machine-Learning Graph-Based Approach. 2015 , 34, 1854-66			47
252	[Neuroretinal rim examination: A vintage phenomenon or a revolution?]. 2015 , 90, 203-5			
251	Torsion of the optic nerve head is a prominent feature of normal-tension glaucoma. 2014 , 56, 156-63			39
250	Learning from healthy and stable eyes: A new approach for detection of glaucomatous progression. 2015 , 64, 105-15			16
249	[Reliable recognition of glaucoma by spectral domain optical coherence tomography?]. 2015 , 112, 654-60			0
248	Evaluating glaucoma damage: emerging imaging technologies. <i>Expert Review of Ophthalmology</i> , 2015 , 10, 183-195	1.5		4
247	[Principles of glaucoma diagnostics with optical coherence tomography]. 2015 , 112, 639-45			0
246	Bruch's Membrane Opening Minimum Rim Width and Retinal Nerve Fiber Layer Thickness in a Normal White Population: A Multicenter Study. <i>Ophthalmology</i> , 2015 , 122, 1786-94	7.3		113
245	Importance of Normal Aging in Estimating the Rate of Glaucomatous Neuroretinal Rim and Retinal Nerve Fiber Layer Loss. <i>Ophthalmology</i> , 2015 , 122, 2392-8	7.3		53
244	The new Bruch's membrane opening - minimum rim width classification improves optical coherence tomography specificity in tilted discs. <i>Clinical Ophthalmology</i> , 2016 , 10, 2417-2425	2.5		26
243	Diagnostic Accuracy of Glaucoma With Sector-Based and a New Total Profile-Based Analysis of Neuroretinal Rim and Retinal Nerve Fiber Layer Thickness. 2016 , 57, 181-7			15

242	Does the Location of Bruch's Membrane Opening Change Over Time? Longitudinal Analysis Using San Diego Automated Layer Segmentation Algorithm (SALSA). 2016 , 57, 675-82		34
241	Comparing Optic Nerve Head Rim Width, Rim Area, and Peripapillary Retinal Nerve Fiber Layer Thickness to Axon Count in Experimental Glaucoma. 2016 , 57, OCT404-12		28
240	Comparison of Bruch's Membrane Opening Minimum Rim Width and Peripapillary Retinal Nerve Fiber Layer Thickness in Early Glaucoma Assessment. 2016 , 57, OCT575-84		59
239	Comprehensive Three-Dimensional Analysis of the Neuroretinal Rim in Glaucoma Using High-Density Spectral-Domain Optical Coherence Tomography Volume Scans. 2016 , 57, 5498-5508		22
238	Peripapillary Nerve Fiber Elevation in Young Healthy Eyes. 2016 , 57, 4368-72		3
237	The Relationship of the Clinical Disc Margin and Bruch's Membrane Opening in Normal and Glaucoma Subjects. 2016 , 57, 1468-75		8
236	Clinical Utility of Optical Coherence Tomography in Glaucoma. 2016 , 57, OCT556-67		52
235	Experimental Glaucoma Causes Optic Nerve Head Neural Rim Tissue Compression: A Potentially Important Mechanism of Axon Injury. 2016 , 57, 4403-11		40
234	OCT-Based Quantification and Classification of Optic Disc Structure in Glaucoma Patients. 2016 , 11, e0160226	17	
233	Peripapillary Retinal Nerve Fiber Layer Vascular Microcirculation in Glaucoma Using Optical Coherence Tomography-Based Microangiography. 2016 , 57, OCT475-85		89
232	Glaucoma Diagnostic Ability of the New Circumpapillary Retinal Nerve Fiber Layer Thickness Analysis Based on Bruch's Membrane Opening. 2016 , 57, 4194-204		22
231	Clustering of Combined 24-2 and 10-2 Visual Field Grids and Their Relationship With Circumpapillary Retinal Nerve Fiber Layer Thickness. 2016 , 57, 3203-10		5
230	Novel Bruch's Membrane Opening Minimum Rim Area Equalizes Disc Size Dependency and Offers High Diagnostic Power for Glaucoma. 2016 , 57, 6596-6603		39
229	Optical coherence tomography platforms and parameters for glaucoma diagnosis and progression. <i>Current Opinion in Ophthalmology</i> , 2016 , 27, 102-10	5.1	25
228	Comparison of the Deep Optic Nerve Structures in Superior Segmental Optic Nerve Hypoplasia and Primary Open-Angle Glaucoma. <i>Journal of Glaucoma</i> , 2016 , 25, 648-56	2.1	8
227	Optical Coherence Tomography Imaging for Glaucoma - Today and Tomorrow. 2016 , 5, 11-6		8
226	Imaging Modality in Diagnosis and Monitoring of Glaucoma: Spectral Domain Optical Coherence Tomography. 2016 , 4, 173-179		1
225	Comparison of swept-source and enhanced depth imaging spectral-domain optical coherence tomography in quantitative characterisation of the optic nerve head. <i>British Journal of Ophthalmology</i> , 2017 , 101, 299-304	5.5	10

224	OCT verstehen [Teil 2: Praktische Aspekte und Anwendung. <i>Augenheilkunde Up2date</i> , 2016 , 6, 305-320	0.1	
223	Localized Changes in Retinal Nerve Fiber Layer Thickness as a Predictor of Localized Functional Change in Glaucoma. <i>American Journal of Ophthalmology</i> , 2016 , 170, 75-82	4.9	15
222	Diagnostic Performance of a Novel Three-Dimensional Neuroretinal Rim Parameter for Glaucoma Using High-Density Volume Scans. <i>American Journal of Ophthalmology</i> , 2016 , 169, 168-178	4.9	23
221	The fundus photo has met its match: optical coherence tomography and adaptive optics ophthalmoscopy are here to stay. 2016 , 36, 218-39		39
220	Quantitative Optical Coherence Tomography Angiography of Radial Peripapillary Capillaries in Glaucoma, Glaucoma Suspect, and Normal Eyes. <i>American Journal of Ophthalmology</i> , 2016 , 170, 41-49	4.9	129
219	Structural and Functional Evaluations for the Early Detection of Glaucoma. <i>Expert Review of Ophthalmology</i> , 2016 , 11, 367-376	1.5	14
218	Understanding Glaucomatous Optic Neuropathy: The Synergy Between Clinical Observation and Investigation. 2016 , 2, 235-254		12
217	Primary open-angle glaucoma. 2016 , 2, 16067		164
216	Consistency of Bruch Membrane Opening Detection as Determined by Optical Coherence Tomography. <i>Journal of Glaucoma</i> , 2016 , 25, 873-878	2.1	11
215	Spectral-Domain Optical Coherence Tomography-Derived Characteristics of Bruch Membrane Opening in a Young Adult Australian Population. <i>American Journal of Ophthalmology</i> , 2016 , 165, 154-63	4.9	12
214	Diagnostic Accuracy of Optical Coherence Tomography and Scanning Laser Tomography for Identifying Glaucoma in Myopic Eyes. <i>Ophthalmology</i> , 2016 , 123, 1181-9	7.3	55
213	Regression Analysis of Optical Coherence Tomography Disc Variables for Glaucoma Diagnosis. <i>Journal of Glaucoma</i> , 2016 , 25, 634-42	2.1	2
212	[Disc-fovea angle adjustment for peripapillary retinal nerve fiber layer analysis by a spectral domain optical coherence tomography. Preliminary study]. 2016 , 39, 149-55		
211	Structural characteristics of the optic nerve head influencing human retinal venous pulsations. <i>Experimental Eye Research</i> , 2016 , 145, 341-346	3.7	4
210	Glaucoma Imaging. 2016 ,		2
209	Value of Structural and Hemodynamic Parameters for the Early Detection of Primary Open-Angle Glaucoma. 2017 , 42, 411-417		18
208	Spectral-Domain Optical Coherence Tomography-Derived Characteristics of Bruch Membrane Opening in a Young Adult Australian Population. <i>American Journal of Ophthalmology</i> , 2017 , 174, 178-179	4.9	3
207	Neuroretinal rim in non-glaucomatous large optic nerve heads: a comparison of confocal scanning laser tomography and spectral domain optical coherence tomography. <i>British Journal of Ophthalmology</i> , 2017 , 101, 138-142	5.5	18

206	Comparing three different modes of electroretinography in experimental glaucoma: diagnostic performance and correlation to structure. 2017 , 134, 111-128		16
205	Enhanced Diagnostic Capability for Glaucoma of 3-Dimensional Versus 2-Dimensional Neuroretinal Rim Parameters Using Spectral Domain Optical Coherence Tomography. <i>Journal of Glaucoma</i> , 2017 , 26, 450-458	2.1	23
204	A machine-learning graph-based approach for 3D segmentation of Bruch's membrane opening from glaucomatous SD-OCT volumes. 2017 , 39, 206-217		20
203	Structure-Function Relationship Between the Bruch Membrane Opening-based Minimum Rim Width and Visual Field Defects in Advanced Glaucoma. <i>Journal of Glaucoma</i> , 2017 , 26, 561-565	2.1	9
202	Glaucoma. 2017 , 390, 2183-2193		501
201	The use of Bruch's membrane opening-based optical coherence tomography of the optic nerve head for glaucoma detection in microdiscs. <i>British Journal of Ophthalmology</i> , 2017 , 101, 530-535	5.5	25
200	The connective tissue phenotype of glaucomatous cupping in the monkey eye - Clinical and research implications. <i>Progress in Retinal and Eye Research</i> , 2017 , 59, 1-52	20.5	45
199	[Understanding OCT - Part 2: State of the Practice]. <i>Klinische Monatsblätter Fur Augenheilkunde</i> , 2017 , 234, 233-247	0.8	
198	Optimization Strategies for Bruch's Membrane Opening Minimum Rim Area Calculation: Sequential versus Simultaneous Minimization. <i>Scientific Reports</i> , 2017 , 7, 13874	4.9	3
197	Reproducibility of Bruch Membrane Opening-Minimum Rim Width Measurements With Spectral Domain Optical Coherence Tomography. <i>Journal of Glaucoma</i> , 2017 , 26, 1041-1050	2.1	18
196	Optic Nerve Head Characteristics in Chronic Angle Closure Glaucoma Detected by Swept-Source OCT. 2017 , 42, 1450-1457		3
195	Bruch's Membrane Opening-Minimum Rim Width Assessment With Spectral-Domain Optical Coherence Tomography Performs Better Than Confocal Scanning Laser Ophthalmoscopy in Discriminating Early Glaucoma Patients From Control Subjects. <i>Journal of Glaucoma</i> , 2017 , 26, 27-33	2.1	22
194	The Future of Imaging in Detecting Glaucoma Progression. <i>Ophthalmology</i> , 2017 , 124, S76-S82	7.3	11
193	Detecting Structural Progression in Glaucoma with Optical Coherence Tomography. <i>Ophthalmology</i> , 2017 , 124, S57-S65	7.3	76
192	Intra- and interobserver reproducibility of Bruch's membrane opening minimum rim width measurements with spectral domain optical coherence tomography. 2017 , 95, e548-e555		22
191	Comparison of Bruch's Membrane Opening Minimum Rim Width Among Those With Normal Ocular Health by Race. <i>American Journal of Ophthalmology</i> , 2017 , 174, 113-118	4.9	10
190	[Bruch's Membrane Opening in OCT in Correlation with Corneal Correction - a Pilot Study]. <i>Klinische Monatsblätter Fur Augenheilkunde</i> , 2017 , 234, 918-923	0.8	1
189	Glaucoma: recent advances in the involvement of autoimmunity. 2017 , 65, 207-217		10

188	Incorporation of gradient vector flow field in a multimodal graph-theoretic approach for segmenting the internal limiting membrane from glaucomatous optic nerve head-centered SD-OCT volumes. 2017 , 55, 87-94		8
187	Correlaci3n entre par3metros estructurales del nervio 3ptico: distancia m3nima al borde BMO3MRW y promedio de capa de fibras nerviosas RNFL medido por tomografi3 de coherencia 3ptica en pacientes con da3n campim3trico por glaucoma. 2017 , 91, 203-208		
186	Diagnostic Accuracies of Bruch Membrane Opening-minimum Rim Width and Retinal Nerve Fiber Layer Thickness in Glaucoma. <i>Journal of Korean Ophthalmological Society</i> , 2017 , 58, 836	0.2	7
185	Intraday Repeatability of Bruch's Membrane Opening-Based Neuroretinal Rim Measurements. 2017 , 58, 5195-5200		18
184	The Characteristics of Deep Optic Nerve Head Morphology in Myopic Normal Tension Glaucoma. 2017 , 58, 2695-2704		17
183	Bruch's Membrane Opening Minimum Rim Width Measurement with SD-OCT: A Method to Correct for the Opening Size of Bruch's Membrane. 2017 , 2017, 8963267		6
182	Structure-Function Relationships in Perimetric Glaucoma: Comparison of Minimum-Rim Width and Retinal Nerve Fiber Layer Parameters. 2017 , 58, 4623-4631		9
181	Determinants and Characteristics of Bruch's Membrane Opening and Bruch's Membrane Opening-Minimum Rim Width in a Normal Japanese Population. 2017 , 58, 4106-4113		25
180	Thin minimal rim width at Bruch's membrane opening is associated with glaucomatous paracentral visual field loss. <i>Clinical Ophthalmology</i> , 2017 , 11, 2157-2167	2.5	4
179	Biomechanical Responses of Lamina Cribrosa to Intraocular Pressure Change Assessed by Optical Coherence Tomography in Glaucoma Eyes. 2017 , 58, 2566-2577		37
178	The effects of graded intraocular pressure challenge on the optic nerve head. <i>Experimental Eye Research</i> , 2018 , 169, 79-90	3.7	26
177	In Vivo Imaging of the Retina, Choroid, and Optic Nerve Head in Guinea Pigs. 2018 , 43, 1006-1018		15
176	Bruch's membrane opening-based optical coherence tomography of the optic nerve head: a useful diagnostic tool to detect glaucoma in macrodiscs. <i>Eye</i> , 2018 , 32, 314-323	4.4	20
175	Precision of Optic Nerve Head and Retinal Nerve Fiber Layer Parameter Measurements by Spectral-domain Optical Coherence Tomography. <i>Journal of Glaucoma</i> , 2018 , 27, 407-414	2.1	13
174	Association of Bruch's membrane opening and optic disc morphology to axial length and visual field defects in eyes with primary open-angle glaucoma. <i>Graefers Archive for Clinical and Experimental Ophthalmology</i> , 2018 , 256, 599-610	3.8	8
173	Association of Functional Loss With the Biomechanical Response of the Optic Nerve Head to Acute Transient Intraocular Pressure Elevations. 2018 , 136, 184-192		16
172	Longitudinal Changes of Optic Nerve Head and Peripapillary Structure during Childhood Myopia Progression on OCT: Boramae Myopia Cohort Study Report 1. <i>Ophthalmology</i> , 2018 , 125, 1215-1223	7.3	53
171	Diagnostic capability of optic nerve head rim width and retinal nerve fiber thickness in open-angle glaucoma. <i>European Journal of Ophthalmology</i> , 2018 , 28, 459-464	1.9	5

170	Effect of acute intraocular pressure elevation on the minimum rim width in normal, ocular hypertensive and glaucoma eyes. <i>British Journal of Ophthalmology</i> , 2018 , 102, 131-135	5.5	20
169	Imaging of the lamina cribrosa and its role in glaucoma: a review. <i>Clinical and Experimental Ophthalmology</i> , 2018 , 46, 177-188	2.4	16
168	Comparing optical coherence tomography radial and cube scan patterns for measuring Bruch's membrane opening minimum rim width (BMO-MRW) in glaucoma and healthy eyes: cross-sectional and longitudinal analysis. <i>British Journal of Ophthalmology</i> , 2018 , 102, 344-351	5.5	4
167	Interocular Asymmetry of Minimum Rim Width and Retinal Nerve Fiber Layer Thickness in Healthy Brazilian Individuals. <i>Journal of Glaucoma</i> , 2018 , 27, 1136-1141	2.1	4
166	The Optimal Diameter for Circumpapillary Retinal Nerve Fiber Layer Thickness Measurement by SD-OCT in Glaucoma. <i>Journal of Glaucoma</i> , 2018 , 27, 1086-1093	2.1	2
165	Bruch's membrane opening-minimum rim width and visual field loss in glaucoma: a broken stick analysis. 2018 , 11, 828-834		8
164	The Relationship Between Bruch's Membrane Opening-Minimum Rim Width and Retinal Nerve Fiber Layer Thickness and a New Index Using a Neural Network. <i>Translational Vision Science and Technology</i> , 2018 , 7, 14	3.3	16
163	Bruch's membrane opening minimum rim width and retinal nerve fiber layer thickness in a Brazilian population of healthy subjects. 2018 , 13, e0206887		7
162	Effects of Age, Race, and Ethnicity on the Optic Nerve and Peripapillary Region Using Spectral-Domain OCT 3D Volume Scans. <i>Translational Vision Science and Technology</i> , 2018 , 7, 12	3.3	12
161	Three dimensional neuro-retinal rim thickness and retinal nerve fiber layer thickness using high-definition optical coherence tomography for open-angle glaucoma. 2018 , 62, 634-642		
160	Role of Optical Coherence Tomography in Glaucoma. 2018 , 13-25		1
159	Optic nerve head morphology in primary open-angle glaucoma and nonarteritic anterior ischaemic optic neuropathy measured with spectral domain optical coherence tomography. 2018 , 96, e1018-e1024		11
158	Interpretation of Imaging Data from Spectralis OCT. 2018 , 55-76		1
157	Racial Differences in Rate of Change of Spectral-Domain Optical Coherence Tomography-Measured Minimum Rim Width and Retinal Nerve Fiber Layer Thickness. <i>American Journal of Ophthalmology</i> , 2018 , 196, 154-164	4.9	9
156	Shields Gray Crescents Masquerading as Glaucomatous Cupping of the Optic Nerve Head. <i>Ophthalmology Glaucoma</i> , 2018 , 1, 99-107	2.2	2
155	Utility of Bruch membrane opening-based optic nerve head parameters in myopic subjects. <i>European Journal of Ophthalmology</i> , 2018 , 28, 42-46	1.9	13
154	Detection of Bruch's Membrane Opening in Healthy Individuals and Glaucoma Patients with and without High Myopia. <i>Ophthalmology</i> , 2018 , 125, 1537-1546	7.3	19
153	Diagnostic Accuracy of Three-Dimensional Neuroretinal Rim Thickness for Differentiation of Myopic Glaucoma From Myopia. 2018 , 59, 3655-3666		11

152	Protruded retinal layers within the optic nerve head neuroretinal rim. 2018 , 96, e493-e502		2
151	Structural Reversal of Disc Cupping After Trabeculectomy Alters Bruch Membrane Opening-Based Parameters to Assess Neuroretinal Rim. <i>American Journal of Ophthalmology</i> , 2018 , 194, 143-152	4.9	15
150	Deep Optic Nerve Head Morphology Is Associated With Pattern of Glaucomatous Visual Field Defect in Open-Angle Glaucoma. 2018 , 59, 3842-3851		2
149	Spectral-Domain OCT: Helping the Clinician Diagnose Glaucoma: A Report by the American Academy of Ophthalmology. <i>Ophthalmology</i> , 2018 , 125, 1817-1827	7.3	45
148	Glaucoma Specialist Optic Disc Margin, Rim Margin, and Rim Width Discordance in Glaucoma and Glaucoma Suspect Eyes. <i>American Journal of Ophthalmology</i> , 2018 , 192, 65-76	4.9	17
147	Optic Disc Margin Anatomic Features in Myopic Eyes with Glaucoma with Spectral-Domain OCT. <i>Ophthalmology</i> , 2018 , 125, 1886-1897	7.3	18
146	Modeling the Origin of the Ocular Pulse and Its Impact on the Optic Nerve Head. 2018 , 59, 3997-4010		11
145	Influence of Bruch's Membrane Opening Area in Diagnosing Glaucoma With Neuroretinal Parameters From Optical Coherence Tomography. <i>American Journal of Ophthalmology</i> , 2019 , 208, 94-102	4.9	3
144	Effect of optic disc size on correlation between Bruch's membrane opening-minimum rim width and peripapillary retinal nerve fibre layer thickness. <i>Eye</i> , 2019 , 33, 1930-1938	4.4	1
143	Characteristics of Patients Showing Discrepancy Between Bruch's Membrane Opening-Minimum Rim Width and Peripapillary Retinal Nerve Fiber Layer Thickness. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	3
142	A Deep Learning Algorithm to Quantify Neuroretinal Rim Loss From Optic Disc Photographs. <i>American Journal of Ophthalmology</i> , 2019 , 201, 9-18	4.9	38
141	Difference in Topographic Pattern of Prelaminar and Neuroretinal Rim Thinning Between Nonarteritic Anterior Ischemic Optic Neuropathy and Glaucoma. 2019 , 60, 2461-2467		8
140	Differences in Retinal Nerve Fiber Layer Thickness as Assessed on the Disc Center and Bruch's Membrane Opening Center in Myopic Eyes. <i>Ophthalmology Glaucoma</i> , 2019 , 2, 145-155	2.2	0
139	Impact of Posterior Sclera on Glaucoma Progression in Treated Myopic Normal-Tension Glaucoma Using Reconstructed Optical Coherence Tomographic Images. 2019 , 60, 2198-2207		7
138	Changes in the Anterior Lamina Cribrosa Morphology with Glaucoma Severity. <i>Scientific Reports</i> , 2019 , 9, 6612	4.9	10
137	Glaucoma in myopia: diagnostic dilemmas. <i>British Journal of Ophthalmology</i> , 2019 , 103, 1347-1355	5.5	37
136	Myopic optic disc changes and its role in glaucoma. <i>Current Opinion in Ophthalmology</i> , 2019 , 30, 89-96	5.1	18
135	An evidence-based approach to the routine use of optical coherence tomography. 2019 , 102, 242-259		15

134	Factors Influencing Optical Coherence Tomography Peripapillary Choroidal Thickness: A Multicenter Study. 2019 , 60, 795-806		14
133	Comparison of Spectralis and Cirrus spectral domain optical coherence tomography for the objective morphometric assessment of the neuroretinal rim width. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2019 , 257, 1265-1275	3.8	6
132	Biophysical Properties in Glaucoma. 2019 ,		
131	Structure-function relationships in glaucoma using enhanced depth imaging optical coherence tomography-derived parameters: a cross-sectional observational study. <i>BMC Ophthalmology</i> , 2019 , 19, 52	2.3	15
130	Diagnostic Accuracy of Spectral-Domain OCT Circumpapillary, Optic Nerve Head, and Macular Parameters in the Detection of Perimetric Glaucoma. <i>Ophthalmology Glaucoma</i> , 2019 , 2, 336-345	2.2	8
129	Bruch's membrane opening enlargement and its implication on the myopic optic nerve head. <i>Scientific Reports</i> , 2019 , 9, 19564	4.9	5
128	Ocular Fluid Dynamics. <i>Modeling and Simulation in Science, Engineering and Technology</i> , 2019 ,	0.8	3
127	Longitudinal Analysis of Bruch Membrane Opening Morphometry in Myopic Glaucoma. <i>Journal of Glaucoma</i> , 2019 , 28, 889-895	2.1	1
126	Macular Ganglion Cell and Inner Plexiform Layer Thickness Is More Strongly Associated With Visual Function in Multiple Sclerosis Than Bruch Membrane Opening-Minimum Rim Width or Peripapillary Retinal Nerve Fiber Layer Thicknesses. <i>Journal of Neuro-Ophthalmology</i> , 2019 , 39, 444-450	2.6	6
125	Optical Coherence Tomography for the Diagnosis and Monitoring of Glaucoma. 2019 , 8,		5
124	Three-Dimensional Optical Coherence Tomography Imaging For Glaucoma Associated With Boston Keratoprosthesis Type I and II. <i>Journal of Glaucoma</i> , 2019 , 28, 718-726	2.1	6
123	Custom Optical Coherence Tomography Parameters for Distinguishing Papilledema from Pseudopapilledema. 2019 , 96, 599-608		6
122	Optical coherence tomography angiography analysis of macular flow density in glaucoma. 2019 , 97, e199-e206		19
121	Reproducibility of minimum rim width and retinal nerve fibre layer thickness using the Anatomic Positioning System in glaucoma patients. 2019 , 54, 335-341		4
120	Optical coherence tomography evaluation of the optic nerve head neuro-retinal rim in glaucoma. 2019 , 102, 286-290		3
119	Glaucoma Specialist Detection of Optical Coherence Tomography Suspicious Rim Tissue in Glaucoma and Glaucoma Suspect Eyes. <i>American Journal of Ophthalmology</i> , 2019 , 199, 28-43	4.9	5
118	Macular versus nerve fibre layer versus optic nerve head imaging for diagnosing glaucoma at different stages of the disease: Multicenter Italian Glaucoma Imaging Study. 2019 , 97, e207-e215		14
117	Clinical relevance of protruded retinal layers in minimum rim width measurement of the optic nerve head. <i>British Journal of Ophthalmology</i> , 2019 , 103, 1401-1405	5.5	

116	Impact of ab-interno trabeculectomy on Bruch's membrane opening-based morphometry of the optic nerve head for glaucoma progression analysis. <i>Graefers Archive for Clinical and Experimental Ophthalmology</i> , 2019 , 257, 339-347	3.8	5
115	[Bruch's membrane opening minimum rim width : Correlation and diagnostic accuracy in comparison to peripapillary retinal nerve fiber layer thickness]. 2019 , 116, 33-42		4
114	Validation of the structure-function correlation report from the heidelberg edge perimeter and spectral-domain optical coherence tomography. <i>International Ophthalmology</i> , 2019 , 39, 533-540	2.2	1
113	Evaluation of two-dimensional Bruch's membrane opening minimum rim area for glaucoma diagnostics in a large patient cohort. 2019 , 97, 60-67		17
112	Diagnostic criteria for detection of retinal nerve fibre layer thickness and neuroretinal rim width abnormalities in glaucoma. <i>British Journal of Ophthalmology</i> , 2020 , 104, 270-275	5.5	14
111	Influence of Inflammation in Uveitis on Confocal Scanning Laser Tomography and Optical Coherence Tomography Measurements. 2020 , 28, 821-827		1
110	Bruch's Membrane Opening Minimum Rim Width in the Differential Diagnosis of Optic Neuropathies. 2020 , 44, 76-88		1
109	Analysis of peripapillary vessel density and Bruch's membrane opening-based neuroretinal rim parameters in glaucoma using OCT and OCT-angiography. <i>Eye</i> , 2020 , 34, 1086-1093	4.4	2
108	Variance components for PIMD-2 estimation of the optic nerve head and consequences in clinical measurements of glaucoma. 2020 , 98, 190-194		0
107	Optical Coherence Tomography Structural Abnormality Detection in Glaucoma Using Topographically Correspondent Rim and Retinal Nerve Fiber Layer Criteria. <i>American Journal of Ophthalmology</i> , 2020 , 213, 203-216	4.9	5
106	Effect of Trabeculectomy on OCT Measurements of the Optic Nerve Head Neuroretinal Rim Tissue. <i>Ophthalmology Glaucoma</i> , 2020 , 3, 32-39	2.2	4
105	Structure-function relationship between Bruch's membrane opening-minimum rim width and perimetry in open-angle glaucoma subtypes. <i>Graefers Archive for Clinical and Experimental Ophthalmology</i> , 2020 , 258, 595-605	3.8	2
104	Three-dimensional Neuroretinal Rim Thickness and Visual Fields in Glaucoma: A Broken-stick Model. <i>Journal of Glaucoma</i> , 2020 , 29, 952-963	2.1	0
103	The Shape of Posterior Sclera as a Biometric Signature in Open-angle Glaucoma: An Intereye Comparison Study. <i>Journal of Glaucoma</i> , 2020 , 29, 890-898	2.1	2
102	Effects of chronic methamphetamine abuse on the retinal nerve fiber layer, ganglion cell layer and Bruch's membrane opening minimum rim width. 2020 , 80, 140-143		3
101	Role of radially aligned scleral collagen fibers in optic nerve head biomechanics. <i>Experimental Eye Research</i> , 2020 , 199, 108188	3.7	3
100	Optic Nerve Head Morphological Changes Over 12 Hours in Seated and Head-Down Tilt Postures. 2020 , 61, 21		3
99	Optic nerve head anatomy in myopia and glaucoma, including parapapillary zones alpha, beta, gamma and delta: Histology and clinical features. <i>Progress in Retinal and Eye Research</i> , 2021 , 83, 100933	20.5	15

98	Rate of Change in Bruch's Membrane Opening-Minimum Rim Width and Peripapillary RNFL in Early Normal Tension Glaucoma. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	0
97	Advances in Ocular Imaging in Glaucoma. <i>Essentials in Ophthalmology</i> , 2020 ,	0.2	0
96	Virtual Reality Improves Clinical Assessment of the Optic Nerve. 2020 , 1,		4
95	Detection of Neurological and Ophthalmological Pathologies with Optical Coherence Tomography Using Retinal Thickness Measurements: A Bibliometric Study. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 5477	2.6	2
94	Daily generation of a footward fluid shift attenuates ocular changes associated with head-down tilt bed rest. <i>Journal of Applied Physiology</i> , 2020 , 129, 1220-1231	3.7	6
93	Contact Lenses as Drug Delivery System for Glaucoma: A Review. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 5151	2.6	4
92	Different follow-up OCT analyses of traumatic optic neuropathy. A case report. <i>American Journal of Ophthalmology Case Reports</i> , 2020 , 20, 100879	1.3	0
91	Time Lag Between Functional Change and Loss of Retinal Nerve Fiber Layer in Glaucoma. 2020 , 61, 5		5
90	The Effect of Age on Increasing Susceptibility to Retinal Nerve Fiber Layer Loss in Glaucoma. 2020 , 61, 8		7
89	The Association Between Ocular Rigidity and Neuroretinal Damage in Glaucoma. 2020 , 61, 11		5
88	Deep learning classification of early normal-tension glaucoma and glaucoma suspects using Bruch's membrane opening-minimum rim width and RNFL. <i>Scientific Reports</i> , 2020 , 10, 19042	4.9	3
87	Optic Disc Measures in Obstructive Sleep Apnea: A Community-based Study of Middle-aged and Older Adults. <i>Journal of Glaucoma</i> , 2020 , 29, 337-343	2.1	4
86	[Optical Coherence Tomography in Glaucomas: Tips and Tricks]. <i>Klinische Monatsblätter Fur Augenheilkunde</i> , 2020 , 237, 539-551	0.8	0
85	Using Enhanced Depth Imaging Optical Coherence Tomography-Derived Parameters to Discriminate between Eyes with and without Glaucoma: A Cross-Sectional Comparative Study. <i>Ophthalmic Research</i> , 2021 , 64, 108-115	2.9	0
84	Bruch's Membrane Opening Minimum Rim Width Provides Objective Differentiation between Glaucoma and Nonglaucomatous Optic Neuropathies. <i>American Journal of Ophthalmology</i> , 2020 , 218, 164-172	4.9	5
83	Neuroretinal rim response to transient changes in intraocular pressure in healthy non-human primate eyes. <i>Experimental Eye Research</i> , 2020 , 193, 107978	3.7	3
82	Dynamics of structural reversal in Bruch's membrane opening-based morphometrics after glaucoma drainage device surgery. <i>Graefers Archive for Clinical and Experimental Ophthalmology</i> , 2020 , 258, 1227-1236	3.8	5
81	OCT-Diagnostik beim Glaukom: Tipps & Tricks. <i>Augenheilkunde Up2date</i> , 2020 , 10, 51-63	0.1	

80	Qualitative evaluation of neuroretinal rim and retinal nerve fibre layer on optical coherence tomography to detect glaucomatous damage. <i>British Journal of Ophthalmology</i> , 2020 , 104, 980-984	5.5	1
79	Relationship Between Funduscopy Conus and Optic Disc Factors Associated with Myopia in Young Healthy Eyes. 2020 , 61, 40		1
78	Effect of Changing Heart Rate on the Ocular Pulse and Dynamic Biomechanical Behavior of the Optic Nerve Head. 2020 , 61, 27		2
77	A Comparison of OCT Parameters in Identifying Glaucoma Damage in Eyes Suspected of Having Glaucoma. <i>Ophthalmology Glaucoma</i> , 2020 , 3, 90-96	2.2	6
76	Comparison of Rate of Change between Bruch's Membrane Opening Minimum Rim Width and Retinal Nerve Fiber Layer in Eyes Showing Optic Disc Hemorrhage. <i>American Journal of Ophthalmology</i> , 2020 , 217, 27-37	4.9	2
75	Discovery and clinical translation of novel glaucoma biomarkers. <i>Progress in Retinal and Eye Research</i> , 2021 , 80, 100875	20.5	16
74	Deep learning in glaucoma with optical coherence tomography: a review. <i>Eye</i> , 2021 , 35, 188-201	4.4	21
73	Discrepancy in Loss of Macular Perfusion Density and Ganglion Cell Layer Thickness in Early Glaucoma. <i>American Journal of Ophthalmology</i> , 2021 , 221, 39-47	4.9	4
72	Early Diagnosis and Detection of Progression. 2021 , 41-53		
71	Striking the metronome in morphometric analysis of glaucoma - Shifting from Bruch's Membrane Opening - Horizontal Rim Width (BMO-HRW) to Bruch's Membrane Opening - Minimum Rim Width (BMO-MRW). <i>Indian Journal of Ophthalmology</i> , 2021 , 69, 1005-1008	1.6	
70	Imaging in Myopic Glaucoma. 2021 , 101-112		
69	Bruch's membrane opening-minimum rim width: An alternative OCT biomarker study for multiple sclerosis. <i>European Journal of Ophthalmology</i> , 2021 , 31, 2141-2149	1.9	1
68	Diagnostic capability of different morphological parameters for primary open-angle glaucoma in the Chinese population. <i>BMC Ophthalmology</i> , 2021 , 21, 151	2.3	1
67	The influence of axial myopia on optic disc characteristics of glaucoma eyes. <i>Scientific Reports</i> , 2021 , 11, 8854	4.9	4
66	The influence of different intraocular pressure on lamina cribrosa parameters in glaucoma and the relation clinical implication. <i>Scientific Reports</i> , 2021 , 11, 9755	4.9	2
65	Repeatability of Spectral Domain Optical Coherence Tomography Measurements of Bruch's Membrane Opening-Minimum Rim Width in Epiretinal Membrane Patients with Peripapillary Involvement. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
64	Structure-Function Mapping Using a Three-Dimensional Neuroretinal Rim Parameter Derived From Spectral Domain Optical Coherence Tomography Volume Scans. <i>Translational Vision Science and Technology</i> , 2021 , 10, 28	3.3	0
63	Structural and functional correlations in the pre-perimetric and the initial stages of glaucomatous optic neuropathy. <i>Rossiiskii Oftalmologicheskii Zhurnal</i> , 2021 , 14, 14-22	0.3	2

62	Changes of Neuroretinal Rim and Retinal Nerve Fiber Layer Thickness Assessed by Optical Coherence Tomography After Filtration Surgery in Glaucomatous Eyes. <i>Clinical Ophthalmology</i> , 2021 , 15, 2335-2344	2.5	0
61	Trends in Surgical Glaucoma Treatment in Germany Between 2006 and 2018. <i>Clinical Epidemiology</i> , 2021 , 13, 581-592	5.9	2
60	Glaucoma Diagnostic Testing: The Influence of Optic Disc Size. <i>Klinische Monatsblätter Fur Augenheilkunde</i> , 2021 ,	0.8	1
59	Bruch Membrane Opening Minimum Rim Width in Neuromyelitis Optica. <i>Journal of Neuro-Ophthalmology</i> , 2021 ,	2.6	0
58	Interobserver and Intertest Agreement in Telemedicine Glaucoma Screening with Optic Disk Photos and Optical Coherence Tomography. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	0
57	Progression from Ocular Hypertension into Glaucoma.		
56	Bruch Membrane Opening Minimum Rim Width and Retinal Nerve Fiber Layer Helps Differentiate Compressive Optic Neuropathy From Glaucoma. <i>American Journal of Ophthalmology</i> , 2021 , 234, 156-165 ^{4.9}	4.9	2
55	Diagnostic Classification of Bruch's Membrane Opening-Minimum Rim Width and Retinal Nerve Fiber Layer Thickness in Myopic Eyes by Optical Coherence Tomography. <i>Frontiers in Medicine</i> , 2021 , 8, 729523	4.9	1
54	Factors Associated with Increased Neuroretinal Rim Thickness Measured Based on Bruch's Membrane Opening-Minimum Rim Width after Trabeculectomy. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	0
53	Correlation of Measurements From Doppler Ultrasound and Optical Coherence Tomography in Glaucoma. <i>Journal of Ultrasound in Medicine</i> , 2021 ,	2.9	
52	Clinical Utility of Bruch Membrane Opening-Minimum Rim Width for Detecting Early Glaucoma in Myopic Eyes. <i>Journal of Glaucoma</i> , 2021 , 30, 971-980	2.1	0
51	Ophthalmic Diagnostic Imaging: Glaucoma. 2019 , 107-134		2
50	Optic Nerve: Clinical Examination. 2016 , 17-26		3
49	What's New in Structural Tests for Glaucoma. <i>Current Practices in Ophthalmology</i> , 2019 , 7-26	0	1
48	Optic nerve head three-dimensional shape analysis. <i>Journal of Biomedical Optics</i> , 2018 , 23, 1-13	3.5	6
47	Determinants of lamina cribrosa depth in healthy Asian eyes: the Singapore Epidemiology Eye Study. <i>British Journal of Ophthalmology</i> , 2021 , 105, 367-373	5.5	1
46	Optical coherence tomography and optical coherence tomography angiography in glaucoma: diagnosis, progression, and correlation with functional tests. <i>Therapeutic Advances in Ophthalmology</i> , 2020 , 12, 2515841419899822	2	6
45	Region-segmentation strategy for Bruch's membrane opening detection in spectral domain optical coherence tomography images. <i>Biomedical Optics Express</i> , 2019 , 10, 526-538	3.5	5

44	Clinical-Evolutionary Staging System of Primary Open-Angle Glaucoma Using Optical Coherence Tomography. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	1
43	Spectralis OCT1 versus OCT2: Time Efficiency and Image Quality of Retinal Nerve Fiber Layer Thickness and Bruch's Membrane Opening Analysis for Glaucoma Patients. <i>Journal of Current Glaucoma Practice</i> , 2019 , 13, 16-20	1.1	3
42	Spotlight on the Disc-Damage Likelihood Scale (DDLS). <i>Clinical Ophthalmology</i> , 2021 , 15, 4059-4071	2.5	0
41	Structure and Function Relationship in Glaucoma. 2016 , 281-303		
40	Optic Nerve Head and RNFL Imaging: Comparison of Technologies. 2016 , 63-70		
39	The Next Frontier of Imaging in Ophthalmology: Machine Learning and Tissue Biomechanics. <i>Modeling and Simulation in Science, Engineering and Technology</i> , 2019 , 581-597	0.8	
38	Evaluation of Glaucomatous Structural Changes. 2019 , 79-88		
37	Effect of Changing Heart Rate on the Ocular Pulse and Dynamic Biomechanical Behavior of the Optic Nerve Head.		
36	Diagnostic capability of a linear discriminant function applied to a novel Spectralis OCT glaucoma-detection protocol.		
35	Utilizing Optical Coherence Tomography in Glaucoma Management. <i>Essentials in Ophthalmology</i> , 2020 , 19-32	0.2	
34	Future Novel Imaging Methods. <i>Essentials in Ophthalmology</i> , 2020 , 99-124	0.2	
33	Deep learning approaches for segmenting Bruch's membrane opening from OCT volumes. <i>OSA Continuum</i> , 2020 , 3, 3351	1.4	4
32	Diagnostic Ability and Reproducibility of Retinal Nerve Fiber Layer Thickness Measurement Based on Bruch's Membrane Opening. <i>Journal of the Korean Glaucoma Society</i> , 2020 , 9, 43	0.2	
31	Bruch's Membrane Minimum Rim Width in a Normal Korean Population. <i>Journal of the Korean Glaucoma Society</i> , 2020 , 9, 24	0.2	1
30	Diagnostic capability of a linear discriminant function applied to a novel Spectralis OCT glaucoma-detection protocol. <i>BMC Ophthalmology</i> , 2020 , 20, 35	2.3	3
29	OCT and Glaucoma: Interpretation. 2021 , 579-603		
28	Repeatability of Bruch's Membrane Opening-minimum Rim Width in Age-related Macular Degeneration and Diabetic Macular Edema. <i>Journal of Korean Ophthalmological Society</i> , 2021 , 62, 1490-1501	0.2	1
27	A comprehensive enhanced depth imaging spectral-domain optical coherence tomography analysis of pseudoexfoliation spectrum from non-glaucomatous to advanced stage glaucoma in the aspect of Bruch's membrane opening-minimum rim width.. <i>International Ophthalmology</i> , 2022 , 1	2.2	

26	A personalized approach to preclinical diagnosis and initial therapy of primary glaucoma based on a comprehensive structural and functional examination. A clinical case. <i>Rossiiskii Oftalmologicheskii Zhurnal</i> , 2022 , 14, 110-117	0.3	
25	A Robust Microbead Occlusion Model of Glaucoma for the Common Marmoset.. <i>Translational Vision Science and Technology</i> , 2022 , 11, 14	3.3	2
24	Ophthalmic imaging for the diagnosis and monitoring of glaucoma: A review.. <i>Clinical and Experimental Ophthalmology</i> , 2022 ,	2.4	0
23	Bruch's membrane opening detection accuracy in healthy and glaucoma eyes with and without axial high myopia in an American and Korean cohort.. <i>American Journal of Ophthalmology</i> , 2021 ,	4.9	0
22	Retinal Nerve Fiber Layer-to-Disc Ratio Distinguishing Glaucoma from Nonarteritic Anterior Ischemic Optic Neuropathy. <i>Journal of Korean Ophthalmological Society</i> , 2022 , 63, 191-201	0.2	0
21	Corneal Hysteresis and Rates of Neuroretinal Rim Change in Glaucoma.. <i>Ophthalmology Glaucoma</i> , 2022 ,	2.2	
20	Short-term changes in Bruch's membrane opening-based morphometrics during the first week after trabeculectomy.. <i>Graefers Archive for Clinical and Experimental Ophthalmology</i> , 2022 , 1	3.8	0
19	New views on three-dimensional imaging technologies for glaucoma: an overview. <i>Current Opinion in Ophthalmology</i> , 2021 , 33,	5.1	
18	Comparison of Optic Disc Ovality Index and Rotation Angle Measurements in Myopic Eyes Using Photography and OCT Based Techniques. <i>Frontiers in Medicine</i> , 9,	4.9	2
17	Quantifying biomarkers of axonal degeneration in early glaucoma to find the disc at risk. <i>Scientific Reports</i> , 2022 , 12,	4.9	0
16	The application of advanced imaging techniques in glaucoma. <i>Expert Review of Ophthalmology</i> ,	1.5	
15	The correlation of peripapillary and juxtapapillary choroidal thickness in healthy subjects.		0
14	Reproducibility of Neuroretinal Rim Measurements Obtained from High-Density Spectral Domain Optical Coherence Tomography Volume Scans. Volume 16, 2595-2608		0
13	Intra-Operative Mounted Optical Coherence Tomography Findings Following Reversal of Optic Nerve Head Cupping in Childhood Glaucoma. 2022 ,		
12	Comparison of lamina cribrosa depth shallowing after trabeculectomy between primary open-angle glaucoma and exfoliation glaucoma. 2022 , 12,		0
11	Glaucoma Detection in Myopic Eyes: Structural and Vascular Assessment by Optical Coherence Tomography Methods. Publish Ahead of Print,		0
10	Racial Differences in Detection of Glaucoma Using Retinal Nerve Fiber Layer Thickness and Bruch's Membrane Opening Minimum Rim Width. 2022 ,		0
9	Combined Model of OCT Angiography and Structural OCT Parameters to Predict Paracentral Visual Field Loss in Primary Open-Angle Glaucoma. 2022 ,		0

- 8 Deep learning classification of early normal-tension glaucoma and glaucoma suspect eyes using Bruch's membrane opening-based disc photography. 9, ○
- 7 Geometric Deep Learning to Identify the Critical 3D Structural Features of the Optic Nerve Head for Glaucoma Diagnosis. **2023**, ○
- 6 Facilitating glaucoma diagnosis with inter-eye neuroretinal rim asymmetry analysis using spectral domain optical coherence tomography. **2022**, 28, 100-109 ○
- 5 Minimum Rim Width and Peripapillary Retinal Nerve Fiber Layer Thickness for Diagnosing Early to Moderate Glaucoma. Publish Ahead of Print, ○
- 4 Effect of Conventional Cataract Surgery and Femtosecond Laser-Assisted Cataract Surgery on Bruch's Membrane Opening-Minimum Rim Width, Retinal Nerve Fiber Layer, and Macular Thickness. **2023**, 2023, 1-8 ○
- 3 Prevalence and Characteristics of Peripapillary Gamma Zone in Children With Different Refractive Status: The Hong Kong Children Eye Study. **2023**, 64, 4 ○
- 2 Accurate C/D ratio estimation with elliptical fitting for OCT image based on joint segmentation and detection network. **2023**, 106903 ○
- 1 Differences in optic nerve head structure between acute angle-closure glaucoma and open-angle glaucoma. **2023**, 13, ○