

# Few-Layer MoS<sub>2</sub> with High Broadband Photoresponse for Use in Harsh Environments

ACS Nano

7, 3905-3911

DOI: 10.1021/nn305301b

Citation Report

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 5  | Epitaxial Monolayer MoS <sub>2</sub> on Mica with Novel Photoluminescence. Nano Letters, 2013, 13, 3870-3877.  | 4.5  | 512       |
| 6  | Hybrid ZnO NR/graphene structures as advanced optoelectronic devices with high transmittance. Nanoscale Research Letters, 2013, 8, 350.  | 3.1  | 9         |
| 7  | Photoconductivity of solution-processed MoS <sub>2</sub> films. Journal of Materials Chemistry C, 2013, 1, 6899.   | 2.7  | 99        |
| 8  | Two-Dimensional Crystals: Managing Light for Optoelectronics. ACS Nano, 2013, 7, 5660-5665.  | 7.3  | 398       |
| 9  | High-performance photocurrent generation from two-dimensional WS <sub>2</sub> field-effect transistors. Applied Physics Letters, 2014, 104, .                                      | 1.5  | 88        |
| 10 | Photoluminescence of MoS <sub>2</sub> Prepared by Effective Grinding-Assisted Sonication Exfoliation. Journal of Nanomaterials, 2014, 2014, 1-7.                                   | 1.5  | 30        |
| 11 | Bias-tunable dual-mode ultraviolet photodetectors for photoelectric tachometer. Applied Physics Letters, 2014, 104, .  | 1.5  | 29        |
| 12 | High blue-near ultraviolet photodiode response of vertically stacked graphene-MoS <sub>2</sub> -metal heterostructures. Applied Physics Letters, 2014, 104, .                      | 1.5  | 33        |
| 13 | Photoresponse properties of large-area MoS <sub>2</sub> atomic layer synthesized by vapor phase deposition. Journal of Applied Physics, 2014, 116, .                               | 1.1  | 42        |
| 14 | Ternary CuIn <sub>7</sub> Se <sub>11</sub> : Towards Ultra-Thin Layered Photodetectors and Photovoltaic Devices. Advanced Materials, 2014, 26, 7666-7672.                          | 11.1 | 43        |
| 15 | 25th Anniversary Article: Hybrid Nanostructures Based on Two-Dimensional Nanomaterials. Advanced Materials, 2014, 26, 2185-2204.   | 11.1 | 579       |
| 16 | High performance few-layer GaS photodetector and its unique photo-response in different gas environments. Nanoscale, 2014, 6, 2582-2587.   | 2.8  | 169       |
| 17 | Few-Layer MoS <sub>2</sub> : A Promising Layered Semiconductor. ACS Nano, 2014, 8, 4074-4099.  | 7.3  | 1,181     |
| 18 | Trilayered MoS <sub>2</sub> Metal-Semiconductor-Metal Photodetectors: Photogain and Radiation Resistance. IEEE Journal of Selected Topics in Quantum Electronics, 2014, 20, 30-35. | 1.9  | 40        |
| 19 | Enhancement of Photovoltaic Response in Multilayer MoS <sub>2</sub> Induced by Plasma Doping. ACS Nano, 2014, 8, 5270-5281.  | 7.3  | 344       |
| 20 | Emerging Device Applications for Semiconducting Two-Dimensional Transition Metal Dichalcogenides. ACS Nano, 2014, 8, 1102-1120.  | 7.3  | 2,307     |
| 21 | Evolution of the Electronic Band Structure and Efficient Photo-Detection in Atomic Layers of InSe. ACS Nano, 2014, 8, 1263-1272.   | 7.3  | 534       |
| 22 | Edge-states ferromagnetism of WS <sub>2</sub> nanosheets. Applied Physics Letters, 2014, 104, .  | 1.5  | 42        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 23 | Nitrogen-Doped Graphene/Platinum Counter Electrodes for Dye-Sensitized Solar Cells. ACS Photonics, 2014, 1, 1264-1269.  | 3.2  | 35        |
| 24 | See-Through $\text{Ga}_2\text{O}_3$ Solar-Blind Photodetectors for Use in Harsh Environments. IEEE Journal of Selected Topics in Quantum Electronics, 2014, 20, 112-117.                                    | 1.9  | 49        |
| 25 | Broadband ultrafast nonlinear absorption and nonlinear refraction of layered molybdenum dichalcogenide semiconductors. Nanoscale, 2014, 6, 10530-10535.   | 2.8  | 328       |
| 26 | Role of Metal Contacts in High-Performance Phototransistors Based on $\text{WSe}_2$ Monolayers. ACS Nano, 2014, 8, 8653-8661.   | 7.3  | 380       |
| 27 | Inkjet Printing of $\text{MoS}_2$ . Advanced Functional Materials, 2014, 24, 6524-6531.   | 7.8  | 210       |
| 28 | Extraordinary attributes of 2-dimensional $\text{MoS}_2$ nanosheets. Chemical Physics Letters, 2014, 609, 172-183.  | 1.2  | 141       |
| 29 | Novel and Enhanced Optoelectronic Performances of Multilayer $\text{MoS}_2$ $\text{WSe}_2$ Heterostructure Transistors. Advanced Functional Materials, 2014, 24, 7025-7031.                                 | 7.8  | 388       |
| 30 | Monolayer $\text{MoS}_2$ Heterojunction Solar Cells. ACS Nano, 2014, 8, 8317-8322.  | 7.3  | 1,081     |
| 31 | Concurrent Improvement in Photogain and Speed of a Metal Oxide Nanowire Photodetector through Enhancing Surface Band Bending via Incorporating a Nanoscale Heterojunction. ACS Photonics, 2014, 1, 354-359. | 3.2  | 61        |
| 32 | Mechanisms of Photoconductivity in Atomically Thin $\text{MoS}_2$ . Nano Letters, 2014, 14, 6165-6170.  | 4.5  | 563       |
| 33 | Towards large area and continuous $\text{MoS}_2$ atomic layers via vapor-phase growth: thermal vapor sulfurization. Nanotechnology, 2014, 25, 405702.   | 1.3  | 54        |
| 34 | Photodetectors based on graphene, other two-dimensional materials and hybrid systems. Nature Nanotechnology, 2014, 9, 780-793.  | 15.6 | 3,017     |
| 35 | Transition Metal Embedded Two-Dimensional $\text{C}_3\text{N}_4$ $\text{Graphene}$ Nanocomposite: A Multifunctional Material. Journal of Physical Chemistry C, 2014, 118, 15487-15494.                      | 1.5  | 93        |
| 36 | Flexible and stretchable thin-film transistors based on molybdenum disulphide. Physical Chemistry Chemical Physics, 2014, 16, 14996.  | 1.3  | 56        |
| 37 | Synthesis and Systematic Trends in Structure and Electrical Properties of $[(\text{SnSe})_{1.15}\text{m}(\text{VSe}_2)_1]$ , $m = 1, 2, 3$ , and 4. Chemistry of Materials, 2014, 26, 2862-2872.            | 3.2  | 33        |
| 38 | CVD-grown monolayered $\text{MoS}_2$ as an effective photosensor operating at low-voltage. 2D Materials, 2014, 1, 011004.   | 2.0  | 195       |
| 39 | Improved Photoelectrical Properties of $\text{MoS}_2$ Films after Laser Micromachining. ACS Nano, 2014, 8, 6334-6343.   | 7.3  | 112       |
| 40 | Controllable Synthesis of Band-Gap-Tunable and Monolayer Transition-Metal Dichalcogenide Alloys. Frontiers in Energy Research, 2014, 2, .   | 1.2  | 84        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 41 | Broadband and enhanced nonlinear optical response of MoS <sub>2</sub> /graphene nanocomposites for ultrafast photonics applications. <i>Scientific Reports</i> , 2015, 5, 16372.   | 1.6  | 174       |
| 42 | Ternary SnS <sub>2</sub> -xSex Alloys Nanosheets and Nanosheet Assemblies with Tunable Chemical Compositions and Band Gaps for Photodetector Applications. <i>Scientific Reports</i> , 2015, 5, 17109.                                     | 1.6  | 54        |
| 43 | Strain induced piezoelectric effect in black phosphorus and MoS <sub>2</sub> van der Waals heterostructure. <i>Scientific Reports</i> , 2015, 5, 16448.  | 1.6  | 88        |
| 44 | Layer-transferred MoS <sub>2</sub> /GaN PN diodes. <i>Applied Physics Letters</i> , 2015, 107, .   | 1.5  | 69        |
| 45 | Size-Dependent Optical Absorption of Layered MoS <sub>2</sub> and DNA Oligonucleotides Induced Dispersion Behavior for Label-Free Detection of Single-Nucleotide Polymorphism. <i>Advanced Functional Materials</i> , 2015, 25, 3541-3550. | 7.8  | 123       |
| 46 | Effect of hydrogen on the growth of MoS <sub>2</sub> thin layers by thermal decomposition method. <i>Vacuum</i> , 2015, 119, 204-208.  | 1.6  | 30        |
| 47 | An Optoelectronic Resistive Switching Memory with Integrated Demodulating and Arithmetic Functions. <i>Advanced Materials</i> , 2015, 27, 2797-2803.   | 11.1 | 174       |
| 48 | High Photoresponsivity and Short Photoresponse Times in Few-Layered WSe <sub>2</sub> Transistors. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 12080-12088.  | 4.0  | 111       |
| 49 | Infrared light gated MoS <sub>2</sub> field effect transistor. <i>Optics Express</i> , 2015, 23, 31908.  | 1.7  | 18        |
| 50 | Sandwich-structured Cu <sub>2</sub> O photodetectors enhanced by localized surface plasmon resonances. <i>Applied Surface Science</i> , 2015, 332, 340-345.  | 3.1  | 24        |
| 51 | Flexible photodetector from ultraviolet to near infrared based on a SnS <sub>2</sub> nanosheet microsphere film. <i>Journal of Materials Chemistry C</i> , 2015, 3, 1347-1353.   | 2.7  | 150       |
| 52 | Strong enhancement of photoresponsivity with shrinking the electrodes spacing in few layer GaSe photodetectors. <i>Scientific Reports</i> , 2015, 5, 8130.   | 1.6  | 106       |
| 53 | Chemical Vapor Deposition of Thin Crystals of Layered Semiconductor SnS <sub>2</sub> for Fast Photodetection Application. <i>Nano Letters</i> , 2015, 15, 506-513.   | 4.5  | 430       |
| 54 | How to get between the sheets: a review of recent works on the electrochemical exfoliation of graphene materials from bulk graphite. <i>Nanoscale</i> , 2015, 7, 6944-6956.  | 2.8  | 320       |
| 55 | Probing excitonic states in suspended two-dimensional semiconductors by photocurrent spectroscopy. <i>Scientific Reports</i> , 2014, 4, 6608.  | 1.6  | 351       |
| 56 | Surface Plasmon-Enhanced Photodetection in Few Layer MoS <sub>2</sub> Phototransistors with Au Nanostructure Arrays. <i>Small</i> , 2015, 11, 2392-2398.   | 5.2  | 359       |
| 57 | Engineering Light Outcoupling in 2D Materials. <i>Nano Letters</i> , 2015, 15, 1356-1361.  | 4.5  | 138       |
| 58 | Synthesis and Transport Properties of Large-Scale Alloy Co <sub>0.16</sub> Mo <sub>0.84</sub> S <sub>2</sub> Bilayer Nanosheets. <i>ACS Nano</i> , 2015, 9, 1257-1262.   | 7.3  | 79        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 59 | Effect of focused ion beam deposition induced contamination on the transport properties of nano devices. <i>Nanotechnology</i> , 2015, 26, 055705.  | 1.3  | 13        |
| 60 | Fabrication of Ultrathin Bi <sub>2</sub> S <sub>3</sub> Nanosheets for High-Performance, Flexible, Visible-NIR Photodetectors. <i>Small</i> , 2015, 11, 2848-2855.  | 5.2  | 205       |
| 61 | Electric-Field Tunable Band Offsets in Black Phosphorus and MoS <sub>2</sub> van der Waals p-n Heterostructure. <i>Journal of Physical Chemistry Letters</i> , 2015, 6, 2483-2488.  | 2.1  | 193       |
| 62 | Direct Observation of Degenerate Two-Photon Absorption and Its Saturation in WS <sub>2</sub> and MoS <sub>2</sub> Monolayer and Few-Layer Films. <i>ACS Nano</i> , 2015, 9, 7142-7150.  | 7.3  | 322       |
| 63 | Highly Sensitive Wide Bandwidth Photodetector Based on Internal Photoemission in CVD Grown p-Type MoS <sub>2</sub> /Graphene Schottky Junction. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 15206-15213.         | 4.0  | 98        |
| 64 | Flexible phototransistors based on graphene nanoribbon decorated with MoS <sub>2</sub> nanoparticles. <i>Sensors and Actuators A: Physical</i> , 2015, 232, 285-291.  | 2.0  | 18        |
| 65 | Tunable Electrical and Optical Characteristics in Monolayer Graphene and Few-Layer MoS <sub>2</sub> Heterostructure Devices. <i>Nano Letters</i> , 2015, 15, 5017-5024.   | 4.5  | 150       |
| 66 | Supercapacitors based on patronite-reduced graphene oxide hybrids: experimental and theoretical insights. <i>Journal of Materials Chemistry A</i> , 2015, 3, 18874-18881.   | 5.2  | 67        |
| 67 | Highly responsive MoS <sub>2</sub> photodetectors enhanced by graphene quantum dots. <i>Scientific Reports</i> , 2015, 5, 11830.  | 1.6  | 155       |
| 68 | Two-dimensional MoS <sub>2</sub> : Properties, preparation, and applications. <i>Journal of Materiomics</i> , 2015, 1, 33-44.   | 2.8  | 597       |
| 69 | Photocurrent generation with two-dimensional van der Waals semiconductors. <i>Chemical Society Reviews</i> , 2015, 44, 3691-3718.   | 18.7 | 802       |
| 70 | Layered ultrathin PbI <sub>2</sub> single crystals for high sensitivity flexible photodetectors. <i>Journal of Materials Chemistry C</i> , 2015, 3, 4402-4406.  | 2.7  | 119       |
| 71 | Interlayer coupling and optoelectronic properties of ultrathin two-dimensional heterostructures based on graphene, MoS <sub>2</sub> and WS <sub>2</sub> . <i>Journal of Materials Chemistry C</i> , 2015, 3, 5467-5473.       | 2.7  | 85        |
| 72 | Novel Optical and Electrical Transport Properties in Atomically Thin WSe <sub>2</sub> /MoS <sub>2</sub> p-n Heterostructures. <i>Advanced Electronic Materials</i> , 2015, 1, 1400066.  | 2.6  | 67        |
| 73 | Few-layer MoS <sub>2</sub> saturable absorbers for short-pulse laser technology: current status and future perspectives [Invited]. <i>Photonics Research</i> , 2015, 3, A30.  | 3.4  | 185       |
| 74 | Investigation of Band-Offsets at Monolayer-Multilayer MoS <sub>2</sub> Junctions by Scanning Photocurrent Microscopy. <i>Nano Letters</i> , 2015, 15, 2278-2284.  | 4.5  | 141       |
| 75 | Layer Number Dependence of MoS <sub>2</sub> Photoconductivity Using Photocurrent Spectral Atomic Force Microscopic Imaging. <i>ACS Nano</i> , 2015, 9, 2843-2855.   | 7.3  | 84        |
| 76 | MoS <sub>2</sub> /Si Heterojunction with Vertically Standing Layered Structure for Ultrafast, High-Detectivity, Self-Driven Visible-Near Infrared Photodetectors. <i>Advanced Functional Materials</i> , 2015, 25, 2910-2919. | 7.8  | 554       |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 77 | Comparative Study of Potential Applications of Graphene, MoS <sub>2</sub> , and Other Two-Dimensional Materials in Energy Devices, Sensors, and Related Areas. ACS Applied Materials & Interfaces, 2015, 7, 7809-7832. | 4.0 | 362       |
| 78 | Observation of two polytypes of MoS <sub>2</sub> ultrathin layers studied by second harmonic generation microscopy and photoluminescence. Applied Physics Letters, 2015, 106, .  | 1.5 | 39        |
| 79 | Growth and optical characterization of MoS <sub>2</sub> single crystals with different dopants. Optik, 2015, 126, 666-670.   | 1.4 | 7         |
| 80 | Growth of large-area atomically thin MoS <sub>2</sub> film via ambient pressure chemical vapor deposition. Photonics Research, 2015, 3, 110.   | 3.4 | 17        |
| 81 | Large-scale two-dimensional MoS <sub>2</sub> photodetectors by magnetron sputtering. Optics Express, 2015, 23, 13580.  | 1.7 | 93        |
| 82 | Photovoltaic response in pristine WSe <sub>2</sub> layers modulated by metal-induced surface-charge-transfer doping. Applied Physics Letters, 2015, 107, .   | 1.5 | 30        |
| 83 | Highly Sensitive, Encapsulated MoS <sub>2</sub> Photodetector with Gate Controllable Gain and Speed. Nano Letters, 2015, 15, 7307-7313.  | 4.5 | 515       |
| 84 | Ultra-broadband and high-responsive photodetectors based on bismuth film at room temperature. Scientific Reports, 2015, 5, 12320.  | 1.6 | 79        |
| 85 | Low frequency noise characteristics in multilayer WSe <sub>2</sub> field effect transistor. Applied Physics Letters, 2015, 106, .  | 1.5 | 30        |
| 86 | Pressure-Modulated Conductivity, Carrier Density, and Mobility of Multilayered Tungsten Disulfide. ACS Nano, 2015, 9, 9117-9123.   | 7.3 | 120       |
| 87 | Functional Nanomaterial Devices. , 2015, , 155-193.  |     | 0         |
| 88 | Enhancement of photodetection characteristics of MoS <sub>2</sub> field effect transistors using surface treatment with copper phthalocyanine. Nanoscale, 2015, 7, 18780-18788.  | 2.8 | 101       |
| 89 | Photocurrent Response in Multiwalled Carbon Nanotube Core-Molybdenum Disulfide Shell Heterostructures. Journal of Physical Chemistry C, 2015, 119, 24588-24596.  | 1.5 | 20        |
| 90 | Black Phosphorus: Narrow Gap, Wide Applications. Journal of Physical Chemistry Letters, 2015, 6, 4280-4291.  | 2.1 | 631       |
| 91 | Stable, highly-responsive and broadband photodetection based on large-area multilayered WS <sub>2</sub> films grown by pulsed-laser deposition. Nanoscale, 2015, 7, 14974-14981.                                       | 2.8 | 274       |
| 92 | Tunable electronic structures in the two-dimension SnX <sub>2</sub> (X = S and Se) nanosheets by stacking effects. Applied Surface Science, 2015, 356, 1200-1206.  | 3.1 | 17        |
| 93 | 3D Band Diagram and Photoexcitation of 2D-3D Semiconductor Heterojunctions. Nano Letters, 2015, 15, 5919-5925.   | 4.5 | 33        |
| 94 | New concept ultraviolet photodetectors. Materials Today, 2015, 18, 493-502.  | 8.3 | 661       |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 95  | Hydrothermal Synthesis of Novel MoS <sub>2</sub> /BiVO <sub>4</sub> Hetero-Nanoflowers with Enhanced Photocatalytic Activity and a Mechanism Investigation. Journal of Physical Chemistry C, 2015, 119, 22681-22689. | 1.5  | 189       |
| 96  | Two-dimensional transition metal dichalcogenides: Clusters, ribbons, sheets and more. Nano Today, 2015, 10, 559-592.   | 6.2  | 107       |
| 97  | Thickness-dependent Raman spectra, transport properties and infrared photoresponse of few-layer black phosphorus. Journal of Materials Chemistry C, 2015, 3, 10974-10980.  | 2.7  | 98        |
| 98  | Organic Electronics Materials and Devices. , 2015, , .   |      | 35        |
| 99  | Hybrid 2D <sup>OD</sup> MoS <sub>2</sub> â€PbS Quantum Dot Photodetectors. Advanced Materials, 2015, 27, 176-180.  | 11.1 | 638       |
| 100 | Ultrahigh-Gain Photodetectors Based on Atomically Thin Graphene-MoS <sub>2</sub> Heterostructures. Scientific Reports, 2014, 4, 3826.  | 1.6  | 771       |
| 101 | Grapheneâ€MoS <sub>2</sub> hybrid nanostructures enhanced surface plasmon resonance biosensors. Sensors and Actuators B: Chemical, 2015, 207, 801-810.   | 4.0  | 385       |
| 102 | Deep-ultraviolet-light-driven reversible doping of WS <sub>2</sub> field-effect transistors. Nanoscale, 2015, 7, 747-757.  | 2.8  | 62        |
| 103 | Harsh photovoltaics using InGaN/GaN multiple quantum well schemes. Nano Energy, 2015, 11, 104-109.   | 8.2  | 49        |
| 104 | Large variations in both dark- and photoconductivity in nanosheet networks as nanomaterial is varied from MoS <sub>2</sub> to WTe <sub>2</sub> . Nanoscale, 2015, 7, 198-208.  | 2.8  | 76        |
| 105 | Photoresponsive and Gas Sensing Field-Effect Transistors based on Multilayer WS <sub>2</sub> Nanoflakes. Scientific Reports, 2014, 4, 5209.  | 1.6  | 377       |
| 106 | Optoelectronic Devices Based on Atomically Thin Transition Metal Dichalcogenides. Applied Sciences (Switzerland), 2016, 6, 78.   | 1.3  | 96        |
| 107 | Recent advances in optoelectronic properties and applications of two-dimensional metal chalcogenides. Journal of Semiconductors, 2016, 37, 051001.   | 2.0  | 75        |
| 108 | 2Dâ€Crystalâ€Based Functional Inks. Advanced Materials, 2016, 28, 6136-6166.   | 11.1 | 371       |
| 109 | In Situ Fabrication of Vertical Multilayered MoS <sub>2</sub> /Si Homotype Heterojunction for High-Speed Visible-Near-Infrared Photodetectors. Small, 2016, 12, 1062-1071.   | 5.2  | 185       |
| 110 | Broad Detection Range Rhenium Diselenide Photodetector Enhanced by (3â€Aminopropyl)Triethoxysilane and Triphenylphosphine Treatment. Advanced Materials, 2016, 28, 6711-6718.  | 11.1 | 72        |
| 111 | Atomically Thin MoS <sub>2</sub> : A Versatile Nongraphene 2D Material. Advanced Functional Materials, 2016, 26, 2046-2069.  | 7.8  | 220       |
| 112 | Largeâ€Area Bilayer ReS <sub>2</sub> Film/Multilayer ReS <sub>2</sub> Flakes Synthesized by Chemical Vapor Deposition for High Performance Photodetectors. Advanced Functional Materials, 2016, 26, 4551-4560.       | 7.8  | 199       |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 113 | Exciton formation assisted by longitudinal optical phonons in monolayer transition metal dichalcogenides. Journal of Applied Physics, 2016, 120, .  | 1.1  | 34        |
| 114 | Non-linear excitation of quantum emitters in hexagonal boron nitride multilayers. APL Photonics, 2016, 1, .   | 3.0  | 43        |
| 115 | Photodetection in p-n junctions formed by electrolyte-gated transistors of two-dimensional crystals. Applied Physics Letters, 2016, 109, .  | 1.5  | 15        |
| 116 | Photonics and optoelectronics of 2D semiconductor transition metal dichalcogenides. Nature Photonics, 2016, 10, 216-226.  | 15.6 | 2,779     |
| 117 | Photo-Electrical Properties of Trilayer MoSe <sub>2</sub> Nanoflakes. Nano, 2016, 11, 1650082.  | 0.5  | 19        |
| 118 | Van der Waals stacked 2D layered materials for optoelectronics. 2D Materials, 2016, 3, 022001.  | 2.0  | 213       |
| 119 | Sensitivity Enhancement of MoS <sub>2</sub> Nanosheet based Surface Plasmon Resonance Biosensor. Procedia Engineering, 2016, 140, 134-139.  | 1.2  | 63        |
| 120 | Multilayer ReS <sub>2</sub> lateral p-n homojunction for photoemission and photodetection. Applied Physics Express, 2016, 9, 055201.  | 1.1  | 19        |
| 121 | Trap-induced photoresponse of solution-synthesized MoS <sub>2</sub> . Nanoscale, 2016, 8, 9193-9200.  | 2.8  | 52        |
| 122 | Contacts between Two- and Three-Dimensional Materials: Ohmic, Schottky, and p-n Heterojunctions. ACS Nano, 2016, 10, 4895-4919.   | 7.3  | 308       |
| 123 | Electrochemical Intercalation of Lithium Ions into NbSe <sub>2</sub> Nanosheets. ACS Applied Materials & Interfaces, 2016, 8, 11390-11395.  | 4.0  | 56        |
| 124 | Fiber optic humidity sensing with few layers molybdenum disulfide. Proceedings of SPIE, 2016, , .   | 0.8  | 2         |
| 125 | Photodetectors based on two dimensional materials. Journal of Semiconductors, 2016, 37, 091001.   | 2.0  | 29        |
| 126 | Large scale, highly efficient and self-powered UV photodetectors enabled by all-solid-state n-TiO <sub>2</sub> nanowell/p-NiO mesoporous nanosheet heterojunctions. Journal of Materials Chemistry C, 2016, 4, 10032-10039.     | 2.7  | 168       |
| 127 | Visualization of Defect-Induced Excitonic Properties of the Edges and Grain Boundaries in Synthesized Monolayer Molybdenum Disulfide. Journal of Physical Chemistry C, 2016, 120, 24080-24087.                                  | 1.5  | 20        |
| 128 | n-MoS <sub>2</sub> /p-Si Solar Cells with Al <sub>2</sub> O <sub>3</sub> Passivation for Enhanced Photogeneration. ACS Applied Materials & Interfaces, 2016, 8, 29383-29390.  | 4.0  | 77        |
| 129 | Direct Vapor Phase Growth and Optoelectronic Application of Large Band Offset SnS <sub>2</sub> /MoS <sub>2</sub> Vertical Bilayer Heterostructures with High Lattice Mismatch. Advanced Electronic Materials, 2016, 2, 1600298. | 2.6  | 155       |
| 130 | Current-Temperature Scaling for a Schottky Interface with Nonparabolic Energy Dispersion. Physical Review Applied, 2016, 6, .   | 1.5  | 47        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 131 | Ultrafast, Broadband Photodetector Based on MoSe <sub>2</sub> /Silicon Heterojunction with Vertically Standing Layered Structure Using Graphene as Transparent Electrode. <i>Advanced Science</i> , 2016, 3, 1600018. | 5.6 | 210       |
| 132 | Review of photo response in semiconductor transition metal dichalcogenides based photosensitive devices. <i>Optical Materials Express</i> , 2016, 6, 2313.  | 1.6 | 44        |
| 133 | Fast High-Responsivity Few-Layer MoTe <sub>2</sub> Photodetectors. <i>Advanced Optical Materials</i> , 2016, 4, 1750-1754.  | 3.6 | 109       |
| 134 | High-Performance MoS <sub>2</sub> /CuO Nanosheet-on-One-Dimensional Heterojunction Photodetectors. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 33955-33962.  | 4.0 | 64        |
| 135 | Theoretical Study of Transition Metal Dichalcogenides. , 2016, , 157-178.   |     | 1         |
| 136 | Ultrathin 2D Photodetectors Utilizing Chemical Vapor Deposition Grown WS <sub>2</sub> With Graphene Electrodes. <i>ACS Nano</i> , 2016, 10, 7866-7873.  | 7.3 | 264       |
| 137 | Photoinduced Schottky Barrier Lowering in 2D Monolayer WS <sub>2</sub> Photodetectors. <i>Advanced Optical Materials</i> , 2016, 4, 1573-1581.  | 3.6 | 62        |
| 138 | High-gain complementary metal-oxide-semiconductor inverter based on multi-layer WSe <sub>2</sub> field effect transistors without doping. <i>Semiconductor Science and Technology</i> , 2016, 31, 105001.             | 1.0 | 10        |
| 139 | Improved Gate Dielectric Deposition and Enhanced Electrical Stability for Single-Layer MoS <sub>2</sub> MOSFET with an AlN Interfacial Layer. <i>Scientific Reports</i> , 2016, 6, 27676.                             | 1.6 | 39        |
| 140 | MoS <sub>2</sub> memristor with photoresistive switching. <i>Scientific Reports</i> , 2016, 6, 31224.   | 1.6 | 66        |
| 141 | Sensitivity Enhancement of Transition Metal Dichalcogenides/Silicon Nanostructure-based Surface Plasmon Resonance Biosensor. <i>Scientific Reports</i> , 2016, 6, 28190.  | 1.6 | 299       |
| 142 | Sequential Solvent Exchange Method for Controlled Exfoliation of MoS <sub>2</sub> Suitable for Phototransistor Fabrication. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 31179-31191.                     | 4.0 | 51        |
| 143 | High-responsivity UV-Vis Photodetector Based on Transferable WS <sub>2</sub> Film Deposited by Magnetron Sputtering. <i>Scientific Reports</i> , 2016, 6, 20343.  | 1.6 | 230       |
| 144 | Photo-Carrier Multi-Dynamical Imaging at the Nanometer Scale in Organic and Inorganic Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 31460-31468.  | 4.0 | 24        |
| 145 | The WS <sub>2</sub> quantum dot: preparation, characterization and its optical limiting effect in polymethylmethacrylate. <i>Nanotechnology</i> , 2016, 27, 414005.   | 1.3 | 36        |
| 146 | Modulating Electronic Properties of Monolayer MoS <sub>2</sub> <i>via</i> Electron-Withdrawing Functional Groups of Graphene Oxide. <i>ACS Nano</i> , 2016, 10, 10446-10453.  | 7.3 | 41        |
| 147 | Photo-FETs: Phototransistors Enabled by 2D and 0D Nanomaterials. <i>ACS Photonics</i> , 2016, 3, 2197-2210.   | 3.2 | 217       |
| 148 | Elimination of the gate and drain bias stresses in $I_{ds}$ characteristics of WSe <sub>2</sub> FETs by using dual channel pulse measurement. <i>Applied Physics Letters</i> , 2016, 109, 053503.                     | 1.5 | 9         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 149 | Ultra-thin Layered Ternary Single Crystals [Sn(S <sub>x</sub> Se <sub>1-x</sub> ) <sub>2</sub> ] with Bandgap Engineering for High Performance Phototransistors on Versatile Substrates. <i>Advanced Functional Materials</i> , 2016, 26, 3630-3638.        | 7.8 | 77        |
| 150 | The electronic and optical properties of Tungsten Disulfide under high pressure. <i>Chemical Physics Letters</i> , 2016, 651, 257-260.  | 1.2 | 6         |
| 151 | Patterned Peeling 2D MoS <sub>2</sub> off the Substrate. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 16546-16550.  | 4.0 | 30        |
| 152 | Temperature-dependent resonance energy transfer from CdSe/ZnS core-shell quantum dots to monolayer MoS <sub>2</sub> . <i>Nano Research</i> , 2016, 9, 2623-2631.  | 5.8 | 13        |
| 153 | Effect of MoO <sub>3</sub> constituents on the growth of MoS <sub>2</sub> nanosheets by chemical vapor deposition. <i>Materials Research Express</i> , 2016, 3, 065014.   | 0.8 | 22        |
| 154 | Effective charge separation and enhanced photocatalytic activity by the heterointerface in MoS <sub>2</sub> /reduced graphene oxide composites. <i>RSC Advances</i> , 2016, 6, 60318-60326.   | 1.7 | 32        |
| 155 | Electrical and photo-electrical properties of MoS <sub>2</sub> nanosheets with and without an Al <sub>2</sub> O <sub>3</sub> capping layer under various environmental conditions. <i>Science and Technology of Advanced Materials</i> , 2016, 17, 166-176. | 2.8 | 36        |
| 156 | Hierarchical MoS <sub>2</sub> Nanosheet@TiO <sub>2</sub> Nanotube Array Composites with Enhanced Photocatalytic and Photocurrent Performances. <i>Small</i> , 2016, 12, 1527-1536.  | 5.2 | 469       |
| 157 | Self-Powered Broadband Photodetector using Plasmonic Titanium Nitride. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 4258-4265.  | 4.0 | 109       |
| 158 | Two-dimensional layered material/silicon heterojunctions for energy and optoelectronic applications. <i>Nano Research</i> , 2016, 9, 72-93.   | 5.8 | 62        |
| 159 | Enhanced rectification, transport property and photocurrent generation of multilayer ReSe <sub>2</sub> /MoS <sub>2</sub> p-n heterojunctions. <i>Nano Research</i> , 2016, 9, 507-516.  | 5.8 | 132       |
| 160 | A self-powered organolead halide perovskite single crystal photodetector driven by a DVD-based triboelectric nanogenerator. <i>Journal of Materials Chemistry C</i> , 2016, 4, 630-636.   | 2.7 | 87        |
| 161 | A progressive route for tailoring electrical transport in MoS <sub>2</sub> . <i>Nano Research</i> , 2016, 9, 380-391.   | 5.8 | 14        |
| 162 | Monolayer MoS <sub>2</sub> /GaAs heterostructure self-driven photodetector with extremely high detectivity. <i>Nano Energy</i> , 2016, 23, 89-96.   | 8.2 | 138       |
| 163 | MoS <sub>2</sub> /InGaZnO Heterojunction Phototransistors with Broad Spectral Responsivity. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 8576-8582.   | 4.0 | 98        |
| 164 | Large scale ZrS <sub>2</sub> atomically thin layers. <i>Journal of Materials Chemistry C</i> , 2016, 4, 3143-3148.  | 2.7 | 55        |
| 165 | Enhanced photo-response in p-Si/MoS <sub>2</sub> heterojunction-based solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2016, 144, 117-127.  | 3.0 | 61        |
| 166 | Fabrication and current-voltage characteristics of Mo <sub>1-x</sub> W <sub>x</sub> S <sub>2</sub> /graphene oxide heterojunction diode. <i>Surface and Coatings Technology</i> , 2017, 320, 520-526.   | 2.2 | 0         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 167 | Enhanced light harvesting through Förster resonance energy transfer in polymer–small molecule ternary system. <i>Journal of Materials Chemistry C</i> , 2017, 5, 1136-1148.                                      | 2.7  | 26        |
| 168 | Broad-Band Photocurrent Enhancement in MoS <sub>2</sub> Layers Directly Grown on Light-Trapping Si Nanocone Arrays. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 6314-6319.                          | 4.0  | 16        |
| 169 | Ultrabroadband MoS <sub>2</sub> Photodetector with Spectral Response from 445 to 2717 nm. <i>Advanced Materials</i> , 2017, 29, 1605972.   | 11.1 | 256       |
| 170 | Mo <sup>1-x</sup> W <sup>x</sup> S <sub>2</sub> -based photodetector fabrication and photoconductive characteristics. <i>Japanese Journal of Applied Physics</i> , 2017, 56, 032201.                             | 0.8  | 2         |
| 171 | A theoretical modeling of photocurrent generation and decay in layered MoS <sub>2</sub> thin-film transistor photosensors. <i>Journal Physics D: Applied Physics</i> , 2017, 50, 065105.                         | 1.3  | 11        |
| 172 | Performance Investigation of Multilayer MoS <sub>2</sub> Thin-Film Transistors Fabricated via Mask-free Optically Induced Electrodeposition. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 8361-8370. | 4.0  | 20        |
| 173 | 2D Organic–Inorganic Hybrid Thin Films for Flexible UV–Visible Photodetectors. <i>Advanced Functional Materials</i> , 2017, 27, 1605554.   | 7.8  | 125       |
| 174 | Omnidirectional Harvesting of Weak Light Using a Graphene Quantum Dot-Modified Organic/Silicon Hybrid Device. <i>ACS Nano</i> , 2017, 11, 4564-4570.   | 7.3  | 41        |
| 175 | Optoelectronics based on 2D TMDs and heterostructures. <i>Journal of Semiconductors</i> , 2017, 38, 031002.  | 2.0  | 69        |
| 176 | Lithography-free electrical transport measurements on 2D materials by direct microprobing. <i>Journal of Materials Chemistry C</i> , 2017, 5, 11252-11258.   | 2.7  | 6         |
| 177 | Few-layered PtS <sub>2</sub> Phototransistor on h-BN with High Gain. <i>Advanced Functional Materials</i> , 2017, 27, 1701011.   | 7.8  | 176       |
| 178 | MoS <sub>2</sub> -based all-fiber humidity sensor for monitoring human breath with fast response and recovery. <i>Sensors and Actuators B: Chemical</i> , 2017, 251, 180-184.                                    | 4.0  | 146       |
| 179 | Biotunable Nanoplasmonic Filter on Few-Layer MoS <sub>2</sub> for Rapid and Highly Sensitive Cytokine Optoelectronic Immunosensing. <i>ACS Nano</i> , 2017, 11, 5697-5705.                                       | 7.3  | 48        |
| 180 | Electrical transport and persistent photoconductivity in monolayer MoS <sub>2</sub> phototransistors. <i>Nanotechnology</i> , 2017, 28, 214002.  | 1.3  | 189       |
| 181 | Fast, multicolor photodetection with graphene-contacted p-GaSe/n-InSe van der Waals heterostructures. <i>Nanotechnology</i> , 2017, 28, 27LT01.  | 1.3  | 180       |
| 182 | Recent Progress on Localized Field Enhanced Two-dimensional Material Photodetectors from Ultraviolet–Visible to Infrared. <i>Small</i> , 2017, 13, 1700894.  | 5.2  | 234       |
| 183 | Synthetic approaches to two-dimensional transition metal dichalcogenide nanosheets. <i>Progress in Materials Science</i> , 2017, 89, 411-478.  | 16.0 | 176       |
| 184 | In situ nanomechanical characterization of multi-layer MoS <sub>2</sub> membranes: from intraplanar to interplanar fracture. <i>Nanoscale</i> , 2017, 9, 9119-9128.  | 2.8  | 39        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 185 | Enhanced dielectric deposition on single-layer MoS <sub>2</sub> with low damage using remote N <sub>2</sub> plasma treatment. <i>Nanotechnology</i> , 2017, 28, 175202.  | 1.3  | 27        |
| 186 | Recent progress in high-mobility thin-film transistors based on multilayer 2D materials. <i>Journal Physics D: Applied Physics</i> , 2017, 50, 164001.   | 1.3  | 20        |
| 187 | Transition-metal dichalcogenide heterostructure solar cells: a numerical study. <i>Journal of Mathematical Chemistry</i> , 2017, 55, 50-64.  | 0.7  | 4         |
| 188 | Extremely high-performance visible light photodetector in the Sb <sub>2</sub> SeTe <sub>2</sub> nanoflake. <i>Scientific Reports</i> , 2017, 7, 45413.   | 1.6  | 31        |
| 189 | Pt-Nanostrip-Enabled Plasmonically Enhanced Broad Spectral Photodetection in Bilayer MoS <sub>2</sub> . <i>Advanced Optical Materials</i> , 2017, 5, 1700009.  | 3.6  | 43        |
| 190 | Photoresponsive field-effect transistors based on multilayer SnS <sub>2</sub> nanosheets. <i>Journal of Semiconductors</i> , 2017, 38, 034001.   | 2.0  | 23        |
| 191 | Photodetectors based on junctions of two-dimensional transition metal dichalcogenides. <i>Chinese Physics B</i> , 2017, 26, 038504.  | 0.7  | 56        |
| 192 | Enhanced photoresponse of ZnO quantum dot-decorated MoS <sub>2</sub> thin films. <i>RSC Advances</i> , 2017, 7, 16890-16900.   | 1.7  | 59        |
| 193 | Wafer-Scale Synthesis of High-Quality Semiconducting Two-Dimensional Layered InSe with Broadband Photoresponse. <i>ACS Nano</i> , 2017, 11, 4225-4236.   | 7.3  | 277       |
| 194 | Solution assembly MoS <sub>2</sub> nanopetals/GaAs n homotype heterojunction with ultrafast and low noise photoresponse using graphene as carrier collector. <i>Journal of Materials Chemistry C</i> , 2017, 5, 140-148. | 2.7  | 36        |
| 195 | Richardson constant and electrostatics in transfer-free CVD grown few-layer MoS <sub>2</sub> /graphene barristor with Schottky barrier modulation >0.6eV. <i>Applied Physics Letters</i> , 2017, 111, .                  | 1.5  | 24        |
| 196 | MoS <sub>2</sub> based photosensor detecting both light wavelength and intensity. <i>Sensors and Actuators A: Physical</i> , 2017, 266, 205-210.   | 2.0  | 0         |
| 197 | 2D TiS <sub>2</sub> Layers: A Superior Nonlinear Optical Limiting Material. <i>Advanced Optical Materials</i> , 2017, 5, 1700713.  | 3.6  | 84        |
| 198 | MoS <sub>2</sub> nanosheet photodetectors with ultrafast response. <i>Applied Physics Letters</i> , 2017, 111, .   | 1.5  | 47        |
| 199 | Inversion Domain Boundary Induced Stacking and Bandstructure Diversity in Bilayer MoSe <sub>2</sub> . <i>Nano Letters</i> , 2017, 17, 6653-6660.   | 4.5  | 51        |
| 200 | Enhancement of near-infrared detectability from InGaZnO thin film transistor with MoS <sub>2</sub> light absorbing layer. <i>Nanotechnology</i> , 2017, 28, 475206.  | 1.3  | 26        |
| 201 | Lateral Graphene-Contacted Vertically Stacked WS <sub>2</sub> /MoS <sub>2</sub> Hybrid Photodetectors with Large Gain. <i>Advanced Materials</i> , 2017, 29, 1702917.  | 11.1 | 111       |
| 202 | Effects of asymmetric Schottky contacts on photoresponse in tungsten diselenide (WSe <sub>2</sub> ) phototransistor. <i>Journal of Applied Physics</i> , 2017, 122, .  | 1.1  | 16        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 203 | Fabrication of a solution-processed, highly flexible few layer MoS <sub>2</sub> (n)-CuO (p) piezotronic diode on a paper substrate for an active analog frequency modulator and enhanced broadband photodetector. Journal of Materials Chemistry C, 2017, 5, 11436-11447. | 2.7 | 35        |
| 204 | Photoelectric response properties under UV/red light irradiation of ZnO nanorod arrays coated with vertically aligned MoS <sub>2</sub> nanosheets. Nanotechnology, 2017, 28, 415202.  | 1.3 | 15        |
| 205 | Environmental impact and potential health risks of 2D nanomaterials. Environmental Science: Nano, 2017, 4, 1617-1633.   | 2.2 | 68        |
| 206 | Production routes, electromechanical properties and potential application of layered nanomaterials and 2D nanopolymeric composites—a review. International Journal of Advanced Manufacturing Technology, 2017, 93, 3449-3459.   | 1.5 | 12        |
| 207 | Ultrathin ternary semiconductor TlGaSe phototransistors with broad-spectral response. 2D Materials, 2017, 4, 035021.  | 2.0 | 22        |
| 208 | Large-area growth of multi-layered MoS <sub>2</sub> for violet (405 nm) photodetector applications. Physica Status Solidi (A) Applications and Materials Science, 2017, 214, 1700221.   | 0.8 | 3         |
| 209 | Highly responsive photoconductance in a Sb <sub>2</sub> SeTe <sub>2</sub> topological insulator nanosheet at room temperature. RSC Advances, 2017, 7, 39057-39062.  | 1.7 | 32        |
| 210 | TMDs – Optoelectronic Devices. , 0, , 329-343.  |     | 0         |
| 211 | Synthesis of Transition Metal Dichalcogenides. , 0, , 344-358.  |     | 0         |
| 212 | Optical Properties and Optoelectronic Applications of Black Phosphorus. , 0, , 435-457.   |     | 0         |
| 213 | High performance broadband photodetector based on MoS <sub>2</sub> /porous silicon heterojunction. Applied Physics Letters, 2017, 111, .  | 1.5 | 31        |
| 214 | Ultrahigh-Gain and Fast Photodetectors Built on Atomically Thin Bilayer Tungsten Disulfide Grown by Chemical Vapor Deposition. ACS Applied Materials & Interfaces, 2017, 9, 42001-42010.  | 4.0 | 26        |
| 215 | Enhanced Nonlinear Saturable Absorption of MoS <sub>2</sub> /Graphene Nanocomposite Films. Journal of Physical Chemistry C, 2017, 121, 27147-27153.   | 1.5 | 72        |
| 216 | Role of defects in enhanced Fermi level pinning at interfaces between metals and transition metal dichalcogenides. Physical Review B, 2017, 96, .   | 1.1 | 26        |
| 217 | Lateral multilayer/monolayer MoS <sub>2</sub> heterojunction for high performance photodetector applications. Scientific Reports, 2017, 7, 4505.  | 1.6 | 35        |
| 218 | High-performing MoS <sub>2</sub> -embedded Si photodetector. Materials Science in Semiconductor Processing, 2017, 71, 35-41.  | 1.9 | 13        |
| 219 | Layer dependence of the electronic band alignment of few-layer MoS <sub>2</sub> on SiO <sub>2</sub> substrate. Applied Physics Letters, 2017, 111, .  | 1.1 | 35        |
| 220 | Development of electronic devices based on two-dimensional materials. FlatChem, 2017, 3, 43-63.   | 2.8 | 23        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 221 | As-grown two-dimensional MoS <sub>2</sub> based photodetectors with naturally formed contacts. Applied Physics Letters, 2017, 110, .  | 1.5  | 18        |
| 222 | Electric field modulation of the band structure in MoS <sub>2</sub> /WS <sub>2</sub> van der waals heterostructure. Solid State Communications, 2017, 250, 9-13.                            | 0.9  | 34        |
| 223 | Concurrent Growth and Formation of Electrically Contacted Monolayer Transition Metal Dichalcogenides on Bulk Metallic Patterns. Advanced Materials Interfaces, 2017, 4, 1600599.            | 1.9  | 7         |
| 224 | Highly efficient, high speed vertical photodiodes based on few-layer MoS <sub>2</sub> . 2D Materials, 2017, 4, 015004.  | 2.0  | 22        |
| 225 | High-efficiency omnidirectional photoresponses based on monolayer lateral p-n heterojunctions. Nanoscale Horizons, 2017, 2, 37-42.  | 4.1  | 21        |
| 226 | Photodetectors Based on Two-Dimensional Layered Materials Beyond Graphene. Advanced Functional Materials, 2017, 27, 1603886.  | 7.8  | 534       |
| 227 | Performance Limits of the Self-Aligned Nanowire Top-Gated MoS <sub>2</sub> Transistors. Advanced Functional Materials, 2017, 27, 1602250.   | 7.8  | 37        |
| 228 | Broadband omnidirectional light detection in flexible and hierarchical ZnO/Si heterojunction photodiodes. Nano Research, 2017, 10, 22-36.   | 5.8  | 66        |
| 229 | Molybdenum disulfide nanosheets deposited on polished optical fiber for humidity sensing and human breath monitoring. Optics Express, 2017, 25, 28407.                                      | 1.7  | 35        |
| 230 | Recent Advances in Electronic and Optoelectronic Devices Based on Two-Dimensional Transition Metal Dichalcogenides. Electronics (Switzerland), 2017, 6, 43.                                 | 1.8  | 68        |
| 231 | High-performance MoS <sub>2</sub> /Si heterojunction broadband photodetectors from deep ultraviolet to near infrared. Optics Letters, 2017, 42, 3335.                                       | 1.7  | 64        |
| 232 | Two-dimensional transition metal dichalcogenides: interface and defect engineering. Chemical Society Reviews, 2018, 47, 3100-3128.  | 18.7 | 604       |
| 233 | Quantum Emitters in Hexagonal Boron Nitride Have Spectrally Tunable Quantum Efficiency. Advanced Materials, 2018, 30, e1704237.   | 11.1 | 33        |
| 234 | High-performance deep ultraviolet photodetectors based on few-layer hexagonal boron nitride. Nanoscale, 2018, 10, 5559-5565.  | 2.8  | 144       |
| 235 | Efficiency enhancement of TiO <sub>2</sub> -self-powered UV photodetectors using a transparent Ag nanowire electrode. Journal of Materials Chemistry C, 2018, 6, 3334-3340.                 | 2.7  | 71        |
| 236 | Near-infrared photodetector achieved by chemically-exfoliated multilayered MoS <sub>2</sub> flakes. Applied Surface Science, 2018, 448, 64-70.  | 3.1  | 50        |
| 237 | Photovoltaic high-performance broadband photodetector based on MoS <sub>2</sub> /Si nanowire array heterojunction. Solar Energy Materials and Solar Cells, 2018, 182, 272-280.              | 3.0  | 67        |
| 238 | High-Performance All 2D-Layered Tin Disulfide: Graphene Photodetecting Transistors with Thickness-Controlled Interface Dynamics. ACS Applied Materials & Interfaces, 2018, 10, 13002-13010. | 4.0  | 32        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 239 | Hydrogen-Assisted Growth of Large-Area Continuous Films of MoS <sub>2</sub> on Monolayer Graphene. ACS Applied Materials & Interfaces, 2018, 10, 7304-7314.  | 4.0  | 47        |
| 240 | High Detectivity and Transparent Few-Layer MoS <sub>2</sub> /Glassy-Graphene Heterostructure Photodetectors. Advanced Materials, 2018, 30, e1706561.   | 11.1 | 111       |
| 241 | Interstitial Mo-Assisted Photovoltaic Effect in Multilayer MoSe <sub>2</sub> Phototransistors. Advanced Materials, 2018, 30, e1705542.   | 11.1 | 48        |
| 242 | Assembly and Self-Assembly of Nanomembrane Materials”From 2D to 3D. Small, 2018, 14, e1703665.   | 5.2  | 56        |
| 243 | A General Method for the Chemical Synthesis of Large-Scale, Seamless Transition Metal Dichalcogenide Electronics. Advanced Materials, 2018, 30, e1706215.  | 11.1 | 36        |
| 244 | Few-layer Tellurium: one-dimensional-like layered elementary semiconductor with striking physical properties. Science Bulletin, 2018, 63, 159-168.   | 4.3  | 207       |
| 245 | Pronounced photogating effect in atomically thin WSe <sub>2</sub> with a self-limiting surface oxide layer. Applied Physics Letters, 2018, 112, .  | 1.5  | 38        |
| 246 | Light Sources and Photodetectors Enabled by 2D Semiconductors. Small Methods, 2018, 2, 1800019.  | 4.6  | 35        |
| 247 | Low-power logic computing realized in a single electric-double-layer MoS <sub>2</sub> transistor gated with polymer electrolyte. Solid-State Electronics, 2018, 144, 1-6.  | 0.8  | 16        |
| 248 | Photoresponse properties of large area MoS <sub>2</sub> metal-semiconductor-metal photodetectors. Japanese Journal of Applied Physics, 2018, 57, 04FP12.   | 0.8  | 2         |
| 249 | Fast photoresponse and high detectivity in copper indium selenide (CuIn <sub>7</sub> Se <sub>11</sub> ) phototransistors. 2D Materials, 2018, 5, 015001.   | 2.0  | 24        |
| 250 | Emerging technologies for high performance infrared detectors. Nanophotonics, 2018, 7, 169-197.  | 2.9  | 203       |
| 251 | Ultraviolet-light-driven enhanced photoresponse of chemical-vapor-deposition grown graphene-WS <sub>2</sub> heterojunction based FETs. Sensors and Actuators B: Chemical, 2018, 257, 263-269.  | 4.0  | 16        |
| 252 | Uncooled EuSbTe <sub>3</sub> photodetector highly sensitive from ultraviolet to terahertz frequencies. 2D Materials, 2018, 5, 011008.  | 2.0  | 16        |
| 253 | Low-Temperature Operation of High-Efficiency Germanium Quantum Dot Photodetectors in the Visible and Near Infrared. Physica Status Solidi (A) Applications and Materials Science, 2018, 215, 1700453.  | 0.8  | 6         |
| 254 | Tuning the activity of the inert MoS <sub>2</sub> surface via graphene oxide support doping towards chemical functionalization and hydrogen evolution: a density functional study. Physical Chemistry Chemical Physics, 2018, 20, 1861-1871. | 1.3  | 22        |
| 255 | Ultrahigh, Ultrafast, and Self-Powered Visible-Near-Infrared Optical Position-Sensitive Detector Based on a CVD-Prepared Vertically Standing Few-Layer MoS <sub>2</sub> /Si Heterojunction. Advanced Science, 2018, 5, 1700502.              | 5.6  | 87        |
| 256 | Group 6 transition metal dichalcogenide nanomaterials: synthesis, applications and future perspectives. Nanoscale Horizons, 2018, 3, 90-204.   | 4.1  | 309       |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 257 | Vertical growth of MoS <sub>2</sub> layers by sputtering method for efficient photoelectric application. Sensors and Actuators A: Physical, 2018, 269, 355-362.   | 2.0  | 30        |
| 258 | Rhenium diselenide (ReSe <sub>2</sub> ) infrared photodetector enhanced by (3-aminopropyl)trimethoxysilane (APTMS) treatment. Organic Electronics, 2018, 53, 14-19.                                       | 1.4  | 20        |
| 259 | Ultrasensitive photodetectors based on a high-quality LiInSe <sub>2</sub> single crystal. Journal of Materials Chemistry C, 2018, 6, 12615-12622.   | 2.7  | 8         |
| 260 | The Extremely Enhanced Photocurrent Response in Topological Insulator Nanosheets with High Conductance. Nanoscale Research Letters, 2018, 13, 371.  | 3.1  | 5         |
| 261 | Zero-point motion and direct-indirect band-gap crossover in layered transition-metal dichalcogenides. Physical Review B, 2018, 98, .  | 1.1  | 11        |
| 262 | Vapour transport deposition of fluorographene oxide films and electro-optical device applications. Applied Materials Today, 2018, 13, 387-395.  | 2.3  | 9         |
| 263 | Two Dimensional Materials based Heterostructures for Photosensing Applications. , 2018, , .   |      | 0         |
| 264 | Position sensitivity of optical nano-antenna arrays on optoelectronic devices. Nano Energy, 2018, 53, 734-744.  | 8.2  | 13        |
| 265 | Multilayer ReS <sub>2</sub> Photodetectors with Gate Tunability for High Responsivity and High-Speed Applications. ACS Applied Materials & Interfaces, 2018, 10, 36512-36522.                             | 4.0  | 86        |
| 266 | Synthesis of few-layer 2H-MoSe <sub>2</sub> thin films with wafer-level homogeneity for high-performance photodetector. Nanophotonics, 2018, 7, 1959-1969.  | 2.9  | 41        |
| 267 | Efficient Energy Transfer across Organic-2D Inorganic Heterointerfaces. ACS Applied Materials & Interfaces, 2018, 10, 39336-39342.  | 4.0  | 27        |
| 268 | Flexible photodetector based on large-area few-layer MoS <sub>2</sub> . Progress in Natural Science: Materials International, 2018, 28, 563-568.  | 1.8  | 50        |
| 269 | Thin EOT MoS <sub>2</sub> FET for Efficient Photodetection and Gas Sensing. , 2018, , .   |      | 1         |
| 270 | Thickness-Dependently Enhanced Photodetection Performance of Vertically Grown SnS <sub>2</sub> Nanoflakes with Large Size and High Production. ACS Applied Materials & Interfaces, 2018, 10, 18073-18081. | 4.0  | 56        |
| 271 | Solution-Processed 3D RGO-MoS <sub>2</sub> /Pyramid Si Heterojunction for Ultrahigh Detectivity and Ultra-Broadband Photodetection. Advanced Materials, 2018, 30, e1801729.                               | 11.1 | 175       |
| 272 | Graphene, Transition Metal Dichalcogenides, and Perovskite Photodetectors. , 0, , .   |      | 5         |
| 273 | Sensitivity-enhanced surface plasmon resonance sensor utilizing a tungsten disulfide (WS <sub>2</sub> ) nanosheets overlayer. Photonics Research, 2018, 6, 485.   | 3.4  | 84        |
| 274 | Ultraviolet-light-driven photoresponse of chemical vapor deposition grown molybdenum disulfide/graphene heterostructured FET. Applied Surface Science, 2018, 459, 853-859.                                | 3.1  | 12        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 275 | Progress on Crystal Growth of Two-Dimensional Semiconductors for Optoelectronic Applications. Crystals, 2018, 8, 252.   | 1.0 | 7         |
| 276 | Multilayer Black Phosphorus Near-Infrared Photodetectors. Sensors, 2018, 18, 1668.  | 2.1 | 26        |
| 277 | Field effect properties of single-layer MoS <sub>2</sub> (1-x)Se <sub>2x</sub> nanosheets produced by a one-step CVD process. Journal of Materials Science, 2018, 53, 14447-14455.  | 1.7 | 11        |
| 278 | Wafer-scale synthesis of a uniform film of few-layer MoS <sub>2</sub> on GaN for 2D heterojunction ultraviolet photodetector. Journal Physics D: Applied Physics, 2018, 51, 374003.   | 1.3 | 49        |
| 279 | Stretchable thin-film transistors with molybdenum disulfide channels and graphene electrodes. Nanoscale, 2018, 10, 16069-16078.   | 2.8 | 23        |
| 280 | Optical control of polarization in ferroelectric heterostructures. Nature Communications, 2018, 9, 3344.  | 5.8 | 119       |
| 281 | Extending the Spectral Responsivity of MoS <sub>2</sub> Phototransistors by Incorporating Upâ€Conversion Microcrystals. Advanced Optical Materials, 2018, 6, 1800660.   | 3.6 | 25        |
| 282 | A flexible solar-blind 2D boron nitride nanopaper-based photodetector with high thermal resistance. Npj 2D Materials and Applications, 2018, 2, .   | 3.9 | 64        |
| 283 | Understanding of MoS <sub>2</sub> /GaN Heterojunction Diode and its Photodetection Properties. Scientific Reports, 2018, 8, 11799.  | 1.6 | 91        |
| 284 | 3D SERS substrate based on Au-Ag bi-metal nanoparticles/MoS <sub>2</sub> hybrid with pyramid structure. Optics Express, 2018, 26, 21546.  | 1.7 | 92        |
| 285 | Enhanced Carrier Density in a MoS <sub>2</sub> /Si Heterojunction-Based Photodetector by Inverse Auger Process. IEEE Transactions on Electron Devices, 2018, 65, 4149-4154.   | 1.6 | 15        |
| 286 | Flexible and air-stable perovskite network photodetectors based on CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> /C <sub>8</sub> BTBT bulk heterojunction. Applied Physics Letters, 2018, 112, .                               | 1.5 | 84        |
| 287 | Atomic Layer GaSe/MoS <sub>2</sub> van der Waals Heterostructure Photodiodes with Low Noise and Large Dynamic Range. ACS Photonics, 2018, 5, 2693-2700.   | 3.2 | 51        |
| 288 | $\text{MoS}_2$ nanostructures grown on Au/  | 3.1 | 37        |
| 289 | Laser-induced photoresistance effect in Si-based vertical standing MoS <sub>2</sub> nanoplate heterojunctions for self-powered high performance broadband photodetection. Journal of Materials Chemistry C, 2019, 7, 10642-10651. | 2.7 | 24        |
| 290 | Modification of MoS <sub>2</sub> structure by means of high energy ions in connection to electrical properties and light element surface adsorption. Surfaces and Interfaces, 2019, 17, 100357.                                   | 1.5 | 9         |
| 291 | Spectroscopic and Structural Dynamics of MoS <sub>2</sub> Thin Films. Journal of Nano Research, 2019, 58, 74-79.  | 0.8 | 2         |
| 292 | Plasmonic Transition Metal Carbide Electrodes for High-Performance InSe Photodetectors. ACS Nano, 2019, 13, 8804-8810.  | 7.3 | 69        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 293 | See-through metal oxide frameworks for transparent photovoltaics and broadband photodetectors. <i>Nano Energy</i> , 2019, 64, 103952.  | 8.2 | 35        |
| 294 | Layer-Dependent Interfacial Transport and Optoelectrical Properties of MoS <sub>2</sub> on Ultraflat Metals. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 31543-31550.  | 4.0 | 33        |
| 295 | Reconfigurable two-dimensional optoelectronic devices enabled by local ferroelectric polarization. <i>Nature Communications</i> , 2019, 10, 3331.  | 5.8 | 151       |
| 296 | Edge-Enriched Ultrathin MoS <sub>2</sub> Embedded Yolk-Shell TiO <sub>2</sub> with Boosted Charge Transfer for Superior Photocatalytic H <sub>2</sub> Evolution. <i>Advanced Functional Materials</i> , 2019, 29, 1901958.                 | 7.8 | 115       |
| 297 | Broadband high responsivity large-area plasmonic-enhanced multilayer MoS <sub>2</sub> on p-type silicon photodetector using Au nanostructures. <i>Materials Research Express</i> , 2019, 6, 105090.  | 0.8 | 4         |
| 298 | Enhanced photoresponse and surface charge transfer mechanism of graphene-tungsten disulfide heterojunction. <i>Optical Materials</i> , 2019, 98, 109426.   | 1.7 | 1         |
| 299 | Sensitive and Ultrabroadband Phototransistor Based on Two-Dimensional Bi <sub>2</sub> O <sub>2</sub> Se Nanosheets. <i>Advanced Functional Materials</i> , 2019, 29, 1905806.  | 7.8 | 106       |
| 300 | MoS <sub>2</sub> /HfO <sub>2</sub> /Silicon-On-Insulator Dual-Photogating Transistor with Ambipolar Photoresponsivity for High-Resolution Light Wavelength Detection. <i>Advanced Functional Materials</i> , 2019, 29, 1906242.            | 7.8 | 22        |
| 301 | Exploring the effects of boron nitride coating on the thermal stability and photoluminescence properties of molybdenum disulfide nanospheres. <i>Ceramics International</i> , 2019, 45, 23694-23700.                                       | 2.3 | 1         |
| 302 | Controlled Plasma Thinning of Bulk MoS <sub>2</sub> Flakes for Photodetector Fabrication. <i>ACS Omega</i> , 2019, 4, 19693-19704.   | 1.6 | 16        |
| 303 | Rhenium Diselenide (ReSe <sub>2</sub> ) Near-Infrared Photodetector: Performance Enhancement by Selective p-Doping Technique. <i>Advanced Science</i> , 2019, 6, 1901255.  | 5.6 | 28        |
| 304 | High-performance visible light photodetectors based on inorganic CZT and InCZT single crystals. <i>Scientific Reports</i> , 2019, 9, 12436.  | 1.6 | 77        |
| 305 | Infrared Detectable MoS <sub>2</sub> Phototransistor and Its Application to Artificial Multilevel Optic-Neural Synapse. <i>ACS Nano</i> , 2019, 13, 10294-10300.   | 7.3 | 96        |
| 306 | Ultraviolet/Visible Photodetectors Based on n NiO/ZnO Nanowires Decorated with Pd Nanoparticles. <i>ACS Applied Nano Materials</i> , 2019, 2, 6343-6351.   | 2.4 | 36        |
| 307 | Enhanced wavelength-selective photoresponsivity with a MoS <sub>2</sub> bilayer grown conformally on a patterned sapphire substrate. <i>Journal of Materials Chemistry C</i> , 2019, 7, 1622-1629.   | 2.7 | 8         |
| 308 | Enhanced Photocarrier Generation with Selectable Wavelengths by M-Decorated CuInS <sub>2</sub> Nanocrystals (M = Au and Pt) Synthesized in a Single Surfactant Process on MoS <sub>2</sub> Bilayers. <i>Small</i> , 2019, 15, e1803529.    | 5.2 | 35        |
| 309 | High performance photodetectors constructed on atomically thin few-layer MoSe <sub>2</sub> synthesized using atomic layer deposition and a chemical vapor deposition chamber. <i>Journal of Alloys and Compounds</i> , 2019, 785, 951-957. | 2.8 | 21        |
| 310 | 2D-MoS <sub>2</sub> nanosheets as effective hole transport materials for colloidal PbS quantum dot solar cells. <i>Nanoscale Advances</i> , 2019, 1, 1387-1394.  | 2.2 | 35        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 311 | Fast Yet Quantum-Efficient Few-Layer Vertical MoS <sub>2</sub> Photodetectors. <i>Advanced Electronic Materials</i> , 2019, 5, 1900141.  | 2.6  | 16        |
| 312 | Large-area MoS <sub>2</sub> -MoO <sub>x</sub> heterojunction thin-film photodetectors with wide spectral range and enhanced photoresponse. <i>APL Materials</i> , 2019, 7, .   | 2.2  | 24        |
| 313 | Photoluminescence Quenching and SERS in Tri-layer MoS <sub>2</sub> Flakes. <i>Journal of Electronic Materials</i> , 2019, 48, 5883-5890.   | 1.0  | 8         |
| 314 | On-chip integrated photonic circuits based on two-dimensional materials and hexagonal boron nitride as the optical confinement layer. <i>Journal of Applied Physics</i> , 2019, 125, 230901.   | 1.1  | 13        |
| 315 | Amorphous MoS <sub>2</sub> Photodetector with Ultra-Broadband Response. <i>ACS Applied Electronic Materials</i> , 2019, 1, 1314-1321.  | 2.0  | 65        |
| 316 | Plasmonic improvement photoresponse of vertical-MoS <sub>2</sub> nanostructure photodetector by Au nanoparticles. <i>Applied Surface Science</i> , 2019, 490, 165-171.   | 3.1  | 79        |
| 317 | Effective charge separation of inverted polymer solar cells using versatile MoS <sub>2</sub> nanosheets as an electron transport layer. <i>Journal of Materials Chemistry A</i> , 2019, 7, 15356-15363.                                  | 5.2  | 19        |
| 318 | Long-Term, High-Voltage, and High-Temperature Stable Dual-Mode, Low Dark Current Broadband Ultraviolet Photodetector Based on Solution-Cast rGO on MBE-Grown Highly Resistive GaN. <i>Advanced Optical Materials</i> , 2019, 7, 1900340. | 3.6  | 19        |
| 319 | Atomic-Level Customization of 4 in. Transition Metal Dichalcogenide Multilayer Alloys for Industrial Applications. <i>Advanced Materials</i> , 2019, 31, e1901405.   | 11.1 | 52        |
| 320 | Low-dimensional nanomaterial/Si heterostructure-based photodetectors. <i>Informa-Materially</i> , 2019, 1, 140-163.  | 8.5  | 81        |
| 321 | Robust Photodetectable Paper from Chemically Exfoliated MoS <sub>2</sub> -MoO <sub>3</sub> Multilayers. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 21445-21453.   | 4.0  | 30        |
| 322 | Photonic crystallization of two-dimensional MoS <sub>2</sub> for stretchable photodetectors. <i>Nanoscale</i> , 2019, 11, 13260-13268.   | 2.8  | 43        |
| 323 | Insights into two-dimensional MoS <sub>2</sub> sheets for enhanced CO <sub>2</sub> photoreduction to C <sub>1</sub> and C <sub>2</sub> hydrocarbon products. <i>Materials Research Bulletin</i> , 2019, 118, 110499.                     | 2.7  | 37        |
| 324 | Photo sensing property of nanostructured CdS-porous silicon (PS):p-Si based MSM hetero-structure. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 11239-11249.   | 1.1  | 5         |
| 325 | Recent Progress in 2D Layered III-VI Semiconductors and their Heterostructures for Optoelectronic Device Applications. <i>Advanced Materials Technologies</i> , 2019, 4, 1900108.  | 3.0  | 104       |
| 326 | Study of the photoresponse behavior of a high barrier Pd/MoS <sub>2</sub> /Pd photodetector. <i>Journal Physics D: Applied Physics</i> , 2019, 52, 325102.   | 1.3  | 22        |
| 327 | Balanced Photodetection in Mixed-Dimensional Phototransistors Consisting of CsPbBr <sub>3</sub> Quantum Dots and Few-Layer MoS <sub>2</sub> . <i>ACS Applied Nano Materials</i> , 2019, 2, 2599-2605.                                    | 2.4  | 30        |
| 328 | Edge-State-Enhanced Ultrahigh Photoresponsivity of Graphene Nanosheet-Embedded Carbon Film/Silicon Heterojunction. <i>Advanced Materials Interfaces</i> , 2019, 6, 1802062.  | 1.9  | 9         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 329 | A high-performance hydrogen sensor based on a reverse-biased MoS <sub>2</sub> /GaN heterojunction. Nanotechnology, 2019, 30, 314001.   | 1.3  | 42        |
| 330 | Near-infrared photodetector based on few-layer MoS <sub>2</sub> with sensitivity enhanced by localized surface plasmon resonance. Applied Surface Science, 2019, 483, 1037-1043.   | 3.1  | 80        |
| 331 | MoTe <sub>2</sub> van der Waals homojunction p-n diode with low resistance metal contacts. Nanoscale, 2019, 11, 9518-9525.   | 2.8  | 54        |
| 332 | Sensitivity-Enhanced Fiber Plasmonic Sensor Utilizing Molybdenum Disulfide Nanosheets. Journal of Physical Chemistry C, 2019, 123, 10536-10543.  | 1.5  | 18        |
| 333 | Electromagnetic Response and Energy Conversion for Functions and Devices in Low-Dimensional Materials. Advanced Functional Materials, 2019, 29, 1807398.   | 7.8  | 592       |
| 334 | Controlled Vapor-Solid Deposition of Millimeter-Size Single Crystal 2D Bi <sub>2</sub> O <sub>2</sub> Se for High-Performance Phototransistors. Advanced Functional Materials, 2019, 29, 1807979.  | 7.8  | 143       |
| 335 | Artificial control of in-plane anisotropic photoelectricity in monolayer MoS <sub>2</sub> . Applied Materials Today, 2019, 15, 203-211.  | 2.3  | 45        |
| 336 | CdSe/ZnS quantum dot encapsulated MoS <sub>2</sub> phototransistor for enhanced radiation hardness. Scientific Reports, 2019, 9, 1411.   | 1.6  | 11        |
| 337 | Quantum efficient fast UV photodetectors based on nanocrystalline Zn <sub>1-x</sub> PxO (x = 0.00, 0.03, 0.07) thin films deposited by pulsed laser deposition technique. Materials Science in Semiconductor Processing, 2019, 95, 7-19. | 1.9  | 17        |
| 338 | Electric field effects on the electronic structures of MoS <sub>2</sub> /antimonene van der Waals heterostructure. Solid State Communications, 2019, 293, 28-32.   | 0.9  | 8         |
| 339 | Scalable Growth of High-Quality MoS <sub>2</sub> Film by Magnetron Sputtering: Application for NO <sub>2</sub> Gas Sensing. , 2019, , .  |      | 1         |
| 340 | Progress, Challenges, and Opportunities for 2D Material Based Photodetectors. Advanced Functional Materials, 2019, 29, 1803807.  | 7.8  | 884       |
| 341 | The Role of Graphene and Other 2D Materials in Solar Photovoltaics. Advanced Materials, 2019, 31, e1802722.  | 11.1 | 268       |
| 342 | Surfactant-free exfoliation of multilayer molybdenum disulfide nanosheets in water. Journal of Colloid and Interface Science, 2019, 537, 28-33.  | 5.0  | 6         |
| 343 | Ultrasensitive 2D Bi <sub>2</sub> O <sub>2</sub> Se Phototransistors on Silicon Substrates. Advanced Materials, 2019, 31, e1804945.  | 11.1 | 183       |
| 344 | Liquid-Alloy-Assisted Growth of 2D Ternary Ga <sub>2</sub> In <sub>4</sub> S <sub>9</sub> toward High-Performance UV Photodetection. Advanced Materials, 2019, 31, e1806306.   | 11.1 | 90        |
| 345 | High performance photodetector based on graphene/MoS <sub>2</sub> /graphene lateral heterostructure with Schottky junctions. Journal of Alloys and Compounds, 2019, 779, 140-146.  | 2.8  | 68        |
| 346 | Contact Engineering for Dual-Gate MoS <sub>2</sub> Transistors Using O <sub>2</sub> Plasma Exposure. ACS Applied Electronic Materials, 2019, 1, 210-219.   | 2.0  | 40        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 347 | Electronic and Magnetic Properties of Transition-Metal-Doped WS <sub>2</sub> Monolayer; First-Principles Investigations. IEEE Transactions on Magnetics, 2019, 55, 1-4.  | 1.2 | 6         |
| 348 | Ultrafast Nonlinear Optical Excitation Behaviors of Mono- and Few-Layer Two Dimensional MoS <sub>2</sub> . Photonic Sensors, 2019, 9, 1-10.  | 2.5 | 25        |
| 349 | Layer-dependent photoresponse of 2D MoS <sub>2</sub> films prepared by pulsed laser deposition. Journal of Materials Chemistry C, 2019, 7, 2522-2529.  | 2.7 | 45        |
| 350 | High-performance germanium quantum dot photodetectors in the visible and near infrared. Materials Science in Semiconductor Processing, 2019, 92, 19-27.  | 1.9 | 23        |
| 351 | The role of traps in the photocurrent generation mechanism in thin InSe photodetectors. Materials Horizons, 2020, 7, 252-262.  | 6.4 | 164       |
| 352 | Broadband photodetector based on vertically stage-liked MoS <sub>2</sub> /Si heterostructure with ultra-high sensitivity and fast response speed. Scripta Materialia, 2020, 176, 1-6.                              | 2.6 | 16        |
| 353 | Broad spectral responsivity in highly photoconductive InZnO/MoS <sub>2</sub> heterojunction phototransistor with ultrathin transparent metal electrode. Nanotechnology, 2020, 31, 035201.                          | 1.3 | 0         |
| 354 | Ultra-fast and high flexibility near-infrared photodetectors based on Bi <sub>2</sub> Se <sub>3</sub> nanobelts grown via catalyst-free van der Waals epitaxy. Journal of Alloys and Compounds, 2020, 818, 152819. | 2.8 | 28        |
| 355 | High mobility ReSe <sub>2</sub> field effect transistors: Schottky-barrier-height-dependent photoresponsivity and broadband light detection with Co decoration. 2D Materials, 2020, 7, 015010.                     | 2.0 | 36        |
| 356 | Study of the Optoelectronic Properties of Ultraviolet Photodetectors Based on Zn-Doped CuGaO <sub>2</sub> Nanoplate/ZnO Nanowire Heterojunctions. Physica Status Solidi (B): Basic Research, 2020, 257, 1900684.   | 0.7 | 11        |
| 357 | Ultrasensitive negative capacitance phototransistors. Nature Communications, 2020, 11, 101.  | 5.8 | 124       |
| 358 | In-plane anisotropic electronics based on low-symmetry 2D materials: progress and prospects. Nanoscale Advances, 2020, 2, 109-139.   | 2.2 | 84        |
| 359 | Band offset determination of p-NiO/n-TiO <sub>2</sub> heterojunctions for applications in high-performance UV photodetectors. Journal of Materials Science, 2020, 55, 4332-4344.                                   | 1.7 | 35        |
| 360 | Recent advances in black phosphorus and transition metal dichalcogenide-based electronic and optoelectronics devices. , 2020, , 251-312.   |     | 3         |
| 361 | High performance complementary WS <sub>2</sub> devices with hybrid Gr/Ni contacts. Nanoscale, 2020, 12, 21280-21290.   | 2.8 | 27        |
| 362 | High broadband photoconductivity of few-layered MoS <sub>2</sub> field-effect transistors measured using multi-terminal methods: effects of contact resistance. Nanoscale, 2020, 12, 22904-22916.                  | 2.8 | 5         |
| 363 | Photoresponse of Solution-Processed Molybdenum Disulfide Nanosheet-Based Photodetectors. ACS Applied Nano Materials, 2020, 3, 10057-10066.   | 2.4 | 7         |
| 364 | Thermal and Photo Sensing Capabilities of Mono- and Few-Layer Thick Transition Metal Dichalcogenides. Micromachines, 2020, 11, 693.  | 1.4 | 6         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 365 | Single-step, large-area, variable thickness sputtered WS <sub>2</sub> film-based field effect transistors. <i>Ceramics International</i> , 2020, 46, 26854-26860.  | 2.3 | 9         |
| 366 | Nanophotonics and optoelectronics based on two-dimensional MoS <sub>2</sub> . , 2020, , 121-137.   |     | 0         |
| 367 | Time Dependence of Photocurrent in Chemical Vapor Deposition MoS <sub>2</sub> Monolayer's Intrinsic Properties and Environmental Effects. <i>Journal of Physical Chemistry C</i> , 2020, 124, 18741-18746.   | 1.5 | 16        |
| 368 | Rapid and Low-Temperature Molecular Precursor Approach toward Ternary Layered Metal Chalcogenides and Oxides: Mo <sub>1-x</sub> W <sub>x</sub> S <sub>2</sub> and Mo <sub>1-x</sub> W <sub>x</sub> O <sub>3</sub> Alloys (0 ≤ x ≤ 1). <i>Chemistry of Materials</i> , 2020, 32, 7895-7907. | 3.2 | 13        |
| 369 | Nonlinear optical modulation of MoS <sub>2</sub> /black phosphorus/MoS <sub>2</sub> at 1550 nm. <i>Physica B: Condensed Matter</i> , 2020, 594, 412364.  | 1.3 | 8         |
| 370 | Two-dimensional functional materials: from properties to potential applications. <i>International Journal of Smart and Nano Materials</i> , 2020, 11, 247-264.   | 2.0 | 14        |
| 371 | Camphor-Based CVD Bilayer Graphene/Si Heterostructures for Self-Powered and Broadband Photodetection. <i>Micromachines</i> , 2020, 11, 812.  | 1.4 | 8         |
| 372 | Efficient NO <sub>2</sub> sensing performance of a low-cost nanostructured sensor derived from molybdenite concentrate. <i>Green Chemistry</i> , 2020, 22, 6981-6991.  | 4.6 | 10        |
| 373 | WSe <sub>2</sub> Homojunction p-n Diode Formed by Photoinduced Activation of Mid-Gap Defect States in Boron Nitride. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 42007-42015.  | 4.0 | 34        |
| 374 | A review of molybdenum disulfide (MoS <sub>2</sub> ) based photodetectors: from ultra-broadband, self-powered to flexible devices. <i>RSC Advances</i> , 2020, 10, 30529-30602.  | 1.7 | 211       |
| 375 | Thermolytic Deposition of MoS <sub>2</sub> Nanolayer for Si Solar Cell Applications. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2020, 217, 1900993.   | 0.8 | 5         |
| 376 | Synthesis of High-Quality Multilayer Hexagonal Boron Nitride Films on Au Foils for Ultrahigh Rejection Ratio Solar-Blind Photodetection. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 28351-28359.  | 4.0 | 27        |
| 377 | Unveiling defect-mediated carrier dynamics in monolayer semiconductors by spatiotemporal microwave imaging. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 13908-13913.   | 3.3 | 24        |
| 378 | High-performance self-powered ultraviolet photodetectors based on mixed-dimensional heterostructure arrays formed from NiO nanosheets and TiO <sub>2</sub> nanorods. <i>Journal of Materials Chemistry C</i> , 2020, 8, 9646-9654.   | 2.7 | 33        |
| 379 | State of the art two-dimensional materials-based photodetectors: Prospects, challenges and future outlook. <i>Journal of Industrial and Engineering Chemistry</i> , 2020, 89, 28-46.   | 2.9 | 11        |
| 380 | The prospective application of a graphene/MoS <sub>2</sub> heterostructure in Si-HIT solar cells for higher efficiency. <i>Nanoscale Advances</i> , 2020, 2, 3231-3243.  | 2.2 | 23        |
| 381 | Hybridizing Plasmonic Materials with 2D Transition Metal Dichalcogenides toward Functional Applications. <i>Small</i> , 2020, 16, e1904271.  | 5.2 | 74        |
| 382 | Self-Powered Ultra-Broadband and Flexible Photodetectors Based on the Bismuth Films by Vapor Deposition. <i>ACS Applied Electronic Materials</i> , 2020, 2, 1254-1262.   | 2.0 | 17        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 383 | Recent progress in high-performance photo-detectors enabled by the pulsed laser deposition technology. <i>Journal of Materials Chemistry C</i> , 2020, 8, 4988-5014.  | 2.7 | 18        |
| 384 | Third order nonlinear optical property of WSe <sub>2</sub> nanofilm at 800Ånm. <i>Optical Materials</i> , 2020, 107, 110040.  | 1.7 | 4         |
| 385 | Optical-Based Thickness Measurement of MoO <sub>3</sub> Nanosheets. <i>Nanomaterials</i> , 2020, 10, 1272.  | 1.9 | 12        |
| 386 | Growth of monolayer and bilayer MoS <sub>2</sub> through the solution precursor for high-performance photodetectors. <i>Current Applied Physics</i> , 2020, 20, 643-647.  | 1.1 | 9         |
| 387 | Manipulating Optical Absorption of Indium Selenide Using Plasmonic Nanoparticles. <i>ACS Omega</i> , 2020, 5, 3000-3005.  | 1.6 | 5         |
| 388 | Delayed Charge Recombination by Openâ€Shell Organics: Its Application in Achieving Superb Photodetectors with Broadband (400â€1160 nm) Ultrahigh Sensitivity and Stability. <i>Advanced Optical Materials</i> , 2020, 8, 1902179. | 3.6 | 7         |
| 389 | High figure of merit of monolayer Sb <sub>2</sub> Te <sub>2</sub> Se of ultra low lattice thermal conductivity. <i>Computational Materials Science</i> , 2020, 177, 109588.   | 1.4 | 9         |
| 390 | Two-dimensional nanomaterial-based plasmonic sensing applications: Advances and challenges. <i>Coordination Chemistry Reviews</i> , 2020, 410, 213218.  | 9.5 | 74        |
| 391 | Enhancing Quantum Yield in Strained MoS <sub>2</sub> Bilayers by Morphology-Controlled Plasmonic Nanostructures toward Superior Photodetectors. <i>Chemistry of Materials</i> , 2020, 32, 2242-2252.                              | 3.2 | 24        |
| 392 | Two-dimensional electronic devices modulated by the activation of donor-like states in boron nitride. <i>Nanoscale</i> , 2020, 12, 18171-18179.   | 2.8 | 28        |
| 393 | GaSe/MoS <sub>2</sub> Heterostructure with Ohmicâ€Contact Electrodes for Fast, Broadband Photoresponse, and Selfâ€Driven Photodetectors. <i>Advanced Materials Interfaces</i> , 2020, 7, 1901848.                                 | 1.9 | 28        |
| 394 | A novel one-pot strategy for fabrication of PEGylated MoS <sub>2</sub> composites for pH responsive controlled drug delivery. <i>Journal of Molecular Liquids</i> , 2020, 307, 112962.  | 2.3 | 4         |
| 395 | Exploring conduction mechanism and photoresponse in <i>P</i>-</i>GaN<i>/n</i>-</i>MoS <sub>2</sub> heterojunction diode. <i>Journal of Applied Physics</i> , 2020, 127, .   | 1.1 | 17        |
| 396 | Controlled growth of MoS <sub>2</sub> by atomic layer deposition on patterned gold pads. <i>Journal of Crystal Growth</i> , 2020, 541, 125683.  | 0.7 | 10        |
| 397 | Highâ€Performance Ultravioletâ€Visible Lightâ€Sensitive 2Dâ€MoS <sub>2</sub> /1Dâ€ZnO Heterostructure Photodetectors. <i>ChemistrySelect</i> , 2020, 5, 3438-3444.  | 0.7 | 35        |
| 398 | Position-sensitive detectors based on two-dimensional materials. <i>Nano Research</i> , 2021, 14, 1889-1900.  | 5.8 | 14        |
| 399 | Enhanced photoresponse of TiO <sub>2</sub> /MoS <sub>2</sub> heterostructure phototransistors by the coupling of interface charge transfer and photogating. <i>Nano Research</i> , 2021, 14, 982-991.                             | 5.8 | 25        |
| 400 | Transparent photovoltaic cells and self-powered photodetectors by TiO <sub>2</sub> /NiO heterojunction. <i>Journal of Power Sources</i> , 2021, 481, 228865.  | 4.0 | 71        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 401 | Multifunctionalities of 2D MoS <sub>2</sub> self-switching diode as memristor and photodetector. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2021, 126, 114451.                      | 1.3 | 15        |
| 402 | Status and Outlook of Metal-Inorganic Semiconductor Metal Photodetectors. <i>Laser and Photonics Reviews</i> , 2021, 15, .  | 4.4 | 67        |
| 403 | Recent Progress in Short-to Long-Wave Infrared Photodetection Using 2D Materials and Heterostructures. <i>Advanced Optical Materials</i> , 2021, 9, 2001708.  | 3.6 | 118       |
| 404 | Recent progress about 2D metal dichalcogenides: Synthesis and application in photodetectors. <i>Nano Research</i> , 2021, 14, 1819-1839.  | 5.8 | 14        |
| 405 | Recent progress and challenges on two-dimensional material photodetectors from the perspective of advanced characterization technologies. <i>Nano Research</i> , 2021, 14, 1840-1862.                   | 5.8 | 36        |
| 406 | Dual-sized carbon quantum dots enabling outstanding silicon-based photodetectors. <i>Applied Surface Science</i> , 2021, 542, 148705.   | 3.1 | 22        |
| 407 | Ultra-flexible and rollable 2D-MoS <sub>2</sub> /Si heterojunction-based near-infrared photodetector via direct synthesis. <i>Nanoscale</i> , 2021, 13, 672-680.  | 2.8 | 54        |
| 408 | Recent advances in anisotropic two-dimensional materials and device applications. <i>Nano Research</i> , 2021, 14, 897-919.   | 5.8 | 69        |
| 409 | A progressive journey into 2D-chalcogenide/carbide/nitride-based broadband photodetectors: recent developments and future perspectives. <i>Journal of Materials Chemistry C</i> , 2021, 9, 14532-14572. | 2.7 | 19        |
| 410 | MAPbI <sub>3</sub> -based efficient, transparent and air-stable broadband photodetectors. <i>Indian Journal of Physics</i> , 2022, 96, 903-908.   | 0.9 | 3         |
| 411 | Core-Shell Single-Nanowire Photodetector with Radial Carrier Transport: an Opportunity to Break the Responsivity-Speed Trade-off. <i>Advanced Electronic Materials</i> , 2021, 7, 2000920.              | 2.6 | 7         |
| 412 | An Ultrafast WSe <sub>2</sub> Photodiode Based on a Lateral p-i-n Homojunction. <i>ACS Nano</i> , 2021, 15, 4405-4415.  | 7.3 | 67        |
| 413 | The Highly Uniform Photoresponsivity from Visible to Near IR Light in Sb <sub>2</sub> Te <sub>3</sub> Flakes. <i>Sensors</i> , 2021, 21, 1535.  | 2.1 | 6         |
| 414 | Giant nonlinear optical activity in two-dimensional palladium diselenide. <i>Nature Communications</i> , 2021, 12, 1083.  | 5.8 | 76        |
| 415 | Interface engineering of ferroelectric-gated MoS <sub>2</sub> phototransistor. <i>Science China Information Sciences</i> , 2021, 64, 1.   | 2.7 | 10        |
| 416 | 2D Silicon-Based Semiconductor Si <sub>2</sub> Te <sub>3</sub> toward Broadband Photodetection. <i>Small</i> , 2021, 17, e2006496.  | 5.2 | 19        |
| 417 | Photoresponse of Stacked, Multilayer MoS <sub>2</sub> Films Assembled from Solution-Processed MoS <sub>2</sub> Flakes. <i>ACS Applied Nano Materials</i> , 2021, 4, 3087-3094.                          | 2.4 | 0         |
| 418 | Effect of TiO <sub>2</sub> layer thickness of TiO <sub>2</sub> /NiO transparent photovoltaics. <i>Progress in Photovoltaics: Research and Applications</i> , 2021, 29, 943-952.                         | 4.4 | 25        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 419 | Few-Layer MoS <sub>2</sub> Photodetector Arrays for Ultrasensitive On-Chip Enzymatic Colorimetric Analysis. ACS Nano, 2021, 15, 7722-7734.  | 7.3 | 27        |
| 420 | MoS <sub>2</sub> Based Photodetectors: A Review. Sensors, 2021, 21, 2758.   | 2.1 | 77        |
| 421 | MoS <sub>2</sub> -PVP Nanocomposites Decorated ZnO Microsheets for Efficient Hydrogen Detection. IEEE Sensors Journal, 2021, 21, 8878-8885.   | 2.4 | 15        |
| 422 | Interfacial Gated Graphene Photodetector with Broadband Response. ACS Applied Materials & Interfaces, 2021, 13, 22796-22805.  | 4.0 | 16        |
| 423 | Photo-Detectors Based on Two Dimensional Materials. , 0, , .  |     | 0         |
| 424 | Improved Performances of CVD-Grown MoS <sub>2</sub> Based Phototransistors Enabled by Encapsulation. Advanced Materials Interfaces, 2021, 8, 2100164.   | 1.9 | 8         |
| 425 | Enhanced responsivity and detectivity of fast WSe <sub>2</sub> phototransistor using electrostatically tunable in-plane lateral p-n homojunction. Nature Communications, 2021, 12, 3336.                                      | 5.8 | 63        |
| 426 | Review of titanium trisulfide (TiS <sub>3</sub> ): A novel material for next generation electronic and optical devices. Materials Science in Semiconductor Processing, 2021, 127, 105699.                                     | 1.9 | 41        |
| 427 | PdPSe: Component-Fusion-Based Topology Designer of Two-Dimensional Semiconductor. Advanced Functional Materials, 2021, 31, 2102943.   | 7.8 | 15        |
| 428 | Local-Field-Dependent Nonlinear Optical Absorption of Black Phosphorus Nanoflakes Hybridized by Silver Nanoparticles. Journal of Physical Chemistry C, 2021, 125, 15448-15457.  | 1.5 | 10        |
| 429 | Enhancement of Photodetective Properties on Multilayered MoS <sub>2</sub> Thin Film Transistors via Self-Assembled Poly-L-Lysine Treatment and Their Potential Application in Optical Sensors. Nanomaterials, 2021, 11, 1586. | 1.9 | 2         |
| 430 | Recent Progress in the Synthesis of MoS <sub>2</sub> Thin Films for Sensing, Photovoltaic and Plasmonic Applications: A Review. Materials, 2021, 14, 3283.  | 1.3 | 38        |
| 431 | Micro-patterned deposition of MoS <sub>2</sub> ultrathin-films by a controlled droplet dragging approach. Scientific Reports, 2021, 11, 13993.  | 1.6 | 5         |
| 432 | Enhanced Photodetection Performance of Photodetectors Based on Indium-Doped Tin Disulfide Few Layers. ACS Applied Materials & Interfaces, 2021, 13, 35889-35896.  | 4.0 | 24        |
| 433 | Electronic and Optical Properties of van der Waals Heterostructures Based on Two-Dimensional Perovskite (PEA) <sub>2</sub> PbI <sub>4</sub> and Black Phosphorus. ACS Omega, 2021, 6, 20877-20886.                            | 1.6 | 9         |
| 435 | Supramolecule Stripped MoS <sub>2</sub> Nanosheets for Enhanced Surface Plasmon Resonance Spectroscopy Application. Bulletin of the Chemical Society of Japan, 2021, 94, 2402-2409.   | 2.0 | 2         |
| 436 | Electronic and Optical Properties of Atomic-Scale Heterostructure Based on MXene and MN (M = Al, Tj ETQq0 0 0 rgBT /Overlock 10 Tf  | 1.9 | 33        |
| 437 | Effect of point defects on electronic and excitonic properties in Janus-MoSSe monolayer. Physical Review B, 2021, 104, .  | 1.1 | 14        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 438 | Two-Dimensional (2D) Materials for Next-Generation Nanoelectronics and Optoelectronics: Advances and Trends. <i>Advances in Material Research and Technology</i> , 2021, , 65-96.                               | 0.3 | 1         |
| 439 | Ultrasensitive and Broadband All-Optically Controlled THz Modulator Based on MoTe <sub>2</sub> /Si van der Waals Heterostructure. <i>Advanced Optical Materials</i> , 2020, 8, 2000160.                         | 3.6 | 33        |
| 440 | MoS <sub>2</sub> - and MoO <sub>3</sub> -Based Ultrathin Layered Materials for Optoelectronic Applications. <i>Materials Horizons</i> , 2020, , 211-244.  | 0.3 | 2         |
| 441 | Multiple-layer black phosphorus phototransistor with Si microdisk resonator based on whispering gallery modes. <i>Applied Optics</i> , 2019, 58, 4400.  | 0.9 | 1         |
| 442 | Photoluminescence enhancement and ultrafast relaxation dynamics in a low-dimensional heterostructure: effect of plasmon-exciton coupling. <i>Optics Letters</i> , 2018, 43, 6093.                               | 1.7 | 13        |
| 443 | Investigation of nonlinear optical properties of rhenium diselenide and its application as a femtosecond mode-locker. <i>Photonics Research</i> , 2019, 7, 984.   | 3.4 | 28        |
| 444 | Facile integration of MoS <sub>2</sub> /SiC photodetector by direct chemical vapor deposition. <i>Nanophotonics</i> , 2020, 9, 3035-3044.   | 2.9 | 33        |
| 445 | Tunable electronic structure of two-dimensional transition metal chalcogenides for optoelectronic applications. <i>Nanophotonics</i> , 2020, 9, 1675-1694.  | 2.9 | 44        |
| 446 | Polarization-sensitive photodetectors based on three-dimensional molybdenum disulfide (MoS <sub>2</sub> ) field-effect transistors. <i>Nanophotonics</i> , 2020, 9, 4719-4728.                                  | 2.9 | 19        |
| 447 | Excitons in Two-Dimensional Materials. , 0, , .   |     | 6         |
| 448 | Graphene/MoS <sub>2</sub> , Thin Film Based Two Dimensional Barristors With Tunable Schottky Barrier for Sensing Applications. <i>IEEE Sensors Journal</i> , 2021, 21, 26549-26555.                             | 2.4 | 3         |
| 449 | High Mobility Two-Dimensional Bismuth Oxyselenide Single Crystals with Large Grain Size Grown by Reverse-Flow Chemical Vapor Deposition. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 49153-49162. | 4.0 | 14        |
| 450 | Prolonged-Photoresponse-Lifetime Ni <sub>2</sub> P Nanocrystalline with Highly Exposed (001) for Efficient Photoelectrocatalytic Hydrogen Evolution. <i>Inorganic Chemistry</i> , 2021, 60, 16439-16446.        | 1.9 | 7         |
| 451 | Mechanism, Material, Design, and Implementation Principle of Two-Dimensional Material Photodetectors. <i>Nanomaterials</i> , 2021, 11, 2688.  | 1.9 | 17        |
| 452 | Research Progress of MoS <sub>2</sub> Nanosheets. <i>Advances in Material Chemistry</i> , 2014, 02, 49-62.  | 0.0 | 0         |
| 453 | Physical issues for the next generation of nano devices. <i>Vacuum Magazine</i> , 2014, 1, 21-27.   | 0.0 | 0         |
| 454 | Recent progress on localized-field enhanced few-layer MoS <sub>2</sub> photodetector. , 2015, , .   |     | 0         |
| 455 | Electrical Properties and Photo-response of FETs based on Few-layer WS <sub>2</sub> Nanoflakes. , 2016, , .   |     | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 456 | Enhanced nonlinear optical limiting in TiS <sub>2</sub> dichalcogenide 2D Sheets. , 2017, , .   |     | 0         |
| 457 | Cladded Surface-Plasmon-Enhanced BP Photodetector Based on the Damage-Free Metal-Semiconductor Interface. IEEE Transactions on Electron Devices, 2020, , 1-4.   | 1.6 | 5         |
| 458 | Tuning the Rashba spin splitting in Janus MoSeTe and WSeTe van der Waals heterostructures by vertical strain. Journal of Magnetism and Magnetic Materials, 2022, 544, 168721.   | 1.0 | 16        |
| 459 | Optically stimulated synaptic devices based on silicon-tin alloyed thin film. , 2021, , .   |     | 0         |
| 460 | Enhanced photodetection performance of sputtered cupric oxide thin film through annealing process. Optical and Quantum Electronics, 2021, 53, 1.  | 1.5 | 3         |
| 461 | A New Approach to Designing High-Sensitivity Low-Dimensional Photodetectors. Nano Letters, 2021, 21, 9838-9844.   | 4.5 | 12        |
| 462 | Generation of a Charge Carrier Gradient in a 3C-SiC/Si Heterojunction with Asymmetric Configuration. ACS Applied Materials & Interfaces, 2021, 13, 55329-55338.   | 4.0 | 9         |
| 463 | Layer and material-type dependent photoresponse in WSe <sub>2</sub> /WS <sub>2</sub> vertical heterostructures. 2D Materials, 2022, 9, 015022.  | 2.0 | 7         |
| 464 | Conformal MoS <sub>2</sub> /Silicon Nanowire Array Heterojunction with Enhanced Light Trapping and Effective Interface Passivation for Ultraweak Infrared Light Detection. Advanced Functional Materials, 2022, 32, 2108174.      | 7.8 | 32        |
| 465 | Electronic and Thermodynamic Properties of Zigzag MoS <sub>2</sub> / MoSe <sub>2</sub> and MoS <sub>2</sub> / WSe <sub>2</sub> Hybrid Nanoribbons: Impacts of Electric and Exchange Fields. SSRN Electronic Journal, 0, , .       | 0.4 | 0         |
| 466 | Transparent and all oxide-based highly responsive n-n heterojunction broadband photodetector. Journal of Alloys and Compounds, 2022, 898, 162788.   | 2.8 | 15        |
| 467 | All-oxide-based and metallic electrode-free artificial synapses for transparent neuromorphic computing. Materials Today Chemistry, 2022, 23, 100681.  | 1.7 | 12        |
| 468 | Performance Analysis Between Graphene and MoS <sub>2</sub> Based MSM Photodiode. , 2021, , .  |     | 0         |
| 469 | Excitonic absorption and defect-related emission in three-dimensional MoS <sub>2</sub> pyramids. Nanoscale, 2022, 14, 1179-1186.  | 2.8 | 3         |
| 470 | Recent Progress in Improving the Performance of Infrared Photodetectors via Optical Field Manipulations. Sensors, 2022, 22, 677.  | 2.1 | 13        |
| 471 | Electronic and thermodynamic properties of zigzag MoS <sub>2</sub> / MoSe <sub>2</sub> and MoS <sub>2</sub> / WSe <sub>2</sub> hybrid nanoribbons: Impacts of electric and exchange fields. Results in Physics, 2022, 34, 105253. | 2.0 | 14        |
| 472 | Nanostructured Materials and Architectures for Advanced Optoelectronic Synaptic Devices. Advanced Functional Materials, 2022, 32, .   | 7.8 | 45        |
| 473 | GaS:WS <sub>2</sub> Heterojunctions for Ultrathin Two-Dimensional Photodetectors with Large Linear Dynamic Range across Broad Wavelengths. ACS Nano, 2021, 15, 19570-19580.   | 7.3 | 20        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 474 | High-performance, self-powered flexible MoS <sub>2</sub> photodetectors with asymmetric van der Waals gaps. <i>Physical Chemistry Chemical Physics</i> , 2022, 24, 7323-7330.   | 1.3 | 11        |
| 475 | 2D Cairo Pentagonal PdPS: Air-Stable Anisotropic Ternary Semiconductor with High Optoelectronic Performance. <i>Advanced Functional Materials</i> , 2022, 32, .   | 7.8 | 25        |
| 476 | Silicene/Silicene Oxide Nanosheets for Broadband Photodetectors. <i>ACS Applied Nano Materials</i> , 2022, 5, 4325-4335.  | 2.4 | 10        |
| 477 | 2D Heterostructures for Highly Efficient Photodetectors: From Advanced Synthesis to Characterizations, Mechanisms, and Device Applications. <i>Advanced Photonics Research</i> , 2022, 3, .   | 1.7 | 13        |
| 478 | Ultrasensitive monolayer-MoS <sub>2</sub> heterojunction photodetectors realized via an asymmetric Fabry-Perot cavity. <i>Science China Materials</i> , 2022, 65, 1861-1868.  | 3.5 | 5         |
| 479 | Ultrathin Lateral 2D Photodetectors Using Transition-Metal Dichalcogenides PtSe <sub>2</sub> WS <sub>2</sub> PtSe <sub>2</sub> by Direct Laser Patterning. <i>ACS Applied Electronic Materials</i> , 2022, 4, 1029-1038.  | 2.0 | 4         |
| 480 | Large-Area Transfer of 2D TMDCs Assisted by a Water-Soluble Layer for Potential Device Applications. <i>ACS Omega</i> , 2022, 7, 11731-11741.   | 1.6 | 13        |
| 481 | An Efficient White-Light Photodetector Based on 2D-SnS <sub>2</sub> Nanosheets. <i>IEEE Transactions on Electron Devices</i> , 2022, 69, 1889-1893.   | 1.6 | 10        |
| 482 | Optical absorption of phosphorene structure in the presence of spin-orbit coupling: mechanical strain effects. <i>European Physical Journal Plus</i> , 2022, 137, 1.  | 1.2 | 6         |
| 483 | Perspectives of 2D Materials for Optoelectronic Integration. <i>Advanced Functional Materials</i> , 2022, 32, .   | 7.8 | 62        |
| 484 | MoS <sub>2</sub> -based absorbers with whole visible spectrum coverage and high efficiency. <i>Scientific Reports</i> , 2022, 12, 6313.   | 1.6 | 9         |
| 485 | Engineering Plasmonic Environments for 2D Materials and 2D-Based Photodetectors. <i>Molecules</i> , 2022, 27, 2807.   | 1.7 | 4         |
| 486 | Vibrational spectroscopy on solution-dispersed MoS <sub>2</sub> for inkjet-printed photodetectors. <i>Emergent Materials</i> , 2022, 5, 477-487.  | 3.2 | 5         |
| 487 | A sensitive photodetector: Tuning the electronic structure of the Cu <sub>2</sub> O/MoS <sub>2</sub> heterojunction by controlling the interlayer spacing or electric field. <i>Journal of Materials Research</i> , 2022, 37, 1679-1687.  | 1.2 | 1         |
| 488 | Thermoelectric Properties of Zigzag Mos <sub>2</sub> /Mose <sub>2</sub> and Mos <sub>2</sub> /Mote <sub>2</sub> Hybrid Nanoribbons: The Effects of Nanoribbon Width, Transverse Electric and External Exchange Fields. <i>SSRN Electronic Journal</i> , 0, , .                    | 0.4 | 0         |
| 489 | A Review on MX <sub>2</sub> (M=Mo, W and X=As, Se) layered material for opto-electronic devices. <i>Advances in Natural Sciences: Nanoscience and Nanotechnology</i> , 2022, 13, 023001.  | 0.7 | 5         |
| 490 | Ultrafast photoresponse of vertically oriented TMD films probed in a vertical electrode configuration on Si chips. <i>Nanoscale Advances</i> , 2022, 4, 3243-3249.  | 2.2 | 1         |
| 491 | Growth, structure, electrical and optical properties of transition metal chalcogenide crystals synthesized by improved chemical vapor transport technique for semiconductor technologies. <i>Progress in Crystal Growth and Characterization of Materials</i> , 2022, 68, 100578. | 1.8 | 4         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 492 | High-temperature flexible WSe <sub>2</sub> photodetectors with ultrahigh photoresponsivity. <i>Nature Communications</i> , 2022, 13, .   | 5.8 | 36        |
| 493 | Strain Modulation of Optoelectronic Properties in Nanolayered Black Phosphorus: Implications for Strain-Engineered 2D Material Systems. <i>ACS Applied Nano Materials</i> , 2022, 5, 12189-12195.                                    | 2.4 | 6         |
| 494 | Flexible, Transparent, and Broadband Trilayer Photodetectors Based on MoS <sub>2</sub> /WS <sub>2</sub> Nanostructures. <i>ACS Applied Nano Materials</i> , 2022, 5, 13637-13648.  | 2.4 | 14        |
| 495 | Îµ-Ga <sub>2</sub> O <sub>3</sub> thin films grown by metal-organic chemical vapor deposition and its application as solar-blind photodetectors. <i>Journal of Alloys and Compounds</i> , 2022, 925, 166632.                         | 2.8 | 9         |
| 496 | Programmable Photoâ€Induced Doping in 2D Materials. <i>Advanced Materials Interfaces</i> , 2022, 9, .   | 1.9 | 12        |
| 497 | MoS <sub>2</sub> /SiNWs heterostructure based repeatable and highly responsive photodetector. <i>Optical Materials</i> , 2022, 133, 112918.  | 1.7 | 4         |
| 498 | High-performance 2D/3D hybrid dimensional pâ€n heterojunction solar cell with reduced recombination rate by an interfacial layer. <i>Journal of Materials Chemistry C</i> , 2022, 10, 14982-14992.                                  | 2.7 | 5         |
| 499 | Designing SnS/MoS <sub>2</sub> van der Waals heterojunction for direct Z-scheme photocatalytic overall water-splitting by DFT investigation. <i>Physical Chemistry Chemical Physics</i> , 2022, 24, 21321-21330.                     | 1.3 | 3         |
| 500 | Identifying the effects of oxygen on the magnetism of WS <sub>2</sub> nanosheets. <i>Nanoscale</i> , 2022, 14, 12814-12822.  | 2.8 | 2         |
| 501 | Valence engineering at the interface of MoS <sub>2</sub> /Mo <sub>2</sub> C heterostructure for bionic nitrogen reduction. <i>Chemical Engineering Journal</i> , 2023, 452, 139515.  | 6.6 | 9         |
| 502 | Data-Enhanced Deep Greedy Optimization Algorithm for the On-Demand Inverse Design of TMDC-Cavity Heterojunctions. <i>Nanomaterials</i> , 2022, 12, 2976.   | 1.9 | 1         |
| 503 | One-Step Epitaxial Growth of Multilayer MoS <sub>2</sub> /SnS <sub>2</sub> Vertical Nanosheets for High-Performance Photodetectors. <i>ACS Applied Nano Materials</i> , 2022, 5, 14978-14986.  | 2.4 | 1         |
| 504 | Effect of Mo Vacancy on the Photoresponse of Bilayer MoS <sub>2</sub> Film. <i>Applied Science and Convergence Technology</i> , 2022, 31, 107-109.   | 0.3 | 0         |
| 505 | Substrate effects on the speed limiting factor of WSe <sub>2</sub> photodetectors. <i>Physical Chemistry Chemical Physics</i> , 2022, 24, 25383-25390.   | 1.3 | 2         |
| 506 | Interfacial Assembly of Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> /ZnIn <sub>2</sub> S <sub>4</sub> Heterojunction for Highâ€Performance Photodetectors. <i>Advanced Science</i> , 2022, 9, .                                   | 5.6 | 4         |
| 507 | High-Frequency Sheet Conductance of Nanolayered WS <sub>2</sub> Crystals for Two-Dimensional Nanodevices. <i>ACS Applied Nano Materials</i> , 2022, 5, 15557-15562.  | 2.4 | 2         |
| 508 | Crystalline Phase Effects on the Nonlinear Optical Response of MoS <sub>2</sub> and WS <sub>2</sub> Nanosheets: Implications for Photonic and Optoelectronic Applications. <i>ACS Applied Nano Materials</i> , 2022, 5, 16674-16686. | 2.4 | 11        |
| 509 | High-Speed Transition-Metal Dichalcogenides Based Schottky Photodiodes for Visible and Infrared Light Communication. <i>ACS Nano</i> , 2022, 16, 19187-19198.  | 7.3 | 15        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 510 | Reduced-graphene oxide decorated $\text{In}_2\text{Se}_3/\text{Si}$ heterostructure-based broadband photodetectors with enhanced figures-of-merit. <i>Materials Advances</i> , 2023, 4, 596-606.  | 2.6 | 3         |
| 511 | Large area MoS <sub>2</sub> films fabricated via sol-gel used for photodetectors. <i>Optical Materials</i> , 2023, 135, 113257.   | 1.7 | 1         |
| 512 | Balance of photon management and charge collection from carbon-quantum-dot layers as self-powered broadband photodetectors. <i>Nanoscale Advances</i> , 2023, 5, 1086-1094.   | 2.2 | 5         |
| 513 | Broadband photodetector based on MoS <sub>2</sub> /Ge heterojunction for optoelectronic applications. <i>Vacuum</i> , 2023, 209, 111746.  | 1.6 | 7         |
| 514 | Piezoelectricity-modulated optical recombination dynamics of monolayer-MoS <sub>2</sub> /GaN-film heterostructures. <i>Nanoscale</i> , 0, .   | 2.8 | 0         |
| 515 | Two-dimensional optoelectronic devices for silicon photonic integration. <i>Journal of Materiomics</i> , 2023, 9, 551-567.  | 2.8 | 3         |
| 516 | High Detectivity and Fast MoS <sub>2</sub> Monolayer MSM Photodetector. <i>ACS Applied Electronic Materials</i> , 2022, 4, 5739-5746.   | 2.0 | 9         |
| 517 | Thickness-dependent Auger scattering in a single WS <sub>2</sub> microcrystal probed with time-resolved terahertz near-field microscopy. <i>Optics Letters</i> , 2023, 48, 708.   | 1.7 | 0         |
| 518 | Horizontally Oriented Growth of Organic Crystalline Nanowires on Polymer Films for In Situ Flexible Photodetectors with Vis-NIR Response and High Bending Stability. <i>Advanced Functional Materials</i> , 2023, 33, .   | 7.8 | 10        |
| 519 | Gold Nanorod-Activated Graphene/MoS <sub>2</sub> Nanosheet-Based Photodetectors for Bidirectional Photoconductance. <i>ACS Applied Nano Materials</i> , 2023, 6, 1783-1795.   | 2.4 | 3         |
| 520 | The oxidation enhancement photocurrent response in WSe <sub>1.95</sub> Te <sub>0.05</sub> nanosheets. <i>Applied Surface Science</i> , 2023, 628, 156488.   | 3.1 | 0         |
| 521 | Electrochemical sensing of carcinogenic p-dimethylamino antipyrine using sensor comprised of eco-friendly MoS <sub>2</sub> nanosheets encapsulated by PVA capped Mn doped ZnS nanoparticle. <i>Inorganic Chemistry Communication</i> , 2023, 151, 110617.                     | 1.8 | 10        |
| 522 | Self-powered photodetectors with high detectivity based on MoSe <sub>2</sub> /Si heterojunction using ITO as the transparent electrode and highlight trapping structures. <i>Surfaces and Interfaces</i> , 2023, 38, 102854.  | 1.5 | 3         |
| 523 | A universal growth method for high-quality phase-engineered germanium chalcogenide nanosheets. <i>Nanoscale</i> , 2023, 15, 4438-4447.  | 2.8 | 0         |
| 524 | Ferroelectric-Tunable Photoresponse in $\text{In}_2\text{S}_3$ Photovoltaic Photodetectors: An Ab Initio Quantum Transport Study. <i>Physical Review Applied</i> , 2023, 19, .  | 5.6 | 3         |
| 525 | Graphene/MoS <sub>2</sub> -Nanoribbons/Graphene Field-Effect Photodetectors: A Numerical Study. <i>Journal of Electronic Materials</i> , 2023, 52, 3046-3057.   | 1.0 | 2         |
| 526 | PVA Capped Mn-Doped ZnS Encapsulated Nontoxic MoS <sub>2</sub> Nano-Sheet Probe for the Sensitive Estimation of Cardiovascular $\beta$ -Blocking Agent Acebutolol in Biomedical and Environmental Samples. <i>Journal of the Electrochemical Society</i> , 2023, 170, 037505. | 1.3 | 7         |
| 527 | Wafer-Scale Patterning Synthesis of Two-Dimensional WSe <sub>2</sub> Layers by Direct Selenization for Highly Sensitive van der Waals Heterojunction Broadband Photodetectors. <i>ACS Applied Materials &amp; Interfaces</i> , 2023, 15, 12052-12060.                         | 4.0 | 12        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 528 | Monolayer WS <sub>2</sub> Nanosheets Passivated with HfO <sub>2</sub> for Enhanced Photodetectors. ACS Applied Nano Materials, 2023, 6, 4594-4601.   | 2.4 | 7         |
| 529 | Ultraflexible and Transparent MoS <sub>2</sub> /Î²-Ga <sub>2</sub> O <sub>3</sub> Heterojunction-Based Photodiode with Enhanced Photoresponse by Piezo-Phototronic Effect. ACS Applied Electronic Materials, 2023, 5, 2296-2308. | 2.0 | 6         |
| 530 | Growth and applications of two-dimensional single crystals. 2D Materials, 2023, 10, 032001.  | 2.0 | 4         |
| 531 | Some Aspects of Novel Materials from Optical to THz Engineering. Progress in Optical Science and Photonics, 2023, , 59-80.   | 0.3 | 1         |
| 532 | Thermally Stable and Radiation-Proof Visible-Light Photodetectors Made from N-Doped Diamond. Advanced Optical Materials, 2023, 11, .   | 3.6 | 6         |
| 533 | Advances in the Field of Two-Dimensional Crystal-Based Photodetectors. Nanomaterials, 2023, 13, 1379.  | 1.9 | 6         |
| 558 | van der Waals 2D transition metal dichalcogenide/organic hybridized heterostructures: recent breakthroughs and emerging prospects of the device. Nanoscale Horizons, 2023, 9, 44-92.   | 4.1 | 1         |
| 565 | Progress in Photodetector Devices Utilizing Transition Metal Dichalcogenides. Journal of Materials Chemistry C, 0, , .   | 2.7 | 0         |
| 571 | Recent advances in 2D transition metal dichalcogenide-based photodetectors: a review. Nanoscale, 2024, 16, 2097-2120.  | 2.8 | 1         |