

CITATION REPORT

List of articles citing

Neuropsychological testing of cognitive impairment in euthymic bipolar disorder: an individual patient data meta-a

DOI: 10.1111/acps.12133

Acta Psychiatrica Scandinavica, 2013, 128, 149-62.

Source: <https://exaly.com/paper-pdf/55858795/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
430	Neurocognitive profiles in treatment-resistant bipolar I and bipolar II disorder depression. 2013 , 13, 105		26
429	Performance monitoring and executive control of attention in euthymic bipolar disorder: employing the CPT-AX paradigm. 2013 , 210, 457-64		17
428	Aging changes and medical complexity in late-life bipolar disorder: emerging research findings that may help advance care. 2013 , 3, 621-633		18
427	Reliability and validity of the CogState battery Chinese language version in schizophrenia. 2013 , 8, e74258		23
426	Sex dependence of cognitive functions in bipolar disorder. 2014 , 2014, 418432		13
425	The prevalence and burden of bipolar depression. 2014 , 169 Suppl 1, S3-11		116
424	Pituitary gland volumes in bipolar disorder. 2014 , 169, 197-202		8
423	Neurocognitive functioning in bipolar depression: a component structure analysis. 2014 , 44, 961-74		28
422	The bipolar maze: a roadmap through translational psychopathology. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 129, 323-7	6.5	41
421	Altered plasma glutathione levels in bipolar disorder indicates higher oxidative stress; a possible risk factor for illness onset despite normal brain-derived neurotrophic factor (BDNF) levels. 2014 , 44, 2409-18		57
420	Prophylactic lithium treatment and cognitive performance in patients with a long history of bipolar illness: no simple answers in complex disease-treatment interplay. 2014 , 2, 1		25
419	Inflammatory mediators of cognitive impairment in bipolar disorder. 2014 , 56, 18-27		87
418	A systems neuroscience perspective of schizophrenia and bipolar disorder. 2014 , 40, 523-31		56
417	Staging systems in bipolar disorder: an International Society for Bipolar Disorders Task Force Report. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 130, 354-63	6.5	152
416	Openness predicts cognitive functioning in bipolar disorder. 2014 , 168, 51-7		5
415	Starting lithium prophylaxis early v. late in bipolar disorder. 2014 , 205, 214-20		53
414	Pathways between neurocognition, social cognition and emotion regulation in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 130, 397-405	6.5	27

413	A meta-analysis of neuropsychological functioning in first-episode bipolar disorders. 2014 , 57, 1-11	113
412	Age as a predictor of cognitive decline in bipolar disorder. 2014 , 22, 1462-8	15
411	Verbal memory as a mediator in the relationship between subthreshold depressive symptoms and functional outcome in bipolar disorder. 2014 , 160, 50-4	54
410	Effects of brexpiprazole, a novel serotonin-dopamine activity modulator, on phencyclidine-induced cognitive deficits in mice: a role for serotonin 5-HT1A receptors. 2014 , 124, 245-9	35
409	Neurocognitive intra-individual variability in mood disorders: effects on attentional response time distributions. 2015 , 45, 2985-97	24
408	Neurocognition in individuals at high familial risk of mood disorders with or without subsequent onset of depression. 2015 , 45, 3317-27	17
407	Emotion regulation deficits in euthymic bipolar I versus bipolar II disorder: a functional and diffusion-tensor imaging study. 2015 , 17, 461-70	77
406	Cognitive impairment in manic bipolar patients: important, understated, significant aspects. 2015 , 14, 41	34
405	Polymorphisms of dopamine pathway genes NRG1 and LMX1A are associated with cognitive performance in bipolar disorder. 2015 , 17, 859-68	15
404	The neurocognitive profile of mood disorders - a review of the evidence and methodological issues. 2015 , 17 Suppl 2, 21-40	76
403	Assessing intracortical myelin in the living human brain using myelinated cortical thickness. <i>Frontiers in Neuroscience</i> , 2015 , 9, 396	5.1 35
402	Delays before Diagnosis and Initiation of Treatment in Patients Presenting to Mental Health Services with Bipolar Disorder. 2015 , 10, e0126530	42
401	Cognitive performance and cerebrospinal fluid biomarkers of neurodegeneration: a study of patients with bipolar disorder and healthy controls. 2015 , 10, e0127100	21
400	The linguistics of schizophrenia: thought disturbance as language pathology across positive symptoms. 2015 , 6, 971	39
399	Cognitive dysfunction in bipolar disorder and schizophrenia: a systematic review of meta-analyses. 2015 , 11, 3111-25	133
398	Fractionation of visuo-spatial memory processes in bipolar depression: a cognitive scaffolding account. 2015 , 45, 545-58	10
397	Verbal memory. 2015 , 228, 237-47	3
396	Lithium might be associated with better decision-making performance in euthymic bipolar patients. 2015 , 25, 788-97	18

395	Verbal learning impairment in euthymic bipolar disorder: BDI v BDII. 2015 , 182, 95-100	19
394	CSF neuroinflammatory biomarkers in bipolar disorder are associated with cognitive impairment. 2015 , 25, 1091-8	40
393	Mood instability: significance, definition and measurement. 2015 , 207, 283-5	63
392	Royal Australian and New Zealand College of Psychiatrists clinical practice guidelines for mood disorders. 2015 , 49, 1087-206	461
391	Is there a "metabolic-mood syndrome"? A review of the relationship between obesity and mood disorders. 2015 , 52, 89-104	185
390	Hypoactivation of the ventral and dorsal striatum during reward and loss anticipation in antipsychotic and mood stabilizer-naive bipolar disorder. 2015 , 40, 658-66	62
389	Assessment of subjective and objective cognitive function in bipolar disorder: Correlations, predictors and the relation to psychosocial function. 2015 , 229, 565-71	49
388	Familial liability to schizophrenia and mood disorders and cognitive impairment in psychosis. 2015 , 227, 258-64	2
387	Cognitive dysfunction and functional disability in alcohol-dependent adults with or without a comorbid affective disorder. 2015 , 20, 222-31	9
386	Cognitive impairment in first-episode mania: a systematic review of the evidence in the acute and remission phases of the illness. 2015 , 3, 9	45
385	Neuropsychological and functional outcomes in recent-onset major depression, bipolar disorder and schizophrenia-spectrum disorders: a longitudinal cohort study. 2015 , 5, e555	89
384	BDNF Val66Met polymorphism and hippocampal volume in neuropsychiatric disorders: A systematic review and meta-analysis. 2015 , 55, 107-18	98
383	Borderline personality disorder, but not euthymic bipolar disorder, is associated with a failure to sustain reciprocal cooperative behaviour: implications for spectrum models of mood disorders. 2015 , 45, 1591-600	14
382	Oxidative stress and cognition amongst adults without dementia or stroke: Implications for mechanistic and therapeutic research in psychiatric disorders. 2015 , 227, 127-34	25
381	Inflammatory markers are associated with general cognitive abilities in schizophrenia and bipolar disorder patients and healthy controls. 2015 , 165, 188-94	69
380	Bipolar disorder comorbid with alcohol use disorder: focus on neurocognitive correlates. 2015 , 6, 108	28
379	Cognitive deterioration among bipolar disorder patients infected by <i>Toxoplasma gondii</i> is correlated to interleukin 6 levels. 2015 , 179, 161-6	43
378	Intact interference and inhibitory functions in participants with bipolar disorder and their first-degree relatives. 2015 , 37, 1124-35	2

377	Executive dysfunction in bipolar disorder and borderline personality disorder. 2015 , 30, 959-64	15
376	Serum level of venlafaxine is associated with better memory in psychotic disorders. 2015 , 169, 386-392	7
375	Cognitive function and lifetime features of depression and bipolar disorder in a large population sample: Cross-sectional study of 143,828 UK Biobank participants. 2015 , 30, 950-8	28
374	Increased cerebral blood flow associated with better response inhibition in bipolar disorder. 2015 , 21, 105-15	15
373	Staging Models and Functional Outcomes in Bipolar Disorder: Clinical Implications. 2015 , 2, 205-217	4
372	Childhood IQ and risk of bipolar disorder in adulthood: prospective birth cohort study. 2015 , 1, 74-80	23
371	Facial recognition deficits as a potential endophenotype in bipolar disorder. 2015 , 230, 102-7	18
370	Effects of emotional stimuli on time perception in manic and euthymic patients with bipolar disorder. 2015 , 56, 39-45	4
369	Longer lithium exposure is associated with better white matter integrity in older adults with bipolar disorder. 2015 , 17, 248-56	48
368	Are Anxiety Disorders Associated with Accelerated Aging? A Focus on Neuroprogression. 2016 , 2016, 8457612	47
367	Neuroscience of functional outcomes and treatment targets in major depressive disorder. 257-273	1
366	Joint Effects: A Pilot Investigation of the Impact of Bipolar Disorder and Marijuana Use on Cognitive Function and Mood. 2016 , 11, e0157060	18
365	Sensory processing patterns, coping strategies, and quality of life among patients with unipolar and bipolar disorders. 2016 , 38, 207-15	21
364	Areas of controversy in neuroprogression in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 91-103	6.5 145
363	Are there differences in pattern and magnitude of cognitive deficits between euthymic patients with bipolar I and bipolar II disorder?. 2016 , 23, 10-19	2
362	History of psychosis and previous episodes as potential explanatory factors for neurocognitive impairment in first-treatment bipolar I disorder. 2016 , 18, 136-47	17
361	Cognitive reserve in bipolar disorder: relation to cognition, psychosocial functioning and quality of life. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 386-98	6.5 77
360	Clinical features, impulsivity, temperament and functioning and their role in suicidality in patients with bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 266-76	6.5 26

359	Course of residual symptoms according to the duration of euthymia in remitted bipolar patients. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 57-64	6.5	22
358	Mitochondrial dysfunction in bipolar disorder: Evidence, pathophysiology and translational implications. 2016 , 68, 694-713		91
357	Does bipolar disorder have a benign course?. 2016 , 28, 1755-1757		4
356	Cognitive reserve lessens the burden of white matter lesions on executive functions in bipolar disorder. 2016 , 46, 3095-3104		7
355	The role of childhood trauma in bipolar disorders. 2016 , 4, 2		152
354	Lithium side effects and toxicity: prevalence and management strategies. 2016 , 4, 27		171
353	Serum concentrations of mood stabilizers are associated with memory, but not other cognitive domains in psychosis spectrum disorders; explorative analyses in a naturalistic setting. 2016 , 4, 24		6
352	Neural correlates of improved executive function following erythropoietin treatment in mood disorders. 2016 , 46, 1679-91		27
351	The effect of self-monitoring on Wisconsin Card Sorting Test performance in euthymic patients with bipolar disorder: a pilot study. 2016 , 21, 256-70		1
350	Borderline personality disorder, but not euthymic bipolar I disorder, is associated with prolonged post-error slowing in sensorimotor performance. 2016 , 198, 163-70		6
349	Effects of functional remediation on neurocognitively impaired bipolar patients: enhancement of verbal memory. 2016 , 46, 291-301		30
348	Patients with bipolar disorder show differential executive dysfunctions: A case-control study. 2016 , 238, 129-136		0
347	Social cognition in schizophrenia in comparison to bipolar disorder: A meta-analysis. 2016 , 175, 72-78		92
346	Neurological soft signs and cognitive functions: Amongst euthymic bipolar I disorder cases, non-affected first degree relatives and healthy controls. 2016 , 22, 53-9		7
345	Executive dysfunction and cognitive subgroups in a large sample of euthymic patients with bipolar disorder. 2016 , 26, 1338-47		65
344	Cognitive enhancement treatments for bipolar disorder: A systematic review and methodological recommendations. 2016 , 26, 1541-61		57
343	Cognitive deficits in first-degree relatives of bipolar patients: the use of homogeneous subgroups in the search of cognitive endophenotypes. 2016 , 123, 1001-11		8
342	Risk of dementia and death in community-dwelling older men with bipolar disorder. 2016 , 209, 121-6		35

341	Neurocognitive functioning in euthymic patients with bipolar disorder and unaffected relatives: A review of the literature. 2016 , 69, 193-215		41
340	Innovative approaches to bipolar disorder and its treatment. 2016 , 1366, 76-89		57
339	Association between cytokine levels, verbal memory and hippocampus volume in psychotic disorders and healthy controls. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 53-62	6.5	31
338	Prevalence and correlates of cognitive impairment in euthymic adults with bipolar disorder: A systematic review. 2016 , 205, 165-181		111
337	Discrete neurocognitive subgroups in fully or partially remitted bipolar disorder: Associations with functional abilities. 2016 , 205, 378-386		78
336	Current Treatment Options for Cognitive Impairment in Bipolar Disorder: a Review. 2016 , 3, 330-355		11
335	Predictors of the discrepancy between objective and subjective cognition in bipolar disorder: a novel methodology. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 511-521	6.5	46
334	Molecular Architecture and Neurobiology of Bipolar Disorder. 2016 , 467-486		2
333	Biological factors in bipolar disorder in late life. 234-249		
332	A novel treatment targeting cognitive dysfunction in mood disorders. 289-305		
331	The Lithium Battery: assessing the neurocognitive profile of lithium in bipolar disorder. 2016 , 18, 102-115		28
330	Visuospatial planning in unmedicated major depressive disorder and bipolar disorder: distinct and common neural correlates. 2016 , 46, 2313-28		11
329	Reduced heart rate variability in remitted bipolar disorder and recurrent depression. 2016 , 50, 793-804		22
328	A systematic review of calcium channel antagonists in bipolar disorder and some considerations for their future development. 2016 , 21, 1324-32		62
327	Oxford Lithium Trial (OxLith) of the early affective, cognitive, neural and biochemical effects of lithium carbonate in bipolar disorder: study protocol for a randomised controlled trial. 2016 , 17, 116		15
326	A single-blind, randomised controlled trial on the effects of lithium and quetiapine monotherapy on the trajectory of cognitive functioning in first episode mania: A 12-month follow-up study. 2016 , 31, 20-8		20
325	Reduced hippocampus volume and memory performance in bipolar disorder patients carrying the BDNF val66met met allele. 2016 , 198, 198-205		66
324	Evidence-based guidelines for treating bipolar disorder: Revised third edition recommendations from the British Association for Psychopharmacology. 2016 , 30, 495-553		468

323	Cognitive Function as a Transdiagnostic Treatment Target in Stimulant Use Disorders. 2016 , 12, 90-106	54
322	Safety and Tolerability of Mood Stabilisers. 2016 , 209-232	2
321	Insensitivity to the Magnitude of Potential Gains or Losses When Making Risky Choices: Women With Borderline Personality Disorder Compared With Bipolar Disorder and Controls. 2016 , 30, 530-44	9
320	Bipolar Disorder and Inflammation. 2016 , 39, 125-37	83
319	Alteration of complex negative emotions induced by music in euthymic patients with bipolar disorder. 2016 , 191, 15-23	7
318	Does cognitive performance map to categorical diagnoses of schizophrenia, schizoaffective disorder and bipolar disorder? A discriminant functions analysis. 2016 , 192, 109-15	30
317	Individualized identification of euthymic bipolar disorder using the Cambridge Neuropsychological Test Automated Battery (CANTAB) and machine learning. 2016 , 192, 219-25	30
316	The trajectory of cognitive functioning following first episode mania: A 12-month follow-up study. 2016 , 50, 1186-1197	8
315	Cognitive deficits in bipolar disorder: from acute episode to remission. 2016 , 266, 225-37	19
314	Abdominal obesity is associated with impaired cognitive function in euthymic bipolar individuals. 2016 , 17, 535-46	41
313	Bipolar disorder. 2016 , 387, 1561-1572	712
312	Extending the 'cross-disorder' relevance of executive functions to dimensional neuropsychiatric traits in youth. 2016 , 57, 462-71	27
311	Molecular neurobiological clues to the pathogenesis of bipolar disorder. 2016 , 36, 1-6	39
310	[Expressed Emotions, Burden and Family Functioning in Schizophrenic and Bipolar I Patients of a Multimodal Intervention Program: PRISMA]. 2017 , 46, 2-11	3
309	Residual depressive symptoms, sleep disturbance and perceived cognitive impairment as determinants of functioning in patients with bipolar disorder. 2017 , 210, 280-286	40
308	Cognitive Impairment in Euthymic Pediatric Bipolar Disorder: A Systematic Review and Meta-Analysis. 2017 , 56, 286-296	46
307	Functional impairment and cognitive performance in mood disorders: A community sample of young adults. 2017 , 251, 85-89	7
306	Do patients with bipolar disorder and subsyndromal symptoms benefit from functional remediation? A 12-month follow-up study. 2017 , 27, 350-359	21

305	The predictive role of daily cognitive stimulation on executive functions in bipolar disorder. 2017 , 252, 256-261	10
304	Decreased Cingulate Cortex activation during cognitive control processing in bipolar disorder. 2017 , 213, 86-95	12
303	Cognitive profiles in euthymic patients with bipolar disorders: results from the FACE-BD cohort. 2017 , 19, 146-153	33
302	Cognitive impairments and predominant polarity in bipolar disorder: a cross-sectional study. 2017 , 5, 15	7
301	Cognitive Impairment in Bipolar Disorder: Treatment and Prevention Strategies. 2017 , 20, 670-680	104
300	The relationship between genetic risk variants with brain structure and function in bipolar disorder: A systematic review of genetic-neuroimaging studies. 2017 , 79, 87-109	17
299	Neuropsychological Clustering in Bipolar and Major Depressive Disorder. 2017 , 23, 584-593	24
298	The catechol-O-methyltransferase (COMT) Val158Met genotype modulates working memory-related dorsolateral prefrontal response and performance in bipolar disorder. 2017 , 19, 214-224	41
297	Organizational Learning Strategies and Verbal Memory Deficits in Bipolar Disorder. 2017 , 23, 358-366	4
296	Neurocognitive performance as an endophenotype for mood disorder subgroups. 2017 , 215, 163-171	8
295	Neurocognitive profile of euthymic Japanese patients with bipolar disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2017 , 71, 373-382	6.2 2
294	The search for neuroimaging and cognitive endophenotypes: A critical systematic review of studies involving unaffected first-degree relatives of individuals with bipolar disorder. 2017 , 73, 1-22	59
293	Methylene blue treatment for residual symptoms of bipolar disorder: randomised crossover study. 2017 , 210, 54-60	30
292	Cognition and Bipolar Disorder in Older Adults (Including Question of Neuroprogression) 2017 , 243-261	
291	Associations between residual depressive symptoms, cognition, and functioning in patients with euthymic bipolar disorder: results from the FACE-BD cohort. 2017 , 211, 381-387	21
290	Methodological recommendations for cognition trials in bipolar disorder by the International Society for Bipolar Disorders Targeting Cognition Task Force. 2017 , 19, 614-626	103
289	Are patients with bipolar disorder and comorbid attention-deficit hyperactivity disorder more neurocognitively impaired?. 2017 , 19, 637-650	9
288	Treatment with a GLP-1R agonist over four weeks promotes weight loss-moderated changes in frontal-striatal brain structures in individuals with mood disorders. 2017 , 27, 1153-1162	28

287	Expressed emotions, burden and family functioning in schizophrenic and bipolar I patients of a multimodal intervention programme: PRISMA. 2017 , 46, 2-11	1
286	The relationship between executive functions and fluid intelligence in euthymic Bipolar Disorder patients. 2017 , 257, 346-351	6
285	Classification of cognitive performance in bipolar disorder. 2017 , 22, 407-421	7
284	Neurocognition in patients with psychotic and non-psychotic bipolar I disorder. A comparative study with individuals with schizophrenia. 2017 , 222, 169-176	18
283	The management of fibromyalgia from a psychosomatic perspective: an overview. 2017 , 29, 473-488	25
282	Comparison of neurocognitive function in major depressive disorder, bipolar disorder, and schizophrenia in later life: A cross-sectional study of euthymic or remitted, non-demented patients using the Japanese version of the Brief Assessment of Cognition in Schizophrenia (BACS-J). 2017 , 254, 205-210	25
281	Cognitive-behavioral rehabilitation vs. treatment as usual for bipolar patients: study protocol for a randomized controlled trial. 2017 , 18, 142	7
280	The Bipolar Illness Onset study: research protocol for the BIO cohort study. <i>BMJ Open</i> , 2017 , 7, e0154623	81
279	A promoter polymorphism rs2075824 within IMPA2 gene affecting the transcription activity: possible relationship with schizophrenia. 2017 , 21, 658-664	4
278	Clinical and treatment-related predictors of cognition in bipolar disorder: focus on visual paired associative learning. 2017 , 267, 661-669	12
277	Neuroprogression and illness trajectories in bipolar disorder. 2017 , 17, 277-285	70
276	Group acceptance and commitment therapy (ACT) for bipolar disorder and co-existing anxiety - an open pilot study. 2017 , 46, 114-128	10
275	Verbal fluency in bipolar disorders: A systematic review and meta-analysis. 2017 , 207, 359-366	39
274	Cognitive dysfunction in major depression and bipolar disorder: Assessment and treatment options. <i>Psychiatry and Clinical Neurosciences</i> , 2017 , 71, 18-27	6.2 92
273	Liraglutide promotes improvements in objective measures of cognitive dysfunction in individuals with mood disorders: A pilot, open-label study. 2017 , 207, 114-120	75
272	The difficult lives of individuals with bipolar disorder: A review of functional outcomes and their implications for treatment. 2017 , 209, 147-154	90
271	Systematic Review of Cognitive Function in Euthymic Bipolar Disorder and Pre-Surgical Temporal Lobe Epilepsy. 2017 , 8, 133	14
270	Use of the MATRICS consensus cognitive battery (MCCB) to evaluate cognitive deficits in bipolar disorder: A systematic review and meta-analysis. 2017 , 12, e0176212	28

269	Prediction of vulnerability to bipolar disorder using multivariate neurocognitive patterns: a pilot study. 2017 , 5, 32	6
268	Cognitive functioning following stabilisation from first episode mania. 2017 , 5, 39	2
267	Cognitive dysfunction and metabolic comorbidities in mood disorders: A repurposing opportunity for glucagon-like peptide 1 receptor agonists?. 2018 , 136, 335-342	15
266	Effectiveness of maintenance therapy of lithium vs other mood stabilizers in monotherapy and in combinations: a systematic review of evidence from observational studies. 2018 , 20, 419	54
265	Assessing and addressing cognitive impairment in bipolar disorder: the International Society for Bipolar Disorders Targeting Cognition Task Force recommendations for clinicians. 2018 , 20, 184-194	87
264	Gender differences in C-reactive protein and homocysteine modulation of cognitive performance and real-world functioning in bipolar disorder. 2018 , 229, 95-104	16
263	Efforts to retrieve individual participant data sets for use in a meta-analysis result in moderate data sharing but many data sets remain missing. 2018 , 98, 157-159	15
262	Cognitive control training for emotion-related impulsivity. 2018 , 105, 17-26	24
261	Inflammatory Markers in the Staging of Bipolar Disorder: A Systematic Review of the Literature. 2018 , 47, 119-128	11
260	Telomere Length and Bipolar Disorder. 2018 , 43, 445-453	38
259	Cross-Disorder Cognitive Impairments in Youth Referred for Neuropsychiatric Evaluation. 2018 , 24, 91-103	15
258	How can the depressed mind extract and remember predictive relationships of the environment? Evidence from implicit probabilistic sequence learning. 2018 , 81, 17-24	14
257	High intelligence: A risk factor for psychological and physiological overexcitabilities. 2018 , 66, 8-23	60
256	Differentiating bipolar disorders from unipolar depression by applying the Brief Assessment of Cognition in Affective Disorders. 2018 , 48, 929-938	9
255	Cognitive deficits in bipolar disorders: Implications for emotion. 2018 , 59, 126-136	85
254	Risk of recurrence after a single manic or mixed episode - a systematic review and meta-analysis. 2018 , 20, 9-17	13
253	[Neuropsychological Profile and Working Memory in Bipolar Disorder]. 2018 , 63, 314-321	3
252	The correlation between longitudinal changes in hypothalamic-pituitary-adrenal (HPA)-axis activity and changes in neurocognitive function in mixed-state bipolar II disorder. 2018 , 14, 2703-2713	6

251	Regional cortical thinning in young adults with schizophrenia but not psychotic or non-psychotic bipolar I disorder. 2018 , 6, 16	11
250	Effects of recombinant human erythropoietin on cognition and neural activity in remitted patients with mood disorders and first-degree relatives of patients with psychiatric disorders: a study protocol for a randomized controlled trial. 2018 , 19, 611	7
249	Staging, Neurocognition and Social Functioning in Bipolar Disorder. 2018 , 9, 709	12
248	Cognitive Effects of Transcranial Direct Current Stimulation in Healthy and Clinical Populations: An Overview. 2018 , 34, e25-e35	35
247	Does Cognitive Dysfunction in Bipolar Disorder Qualify as a Diagnostic Intermediate Phenotype?-A Perspective Paper. 2018 , 9, 490	13
246	Investigating gaze processing in euthymic bipolar disorder: Impaired ability to infer mental state and intention, but preservation of social attentional orienting. 2018 , 71, 2041-2051	3
245	GSK3 β plausible mechanism of cognitive and hippocampal changes induced by erythropoietin treatment in mood disorders?. 2018 , 8, 216	11
244	Medication nonadherence in bipolar disorder: a narrative review. 2018 , 8, 349-363	53
243	Cognitive Remediation Interventions in Schizoaffective Disorder: A Systematic Review. 2018 , 9, 470	3
242	Psychometric properties and cross-cultural comparison of the cognitive complaints in bipolar disorder rating assessment (COBRA) in Mexican patients with bipolar disorder. 2018 , 269, 536-541	3
241	Neurological soft signs in bipolar disorder in comparison to healthy controls and schizophrenia: A meta-analysis. 2018 , 28, 1185-1193	15
240	Inflammatory Markers in the Staging of Bipolar Disorder: A Systematic Review of the Literature. 2018 , 47, 119-128	1
239	Sex-related variation of neurocognitive functioning in bipolar disorder: Focus on visual memory and associative learning. 2018 , 267, 499-505	6
238	The relationship between naevus count, memory function and telomere length in the Twins UK cohort. 2018 , 31, 720-724	2
237	Medications Used for Cognitive Enhancement in Patients With Schizophrenia, Bipolar Disorder, Alzheimer's Disease, and Parkinson's Disease. 2018 , 9, 91	28
236	Disparate Effects of Lithium and a GSK-3 Inhibitor on Neuronal Oscillatory Activity in Prefrontal Cortex and Hippocampus. 2017 , 9, 434	16
235	Immediate Early Gene and the Brain-Derived Neurotrophic Factor in Bipolar Disorder. 2018 , 12, 15	12
234	Sleep spindles in bipolar disorder - a comparison to healthy control subjects. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 163-172	6.5 6

233	Neural and Behavioral Predictors of Treatment Efficacy on Mood Symptoms and Cognition in Mood Disorders: A Systematic Review. 2018 , 9, 337	18
232	Expression of TCN1 in Blood is Negatively Associated with Verbal Declarative Memory Performance. 2018 , 8, 12654	8
231	The Compelling and Persistent Problem of Bipolar Disorder Disguised as Major Depression Disorder: An Integrative Review [Formula: see text]. 2018 , 24, 415-425	8
230	Bipolar disorder type I and II show distinct relationships between cortical thickness and executive function. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 325-335	6.5 23
229	Prevalence and determinants of cognitive impairment in the euthymic phase of bipolar disorders: results from the FACE-BD cohort. 2019 , 49, 519-527	8
228	Staging of Cognition in Psychiatric Illness. 2019 , 140-171	0
227	Understanding cognitive impairment in mood disorders: mediation analyses in the UK Biobank cohort. 2019 , 215, 683-690	2
226	The effects of cognitive remediation on cognitive abilities and real-world functioning among people with bipolar disorder: A systematic review: Special Section on "Translational and Neuroscience Studies in Affective Disorders". Section Editor, Maria Nobile MD, PhD. This Section of JAD focuses on the relevance of translational and neuroscience studies in providing a better	13
225	Visual memory dysfunction as a neurocognitive endophenotype in bipolar disorder patients and their unaffected relatives. Evidence from a 5-year follow-up Valencia study. 2019 , 257, 31-37	5
224	Lifetime Psychotic Symptoms, Subthreshold Depression and Cognitive Impairment as Barriers to Functional Recovery in Patients with Bipolar Disorder. 2019 , 8,	14
223	Neurocognitive profile of patients with Bipolar Affective Disorder in the euthymic phase. 2019 , 44, 121-126	6
222	Cognitive performance in patients with bipolar disorder and metabolic syndrome. 2019 , 48, 149-155	1
221	Neurocognitive endophenotypes in schizophrenia and bipolar disorder: A systematic review of longitudinal family studies. 2019 , 210, 21-29	14
220	Cognitive impairment in late life bipolar disorder: Risk factors and clinical outcomes. 2019 , 257, 166-172	10
219	The Possible Role of Telomere Length and Chemokines in the Aging Process: A Transdiagnostic Review in Psychiatry. 2019 , 15, 171-192	
218	The Neurobiology of Bipolar II Disorder. 2019 , 91-107	
217	Neuropsychological profiles of adult bipolar disorder patients with and without comorbid attention-deficit hyperactivity disorder. 2019 , 7, 14	5
216	Thought and language disturbance in bipolar disorder quantified via process-oriented verbal fluency measures. 2019 , 9, 14282	9

215	Working memory interacts with emotion regulation to predict symptoms of mania. 2019 , 281, 112551	6
214	Autobiographical memory deficits in remitted patients with bipolar disorder I: The effect of impaired memory retrieval. 2019 , 278, 281-288	5
213	The P300 event-related potential in bipolar disorder: A systematic review and meta-analysis. 2019 , 256, 234-249	14
212	Cognitive Reserve Assessment Scale in Health (CRASH): Its Validity and Reliability. 2019 , 8,	12
211	A review on shared clinical and molecular mechanisms between bipolar disorder and frontotemporal dementia. 2019 , 93, 269-283	14
210	The prevalence and clinical correlates of cannabis use and cannabis use disorder among patients with bipolar disorder: A systematic review with meta-analysis and meta-regression. 2019 , 101, 78-84	30
209	Studying the predictive factors of suicide attempts in patients with type 1 bipolar disorder. 2019 , 275, 373-378	1
208	Low working memory capacity in euthymic bipolar I disorder: No relation to reappraisal on emotion regulation. 2019 , 252, 174-181	4
207	Abnormal Degree Centrality Associated With Cognitive Dysfunctions in Early Bipolar Disorder. 2019 , 10, 140	11
206	High BDNF serum levels are associated to good cognitive functioning in bipolar disorder. 2019 , 60, 97-107	24
205	Understanding and managing cognitive impairment in bipolar disorder in older people. 2019 , 25, 150-156	2
204	Perceived childhood adversities: Impact of childhood trauma to estimated intellectual functioning of individuals with bipolar disorder. 2019 , 274, 345-351	7
203	Neuronal underpinnings of cognitive impairment and - improvement in mood disorders. 2019 , 24, 30-53	17
202	Effects of deep breathing in patients with bipolar disorder. 2019 , 55, 119-125	5
201	The relationship between physical activity, clinical and cognitive characteristics and BDNF mRNA levels in patients with severe mental disorders. 2019 , 20, 567-576	11
200	Subjective neurocognition and quality of life in patients with bipolar disorder and siblings. 2019 , 245, 283-288	14
199	The relationship between "Eyes Reading" ability and verbal memory in bipolar disorder. 2019 , 273, 42-51	5
198	Neurocognitive and neuroimaging correlates of obesity and components of metabolic syndrome in bipolar disorder: a systematic review. 2019 , 49, 738-749	23

197	Cognitive Development in Patients with Bipolar Disorder and Metabolic Syndrome. 2019 , 48, 149-155	3
196	Genome-wide analysis reveals extensive genetic overlap between schizophrenia, bipolar disorder, and intelligence. 2020 , 25, 844-853	76
195	The association between sleep and cognitive abnormalities in bipolar disorder. 2020 , 50, 125-132	18
194	Shared and dissociable features of apathy and reward system dysfunction in bipolar I disorder and schizophrenia. 2020 , 50, 936-947	8
193	Aberrant cognition in newly diagnosed patients with bipolar disorder and their unaffected relatives. 2020 , 50, 1808-1819	11
192	The effects of cognitive reserve on predicting and moderating the cognitive and psychosocial functioning of patients with bipolar disorder. 2020 , 260, 222-231	6
191	Emotional memory in bipolar disorder: Impact of multiple episodes and childhood trauma. 2020 , 260, 206-213	3
190	Cognitive enhancement interventions for people with bipolar disorder: A systematic review of methodological quality, treatment approaches, and outcomes. 2020 , 22, 216-230	18
189	Number of episodes in bipolar disorder: The case for more thoughtful conceptualization and measurement. 2020 , 22, 231-244	10
188	The effect of atorvastatin on cognition and mood in bipolar disorder and unipolar depression patients: A secondary analysis of a randomized controlled trial. 2020 , 262, 149-154	8
187	Neuroanatomical Dysconnectivity Underlying Cognitive Deficits in Bipolar Disorder. 2020 , 5, 152-162	1
186	Improvement in cognitive function in young people with bipolar disorder: Results from participants in an 18-month randomised controlled trial of adjunctive psychotherapy. 2020 , 54, 272-281	8
185	Cannabidiol as a Treatment for Mood Disorders: A Systematic Review: Le cannabidiol comme traitement des troubles de l'humeur: une revue systématique. 2020 , 65, 213-227	15
184	Cognitive Impairment in Patients with Bipolar Disorder: Impact of Pharmacological Treatment. 2020 , 34, 29-46	20
183	Neurocognitive Impairments (NCI) in bipolar disorder: Comparison with schizophrenia and healthy controls. 2020 , 277, 175-181	10
182	Neurocognitive functioning during symptomatic states and remission in bipolar disorder and schizophrenia: A comparative study. 2020 , 292, 1132-92	6
181	Neuropsychology of Bipolar Disorder. 2021 , 48, 239-253	0
180	Decreased cortical gyrification in patients with bipolar disorder. 2020 , 1-13	2

179	Predictors of Functional Outcome in Patients With Bipolar Disorder: Effects of Cognitive Psychoeducational Group Therapy After 12 Months. 2020 , 11, 530026	6
178	Minimum clinically important differences for the Functioning Assessment Short Test and a battery of neuropsychological tests in bipolar disorders: results from the FACE-BD cohort. 2020 , 29, e144	2
177	Relational memory in the early stage of psychotic bipolar disorder. 2020 , 294, 113508	
176	Role of cognitive reserve in cognitive variability in euthymic individuals with bipolar disorder: cross-sectional cluster analysis. 2020 , 6, e133	8
175	Emotional intelligence in bipolar-I-disorder: A comparison between patients, unaffected siblings, and control subjects. 2020 , 63, e69	3
174	The effect of concomitant benzodiazepine use on neurocognition in stable, long-term patients with bipolar disorder. 2021 , 55, 1005-1016	2
173	Comparison of cognitive dysfunction between schizophrenia and bipolar disorder patients: A meta-analysis of comparative studies. 2020 , 274, 652-661	10
172	Resting-State Network Patterns Underlying Cognitive Function in Bipolar Disorder: A Graph Theoretical Analysis. 2020 , 10, 355-367	4
171	Comparison of cognitive function between early- and late-onset late-life depression in remission. 2020 , 290, 113051	1
170	Neurocognitive Impairment in Bipolar Disorder and Associated Factors: Using Population-based Norms and a Strict Criterion for Impairment Definition. 2020 , 33, 103-112	1
169	Bipolar Disorder Among Patients Diagnosed With Frontotemporal Dementia. 2020 , 32, 376-384	7
168	Long-term outcome predictors after functional remediation in patients with bipolar disorder. 2020 , 1-9	2
167	Familial aggregation analysis of cognitive performance in early-onset bipolar disorder. 2020 , 29, 1705-1716	0
166	References. 2020 , 245-390	
165	The relationship between physical activity, BMI, circadian rhythm, and sleep with cognition in bipolar disorder. 2020 , 1-9	1
164	Widespread white matter microstructural abnormalities and cognitive impairment in schizophrenia, bipolar disorder, and major depressive disorder: Tract-based spatial statistics study. 2020 , 298, 111045	2
163	Application of nanosensors in the food industry. 2020 , 355-368	5
162	Short-term neuropsychological recovery in alcohol use disorder: A retrospective clinical study. 2020 , 105, 106350	1

161	Emotional processing subtypes in bipolar disorder: A cluster analysis. 2020 , 266, 194-200	7
160	Patients' experiences of cognitive functioning in recurrent depression: A qualitative study. 2020 , 27, 321-329	3
159	Insulin resistance is associated with verbal memory impairment in bipolar disorders. 2020 , 266, 610-614	2
158	Genetic Intersections of Language and Neuropsychiatric Conditions. 2020 , 22, 4	5
157	Defining cognitive and functional profiles in schizophrenia and affective disorders. 2020 , 20, 39	10
156	Cognitive validation of cross-diagnostic cognitive subgroups on the schizophrenia-bipolar spectrum. 2020 , 266, 710-721	17
155	TNF- α and its soluble receptors mediate the relationship between prior severe mood episodes and cognitive dysfunction in euthymic bipolar disorder. 2020 , 88, 403-410	5
154	Body Mass Index Predicts Decline in Executive Function in Bipolar Disorder: Preliminary Data of a 12-Month Follow-up Study. 2021 , 80, 1-11	5
153	Peripheral inflammation is associated with dysfunctional corticostriatal circuitry and executive dysfunction in bipolar disorder patients. 2021 , 91, 695-702	3
152	Role of rTMS in the treatment of cognitive impairments in Bipolar Disorder and Schizophrenia: a review of Randomized Controlled Trials. 2021 , 280, 148-155	8
151	The 2020 Royal Australian and New Zealand College of Psychiatrists clinical practice guidelines for mood disorders. 2021 , 55, 7-117	104
150	The social cognitive ability in Han Chinese euthymic patients with bipolar I and bipolar II disorder. 2020 , 120, 1221-1221	1
149	Prolonged functional cerebral asymmetry as a consequence of dysfunctional parvocellular paraventricular hypothalamic nucleus signaling: An integrative model for the pathophysiology of bipolar disorder. 2021 , 146, 110433	1
148	Differentiating between bipolar and unipolar depression using prefrontal activation patterns: Promising results from functional near infrared spectroscopy (fNIRS) findings. 2021 , 281, 476-484	4
147	Childhood neglect is associated with corticostriatal circuit dysfunction in bipolar disorder adults. 2021 , 295, 113550	9
146	Neurocognitive heterogeneity in patients with bipolar disorder and their unaffected relatives: associations with emotional cognition. 2021 , 51, 668-679	10
145	Metacognitive knowledge and experience across multiple cognitive domains in euthymic bipolar disorder. 2021 , 64, e36	1
144	Comorbid Bipolar Disorder and Migraine: From Mechanisms to Treatment. 2020 , 11, 560138	0

143	Allostatic load: Implications for the pathophysiology, evolution, and treatment of bipolar disorder. 2021 , 245-256	
142	Degenerative dementias: Alterations of emotions and mood disorders. 2021 , 183, 261-281	2
141	Research Domains and Brain Network Dysfunction: Towards a New Taxonomy of Neuropsychiatric Illness. 2021 , 455-474	
140	Proinflammatory Cytokine Dysregulation and Cognitive Dysfunction Among Patients with Remitted Bipolar I and II Disorders. 2021 , 281, 738-743	3
139	Electroencephalographic Microstates in Schizophrenia and Bipolar Disorder. 2021 , 12, 638722	2
138	Individualized identification of first-episode bipolar disorder using machine learning and cognitive tests. 2021 , 282, 662-668	2
137	Longitudinal course of depressive symptom severity among youths with bipolar disorders: Moderating influences of sustained attention and history of child maltreatment. 2021 , 282, 261-271	0
136	Comparison of Cerebellar Grey Matter Alterations in Bipolar and Cerebellar Patients: Evidence from Voxel-Based Analysis. 2021 , 22,	5
135	Does cognitive impairment in bipolar disorder impact on a SIMPLe app use?. 2021 , 282, 488-494	6
134	Cognitive heterogeneity in the offspring of patients with schizophrenia or bipolar disorder: a cluster analysis across family risk. 2021 , 282, 757-765	0
133	The relationship between cannabis use and cognition in people with bipolar disorder: A systematic scoping review. 2021 , 297, 113695	1
132	Assessment of the neuronal underpinnings of cognitive impairment in bipolar disorder with a picture encoding paradigm and methodological lessons learnt. 2021 , 35, 983-991	1
131	What impact does bipolar disorder staging have on the use of pharmacotherapy?. 2021 , 22, 1513-1516	0
130	Physical activity and childhood trauma experiences in patients with schizophrenia or bipolar disorders. 2021 , 22, 637-645	1
129	Brain activation during verbal fluency task in type II bipolar disorder patients: a near-infrared spectroscopy study. 2021 , 298, 113762	2
128	Defining Heterogeneous Cognitive Trajectories in Bipolar Disorder: A Perspective. 2021 , 29, 298-302	2
127	The Delta Study - Prevalence and characteristics of mood disorders in 924 individuals with low mood: Results of the of the World Health Organization Composite International Diagnostic Interview (CIDI). 2021 , 11, e02167	2
126	Evaluating endophenotypes for bipolar disorder. 2021 , 9, 17	4

125	Akt-mTOR hypoactivity in bipolar disorder gives rise to cognitive impairments associated with altered neuronal structure and function. 2021 , 109, 1479-1496.e6		6
124	Cognitive impairment and consumption of mental healthcare resources in outpatients with bipolar disorder. 2021 , 138, 535-540		1
123	Neuronal underpinnings of cognitive impairment in bipolar disorder: A large data-driven functional magnetic resonance imaging study. 2021 ,		2
122	The C Factor: Cognitive dysfunction as a transdiagnostic dimension in psychopathology. 2021 , 86, 102007		20
121	Long-term trajectory of cognitive performance in people with bipolar disorder and controls: 6-year longitudinal study. 2021 , 7, e115		1
120	Internet-based cognitive assessment tool: Sensitivity and validity of a new online cognition screening tool for patients with bipolar disorder. 2021 , 289, 125-134		3
119	Cognitive training with fully immersive virtual reality in patients with neurological and psychiatric disorders: A systematic review of randomized controlled trials. 2021 , 300, 113928		14
118	Cognitive Profile and Relationship with Quality of Life and Psychosocial Functioning in Mood Disorders. 2021 ,		1
117	Spatial frequency discrimination in patients with schizophrenia spectrum and bipolar disorders: Evidence of early visual processing deficits and associations with intellectual abilities.		
116	Cognitive performance in older-age bipolar disorder: Investigating psychiatric characteristics, cardiovascular burden and psychotropic medication. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 144, 392-406	6.5	3
115	The Heterogeneity of Longitudinal Cognitive Decline in Euthymic Bipolar I Disorder With Clinical Characteristics and Functional Outcomes. 2021 , 12, 684813		1
114	Reaction Time and Visual Memory in Connection to Alcohol Use in Persons with Bipolar Disorder. 2021 , 11,		
113	Metabolic Syndrome Impairs Executive Function in Bipolar Disorder. <i>Frontiers in Neuroscience</i> , 2021 , 15, 717824	5.1	2
112	Brain correlates of impaired goal management in bipolar mania. 1-9		
111	Circulating inflammatory markers impact cognitive functions in bipolar depression. 2021 , 140, 110-116		4
110	Is processing speed a valid neurocognitive endophenotype in bipolar disorder? Evidence from a longitudinal, family study. 2021 , 141, 241-247		0
109	Exploring Clinical Correlates of Metacognition in Bipolar Disorders Using Moderation Analyses: The Role of Antipsychotics. 2021 , 10,		
108	Tolerability, Safety, and Effectiveness of Two Years of Treatment with Lurasidone in Children and Adolescents with Bipolar Depression. 2021 , 31, 494-503		0

107	Lower pro- to anti-inflammatory ratios associated with reduced neurocognitive flexibility in symptomatic adolescents with bipolar disorder. 2021 , 292, 430-438		2
106	Sex differences in neurocognitive and psychosocial functioning in bipolar disorder. 2022 , 296, 208-215		0
105	Comparison of the Neurocognitive Profile of the Children of Parents with Bipolar Disorder and Controls: a Transnational Cross-Sectional Study. 2021 ,		
104	Changes of neurocognitive status in patients with the first-episode psychosis after 18 months of treatment-A prospective cohort study. 2021 , 304, 114131		1
103	Risk of Cognitive Effects in Comorbid Patients With Prostate Cancer Treated With Androgen Receptor Inhibitors. 2021 , 19, 467.e1-467.e11		1
102	Cognitive impairment in euthymic patients with bipolar disorder: Prevalence estimation and model selection for predictors of cognitive performance. 2021 , 294, 497-504		0
101	Contribution of neuroinflammation, resolution, and neuroprotection in neuropsychiatric diseases. 2022 , 161-186		
100	Emotions and Cognitions in Bipolar Disorder. 2021 , 589-597		0
99	Bipolar Disorder and Outcomes of Monotherapy with Lithium, Valproate, Quetiapine, Olanzapine, Venlafaxine, and Citalopram. 2021 , 54, 126-130		0
98	Psychiatric Comorbidity and Fibromyalgia. 2021 , 91-108		
97	Passive Sensing of Affective and Cognitive Functioning in Mood Disorders by Analyzing Keystroke Kinematics and Speech Dynamics. <i>Studies in Neuroscience, Psychology and Behavioral Economics</i> , 2019 , 161-183	1.8	2
96	Cognitive impairment in individuals with bipolar disorder with and without comorbid alcohol and/or cocaine use disorders. 2020 , 272, 355-362		1
95	Impaired social cognition in bipolar disorder: A meta-analysis of Theory of Mind in euthymic patients. 2020 , 54, 783-796		3
94	Cognitive functioning in clinically stable patients with bipolar disorder I and II. 2015 , 10, e0115562		32
93	Structural and Functional Brain Correlates of Cognitive Impairment in Euthymic Patients with Bipolar Disorder. 2016 , 11, e0158867		21
92	Distinct and Shared Endophenotypes of Neural Substrates in Bipolar and Major Depressive Disorders. 2016 , 11, e0168493		20
91	Diet and Neurocognition in Mood Disorders - An Overview of the Overlooked. 2020 , 26, 2353-2362		3
90	Omega 3 Fatty Acids: Novel Neurotherapeutic Targets for Cognitive Dysfunction in Mood Disorders and Schizophrenia?. 2015 , 13, 663-80		33

89	Cognitive Effects of Nicotine: Recent Progress. 2018 , 16, 403-414	73
88	The True Colours Remote Symptom Monitoring System: A Decade of Evolution. 2020 , 22, e15188	21
87	Potential biomarkers for bipolar disorder: Where do we stand?. 2017 , 145, 7-16	29
86	Cognitive Functioning in Euthymic Bipolar Patients on Monotherapy with Novel Antipsychotics or Mood Stabilizers. 2017 , 54, 244-250	6
85	Shared and distinct neurocognitive endophenotypes of schizophrenia and psychotic bipolar disorder. 2015 , 13, 94-102	34
84	Naturalistic smartphone keyboard typing reflects processing speed and executive function. 2021 , 11, e2363	4
83	Associations between cognition and subsequent mood episodes in patients with bipolar disorder and their unaffected relatives: A systematic review. 2022 , 297, 176-188	0
82	Bipolare affektive Störungen. 2015 , 1-36	
81	Natural Course of Bipolar Disorder and Implications for Treatment. 2016 , 11-23	
80	Cognition and Bipolar Disorder in Older Adults (Including Question of Neuroprogression) 2016 , 1-19	
79	Clinical Assessment of Older Adults with Bipolar Disorder. 2017 , 21-41	
78	Bipolare affektive Störungen. 2017 , 1819-1854	0
77	Shared and dissociable features of apathy and reward system dysfunction in bipolar I disorder and schizophrenia.	1
76	Understanding Cognitive Impairment in Mood Disorders: Mediation Analyses in the UK Biobank Cohort.	0
75	The True Colours Remote Symptom Monitoring System: A Decade of Evolution (Preprint).	
74	Cognitive Impairment Among Tunisian Bipolar Patients: a Case-Control Study. 2021 , 92, 31-39	
73	Effect of Pharmacological and Neurostimulation Interventions for Cognitive Domains in Patients with Bipolar Disorder: A Systematic Review and Network Meta-Analysis of Randomized Controlled Trials. 2021 , 13, 1039-1049	1
72	The Relationship between Cannabis Use and Cognition in People with Bipolar Disorder: A Systematic Scoping Review.	1

71	Patient-evaluated cognitive function measured with smartphones and the association with objective cognitive function, perceived stress, quality of life and function capacity in patients with bipolar disorder. 2020 , 8, 31	1
70	Considering a Potential Role of Linalool as a Mood Stabilizer for Bipolar Disorder. 2020 , 26, 5128-5133	2
69	Comparing Neurocognitive Profile of Patients with Borderline Personality and Bipolar-II Disorders. 2019 , 14, 113-119	3
68	Differential association of cortisol with visual memory/learning and executive function in Bipolar Disorder. 2021 , 307, 114301	0
67	Action-based cognitive remediation in bipolar disorder improved verbal memory but had no effect on the neural response during episodic memory encoding. 2021 , 319, 111418	
66	Pro-inflammatory cytokines and suicidal behavior among patients with bipolar I disorder. 2021 ,	0
65	Characteristics of Bipolar Patients with Cognitive Impairment of Suspected Neurodegenerative Origin: A Multicenter Cohort. 2021 , 11,	1
64	The long-term course of cognition in bipolar disorder: a systematic review and meta-analysis of patient-control differences in test-score changes. 2021 , 1-12	1
63	Novos alvos terapêuticos para o transtorno afetivo bipolar. 2014 , 4, 26-33	
62	Viewer and object mental rotation in young adults with psychotic disorders.. 2022 , 240, 92-102	0
61	Neuropsychological exponents for the driving ability in remitted bipolar patients.. 2022 , 10, 2	
60	Association of Lithium and Second-Generation Antipsychotics with Neurocognition in Youth with Bipolar Disorder.. 2022 ,	0
59	Cognition in older adults with bipolar disorder: an isbd task force systematic review and meta-analysis based on a comprehensive neuropsychological assessment.. 2022 ,	1
58	Cognition Assessment in Virtual Reality: Validity and feasibility of a novel virtual reality test for real-life cognitive functions in mood disorders and psychosis spectrum disorders.. 2021 , 145, 182-189	1
57	Mitochondrial DNA copy number is associated with treatment response and cognitive function in euthymic bipolar patients receiving valproate.. 2022 ,	1
56	Characteristics of frontal activity relevant to cognitive function in bipolar depression: an fNIRS study.. 2022 , 13, 1551-1563	0
55	Randomised controlled cognition trials in remitted patients with mood disorders published between 2015-2021: A systematic review by the International Society for Bipolar Disorders Targeting Cognition Task Force.. 2022 ,	2
54	Randomised controlled trial of Interpersonal and Social Rhythm Therapy and group-based Cognitive Remediation versus Interpersonal and Social Rhythm Therapy alone for mood disorders: study protocol.. 2022 , 22, 115	

- 53 Nutrition, Overweight, and Cognition in Euthymic Bipolar Individuals Compared to Healthy Controls.. **2022**, 14,
- 52 Cognitive Dysfunction in Mood Disorder: Similarities and Differences Between Depression Subtypes. **2022**, 52, 100-104
- 51 Neurocognitive Development in Children at Familial High Risk of Schizophrenia or Bipolar Disorder.. **2022**, ○
- 50 Neural network of bipolar disorder: Toward integration of neuroimaging and neurocircuit-based treatment strategies.. **2022**, 12, 143 ○
- 49 Convergence between behavioral, neural, and self-report measures of cognitive control: The Frontal Systems Behavior Scale in bipolar disorder.. **2022**, 150, 317-323
- 48 Cracks in the wall: Entrepreneurial action theory and the weakening presumption of intended rationality. **2022**, 37, 106190 2
- 47 Verbal learning, working memory, and attention/vigilance may be candidate phenotypes of bipolar II depression in Chinese Han nationality.. **2022**, 226, 103563
- 46 Associations between cognitive impairment and cortical thickness alterations in patients with euthymic and depressive bipolar disorder.. **2022**, 322, 111462
- 45 Cortical Coherence Patterns (Functional Connectivity) During Emotional Processing in Bipolar Mood Disorders. **2020**, 9, 14-24 ○
- 44 Image_1.PDF. **2018**,
- 43 Data_Sheet_1.PDF. **2018**,
- 42 Table_1.pdf. **2018**,
- 41 Table_2.pdf. **2018**,
- 40 Table_3.pdf. **2018**,
- 39 Table_4.pdf. **2018**,
- 38 Table_5.pdf. **2018**,
- 37 Table_6.pdf. **2018**,
- 36 The Effect of Physical Activity on Neurotrophin Concentrations and Cognitive Control in Patients With a Depressive Episode.. **2022**, 13, 777394 ○

35	Differential trajectory of cognitive functions in neurocognitive subgroups of newly diagnosed patients with bipolar disorder and their unaffected first-degree relatives - A longitudinal study.. 2022,		0
34	Cognitive Remediation in Psychiatric Disorders: State of the Evidence, Future Perspectives, and Some Bold Ideas. 2022, 12, 683		1
33	Maximal Sensitivity to Child Maltreatment at the Ages of 6 and 11 Years is Associated with the Risk of Bipolar Disorder. 088626052211061		
32	Neurocognitive functioning in bipolar disorder: What we know and what we don't. 2021, 23, 29-38		0
31	Cognitive subgroups and their longitudinal trajectories in bipolar disorder. <i>Acta Psychiatrica Scandinavica,</i>	6.5	0
30	Protocol for Rhapsody: a longitudinal observational study examining the feasibility of speech phenotyping for remote assessment of neurodegenerative and psychiatric disorders. <i>BMJ Open,</i> 2022, 12, e061193	3	0
29	Pro-inflammatory cytokines and cognitive dysfunction among patients with bipolar disorder and major depression. <i>Psychiatry and Clinical Neurosciences,</i>	6.2	0
28	Passive Sensing of Affective and Cognitive Functioning in Mood Disorders by Analyzing Keystroke Kinematics and Speech Dynamics. <i>Studies in Neuroscience, Psychology and Behavioral Economics,</i> 2023, 229-258	1.8	
27	Characteristics of prefrontal activity during emotional and cognitive processing in patients with bipolar disorder: A multi-channel functional near-infrared spectroscopy study. <i>Frontiers in Neuroscience,</i> 16,	5.1	
26	The right prefrontal cortex (PFC) can distinguish anxious depression from non-anxious depression: A promising functional near infrared spectroscopy study (fNIRS). 2022,		
25	Genome-Transcriptome-Functional Connectivity-Cognition Link Differentiates Schizophrenia From Bipolar Disorder.		
24	The relationship between objective and subjective cognitive performance to clinical features in bipolar disorder: A 6 years follow-up study. 2022,		
23	The Relationship between Mental Disorders and the COVID-19 Pandemic Course, Risk Factors, and Potential Consequences. 2022, 19, 9573		1
22	Cognitive impairment, childhood trauma, sedentary behaviour, and elevated C-reactive protein levels in major affective disorders. 2022, 155, 1-9		
21	Deep neural network to differentiate brain activity between patients with euthymic bipolar disorders and healthy controls during verbal fluency performance: A multichannel near-infrared spectroscopy study. 2022, 326, 111537		0
20	The clinical characterization of the adult patient with bipolar disorder aimed at personalization of management. 2022, 21, 364-387		5
19	Theory of mind profile and cerebellar alterations in remitted bipolar disorder 1 and 2: a comparison study. 16,		1
18	Disrupted network switching in euthymic bipolar disorder: Working memory and self-referential paradigms. 2022,		0

- 17 Characterizing mild cognitive impairment to predict incident dementia in adults with bipolar disorder: What should the benchmark be?. 1-24
- 16 Neurochemical correlates of cognitive functions in euthymic patients with bipolar disorder: 1H-MRS study. **2022**, 78, 103273
- 15 MICEmi: A method to identify cognitive endophenotypes of mental illnesses. **2022**, 65,
- 14 Staging models applied in a sample of patients with bipolar disorder: Results from a retrospective cohort study. **2023**, 323, 452-460
- 13 Associations between emotional and non-emotional cognition and subsequent mood episodes in recently diagnosed patients with bipolar disorder: A 16-month follow-up study. **2023**, 324, 16-23
- 12 A cross-sectional study of cognitive performance in bipolar disorder across the lifespan: the cog-BD project. 1-9
- 11 Feasibility and effect of an immersive virtual reality-based platform for cognitive training in real-life scenarios in patients with mood - or psychotic disorders: A randomized, controlled proof-of-concept study. **2023**, 2, 101120
- 10 The longitudinal trajectory of emotional cognition in subgroups of recently diagnosed patients with bipolar disorder. **2023**, 71, 9-24
- 9 Effects of comorbid alcohol use disorder on bipolar disorder: Focusing on neurocognitive function and inflammatory markers. **2023**, 152, 106083
- 8 A meta-analytic investigation of cognitive remediation for mood disorders: Efficacy and the role of study quality, sample and treatment factors. **2023**, 330, 74-82
- 7 Bipolar and related disorders. **2022**,
- 6 Visual processing deficits in patients with schizophrenia spectrum and bipolar disorders and associations with psychotic symptoms, and intellectual abilities. **2023**, 9, e13354
- 5 Effects of intermittent theta-burst transcranial magnetic stimulation on cognition and hippocampal volumes in bipolar depression. **2023**, 25, 24-32
- 4 Medication adherence and cognitive performance in schizophrenia-spectrum and bipolar disorder: results from the PsyCourse Study. **2023**, 13,
- 3 Comparative analysis of anticholinergic burden scales to explain iatrogenic cognitive impairment and self-reported side effects in the euthymic phase of bipolar disorders: results from the FACE-BD cohort.
- 2 Smartphone-derived Virtual Keyboard Dynamics Coupled with Accelerometer Data as a Window into Understanding Brain Health. **2023**,
- 1 Decreased serum allopregnanolone and progesterone levels in male patients with bipolar disorder and their effects on cognitive functions.