

CITATION REPORT

List of articles citing

Current barrier membranes: titanium mesh and other membranes for guided bone regeneration in dental applications

DOI: 10.1016/j.jpor.2012.12.001

Journal of Prosthodontic Research, 2013, 57, 3-14.

Source: <https://exaly.com/paper-pdf/55859476/citation-report.pdf>

Version: 2024-04-29

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
348	The association of hydrogel and biphasic calcium phosphate in the treatment of dehiscence-type peri-implant defects: an experimental study in dogs. 2013 , 24, 2749-60		16
347	Predictable and sustainable preprosthetic surgery: the crossroads of bone metabolism, molecular biology, and biomaterials. <i>Journal of Prosthodontic Research</i> , 2013 , 57, 1-2	4.3	2
346	Membranes for the Guided Bone Regeneration. 2014 , 36, 239-46		68
345	Vertical Guided Bone Regeneration using Titanium-reinforced d-PTFE Membrane and Prehydrated Corticocancellous Bone Graft. 2014 , 8, 194-200		26
344	Preliminary evaluation of a three-dimensional, customized, and preformed titanium mesh in peri-implant alveolar bone regeneration. 2014 , 40, 181-7		19
343	Periodontal Regenerative Materials and Their Applications: Mechanisms of Action. 2014 , 4, 103-119		
342	Bone Augmentation With Occlusive Barriers and Cortical Particulate Allograft in Transverse Maxillary Defects: A Pilot Study. 2014 , 32, 364-368		1
341	Alveolar ridge reconstruction with titanium meshes: a systematic review of the literature. 2014 , 19, e639-46		47
340	Triple-layered PLGA/nanoapatite/lauric acid graded composite membrane for periodontal guided bone regeneration. 2014 , 43, 253-63		23
339	Augmentation of intramembranous bone in rabbit calvaria using an occlusive barrier in combination with demineralized bone matrix (DBM): a pilot study. 2014 , 12, 378-83		6
338	Microcomputed tomographic and histomorphometric analyses of novel titanium mesh membranes for guided bone regeneration: a study in rat calvarial defects. 2014 , 29, 826-35		17
337	Klinische Erfahrungen mit resorbierbaren Kollagenmembranen. 2015 , 112, 260-263		
336	Bone Augmentation in Rabbit Tibia Using Microfixed Cobalt-Chromium Membranes with Whole Blood and Platelet-Rich Plasma. <i>Materials</i> , 2015 , 8, 4843-4856	3.5	5
335	Comparison of Selective Laser Melted Titanium and Magnesium Implants Coated with PCL. 2015 , 16, 13287-301		23
334	Grafts for Ridge Preservation. <i>Journal of Functional Biomaterials</i> , 2015 , 6, 833-48	4.8	32
333	Comparative Efficacies of a 3D-Printed PCL/PLGA/βTCP Membrane and a Titanium Membrane for Guided Bone Regeneration in Beagle Dogs. 2015 , 7, 2061-2077		40
332	In vitro bioactivity assessment of composite membrane containing antimicrobial lauric acid for guided bone regeneration in dental application. 2015 ,		

331	The effect of overlaying titanium mesh with collagen membrane for ridge preservation. 2015 , 45, 128-35		7
330	Bone Replacement Materials and Techniques Used for Achieving Vertical Alveolar Bone Augmentation. <i>Materials</i> , 2015 , 8, 2953-2993	3-5	92
329	Dental Implant Placement in Inadequate Posterior Maxilla. 2015 ,		0
328	The Effectiveness of a Customized Titanium Mesh for Ridge Preservation with Immediate Implantation in Dogs. 2015 , 17 Suppl 2, e652-60		7
327	Strategies for alveolar ridge reconstruction and preservation for implant therapy. <i>Journal of Prosthodontic Research</i> , 2015 , 59, 220-8	4-3	53
326	Preparation and Characterization A Novel Nano Composite Barrier For Gtr / Gbr. 2015 , 11, 588-593		
325	A Retrospective Evaluation of 192 Implants Placed in Augmented Bone: Long-Term Follow-Up Study. 2015 , 41, 669-74		21
324	Investigating the Potential of Amnion-Based Scaffolds as a Barrier Membrane for Guided Bone Regeneration. 2015 , 31, 8642-53		33
323	Work flow for the prosthetic rehabilitation of atrophic patients with a minimal-intervention CAD/CAM approach. 2015 , 114, 22-6		14
322	Evaluations of guided bone regeneration in canine radius segmental defects using autologous periosteum combined with fascia lata under stable external fixation. 2015 , 16, 133-40		7
321	Graded porous polyurethane foam: a potential scaffold for oro-maxillary bone regeneration. 2015 , 51, 329-35		53
320	Bone Regeneration Using Hydroxyapatite Sponge Scaffolds with In Vivo Deposited Extracellular Matrix. 2015 , 21, 2649-61		14
319	Custom-made titanium devices as membranes for bone augmentation in implant treatment: Clinical application and the comparison with conventional titanium mesh. 2015 , 43, 2183-8		49
318	Engineered mussel biogel as a functional osteoinductive binder for grafting of bone substitute particles to accelerate in vivo bone regeneration. 2015 , 3, 546-555		13
317	Fibroblast attachment onto novel titanium mesh membranes for guided bone regeneration. 2015 , 103, 218-26		10
316	. 2016 ,		3
315	Alveolar Ridge Reconstruction with Titanium Meshes and Simultaneous Implant Placement: A Retrospective, Multicenter Clinical Study. <i>BioMed Research International</i> , 2016 , 2016, 5126838	3	16
314	Tissue engineering applications and nanobiomaterials in periodontology and implant dentistry. 2016 , 337-387		1

313	In Vitro and In Vivo Study of a Novel Porcine Collagen Membrane for Guided Bone Regeneration. <i>Materials</i> , 2016 , 9,	3.5	13
312	Application of Bioreactor Concept and Modeling Techniques to Bone Regeneration and Augmentation Treatments. 2016 , 279-321		
311	Sandcastle Worm-Inspired Blood-Resistant Bone Graft Binder Using a Sticky Mussel Protein for Augmented In Vivo Bone Regeneration. 2016 , 5, 3191-3202		26
310	Bone augmentation around a dental implant using demineralized bone sheet containing biologically active substances. 2016 , 35, 470-8		2
309	Biocompatibility, resorption and biofunctionality of a new synthetic biodegradable membrane for guided bone regeneration. 2016 , 11, 045012		40
308	Bilamina cortical tenting grafting technique for three-dimensional reconstruction of severely atrophic alveolar ridges in anterior maxillae: A 6-year prospective study. 2016 , 44, 868-75		10
307	Guided Bone Regeneration of an Atrophic Mandible with a Heterologous Bone Block. 2016 , 9, 88-93		4
306	Comparison between various densities of pore titanium meshes and e-polytetrafluoroethylene (ePTFE) membrane regarding bone regeneration induced by low intensity pulsed ultrasound (LIPUS) in rabbit nasal bone. 2016 , 44, 1152-61		3
305	Comparison of Guided Bone Regeneration Between Surface-Modified and Pristine Titanium Membranes in a Rat Calvarial Model. 2016 , 31, 581-90		5
304	Alveolar Augmentation Using Different Bone Substitutes. 2016 , 1159-1199		
303	Poly(Vinylidene Fluoride-Trifluoroethylene)/barium titanate membrane promotes de novo bone formation and may modulate gene expression in osteoporotic rat model. 2016 , 27, 180		16
302	Evaluation of 3D printed PCL/PLGA/βTCP versus collagen membranes for guided bone regeneration in a beagle implant model. 2016 , 11, 055013		57
301	Engineering a novel bilayer membrane for bone defects regeneration. 2016 , 180, 268-272		7
300	A new laboratory model using bull and boar spermatozoa and fluorescent beads to assess a membrane's occlusive potential. <i>Clinical Oral Investigations</i> , 2016 , 20, 1935-1942	4.2	0
299	A preliminary study for novel use of two Mg alloys (WE43 and Mg3Gd). 2016 , 27, 82		10
298	Electrospun PDLLA/PLGA composite membranes for potential application in guided tissue regeneration. 2016 , 58, 278-85		49
297	Collagen barrier membranes adsorb growth factors liberated from autogenous bone chips. 2017 , 28, 236-241		26
296	Stability and Crestal Bone Behavior Following Simultaneous Placement of Multiple Dental Implants (Two or More) with the Bone Splitting Technique: A Clinical and Radiographic Evaluation. 2017 , 19, 123-130		6

295	In Vivo Immune Responses of Cross-Linked Electrospun Tilapia Collagen Membrane. 2017 , 23, 1110-1119	15
294	Micro-computed tomography analysis of early stage bone healing using micro-porous titanium mesh for guided bone regeneration: preliminary experiment in a canine model. 2017 , 105, 408-417	12
293	Atrophic Maxilla Reconstruction With Fresh Frozen Allograft Bone, Titanium Mesh, and Platelet-Rich Fibrin: Case Report. 2017 , 49, 893-897	1
292	Fabrication and characterization of two-layered nanofibrous membrane for guided bone and tissue regeneration application. 2017 , 80, 75-87	64
291	Ridge augmentation with titanium mesh: A case report. 2017 , 118, 181-186	9
290	Natural graft tissues and synthetic biomaterials for periodontal and alveolar bone reconstructive applications: a review. 2017 , 21, 9	155
289	Alveolar Ridge Preservation Using Allografts and Dense Polytetrafluoroethylene Membranes With Open Membrane Technique in Unhealthy Extraction Socket. 2017 , 43, 267-273	5
288	Effects of Recombinant Human Bone Morphogenetic Protein-2 on Vertical Bone Augmentation in a Canine Model. 2017 , 88, 896-905	13
287	Characterization of membranes based on cellulose acetate butyrate/poly(caprolactone)triol/doxycycline and their potential for guided bone regeneration application. 2017 , 76, 365-373	12
286	A Mineralized High Strength and Tough Hydrogel for Skull Bone Regeneration. 2017 , 27, 1604327	85
285	Guided bone regeneration: materials and biological mechanisms revisited. 2017 , 125, 315-337	254
284	Guided Bone Regeneration with Platelet Rich Fibrin. 2017 , 159-183	
283	Process Chain for the Fabrication of a Custom 3D Barrier for Guided Bone Regeneration. 2017 , 65, 151-156	1
282	The Use of Graft Materials and Platelet Rich Plasma in Oral Surgery. 2017 , 376, 39-53	1
281	Collagen based barrier membranes for periodontal guided bone regeneration applications. 2017 , 105, 1-12	79
280	Limited Evidence for a Guided Bone Regeneration Procedure Commonly Performed in Contemporary Clinical Practice. 2017 , 7, 105-113	2
279	Managing Titanium Mesh Exposure With Partial Removal of the Exposed Site: A Case Series Study. 2017 , 43, 482-490	6
278	Development of a Novel Degradation-Controlled Magnesium-Based Regeneration Membrane for Future Guided Bone Regeneration (GBR) Therapy. 2017 , 7, 481	4

277	Preparation and Characterization of Resorbable Bacterial Cellulose Membranes Treated by Electron Beam Irradiation for Guided Bone Regeneration. 2017 , 18,		23
276	Bilayer Poly(Lactic-co-glycolic acid)/Nano-Hydroxyapatite Membrane with Barrier Function and Osteogenesis Promotion for Guided Bone Regeneration. <i>Materials</i> , 2017 , 10,	3.5	23
275	The Effect of Thickness of Resorbable Bacterial Cellulose Membrane on Guided Bone Regeneration. <i>Materials</i> , 2017 , 10,	3.5	21
274	In Vitro Evaluation of PCL and P(3HB) as Coating Materials for Selective Laser Melted Porous Titanium Implants. <i>Materials</i> , 2017 , 10,	3.5	11
273	Management of the exposure of a dense PTFE (d-PTFE) membrane in guided bone regeneration (GBR): a case report. 2017 , 10, 335-342		24
272	Morphogenetically-Active Barrier Membrane for Guided Bone Regeneration, Based on Amorphous Polyphosphate. 2017 , 15,		4
271	Effects of Titanium Mesh Surfaces-Coated with Hydroxyapatite/Tritalcium Phosphate Nanotubes on Acetabular Bone Defects in Rabbits. 2017 , 18,		2
270	Effects of rhBMP-2 Loaded Titanium Reinforced Collagen Membranes on Horizontal Bone Augmentation in Dogs. <i>BioMed Research International</i> , 2017 , 2017, 7141296	3	1
269	The Mechanical Properties and Biometrical Effect of 3D Preformed Titanium Membrane for Guided Bone Regeneration on Alveolar Bone Defect. <i>BioMed Research International</i> , 2017 , 2017, 7102123	3	8
268	Histologic Evaluation of Bone Regeneration using Titanium Mesh Prepared by Selective Laser Melting Technique. 2017 , 26, 257-260		4
267	Periodontal and peri-implant hard tissue regeneration. 2017 , 405-428		3
266	Novel Bioabsorbable Bovine Derived Atelo-Collagen Type I Membrane: Characterization into Host Tissues. 2017 , 03,		0
265	Enhanced osteogenic differentiation and bone regeneration of poly(lactic-co-glycolic acid) by graphene via activation of PI3K/Akt/GSK-3 β /E-catenin signal circuit. 2018 , 6, 1147-1158		36
264	Customized Titanium Lattice Structure in Three-Dimensional Alveolar Defect: An Initial Case Letter. 2018 , 44, 219-224		1
263	Bone Grafting. 2018 , 155-174		1
262	Clinical Safety of a New Synthetic Resorbable Dental Membrane: A Case Series Study. 2018 , 44, 138-145		5
261	Degradation pattern of a porcine collagen membrane in an in vivo model of guided bone regeneration. 2018 , 53, 430-439		24
260	Effect of membrane exposure on guided bone regeneration: A systematic review and meta-analysis. 2018 , 29, 328-338		61

259	Implant Insertion into an Augmented Bone Region Using the Canine Mandible Augmented by the "Casing Method". 2018 , 301, 892-901	1
258	Clinical study of guided bone regeneration with resorbable polylactide-co-glycolide acid membrane. 2018 , 106, 334-339	2
257	Development of layered PLGA membranes for periodontal tissue regeneration. 2018 , 34, 538-550	27
256	Localized ridge augmentation in the anterior maxilla using titanium mesh, an alloplast, and a nano-bone graft: a case report. 2018 , 46, 2001-2007	3
255	Dental pulp stem cells for bone tissue engineering: a review of the current literature and a look to the future. 2018 ,	17
254	Using Virtual Ridge Augmentation and 3-Dimensional Printing to Fabricate a Titanium Mesh Positioning Device: A Novel Technique Letter. 2018 , 44, 293-299	4
253	Current bone substitutes for implant dentistry. <i>Journal of Prosthodontic Research</i> , 2018 , 62, 152-161	4-3 82
252	A Multifunctional Polymeric Periodontal Membrane with Osteogenic and Antibacterial Characteristics. 2018 , 28, 1703437	111
251	Porosity effect of 3D-printed polycaprolactone membranes on calvarial defect model for guided bone regeneration. 2017 , 13, 015014	23
250	Vertical Bone Augmentation of the Posterior Mandible with Simultaneous Implant Placement Utilizing Atelo-Collagen-Derived Bone Grafts and Membranes. 2018 , 04,	
249	Effect of Modified Bovine Pericardium on Human Gingival Fibroblasts in vitro. 2018 , 206, 296-307	7
248	Experiment of GBR for repair of peri-implant alveolar defects in beagle dogs. 2018 , 8, 16532	10
247	Reconstruction of the Alveolar Bone Using Bone Augmentation With Selective Laser Melting Titanium Mesh Sheet: A Report of 2 Cases. 2018 , 27, 602-607	8
246	Vertical Bone Augmentation Using Ring Technique with Three Different Materials in the Sheep Mandible Bone. 2018 , 33, 1057-1063	6
245	Strontium delivery systems based on bacterial cellulose and hydroxyapatite for guided bone regeneration. 2018 , 25, 6661-6679	13
244	Design of a migration assay for human gingival fibroblasts on biodegradable magnesium surfaces. 2018 , 79, 158-167	13
243	Titanium Dioxide Nanotube Arrays for Biomedical Implant Materials and Nanomedicine Applications. 2018 ,	5
242	Human amniotic membrane for guided bone regeneration of calvarial defects in mice. 2018 , 29, 78	12

241	Multiwalled Carbon nanotubes/hydroxyapatite nanoparticles incorporated GTR membranes. 2018 , 181-209		
240	New microperforated pure titanium membrane created by laser processing for guided regeneration of bone. 2018 , 56, 642-643		10
239	Copper-Modified Ti6Al4 V Suppresses Inflammatory Response and Osteoclastogenesis while Enhancing Extracellular Matrix Formation for Osteoporotic Bone Regeneration. 2018 , 4, 3364-3373		10
238	On the search of the ideal barrier membrane for guided bone regeneration. 2018 , 10, e477-e483		24
237	Injectable, compression-resistant polymer/ceramic composite bone grafts promote lateral ridge augmentation without protective mesh in a canine model. 2018 , 29, 592-602		6
236	Silk Protein-Based Membrane for Guided Bone Regeneration. 2018 , 8, 1214		18
235	Influence of Chromium-Cobalt-Molybdenum Alloy (ASTM F75) on Bone Ingrowth in an Experimental Animal Model. <i>Journal of Functional Biomaterials</i> , 2017 , 9,	4.8	2
234	Carbonate Apatite Containing Statin Enhances Bone Formation in Healing Incisal Extraction Sockets in Rats. <i>Materials</i> , 2018 , 11,	3.5	5
233	Independent Evaluation of Medical-Grade Bioresorbable Filaments for Fused Deposition Modelling/Fused Filament Fabrication of Tissue Engineered Constructs. 2018 , 10,		27
232	BMP-2-Immobilized Porous Matrix with Leaf-Stacked Structure as a Bioactive GBR Membrane. 2018 , 10, 30115-30124		10
231	Use of a Non-Crosslinked Collagen Membrane During Guided Bone Regeneration Does Not Interfere With the Bone Regenerative Capacity of the Periosteum. 2018 , 76, 2331.e1-2331.e10		3
230	Osteogenic capacity of mixed-acid and heat-treated titanium mesh prepared by a selective laser melting technique.. 2018 , 8, 26069-26077		4
229	Growth of Primary Human Osteoblasts on Plasma-Treated and Nanodiamond-Coated PTFE Polymer Foils. 2018 , 255, 1700595		5
228	Generation and histomorphometric evaluation of a novel fluvastatin-containing poly(lactic-co-glycolic acid) membrane for guided bone regeneration. 2019 , 107, 37-45		7
227	A Preshaped Titanium Mesh for Guided Bone Regeneration with an Equine-Derived Bone Graft in a Posterior Mandibular Bone Defect: A Case Report. 2019 , 7,		3
226	Synthesis and characterization of biocompatible polymer-ceramic film structures as favorable interface in guided bone regeneration. 2019 , 494, 335-352		11
225	Histological and histomorphometric analysis of bone tissue after guided bone regeneration with non-resorbable membranes vs resorbable membranes and titanium mesh. 2019 , 21, 693-701		20
224	Horizontal Ridge Augmentation and Contextual Implant Placement with a Resorbable Membrane and Particulated Anorganic Bovine Bone-Derived Mineral. 2019 , 2019, 6710340		0

223	Transforming Growth Factor- β /Chitosan Sponge (TGF- β /CS) Facilitates Osteogenic Differentiation of Human Periodontal Ligament Stem Cells. 2019 , 20,			10
222	Osteogenesis-Related Gene Expression and Guided Bone Regeneration of a Strontium-Doped Calcium-Phosphate-Coated Titanium Mesh. 2019 , 5, 6715-6724			8
221	Evaluation of a Newly Designed Microperforated Titanium Membrane with Beta-Tricalcium Phosphate for Guided Bone Regeneration in Dog Mandibles. 2019 , 34, 1132-1142			3
220	Characterization of genipin-crosslinked gelatin/hyaluronic acid-based hydrogel membranes and loaded with hinokitiol: In vitro evaluation of antibacterial activity and biocompatibility. 2019 , 105, 110074			24
219	Supplemental periodontal regeneration by vertical ridge augmentation around dental implants. A preclinical in vivo experimental study. 2019 , 30, 1118-1125			4
218	Efectividad del plasma rico en fibrina y membrana de colágeno en la regeneración ósea guiada.. 2019 , 12, 63-65			0
217	Epigallocatechin-3-gallate Cross-Linked Small Intestinal Submucosa for Guided Bone Regeneration. 2019 , 5, 5024-5035			7
216	More Than Just a Barrier—Challenges in the Development of Guided Bone Regeneration Membranes. 2019 , 1, 558-560			8
215	Tissue Engineering for Transoral Reconstruction of Large Mandibular Continuity Defects. 2019 , 143-154			1
214	A Proposal of Pseudo-periosteum Classification After GBR by Means of Titanium-Reinforced d-PTFE Membranes or Titanium Meshes Plus Cross-Linked Collagen Membranes. 2019 , 39, e157-e165			9
213	Effect of Simultaneous Immediate Implant Placement and Guided Bone Reconstruction with Ultra-Fine Titanium Mesh Membranes on Radiographic and Clinical Parameters after 18 Months of Loading. <i>Materials</i> , 2019 , 12,	3.5		11
212	Comparing Properties of Variable Pore-Sized 3D-Printed PLA Membrane with Conventional PLA Membrane for Guided Bone/Tissue Regeneration. <i>Materials</i> , 2019 , 12,	3.5		22
211	Physicochemical characterization of barrier membranes for bone regeneration. 2019 , 97, 13-20			13
210	Modifications of Polymeric Membranes Used in Guided Tissue and Bone Regeneration. 2019 , 11,			22
209	Mg-based absorbable membrane for guided bone regeneration (GBR): a pilot study. 2019 , 38, 577-587			10
208	Resorbable Versus Nonresorbable Membranes: When and Why?. 2019 , 63, 419-431			21
207	PRGF-Modified Collagen Membranes for Guided Bone Regeneration: Spectroscopic, Microscopic and Nano-Mechanical Investigations. 2019 , 9, 1035			9
206	Tailored Biomaterials for Therapeutic Strategies Applied in Periodontal Tissue Engineering. 2019 , 28, 963-973			8

205	The application of a newly designed L-shaped titanium mesh for GBR with simultaneous implant placement in the esthetic zone: A retrospective case series study. 2019 , 21, 862-872	12
204	Complications of augmentation procedures for dental implants in private practice, Victoria, Australia. 2019 , 64, 223-228	2
203	Assessment of three dimensional bone augmentation of severely atrophied maxillary alveolar ridges using prebent titanium mesh vs customized poly-ether-ether-ketone (PEEK) mesh: A randomized clinical trial. 2019 , 21, 960-967	13
202	Evaluation of a Newly Designed Microperforated Pure Titanium Membrane for Guided Bone Regeneration. 2019 , 34, 411-422	6
201	Chemical cross-linking of xenopericardial biomeshes: A bottom-up study of structural and functional correlations. 2019 , 26, e12506	14
200	Regenerative Strategies for Maxillary and Mandibular Reconstruction. 2019 ,	
199	Titanium Mesh Grafting Combined with Recombinant Human Bone Morphogenetic Protein 2 for Alveolar Reconstruction. 2019 , 31, 309-315	3
198	Mechanical Characterization of 3D-Printed Individualized Ti-Mesh (Membrane) for Alveolar Bone Defects. 2019 , 2019, 4231872	5
197	In vivo bone regeneration by differently designed titanium membrane with or without surface treatment: a study in rat calvarial defects. 2019 , 10, 2041731419831466	9
196	The impact of collagen membranes on 3D gingival fibroblast toroids. 2019 , 19, 48	2
195	Effect of the surface treatment and hole size of pure titanium mesh on new bone formation. 2019 , 8, 6-13	0
194	Guided Bone Regeneration Using BioGlue As a Barrier Material With and Without Biphasic Calcium Phosphate. 2019 , 30, 1308-1313	2
193	Bonegraft Wrap Technique: Avoiding Accentuated Labiomental Groove After Genioplasty. 2019 , 30, 2599-2600	
192	Statements and Recommendations for Guided Bone Regeneration: Consensus Report of the Guided Bone Regeneration Symposium Held in Bologna, October 15 to 16, 2016. 2019 , 28, 388-399	15
191	Tensile Properties of Three Selected Collagen Membranes. <i>BioMed Research International</i> , 2019 , 2019, 5163603	3 17
190	Ultrasound sonication prior to electrospinning tailors silk fibroin/PEO membranes for periodontal regeneration. 2019 , 98, 969-981	18
189	Custom-Made Titanium Mesh for Maxillary Bone Augmentation With Immediate Implants and Delayed Loading. 2019 , 45, 59-64	8
188	Biomechanical Effect of Masticatory Forces in Tenting Screws Used for Vertical Ridge Augmentation. 2019 , 45, 165-170	0


187	Pervasion of beta-tricalcium phosphate with nanodiamond particles yields efficient and safe bone replacement material amenable for biofunctionalization and application in large-size osseous defect healing. 2019 , 16, 250-257		3
186	Controllable fabrication of porous PLGA/PCL bilayer membrane for GTR using supercritical carbon dioxide foaming. 2019 , 472, 82-92		20
185	Potentials of sandwich-like chitosan/polycaprolactone/gelatin scaffolds for guided tissue regeneration membrane. 2020 , 109, 110618		27
184	A Critical Review on the Production of Electrospun Nanofibres for Guided Bone Regeneration in Oral Surgery. 2019 , 10,		24
183	Bioresorbable magnesium-reinforced PLA membrane for guided bone/tissue regeneration. 2020 , 112, 104061		11
182	Protein adsorption and bioactivity of functionalized electrospun membranes for bone regeneration. 2020 , 102, 103473		6
181	Characterization of a Bioresorbable Magnesium-Reinforced PLA-Integrated GTR/GBR Membrane as Dental Applications. 2020 , 2020, 6743195		2
180	Antibacterial Bio-Based Polymers for Cranio-Maxillofacial Regeneration Applications. 2020 , 10, 8371		3
179	The effect of macrophages on an atmospheric pressure plasma-treated titanium membrane with bone marrow stem cells in a model of guided bone regeneration. 2020 , 31, 70		1
178	Influence of calcium phosphates incorporation into poly(lactic-co-glycolic acid) electrospun membranes for guided bone regeneration. 2020 , 179, 109253		2
177	Implant and Prosthetic Success Following Peri-implant Guided Bone Regeneration in the Esthetic Zone Using an Equine Cortical Bone Membrane and an Equine Enzyme-Treated Bone Graft: A Retrospective Study with 9-year Follow-Up. 2020 , 35, 824-832		0
176	Guided Bone Regeneration with Ammoniomethacrylate-Based Barrier Membranes in a Radial Defect Model. <i>BioMed Research International</i> , 2020 , 2020, 5905740		3
175	Visible Light-Enhanced Antibacterial and Osteogenic Functionality of Au and Pt Nanoparticles Deposited on TiO Nanotubes. <i>Materials</i> , 2020 , 13,	3.5	6
174	A New Polycaprolactone-Based Biomembrane Functionalized with BMP-2 and Stem Cells Improves Maxillary Bone Regeneration. 2020 , 10,		4
173	Fast-Versus Slow-Resorbable Calcium Phosphate Bone Substitute Materials-Texture Analysis after 12 Months of Observation. <i>Materials</i> , 2020 , 13,	3.5	3
172	Effect of Attapulgite-Doped Electrospun Fibrous PLGA Scaffold on Pro-Osteogenesis and Barrier Function in the Application of Guided Bone Regeneration. 2020 , 15, 6761-6777		4
171	Surface Comparison of Three Different Commercial Custom-Made Titanium Meshes Produced by SLM for Dental Applications. <i>Materials</i> , 2020 , 13,	3.5	7
170	Development of a novel bioactive titanium membrane with alkali treatment for bone regeneration. 2020 , 39, 877-882		1

169	Compression-Resistant Polymer/Ceramic Composite Scaffolds Augmented with rhBMP-2 Promote New Bone Formation in a Nonhuman Primate Mandibular Ridge Augmentation Model. 2020 , 35, 616-624		1
168	Doxycycline and Zinc Loaded Silica-Nanofibrous Polymers as Biomaterials for Bone Regeneration. 2020 , 12,		17
167	Growth and Osteogenic Differentiation of Discarded Gingiva-Derived Mesenchymal Stem Cells on a Commercial Scaffold. 2020 , 8, 292		4
166	Horizontal ridge augmentation using native collagen membrane vs titanium mesh in atrophic maxillary ridges: Randomized clinical trial. 2020 , 22, 156-166		12
165	Effect of Gellan Gum/Tuna Skin Film in Guided Bone Regeneration in Artificial Bone Defect in Rabbit Calvaria. <i>Materials</i> , 2020 , 13,	3-5	2
164	In vitro evaluation of bilayer membranes of PLGA/hydroxyapatite/β-tricalcium phosphate for guided bone regeneration. 2020 , 112, 110849		16
163	The response of gingiva monolayer, spheroid, and ex vivo tissue cultures to collagen membranes and bone substitute. 2020 , 14, 1307-1317		2
162	A review on synthesis and biomedical applications of polyglycolic acid. 2020 , 27, 1		31
161	Biopolymer membranes for dentistry applications. 2020 , 243-272		0
160	A pure zinc membrane with degradability and osteogenesis promotion for guided bone regeneration: In vitro and in vivo studies. 2020 , 106, 396-409		34
159	Selection of Collagen Membranes for Bone Regeneration: A Literature Review. <i>Materials</i> , 2020 , 13,	3-5	53
158	Electrospun fibrous membranes of poly (lactic-co-glycolic acid) with β-tricalcium phosphate for guided bone regeneration application. 2020 , 86, 106489		6
157	Influence of collagen membrane on bone quality in titanium mesh reconstructions-Study in rats. 2020 , 91, 1673-1681		4
156	A biodegradable multifunctional nanofibrous membrane for periodontal tissue regeneration. 2020 , 108, 207-222		39
155	Assessment of fresh and preserved amniotic membrane for guided bone regeneration in mice. 2020 , 108, 2044-2056		11
154	In-vivo histocompatibility and osteogenic potential of biodegradable PLDLA composites containing silica-based bioactive glass fiber. 2020 , 35, 59-71		1
153	A novel experimental approach to evaluate guided bone regeneration (GBR) in the rat femur using a 3D-printed CAD/CAM zirconia space-maintaining barrier. 2021 , 28, 221-229		2
152	Advances of nanomaterial applications in oral and maxillofacial tissue regeneration and disease treatment. 2020 , 13, e1669		9

151	Evaluation of the screw tent-pole technique for the repair of anterior maxilla width defects: a prospective, randomized, split-mouth study. 2021 , 50, 801-807	0
150	Effectiveness of bilayer porous polyethylene membrane for alveolar ridge preservation: A randomized controlled trial. 2021 , 23, 73-85	1
149	Research on the dimensional accuracy of customized bone augmentation combined with 3D-printing individualized titanium mesh: A retrospective case series study. 2021 , 23, 5-18	3
148	In vitro and in vivo evaluations of Mg-Zn-Gd alloy membrane on guided bone regeneration for rabbit calvarial defect. 2021 , 9, 281-291	4
147	Appropriately adapted properties of hot-extruded Zn-0.5Cu-xFe alloys aimed for biodegradable guided bone regeneration membrane application. 2021 , 6, 975-989	18
146	Next-generation surgical meshes for drug delivery and tissue engineering applications: materials, design and emerging manufacturing technologies. 2021 , 4, 278-310	9
145	Application of 3D Printing in Reconstruction of Oral and Maxillofacial Multi- and Interfacial Tissue Defects. 2021 , 167-217	
144	Regeneration for Implant Dentistry. 2021 , 133-150	0
143	Retrospective Analysis of the Effect of Three-Dimensional Preformed Titanium Mesh on Peri-Implant Non-Contained Horizontal Defects in 100 Consecutive Cases. 2021 , 11, 872	0
142	Biomimetic nanofibrous hybrid hydrogel membranes with sustained growth factor release for guided bone regeneration. 2021 , 9, 1256-1271	4
141	Silk-based hybrid microfibrinous mats as guided bone regeneration membranes. 2021 , 9, 2025-2032	12
140	The Prevention and Treatment Strategies of Membrane Exposure in Guided Bone Regeneration (GBR). 2021 , 11, 1864-1869	
139	Recent update on potential cytotoxicity, biocompatibility and preventive measures of biomaterials used in dentistry. 2021 , 9, 3244-3283	8
138	Bone-adhesive barrier membranes based on alendronate-functionalized poly(2-oxazoline)s. 2021 , 9, 5848-5860	1
137	OPTIMIZED METHOD OF BOVINE PERICARDIUM DECELLULARIZATION FOR TISSUE ENGINEERING. 2021 , 74, 815-820	1
136	Eggshell membrane as a bioactive agent in polymeric nanotopographic scaffolds for enhanced bone regeneration. 2021 , 118, 1862-1875	3
135	Advances in Bacterial Cellulose/Strontium Apatite Composites for Bone Applications. 1-29	3
134	Titanium Meshes in Guided Bone Regeneration: A Systematic Review. <i>Coatings</i> , 2021 , 11, 316	2.9 2

133	Horizontal bone augmentation and simultaneous implant placement using xenogeneic bone rings technique: a retrospective clinical study. 2021 , 11, 4947		0
132	Evaluation of the effectiveness of xenogenic material at the site of the osteoplastic procedure on the alveolar ridge of the jaw in case of exposure of the dPTFE membrane. 2021 , 47-52		
131	Radially patterned transplantable biodegradable scaffolds as topographically defined contact guidance platforms for accelerating bone regeneration. 2021 , 15, 12		1
130	Preparation of Poly Lactic-Co-Glycolic Acid-Based Implant Biomaterials and Its Adoption in Restoration of Periodontal Missing Teeth. 2021 , 13, 694-704		
129	Enhancement of Bone Regeneration on Calcium-Phosphate-Coated Magnesium Mesh: Using the Rat Calvarial Model. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021 , 9, 652334	5.8	3
128	Comparative barrier membrane degradation over time: Pericardium versus dermal membranes. 2021 , 7, 711-718		4
127	Electrospun polyamide-6/chitosan nanofibers reinforced nano-hydroxyapatite/polyamide-6 composite bilayered membranes for guided bone regeneration. 2021 , 260, 117769		19
126	Histological assessment of mandibular bone tissue after guided bone regeneration with customized computer-aided design/computer-assisted manufacture titanium mesh in humans: A cohort study. 2021 , 23, 600-611		3
125	Mechanical Properties and Corrosion Resistance of TiAl6V4 Alloy Produced with SLM Technique and Used for Customized Mesh in Bone Augmentations. 2021 , 11, 5622		3
124	Polybutylene-adipate-terephthalate and niobium-containing bioactive glasses composites: Development of barrier membranes with adjusted properties for guided bone regeneration. 2021 , 125, 112115		4
123	Comparing the Efficacy of a Microperforated Titanium Membrane for Guided Bone Regeneration with an Existing Mesh Retainer in Dog Mandibles. <i>Materials</i> , 2021 , 14,	3.5	1
122	A Review Poly(lactic Acid and Gelatin Biomaterial GBR (Guided Bone Regeneration) and Multilayer GBR Membranes.		
121	Effects of collagen membranes and bone substitute differ in periodontal ligament cell microtissues and monolayers. 2021 ,		0
120	Nano/micro-structured poly(ϵ -caprolactone)/gelatin nanofibers with biomimetically-grown hydroxyapatite spherules: High protein adsorption, controlled protein delivery and sustained bioactive ions release designed as a multifunctional bone regenerative membrane. 2021 , 47, 19873-19885		5
119	Clinical, Radiographic, and Histomorphometric Evaluation of a Vertical Ridge Augmentation Procedure Using a Titanium-Reinforced Microporous Expanded Polytetrafluoroethylene Membrane: A Prospective Case Series with 1-Year Follow-Up. <i>Materials</i> , 2021 , 14,	3.5	1
118	An Insight into Nano Silver Fluoride-Coated Silk Fibroin Bioinspired Membrane Properties for Guided Tissue Regeneration. 2021 , 13,		0
117	Yoğun Politetrafloroetilen (d-PTFE) ve Titanyum Mesh (Ti-Mesh) Membranlar Kullanılarak Yapılan Yıllandırılmış Kemik Rejenerasyonu Uygulamalarının Sonrası Komplikasyon Oranlarının Karşılaştırılması		
116	Customized-3D zirconia barriers for guided bone regeneration (GBR): clinical and histological findings from a proof-of-concept case series. 2021 , 114, 103780		1

115	Augmentation stability and early wound healing outcomes of guided bone regeneration in peri-implant dehiscence defects with L- and I-shaped soft block bone substitutes: A clinical and radiographic study. 2021 , 32, 1308-1317		1
114	Repairing of Subchondral Defect and Articular Cartilage of Knee Joint of Rabbit by Gadolinium Containing Bio-Nanocomposites. 2021 , 17, 1584-1597		0
113	Safety and feasibility assessment of biodegradable poly (l-lactic acid/ε-caprolactone) membrane for guided bone regeneration: A case series of first-in-human pilot study.. 2022 , 17, 368-376		0
112	Hard Tissue Volume Stability Effect beyond the Bony Envelope of a Three-Dimensional Preformed Titanium Mesh with Two Different Collagen Barrier Membranes on Peri-Implant Dehiscence Defects in the Anterior Maxilla: A Randomized Clinical Trial. <i>Materials</i> , 2021 , 14,	3.5	0
111	Prospects for the use of collagen-containing matrices in directed tissue regeneration. Literature review. 2021 , 9-13		
110	Improved hydrophilicity and durability of polarized PVDF coatings on anodized titanium surfaces to enhance mineralization ability. 2021 , 205, 111898		1
109	A customized allogenic bone block for alveolar reconstruction quantitated by a 3D matching technique: A case report. 2021 , 9, e04771		
108	Preparation of Mg/PCL electrospun membranes and preliminary study. 2021 , 10, 87-97		0
107	Barrier membranes for tissue regeneration in dentistry. 2021 , 8, 54-63		7
106	Digital Customized Titanium Mesh for Bone Regeneration of Vertical, Horizontal and Combined Defects: A Case Series. 2021 , 57,		1
105	Nanotechnology in Dental Therapy and Oral Tissue Regeneration. 2020 , 91-189		3
104	Design of a biodegradable UV-irradiated gelatin-chitosan/nanocomposed membrane with osteogenic ability for application in bone regeneration. 2019 , 99, 875-886		23
103	Titanium mesh for bone augmentation in oral implantology: current application and progress. 2020 , 12, 37		28
102	Guided bone regeneration in staged vertical and horizontal bone augmentation using platelet-rich fibrin associated with bone grafts: a retrospective clinical study. 2020 , 6, 72		9
101	Decellularization and Delipidation Protocols of Bovine Bone and Pericardium for Bone Grafting and Guided Bone Regeneration Procedures. 2015 , 10, e0132344		57
100	Combination of Bioactive Polymeric Membranes and Stem Cells for Periodontal Regeneration: In Vitro and In Vivo Analyses. 2016 , 11, e0152412		13
99	Clinical applications of avian eggshell-derived hydroxyapatite. 2020 , 20, 430-437		7
98	Mineralized Plasmatic Matrix for Horizontal Ridge Augmentation in Anterior Maxilla with and without a Covering Collagen Membrane. 2020 , 14, 743-751		2

97	Osteogenic Potential of Bovine Bone Graft in Combination with Laser Photobiomodulation: An Ex Vivo Demonstrative Study in Wistar Rats by Cross-Linked Studies Based on Synchrotron Microtomography and Histology. 2020 , 21,	8
96	Secondary closure of alveolar cleft with resorbable collagen membrane and a combination of intraoral autogenous bone graft and deproteinized anorganic bovine bone. 2016 , 6, 165-171	6
95	Horizontal-guided Bone Regeneration using a Titanium Mesh and an Equine Bone Graft. 2015 , 16, 154-62	13
94	Preserving the Bone Profile in Anterior Maxilla using an Equine Cortical Bone Membrane and an Equine Enzyme-treated Bone Graft: A Case Report with 5-year Follow-up. 2017 , 18, 614-621	1
93	Guided bone regeneration. 2020 , 46, 361-366	10
92	The Effect of Silk Membrane Plus 3% 4-hexylresorcinol on Guided Bone Regeneration in a Rabbit Calvarial Defect Model. 2013 , 27, 209-217	7
91	Lateral Alveolar Ridge Augmentation with an Autogenous Bone Block Graft Alone with or without Barrier Membrane Coverage: a Systematic Review and Meta-Analysis. 2021 , 12, e1	0
90	Contact Angle and Cell Adhesion of Micro/Nano-Structured Poly(lactic--glycolic acid) Membranes for Dental Regenerative Therapy. 2021 , 9,	2
89	Titanium surface with nanospikes tunes macrophage polarization to produce inhibitory factors for osteoclastogenesis through nanotopographic cues. 2021 ,	0
88	Poly (l-lactic acid) membrane crosslinked with Genipin for guided bone regeneration. 2021 , 191, 1228-1239	0
87	Alveolar Augmentation Using Different Bone Substitutes. 2015 , 1-42	
86	Regulatory Mechanisms of Bone Development and Function. 2016 , 1, 005-017	1
85	Interdisciplinary management of a severely compromised periodontal patient - Case report. 2019 , 1,	
84	 2020 , 38-50	
83	Dental implantasyondan ĩce sert doku hazırladık yll retrospektif bir ĩlth. 2020 , 1, 1-17	
82	Structure, Barrier Function, and Bioactivity of Platelet-Rich Fibrin Following Thermal Processing. 2021 , 27, 605-615	1
81	Mimicked Periosteum Layer Based on Deposited Particle Silk Fibroin Membrane for Osteogenesis and Guided Bone Regeneration in Alveolar Cleft Surgery: Formation and in Vitro Testing. 2021 , 1-17	0
80	PROSPECTS FOR APPLICATION OF BOVINE PERICARDIAL SCAFFOLD FOR CARDIAL SURGERY. 2020 , 13, 41-49	0

79	Deformation of polyetheretherketone, PEEK, with different thicknesses. 2022 , 125, 104928		1
78	Photocrosslinkable Col/PCL/Mg composite membrane providing spatiotemporal maintenance and positive osteogenetic effects during guided bone regeneration.. 2022 , 13, 53-63		2
77	Combigrift versus Bio-Oss/Bio-Gide in alveolar ridge preservation: A prospective randomized controlled trial.		
76	Rigid occlusive titanium barriers for alveolar bone augmentation: two reports with 24-month follow-up. 2014 , 7, 1160-5		4
75	Bone augmentation in rabbit tibia using microfixed cobalt-chromium membranes with whole blood, tricalcium phosphate and bone marrow cells. 2015 , 8, 135-44		6
74	Guided bone regeneration via a preformed titanium foil: clinical, histological and histomorphometric outcome of a case series. 2016 , 9, 164-174		5
73	Short-Term Evaluation of Guided Bone Reconstruction with Titanium Mesh Membranes and CGF Membranes in Immediate Implantation of Anterior Maxillary Tooth. <i>BioMed Research International</i> , 2021 , 2021, 4754078	3	1
72	Biodegradable magnesium barrier membrane used for guided bone regeneration in dental surgery.. 2022 , 14, 152-168		6
71	Hard tissue stability after guided bone regeneration: a comparison between digital titanium mesh and resorbable membrane. 2021 , 13, 37		0
70	Advances on biodegradable zinc-silver-based alloys for biomedical applications.. 2021 , 19, 22808000211062407		
69	A bioinspired Janus polyurethane membrane for potential periodontal tissue regeneration.. 2022 ,		1
68	Finding the Perfect Membrane: Current Knowledge on Barrier Membranes in Regenerative Procedures: A Descriptive Review. 2022 , 12, 1042		3
67	Alveolar bone augmentation with a newly designed microperforated pure titanium membrane: A clinical case series. 2022 ,		0
66	Recent Advances in Synthetic and Natural Biomaterials-Based Therapy for Bone Defects.. 2022 , e2100383		3
65	Hybrid bilayered chitosan-xanthan/PCL scaffolds as artificial periosteum substitutes for bone tissue regeneration. 2022 , 57, 2924-2940		0
64	Complications in bone-grafting procedures: Classification and management.. 2022 , 88, 86-102		2
63	In-vitro degradation behavior and biocompatibility of superhydrophilic hydroxyapatite coating on Mg-2Zn-Mn-Ca-Ce alloy. 2022 , 17, 2742-2742		0
62	Effect of collagen membrane and of bone substitute on lateral bone augmentation with titanium mesh: An experimental in vivo study.. 2022 ,		0

61	Advances in Modification Methods Based on Biodegradable Membranes in Guided Bone/Tissue Regeneration: A Review.. 2022 , 14,		0
60	Poly(lactic acid/caprolactone) bilayer membrane blocks bacterial penetration.. 2022 ,		0
59	Asymmetric resorbable-based dental barrier membrane for periodontal guided tissue regeneration and guided bone regeneration: A review.. 2022 ,		1
58	Permeability of <i>P. gingivalis</i> or its metabolic products through collagen and dPTFE membranes and their effects on the viability of osteoblast-like cells: an in vitro study.. 2022 , 1		0
57	Smooth-rough asymmetric PLGA structure made of dip coating membrane and electrospun nanofibrous scaffolds meant to be used for guided tissue regeneration of periodontium.		0
56	Optimization of Titanium Dental Mesh Surfaces for Biological Sealing and Prevention of Bacterial Colonization.. <i>Materials</i> , 2022 , 15,	3.5	
55	Vertical Ridge Augmentation of Edentulous Posterior Inferior Jaw Using Lumina Bone Porous Large : A Clinical Case Report.		0
54	Autologous blood derived cell therapy in maxillofacial bone graft surgery.. 2021 , 47, 480-483		0
53	Development of a novel polycaprolactone based composite membrane for periodontal regeneration using spin coating technique.. 2021 , 1-18		1
52	Feasibility and Efficacy of a Degradable Magnesium-Alloy GBR Membrane for Bone Augmentation in a Distal Bone-Defect Model in Beagle Dogs.. 2022 , 2022, 4941635		0
51	Barrier Membrane in Regenerative Therapy: A Narrative Review. 2022 , 12, 444		2
50	Reinforced Blood-Derived Protein Hydrogels Enable Dual-Level Regulation of Bio-Physiochemical Microenvironments for Personalized Bone Regeneration with Remarkable Enhanced Efficacy.. 2022 ,		3
49	Biomaterials in Guided Bone and Tissue Regenerations: An Update. <i>Advances in Materials Science and Engineering</i> , 2022 , 2022, 1-14	1.5	0
48	Electrospun biodegradable nanofibers loaded with epigallocatechin gallate for guided bone regeneration. <i>Composites Part B: Engineering</i> , 2022 , 238, 109920	10	2
47	Highly Predictable Augmentation of the Alveolar Ridge: Using a Titanium Mesh in Two-Stage Implant Surgery at the Mandible. Report of Clinical Cases and Surgical Technique. <i>Journal of Diagnostics and Treatment of Oral and Maxillofacial Pathology</i> , 2018 , 2, 43-50	0.2	
46	Comparative analysis of lateral maxillary sinus augmentation with a xenogeneic bone substitute material in combination with piezosurgical preparation and bony wall repositioning or rotary instrumentation and membrane coverage: a prospective randomized clinical and histological study.. <i>Clinical Oral Investigations</i> , 2022 ,	4.2	
45	3d Printed High-Strength Bioceramic Dome Scaffolds with Controllable Biodegradation for Guided Bone Regeneration. <i>SSRN Electronic Journal</i> ,		1
44	Fabrication and characterization of A Zn-0.5Fe alloy membrane by powder metallurgy route for guided bone regeneration. <i>Materials Research Express</i> ,	1.7	1

43	Influence of Surface Roughness on Biodegradability and Cytocompatibility of High-Purity Magnesium. <i>Materials</i> , 2022 , 15, 3991	3.5	1
42	Development of Customized Biodegradable Mesh Membrane for Dental Bone Graft Using Three-dimensional Printing Technique. <i>Materials Today: Proceedings</i> , 2022 ,	1.4	1
41	Advances in Barrier Membranes for Guided Bone Regeneration Techniques. <i>Frontiers in Bioengineering and Biotechnology</i> , 10,	5.8	2
40	Biodegradation of a Magnesium Alloy Fixation Screw Used in a Guided Bone Regeneration Model in Beagle Dogs. <i>Materials</i> , 2022 , 15, 4111	3.5	4
39	Customized Barrier Membrane (Titanium Alloy, Poly Ether-Ether Ketone and Unsintered Hydroxyapatite/Poly-L-Lactide) for Guided Bone Regeneration. <i>Frontiers in Bioengineering and Biotechnology</i> , 10,	5.8	0
38	A Bibliometric Analysis of Electrospun Nanofibers for Dentistry. <i>Journal of Functional Biomaterials</i> , 2022 , 13, 90	4.8	0
37	3D Printed Long-term Structurally Stable Bioceramic Dome Scaffolds with Controllable Biodegradation Favorable for Guided Bone Regeneration. <i>Chemical Engineering Journal</i> , 2022 , 138003	14.7	0
36	Effect of Different Membranes on Vertical Bone Regeneration: A Systematic Review and Network Meta-Analysis. <i>BioMed Research International</i> , 2022 , 2022, 1-16	3	0
35	Novel Mg-Ca-La alloys for guided bone regeneration: Mechanical performance, stress corrosion behavior and biocompatibility. <i>Materials Today Communications</i> , 2022 , 32, 103949	2.5	0
34	Various Coated Barrier Membranes for Better Guided Bone Regeneration: A Review. <i>Coatings</i> , 2022 , 12, 1059	2.9	0
33	A Randomized Controlled Trial of Guided Bone Regeneration for Peri-Implant Dehiscence Defects with Two Anorganic Bovine Bone Materials Covered by Titanium Meshes. 2022 , 15, 5294		2
32	Bacterial Growth on Three Non-Resorbable Polytetrafluoroethylene (PTFE) Membranes An In Vitro Study. 2022 , 15, 5705		
31	Custom Bone Regeneration (CBR): An Alternative Method of Bone Augmentation A Case Series Study. 2022 , 11, 4739		1
30	Localized ridge augmentation with simultaneous implant placement followed by soft tissue augmentation in the maxillary anterior region: A case report. 2022 , 4,		
29	In Vitro Evaluation of the Permeability of Different Resorbable Xenogeneic Membranes after Collagenolytic Degradation. 2022 , 12, 787		
28	Customized 3D-Printed Titanium Mesh Developed for an Aesthetic Zone to Regenerate a Complex Bone Defect Resulting after a Deficient Odontectomy: A Case Report. 2022 , 58, 1192		2
27	Microscopical analysis of explanted Titanium alloy customised meshes for bone augmentation: a case series study. 2022 , 2,		1
26	Effect of ozone therapy on the modulation of inflammation and on new bone formation in critical defects of rat calvaria filled with autogenous graft. 2022 ,		1

25	Reconstruction of Three-Dimensional Alveolar Ridge Defects Utilizing Screws and Implant Abutments for the Tent-Pole Grafting Technique. 2022 , 403-418	0
24	Vertical Bonegraft Wrap [®] Technique to Increase Soft Tissue Volume in Paranasal Region. Publish Ahead of Print,	0
23	3D Printed and Bioprinted Membranes and Scaffolds for the Periodontal Tissue Regeneration: A Narrative Review. 2022 , 12, 902	2
22	Titanium membrane layered between fluvastatin-loaded poly (lactic-co-glycolic) acid for guided bone regeneration.	0
21	Vertical ridge augmentation for implant placement using two types of titanium mesh on edentulous atrophic maxilla: clinical results of three patients. 2022 , 46, 119-127	0
20	Surface characteristics and in vitro biocompatibility of surface-modified titanium foils as a regenerative barrier membrane for guided bone regeneration. 088532822211323	0
19	Biomaterials for Periodontal Regeneration. 2022 , 66, 659-672	2
18	An Asymmetric Microfluidic/Chitosan Device for Sustained Drug Release in Guided Bone Regeneration Applications. 2022 , 12, 847	0
17	Comparison of Allogeneic Bone Plate and Guided Bone Regeneration Efficiency in Horizontally Deficient Maxillary Alveolar Ridges. 2022 , 12, 10518	1
16	Nano-Based Drug Delivery Systems for Periodontal Tissue Regeneration. 2022 , 14, 2250	1
15	Degradable Pure Magnesium Used as a Barrier Film for Oral Bone Regeneration. 2022 , 13, 298	0
14	Titanium Membranes with Hydroxyapatite/Titania Bioactive Ceramic Coatings: Characterization and In Vivo Biocompatibility Testing. 2022 , 7, 47880-47891	0
13	In vivo evaluation of a collagen membrane in bone neoformation: a morphological and histomorphometric study. 2022 , 101372	0
12	The efficiency of PRF, PTFE, and titanium mesh with collagen membranes for vertical alveolar bone addition in dental implant therapy: A narrative review. 2022 , 14, 543	0
11	A tooth-supported titanium mesh bending and positioning module for alveolar bone augmentation and improving accuracy.	0
10	High porosity 3D printed titanium mesh allows better bone regeneration. 2023 , 23,	0
9	Differences in Mechanical and Physicochemical Properties of Several PTFE Membranes Used in Guided Bone Regeneration. 2023 , 16, 904	0
8	Innovative Alveolar Socket Preservation Procedure Using Demineralized Tooth Dentin as Graft Biomaterial Covered with Three Reabsorbable Membranes: Human Histological Case Series Evaluation. 2023 , 13, 1411	0

- 7 Polylactic Glycolic Acid-Based Nano Artificial Bone Stent Loaded with Recombinant Human Bone Morphogenetic Protein-2 and Its Performance. **2022**, 14, 1449-1457
- 6 The Outcomes of Vertical Alveolar Bone Augmentation by Guided Bone Regeneration with Titanium Mesh: A Systematic Review. **2023**, 23, 1280-1288
- 5 A Novel Approach for the Fabrication of 3D-Printed Dental Membrane Scaffolds including Antimicrobial Pomegranate Extract. **2023**, 15, 737
- 4 Effects of Minocycline Hydrochloride as an Adjuvant Therapy for a Guided Bone Augmentation Procedure in The Rat Calvarium. **2023**, 11, 92
- 3 Platelet rich fibrin is not a barrier membrane! Or is it?. 11, 2396-2404
- 2 Effect of thermal manipulation on the biological and mechanical characteristics of horizontal platelet rich fibrin membranes.
- 1 Evaluation of surgical placement accuracy of customized CAD / CAM titanium mesh using screws-position-guided template: A retrospective comparative study.