

CITATION REPORT

List of articles citing

Magnetic blocking in a linear iron(I) complex

DOI: 10.1038/nchem.1630

Nature Chemistry, 2013, 5, 577-81.

Source: <https://exaly.com/paper-pdf/55864133/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
528	Insights into Single-Molecule-Magnet Behavior from the Experimental Electron Density of Linear Two-Coordinate Iron Complexes.		
527	Anisotropy barrier enhancement via ligand substitution in tetranuclear {Co(III)2Ln(III)2} single molecule magnets. 2013 , 49, 6965-7		77
526	Switching the anisotropy barrier of a single-ion magnet by symmetry change from quasi-D5h to quasi-Oh. 2013 , 4, 3310		402
525	A single-molecule magnet based on heptacyanomolybdate with the highest energy barrier for a cyanide compound. 2013 , 135, 13302-5		122
524	Highly anisotropic rhenium(IV) complexes: new examples of mononuclear single-molecule magnets. 2013 , 135, 13737-48		94
523	Magnetic blocking at 10 K and a dipolar-mediated avalanche in salts of the bis(B -cyclooctatetraenide) complex [Er(COT)2]-. 2013 , 135, 17952-7		300
522	Dispersion force stabilized two-coordinate transition metal-amido complexes of the -N(SiMe3)Dipp (Dipp = C6H3-2,6-Pr(i)2) ligand: structural, spectroscopic, magnetic, and computational studies. 2013 , 52, 13584-93		80
521	Combined NMR analysis of huge residual dipolar couplings and pseudocontact shifts in terbium(III)-phthalocyaninato single molecule magnets. 2013 , 135, 14349-58		49
520	Synthesis, electronic structure, and magnetism of [Ni(6-Mes)2]+: a two-coordinate nickel(I) complex stabilized by bulky N-heterocyclic carbenes. 2013 , 135, 13640-3		203
519	Geometry-mediated enhancement of single-ion anisotropy: a route to single-molecule magnets with a high blocking temperature. 2013 , 52, 12780-2		42
518	Synthesis and characterization of a two-coordinate manganese complex and its reaction with molecular hydrogen at room temperature. 2013 , 52, 11817-21		73
517	Single-molecule magnets: Iron lines up. <i>Nature Chemistry</i> , 2013 , 5, 556-7	17.6	11
516	Mössbauer spectroscopy as a probe of magnetization dynamics in the linear iron(I) and iron(II) complexes [Fe(C(SiMe3)3)2](1-/0.). 2013 , 52, 13123-31		85
515	Synthesis and characterization of the titanium bisamide Ti{N(H)Ar(iPr6)}2 (Ar(iPr6) = C6H3-2,6-(C6H2-2,4,6-(i)Pr3)2 and its TiCl{N(H)Ar(iPr6)}2 precursor: Ti(II) -Ti(IV) cyclization. 2013 , 52, 14216-23		11
514	Synthesis, spectroscopic characterization, and determination of the solution association energy of the dimer [Co{N(SiMe3)2}2]2: magnetic studies of low-coordinate Co(II) silylamides [Co{N(SiMe3)2}2L] (L = PMe3, pyridine, and THF) and related species that reveal evidence of very large spin-field splitting. 2013 , 52, 13152-60		60
513	Synthesis and Characterization of a Two-Coordinate Manganese Complex and its Reaction with Molecular Hydrogen at Room Temperature. 2013 , 125, 12033-12037		26
512	Field-Induced Hysteresis and Quantum Tunneling of the Magnetization in a Mononuclear Manganese(III) Complex. 2013 , 125, 14325-14329		16

511	Field-induced hysteresis and quantum tunneling of the magnetization in a mononuclear manganese(III) complex. 2013 , 52, 14075-9	138
510	Geometrievermittelte Anisotropieverstärkung: Zugang zu molekularen Magneten mit hoher Blocking-Temperatur. 2013 , 125, 13014-13016	5
509	Exchange coupling and magnetic blocking in dilanthanide complexes bridged by the multi-electron redox-active ligand 2,3,5,6-tetra(2-pyridyl)pyrazine. 2014 , 5, 4701-4711	120
508	Magnetic blocking in extended metal atom chains: a pentachromium(II) complex behaving as a single-molecule magnet. 2014 , 50, 15191-4	33
507	Low-valent Iron Complexes Stabilised by a Bulky Guanidinate Ligand: Synthesis and Reactivity Studies. 2014 , 67, 1011	18
506	Magnetism of linear [Ln ₃](9+) oxo-bridged clusters (Ln = Pr, Nd) supported inside a [R ₃ PR'](+) phosphonium coordination material. 2014 , 53, 12674-6	15
505	Magnetic anisotropy of mononuclear Ni(II) complexes: on the importance of structural diversity and the structural distortions. 2014 , 20, 10305-13	41
504	Polyoxometalate-Supported Lanthanoid Single-Molecule Magnets. 2014 , 67, 1542	25
503	Spectroscopy Methods for Molecular Nanomagnets. 2014 , 231-291	15
502	Theoretical Understanding of Anisotropy in Molecular Nanomagnets. 2014 , 185-229	53
501	Two-Coordinate Fe ⁰ and Co ⁰ Complexes Supported by Cyclic (alkyl)(amino)carbenes. 2014 , 126, 8567-8571	28
500	Thiacalix[4]arene-containing M ₂ Ln ₂ complexes (M = MnII, CoII; Ln = EuIII, PrIII): synthesis, structure, and magnetic properties. 2014 , 63, 1465-1474	6
499	Giant magnetic anisotropy and tunnelling of the magnetization in Li(Li(1-x)Fe(x))N. 2014 , 5, 3333	54
498	Single-molecule magnet engineering: building-block approaches. 2014 , 50, 4396-415	237
497	Fine-tuning the local symmetry to attain record blocking temperature and magnetic remanence in a single-ion magnet. 2014 , 53, 4413-7	327
496	A cobalt pyrenylnitronylnitroxide single-chain magnet with high coercivity and record blocking temperature. 2014 , 20, 5460-7	88
495	Reaching the magnetic anisotropy limit of a 3d metal atom. 2014 , 344, 988-92	253
494	Crystal structure of a heterotetrameric NMDA receptor ion channel. 2014 , 344, 992-7	396

493	Organometallic Single-Molecule Magnets. 2014 , 33, 1084-1099	319
492	Theoretical study of the magnetic anisotropy and magnetic tunnelling in mononuclear Ni(II) complexes with potential molecular magnet behavior. 2014 , 5, 1453	34
491	Identification of the chromophore in the apatite pigment [Sr ₁₀ (PO ₄) ₆ (Cu(x)OH(1-x-y)) ₂]: linear OCuO- featuring a resonance Raman effect, an extreme magnetic anisotropy, and slow spin relaxation. 2014 , 20, 165-78	34
490	Measurement of extreme hyperfine fields in two-coordinate high-spin Fe ²⁺ complexes by Mössbauer spectroscopy: essentially free-ion magnetism in the solid state. 2014 , 53, 12100-7	15
489	Unprecedented magnetic relaxation via the fourth excited state in low-coordinate lanthanide single-ion magnets: a theoretical perspective. 2014 , 50, 15513-6	61
488	Field-induced slow magnetic relaxation in cobalt(II) compounds with pentagonal bipyramid geometry. 2014 , 53, 12671-3	126
487	DFT magnetic characterization of a Fe ₄ SMMs series: from isotropic exchange interactions to multi-spin zero field splitting. 2014 , 2, 8333-8343	13
486	Ligands effects on the magnetic anisotropy of tetrahedral cobalt complexes. 2014 , 50, 12266-9	150
485	A sandwich complex with axial symmetry for harnessing the anisotropy in a prolate erbium(III) ion. 2014 , 50, 1602-4	116
484	Rich diversity of single-ion magnet features in the linear OCu(III)O(-) ion confined in the hexagonal channels of alkaline-earth phosphate apatites. 2014 , 50, 9325-8	22
483	Low-Coordinate Iron(II) Complexes of a Bulky Bis(carbene)borate Ligand. 2014 , 33, 5654-5659	21
482	Two- and three-coordinate formal iron(I) compounds featuring monodentate aminocarbene ligands. 2014 , 1, 1040-1044	28
481	Synthesis, detailed characterization, and theoretical understanding of mononuclear chromium(III)-containing polyoxotungstates [Cr(III)(HX(V)WO ₁₁) ₂] (X = P, As) with exceptionally large magnetic anisotropy. 2014 , 53, 9274-83	19
480	Large spin-relaxation barriers for the low-symmetry organolanthanide complexes [Cp* ₂ Ln(BPh ₄)] (Cp* = pentamethylcyclopentadienyl; Ln = Tb, Dy). 2014 , 20, 9524-9	117
479	Synthesis and Structural Characterization of a Dimeric Cobalt(I) Homoleptic Alkyl and an Iron(II) Alkyl Halide Complex. 2014 , 33, 1917-1920	7
478	Transition Ion Strikes Back: Large Magnetic Susceptibility Anisotropy in Cobalt(II) Clathrochelates. 2014 , 5, 3799-803	51
477	Synthesis, structural, spectroscopic, and magnetic characterization of two-coordinate cobalt(II) aryloxides with bent or linear coordination. 2014 , 53, 2692-8	25
476	Single-Molecule Magnets on Surfaces. 2014 , 293-330	12

475	Electronic structure and slow magnetic relaxation of low-coordinate cyclic alkyl(amino) carbene stabilized iron(I) complexes. 2014 , 136, 11964-71	122
474	On the possibility of magneto-structural correlations: detailed studies of dinickel carboxylate complexes. 2014 , 53, 8464-72	27
473	Single-molecule magnetism in a pentacoordinate cobalt(II) complex supported by an antenna ligand. 2014 , 53, 8200-2	102
472	Synthesis, structure, and magnetic and electrochemical properties of quasi-linear and linear iron(I), cobalt(I), and nickel(I) amido complexes. 2014 , 53, 9400-6	66
471	Slow magnetic relaxation in a mononuclear eight-coordinate cobalt(II) complex. 2014 , 136, 12213-6	135
470	A mononuclear transition metal single-molecule magnet in a nuclear spin-free ligand environment. 2014 , 53, 10716-21	113
469	Useful Method for the Preparation of Low-Coordinate Nickel(I) Complexes via Transformations of the Ni(I) Bis(amido) Complex $K\{Ni[N(SiMe)(2,6-Pr-CH)]\}$. 2014 , 33, 5566-5570	24
468	The Impact of Anion-Modulated Structural Variations on the Magnetic Coupling in Trinuclear Heterometallic $CuIICoII$ Complexes Derived from a Salen-Type Schiff Base Ligand. 2014 , 2014, 3341-3349	23
467	Probing the origin of magnetic anisotropy in a dinuclear $\{Mn(III)Cu(II)\}$ single-molecule magnet: the role of exchange anisotropy. 2014 , 20, 5214-8	30
466	Two-coordinate FeI and CoI complexes supported by cyclic (alkyl)(amino)carbenes. 2014 , 53, 8427-31	101
465	Origin of slow magnetic relaxation in Kramers ions with non-uniaxial anisotropy. 2014 , 5, 4300	283
464	A heterometallic $Fe(II)-Dy(III)$ single-molecule magnet with a record anisotropy barrier. 2014 , 53, 12966-70	207
463	Magnetic Study of a Pentanuclear $\{Co2III Co3II\}$ Cluster with a Bent $\{CoII3\}$ Motif. 2014 , 2014, 2561-2568	19
462	Koordinationschemie. 2014 , 62, 237-250	
461	Modulation of slow magnetic relaxation by tuning magnetic exchange in $\{Cr2Dy2\}$ single molecule magnets. 2014 , 5, 3246-3256	111
460	Ising-type magnetic anisotropy and single molecule magnet behaviour in mononuclear trigonal bipyramidal $Co(II)$ complexes. 2014 , 5, 3418	130
459	Slow magnetic relaxation in trigonal-planar mononuclear $Fe(II)$ and $Co(II)$ bis(trimethylsilyl)amido complexes—a comparative study. 2014 , 53, 1962-74	128
458	Fine-tuning the Local Symmetry to Attain Record Blocking Temperature and Magnetic Remanence in a Single-Ion Magnet. 2014 , 126, 4502-4506	67

- 457 Ein heterometallischer FeII-DyIII-Einzelmolekülmagnet mit Rekord-Anisotropiebarriere. **2014**, 126, 13180-13184 30
- 456 Origin of Perpendicular Magnetic Anisotropy and Large Orbital Moment in Fe Atoms on MgO. **2015**, 115, 237202 71
- 455 Desolvation-Driven 100-Fold Slow-down of Tunneling Relaxation Rate in Co(II)-Dy(III) Single-Molecule Magnets through a Single-Crystal-to-Single-Crystal Process. **2015**, 5, 16621 78
- 454 Fused-Ring Bulky Binding Groups Producing New Possibilities in Elemento-Organic Chemistry. **2015**, 88, 1201-1220 41
- 453 A Two-Coordinate Cobalt(II) Imido Complex with NHC Ligation: Synthesis, Structure, and Reactivity. **2015**, 127, 12831-12835 16
- 452 Triimidosulfonates as Acute Bite-Angle Chelates: Slow Relaxation of the Magnetization in Zero Field and Hysteresis Loop of a Co(II) Complex. **2015**, 21, 10109-15 65
- 451 Experimental and Theoretical Studies on the Magnetic Anisotropy in Lanthanide(III)-Centered Fe₃ Ln Propellers. **2015**, 21, 12171-80 19
- 450 Niedervalente Eisen(I)-Amido-Olefin-Komplexe als Promotoren von Dehydrierungsreaktionen. **2015**, 127, 5858-5863 22
- 449 A Two-Coordinate Cobalt(II) Imido Complex with NHC Ligation: Synthesis, Structure, and Reactivity. **2015**, 54, 12640-4 72
- 448 Cr(i)Cl as well as Cr are stabilised between two cyclic alkyl amino carbenes. **2015**, 6, 3148-3153 29
- 447 A Family of Co(II)Co(III)₃ Single-Ion Magnets with Zero-Field Slow Magnetic Relaxation: Fine Tuning of Energy Barrier by Remote Substituent and Counter Cation. **2015**, 54, 5475-86 77
- 446 Giant magnetocrystalline anisotropy of 5d transition metal-based phthalocyanine sheet. **2015**, 17, 17182-9 15
- 445 A Basis for Lanthanide Single-Molecule Magnets. **2015**, 1-39 1
- 444 Low-valent iron(i) amido olefin complexes as promoters for dehydrogenation reactions. **2015**, 54, 5766-71 52
- 443 A mononuclear Ni(ii) complex: a field induced single-molecule magnet showing two slow relaxation processes. **2015**, 44, 12484-7 104
- 442 Lanthanide Single Molecule Magnets. **2015**, 80
- 441 Origin of Dissimilar Single-Molecule Magnet Behavior of Three MnII(2)MoIII Complexes Based on [MoIII(CN)₇]⁴⁻ Heptacyanomolybdate: Interplay of MoIII-CN-MnII Anisotropic Exchange Interactions. **2015**, 54, 11339-55 31
- 440 12-MC-4 metallocrowns as versatile tools for SMM research. **2015**, 289-290, 238-260 68

439	Field-induced slow magnetic relaxation in a hydrogen-bonding linked Co(II) 1D supramolecular coordination polymer. 2015 , 27, 401-406	19
438	Design criteria for high-temperature single-molecule magnets. 2015 , 54, 2097-9	165
437	Multifunctional mononuclear bithienylethene-cobalt(II) complexes: structures, slow magnetic relaxation and photochromic behavior. 2015 , 44, 5755-62	20
436	A review of manganese-based molecular magnets and supramolecular architectures from phenolic oximes. 2015 , 289-290, 289-314	43
435	Molecular magnets and surfaces: A promising marriage. A DFT insight. 2015 , 289-290, 357-378	46
434	Field-induced slow magnetic relaxation of octahedrally coordinated mononuclear Fe(III)-, Co(II)-, and Mn(III)-containing polyoxometalates. 2015 , 51, 4081-4	79
433	The first near-linear bis(amide) f-block complex: a blueprint for a high temperature single molecule magnet. 2015 , 51, 101-3	191
432	Exposing the intermolecular nature of the second relaxation pathway in a mononuclear cobalt(II) single-molecule magnet with positive anisotropy. 2015 , 44, 6368-73	101
431	3d single-ion magnets. 2015 , 44, 2135-47	555
430	Large magnetic anisotropy in mononuclear metal complexes. 2015 , 289-290, 379-392	280
429	Three new mononuclear tri-spin lanthanide-nitronyl nitroxide radical compounds: syntheses, structures and magnetic properties. 2015 , 44, 6118-25	25
428	Molecular Nanomagnets and Related Phenomena. 2015 ,	66
427	A Trigonal Prismatic Mononuclear Cobalt(II) Complex Showing Single-Molecule Magnet Behavior. 2015 , 137, 9792-5	228
426	Distal Histidine Modulates the Unusual O-Binding of Nitrite to Myoglobin: Evidence from the Quantum Chemical Analysis of EPR Parameters. 2015 , 54, 7209-17	15
425	Salts of the two-coordinate homoleptic manganese(I) dialkyl anion $[Mn\{C(SiMe_3)_3\}_2]^-$ with quenched orbital magnetism. 2015 , 51, 13275-8	16
424	Utilizing 3d-4f magnetic interaction to slow the magnetic relaxation of heterometallic complexes. 2015 , 54, 4337-44	57
423	Synthesis, characterization, and alkyne trimerization catalysis of a heteroleptic two-coordinate Fe(I) complex. 2015 , 137, 6366-72	67
422	Large and negative magnetic anisotropy in pentacoordinate mononuclear Ni(II) Schiff base complexes. 2015 , 44, 9551-60	37

421	Slow magnetic relaxation in mononuclear seven-coordinate cobalt(II) complexes with easy plane anisotropy. 2015 , 44, 11482-90	64
420	Heterometallic 3d-4f single-molecule magnets: ligand and metal ion influences on the magnetic relaxation. 2015 , 54, 3631-42	81
419	Lanthanide Single-Ion Molecular Magnets. 2015 , 41-90	18
418	Cobalt(II) coordination polymer exhibiting single-ion-magnet-type field-induced slow relaxation behavior. 2015 , 54, 3716-8	62
417	Observation of the single-ion magnet behavior of d ions on two-coordinate Co(i)-NHC complexes. 2015 , 6, 7156-7162	93
416	Tuning the Ising-type anisotropy in trigonal bipyramidal Co(II) complexes. 2015 , 51, 16475-8	63
415	A Family of {Cr(III)2Ln(III)2} Butterfly Complexes: Effect of the Lanthanide Ion on the Single-Molecule Magnet Properties. 2015 , 54, 10497-503	35
414	Manifold relaxation processes in a mononuclear Co(II) single-molecule magnet. 2015 , 102, 88-93	27
413	Field-induced slow relaxation of magnetization in a pentacoordinate Co(II) compound [Co(phen)(DMSO)Cl ₂]. 2015 , 44, 15014-21	36
412	Linear and T-Shaped Iron(I) Complexes Supported by N-Heterocyclic Carbene Ligands: Synthesis and Structure Characterization. 2015 , 54, 8808-16	30
411	Magneto-Structural Correlations in a Series of Pseudotetrahedral [Co(II)(XR) ₄](2-) Single Molecule Magnets: An ab Initio Ligand Field Study. 2015 , 54, 9948-61	88
410	Tuning the Origin of Magnetic Relaxation by Substituting the 3d or Rare-Earth Ions into Three Isostructural Cyano-Bridged 3d-4f Heterodinuclear Compounds. 2015 , 54, 10316-22	29
409	Meta-Atom Behavior in Clusters Revealing Large Spin Ground States. 2015 , 137, 13949-56	30
408	Quantum engineering of spin and anisotropy in magnetic molecular junctions. 2015 , 6, 8536	54
407	Three tetracoordinate Co(II) complexes [Co(biq)X ₂] (X = Cl, Br, I) with easy-plane magnetic anisotropy as field-induced single-molecule magnets. 2015 , 44, 17565-71	84
406	Single-ion-magnet behavior in a two-dimensional coordination polymer constructed from Co(II) nodes and a pyridylhydrazone derivative. 2015 , 54, 8884-6	113
405	Uniaxial magnetic anisotropy of square-planar chromium(II) complexes revealed by magnetic and HF-EPR studies. 2015 , 51, 17688-91	64
404	Switching nuclearity and Co(II) content through stoichiometry adjustment: {Co(II) ₆ Co(III) ₃ } and {Co(II) ₄ Co(III)} mixed valent complexes and a study of their magnetic properties. 2015 , 44, 2390-400	22

403	Quantum tunneling of the magnetization in $[Mn^{III}6M]^{3+}$ ($M=Cr^{III}, Mn^{III}$) SMMs: Impact of molecular and crystal symmetry. 2015 , 289-290, 261-278	23
402	A Click-Functionalized Single-Molecule Magnet Based on Cobalt(II) and Its Analogous Manganese(II) and Zinc(II) Compounds. 2015 , 2015, 370-374	30
401	Slow Magnetic Relaxation in Mononuclear Octahedral Manganese(III) Complexes with Dibenzoylmethanide Ligands. 2015 , 2015, 271-278	37
400	Field-induced slow relaxation in a monometallic manganese(III) single-molecule magnet. 2015 , 54, 13-5	50
399	Linear trinuclear cobalt(II) single molecule magnet. 2015 , 44, 2865-70	28
398	Three Cu(II) coordination polymers with novel bi-triazole ligand: Synthesis, structure and EPR properties. 2015 , 51, 95-98	25
397	Square-planar ruthenium(II) complexes: control of spin state by pincer ligand functionalization. 2015 , 21, 579-89	23
396	Two-Coordinate Iron(I) Complex $[Fe\{N(SiMe_3)_2\}_2]^-$: Synthesis, Properties, and Redox Activity. 2015 , 127, 247-250	23
395	Two-coordinate iron(I) complex $[Fe\{N(SiMe_3)_2\}_2]^-$: synthesis, properties, and redox activity. 2015 , 54, 245-8	77
394	First principles approach to the electronic structure, magnetic anisotropy and spin relaxation in mononuclear 3d-transition metal single molecule magnets. 2015 , 289-290, 177-214	217
393	Actinide-based single-molecule magnets. 2015 , 44, 2517-28	96
392	A synthetic strategy for switching the single ion anisotropy in tetrahedral Co(II) complexes. 2015 , 51, 3739-42	95
391	Evidence of Slow Magnetic Relaxation in $Co(AcO)_2(py)_2(H_2O)_2$. 2016 , 2, 23	31
390	Single-molecule magnet behavior in 2,2'-bipyrimidine-bridged dilanthanide complexes. 2016 , 7, 126-37	17
389	Tools for Predicting the Nature and Magnitude of Magnetic Anisotropy in Transition Metal Complexes: Application to Co(II) Complexes. 2016 , 2, 31	33
388	A planar triangular $Dy_3 + Dy_3$ single-molecule magnet with a toroidal magnetic moment. 2016 , 52, 9570-3	105
387	Redox Switches for Single-Molecule Magnet Activity: An Ab Initio Insight. 2016 , 22, 5309-18	5
386	Slow Magnetic Relaxations in Cobalt(II) Tetranitrate Complexes. Studies of Magnetic Anisotropy by Inelastic Neutron Scattering and High-Frequency and High-Field EPR Spectroscopy. 2016 , 55, 12603-12617	31

- 385 Dispersion Forces, Disproportionation, and Stable High-Valent Late Transition Metal Alkyls. **2016**, 128, 14986-14989 13
- 384 Cobalt(II)-Based Single-Ion Magnets with Distorted Pseudotetrahedral [N2O2] Coordination: Experimental and Theoretical Investigations. **2016**, 55, 4047-58 65
- 383 An Organolanthanide Building Block Approach to Single-Molecule Magnets. **2016**, 49, 1158-67 105
- 382 Paramagnetic NMR Analysis of Substituted Biscyclooctatetraene Lanthanide Complexes. **2016**, 35, 1916-1922 19
- 381 N-Heterocyclic Carbene Complexes of Three- and Four-Coordinate Fe(I). **2016**, 35, 1368-1375 12
- 380 - isomerism modulates the magnetic relaxation of dysprosium single-molecule magnets. **2016**, 7, 3632-3639 114
- 379 An air-stable Dy(III) single-ion magnet with high anisotropy barrier and blocking temperature. **2016**, 7, 5181-5191 404
- 378 Effect of Ligand Substitution around the Dy(III) on the SMM Properties of Dual-Luminescent Zn-Dy and Zn-Dy-Zn Complexes with Large Anisotropy Energy Barriers: A Combined Theoretical and Experimental Magnetostructural Study. **2016**, 55, 4428-40 71
- 377 Magnetic remanence in single atoms. **2016**, 352, 318-21 193
- 376 Nuclear quantum effects of hydrogen bonds probed by tip-enhanced inelastic electron tunneling. **2016**, 352, 321-5 95
- 375 Complexation of different transition metals with 4,4'-dimethyl-2,2'-bipyridine: Crystal structure, UV spectra and Hirshfeld surfaces. **2016**, 166, 1-7 14
- 374 Single-ion magnet behaviour in mononuclear and two-dimensional dicyanamide-containing cobalt(II) complexes. **2016**, 45, 10181-93 52
- 373 Role of Single-Ion Anisotropy and Magnetic Exchange Interactions in Suppressing Zero-Field Tunnelling in {3d-4f} Single Molecule Magnets. **2016**, 55, 11201-11215 44
- 372 Polymorphism in a Cobalt-Based Single-Ion Magnet Tuning Its Barrier to Magnetization Relaxation. **2016**, 7, 4111-4116 76
- 371 Multifaceted magnetization dynamics in the mononuclear complex [ReCl(CN)]. **2016**, 52, 12905-12908 24
- 370 Probing the Effect of Axial Ligands on Easy-Plane Anisotropy of Pentagonal-Bipyramidal Cobalt(II) Single-Ion Magnets. **2016**, 55, 10859-10869 76
- 369 Field-Induced Single-Ion-Magnetic Behavior of Octahedral CoII in a Two-Dimensional Coordination Polymer. **2016**, 2016, 3545-3552 41
- 368 Transformation of the coordination complex [Co(CS)] from a molecular magnet to a potential qubit. **2016**, 7, 6160-6166 32

- 367 Strategies toward High-Temperature Lanthanide-Based Single-Molecule Magnets. **2016**, 55, 10043-10056 248
- 366 Single-Ion Magnets Based on Mononuclear Cobalt(II) Complexes with Sulfadiazine. **2016**, 2016, 4835-4841 23
- 365 Large Easy-Plane Magnetic Anisotropy in a Three-Coordinate Cobalt(II) Complex [Li(THF)][Co(NPh)]. **2016**, 22, 14821-14825 32
- 364 High-pressure synthesis of the layered iron oxyselenide BaFe₂Se₂O with strong magnetic anisotropy. **2016**, 94, 7
- 363 A carborane-incorporated mononuclear Co(II) complex showing zero-field slow magnetic relaxation. **2016**, 52, 14326-14329 30
- 362 Magnetic Anisotropy of Tetrahedral Co Single-Ion Magnets: Solid-State Effects. **2016**, 55, 9537-9548 66
- 361 What Controls the Sign and Magnitude of Magnetic Anisotropy in Tetrahedral Cobalt(II) Single-Ion Magnets?. **2016**, 55, 9564-9578 79
- 360 Synthesis and Magnetic Properties of Linear Two-coordinate Monomeric Diaryliron(II) Complexes Bearing Fused-ring Bulky Bind[Groups]. **2016**, 45, 634-636 8
- 359 Diamondoid Structure in a Metal-Organic Framework of Fe₄ Single-Molecule Magnets. **2016**, 22, 13705-14 15
- 358 Room Temperature Chiral Discrimination in Paramagnetic NMR Spectroscopy. **2016**, 116, 163001 7
- 357 A two-dimensional cobalt(II) network with a remarkable positive axial anisotropy parameter exhibiting field-induced single-ion magnet behavior. **2016**, 4, 7798-7808 27
- 356 High-Spin Iron(I) and Iron(0) Dinitrogen Complexes Supported by N-Heterocyclic Carbene Ligands. **2016**, 22, 14162-5 25
- 355 Single-Chain Magnets. **2016**, 131-159 2
- 354 Relaxation Dynamics of Identical Trigonal Bipyramidal Cobalt Molecules with Different Local Symmetries and Packing Arrangements: Magnetostructural Correlations and ab initio Calculations. **2016**, 138, 16407-16416 68
- 353 Dispersion Forces, Disproportionation, and Stable High-Valent Late Transition Metal Alkyls. **2016**, 55, 14766-14769 37
- 352 Ising-type Magnetic Anisotropy and Slow Relaxation of the Magnetization in Four-Coordinate Amido-Pyridine Fe Complexes. **2016**, 55, 10968-10977 13
- 351 Homoleptic Two-Coordinate Silylamido Complexes of Chromium(I), Manganese(I), and Cobalt(I). **2016**, 22, 1668-74 45
- 350 A Low Spin Manganese(IV) Nitride Single Molecule Magnet. **2016**, 7, 6132-6140 87

- 349 Trigonal antiprismatic Co(ii) single molecule magnets with large uniaxial anisotropies: importance of Raman and tunneling mechanisms. **2016**, 7, 6519-6527 93
- 348 Single-Molecule Magnet Properties of Transition-Metal Ions Encapsulated in Lacunary Polyoxometalates: A Theoretical Study. **2016**, 55, 6405-13 17
- 347 Single-Molecule Magnets and Related Phenomena. **2016**, 35-48 16
- 346 Tetrahedral M(II) based binuclear double-stranded helicates: single-ion-magnet and fluorescence behaviour. **2016**, 45, 4548-57 22
- 345 Heteronuclear Ni(ii)-Ln(iii) (Ln = La, Pr, Tb, Dy) complexes: synthesis and single-molecule magnet behaviour. **2016**, 45, 3616-26 31
- 344 Tuning of Charge Transfer Assisted Phase Transition and Slow Magnetic Relaxation Functionalities in {Fe(9-x)Co(x)[W(CN)8]6} (x = 0-9) Molecular Solid Solution. **2016**, 138, 1635-46 61
- 343 Modulation of the coordination environment: a convenient approach to tailor magnetic anisotropy in seven coordinate Co(II) complexes. **2016**, 52, 753-6 33
- 342 Constraining the coordination geometries of lanthanide centers and magnetic building blocks in frameworks: a new strategy for molecular nanomagnets. **2016**, 45, 2423-39 327
- 341 3- and 4-(Diazobenzyl)pyridine-N-oxides as photoresponsive magnetic couplers for 2p-4f heterospin systems: formation of carbene-Tb(III) and carbene-Dy(III) single-molecule magnets. **2016**, 45, 7067-77 8
- 340 A four-coordinate cobalt(II) single-ion magnet with coercivity and a very high energy barrier. **2016**, 7, 10467 295
- 339 Deciphering the origin of giant magnetic anisotropy and fast quantum tunnelling in Rhenium(IV) single-molecule magnets. **2016**, 7, 10669 27
- 338 Field-Induced Slow Magnetic Relaxation in the Ni(I) Complexes [NiCl(PPh3)2][C4H8O] and [Ni(N(SiMe3)2)(PPh3)2]. **2016**, 55, 2091-100 53
- 337 Maximizing Electron Exchange in a [Fe3] Cluster. **2016**, 138, 2235-43 32
- 336 Symmetry-Supported Magnetic Blocking at 20 K in Pentagonal Bipyramidal Dy(III) Single-Ion Magnets. **2016**, 138, 2829-37 601
- 335 Three- and Four-Coordinate Homoleptic Iron(I) NHC Complexes: Synthesis and Characterization. **2016**, 35, 1361-1367 13
- 334 A 3D Heterometallic Coordination Polymer Constructed by Trimeric {NiDy2} Single-Molecule Magnet Units. **2016**, 55, 1202-7 70
- 333 The rise of 3-d single-ion magnets in molecular magnetism: towards materials from molecules?. **2016**, 7, 2470-2491 408
- 332 Magnetic anisotropy in two- to eight-coordinated transition metal complexes: Recent developments in molecular magnetism. **2016**, 308, 346-380 287

331	Single-molecule magnet behavior in a mononuclear dysprosium(III) complex with 1-methylimidazole. 2017 , 7, 2766-2772	7
330	Epitaxy-Induced Assembly and Enantiomeric Switching of an On-Surface Formed Dinuclear Organocobalt Complex. 2017 , 11, 1347-1359	7
329	Cobalt-Based Single-Ion Magnets on an Apatite Lattice: Toward Patterned Arrays for Magnetic Memories. 2017 , 56, 1232-1240	20
328	Structural Dependence of the Ising-type Magnetic Anisotropy and of the Relaxation Time in Mononuclear Trigonal Bipyramidal Co(II) Single Molecule Magnets. 2017 , 56, 1104-1111	47
327	A Straightforward Access to Stable, 16 Valence-electron Phosphine-Stabilized Fe Olefin Complexes and their Reactivity. 2017 , 36, 605-613	13
326	Pentagonal Bipyramid Fe Complexes: Robust Ising-Spin Units towards Heteropolynuclear Nanomagnets. 2017 , 23, 4380-4396	54
325	Dynamic Magnetic and Optical Insight into a High Performance Pentagonal Bipyramidal Dy Single-Ion Magnet. 2017 , 23, 5708-5715	79
324	Molecular magnetism, quo vadis? A historical perspective from a coordination chemist viewpoint?. 2017 , 339, 17-103	218
323	Field-Induced Slow Magnetic Relaxation of Gd Complex with a Pt-Gd Heterometallic Bond. 2017 , 23, 4551-4556	25
322	Di- and octa-nuclear dysprosium clusters derived from pyridyl-triazole based ligand: {Dy} showing single molecule magnetic behaviour. 2017 , 46, 2981-2987	23
321	Enhanced magnetic anisotropy in a tellurium-coordinated cobalt single-ion magnet. 2017 , 4, 701-705	27
320	Probing magnetic excitations and correlations in single and coupled spin systems with scanning tunneling spectroscopy. 2017 , 92, 83-115	40
319	Some new trends in the design of single molecule magnets. 2017 , 89, 1119-1143	11
318	Search for Electron Delocalization from [Fe(CN)] to the Dication of Viologen in (DNP)[Fe(CN)] ₂ ·10H ₂ O. 2017 , 56, 6477-6488	5
317	Field-Induced Co(II) Single-Ion Magnets with mer-Directing Ligands but Ambiguous Coordination Geometry. 2017 , 56, 6056-6066	25
316	Ferromagnetic coupling in a chloride-bridged erbium single-molecule magnet. 2017 , 53, 7322-7324	26
315	Single-Domain Ferromagnet of Noncentrosymmetric Uniaxial Magnetic Ions and Magnetoelectric Interaction. 2017 , 56, 10196-10199	
314	Synthetic, structural and magnetic implications of introducing 2,2'-dipyridylamide to sodium-ferrate complexes. 2017 , 46, 6683-6691	10

313	On balancing the QTM and the direct relaxation processes in single-ion magnets – the importance of symmetry control. 2017 , 4, 1141-1148	39
312	Role of Halide Ions in the Nature of the Magnetic Anisotropy in Tetrahedral Co Complexes. 2017 , 23, 9546-9559	33
311	Determination of zero-field splitting in Co halide complexes with magnetic and far-IR measurements. 2017 , 46, 7408-7411	13
310	Trigonal Prismatic Tris-pyridineoximate Transition Metal Complexes: A Cobalt(II) Compound with High Magnetic Anisotropy. 2017 , 56, 6943-6951	35
309	Electronic Structure and Magnetic Anisotropy of an Unsaturated Cyclopentadienyl Iron(I) Complex with 15 Valence Electrons. 2017 , 56, 7995-7999	22
308	Probing the Effects of Ligand Field and Coordination Geometry on Magnetic Anisotropy of Pentacoordinate Cobalt(II) Single-Ion Magnets. 2017 , 56, 6870-6878	49
307	Reliable Estimation of Prediction Uncertainty for Physicochemical Property Models. 2017 , 13, 3297-3317	36
306	Quantitative Estimation of Ising-Type Magnetic Anisotropy in a Family of C ₂ -Symmetric Co Complexes. 2017 , 23, 12550-12558	25
305	Molecular single-ion magnets based on lanthanides and actinides: Design considerations and new advances in the context of quantum technologies. 2017 , 346, 216-239	206
304	Covalency and chemical bonding in transition metal complexes: An ab initio based ligand field perspective. 2017 , 344, 2-25	108
303	A cyanide-bridged one-dimensional Cr(III)Co(II) metamagnet based on the trans-dicyanidechromate(III) building block. 2017 , 462, 204-208	4
302	Design and Magnetic Properties of a Mononuclear Co(II) Single Molecule Magnet and Its Antiferromagnetically Coupled Binuclear Derivative. 2017 , 56, 4602-4609	26
301	NMR analysis of an Fe(I)-carbene complex with strong magnetic anisotropy. 2017 , 46, 5159-5169	18
300	Synthesis and Reactivity of NHC-Stabilized Iron(II)–Mesityl Complexes. 2017 , 2017, 2600-2616	12
299	Magnetic Anisotropy in Pentacoordinate Ni and Co Complexes: Unraveling Electronic and Geometrical Contributions. 2017 , 23, 3648-3657	35
298	Large Magnetic Anisotropy in Linear Co(II) Complexes – Ab Initio Investigation of the Roles of Ligand Field, Structural Distortion, and Conformational Dynamics. 2017 , 2017, 659-668	7
297	Antimony-ligated dysprosium single-molecule magnets as catalysts for stibine dehydrocoupling. 2017 , 8, 2073-2080	61
296	Slow Magnetic Relaxation in Weak Easy-Plane Anisotropy: the Case of a Combined Magnetic and HFEP Study. 2017 , 56, 697-700	23

295	Switchable slow relaxation of magnetization in the native low temperature phase of a cooperative spin-crossover compound. 2017 , 8, 2290-2295	29
294	Slow magnetic relaxation in a mononuclear 8-coordinate Fe(ii) complex. 2017 , 53, 1474-1477	27
293	Magnetic coupling and relaxation in Fe[N(SiPh ₂ Me) ₂] ₂ molecular magnet. 2017 , 28, 975-983	4
292	Two-Coordinate Co(II) Imido Complexes as Outstanding Single-Molecule Magnets. 2017 , 139, 373-380	261
291	Heteroleptic, two-coordinate [M(NHC){N(SiMe)}] (M = Co, Fe) complexes: synthesis, reactivity and magnetism rationalized by an unexpected metal oxidation state. 2017 , 46, 1163-1171	17
290	Slow Magnetic Relaxation in Intermediate Spin S = 3/2 Mononuclear Fe(III) Complexes. 2017 , 139, 16474-16477	37
289	Probing the influence of molecular symmetry on the magnetic anisotropy of octahedral cobalt(II) complexes. 2017 , 4, 1909-1916	22
288	A new Mo(IV) complex with the pentadentate (NO) Schiff-base ligand: the first non-cyanide pentagonal-bipyramidal paramagnetic 4d complex. 2017 , 46, 14083-14087	9
287	Heterometallic Zn Ln Ensembles Containing (βCO) Ligand and Triangular Disposition of Ln ions: Analysis of Single-Molecule Toric (SMT) and Single-Molecule Magnet (SMM) Behavior. 2017 , 23, 16621-16636	32
286	Metallacrowns as Templates for Diabolo-like {LnCu} Complexes with Nearly Perfect Square Antiprismatic Geometry. 2017 , 23, 15617-15622	16
285	Slow magnetic relaxation in five-coordinate spin-crossover cobalt(ii) complexes. 2017 , 53, 9304-9307	30
284	Intra-molecular origin of the spin-phonon coupling in slow-relaxing molecular magnets. 2017 , 8, 6051-6059	112
283	Open-shell iron hydrocarbyls. 2017 , 350, 285-299	18
282	Single-Domain Ferromagnet of Noncentrosymmetric Uniaxial Magnetic Ions and Magnetoelectric Interaction. 2017 , 129, 10330-10333	1
281	Key role of higher order symmetry and electrostatic ligand field design in the magnetic relaxation of low-coordinate Er(III) complexes. 2017 , 46, 11913-11924	17
280	Three series of heterometallic Ni-Ln Schiff base complexes: synthesis, crystal structures and magnetic characterization. 2017 , 46, 12558-12573	19
279	From Positive to Negative Zero-Field Splitting in a Series of Strongly Magnetically Anisotropic Mononuclear Metal Complexes. 2017 , 56, 14809-14822	29
278	Slow Magnetic Relaxation in a Dysprosium Ammonia Metallocene Complex. 2017 , 56, 15049-15056	23

277	Slow Spin Relaxation in Dioxocobaltate(II) Anions Embedded in the Lattice of Calcium Hydroxyapatite. 2017 , 56, 14077-14083	8
276	Magnetic Anisotropy along a Series of Lanthanide Polyoxometalates with Pentagonal Bipyramidal Symmetry. 2017 , 56, 7835-7841	24
275	Complexes of Ni(i): a "rare" oxidation state of growing importance. 2017 , 46, 5347-5399	110
274	Synthesis, Structure, and Magnetic Properties of 1D {[Mn(CN)][Mn(dapsc)]} Coordination Polymers: Origin of Unconventional Single-Chain Magnet Behavior. 2017 , 56, 8926-8943	26
273	Field-Induced Slow Magnetic Relaxation in an Octacoordinated Fe(II) Complex with Pseudo-D Symmetry: Magnetic, HF-EPR, and Theoretical Investigations. 2017 , 56, 8018-8025	13
272	Elektronische Struktur und magnetische Anisotropie eines ungesättigten Cyclopentadienyleisen(I)-Komplexes mit 15 Valenzelektronen. 2017 , 129, 8107-8112	5
271	Mononuclear Lanthanide Complexes: Energy-Barrier Enhancement by Ligand Substitution in Field-Induced Dy SIMs. 2017 , 56, 7985-7997	16
270	Magnetic Anisotropy from Main-Group Elements: Halides versus Group 14 Elements. 2017 , 56, 8195-8202	14
269	Spin-reversal energy barriers of 305 K for Fe d ions with linear ligand coordination. 2017 , 9, 10596-10600	8
268	Electron-Assisted Relaxation of Spin Excited States in Cobalt Phthalocyanine Molecules on Au(111) Surface. 2017 , 30, 161-165	1
267	The science is in the data. 2017 , 4, 714-722	17
266	Spin states, vibrations and spin relaxation in molecular nanomagnets and spin qubits: a critical perspective. 2018 , 9, 3265-3275	140
265	Magneto-Mechanical Surfaces Design. 2018 , 18, 1010-1019	3
264	Ferromagnetism versus slow paramagnetic relaxation in Fe-doped Li3N. 2018 , 97,	6
263	Substituted versus Naked Thiourea Ligand Containing Pseudotetrahedral Cobalt(II) Complexes: A Comparative Study on Its Magnetization Relaxation Dynamics Phenomenon. 2018 , 57, 3371-3386	29
262	Slow Magnetic Relaxation in a Series of Mononuclear 8-Coordinate Fe(II) and Co(II) Complexes. 2018 , 57, 3761-3774	20
261	A Pseudo-Octahedral Cobalt(II) Complex with Bispyrazolylpyridine Ligands Acting as a Zero-Field Single-Molecule Magnet with Easy Axis Anisotropy. 2018 , 24, 8857-8868	40
260	One-dimensional cobalt(II) coordination polymer featuring single-ion-magnet-type field-induced slow magnetic relaxation. 2018 , 42, 9612-9619	17

259	Manipulating the Relaxation of Quasi- D Dysprosium Compounds through Alternation of the O-Donor Ligands. 2018 , 57, 4534-4542	28
258	Slow magnetic relaxation in two octahedral cobalt(II) complexes with positive axial anisotropy. 2018 , 479, 113-119	13
257	Extreme Field Sensitivity of Magnetic Tunneling in Fe-Doped Li ₃ N. 2018 , 120, 147202	7
256	Fine-tuning the effects of auxiliary ligands on two trigonal-bipyramid cobalt(II) complexes exhibiting field-induced slow magnetic relaxation. 2018 , 42, 8583-8590	9
255	A new series of tetrahedral Co(ii) complexes [CoLX] (X = NCS, Cl, Br, I) manifesting single-ion magnet features. 2018 , 47, 3745-3754	23
254	Single Ion Magnets from 3d to 5f: Developments and Strategies. 2018 , 24, 7574-7594	180
253	Large Anisotropy Barrier in a Tetranuclear Single-Molecule Magnet Featuring Low-Coordinate Cobalt Centers. 2018 , 140, 2058-2061	34
252	Probing the origin of the giant magnetic anisotropy in trigonal bipyramidal Ni(ii) under high pressure. 2018 , 9, 1551-1559	36
251	Effect of linear and non-linear pseudohalides on the structural and magnetic properties of Co(ii) hexacoordinate single-molecule magnets. 2018 , 47, 1498-1512	22
250	Field-induced slow relaxation of magnetization in a distorted octahedral mononuclear high-spin Co(II) complex. 2018 , 20, 962-968	5
249	Slow magnetic relaxation influenced by change of symmetry from ideal C to D in cobalt(ii)-based single-ion magnets. 2018 , 47, 2506-2510	22
248	Very Large Magnetic Anisotropy of Cage Cobalt(II) Complexes with a Rigid Cholesteryl Substituent from Paramagnetic NMR Spectroscopy. 2018 , 3, 4941-4946	13
247	Exchange Interactions Switch Tunneling: A Comparative Experimental and Theoretical Study on Relaxation Dynamics by Targeted Metal Ion Replacement. 2018 , 24, 9928-9939	14
246	DFT studies for three Cu(II) coordination polymers: Geometrical and electronic structures, g factors and UV-visible spectra. 2018 , 508, 20-25	6
245	Low-coordinate mononuclear lanthanide complexes as molecular nanomagnets. 2018 , 367, 163-216	84
244	Mannich Base Ligands as Versatile Platforms for SMMs. 2018 , 101-161	2
243	The influence of pseudohalide ligands on the SIM behaviour of four-coordinate benzylimidazole-containing cobalt(ii) complexes. 2018 , 47, 5831-5842	13
242	Magnetic Anisotropy from Trigonal Prismatic to Trigonal Antiprismatic Co(II) Complexes: Experimental Observation and Theoretical Prediction. 2018 , 57, 3903-3912	29

241	Enriching lanthanide single-ion magnetism through symmetry and axially. 2018 , 54, 3685-3696	71
240	A PNNH Pincer Ligand Allows Access to Monovalent Iron. 2018 , 24, 1330-1341	15
239	A family of related Co(II) terpyridine compounds exhibiting field induced single-molecule magnet properties. 2018 , 143, 193-200	19
238	Optimization of Magnetic Relaxation and Isotopic Enrichment in Dimeric Dy(III) Single-Molecule Magnets. 2018 , 2018, 326-332	22
237	Optical absorption spectra and g factor of MgO: Mn ²⁺ explored by ab initio and semi empirical methods. 2018 , 113, 194-200	4
236	A mononuclear five-coordinate Co(II) single molecule magnet with a spin crossover between the S = 1/2 and 3/2 states. 2018 , 47, 16596-16602	23
235	Multifunctional Properties of a 1D Helical Co(II) Coordination Polymer: Toward Single-Ion Magnetic Behavior and Efficient Dye Degradation. 2018 , 3, 15315-15324	11
234	A linear cobalt(II) complex with maximal orbital angular momentum from a non-Aufbau ground state. 2018 , 362,	164
233	Thermally Persistent High-Spin Ground States in Octahedral Iron Clusters. 2018 , 140, 16792-16806	13
232	Investigation of magnetic anisotropy in intermediate spin iron(III) complexes. 2018 , 149, 234302	8
231	Quantum quench for the biaxial spin system. 2018 , 44, 1173-1179	1
230	The Stabilization of Three-Coordinate Formal Mn(0) Complex with NHC and Alkene Ligation. 2018 , 4, 2844-2860	20
229	Other Techniques to Study Single-Molecule Magnets. 2018 , 173-243	
228	Synthesis and Chemistry of Single-molecule Magnets. 2018 , 245-313	
227	Introduction to Single-Molecule Magnets. 2018 , 1-39	
226	Construction and Magnetic Study of a Trigonal-Prismatic Cobalt(II) Single-Ion Magnet. 2018 , 57, 14047-14051	23
225	Structure and Magnetism of Seven-Coordinate Fe(III), Fe(II), Co(II) and Ni(II) Complexes Containing a Heptadentate 15-Membered Pyridine-Based Macrocyclic Ligand. 2018 , 2018, 4286-4297	18
224	Spin-Crossover and Field-Induced Single-Molecule Magnet Behaviour in Metal(II)-Dipyrazolylpyridine Complexes. 2018 , 2018, 4452-4457	5

223	Effects of coordination sphere on unusually large zero field splitting and slow magnetic relaxation in trigonally symmetric molecules. 2018 , 9, 9018-9026	23
222	Magnetic Dynamics of a Neodymium(III) Single-Ion Magnet. 2018 , 57, 11782-11787	19
221	Molecular Nanomagnets Based on f-Elements. 2018 , 1-50	1
220	Heteroleptic chiral bis(phthalocyaninato) terbium double-decker single-ion magnets. 2018 , 5, 2006-2012	7
219	Magnetic anisotropy and relaxation behavior of six-coordinate tris(pivalato)-Co(ii) and -Ni(ii) complexes. 2018 , 47, 10162-10171	7
218	(EtN)[Mo(DAPBH)Cl], the first pentagonal-bipyramidal Mo(iii) complex with a NO-type Schiff-base ligand: manifestation of unquenched orbital momentum and Ising-type magnetic anisotropy. 2018 , 54, 10084-10087	8
217	Field-induced slow magnetic relaxation of two 1-D compounds containing six-coordinated cobalt(II) ions: influence of the coordination geometry. 2018 , 5, 2314-2320	20
216	Chiral and kryptoracemic Dy(III) complexes with field-induced single molecule magnet behavior. 2018 , 20, 4582-4589	6
215	Two Interpenetrated Cobalt(II) Metal-Organic Frameworks with Guest-Dependent Structures and Field-Induced Single-Ion Magnet Behaviors. 2018 , 18, 5270-5278	20
214	Field-induced slow relaxation of magnetization in a mononuclear Co(II) complex of 2,6-bis(pyrazol-1-yl)pyridine functionalized with a carboxylic acid. 2018 , 150, 54-60	10
213	Rationalization of single-molecule magnet behavior in a three-coordinate Fe(III) complex with a high-spin state ($S = 5/2$). 2018 , 5, 2486-2492	8
212	Lanthanide(III)-Based Single-Ion Magnets. 2018 , 3, 9462-9475	63
211	Magnetic anisotropy and slow magnetic relaxation of seven-coordinate cobalt(II) nitrate complexes. 2018 , 154, 148-155	7
210	Influence of the Coordination Environment on Easy-Plane Magnetic Anisotropy of Pentagonal Bipyramidal Cobalt(II) Complexes. 2018 , 57, 9999-10008	35
209	Pseudotetrahedral cobalt(ii) complexes with PNP-ligands showing uniaxial magnetic anisotropy. 2018 , 47, 8874-8878	7
208	High-coordinate Co and Fe compounds constructed from an asymmetric tetradentate ligand show slow magnetic relaxation behavior. 2018 , 47, 8940-8948	8
207	Ln(III)-based SIMs. 2018 , 195-231	2
206	Synthesis, crystal structure and magnetic properties of a cyanide-bridged one-dimensional FeIII Coll metamagnet. 2018 , 482, 48-52	3

205	Deciphering the origin of invariance in magnetic anisotropy in {FeS} complexes: a theoretical perspective. 2018 , 47, 9980-9984	9
204	Slow Magnetic Relaxation in Dinuclear CoY Complexes. 2019 , 58, 10725-10735	9
203	Manifestation of strong magnetic and giant Raman anisotropy in single crystals of Cu for H substituted strontium hydroxyapatite. 2019 , 21, 4976-4980	
202	Isostructural M(ii) complexes (M = Mn, Fe, Co) with field-induced slow magnetic relaxation for Mn and Co complexes. 2019 , 48, 12023-12030	12
201	Coordination [Co] and [CoZn] Helicates Showing Slow Magnetic Relaxation. 2019 , 58, 9562-9566	7
200	Field-induced slow magnetic relaxation in two-dimensional and three-dimensional Co(ii) coordination polymers. 2019 , 48, 15529-15536	8
199	An imido ligand significantly enhances the effective energy barrier of dysprosium(iii) single-molecule magnets. 2019 , 55, 9355-9358	23
198	Heterometallic 3d-4f Complexes as Single-Molecule Magnets. 2019 , 14, 4433-4453	39
197	Low-coordinate first-row transition metal complexes in catalysis and small molecule activation. 2019 , 48, 12365-12381	20
196	Magnetic Anisotropy in Co X (X=O, S, Se) Single-Ion Magnets: Role of Structural Distortions versus Heavy Atom Effect. 2019 , 14, 4696-4704	19
195	Slow Magnetic Relaxation in a Mononuclear Five-Coordinate Cu(II) Complex. 2019 , 2019, 4653-4659	8
194	Synthesis and Characterization of a Linear, Two-Coordinate Pt(II) Ketimide Complex. 2019 , 58, 15927-15935	10
193	A Series of Field-Induced Single-Ion Magnets Based on the Seven-Coordinate Co(II) Complexes with the Pentadentate (N3O2) H2dapsc Ligand. 2019 , 5, 58	6
192	Deciphering the influence of structural distortions on the uniaxial magnetic anisotropy of pentagonal bipyramidal Ni(ii) complexes. 2019 , 55, 11547-11550	4
191	Exploring the High-Temperature Frontier in Molecular Nanomagnets: From Lanthanides to Actinides. 2019 , 58, 11883-11892	24
190	Reduction of 2,2'-Bipyridine by Quasi-Linear 3d-Metal(I) Silylamides: Structural and Spectroscopic Study. 2019 , 7, 117	13
189	Rare "Janus"-faced single-molecule magnet exhibiting intramolecular ferromagnetic interactions. 2019 , 10, 1626-1633	24
188	Hexagonal Bipyramidal Dy(III) Complexes as a Structural Archetype for Single-Molecule Magnets. 2019 , 58, 2610-2617	36

187	Bifunctional Mononuclear Dysprosium Complexes: Single-Ion Magnet Behaviors and Antitumor Activities. 2019 , 58, 2286-2298	31
186	Single-Ion Magnet Investigation of ABAB-Type Tetrachloro- and Tetraalkoxy-Substituted Bis(phthalocyaninato) Terbium Double-Decker with D2 Symmetrical Ligand Field. 2019 , 2019, 1329-1334	1
185	Magnetic anisotropy and slow magnetic relaxation processes of cobalt(ii)-pseudohalide complexes. 2019 , 48, 10743-10752	14
184	Electronic and Structural Factors Controlling the Spin Orientations of Magnetic Ions. 2019 , 58, 11854-11874	19
183	Rational Design of Electronically Labile Dinuclear Fe and Co complexes with 1,10-Phenanthroline-5,6-Diimine: A DFT study. 2019 , 40, 2284-2292	5
182	Influence of a Counteranion on the Zero-Field Splitting of Tetrahedral Cobalt(II) Thiourea Complexes. 2019 , 58, 9085-9100	19
181	Two-Coordinate, Late First-Row Transition Metal Amido Derivatives of the Bulky Ligand -N(SiPr)Dipp (Dipp = 2,6-diisopropylphenyl): Effects of the Ligand on the Stability of Two-Coordinate Copper(II) Complexes. 2019 , 58, 8793-8799	7
180	Field-Induced Single-Ion Magnetic Behavior in Two Mononuclear Cobalt(II) Complexes. 2019 , 14, 2620-2628	6
179	Solvothermal synthesis, structure and properties of heterometallic coordination polymer based on metalloligand and alkaline-earth metal calcium. 2019 , 1186, 434-439	5
178	Main Group Chemistry at the Interface with Molecular Magnetism. 2019 , 119, 8479-8505	113
177	Strong Exchange Couplings Drastically Slow Down Magnetization Relaxation in an Air-Stable Cobalt(II)-Radical Single-Molecule Magnet (SMM). 2019 , 58, 9802-9806	27
176	Drastische Verlangsamung der magnetischen Relaxation durch starke Austauschkopplungen in einem luftstabilen, radikalverbrückten Cobalt(II)-Einzelmolekülmagneten. 2019 , 131, 9907-9911	4
175	The Conceptual Dilemma of the One-Electron Picture in Describing the Uniaxial Magnetism at Linear Coordination Sites. 2019 , 2019, 2630-2634	3
174	Syntheses, structures, and magnetic properties of three two-dimensional cobalt(II) single-ion magnets with a CoII ₄ N ₄ X ₂ octahedral geometry. 2019 , 21, 3176-3185	13
173	Correlating magnetic anisotropy with the subtle coordination geometry variation of a series of cobalt(ii)-sulfonamide complexes. 2019 , 48, 15419-15426	14
172	A Trigonal Prismatic Cobalt(II) Complex as a Single Molecule Magnet with a Reduced Contribution from Quantum Tunneling. 2019 , 20, 1001-1005	18
171	Ferromagnetic ordering of linearly coordinated Co ions in LiSr ₂ [CoN ₂]. 2019 , 99,	5
170	Studies of single atom magnets via scanning tunneling microscopy. 2019 , 481, 150-155	2

- 169 Multiple magnetic relaxation pathways in T-shaped N-heterocyclic carbene-supported Fe(I) single-ion magnets. **2019**, 6, 1050-1057 2
- 168 Spin-dependent properties in the framework of the dynamic correlation dressed complete active space method. **2019**, 150, 104104 17
- 167 An eight-coordinate ytterbium complex with a hexagonal bipyramid geometry exhibiting field-induced single-ion magnet behaviour. **2019**, 48, 5621-5626 16
- 166 Synthesis of a Neutral Mononuclear Four-Coordinate Co(II) Complex Having Two Halved Phthalocyanine Ligands That Shows Slow Magnetic Relaxations under Zero Static Magnetic Field. **2019**, 58, 5211-5220 10
- 165 NiII-LnIII Heterometallic Complexes as Single-Molecule Magnets. **2019**, 2019, 1180-1200 11
- 164 First transition metal complex containing SMIA[carboxylate ligand: Synthesis, structure and magnetic properties of a new tetranuclear copper complex [Cu₄(SMIA)₆(phen)₄](ClO₄)₂. **2019**, 102, 152-157
- 163 Modulation of the magnetic anisotropy of octahedral cobalt(II) single-ion magnets by fine-tuning the axial coordination microenvironment. **2019**, 6, 848-856 38
- 162 Synthesis and magnetic studies of pentagonal bipyramidal metal complexes of Fe, Co and Ni. **2019**, 48, 3243-3248 18
- 161 Insights into Single-Molecule-Magnet Behavior from the Experimental Electron Density of Linear Two-Coordinate Iron Complexes. **2019**, 58, 3211-3218 21
- 160 Combined Experimental and Theoretical Investigation of the Origin of Magnetic Anisotropy in Pentagonal Bipyramidal Isothiocyanato Co(II), Ni(II), and Fe(III) Complexes with Quaternary-Ammonium-Functionalized 2,6-Diacetylpyridine Bisacylhydrazone. **2019**, 123, 31142-31155 6
- 159 Slow magnetic relaxation in a high-spin pentacoordinate Fe(III) complex. **2019**, 55, 13868-13871 9
- 158 Magnetic anisotropy in trigonal planar Fe(II) bis(trimethylsilyl)amido complexes of the type [Fe{N(SiMe)₃}₂L]-experiment and theory. **2019**, 48, 15699-15712 7
- 157 Synthesis and Electronic Structure of Neutral Square-Planar High-Spin Iron(II) Complexes Supported by a Dianionic Pincer Ligand. **2019**, 58, 1252-1266 14
- 156 Chemistry and Quantum Mechanics in 2019: Give Us Insight and Numbers. **2019**, 141, 2814-2824 60
- 155 A Design Criteria to Achieve Giant Ising-Type Anisotropy in Co -Encapsulated Metallofullerenes. **2020**, 26, 464-477 10
- 154 Defining the Scope of the Acid-Catalyzed Glycosidation of Glycosyl Bromides. **2020**, 26, 1042-1051 7
- 153 Synthesis and magnetic characterization of a dinuclear complex of low-coordinate iron(II). **2020**, 175, 114171-114171 1
- 152 Field-induced slow magnetic relaxation in a double hydrazine bridged iron(II) chain. **2020**, 113, 107772

151	Three-Coordinate Formal Cobalt(0), Iron(0), and Manganese(0) Complexes with Persistent Carbene and Alkene Ligation. 2020 , 53, 244-254	13
150	Stabile Salze heteroleptischer Eisen-Carbonyl/Nitrosylkationen. 2020 , 132, 5629-5633	8
149	Magnetic Relaxation Studies on Trigonal Bipyramidal Cobalt(II) Complexes. 2020 , 15, 391-397	5
148	Stable Salts of Heteroleptic Iron Carbonyl/Nitrosyl Cations. 2020 , 59, 5581-5585	13
147	Two Four-Coordinate and Seven-Coordinate Co Complexes Based on the Bidentate Ligand 1, 8-Naphthyridine Showing Slow Magnetic Relaxation Behavior. 2020 , 15, 279-286	4
146	Interplay of electron correlations, spin-orbit couplings, and structural effects for Cu centers in the quasi-two-dimensional magnet $\text{InCu}_2/3\text{V}_1/3\text{O}_3$. 2020 , 102,	0
145	Effect of the Distant Substituent to Slow Magnetic Relaxation of Pentacoordinate Fe(III) Complexes. 2020 , 59, 14871-14878	2
144	Field-induced single molecule magnet behavior of a dinuclear cobalt(II) complex: a combined experimental and theoretical study. 2020 , 49, 16778-16790	10
143	Magnetization relaxation dynamics of a rare coordinatively unsaturated Co(II) complex: experimental and theoretical insights. 2020 , 56, 13397-13400	1
142	Blocking like it's hot: a synthetic chemists' path to high-temperature lanthanide single molecule magnets. 2020 , 49, 14320-14337	16
141	Strangely attractive: Collaboration and feedback in the field of molecular magnetism. 2020 , 120, e26248	2
140	Optimization of Single-Molecule Magnets by Suppression of Quantum Tunneling of the Magnetization. 2020 , 2020, 3222-3235	2
139	Experimental Charge Densities from Multipole Modeling: Moving into the Twenty-First Century. 2020 , 145-182	2
138	Incorporating Trigonal-Prismatic Cobalt(II) Blocks into an Exchange-Coupled [CoCu] System. 2020 , 59, 10389-10394	3
137	Role of Coordination Number and Geometry in Controlling the Magnetic Anisotropy in Fe, Co, and Ni Single-Ion Magnets. 2020 , 26, 14036-14058	24
136	Slow magnetic relaxation in cobalt N-heterocyclic carbene complexes. 2020 , 49, 11577-11582	2
135	Quantification of the Magnetic Anisotropy of a Single-Molecule Magnet from the Experimental Electron Density. 2020 , 132, 21389-21395	1
134	Quantification of the Magnetic Anisotropy of a Single-Molecule Magnet from the Experimental Electron Density. 2020 , 59, 21203-21209	7

133	Field-induced SIM behaviour of a Co(II) complex with a 1,1'-diacetylferrocene-derived ligand. 2020 , 49, 15592-15596	1
132	Advanced Magnetic Resonance Studies of Tetraphenylporphyrinatoiron(III) Halides. 2020 , 51, 1411-1432	2
131	Azido-Cyanide Mixed-Bridged Fe-Ni Complexes. 2020 , 59, 16215-16224	7
130	Single-ion magnetism in the extended solid-state: insights from X-ray absorption and emission spectroscopy. 2020 , 11, 11801-11810	4
129	Origins of Slow Magnetic Relaxation in Single-Molecule Magnets. 2020 , 125, 117203	22
128	Magnetic field tuning of low-energy spin dynamics in the single-atomic magnet Li ₂ (Li _{1-x} F _x)N. 2020 , 102,	4
127	Heterometallic Complexes Containing the NiII-LnIII-NiII Moiety Structures and Magnetic Properties. 2020 , 10, 1117	1
126	Magnetic Modification and the Mechanism of Tb-Phthalocyanine Single Molecule Magnets Prepared by a High Yield Method. 2020 , 2020, 2112-2117	4
125	Probing the Axial Distortion Effect on the Magnetic Anisotropy of Octahedral Co(II) Complexes. 2020 , 59, 7622-7630	17
124	Field-Induced Single-Ion Magnet Phenomenon in Hexabromo- and Hexaiodorhenate(IV) Complexes. 2020 , 6, 20	2
123	Structure, magnetic anisotropy and relaxation behavior of seven-coordinate Co(ii) single-ion magnets perturbed by counter-anions. 2020 , 49, 7620-7627	11
122	The ORCA quantum chemistry program package. 2020 , 152, 224108	479
121	Trigonal Prismatic Cobalt(II) Single-Ion Magnets: Manipulating the Magnetic Relaxation Through Symmetry Control. 2020 , 59, 8505-8513	13
120	Smart Ligands for Efficient 3d-, 4d- and 5d-Metal Single-Molecule Magnets and Single-Ion Magnets. 2020 , 8, 39	12
119	Geometrical control of the magnetic anisotropy in six coordinate cobalt complexes. 2020 , 56, 8492-8495	5
118	Synthesis and magnetic property of a cobalt complex constructed by a linear Co ₂ (N ₂) ₂ Co unit. 2020 , 511, 119804	4
117	Physical Properties of Molecules and Condensed Materials Governed by Onsite Repulsion, Spin-Orbit Coupling and Polarizability of Their Constituent Atoms. 2020 , 25,	1
116	Trends in trigonal prismatic Ln-[1]ferrocenophane complexes and discovery of a Ho single-molecule magnet. 2020 , 11, 3936-3951	10

115	All-Inorganic Single-Ion Magnets in Ceramic Matrices. 2020 , 26, 8834-8844	6
114	Double donation in trigonal planar iron-carbodiphosphorane complexes - a concise study on their spectroscopic and electronic properties. 2020 , 49, 2537-2546	15
113	Enhancement of the Luminescent Efficiency in Carbene-Au-Aryl Complexes by the Restriction of Renner-Teller Distortion and Bond Rotation. 2020 , 142, 6158-6172	35
112	A Study of Magnetic Relaxation in Dysprosium(III) Single-Molecule Magnets. 2020 , 26, 5893-5902	60
111	Coligand effects on the architectures and magnetic properties of octahedral cobalt(II) complexes with easy-axis magnetic anisotropy. 2020 , 22, 2297-2303	3
110	Unconventional Spin Relaxation Involving Localized Vibrational Modes in Ho Single-Atom Magnets. 2020 , 124, 077204	13
109	High-Pressure Crystallography as a Guide in the Design of Single-Molecule Magnets. 2020 , 59, 1682-1691	7
108	Effect of Axial Ligands on Easy-Axis Anisotropy and Field-Induced Slow Magnetic Relaxation in Heptacoordinated Fe Complexes. 2020 , 26, 4780-4789	14
107	Improvement of Ab Initio Ligand Field Theory by Means of Multistate Perturbation Theory. 2020 , 124, 1025-1037	11
106	A capped trigonal prismatic cobalt(ii) complex as a structural archetype for single-ion magnets. 2020 , 49, 2063-2067	19
105	Ferrocene-Supported Compartmental Ligands for the Assembly of 3d/4f Complexes. 2020 , 5, 9046-9054	4
104	Development of Single-Molecule Magnets 2020 , 38, 1005-1018	22
103	1,2-Diaza-4-phospholide complexes of chromium(ii): dipotassium organochromates behaving as single-molecule magnets. 2020 , 49, 6945-6949	2
102	An iron ketimide single-molecule magnet [Fe(N[double bond, length as m-dash]CPh)] with suppressed through-barrier relaxation. 2020 , 11, 4753-4757	6
101	What do 3d-4f butterflies tell us?. 2021 , 426, 213490	18
100	Reentrant Spin Glass and Large Coercive Field Observed in a Spin Integer Dimerized Honeycomb Lattice. 2021 , 31, 2004744	1
99	Holmium(iii) molecular nanomagnets for optical thermometry exploring the luminescence re-absorption effect. 2020 , 12, 730-741	24
98	Mössbauer Spectroscopy. 2021 , 129-159	

97	Research Progress of Lanthanide Single-Molecule Magnets. 2021 , 10, 77-90	
96	Design of modern magnetic materials with giant coercivity. 2021 , 90, 1287-1329	6
95	Magnetic Anisotropy: Structural Correlation of a Series of Chromium(II)-Amidinate Complexes. 2021 , 60, 1344-1351	5
94	Modern physical methods for molecular design of single-molecule magnets. 2021 , 90, 1330-1358	2
93	Sensitive magnetic-field-response magnetization dynamics in a one-dimensional dysprosium coordination polymer.	1
92	Low-Coordinate Chemistry of Manganese and Iron. 2021 , 2-27	
91	Computational Coordination Chemistry. 2021 , 241-255	1
90	Spin Hamiltonians in Magnets: Theories and Computations. 2021 , 26,	4
89	Fe Mössbauer Spectroscopy as a Tool for Study of Spin States and Magnetic Interactions in Inorganic Chemistry. 2021 , 26,	3
88	First-Principles Investigations of Magnetic Anisotropy and Spin-Crossover Behavior of Fe(III)-TBP Complexes. 2021 , 125, 2197-2207	2
87	Terahertz Magneto-Optical Excitations of the sd-Hybrid States of Lithium Nitridocobaltate Li(LiCo)N. 2021 , 60, 4497-4507	1
86	Spectroscopic Investigation of a Metal-Metal-Bonded Fe Single-Molecule Magnet with an Isolated = / Giant-Spin Ground State. 2021 , 60, 4610-4622	2
85	Understanding Magneto-Structural Correlations Toward Design of Molecular Magnets. 2021 , 777-832	1
84	Molecular and Electronic Structures and Single-Molecule Magnet Behavior of Tris(thioether)-Iron Complexes Containing Redox-Active Diimine Ligands. 2021 , 60, 6480-6491	1
83	Structure-property correlation in stabilizing axial magnetic anisotropy in octahedral Co(II) complexes. 2021 , 2, 100404	6
82	Best Practices and Protocols in Mössbauer Spectroscopy. 2021 , 33, 3878-3904	1
81	Generalized Heisenberg-Type Magnetic Phenomena in Coordination Polymers with Nickel-Lanthanide Dinuclear Units. 2021 , 125, 11182-11196	4
80	Spin Crossover and Field-Induced Single-Molecule Magnet Behaviour in Co(II) Complexes Based on Terpyridine with Tetrathiafulvalene Analogues. 2021 , 2021, 2374-2383	3

79	Synthesis and Magnetic Properties of Two-Step-Coordination Schiff Base Clusters. 2021 , 2021, 2611-2617	0
78	Record High Magnetic Anisotropy in Three-Coordinate Mn and Cr Complexes: A Theoretical Perspective. 2021 , 60, 9680-9687	0
77	The Quest for Optimal 3 d Orbital Splitting in Tetrahedral Cobalt Single-Molecule Magnets Featuring Colossal Anisotropy and Hysteresis. 2021 , 2021, 3108-3114	6
76	Reciprocating thermal behavior in the family of single ion magnets. 2021 , 436, 213808	7
75	Methods and Models of Theoretical Calculation for Single-Molecule Magnets. 2021 , 7, 107	2
74	High Magnetic Anisotropy of a Square-Planar Iron-Carbene Complex. 2021 ,	3
73	Single-Molecule Magnets: From Mn ¹² -ac to dysprosium metallocenes, a travel in time. 2021 , 441, 213984	32
72	Molecular Magnetism of Metal Complexes and Light-Induced Phase Transitions. 2021 , 267-317	0
71	Observation of field-induced single-ion magnet behavior in an octahedral dysprosium complex with a strong ligand field. 2021 , 45, 2404-2409	5
70	Homoleptic quasilinear metal(i/ii) silylamides of Cr-Co with phenyl and allyl functions - impact of the oxidation state on secondary ligand interactions. 2021 , 50, 10947-10963	3
69	3d- and 4f-Based Single Molecule Magnets. 2021 , 595-619	0
68	A Study of the Lack of Slow Magnetic Relaxation in Mononuclear Trigonal Bipyramidal Cobalt(II) Complexes. 2021 , 6, 576-582	2
67	Quasilinear 3d-metal(i) complexes [KM(N(Dipp)SiR)] (M = Cr-Co) - structural diversity, solution state behaviour and reactivity. 2021 , 50, 4890-4903	9
66	Hetero-tri-spin systems: an alternative stairway to the single molecule magnet heaven?. 2021 , 50, 15961-15972	1
65	Origin of the anomalously low Raman exponents in single molecule magnets. 2021 , 103,	18
64	The role of anharmonic phonons in under-barrier spin relaxation of single molecule magnets. 2017 , 8, 14620	215
63	Heavy ligand atom induced large magnetic anisotropy in Mn(ii) complexes. 2017 , 19, 16914-16922	8
62	Field-induced slow magnetic relaxation in low-spin S = 1/2 mononuclear osmium(v) complexes. 2020 , 49, 4084-4092	6

61	Influence of ligand field on magnetic anisotropy in a family of pentacoordinate Co complexes. 2020 , 49, 4785-4796	6
60	Solution NMR Spectroscopy of Single-Molecule Magnets. 2021 ,	
59	Aufbau vs. non-Aufbau ground states in two-coordinate d7 single-molecule magnets.	6
58	Slow magnetic relaxation in high-coordinate Co(II) and Fe(II) compounds bearing neutral tetradentate ligands. 2021 , 50, 15327-15335	1
57	Single-Molecule Magnets. 1-21	0
56	A perspective on surface-adsorbed single atom magnets as atomic-scale magnetic memory. 2021 , 119, 160503	1
55	General Introduction. 2017 , 1-13	
54	Metal Alkynyl (π) Complexes. 2018 , 75-103	
53	Magnetic Surfaces, Thin Films and Nanostructures. 2020 , 625-698	1
52	Five new multinuclear rare earth complexes: Magnetism and near-infrared luminescence. 2021 , 109062	0
51	Magnetic relaxation in single-ion magnets formed by less-studied lanthanide ions Ce(III), Nd(III), Gd(III), Ho(III), Tm(II/III) and Yb(III). 2021 , 214288	1
50	f-Element Organometallic Single-Molecule Magnets. 2022 ,	
49	Trigonally Distorted Hexacoordinate Co(II) Single-Ion Magnets.. 2022 , 15,	3
48	Extreme -Tensor Anisotropy and Its Insensitivity to Structural Distortions in a Family of Linear Two-Coordinate Ni(I) Bis-N-heterocyclic Carbene Complexes.. 2022 , 61, 1308-1315	1
47	The rationalized pathway from field-induced slow magnetic relaxation in CoIIIV chains to single-chain magnetism in isotopological CoIIIV analogues.	2
46	Trisyl-based multidentate ligands: synthesis and their transition-metal complexes.. 2022 ,	
45	What controls the magnetic anisotropy in heptacoordinate high-spin cobalt(II) complexes? A theoretical perspective.. 2022 ,	0
44	Ferrofettelite, [Ag ₆ As ₂ S ₇][Ag ₁₀ FeAs ₂ S ₈], a new sulfosalt from the Glasberg quarry, Odenwald, Germany. 1-14	

- 43 On the correlation of the ^{57}Fe Mössbauer isomer shift and some structural parameters of a substance. **2022**, 243, 1
- 42 Magnetic anisotropy of individually addressed spin states. **2021**, 3,
- 41 Paramagnetic Li NMR Shifts and Magnetic Properties of Divalent Transition Metal Silylamide Ate Complexes $[\text{LiM}\{\text{N}(\text{SiMe})\}]$ ($\text{M} = \text{Mn}, \text{Fe}, \text{Co}$).. **2021**, 0
- 40 Opening magnetic hysteresis improving the planarity of equatorial coordination by hydrogen bonding.. **2022**, 2
- 39 Modulation of architectures and magnetic dynamics in pseudotetrahedral cobalt(II) complexes.. **2022**, 0
- 38 Slow magnetic relaxation in a trigonal-planar mononuclear Fe(II) complex.. **2022**, 0
- 37 A C,S Bonded Quasi-Two-Coordinate Chromium(II) Complex Showing Field-induced Slow Magnetic Relaxation Behaviour. 1
- 36 Harnessing Colossal Magnetic Anisotropy in Sandwiched 3d-Metallocenes.. **2022**, 2
- 35 Slow magnetic relaxation in mononuclear octa-coordinate Fe(II) and Co(II) complexes from Bpybox ligand.
- 34 Cyclic (alkyl)(amino)carbene (CAAC) ligands: Electronic structure and application as chemically- and redox-non-innocent ligands and chromophores. **2022**,
- 33 Single-Molecule Magnets beyond a Single Lanthanide Ion: The Art of Coupling. 5
- 32 Field-Induced Single Molecule Magnetic Behavior of Mononuclear Cobalt(II) Schiff Base Complex Derived from 5-Bromo Vanillin. **2022**, 10, 105 0
- 31 On-Surface Design of a 2D Cobalt-Organic Network Preserving Large Orbital Magnetic Moment. 0
- 30 Pentanuclear MIIMnII ($\text{M} = \text{Ni}$ and Cu) complexes of N_2O_2 donor ligands with a variation of carboxylate anions: syntheses, structures, magnetic properties and catecholase-like activities. **2022**, 46, 17260-17271 0
- 29 Synthesis, Properties, and Reactivity of Linear Open-Shell 3d-Metal(I) Complexes. 1-30 0
- 28 Single-Molecule Magnetism in Linear Fe(I) Complexes with Aufbau and Non-Aufbau Ground States. **2022**, 61, 15335-15345 0
- 27 Computational design of magnetic molecules and their environment using quantum chemistry, machine learning and multiscale simulations. 2
- 26 Slow Magnetic Relaxation in a $\text{Co(III)}\text{Co(II)}\text{Co(III)}$ Mixed-Valence Complex with Negative Anisotropy. **2022**, 22, 6792-6800 0

25	Mixed-Sandwich Titanium(III) Qubits on Au(111): Electron Delocalization Ruled by Molecular Packing.	0
24	Understanding the unceasing evolution of Co(II) based single-ion magnets. 2023 , 475, 214871	3
23	Recent Advanced of Transition Single-Molecule Magnets. 2022 , 11, 185-195	0
22	Slow magnetic relaxation in Fe(ii) m-terphenyl complexes.	0
21	Recent Advances of Molecular-Based Magnetic Refrigeration Materials. 2022 , 12, 270-282	0
20	Low-Coordinate Iron(II) Amido Half-Sandwich Complexes with Large Internal Magnetic Hyperfine Fields.	0
19	Single-Ion Magnets with Giant Magnetic Anisotropy and Zero-Field Splitting.	0
18	Recent developments in two coordinate transition metal chemistry. 2023 , 476, 214941	0
17	Pentagonal-bipyramidal 4d and 5d complexes with unquenched orbital angular momentum as a unique platform for advanced single-molecule magnets: current state and perspectives.	1
16	Detailed magnetic properties and theoretical calculation in ferromagnetic coupling DyIII-MII 3d-4f complexes based on a 1,4,7,10-tetraazacyclododecane derivative. 2023 , 546, 121301	1
15	Reaching the Maximal Unquenched Orbital Angular Momentum $L = 3$ in Mononuclear Transition-Metal Complexes: Where, When and How?. 2022 , 10, 227	0
14	Effects of distortions in ion-host systems on optical spectra, crystal-field and spin-Hamiltonian parameters of Cr ³⁺ ions doped pyrochlores Y ₂ Ti ₂ O ₇ and Y ₂ Sn ₂ O ₇ : exchange charge model and superposition model calculations.	0
13	Multi-Technique Experimental Benchmarking of the Local Magnetic Anisotropy of a Cobalt(II) Single-Ion Magnet.	0
12	Slow magnetic relaxation in two mononuclear Mn(ii) complexes not governed by the over-barrier Orbach process.	0
11	Spin polarization assisted facile C-H activation by an S = 1 iron(iv)bisimido complex: a comprehensive spectroscopic and theoretical investigation. 2023 , 14, 2808-2820	0
10	Field-induced Co(II) single-ion magnet with nearly perfect octahedral ligand field.	0
9	Zero-Field Slow Magnetic Relaxation in Binuclear Dy Acetylacetonate Complex with Pyridine-N-Oxide. 2023 , 9, 105	0
8	A theoretical study of structure properties and stability in different ligands coordinated Cu-MOFs. 2023 , 298, 127401	0

- 7 On the Single-Molecule Magnetic Behavior of Linear Iron(I) Arylsilylamides. **2023**, 62, 3153-3161
- 6 Static and Dynamic Magnetic Properties of a Co(II)-Complex with N₂O₂ Donor Set [A Theoretical and Experimental Study. **2023**, 26,
- 5 Quantum Mimicry With Inorganic Chemistry. 1-43
- 4 Lanthanide Single-molecule Magnets: Synthetic Strategy, Structures, Properties and Recent Advances. **2023**, 18,
- 3 Magnetic Switchability via Thermal-Induced Structural Phase Transitions in Molecular Solids. **2023**, 9, 80
- 2 How to enhance the effective spin-reversal barriers of two-coordinate Co(ii) imido complexes with [CoN]⁺ core? a theoretical investigation. **2023**, 47, 7189-7197
- 1 Synthesis, Properties, and Reactivity of a Linear NHC-Based Chromium(I) Silylamide.