CITATION REPORT List of articles citing

Stoichiometry constrains microbial response to root exudation- insights from a model and a field experiment in a temperate forest

DOI: 10.5194/bg-10-821-2013 Biogeosciences, 2013, 10, 821-838.

Source: https://exaly.com/paper-pdf/55882499/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
181	Optimization of Indole Acetic Acid Production by Pseudomonas putida UB1 and its Effect as Plant Growth-Promoting Rhizobacteria on Mustard (Brassica nigra). 2013 , 2, 215-221		54
180	Plant and nutrient controls on microbial functional characteristics in a tropical Oxisol. <i>Plant and Soil</i> , 2013 , 373, 893-905	4.2	16
179	Microbial carbon mineralization in tropical lowland and montane forest soils of Peru. 2014 , 5, 720		23
178	Evaluation of 11 terrestrial carbon-nitrogen cycle models against observations from two temperate Free-Air CO2 Enrichment studies. 2014 , 202, 803-822		300
177	Going underground: root traits as drivers of ecosystem processes. 2014 , 29, 692-9		596
176	Root-induced changes in nutrient cycling in forests depend on exudation rates. <i>Soil Biology and Biochemistry</i> , 2014 , 78, 213-221	7·5	134
175	Extracellular enzymes in terrestrial, freshwater, and marine environments: perspectives on system variability and common research needs. <i>Biogeochemistry</i> , 2014 , 117, 5-21	3.8	107
174	New insights into enzymes in the environment. <i>Biogeochemistry</i> , 2014 , 117, 1-4	3.8	11
173	Seasonal controls on grassland microbial biogeography: Are they governed by plants, abiotic properties or both?. <i>Soil Biology and Biochemistry</i> , 2014 , 71, 21-30	7.5	58
172	Plant rhizosphere influence on microbial C metabolism: the role of elevated CO2, N availability and root stoichiometry. <i>Biogeochemistry</i> , 2014 , 117, 229-240	3.8	41
171	Rhizosphere stoichiometry: are C: N: P ratios of plants, soils, and enzymes conserved at the plant species-level?. 2014 , 201, 505-517		131
170	Synthesis and modeling perspectives of rhizosphere priming. 2014 , 201, 31-44		305
169	Divergence in plant and microbial allocation strategies explains continental patterns in microbial allocation and biogeochemical fluxes. 2014 , 17, 1202-10		22
168	A big-microsite framework for soil carbon modeling. <i>Global Change Biology</i> , 2014 , 20, 3610-20	11.4	46
167	Changes to particulate versus mineral-associated soil carbon after 50 years of litter manipulation in forest and prairie experimental ecosystems. <i>Biogeochemistry</i> , 2014 , 119, 341-360	3.8	77
166	Rhizosphere priming effects on soil carbon and nitrogen mineralization. <i>Soil Biology and Biochemistry</i> , 2014 , 76, 183-192	7.5	207
165	Net primary production and soil respiration in New England hemlock forests affected by the hemlock woolly adelgid. 2014 , 5, art98		19

(2016-2015)

164	Interactions among roots, mycorrhizas and free-living microbial communities differentially impact soil carbon processes. <i>Journal of Ecology</i> , 2015 , 103, 1442-1453	6	41
163	Explicitly representing soil microbial processes in Earth system models. 2015 , 29, 1782-1800		197
162	On the relationships between the MichaelisMenten kinetics, reverse MichaelisMenten kinetics, equilibrium chemistry approximation kinetics, and quadratic kinetics. 2015 , 8, 3823-3835		29
161	Effects of Nitrogen Addition on Litter Decomposition and CO2 Release: Considering Changes in Litter Quantity. <i>PLoS ONE</i> , 2015 , 10, e0144665	3.7	7
160	Soil Respiration. 2015,		6
159	Using ecosystem experiments to improve vegetation models. 2015 , 5, 528-534		191
158	Soil C:N stoichiometry controls carbon sink partitioning between above-ground tree biomass and soil organic matter in high fertility forests. 2015 , 8, 195-206		32
157	A larger investment into exudation by competitive versus conservative plants is connected to more coupled plantshicrobe N cycling. <i>Biogeochemistry</i> , 2015 , 122, 47-59	3.8	31
156	The rhizosphere and hyphosphere differ in their impacts on carbon and nitrogen cycling in forests exposed to elevated COII 2015 , 205, 1164-1174		59
155	Plant nitrogen uptake drives rhizosphere bacterial community assembly during plant growth. <i>Soil Biology and Biochemistry</i> , 2015 , 85, 170-182	7.5	81
154	Functional Traits and Trait-Mediated Interactions. 2015, 319-343		46
153	Agricultural intensification and the functional capacity of soil microbes on smallholder African farms. 2015 , 52, 744-752		31
152	Microbial stoichiometry overrides biomass as a regulator of soil carbon and nitrogen cycling. 2015 , 96, 1139-49		68
151	Rhizosphere processes are quantitatively important components of terrestrial carbon and nutrient cycles. <i>Global Change Biology</i> , 2015 , 21, 2082-94	11.4	283
150	Contribution of exudates, arbuscular mycorrhizal fungi and litter depositions to the rhizosphere priming effect induced by grassland species. <i>Soil Biology and Biochemistry</i> , 2015 , 80, 146-155	7.5	145
149	Microbial dormancy improves development and experimental validation of ecosystem model. 2015 , 9, 226-37		86
148	Responses of two nonlinear microbial models to warming and increased carbon input. <i>Biogeosciences</i> , 2016 , 13, 887-902	4.6	35
147	Enhanced Nitrogen Availability in Karst Ecosystems by Oxalic Acid Release in the Rhizosphere. <i>Frontiers in Plant Science</i> , 2016 , 7, 687	6.2	21

146	Microbial community dynamics in soil aggregates shape biogeochemical gas fluxes from soil profiles - upscaling an aggregate biophysical model. <i>Global Change Biology</i> , 2016 , 22, 3141-56	11.4	77	
145	Carbon and nitrogen additions induce distinct priming effects along an organic-matter decay continuum. <i>Scientific Reports</i> , 2016 , 6, 19865	4.9	57	
144	Stoichiometrical regulation of soil organic matter decomposition and its temperature sensitivity. 2016 , 6, 620-7		21	
143	Towards the development of multifunctional molecular indicators combining soil biogeochemical and microbiological variables to predict the ecological integrity of silvicultural practices. 2016 , 9, 316-2	9	3	
142	Do microbial osmolytes or extracellular depolymerisation products accumulate as soil dries?. <i>Soil Biology and Biochemistry</i> , 2016 , 98, 54-63	7.5	36	
141	Do warming-induced changes in quantity and stoichiometry of root exudation promote soil N transformations via stimulation of soil nitrifiers, denitrifiers and ammonifiers?. <i>European Journal of Soil Biology</i> , 2016 , 74, 60-68	2.9	30	
140	An urgent need for sustainable thinking in agriculture 🖾 Indian scenario. 2016 , 67, 611-622		70	
139	Resource stoichiometry mediates soil C loss and nutrient transformations in forest soils. <i>Applied Soil Ecology</i> , 2016 , 108, 248-257	5	21	
138	Grassland species root response to drought: consequences for soil carbon and nitrogen availability. <i>Plant and Soil</i> , 2016 , 409, 297-312	4.2	76	
137	Second-generation molecular understanding of mycorrhizas in soil ecosystems. 2016 , 473-491		8	
136	Seasonality and partitioning of root allocation to rhizosphere soils in a midlatitude forest. 2016 , 7, e015	547	22	
135	Maize rhizosphere priming: field estimates using 13C natural abundance. <i>Plant and Soil</i> , 2016 , 409, 87-9	74.2	56	
134	Rhizosphere priming effect on soil organic carbon decomposition under plant species differing in soil acidification and root exudation. 2016 , 211, 864-73		76	
133	Microbial control of soil organic matter mineralization responses to labile carbon in subarctic climate change treatments. <i>Global Change Biology</i> , 2016 , 22, 4150-4161	11.4	80	
132	Drought-induced pi\u00e4n mortality alters the seasonal dynamics of microbial activity in pi\u00e4nfuniper woodland. <i>Soil Biology and Biochemistry</i> , 2016 , 92, 91-101	7.5	4	
131	Root exudation patterns in a beech forest: Dependence on soil depth, root morphology, and environment. <i>Soil Biology and Biochemistry</i> , 2017 , 107, 188-197	7.5	53	
130	Priming of soil organic matter: Chemical structure of added compounds is more important than the energy content. <i>Soil Biology and Biochemistry</i> , 2017 , 108, 41-54	7.5	61	
129	Applying population and community ecology theory to advance understanding of belowground biogeochemistry. 2017 , 20, 231-245		54	

(2018-2017)

128	Plant traits, stoichiometry and microbes as drivers of decomposition in the rhizosphere in a temperate grassland. <i>Journal of Ecology</i> , 2017 , 105, 1750-1765	6	39
127	The Automated Root Exudate System (ARES): a method to apply solutes at regular intervals to soils in the field. 2017 , 8, 1042-1050		6
126	Forest Soil Bacteria: Diversity, Involvement in Ecosystem Processes, and Response to Global Change. 2017 , 81,		244
125	Plant-microbial competition for nitrogen increases microbial activities and carbon loss in invaded soils. 2017 , 184, 583-596		13
124	Mechanistic modeling of microbial interactions at pore to profile scale resolve methane emission dynamics from permafrost soil. 2017 , 122, 1216-1238		14
123	Rhizosphere-driven increase in nitrogen and phosphorus availability under elevated atmospheric CO2 in a mature Eucalyptus woodland. <i>Plant and Soil</i> , 2017 , 416, 283-295	4.2	29
122	Rhizosphere priming and plant-mediated cover crop decomposition. <i>Plant and Soil</i> , 2017 , 417, 127-139	4.2	4
121	Soil fungal diversity in natural grasslands of the Tibetan Plateau: associations with plant diversity and productivity. 2017 , 215, 756-765		130
120	Increased plant uptake of native soil nitrogen following fertilizer addition that a priming effect?. <i>Applied Soil Ecology</i> , 2017 , 114, 105-110	5	36
119	Root exudates increase N availability by stimulating microbial turnover of fast-cycling N pools. <i>Soil Biology and Biochemistry</i> , 2017 , 106, 119-128	7.5	136
118	Adaptation of microbial resource allocation affects modelled long term soil organic matter and nutrient cycling. <i>Soil Biology and Biochemistry</i> , 2017 , 115, 322-336	7.5	19
117	Plant Beneficial Rhizospheric Microbes (PBRMs): Prospects for Increasing Productivity and Sustaining the Resilience of Soil Fertility. 2017 , 3-29		8
116	Wheat and white lupin differ in rhizosphere priming of soil organic carbon under elevated CO2. <i>Plant and Soil</i> , 2017 , 421, 43-55	4.2	12
115	Rhizosphere priming effects of soybean and cottonwood: do they vary with latitude?. <i>Plant and Soil</i> , 2017 , 420, 349-360	4.2	4
114	A parsimonious modular approach to building a mechanistic belowground carbon and nitrogen model. 2017 , 122, 2418-2434		25
113	Quantifying root extracts and exudates of sedge and shrub in relation to root morphology. <i>Soil Biology and Biochemistry</i> , 2017 , 114, 168-180	7.5	14
112	Short-term carbon input increases microbial nitrogen demand, but not microbial nitrogen mining, in a set of boreal forest soils. <i>Biogeochemistry</i> , 2017 , 136, 261-278	3.8	14
111	Rhizosphere priming effects on soil carbon and nitrogen dynamics among tree species with and without intraspecific competition. 2018 , 218, 1036-1048		50

110	Species effects and seasonal trends on plant efflux quantity and quality in a spruce swamp forest. <i>Plant and Soil</i> , 2018 , 426, 179-196	4.2	15	
109	The effects of elevated CO2 and nitrogen availability on rhizosphere priming of soil organic matter under wheat and white lupin. <i>Plant and Soil</i> , 2018 , 425, 375-387	4.2	20	
108	Plant and soil microbe responses to light, warming and nitrogen addition in a temperate forest. <i>Functional Ecology</i> , 2018 , 32, 1293-1303	5.6	23	
107	Plant Materials are Sustainable Substrates Supporting New Technologies of Plant-Only-Based Culture Media for in vitro Culturing of the Plant Microbiota. 2018 , 33, 40-49		12	
106	Genotypic variation in Pinus radiata responses to nitrogen source are related to changes in the root microbiome. 2018 , 94,		4	
105	On Upscaling of Soil Microbial Processes and Biogeochemical Fluxes From Aggregates to Landscapes. 2018 , 123, 1526-1547		16	
104	Pruned tea bushes secrete more root exudates to influence microbiological properties in soil. <i>Archives of Agronomy and Soil Science</i> , 2018 , 64, 1172-1180	2	4	
103	Effects of soil nitrogen availability on rhizodeposition in plants: a review. <i>Plant and Soil</i> , 2018 , 423, 59-5	854.2	35	
102	Root Exudates Induce Soil Macroaggregation Facilitated by Fungi in Subsoil. 2018, 6,		66	
101	Modeling rhizosphere carbon and nitrogen cycling in <i>Eucalyptus</i> plantation soil. <i>Biogeosciences</i> , 2018 , 15, 4943-4954	4.6	6	
100	Fungal Communities Along a Small-Scale Elevational Gradient in an Alpine Tundra Are Determined by Soil Carbon Nitrogen Ratios. 2018 , 9, 1815		34	
99	Warming rate drives microbial nutrient demand and enzyme expression during peat decomposition. <i>Geoderma</i> , 2019 , 336, 12-21	6.7	17	
98	Organic N deposition favours soil C sequestration by decreasing priming effect. <i>Plant and Soil</i> , 2019 , 445, 439-451	4.2	2	
97	Increased Nitrogen Availability in the Soil Under Mature Picea abies Trees Exposed to Elevated CO2 Concentrations. 2019 , 2,		4	
96	Regeneration in the Understory of Declining Overstory Trees Contributes to Soil Respiration Homeostasis along Succession in a Sub-Mediterranean Beech Forest. <i>Forests</i> , 2019 , 10, 727	2.8	4	
95	Constraining Carbon and Nutrient Flows in Soil With Ecological Stoichiometry. 2019, 7,		23	
94	Spatio-temporal microbial community dynamics within soil aggregates. <i>Soil Biology and Biochemistry</i> , 2019 , 132, 58-68	7·5	53	
93	Effect of the amount of organic trigger compounds, nitrogen and soil microbial biomass on the magnitude of priming of soil organic matter. <i>PLoS ONE</i> , 2019 , 14, e0216730	3.7	11	

(2020-2019)

92	Priming effect of litter mineralization: the role of root exudate depends on its interactions with litter quality and soil condition. <i>Plant and Soil</i> , 2019 , 440, 457-471	4.2	18
91	Roots of non-woody perennials accelerated long-term soil organic matter decomposition through biological and physical mechanisms. <i>Soil Biology and Biochemistry</i> , 2019 , 134, 42-53	7.5	25
90	Relationship Between Belowground Carbon Allocation and Nitrogen Uptake in Saplings Varies by Plant Mycorrhizal Type. 2019 , 2,		4
89	Responses of soil bacterial compositions to concentrations of nitrogen forms in the process of Moso bamboo invasion. <i>Ecological Research</i> , 2019 , 34, 743-752	1.9	2
88	Mycelia-derived C contributes more to nitrogen cycling than root-derived C in ectomycorrhizal alpine forests. <i>Functional Ecology</i> , 2019 , 33, 346-359	5.6	19
87	Elevated CO2 alters the rhizosphere effect on crop residue decomposition. <i>Plant and Soil</i> , 2019 , 436, 413-426	4.2	6
86	Plant economic strategies of grassland species control soil carbon dynamics through rhizodeposition. <i>Journal of Ecology</i> , 2020 , 108, 528-545	6	35
85	Analyzing vegetation cover-induced organic matter mineralization dynamics in sandy soils from tropical dry coastal ecosystems. 2020 , 185, 104264		9
84	Drivers of the composition of active rhizosphere bacterial communities in temperate grasslands. 2020 , 14, 463-475		65
83	Response of bacterial compositions to soil biochemical properties under mulching-intensive management in a Phyllostachys edulis forest. <i>Applied Soil Ecology</i> , 2020 , 150, 103436	5	2
82	Plant roots stimulate the decomposition of complex, but not simple, soil carbon. <i>Functional Ecology</i> , 2020 , 34, 899-910	5.6	12
81	Peatland Vegetation Patterns in a Long Term Global Change Experiment Find no Reflection in Belowground Extracellular Enzyme Activities. <i>Wetlands</i> , 2020 , 40, 2321-2335	1.7	1
80	Root functional traits are key determinants of the rhizosphere effect on soil organic matter decomposition across 14 temperate hardwood species. <i>Soil Biology and Biochemistry</i> , 2020 , 151, 108019	9 ^{7.5}	28
79	Microbial functional genes commonly respond to elevated carbon dioxide. <i>Environment International</i> , 2020 , 144, 106068	12.9	6
78	Rhizosphere priming effects of Lolium perenne and Trifolium repens depend on phosphorus fertilization and biological nitrogen fixation. <i>Soil Biology and Biochemistry</i> , 2020 , 150, 108005	7.5	7
77	Sources and priming of soil N2O and CO2 production: Nitrogen and simulated exudate additions. <i>Soil Biology and Biochemistry</i> , 2020 , 149, 107942	7.5	19
76	Potassium fertilization combined with crop straw incorporation alters soil potassium fractions and availability in northwest China: An incubation study. <i>PLoS ONE</i> , 2020 , 15, e0236634	3.7	5
75	Rhizosphere microbiological processes and eucalypt nutrition: Synthesis and conceptualization. <i>Science of the Total Environment</i> , 2020 , 746, 141305	10.2	2

74	Effects of root exudate stoichiometry on CO2 emission from paddy soil. <i>European Journal of Soil Biology</i> , 2020 , 101, 103247	2.9	3
73	Relative importance of soil microbes and litter quality on decomposition and nitrogen cycling in grasslands. <i>Ecological Research</i> , 2020 , 35, 912-924	1.9	1
72	Plant Pellets: A Compatible Vegan Feedstock for Preparation of Plant-Based Culture Media and Production of Value-Added Biomass of Rhizobia. <i>Sustainability</i> , 2020 , 12, 8389	3.6	O
71	Impact of plant species and atmospheric CO2 concentration on rhizodeposition and soil microbial activity and community composition. <i>Journal of Plant Nutrition and Soil Science</i> , 2020 , 183, 327-337	2.3	1
70	Microbial Ecosystem and Its Impact on Solving the Environmental Problems: A Molecular Approach. <i>Environmental Chemistry for A Sustainable World</i> , 2020 , 23-69	0.8	
69	Differential impacts of nitrogen addition on rhizosphere and bulk-soil carbon sequestration in an alpine shrubland. <i>Journal of Ecology</i> , 2020 , 108, 2309-2320	6	8
68	Differential effects of N addition on the stoichiometry of microbes and extracellular enzymes in the rhizosphere and bulk soils of an alpine shrubland. <i>Plant and Soil</i> , 2020 , 449, 285-301	4.2	16
67	Soil microbial community structure, metabolic potentials and influencing factors in a subtropical mountain forest ecosystem of China. <i>Environmental Pollutants and Bioavailability</i> , 2020 , 32, 69-78	2.8	5
66	Ensemble projections elucidate effects of uncertainty in terrestrial nitrogen limitation on future carbon uptake. <i>Global Change Biology</i> , 2020 , 26, 3978-3996	11.4	18
65	Microbial metabolic efficiency functions as a mediator to regulate rhizosphere priming effects. <i>Science of the Total Environment</i> , 2021 , 759, 143488	10.2	5
64	Saprotrophic fungal communities in arable soils are strongly associated with soil fertility and stoichiometry. <i>Applied Soil Ecology</i> , 2021 , 159, 103843	5	3
63	Stoichiometric and structural uncertainty in soil food web models. Functional Ecology, 2021, 35, 288-300) 5.6	1
62	Research Advances of Root Exudates in Response to Nitrogen Deposition. <i>International Journal of Ecology</i> , 2021 , 10, 289-297	0.1	
61	Framework for Studying Rhizospheric Microflora Under the Effect of Improved Crop Variety. <i>Rhizosphere Biology</i> , 2021 , 251-261	0.8	
60	Priming Effects of Soil Organic Carbon Decomposition: A Review. <i>International Journal of Ecology</i> , 2021 , 10, 236-242	0.1	
59	Responses of microbial activity to carbon, nitrogen, and phosphorus additions in forest mineral soils differing in organic carbon content. <i>Biology and Fertility of Soils</i> , 2021 , 57, 513-521	6.1	5
58	Effects of nitrogen fertilization on the rhizosphere priming. Plant and Soil, 2021, 462, 489-503	4.2	0
57	Effects of warming and oxalic acid addition on plantfhicrobial competition in Picea brachytyla. <i>Canadian Journal of Forest Research</i> , 2021 , 51, 357-364	1.9	O

(2021-2021)

56	A constant microbial C/N ratio mediates the microbial nitrogen mineralization induced by root exudation among four co-existing canopy species. <i>Rhizosphere</i> , 2021 , 17, 100317	3.5	5
55	Long-term effects of straw mulching coupled with N application on soil organic carbon sequestration and soil aggregation in a winter wheat monoculture system. <i>Agronomy Journal</i> , 2021 , 113, 2118-2131	2.2	2
54	Increased soil nitrogen supply enhances root-derived available soil carbon leading to reduced potential nitrification activity. <i>Applied Soil Ecology</i> , 2021 , 159, 103842	5	8
53	Short-term effects of combined organic amendments on soil organic carbon sequestration in a rain-fed winter wheat system. <i>Agronomy Journal</i> , 2021 , 113, 2150-2164	2.2	2
52	Exudate components mediate soil C dynamic through different priming mechanisms in forest soils. <i>Applied Soil Ecology</i> , 2021 , 160, 103855	5	4
51	Mineral stabilization of soil carbon is suppressed by live roots, outweighing influences from litter quality or quantity. <i>Biogeochemistry</i> , 2021 , 154, 433-449	3.8	4
50	Roots regulate microbial N processes to achieve an efficient NH4+ supply in the rhizosphere of alpine coniferous forests. <i>Biogeochemistry</i> , 2021 , 155, 39-57	3.8	1
49	Arbuscular mycorrhizal trees cause a higher carbon to nitrogen ratio of soil organic matter decomposition via rhizosphere priming than ectomycorrhizal trees. <i>Soil Biology and Biochemistry</i> , 2021 , 157, 108246	7.5	7
48	Priming effects induced by C and N additions in relation to microbial biomass turnover in Japanese forest soils. <i>Applied Soil Ecology</i> , 2021 , 162, 103884	5	4
47	The Exudation of Surplus Products Links Plant Functional Traits and Plant-Microbial Stoichiometry. <i>Land</i> , 2021 , 10, 840	3.5	1
46	Effects of N addition and clipping on above and belowground plant biomass, soil microbial community structure, and function in an alpine meadow on the Qinghai-Tibetan Plateau. <i>European Journal of Soil Biology</i> , 2021 , 106, 103344	2.9	2
45	Decomposition of peatland DOC affected by root exudates is driven by specific r and K strategic bacterial taxa. <i>Scientific Reports</i> , 2021 , 11, 18677	4.9	1
44	Differential responses of N benefit mediated by root exudate inputs to N addition between two subalpine forests. <i>Rhizosphere</i> , 2021 , 19, 100404	3.5	1
43	Changes in soil microbial communities and priming effects induced by rice straw pyrogenic organic matter produced at two temperatures. <i>Geoderma</i> , 2021 , 400, 115217	6.7	3
42	Organic amendments affect soil organic carbon sequestration and fractions in fields with long-term contrasting nitrogen applications. <i>Agriculture, Ecosystems and Environment</i> , 2021 , 322, 107643	5.7	4
41	Differences in the flow of spruce-derived needle leachates and root exudates through a temperate coniferous forest mineral topsoil. <i>Geoderma</i> , 2022 , 405, 115441	6.7	1
40	Previous fire occurrence, but not fire recurrence, modulates the effect of charcoal and ash on soil C and N dynamics in Pinus pinaster Aiton forests. <i>Science of the Total Environment</i> , 2022 , 802, 149924	10.2	0
39	PGPR Mediated Alterations in Root Traits: Way Toward Sustainable Crop Production. <i>Frontiers in Sustainable Food Systems</i> , 2021 , 4,	4.8	29

38	The Effect of Root Exudate 7,4PDihydroxyflavone and Naringenin on Soil Bacterial Community Structure. <i>PLoS ONE</i> , 2016 , 11, e0146555	3.7	39
37	Responses of two nonlinear microbial models to warming or increased carbon input.		2
36	On the relationships between MichaelisMenten kinetics, reverse MichaelisMenten kinetics, Equilibrium Chemistry Approximation kinetics and quadratic kinetics.		3
35	Organic nitrogen storage in mineral soil: implications for policy and management.		4
34	Priming effects in the rhizosphere and root detritusphere of two wet-grassland graminoids. <i>Plant and Soil</i> , 1	4.2	1
33	Cooperation and spatial self-organization determine ecosystem function for polysaccharide-degrading bacteria.		
32	Integrating McGill Wetland Model (MWM) with peat cohort tracking and microbial controls. <i>Science of the Total Environment</i> , 2022 , 806, 151223	10.2	1
31	Modeling Microbial Dynamics and Heterotrophic Soil Respiration. <i>Geophysical Monograph Series</i> , 2020 , 103-129	1.1	O
30	Warming Affects Soil Nitrogen Mineralization via Changes in Root Exudation and Associated Soil Microbial Communities in a Subalpine Tree Species Abies fabri. <i>Journal of Soil Science and Plant Nutrition</i> , 1	3.2	1
29	In vitro selection of a microbial consortium predictive of synergistic functioning along multiple ecosystem scales.		
28	Patterns and Internal Stability of Carbon, Nitrogen, and Phosphorus in Soils and Soil Microbial Biomass in Terrestrial Ecosystems in China: A Data Synthesis. <i>Forests</i> , 2021 , 12, 1544	2.8	2
27	The influence of sucrose on soil nitrogen availability 🗗 root exudate simulation using microdialysis. <i>Geoderma</i> , 2022 , 409, 115645	6.7	
26	High additions of nitrogen affect plant species-specific differences in the composition of main microbial groups and the uptake of rhizodeposited carbon in a grassland soil. <i>Biology and Fertility of Soils</i> , 2022 , 58, 149-165	6.1	
25	Resistant soil organic carbon is more vulnerable to priming by root exudate fractions than relatively active soil organic carbon. <i>Plant and Soil</i> , 1	4.2	1
24	Carbon availability mediates the effect of nitrogen on CO2 release from soils. Soil Security, 2022, 6, 100	041	0
23	Responses of soil mineral-associated and particulate organic carbon to carbon input: A meta-analysis <i>Science of the Total Environment</i> , 2022 , 829, 154626	10.2	0
22	Soil enzymes as indicators of soil function: A step toward greater realism in microbial ecological modeling <i>Global Change Biology</i> , 2021 ,	11.4	О
21	Data_Sheet_1.pdf. 2019 ,		

20 Table_1.DOCX. 2018,

19	Data_Sheet_1.PDF. 2019 ,		
18	Data_Sheet_1.pdf. 2018 ,		
17	Potential application of Chlorella sp. biomass cultivated in landfill leachate as agricultural fertilizer. <i>Archives of Agronomy and Soil Science</i> , 1-16	2	
16	Responses of the rhizosphere microbiome to long-term nitrogen addition in a boreal forest. <i>Canadian Journal of Forest Research</i> ,	1.9	0
15	Multifarious Responses of Forest Soil Microbial Community Toward Climate Change. <i>Microbial Ecology</i> ,	4.4	
14	Belowground Carbon Efficiency for Nitrogen and Phosphorus Acquisition Varies Between Lolium perenne and Trifolium repens and Depends on Phosphorus Fertilization. <i>Frontiers in Plant Science</i> , 13,	6.2	О
13	Long-Term Nitrogen and Straw Application Improves Wheat Production and Soil Organic Carbon Sequestration. <i>Journal of Soil Science and Plant Nutrition</i> ,	3.2	Ο
12	Increasing nitrogen availability does not decrease the priming effect on soil organic matter under pulse glucose and single nitrogen addition in woodland topsoil. <i>Soil Biology and Biochemistry</i> , 2022 , 172, 108767	7.5	О
11	Interactive effects of citric acid and mineral fertilization on soil microbial carbon use efficiency in the rhizosphere of two coniferous species. 2022 , 112, 103428		
10	A regional assessment of permanganate oxidizable carbon for potential use as a soil health indicator in managed pine plantations. 2022 , 521, 120423		
9	Semi-continuous C supply reveals that priming due to N-mining is driven by microbial growth demands in temperate forest plantations. 2022 , 173, 108802		Ο
8	Global patterns of rhizosphere effects on soil carbon and nitrogen biogeochemical processes. 2023 , 220, 106661		0
7	Modelling the Rhizosphere Priming Effect in Combination with Soil Food Webs to Quantify Interaction between Living Plant, Soil Biota and Soil Organic Matter. 2022 , 11, 2605		O
6	Soil organic matter formation and loss are mediated by root exudates in a temperate forest. 2022 , 15, 1011-1016		1
5	CO2 concentration and water availability alter the organic acid composition of root exudates in native Australian species.		O
4	Grass rather than legume species decreases soil organic matter decomposition with nutrient addition. 2023 , 177, 108936		О
3	Linking rhizosphere soil microbial activity and plant resource acquisition strategy.		Ο

Nitrogen deposition induces a greater soil C sequestration in the rhizosphere than bulk soil in an alpine forest. **2023**, 875, 162701

О

Effects of nitrogen deposition on soil enzymatic activity and soil microbial community in a Mediterranean holm oak forest. **2023**, 430, 116354

О