# A double signal amplification platform for ultrasensitive and simultaneous detection of ascorbic acid, dopamine, uric acid and acetaminophen based on a nanocomposite of ferrocene thiolate stabilized Fe3O4@Au nanoparticles with graphene sheet

DOI: 10.1016/j.bios.2013.03.070
Biosensors and Bioelectronics, 2013, 48, 75-81.

| # | Paper | IF | Citations |
|---|---|---|---|
| 204 | Cu Nanoclusters: Novel Electrochemiluminescence Emitters for Bioanalysis. | | |
| 203 | Improving Surface Adsorption via Shape Control of Hematite Fe2O3 Nanoparticles for Sensitive Dopamine Sensors. | | |
| 202 | Graphene-loaded nanofiber-modified electrodes for the ultrasensitive determination of dopamine. **2013**, 804, 84-91 | | 47 |
| 201 | In situ polymerization of highly dispersed polypyrrole on reduced graphite oxide for dopamine detection. *Biosensors and Bioelectronics*, **2013**, 50, 157-60 | 11.8 | 44 |
| 200 | Simultaneous electrochemical detection of dopamine and ascorbic acid using an iron oxide/reduced graphene oxide modified glassy carbon electrode. **2014**, 14, 15227-43 | | 112 |
| 199 | Characterization of Li-doped WO3 nanowires and their enhanced electrocatalytic oxidation of ascorbic acid. **2014**, 4, 59740-59746 | | 7 |
| 198 | A sensitive and reliable dopamine biosensor was developed based on the Au@carbon dots-chitosan composite film. *Biosensors and Bioelectronics*, **2014**, 52, 277-80 | 11.8 | 170 |
| 197 | Integrated graphene/nanoparticle hybrids for biological and electronic applications. **2014**, 6, 6245-66 | | 98 |
| 196 | Novel graphene flowers modified carbon fibers for simultaneous determination of ascorbic acid, dopamine and uric acid. *Biosensors and Bioelectronics*, **2014**, 53, 220-4 | 11.8 | 223 |
| 195 | Molecular Recognition and Sensing Based on Ferrocene Derivatives and Ferrocene-Based Polymers. **2014**, 33, 4560-4573 | | 120 |
| 194 | Synergistic electrocatalytic effect of graphene/nickel hydroxide composite for the simultaneous electrochemical determination of ascorbic acid, dopamine and uric acid. **2014**, 133, 233-240 | | 89 |
| 193 | One-pot synthesis of a graphene oxide coated with an imprinted sol-gel for use in electrochemical sensing of paracetamol. **2014**, 181, 1257-1266 | | 38 |
| 192 | Simultaneous determination of tyrosine, acetaminophen and ascorbic acid using gold nanoparticles/multiwalled carbon nanotube/glassy carbon electrode by differential pulse voltammetric method. **2014**, 193, 451-460 | | 133 |
| 191 | Electrodeposition of gold nanoparticles on a pectin scaffold and its electrocatalytic application in the selective determination of dopamine. **2014**, 4, 55900-55907 | | 30 |
| 190 | Electrochemical behavior and voltammetric determination of acetaminophen based on glassy carbon electrodes modified with poly(4-aminobenzoic acid)/electrochemically reduced graphene oxide composite films. **2014**, 45, 21-8 | | 32 |
| 189 | Sensitive electrochemical sensors for simultaneous determination of ascorbic acid, dopamine, and uric acid based on Au@Pd-reduced graphene oxide nanocomposites. **2014**, 6, 11303-9 | | 168 |
| 188 | Novel electrochemical sensor based on N-doped carbon nanotubes and Fe3O4 nanoparticles: simultaneous voltammetric determination of ascorbic acid, dopamine and uric acid. **2014**, 432, 207-13 | | 76 |

| | | |
|---|---|---|
| 187 | Electrochemical biosensor based on one-dimensional MgO nanostructures for the simultaneous determination of ascorbic acid, dopamine, and uric acid. **2014**, 204, 629-636 | 67 |
| 186 | The fabrication of a Co (II) complex and multi-walled carbon nanotubes modified glass carbon electrode, and its application for the determination of dopamine. **2014**, 731, 14-19 | 22 |
| 185 | A facile electrochemical sensor based on reduced graphene oxide and Au nanoplates modified glassy carbon electrode for simultaneous detection of ascorbic acid, dopamine and uric acid. **2014**, 204, 302-309 | 324 |
| 184 | Recent Progress of Colorimetric Assays Based on Gold Nanoparticles for Biomolecules. **2014**, 42, 307-314 | 14 |
| 183 | Selective and sensitive electrochemical detection of dopamine based on water-soluble porphyrin functionalized graphene nanocomposites. **2014**, 4, 9261 | 49 |
| 182 | Direct electrodeposition of reduced graphene oxide on carbon fiber electrode for simultaneous determination of ascorbic acid, dopamine and uric acid. **2014**, 456, 146-152 | 54 |
| 181 | Graphene and Graphene Derivatives in Biosensing, Imaging, Therapeutics, and Genetic Engineering. **2015**, 1, 386-420 | |
| 180 | Simultaneous Determination of Ascorbic Acid, Dopamine and Uric Acid Based on Gold Nanoparticles-PTCA-Cys Composites Modified Electrodes. **2015**, 62, 739-746 | 3 |
| 179 | Electrochemical Sensing of Ascorbic Acid on ZnO-decorated Reduced Graphene Oxide Electrode. **2015**, 06, | 1 |
| 178 | Carbon Nanomaterials Based Electrochemical Sensors/Biosensors for the Sensitive Detection of Pharmaceutical and Biological Compounds. **2015**, 15, 22490-508 | 97 |
| 177 | Biomedical Probes Based on Inorganic Nanoparticles for Electrochemical and Optical Spectroscopy Applications. **2015**, 15, 21427-77 | 16 |
| 176 | Nanocomposites of Graphene with Ferrocene or Hemin: Preparation and Application in Electrochemical Sensing. **2015**, 2015, 1-9 | 3 |
| 175 | Hierarchical nanoporous platinum-copper alloy for simultaneous electrochemical determination of ascorbic acid, dopamine, and uric acid. **2015**, 182, 1345-1352 | 42 |
| 174 | Simultaneous determination of acetaminophen, dopamine and ascorbic acid using a PbS nanoparticles Schiff base-modified carbon paste electrode. **2015**, 18, 438-448 | 18 |
| 173 | A glassy carbon electrode modified with porous gold nanosheets for simultaneous determination of dopamine and acetaminophen. **2015**, 182, 589-595 | 49 |
| 172 | Detection of dopamine on a mercapto-terminated hexanuclear Fe(III) cluster modified gold electrode. **2015**, 137, 189-96 | 23 |
| 171 | The Determination of Dopamine in Presence of Serotonin on Dopamine-Functionalized Electrochemically Prepared Graphene Biosensor. **2015**, 162, B75-B82 | 26 |
| 170 | MnFe2O4@CNT-N as novel electrochemical nanosensor for determination of caffeine, acetaminophen and ascorbic acid. **2015**, 218, 128-136 | 69 |

| | | | |
|---|---|---|---|
| 169 | Application of graphene oxide/lanthanum-modified carbon paste electrode for the selective determination of dopamine. **2015**, 357, 1251-1259 | | 22 |
| 168 | A novel sensor based on electrodeposited AuPt bimetallic nano-clusters decorated on graphene oxide (GO)electrochemically reduced GO for sensitive detection of dopamine and uric acid. **2015**, 221, 1542-1553 | | 65 |
| 167 | Fabrication of a silver nanowire-reduced graphene oxide-based electrochemical biosensor and its enhanced sensitivity in the simultaneous determination of ascorbic acid, dopamine, and uric acid. **2015**, 3, 9444-9453 | | 54 |
| 166 | Determination of Dopamine by Dual Doped Graphene-Fe2O3in Presence of Ascorbic Acid. **2015**, 162, B363-B369 | | 27 |
| 165 | Three-dimensional nitrogen-doped graphene as an ultrasensitive electrochemical sensor for the detection of dopamine. **2015**, 7, 2427-32 | | 140 |
| 164 | Application of a mercapto-terminated binuclear Cu(II) complex modified Au electrode to improve the sensitivity and selectivity for dopamine detection. **2015**, 209, 122-130 | | 48 |
| 163 | Au nanoparticle/graphene nanocomposite as a platform for the sensitive detection of NADH in human urine. *Biosensors and Bioelectronics*, **2015**, 66, 474-80 | 11.8 | 123 |
| 162 | Graphene supported heterogeneous catalysts: An overview. **2015**, 40, 948-979 | | 331 |
| 161 | A novel third generation uric acid biosensor using uricase electro-activated with ferrocene on a Nafion coated glassy carbon electrode. **2015**, 102, 1-9 | | 55 |
| 160 | A novel electrochemical biosensor based on hemin functionalized graphene oxide sheets for simultaneous determination of ascorbic acid, dopamine and uric acid. **2015**, 207, 535-541 | | 115 |
| 159 | In Situ Growth of Fe2O3 Nanoparticles on Highly Porous Graphene/Polyimide-Based Carbon Aerogel Nanocomposites for Effectively Selective Detection of Dopamine. **2016**, 3, 1600137 | | 29 |
| 158 | A highly sensitive and stable electrochemical sensor for simultaneous detection towards ascorbic acid, dopamine, and uric acid based on the hierarchical nanoporous PtTi alloy. *Biosensors and Bioelectronics*, **2016**, 82, 119-26 | 11.8 | 181 |
| 157 | Preparation of copper (I) oxide nanohexagon decorated reduced graphene oxide nanocomposite and its application in electrochemical sensing of dopamine. **2016**, 210, 10-18 | | 66 |
| 156 | Branched Platinum Nanostructures on Reduced Graphene: An excellent Transducer for Nonenzymatic Sensing of Hydrogen Peroxide and Biosensing of Xanthine. **2016**, 206, 238-245 | | 23 |
| 155 | New acetaminophen amperometric sensor based on ferrocenyl dendrimers deposited onto Pt nanoparticles. **2016**, 20, 1551-1563 | | 11 |
| 154 | Simultaneous determination of dopamine and uric acid in the presence of high ascorbic acid concentration using cetyltrimethylammonium bromidepolyaniline/activated charcoal composite. **2016**, 6, 100605-100613 | | 30 |
| 153 | A novel platform based on defect-rich knotted graphene nanotubes for detection of small biomolecules. **2016**, 217, 47-54 | | 6 |
| 152 | Poly(cytosine)-templated Silver Nanoclusters as Fluorescent Biosensor for Highly Sensitive Detection of Uric Acid. **2016**, 63, 660-667 | | 10 |

| | | | |
|---|---|---|---|
| 151 | Selective detection of dopamine based on Cu2O@Pt core-shell nanoparticles modified electrode in the presence of ascorbic acid and uric acid. **2016**, 689, 174-181 | | 29 |
| 150 | Advanced Sensing of Antibiotics with Magnetic Gold Nanocomposite: Electrochemical Detection of Chloramphenicol. **2016**, 22, 14279-84 | | 48 |
| 149 | Morphology-dependent Electrochemical Enhancements of Porous Carbon as Sensitive Determination Platform for Ascorbic Acid, Dopamine and Uric Acid. **2016**, 6, 22309 | | 11 |
| 148 | Recent Advances in Electroanalysis of Vitamins. **2016**, 28, 1930-1942 | | 19 |
| 147 | The New Application of Boron Doped Diamond Electrode Modified with Nafion and Lead Films for Simultaneous Voltammetric Determination of Dopamine and Paracetamol. **2016**, 28, 2178-2187 | | 7 |
| 146 | Graphene nanoplatelets like structures formed on ionic liquid modified carbon-ceramic electrode: As a sensing platform for simultaneous determination of dopamine and acetaminophen. **2016**, 220, 778-787 | | 25 |
| 145 | Ultra-sensitive film sensor based on Al2O3-Au nanoparticles supported on PDDA-functionalized graphene for the determination of acetaminophen. **2016**, 408, 5567-76 | | 10 |
| 144 | A facile one-pot synthesis of carbon nitride dots-reduced graphene oxide nanocomposites for simultaneous enhanced detecting of dopamine and uric acid. **2016**, 141, 4757-65 | | 18 |
| 143 | An electrochemical sensor for 1-naphthylamine based on a novel composite of cyclodextrin-graphene and molecularly imprinted poly(vinylferrocene). **2016**, 8, 1681-1689 | | 8 |
| 142 | Dopamine biosensor based on surface functionalized nanostructured nickel oxide platform. *Biosensors and Bioelectronics*, **2016**, 84, 72-81 | 11.8 | 112 |
| 141 | Carbon nanohorns/poly(glycine) modified glassy carbon electrode: Preparation, characterization and simultaneous electrochemical determination of uric acid, dopamine and ascorbic acid. **2016**, 760, 24-31 | | 57 |
| 140 | Synergetic catalysis based on the proline tailed metalloporphyrin with graphene sheet as efficient mimetic enzyme for ultrasensitive electrochemical detection of dopamine. *Biosensors and Bioelectronics*, **2016**, 77, 1032-8 | 11.8 | 46 |
| 139 | Highly selective dopamine sensor based on graphene quantum dots self-assembled monolayers modified electrode. **2016**, 767, 84-90 | | 46 |
| 138 | Trouble Free Dopamine Sensing by Palladium Nanoparticles Fabricated Poly(3,4-ethylenedioxythiophene) Functionalized Graphene. **2016**, 163, B113-B118 | | 24 |
| 137 | Carbon nanotubes implanted manganese-based MOFs for simultaneous detection of biomolecules in body fluids. **2016**, 141, 1279-85 | | 45 |
| 136 | Magnetic sensing film based on Fe□□@Au-GSH molecularly imprinted polymers for the electrochemical detection of estradiol. *Biosensors and Bioelectronics*, **2016**, 79, 180-6 | 11.8 | 118 |
| 135 | A novel multicomponent redox polymer nanobead based high performance non-enzymatic glucose sensor. *Biosensors and Bioelectronics*, **2016**, 84, 53-63 | 11.8 | 49 |
| 134 | Stable determination of paracetamol in the presence of uric acid in human urine sample using melamine grafted graphene modified electrode. **2016**, 760, 6-14 | | 16 |

| | | | |
|---|---|---|---|
| 133 | A quadruplet electrochemical platform for ultrasensitive and simultaneous detection of ascorbic acid, dopamine, uric acid and acetaminophen based on a ferrocene derivative functional Au NPs/carbon dots nanocomposite and graphene. **2016**, 903, 69-80 | | 105 |
| 132 | Graphene quantum dots as effective probes for label-free fluorescence detection of dopamine. **2016**, 223, 246-251 | | 146 |
| 131 | Simultaneous electrochemical determination of ascorbic acid and uric acid using poly(glyoxal-bis(2-hydroxyanil)) modified glassy carbon electrode. **2016**, 224, 55-64 | | 29 |
| 130 | Synthesis of graphene and related two-dimensional materials for bioelectronics devices. *Biosensors and Bioelectronics*, **2017**, 89, 28-42 | 11.8 | 46 |
| 129 | Hydrophilic graphene surface prepared by electrochemically reduced micellar graphene oxide as a platform for electrochemical sensor. **2017**, 165, 692-701 | | 30 |
| 128 | Uniformly distributed and in situ iron–nitrogen co-doped porous carbon derived from pork liver for rapid and simultaneous detection of dopamine, uric acid, and paracetamol in human blood serum. **2017**, 41, 2081-2089 | | 15 |
| 127 | The synthesis of polyamidoamine modified gold nanoparticles/SnO2/graphene sheets nanocomposite and its application in biosensor. **2017**, 520, 668-675 | | 11 |
| 126 | Water based homogenous carbon ink modified electrode as an efficient sensor system for simultaneous detection of ascorbic acid, dopamine and uric acid. **2017**, 233, 92-104 | | 47 |
| 125 | Electrochemical dipyridamole sensor based on molecularly imprinted polymer on electrode modified with Fe3O4@Au/amine-multi-walled carbon nanotubes. **2017**, 21, 3071-3082 | | 14 |
| 124 | A nanocomposite consisting of carbon nanotubes and gold nanoparticles in an amphiphilic copolymer for voltammetric determination of dopamine, paracetamol and uric acid. **2017**, 184, 1739-1745 | | 28 |
| 123 | A Novel Biomimetic Hydrogen Peroxide Biosensor Based on Pt Flowers-decorated Fe3O4/Graphene Nanocomposite. **2017**, 29, 1518-1523 | | 31 |
| 122 | Fc(COOH)2@ zeolitic imidazolate frameworks-8/three-dimensional macroporous carbon for ascorbic acid sensing. **2017**, 23, 2377-2385 | | 3 |
| 121 | Graphene/gold Nanoparticles for Electrochemical Sensing. **2017**, 139-172 | | 2 |
| 120 | Small biomolecule sensors based on an innovative MoS-rGO heterostructure modified electrode platform: a binder-free approach. **2017**, 46, 15848-15858 | | 33 |
| 119 | GO/Fe3O4@SiO2 core–shell nanocomposite-modified graphite screen-printed electrode for sensitive and selective electrochemical sensing of dopamine and uric acid. **2017**, 9, 5541-5549 | | 32 |
| 118 | Tyrosinase-Conjugated Prussian Blue-Modified Nickel Oxide Nanoparticles-Based Interface for Selective Detection of Dopamine. **2017**, 2, 6118-6128 | | 7 |
| 117 | Introducing Schottky barrier into electrochemical response: A novel adjusting strategy for designing electrochemical sensors. **2017**, 249, 173-178 | | 8 |
| 116 | Highly sensitive amperometric biosensor for determination of NADH and ethanol based on Au-Ag nanoparticles/poly(L-Cysteine)/reduced graphene oxide nanocomposite. **2017**, 175, 382-389 | | 46 |

| | | |
|---|---|---|
| 115 | Synthesis and characterization of a bifunctional nanoprobe for CGG trinucleotide repeat detection. **2017**, 7, 36124-36131 | 9 |
| 114 | Nanostructured carbon electrode modified with N-doped graphene quantum dots-chitosan nanocomposite: a sensitive electrochemical dopamine sensor. **2017**, 4, 171199 | 38 |
| 113 | A biosensor for the determination of ammonium ion using flow injection amperometric system. **2017**, 148, 635-644 | 6 |
| 112 | 3DGH-Fc based electrochemical sensor for the simultaneous determination of ascorbic acid, dopamine and uric acid. **2017**, 799, 459-467 | 26 |
| 111 | A novel electrochemical sensor based on FeS anchored reduced graphene oxide nanosheets for simultaneous determination of dopamine and acetaminophen. **2017**, 70, 628-636 | 55 |
| 110 | A novel electrochemical biomimetic sensor based on poly(Cu-AMT) with reduced graphene oxide for ultrasensitive detection of dopamine. **2017**, 162, 80-89 | 61 |
| 109 | 3D Graphene hydrogel gold nanoparticles nanocomposite modified glassy carbon electrode for the simultaneous determination of ascorbic acid, dopamine and uric acid. **2017**, 238, 1316-1323 | 78 |
| 108 | Electrochemical behavior of thiosalicylic acid at Fe2O3 nanoparticles and clay composite carbon electrode. **2018**, 269, 204-211 | 58 |
| 107 | Synthesis of Au@Pt nanoflowers supported on graphene oxide for enhanced electrochemical sensing of dopamine. **2018**, 817, 48-54 | 36 |
| 106 | Synergistic electron transfer effect-based signal amplification strategy for the ultrasensitive detection of dopamine. **2018**, 182, 428-432 | 10 |
| 105 | (mathrm{NiFe}_{2}mathrm{O}_{4 }) nanoparticles-decorated activated carbon nanocomposite based electrochemical sensor for selective detection of dopamine in presence of uric acid and ascorbic acid. **2018**, 130, 1 | 10 |
| 104 | Synthesis of MXene/DNA/Pd/Pt nanocomposite for sensitive detection of dopamine. **2018**, 816, 189-194 | 84 |
| 103 | Morphology-controlled synthesis of Bi2S3 nanorods-reduced graphene oxide composites with high-performance for electrochemical detection of dopamine. **2018**, 257, 936-943 | 44 |
| 102 | Quaternary phosphonium-based (TPQPCl)-ionomer/graphite nanoplatelets composite chemically modified electrodes: a novel platform for sensing applications. **2018**, 6, 13293-13304 | 5 |
| 101 | Facile synthesis of nitrogen-doped graphene aerogels for electrochemical detection of dopamine. **2018**, 86, 6-11 | 27 |
| 100 | Biosynthesis of Copper Oxide (CuO) Nanowires and Their Use for the Electrochemical Sensing of Dopamine. **2018**, 8, | 82 |
| 99 | Ferrocene-terminated dendrimer functionalized graphene oxide layered sensor toward highly sensitive evaluation of Di(2-ethylhexyl) phthalate in liquor samples. **2018**, 1043, 35-44 | 10 |
| 98 | Assembly of a di-cobalt(II) substituted sandwich-type molybdovanadate with magnetic properties and bifunctional electrocatalytic activities. **2018**, 71, 2109-2117 | 3 |

| | | |
|---|---|---|
| 97 | Flexible and conductive titanium carbide-carbon nanofibers for the simultaneous determination of ascorbic acid, dopamine and uric acid. **2018**, 6, 4610-4617 | 29 |
| 96 | Fabrication of Amine-Modified Magnetite-Electrochemically Reduced Graphene Oxide Nanocomposite Modified Glassy Carbon Electrode for Sensitive Dopamine Determination. **2018**, 8, | 104 |
| 95 | Preparation of CuO-Reduced Graphene Nanocomposite Modified Electrodes towards Ultrasensitive Dopamine Detection. **2018**, 18, | 83 |
| 94 | Facile fabrication of a 3,4,9,10-perylene tetracarboxylic acid functionalized graphene-multiwalled carbon nanotube-gold nanoparticle nanocomposite for highly sensitive and selective electrochemical detection of dopamine. **2018**, 143, 3075-3084 | 29 |
| 93 | Chiral ZnO nanoparticles for detection of dopamine. **2018**, 93, 739-745 | 20 |
| 92 | A flower-structured MoS2-decorated f-MWCNTs/ZnO hybrid nanocomposite-modified sensor for the selective electrochemical detection of vitamin C. **2019**, 43, 15105-15114 | 20 |
| 91 | Ag and Au nanoparticles/reduced graphene oxide composite materials: Synthesis and application in diagnostics and therapeutics. **2019**, 271, 101991 | 57 |
| 90 | Copper Nanowires Modified with Graphene Oxide Nanosheets for Simultaneous Voltammetric Determination of Ascorbic Acid, Dopamine and Acetaminophen. **2019**, 24, | 9 |
| 89 | Graphene Functionalization Strategies. **2019**, | 2 |
| 88 | Graphene and Graphene Composites-Modified Electrodes Surfaces for Selective Sensing of Dopamine in the Presence of Ascorbic Acid and Uric Acid. **2019**, 683-706 | 1 |
| 87 | Modulating Electrode Kinetics for Discrimination of Dopamine by a PEDOT:COOH Interface Doped with Negatively Charged Tricarboxylate. **2019**, 11, 34497-34506 | 21 |
| 86 | 1-Pyrene carboxylic acid functionalized carbon nanotube-gold nanoparticle nanocomposite for electrochemical sensing of dopamine and uric acid. **2019**, 186, 672 | 15 |
| 85 | Graphene-based biosensors for the detection of prostate cancer protein biomarkers: a review. **2019**, 13, 112 | 24 |
| 84 | Sandwich-structured nanoparticles-grafted functionalized graphene based 3D nanocomposites for high-performance biosensors to detect ascorbic acid biomolecule. **2019**, 9, 1226 | 51 |
| 83 | Fabrication of Electro-Active Pt/IMo6O24/Graphene Oxide Nanohybrid Modified Electrode for the Simultaneous Determination of Ascorbic Acid, Dopamine and Uric Acid. **2019**, 166, H351-H358 | 18 |
| 82 | Amperometric hydrogen peroxide sensor using a glassy carbon electrode modified with a nanocomposite prepared from ferumoxytol and reduced graphene oxide decorated with platinum nanoparticles. **2019**, 186, 386 | 8 |
| 81 | Co3O4-CuNi/reduced graphene composite for non-enzymatic detection of ascorbic acid. **2019**, 34, 665-673 | 6 |
| 80 | In-situ synthesis of 3D ultra-small gold augmented graphene hybrid for highly sensitive electrochemical binding capability. **2019**, 553, 289-297 | 9 |

| | | |
|---|---|---|
| 79 | Flexible Prussian blue/Carbon dots nanocomposite modified exfoliated graphite paper based sensor for simultaneous monitoring of hypertension and Parkinson disease. **2019**, 1 | 3 |
| 78 | Electrochemical sensor based on conductive polyaniline coated hollow tin oxide nanoparticles and nitrogen doped graphene quantum dots for sensitively detecting dopamine. **2019**, 30, 8449-8456 | 17 |
| 77 | Enhanced electrochemical sensitivity towards plasticizer determination based on ferrocene-end-cap dendrimer functionalized graphene oxide electrochemical sensor. **2019**, 288, 476-485 | 8 |
| 76 | Combined soft lithographic and electrochemical fabrication of nanostructured platinum microelectrode arrays for miniaturized sensor applications. **2019**, 208, 39-46 | 3 |
| 75 | Ultrasonic-assisted fabrication of thin-film electrochemical detector of HO based on ferrocene-functionalized silver cluster. **2019**, 56, 305-312 | 24 |
| 74 | Photoelectrochemical Dopamine Sensor Based on Cu-Doped Bi2WO6 Micro-Flowers Sensitized Cobalt Tetraaminophthalocyanine Functionalized Graphene Oxide. **2019**, 166, B1612-B1619 | 14 |
| 73 | Hybrid Graphene/Conducting Polymer Strip Sensors for Sensitive and Selective Electrochemical Detection of Serotonin. **2019**, 4, 22169-22177 | 20 |
| 72 | Nanomaterials-Based Nanosensors for the Simultaneous Electrochemical Determination of Biologically Important Compounds: Ascorbic Acid, Uric Acid, and Dopamine. **2019**, 49, 101-125 | 31 |
| 71 | Dimeric phthalocyanine-involved double-decker complex-based electrochemical sensor for simultaneous detection of acetaminophen and ascorbic acid. **2019**, 30, 1976-1983 | 7 |
| 70 | Metallo-phthalocyanines containing thiazole moieties: Synthesis, characterization, electrochemical and spectroelectrochemical properties and sensor applications. **2019**, 832, 254-265 | 16 |
| 69 | Non-enzymatic xanthine sensor of heteropolyacids doped ferrocene and reduced graphene oxide via one-step electrodeposition combined with layer-by-layer self-assembly technology. **2019**, 281, 893-904 | 21 |
| 68 | Highly Sensitive and Selective Electrochemical Detection of Dopamine using Hybrid Bilayer Membranes. **2019**, 6, 634-637 | 11 |
| 67 | Green synthesis of Pd nanocones as a novel and effective electrochemiluminescence illuminant for highly sensitive detection of dopamine. **2019**, 281, 588-594 | 19 |
| 66 | Graphene Metal Oxide Nanocomposite Modified Electrochemical Sensors. **2019**, 113-138 | 6 |
| 65 | A facile preparation of Au SiO2 nanocomposite for simultaneous electrochemical detection of dopamine and uric acid. **2019**, 14, 82-91 | 38 |
| 64 | Green and facile microwave solvent-free synthesis of CeO nanoparticle-decorated CNTs as a quadruplet electrochemical platform for ultrasensitive and simultaneous detection of ascorbic acid, dopamine, uric acid and acetaminophen. **2020**, 207, 120318 | 75 |
| 63 | Graphitic carbon nitride/graphene oxide(g-CN/GO) nanocomposites covalently linked with ferrocene containing dendrimer for ultrasensitive detection of pesticide. **2020**, 1103, 84-96 | 30 |
| 62 | Organic-Inorganic Hybrid Cerium-Encapsulated Selenotungstate Including Three Building Blocks and Its Electrochemical Detection of Dopamine and Paracetamol. **2020**, 59, 15355-15364 | 13 |

| | | | |
|---|---|---|---|
| 61 | Smartphone-Based Electrochemical Potentiostat Detection System Using PEDOT: PSS/Chitosan/Graphene Modified Screen-Printed Electrodes for Dopamine Detection. **2020**, 20, | | 22 |
| 60 | Sensor based on redox conjugated poly(para-phenylene) for the simultaneous detection of dopamine, ascorbic acid, and uric acid in human serum sample. **2020**, 412, 4433-4446 | | 10 |
| 59 | Reduced graphene oxide nanosheets and gold nanoparticles covalently linked to ferrocene-terminated dendrimer to construct electrochemical sensor with dual signal amplification strategy for ultra-sensitive detection of pesticide in vegetable. **2020**, 157, 105016 | | 11 |
| 58 | Transition metal complex/gold nanoparticle hybrid materials. **2020**, 49, 2316-2341 | | 18 |
| 57 | Nanocomposite based on Poly (para-phenylene)/Chemical Reduced Graphene Oxide as a Platform for Simultaneous Detection of Ascorbic Acid, Dopamine and Uric Acid. **2020**, 20, | | 4 |
| 56 | Ruthenium Nanoparticles Uniformly-designed Chemically Treated Graphene Oxide Nanosheets for Simultaneous Voltammetric Determination of Dopamine and Acetaminophen. **2020**, 32, 2156-2165 | | 18 |
| 55 | Hetero-nanostructured iron oxide and bentonite clay composite assembly for the determination of an antiviral drug acyclovir. **2020**, 155, 104727 | | 34 |
| 54 | Co-based metal-organic framework nanopinnas composite doped with Ag nanoparticles: A sensitive electrochemical sensing platform for simultaneous determination of dopamine and acetaminophen. **2020**, 155, 104759 | | 16 |
| 53 | Ratiometric fluorescence detection of dopamine based on effect of ligand on the emission of Ag nanoclusters and aggregation-induced emission enhancement. **2020**, 310, 127858 | | 21 |
| 52 | Electrochemical dopamine sensor based on superionic conducting potassium ferrite. *Biosensors and Bioelectronics*, **2020**, 153, 112045 | 11.8 | 30 |
| 51 | Methods for design and fabrication of nanosensors and their electrochemical applications on pharmaceutical compounds. **2020**, 31-61 | | |
| 50 | Zeolitic imidazolate frameworks and cobalt-tannic acid nanocomposite modified carbon paste electrode for simultaneous determination of dopamine, uric acid, acetaminophen and tryptophan: Investigation of kinetic parameters of surface electrode and its analytical performance. **2020**, 863, 114045 | | 18 |
| 49 | Holey nitrogen-doped graphene aerogel for simultaneously electrochemical determination of ascorbic acid, dopamine and uric acid. **2021**, 224, 121851 | | 21 |
| 48 | MOF-derived Co3O4/FeCo2O4 incorporated porous biomass carbon: Simultaneous electrochemical determination of dopamine, acetaminophen and xanthine. **2021**, 858, 157701 | | 13 |
| 47 | Ultrasensitive simultaneous detection of ascorbic acid, dopamine, uric acid and acetaminophen on a graphitized porous carbon-modified electrode. **2021**, 45, 1863-1875 | | 4 |
| 46 | Study of a novel fabrication method of 3D Ag-based nanoporous structures for electrochemical detection. **2021**, 882, 114990 | | 1 |
| 45 | Curcumin-functionalized nanocomposite AgNPs/SDS/MWCNTs for electrocatalytic simultaneous determination of dopamine, uric acid, and guanine in co-existence of ascorbic acid by glassy carbon electrode. **2021**, 32, 5602-5613 | | 16 |
| 44 | Crystalline growth of tungsten trioxide (WO3) nanorods and their development as an electrochemical sensor for selective detection of vitamin C. **2021**, 32, 6344-6357 | | 10 |

| | | | |
|---|---|---|---|
| 43 | A highly sensitive non-enzymatic ascorbic acid electrochemical sensor based on polyoxometalate/Tris(2,2?-bipyridine)ruthenium (II)/chitosan-palladium inorganic-organic self-assembled film. **2021**, 614, 126184 | | 4 |
| 42 | Unveiling the Fundamental Mechanisms of Graphene Oxide Selectivity on the Ascorbic Acid, Dopamine, and Uric Acid by Density Functional Theory Calculations and Charge Population Analysis. **2021**, 21, | | 1 |
| 41 | A label-free electrochemical immunosensor based on facet-controlled Au nanorods/reduced graphene oxide composites for prostate specific antigen detection. **2021**, 336, 129748 | | 9 |
| 40 | Fortified electrochemical activity of Au@Fe3O4@rGO decorated GCE for sensing of acetaminophen. **2021**, 27, 102236 | | 2 |
| 39 | Sponge-like CuInS2 microspheres on reduced graphene oxide as an electrocatalyst to construct an immobilized acetylcholinesterase electrochemical biosensor for chlorpyrifos detection in vegetables. **2021**, 337, 129775 | | 11 |
| 38 | Screen-printed analytical strip constructed with bacteria-templated porous N-doped carbon nanorods/Au nanoparticles for sensitive electrochemical detection of dopamine molecules. *Biosensors and Bioelectronics*, **2021**, 186, 113303 | 11.8 | 10 |
| 37 | Ferrocene-reduced graphene oxide-polyoxometalates based ternary nanocomposites as electrochemical detection for acetaminophen. **2021**, 235, 122751 | | 6 |
| 36 | Electrochemical Detection of Dopamine in the Presence of Uric Acid Using Graphene Oxide Modified Electrode as Highly Sensitive and Selective Sensors. **2019**, 179-192 | | 2 |
| 35 | A biomimetic sensor based on specific receptor ETBD and Fe3O4@Au/MoS2/GN for signal enhancement shows highly selective electrochemical response to ultra-trace lead (II). **2017**, 21, 3257-3268 | | 5 |
| 34 | A One-Step Dual-Mode Aptasensor for Subnanomolar Detection of Lead Ions Based on Electrochemiluminescence and Fast Scan Voltammetry. **2020**, 167, 126506 | | 8 |
| 33 | A highly sensitive biosensor based on methacrylated graphene oxide-grafted polyaniline for ascorbic acid determination. **2020**, 9, 760-767 | | 27 |
| 32 | An electrochemical sensor based on a CoO-ERGO nanocomposite modified screen-printed electrode for detection of uric acid in artificial saliva.. **2021**, 14, 67-75 | | 3 |
| 31 | Surface Enhanced Electrochemiluminescence of the Ru(Bpy) 3 2+/tripropylamine System by Au@sio 2 Nanoparticles for Highly Sensitive and Selective Detection of Dopamine. | | |
| 30 | Fabrication of Nonenzymatic Electrochemical Interface for Ratiometric and Simultaneous Detection of Hydrogen Peroxide , Dopamine, and Ascorbic Acid. | | |
| 29 | Titanium dioxide-multiwalled carbon nanotube/polyimide composite film modified electrodes for simultaneous voltammetric detection of ascorbic acid, uric acid and dopamine as biomarker molecules. 1 | | 0 |
| 28 | Facile synthesis of flower-like CePO4 with hierarchical structure for the simultaneous electrochemical detection of dopamine, uric acid and acetaminophen. | | 1 |
| 27 | Hierarchically porous 2D carbon from bio-waste: A sustainable, rapid and efficient oxidase mimic for colorimetric detection of ascorbic acid.. | | 0 |
| 26 | Role of functionalized metal oxide□arbon nanocomposites in biomolecule detection. **2022**, 495-527 | | 0 |

| | | | |
|---|---|---|---|
| 25 | Sensitive electrochemical sensor based on gold nanoparticles assembled ferrocene-functionalised graphene oxide modified glassy carbon electrode for simultaneous determination of dopamine and acetaminophen. **2022**, 13, 015012 | | |
| 24 | Strategies, advances, and challenges associated with the use of graphene-based nanocomposites for electrochemical biosensors.. **2022**, 304, 102664 | | 7 |
| 23 | Integrated electrochemical microfluidic sensor with hierarchically porous nanoarrays modified graphene fiber microelectrode for bioassay.. *Biosensors and Bioelectronics*, **2022**, 205, 114095 | 11.8 | 2 |
| 22 | A facile and efficient nitrite electrochemical sensor based on N, O co-doped porous graphene film. **2022**, 178, 107361 | | 1 |
| 21 | Fabrication of nonenzymatic electrochemical interface for ratiometric and simultaneous detection of hydrogen peroxide, dopamine, and ascorbic acid. **2022**, 178, 107344 | | 2 |
| 20 | Polypyrrole Hollow Nanotubes Loaded with Au and Fe3O4 Nanoparticles for Simultaneous Determination of Ascorbic Acid, Dopamine, and Uric Acid. 1 | | 0 |
| 19 | Ultrasensitive sandwich-type photoelectrochemcial oxytetracycline sensing platform based on MnIn2S4/WO3 (Yb, Tm) functionalized rGO film. **2022**, 915, 116354 | | |
| 18 | Determination of calreticulin using Fe3O4@AuNPs core-shell functionalized with PT(COOH)2 polymer modified electrode: a new platform for the impedimetric biosensing of cancer biomarkers. **2022**, 132099 | | 1 |
| 17 | A sensor for selective dopamine determination based on overoxidized poly-1,5-diaminonaphthalene on graphene nanosheets. | | |
| 16 | Development of a cost-effective and sustainable nanoplatform based on a green gold sononanoparticles/carbon black nanocomposite for high-performance simultaneous determination of nanoplastics. | | |
| 15 | Facile fabrication of the porphyrin-functionalized graphene oxide nanocomposite for simultaneous detection of dopamine and uric acid. | | |
| 14 | Construction of a ratiometric fluorescence sensing platform based on a DES-CDs/CoOOH/OPD system for ascorbic acid detection. **2022**, 46, 18183-18189 | | 0 |
| 13 | Sensitive determination of ascorbic acid, dopamine and uric acid by glassy carbon electrodes modified with Ecyclodextrin and graphene oxide. | | 0 |
| 12 | A miniaturized electrochemical device based on the nitrogen, carbon-codoped bimetal for real-time monitoring of acetaminophen and dopamine in urine. **2022**, 114773 | | 0 |
| 11 | Electrochemical Sensor for Ascorbic Acid, Acetaminophen and Nitrite Based on Organoclay/Zr-MOF Film Modified Glassy Carbon Electrode. **2022**, 7, | | 0 |
| 10 | Polypyrrole-derived carbon nanotubes for potential application in electrochemical detection of dopamine. **2022**, 134, 107038 | | 1 |
| 9 | Prospects of nanostructure-based electrochemical sensors for drug detection: a review. | | 0 |
| 8 | Polyindole-Derived Nitrogen-Doped Graphene Quantum Dots-Based Electrochemical Sensor for Dopamine Detection. **2022**, 12, 1063 | | 0 |

| | | |
|---|---|---|
| 7 | Simultaneous Detection of Dopamine and Paracetamol on Electroreduced Graphene Oxide/Cobalt Phthalocyanine Polymer Nanocomposite Electrode. | 0 |
| 6 | Polyoxometalate/carbon black modified glassy carbon electrode for the detection of dopamine. | 0 |
| 5 | Fe3O4-Nanoparticle-Modified Sensor for the Detection of Dopamine, Uric Acid and Ascorbic Acid. **2023**, 11, 79 | 0 |
| 4 | A portable electrochemical sensing platform for serotonin detection based on surface-modified carbon fiber microelectrodes. | 0 |
| 3 | Scalable fabrication of graphene-assembled multifunctional electrode with efficient electrochemical detection of dopamine and glucose. | 0 |
| 2 | Development of a Non-Enzymatic Vitamin-C Electrochemical Sensor Based on rGO/Ce2(SO4)3 Hierarchical Nanocomposite. **2023**, 170, 037504 | 0 |
| 1 | Single-Site Sn?O?Cu Pairs with Interfacial Electron Transfer Effect for Enhanced Electrochemical Catalysis and Sensing. | 0 |