A double signal amplification platform for ultrasensitiv
ascorbic acid, dopamine, uric acid and acetaminophen b
ferrocene thiolate stabilized Fe3O4@Au nanoparticles w

Biosensors and Bioelectronics

48, 75-81

DOI: 10.1016/j.bios.2013.03.070

Citation Report

#	Article	IF	Citations
3	Graphene-loaded nanofiber-modified electrodes for the ultrasensitive determination of dopamine. Analytica Chimica Acta, 2013, 804, 84-91.	2.6	52
4	In situ polymerization of highly dispersed polypyrrole on reduced graphite oxide for dopamine detection. Biosensors and Bioelectronics, 2013, 50, 157-160.	5.3	48
5	Simultaneous Electrochemical Detection of Dopamine and Ascorbic Acid Using an Iron Oxide/Reduced Graphene Oxide Modified Glassy Carbon Electrode. Sensors, 2014, 14, 15227-15243.	2.1	143
6	Characterization of Li-doped WO₃nanowires and their enhanced electrocatalytic oxidation of ascorbic acid. RSC Advances, 2014, 4, 59740-59746.	1.7	8
7	A sensitive and reliable dopamine biosensor was developed based on the Au@carbon dotsâ€"chitosan composite film. Biosensors and Bioelectronics, 2014, 52, 277-280.	5.3	194
8	Integrated graphene/nanoparticle hybrids for biological and electronic applications. Nanoscale, 2014, 6, 6245-6266.	2.8	114
9	Novel graphene flowers modified carbon fibers for simultaneous determination of ascorbic acid, dopamine and uric acid. Biosensors and Bioelectronics, 2014, 53, 220-224.	5.3	261
10	Molecular Recognition and Sensing Based on Ferrocene Derivatives and Ferrocene-Based Polymers. Organometallics, 2014, 33, 4560-4573.	1.1	147
11	Synergistic electrocatalytic effect of graphene/nickel hydroxide composite for the simultaneous electrochemical determination of ascorbic acid, dopamine and uric acid. Electrochimica Acta, 2014, 133, 233-240.	2.6	106
12	One-pot synthesis of a graphene oxide coated with an imprinted solâ€"gel for use in electrochemical sensing of paracetamol. Mikrochimica Acta, 2014, 181, 1257-1266.	2.5	47
13	Simultaneous determination of tyrosine, acetaminophen and ascorbic acid using gold nanoparticles/multiwalled carbon nanotube/glassy carbon electrode by differential pulse voltammetric method. Sensors and Actuators B: Chemical, 2014, 193, 451-460.	4.0	170
14	Electrodeposition of gold nanoparticles on a pectin scaffold and its electrocatalytic application in the selective determination of dopamine. RSC Advances, 2014, 4, 55900-55907.	1.7	39
15	Electrochemical behavior and voltammetric determination of acetaminophen based on glassy carbon electrodes modified with poly(4-aminobenzoic acid)/electrochemically reduced graphene oxide composite films. Materials Science and Engineering C, 2014, 45, 21-28.	3.8	44
16	Sensitive electrochemical sensors for simultaneous determination of ascorbic acid, dopamine, and uric acid based on Au@Pd-reduced graphene oxide nanocomposites. Nanoscale, 2014, 6, 11303-11309.	2.8	213
17	Novel electrochemical sensor based on N-doped carbon nanotubes and Fe3O4 nanoparticles: Simultaneous voltammetric determination of ascorbic acid, dopamine and uric acid. Journal of Colloid and Interface Science, 2014, 432, 207-213.	5.0	99
18	Electrochemical biosensor based on one-dimensional MgO nanostructures for the simultaneous determination of ascorbic acid, dopamine, and uric acid. Sensors and Actuators B: Chemical, 2014, 204, 629-636.	4.0	89
19	The fabrication of a Co (II) complex and multi-walled carbon nanotubes modified glass carbon electrode, and its application for the determination of dopamine. Journal of Electroanalytical Chemistry, 2014, 731, 14-19.	1.9	25
20	A facile electrochemical sensor based on reduced graphene oxide and Au nanoplates modified glassy carbon electrode for simultaneous detection of ascorbic acid, dopamine and uric acid. Sensors and Actuators B: Chemical, 2014, 204, 302-309.	4.0	414

#	Article	IF	Citations
21	Recent Progress of Colorimetric Assays Based on Gold Nanoparticles for Biomolecules. Chinese Journal of Analytical Chemistry, 2014, 42, 307-314.	0.9	16
22	Selective and sensitive electrochemical detection of dopamine based on water-soluble porphyrin functionalized graphene nanocomposites. RSC Advances, 2014, 4, 9261.	1.7	55
23	Direct electrodeposition of reduced graphene oxide on carbon fiber electrode for simultaneous determination of ascorbic acid, dopamine and uric acid. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2014, 456, 146-152.	2.3	68
25	Simultaneous Determination of Ascorbic Acid, Dopamine and Uric Acid Based on Gold Nanoparticlesâ€PTCAâ€Cys Composites Modified Electrodes. Journal of the Chinese Chemical Society, 2015, 62, 739-746.	0.8	3
26	Electrochemical Sensing of Ascorbic Acid on ZnO-decorated Reduced Graphene Oxide Electrode. Journal of Biosensors & Bioelectronics, 2015, 06, .	0.4	3
27	Carbon Nanomaterials Based Electrochemical Sensors/Biosensors for the Sensitive Detection of Pharmaceutical and Biological Compounds. Sensors, 2015, 15, 22490-22508.	2.1	130
28	Biomedical Probes Based on Inorganic Nanoparticles for Electrochemical and Optical Spectroscopy Applications. Sensors, 2015, 15, 21427-21477.	2.1	18
29	Nanocomposites of Graphene with Ferrocene or Hemin: Preparation and Application in Electrochemical Sensing. Journal of Nanomaterials, 2015, 2015, 1-9.	1.5	3
30	Hierarchical nanoporous platinum-copper alloy for simultaneous electrochemical determination of ascorbic acid, dopamine, and uric acid. Mikrochimica Acta, 2015, 182, 1345-1352.	2.5	50
31	Simultaneous determination of acetaminophen, dopamine and ascorbic acid using a PbS nanoparticles Schiff base-modified carbon paste electrode. Comptes Rendus Chimie, 2015, 18, 438-448.	0.2	23
32	A glassy carbon electrode modified with porous gold nanosheets for simultaneous determination of dopamine and acetaminophen. Mikrochimica Acta, 2015, 182, 589-595.	2.5	60
33	Detection of dopamine on a mercapto-terminated hexanuclear Fe(III) cluster modified gold electrode. Talanta, 2015, 137, 189-196.	2.9	24
34	The Determination of Dopamine in Presence of Serotonin on Dopamine-Functionalized Electrochemically Prepared Graphene Biosensor. Journal of the Electrochemical Society, 2015, 162, B75-B82.	1.3	29
35	MnFe2O4@CNT-N as novel electrochemical nanosensor for determination of caffeine, acetaminophen and ascorbic acid. Sensors and Actuators B: Chemical, 2015, 218, 128-136.	4.0	83
36	Application of graphene oxide/lanthanum-modified carbon paste electrode for the selective determination of dopamine. Applied Surface Science, 2015, 357, 1251-1259.	3.1	28
37	A novel sensor based on electrodeposited Auâ€"Pt bimetallic nano-clusters decorated on graphene oxide (GO)â€"electrochemically reduced GO for sensitive detection of dopamine and uric acid. Sensors and Actuators B: Chemical, 2015, 221, 1542-1553.	4.0	73
38	Fabrication of a silver nanowire-reduced graphene oxide-based electrochemical biosensor and its enhanced sensitivity in the simultaneous determination of ascorbic acid, dopamine, and uric acid. Journal of Materials Chemistry C, 2015, 3, 9444-9453.	2.7	66
39	Determination of Dopamine by Dual Doped Graphene-Fe₂O₃in Presence of Ascorbic Acid. Journal of the Electrochemical Society, 2015, 162, B363-B369.	1.3	37

#	Article	IF	Citations
40	Three-dimensional nitrogen-doped graphene as an ultrasensitive electrochemical sensor for the detection of dopamine. Nanoscale, 2015, 7, 2427-2432.	2.8	168
41	Application of a mercapto-terminated binuclear Cu(II) complex modified Au electrode to improve the sensitivity and selectivity for dopamine detection. Sensors and Actuators B: Chemical, 2015, 209, 122-130.	4.0	52
42	Au nanoparticle/graphene nanocomposite as a platform for the sensitive detection of NADH in human urine. Biosensors and Bioelectronics, 2015, 66, 474-480.	5.3	143
43	Graphene supported heterogeneous catalysts: An overview. International Journal of Hydrogen Energy, 2015, 40, 948-979.	3.8	412
44	A novel third generation uric acid biosensor using uricase electro-activated with ferrocene on a Nafion coated glassy carbon electrode. Bioelectrochemistry, 2015, 102, 1-9.	2.4	84
45	A novel electrochemical biosensor based on hemin functionalized graphene oxide sheets for simultaneous determination of ascorbic acid, dopamine and uric acid. Sensors and Actuators B: Chemical, 2015, 207, 535-541.	4.0	149
46	In Situ Growth of Fe₂O₃ Nanoparticles on Highly Porous Graphene/Polyimideâ€Based Carbon Aerogel Nanocomposites for Effectively Selective Detection of Dopamine. Advanced Materials Interfaces, 2016, 3, 1600137.	1.9	32
47	A highly sensitive and stable electrochemical sensor for simultaneous detection towards ascorbic acid, dopamine, and uric acid based on the hierarchical nanoporous PtTi alloy. Biosensors and Bioelectronics, 2016, 82, 119-126.	5.3	242
48	Preparation of copper (I) oxide nanohexagon decorated reduced graphene oxide nanocomposite and its application in electrochemical sensing of dopamine. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2016, 210, 10-18.	1.7	86
49	Branched Platinum Nanostructures on Reduced Graphene: An excellent Transducer for Nonenzymatic Sensing of Hydrogen Peroxide and Biosensing of Xanthine. Electrochimica Acta, 2016, 206, 238-245.	2.6	28
50	New acetaminophen amperometric sensor based on ferrocenyl dendrimers deposited onto Pt nanoparticles. Journal of Solid State Electrochemistry, 2016, 20, 1551-1563.	1.2	13
51	Simultaneous determination of dopamine and uricÂacid in the presence of high ascorbic acid concentration using cetyltrimethylammonium bromideâ€"polyaniline/activated charcoal composite. RSC Advances, 2016, 6, 100605-100613.	1.7	40
52	A novel platform based on defect-rich knotted graphene nanotubes for detection of small biomolecules. Electrochimica Acta, 2016, 217, 47-54.	2.6	7
53	Poly(cytosine)â€templated Silver Nanoclusters as Fluorescent Biosensor for Highly Sensitive Detection of Uric Acid. Journal of the Chinese Chemical Society, 2016, 63, 660-667.	0.8	14
54	Selective detection of dopamine based on Cu2O@Pt core-shell nanoparticles modified electrode in the presence of ascorbic acid and uric acid. Journal of Alloys and Compounds, 2016, 689, 174-181.	2.8	36
55	Advanced Sensing of Antibiotics with Magnetic Gold Nanocomposite: Electrochemical Detection of Chloramphenicol. Chemistry - A European Journal, 2016, 22, 14279-14284.	1.7	72
56	Morphology-dependent Electrochemical Enhancements of Porous Carbon as Sensitive Determination Platform for Ascorbic Acid, Dopamine and Uric Acid. Scientific Reports, 2016, 6, 22309.	1.6	12
57	Nonenzymatic Electrochemical Biosensor Based on Novel Hydrophilic Ferrocene-terminated Hyperbranched Polymer and its Application in Glucose Detection. Electroanalysis, 2016, 28, 1003-1011.	1.5	24

#	Article	IF	Citations
58	Recent Advances in Electroanalysis of Vitamins. Electroanalysis, 2016, 28, 1930-1942.	1.5	25
59	The New Application of Boron Doped Diamond Electrode Modified with Nafion and Lead Films for Simultaneous Voltammetric Determination of Dopamine and Paracetamol. Electroanalysis, 2016, 28, 2178-2187.	1.5	9
60	Graphene nanoplatelets like structures formed on ionic liquid modified carbon-ceramic electrode: As a sensing platform for simultaneous determination of dopamine and acetaminophen. Journal of Molecular Liquids, 2016, 220, 778-787.	2.3	31
61	Ultra-sensitive film sensor based on Al2O3â€"Au nanoparticles supported on PDDA-functionalized graphene for the determination of acetaminophen. Analytical and Bioanalytical Chemistry, 2016, 408, 5567-5576.	1.9	11
62	A facile one-pot synthesis of carbon nitride dotsâ€"reduced graphene oxide nanocomposites for simultaneous enhanced detecting of dopamine and uric acid. Analyst, The, 2016, 141, 4757-4765.	1.7	21
63	An electrochemical sensor for 1-naphthylamine based on a novel composite of cyclodextrin-graphene and molecularly imprinted poly(vinylferrocene). Analytical Methods, 2016, 8, 1681-1689.	1.3	10
64	Dopamine biosensor based on surface functionalized nanostructured nickel oxide platform. Biosensors and Bioelectronics, 2016, 84, 72-81.	5.3	147
65	Carbon nanohorns/poly(glycine) modified glassy carbon electrode: Preparation, characterization and simultaneous electrochemical determination of uric acid, dopamine and ascorbic acid. Journal of Electroanalytical Chemistry, 2016, 760, 24-31.	1.9	70
66	Synergetic catalysis based on the proline tailed metalloporphyrin with graphene sheet as efficient mimetic enzyme for ultrasensitive electrochemical detection of dopamine. Biosensors and Bioelectronics, 2016, 77, 1032-1038.	5.3	56
67	Highly selective dopamine sensor based on graphene quantum dots self-assembled monolayers modified electrode. Journal of Electroanalytical Chemistry, 2016, 767, 84-90.	1.9	61
68	Trouble Free Dopamine Sensing by Palladium Nanoparticles Fabricated Poly(3,4-ethylenedioxythiophene) Functionalized Graphene. Journal of the Electrochemical Society, 2016, 163, B113-B118.	1.3	31
69	Carbon nanotubes implanted manganese-based MOFs for simultaneous detection of biomolecules in body fluids. Analyst, The, 2016, 141, 1279-1285.	1.7	62
70	Magnetic sensing film based on Fe3O4@Au-GSH molecularly imprinted polymers for the electrochemical detection of estradiol. Biosensors and Bioelectronics, 2016, 79, 180-186.	5.3	149
71	A novel multicomponent redox polymer nanobead based high performance non-enzymatic glucose sensor. Biosensors and Bioelectronics, 2016, 84, 53-63.	5.3	58
72	Stable determination of paracetamol in the presence of uric acid in human urine sample using melamine grafted graphene modified electrode. Journal of Electroanalytical Chemistry, 2016, 760, 6-14.	1.9	23
73	A quadruplet electrochemical platform for ultrasensitive and simultaneous detection of ascorbic acid, dopamine, uric acid and acetaminophen based on a ferrocene derivative functional Au NPs/carbon dots nanocomposite and graphene. Analytica Chimica Acta, 2016, 903, 69-80.	2.6	142
74	Graphene quantum dots as effective probes for label-free fluorescence detection of dopamine. Sensors and Actuators B: Chemical, 2016, 223, 246-251.	4.0	183
75	Simultaneous electrochemical determination of ascorbic acid and uric acid using poly(glyoxal-bis(2-hydroxyanil)) modified glassy carbon electrode. Sensors and Actuators B: Chemical, 2016, 224, 55-64.	4.0	35

#	Article	IF	Citations
76	Synthesis of graphene and related two-dimensional materials for bioelectronics devices. Biosensors and Bioelectronics, 2017, 89, 28-42.	5.3	54
77	Hydrophilic graphene surface prepared by electrochemically reduced micellar graphene oxide as a platform for electrochemical sensor. Talanta, 2017, 165, 692-701.	2.9	42
78	Uniformly distributed and in situ ironâ€“nitrogen co-doped porous carbon derived from pork liver for rapid and simultaneous detection of dopamine, uric acid, and paracetamol in human blood serum. New Journal of Chemistry, 2017, 41, 2081-2089.	1.4	17
79	The synthesis of polyamidoamine modified gold nanoparticles/SnO2/graphene sheets nanocomposite and its application in biosensor. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2017, 520, 668-675.	2.3	13
80	Water based homogenous carbon ink modified electrode as an efficient sensor system for simultaneous detection of ascorbic acid, dopamine and uric acid. Electrochimica Acta, 2017, 233, 92-104.	2.6	59
81	Electrochemical dipyridamole sensor based on molecularly imprinted polymer on electrode modified with Fe3O4@Au/amine-multi-walled carbon nanotubes. Journal of Solid State Electrochemistry, 2017, 21, 3071-3082.	1.2	19
82	A nanocomposite consisting of carbon nanotubes and gold nanoparticles in an amphiphilic copolymer for voltammetric determination of dopamine, paracetamol and uric acid. Mikrochimica Acta, 2017, 184, 1739-1745.	2.5	36
83	A Novel Biomimetic Hydrogen Peroxide Biosensor Based on Pt Flowersâ€decorated Fe₃O₄/Graphene Nanocomposite. Electroanalysis, 2017, 29, 1518-1523.	1.5	42
84	Fc(COOH)2@ zeolitic imidazolate frameworks-8/three-dimensional macroporous carbon for ascorbic acid sensing. Ionics, 2017, 23, 2377-2385.	1.2	5
86	Small biomolecule sensors based on an innovative MoS₂â€“rGO heterostructure modified electrode platform: a binder-free approach. Dalton Transactions, 2017, 46, 15848-15858.	1.6	49
87	GO/Fe₃O₄@SiO₂coreâ€“shell nanocomposite-modified graphite screen-printed electrode for sensitive and selective electrochemical sensing of dopamine and uric acid. Analytical Methods, 2017, 9, 5541-5549.	1.3	36
88	Tyrosinaseâ€Conjugated Prussian Blueâ€Modified Nickel Oxide Nanoparticlesâ€Based Interface for Selective Detection of Dopamine. ChemistrySelect, 2017, 2, 6118-6128.	0.7	16
89	Introducing Schottky barrier into electrochemical response: A novel adjusting strategy for designing electrochemical sensors. Electrochimica Acta, 2017, 249, 173-178.	2.6	10
90	Highly sensitive amperometric biosensor for determination of NADH and ethanol based on Au-Ag nanoparticles/poly(L-Cysteine)/reduced graphene oxide nanocomposite. Talanta, 2017, 175, 382-389.	2.9	65
91	Synthesis and characterization of a bifunctional nanoprobe for CGG trinucleotide repeat detection. RSC Advances, 2017, 7, 36124-36131.	1.7	10
92	Nanostructured carbon electrode modified with N-doped graphene quantum dotsâ€“chitosan nanocomposite: a sensitive electrochemical dopamine sensor. Royal Society Open Science, 2017, 4, 171199.	1.1	59
93	A biosensor for the determination of ammonium ion using flow injection amperometric system. Monatshefte FÃ¼r Chemie, 2017, 148, 635-644.	0.9	7
94	3DGH-Fc based electrochemical sensor for the simultaneous determination of ascorbic acid, dopamine and uric acid. Journal of Electroanalytical Chemistry, 2017, 799, 459-467.	1.9	41

#	Article	IF	Citations
95	A novel electrochemical sensor based on FeS anchored reduced graphene oxide nanosheets for simultaneous determination of dopamine and acetaminophen. Materials Science and Engineering C, 2017, 70, 628-636.	3.8	71
96	A novel electrochemical biomimetic sensor based on poly(Cu-AMT) with reduced graphene oxide for ultrasensitive detection of dopamine. Talanta, 2017, 162, 80-89.	2.9	78
97	3D Graphene hydrogel â€“ gold nanoparticles nanocomposite modified glassy carbon electrode for the simultaneous determination of ascorbic acid, dopamine and uric acid. Sensors and Actuators B: Chemical, 2017, 238, 1316-1323.	4.0	103
98	Electrochemical Determination of Sulfonamide Based on Glassy Carbon Electrode Modified by Fe3O4/Functionalized Graphene. International Journal of Electrochemical Science, 2017, 12, 3001-3011.	0.5	15
99	Electrochemical behavior of thiosalicylic acid at Î³-Fe2O3 nanoparticles and clay composite carbon electrode. Electrochimica Acta, 2018, 269, 204-211.	2.6	76
100	Synthesis of Au@Pt nanoflowers supported on graphene oxide for enhanced electrochemical sensing of dopamine. Journal of Electroanalytical Chemistry, 2018, 817, 48-54.	1.9	47
101	Synergistic electron transfer effect-based signal amplification strategy for the ultrasensitive detection of dopamine. Talanta, 2018, 182, 428-432.	2.9	13
102	$$mathrm{NiFe}_{2}mathrm{O}_{4 }$$ NiFe 2 O 4 nanoparticles-decorated activated carbon nanocomposite based electrochemical sensor for selective detection of dopamine in presence of uric acid and ascorbic acid. Journal of Chemical Sciences, 2018, 130, 1.	0.7	17
103	Synthesis of MXene/DNA/Pd/Pt nanocomposite for sensitive detection of dopamine. Journal of Electroanalytical Chemistry, 2018, 816, 189-194.	1.9	133
104	Morphology-controlled synthesis of Bi2S3 nanorods-reduced graphene oxide composites with high-performance for electrochemical detection of dopamine. Sensors and Actuators B: Chemical, 2018, 257, 936-943.	4.0	58
105	Quaternary phosphonium-based (TPQPCl)-ionomer/graphite nanoplatelets composite chemically modified electrodes: a novel platform for sensing applications. Journal of Materials Chemistry C, 2018, 6, 13293-13304.	2.7	9
106	Facile synthesis of nitrogen-doped graphene aerogels for electrochemical detection of dopamine. Solid State Sciences, 2018, 86, 6-11.	1.5	41
107	Biosynthesis of Copper Oxide (CuO) Nanowires and Their Use for the Electrochemical Sensing of Dopamine. Nanomaterials, 2018, 8, 823.	1.9	163
108	Ferrocene-terminated dendrimer functionalized graphene oxide layered sensor toward highly sensitive evaluation of Di(2-ethylhexyl) phthalate in liquor samples. Analytica Chimica Acta, 2018, 1043, 35-44.	2.6	16
109	Assembly of a di-cobalt(II) substituted sandwich-type molybdovanadate with magnetic properties and bifunctional electrocatalytic activities. Journal of Coordination Chemistry, 2018, 71, 2109-2117.	0.8	3
110	Flexible and conductive titanium carbideâ€“carbon nanofibers for the simultaneous determination of ascorbic acid, dopamine and uric acid. Journal of Materials Chemistry B, 2018, 6, 4610-4617.	2.9	41
111	Fabrication of Amine-Modified Magnetite-Electrochemically Reduced Graphene Oxide Nanocomposite Modified Glassy Carbon Electrode for Sensitive Dopamine Determination. Nanomaterials, 2018, 8, 194.	1.9	125
112	Preparation of Cu2O-Reduced Graphene Nanocomposite Modified Electrodes towards Ultrasensitive Dopamine Detection. Sensors, 2018, 18, 199.	2.1	102

#	Article	IF	Citations
113	Facile fabrication of a 3,4,9,10-perylene tetracarboxylic acid functionalized grapheneâ€"multiwalled carbon nanotubeâ€"gold nanoparticle nanocomposite for highly sensitive and selective electrochemical detection of dopamine. Analyst, The, 2018, 143, 3075-3084.	1.7	42
114	Chiral ZnO nanoparticles for detection of dopamine. Materials Science and Engineering C, 2018, 93, 739-745.	3.8	34
115	A flower-structured MoS₂-decorated f-MWCNTs/ZnO hybrid nanocomposite-modified sensor for the selective electrochemical detection of vitamin C. New Journal of Chemistry, 2019, 43, 15105-15114.	1.4	33
116	Ag and Au nanoparticles/reduced graphene oxide composite materials: Synthesis and application in diagnostics and therapeutics. Advances in Colloid and Interface Science, 2019, 271, 101991.	7.0	102
117	Copper Nanowires Modified with Graphene Oxide Nanosheets for Simultaneous Voltammetric Determination of Ascorbic Acid, Dopamine and Acetaminophen. Molecules, 2019, 24, 2320.	1.7	18
120	Modulating Electrode Kinetics for Discrimination of Dopamine by a PEDOT:COOH Interface Doped with Negatively Charged Tricarboxylate. ACS Applied Materials & Interfaces, 2019, 11, 34497-34506.	4.0	32
121	1-Pyrene carboxylic acid functionalized carbon nanotube-gold nanoparticle nanocomposite for electrochemical sensing of dopamine and uric acid. Mikrochimica Acta, 2019, 186, 672.	2.5	17
122	Reduced Graphene Oxide/Polydopamine/Gold Electrode as Elecrochemical Sensor for Simultaneous Determination of Ascorbic Acid, Dopamine, and Uric Acid. International Journal of Electrochemical Science, 2019, 14, 8882-8891.	0.5	8
123	Graphene-based biosensors for the detection of prostate cancer protein biomarkers: a review. BMC Chemistry, 2019, 13, 112.	1.6	40
124	Sandwich-structured nanoparticles-grafted functionalized graphene based 3D nanocomposites for high-performance biosensors to detect ascorbic acid biomolecule. Scientific Reports, 2019, 9, 1226.	1.6	66
125	Fabrication of Electro-Active Pt/IMo₆O₂₄/Graphene Oxide Nanohybrid Modified Electrode for the Simultaneous Determination of Ascorbic Acid, Dopamine and Uric Acid. Journal of the Electrochemical Society, 2019, 166, H351-H358.	1.3	23
126	Amperometric hydrogen peroxide sensor using a glassy carbon electrode modified with a nanocomposite prepared from ferumoxytol and reduced graphene oxide decorated with platinum nanoparticles. Mikrochimica Acta, 2019, 186, 386.	2.5	12
127	Co₃O₄-CuNi/reduced graphene composite for non-enzymatic detection of ascorbic acid. Materials Technology, 2019, 34, 665-673.	1.5	10
128	In-situ synthesis of 3D ultra-small gold augmented graphene hybrid for highly sensitive electrochemical binding capability. Journal of Colloid and Interface Science, 2019, 553, 289-297.	5.0	10
129	Flexible Prussian blue/Carbon dots nanocomposite modified exfoliated graphite paper based sensor for simultaneous monitoring of hypertension and Parkinson disease. Microsystem Technologies, 2022, 28, 109-119.	1.2	7
130	Electrochemical sensor based on conductive polyaniline coated hollow tin oxide nanoparticles and nitrogen doped graphene quantum dots for sensitively detecting dopamine. Journal of Materials Science: Materials in Electronics, 2019, 30, 8449-8456.	1.1	26
131	Enhanced electrochemical sensitivity towards plasticizer determination based on ferrocene- end-cap dendrimer functionalized graphene oxide electrochemical sensor. Sensors and Actuators B: Chemical, 2019, 288, 476-485.	4.0	16
132	Combined soft lithographic and electrochemical fabrication of nanostructured platinum microelectrode arrays for miniaturized sensor applications. Microelectronic Engineering, 2019, 208, 39-46.	1.1	6

#	Article	IF	Citations
133	Ultrasonic-assisted fabrication of thin-film electrochemical detector of H2O2 based on ferrocene-functionalized silver cluster. Ultrasonics Sonochemistry, 2019, 56, 305-312.	3.8	30
134	Photoelectrochemical Dopamine Sensor Based on Cu-Doped Bi₂WO₆ÂMicro-Flowers Sensitized Cobalt Tetraaminophthalocyanine Functionalized Graphene Oxide. Journal of the Electrochemical Society, 2019, 166, B1612-B1619.	1.3	28
135	Hybrid Graphene/Conducting Polymer Strip Sensors for Sensitive and Selective Electrochemical Detection of Serotonin. ACS Omega, 2019, 4, 22169-22177.	1.6	41
136	Nanomaterials-Based Nanosensors for the Simultaneous Electrochemical Determination of Biologically Important Compounds: Ascorbic Acid, Uric Acid, and Dopamine. Critical Reviews in Analytical Chemistry, 2019, 49, 101-125.	1.8	50
137	Dimeric phthalocyanine-involved double-decker complex-based electrochemical sensor for simultaneous detection of acetaminophen and ascorbic acid. Journal of Materials Science: Materials in Electronics, 2019, 30, 1976-1983.	1.1	12
138	Metallo-phthalocyanines containing thiazole moieties: Synthesis, characterization, electrochemical and spectroelectrochemical properties and sensor applications. Journal of Electroanalytical Chemistry, 2019, 832, 254-265.	1.9	25
139	Non-enzymatic xanthine sensor of heteropolyacids doped ferrocene and reduced graphene oxide via one-step electrodeposition combined with layer-by-layer self-assembly technology. Sensors and Actuators B: Chemical, 2019, 281, 893-904.	4.0	28
140	Highly Sensitive and Selective Electrochemical Detection of Dopamine using Hybrid Bilayer Membranes. ChemElectroChem, 2019, 6, 634-637.	1.7	14
141	Green synthesis of Pd nanocones as a novel and effective electrochemiluminescence illuminant for highly sensitive detection of dopamine. Sensors and Actuators B: Chemical, 2019, 281, 588-594.	4.0	28
142	Grapheneâ€"Metal Oxide Nanocomposite Modified Electrochemical Sensors. , 2019, , 113-138.		10
143	A facile preparation of Auâ€"SiO2 nanocomposite for simultaneous electrochemical detection of dopamine and uric acid. Surfaces and Interfaces, 2019, 14, 82-91.	1.5	64
144	Green and facile microwave solvent-free synthesis of CeO2 nanoparticle-decorated CNTs as a quadruplet electrochemical platform for ultrasensitive and simultaneous detection of ascorbic acid, dopamine, uric acid and acetaminophen. Talanta, 2020, 207, 120318.	2.9	122
145	Graphitic carbon nitride/graphene oxide(g-C3N4/GO) nanocomposites covalently linked with ferrocene containing dendrimer for ultrasensitive detection of pesticide. Analytica Chimica Acta, 2020, 1103, 84-96.	2.6	48
146	An Amperometric Hydrogen Peroxide Sensor Based on Reduced Graphene Oxide/Carbon Nanotubes/Pt NPs Modified Glassy Carbon Electrode. International Journal of Electrochemical Science, 2020, 15, 8771-8785.	0.5	20
147	Organicâ€"Inorganic Hybrid Cerium-Encapsulated Selenotungstate Including Three Building Blocks and Its Electrochemical Detection of Dopamine and Paracetamol. Inorganic Chemistry, 2020, 59, 15355-15364.	1.9	30
148	Smartphone-Based Electrochemical Potentiostat Detection System Using PEDOT: PSS/Chitosan/Graphene Modified Screen-Printed Electrodes for Dopamine Detection. Sensors, 2020, 20, 2781.	2.1	41
149	Sensor based on redox conjugated poly(para-phenylene) for the simultaneous detection of dopamine, ascorbic acid, and uric acid in human serum sample. Analytical and Bioanalytical Chemistry, 2020, 412, 4433-4446.	1.9	22
150	Reduced graphene oxide nanosheets and gold nanoparticles covalently linked to ferrocene-terminated dendrimer to construct electrochemical sensor with dual signal amplification strategy for ultra-sensitive detection of pesticide in vegetable. Microchemical Journal, 2020, 157, 105016.	2.3	25

#	Article	IF	Citations
151	Transition metal complex/gold nanoparticle hybrid materials. Chemical Society Reviews, 2020, 49, 2316-2341.	18.7	37
152	Nanocomposite Based on Poly (para-phenylene)/Chemical Reduced Graphene Oxide as a Platform for Simultaneous Detection of Ascorbic Acid, Dopamine and Uric Acid. Sensors, 2020, 20, 1256.	2.1	14
153	Ruthenium Nanoparticles Uniformlyâ€designed Chemically Treated Graphene Oxide Nanosheets for Simultaneous Voltammetric Determination of Dopamine and Acetaminophen. Electroanalysis, 2020, 32, 2156-2165.	1.5	26
154	Hetero-nanostructured iron oxide and bentonite clay composite assembly for the determination of an antiviral drug acyclovir. Microchemical Journal, 2020, 155, 104727.	2.3	50
155	Co-based metal-organic framework nanopinnas composite doped with Ag nanoparticles: A sensitive electrochemical sensing platform for simultaneous determination of dopamine and acetaminophen. Microchemical Journal, 2020, 155, 104759.	2.3	41
156	Ratiometric fluorescence detection of dopamine based on effect of ligand on the emission of Ag nanoclusters and aggregation-induced emission enhancement. Sensors and Actuators B: Chemical, 2020, 310, 127858.	4.0	47
157	Electrochemical dopamine sensor based on superionic conducting potassium ferrite. Biosensors and Bioelectronics, 2020, 153, 112045.	5.3	59
158	Methods for design and fabrication of nanosensors and their electrochemical applications on pharmaceutical compounds. , 2020, , 31-61.		1
159	Zeolitic imidazolate frameworks and cobalt-tannic acid nanocomposite modified carbon paste electrode for simultaneous determination of dopamine, uric acid, acetaminophen and tryptophan: Investigation of kinetic parameters of surface electrode and its analytical performance. Journal of Electroanalytical Chemistry, 2020, 863, 114045.	1.9	41
160	Holey nitrogen-doped graphene aerogel for simultaneously electrochemical determination of ascorbic acid, dopamine and uric acid. Talanta, 2021, 224, 121851.	2.9	67
161	MOF-derived Co3O4/FeCo2O4 incorporated porous biomass carbon: Simultaneous electrochemical determination of dopamine, acetaminophen and xanthine. Journal of Alloys and Compounds, 2021, 858, 157701.	2.8	45
162	Ultrasensitive simultaneous detection of ascorbic acid, dopamine, uric acid and acetaminophen on a graphitized porous carbon-modified electrode. New Journal of Chemistry, 2021, 45, 1863-1875.	1.4	11
163	Study of a novel fabrication method of 3D Ag-based nanoporous structures for electrochemical detection. Journal of Electroanalytical Chemistry, 2021, 882, 114990.	1.9	3
165	Curcumin-functionalized nanocomposite AgNPs/SDS/MWCNTs for electrocatalytic simultaneous determination of dopamine, uric acid, and guanine in co-existence of ascorbic acid by glassy carbon electrode. Journal of Materials Science: Materials in Electronics, 2021, 32, 5602-5613.	1.1	37
167	A highly sensitive non-enzymatic ascorbic acid electrochemical sensor based on polyoxometalate/Tris(2,2ĚŠ-bipyridine)ruthenium (II)/chitosan-palladium inorganic-organic self-assembled film. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2021, 614, 126184.	2.3	21
168	Unveiling the Fundamental Mechanisms of Graphene Oxide Selectivity on the Ascorbic Acid, Dopamine, and Uric Acid by Density Functional Theory Calculations and Charge Population Analysis. Sensors, 2021, 21, 2773.	2.1	10
169	Electrochemical Determination of Ascorbic Acid, Dopamine and Uric Acid at Polyaniline-Graphene Nanocomposites Modified Electrode. International Journal of Electrochemical Science, 2021, 16, 210556.	0.5	2
170	A label-free electrochemical immunosensor based on facet-controlled Au nanorods/reduced graphene oxide composites for prostate specific antigen detection. Sensors and Actuators B: Chemical, 2021, 336, 129748.	4.0	27

#	Article	IF	Citations
171	Fortified electrochemical activity of Au@Fe3O4@rGO decorated GCE for sensing of acetaminophen. Materials Today Communications, 2021, 27, 102236.	0.9	4
172	Sponge-like CuInS2 microspheres on reduced graphene oxide as an electrocatalyst to construct an immobilized acetylcholinesterase electrochemical biosensor for chlorpyrifos detection in vegetables. Sensors and Actuators B: Chemical, 2021, 337, 129775.	4.0	39
173	Screen-printed analytical strip constructed with bacteria-templated porous N-doped carbon nanorods/Au nanoparticles for sensitive electrochemical detection of dopamine molecules. Biosensors and Bioelectronics, 2021, 186, 113303.	5.3	34
174	Ferrocene-reduced graphene oxide-polyoxometalates based ternary nanocomposites as electrochemical detection for acetaminophen. Talanta, 2021, 235, 122751.	2.9	24
175	Electrochemical Detection of Dopamine in the Presence of Uric Acid Using Graphene Oxide Modified ElectrodeÂas Highly Sensitive and Selective Sensors. Carbon Nanostructures, 2019, , 179-192.	0.1	2
176	A biomimetic sensor based on specific receptor ETBD and Fe3O4@Au/MoS2/GN for signal enhancement shows highly selective electrochemical response to ultra-trace lead (II). Journal of Solid State Electrochemistry, 2017, 21, 3257-3268.	1.2	10
177	A One-Step Dual-Mode Aptasensor for Subnanomolar Detection of Lead Ions Based on Electrochemiluminescence and Fast Scan Voltammetry. Journal of the Electrochemical Society, 2020, 167, 126506.	1.3	14
178	A highly sensitive biosensor based on methacrylated graphene oxide-grafted polyaniline for ascorbic acid determination. Nanotechnology Reviews, 2020, 9, 760-767.	2.6	43
179	An electrochemical sensor based on a Co₃O₄â€"ERGO nanocomposite modified screen-printed electrode for detection of uric acid in artificial saliva. Analytical Methods, 2021, 14, 67-75.	1.3	22
180	Surface Enhanced Electrochemiluminescence of the Ru(Bpy) ₃ ²⁺/tripropylamine System by Au@sio ₂ Nanoparticles for Highly Sensitive and Selective Detection of Dopamine. SSRN Electronic Journal, 0, , .	0.4	0
181	Fabrication of Nonenzymatic Electrochemical Interface for Ratiometric and Simultaneous Detection of Hydrogen Peroxide , Dopamine, and Ascorbic Acid. SSRN Electronic Journal, 0, , .	0.4	0
182	Titanium dioxide-multiwalled carbon nanotube/polyimide composite film modified electrodes for simultaneous voltammetric detection of ascorbic acid, uric acid and dopamine as biomarker molecules. Polymer Bulletin, 2022, 79, 11051-11077.	1.7	3
183	Facile synthesis of flower-like CePO₄ with a hierarchical structure for the simultaneous electrochemical detection of dopamine, uric acid and acetaminophen. New Journal of Chemistry, 2022, 46, 4611-4619.	1.4	7
184	Hierarchically porous 2D carbon from bio-waste: a sustainable, rapid, and efficient oxidase mimic for the colorimetric detection of ascorbic acid. Materials Advances, 2022, 3, 2749-2759.	2.6	4
185	Role of functionalized metal oxideâ€"carbon nanocomposites in biomolecule detection. , 2022, , 495-527.		1
186	Sensitive electrochemical sensor based on gold nanoparticles assembled ferrocene-functionalised graphene oxide modified glassy carbon electrode for simultaneous determination of dopamine and acetaminophen. Advances in Natural Sciences: Nanoscience and Nanotechnology, 2022, 13, 015012.	0.7	5
187	Strategies, advances, and challenges associated with the use of graphene-based nanocomposites for electrochemical biosensors. Advances in Colloid and Interface Science, 2022, 304, 102664.	7.0	102
188	Integrated electrochemical microfluidic sensor with hierarchically porous nanoarrays modified graphene fiber microelectrode for bioassay. Biosensors and Bioelectronics, 2022, 205, 114095.	5.3	10

#	Article	IF	Citations
189	A facile and efficient nitrite electrochemical sensor based on N, O co-doped porous graphene film. Microchemical Journal, 2022, 178, 107361.	2.3	16
190	Fabrication of nonenzymatic electrochemical interface for ratiometric and simultaneous detection of hydrogen peroxide, dopamine, and ascorbic acid. Microchemical Journal, 2022, 178, 107344.	2.3	6
191	Polypyrrole Hollow Nanotubes Loaded with Au and Fe3O4 Nanoparticles for Simultaneous Determination of Ascorbic Acid, Dopamine, and Uric Acid. Chemical Research in Chinese Universities, 2022, 38, 941-948.	1.3	3
192	Ultrasensitive sandwich-type photoelectrochemcial oxytetracycline sensing platform based on MnIn2S4/WO3 (Yb, Tm) functionalized rGO film. Journal of Electroanalytical Chemistry, 2022, 915, 116354.	1.9	1
193	Determination of calreticulin using Fe3O4@AuNPs core-shell functionalized with PT(COOH)2 polymer modified electrode: A new platform for the impedimetric biosensing of cancer biomarkers. Sensors and Actuators B: Chemical, 2022, 367, 132099.	4.0	14
194	A Sensor for Selective Dopamine Determination Based on Overoxidized Polyâ€1,5â€Diaminonaphthalene on Graphene Nanosheets. Electroanalysis, 2023, 35, .	1.5	1
195	Development of a cost-effective and sustainable nanoplatform based on a green gold sononanoparticles/carbon black nanocomposite for high-performance simultaneous determination of nanoplastics. Environmental Science: Nano, 2022, 9, 3126-3138.	2.2	3
196	A Porphyrinâ€functionalized Graphene Oxide Nanocomposite for Simultaneous Detection of Dopamine and Uric Acid. ChemNanoMat, 2022, 8, .	1.5	2
197	Construction of a ratiometric fluorescence sensing platform based on a DES-CDs/CoOOH/OPD system for ascorbic acid detection. New Journal of Chemistry, 2022, 46, 18183-18189.	1.4	1
198	Sensitive determination of ascorbic acid, dopamine and uric acid by glassy carbon electrodes modified with Î²-cyclodextrin and graphene oxide. Journal of Materials Science: Materials in Electronics, 2022, 33, 23566-23579.	1.1	1
199	A miniaturized electrochemical device based on the nitrogen, carbon-codoped bimetal for real-time monitoring of acetaminophen and dopamine in urine. Biosensors and Bioelectronics, 2022, 218, 114773.	5.3	11
200	Electrochemical Sensor for Ascorbic Acid, Acetaminophen and Nitrite Based on Organoclay/Zrâ€MOF Film Modified Glassy Carbon Electrode. ChemistrySelect, 2022, 7, .	0.7	7
201	Polypyrrole-derived carbon nanotubes for potential application in electrochemical detection of dopamine. Solid State Sciences, 2022, 134, 107038.	1.5	5
202	Prospects of nanostructure-based electrochemical sensors for drug detection: a review. Materials Advances, 2023, 4, 432-457.	2.6	5
203	Polyindole-Derived Nitrogen-Doped Graphene Quantum Dots-Based Electrochemical Sensor for Dopamine Detection. Biosensors, 2022, 12, 1063.	2.3	4
204	Simultaneous Detection of Dopamine and Paracetamol on Electroreduced Graphene Oxideâ€"Cobalt Phthalocyanine Polymer Nanocomposite Electrode. Electrocatalysis, 2023, 14, 406-417.	1.5	6
206	Fe3O4-Nanoparticle-Modified Sensor for the Detection of Dopamine, Uric Acid and Ascorbic Acid. Chemosensors, 2023, 11, 79.	1.8	9
207	A portable electrochemical sensing platform for serotonin detection based on surface-modified carbon fiber microelectrodes. Analytical Methods, 2023, 15, 1096-1104.	1.3	6

#	Article	IF	Citations
208	Scalable fabrication of graphene-assembled multifunctional electrode with efficient electrochemical detection of dopamine and glucose. Nano Research, 2023, 16, 6361-6368.	5.8	7
209	Development of a Non-Enzymatic Vitamin-C Electrochemical Sensor Based on rGO/Ce₂(SO₄)₃Hierarchical Nanocomposite. Journal of the Electrochemical Society, 2023, 170, 037504.	1.3	3
210	Singleâ€Site Snï£¿Oï£¿Cu Pairs with Interfacial Electron Transfer Effect for Enhanced Electrochemical Catalysis and Sensing. Small, 2023, 19, .	5.2	6