

# Review on the science and technology of water desalination

Progress in Materials Science

58, 1388-1442

DOI: [10.1016/j.pmatsci.2013.03.005](https://doi.org/10.1016/j.pmatsci.2013.03.005)

Citation Report

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 4  | Membrane capacitive deionization for biomass hydrolysate desalination. Separation and Purification Technology, 2013, 118, 33-39.   | 3.9  | 17        |
| 5  | Validity of the Boltzmann equation to describe Donnan equilibrium at the membrane-solution interface. Journal of Membrane Science, 2013, 442, 131-139.   | 4.1  | 126       |
| 6  | Predicting the lowest effluent concentration in capacitive deionization. Separation and Purification Technology, 2013, 115, 224-230.   | 3.9  | 62        |
| 7  | Carbon fiber sheets coated with thin-films of SiO <sub>2</sub> and $\gamma$ -Al <sub>2</sub> O <sub>3</sub> as electrodes in capacitive deionization: Relationship between properties of the oxide films and electrode performance. Electrochimica Acta, 2013, 112, 763-773. | 2.6  | 45        |
| 8  | Comment on "Carbon nanotube/graphene composite for enhanced capacitive deionization performance" by Y. Wimalasiri and L. Zou. Carbon, 2013, 63, 574-575.   | 5.4  | 10        |
| 9  | Modification of Carbon Xerogel Electrodes for More Efficient Asymmetric Capacitive Deionization. Journal of the Electrochemical Society, 2013, 160, E106-E112.   | 1.3  | 60        |
| 10 | Desalination using capacitive deionization at constant current. Desalination, 2013, 329, 29-34.  | 4.0  | 79        |
| 11 | Direct prediction of the desalination performance of porous carbon electrodes for capacitive deionization. Energy and Environmental Science, 2013, 6, 3700.  | 15.6 | 461       |
| 12 | Capacitive mixing for the extraction of energy from salinity differences: Survey of experimental results and electrochemical models. Journal of Colloid and Interface Science, 2013, 407, 457-466.   | 5.0  | 66        |
| 13 | Wireless desalination using inductively powered porous carbon electrodes. Separation and Purification Technology, 2013, 120, 6-11.   | 3.9  | 6         |
| 14 | Energy consumption in membrane capacitive deionization for different water recoveries and flow rates, and comparison with reverse osmosis. Desalination, 2013, 330, 35-41.   | 4.0  | 301       |
| 15 | Overlimiting Current and Shock Electrodialysis in Porous Media. Langmuir, 2013, 29, 16167-16177.   | 1.6  | 126       |
| 16 | Capacitive deionization of water coolant using hybrid carbon electrodes for high power electronic applications. , 2014, , .  |      | 0         |
| 17 | Integrating reverse electrodialysis with constant current operating capacitive deionization. Journal of Environmental Management, 2014, 146, 463-469.  | 3.8  | 32        |
| 18 | Evaluation of operational parameters for a capacitive deionization reactor employing asymmetric electrodes. Separation and Purification Technology, 2014, 133, 236-245.  | 3.9  | 63        |
| 19 | A TiO <sub>2</sub> nanofiber/activated carbon composite as a novel effective electrode material for capacitive deionization of brackish water. RSC Advances, 2014, 4, 64634-64642.   | 1.7  | 41        |
| 20 | Fundamentals and Modeling of Electrokinetic Transport in Nanochannels. Israel Journal of Chemistry, 2014, 54, 1533-1555.   | 1.0  | 14        |
| 21 | Membrane processes for water recovery and decontamination. Current Opinion in Chemical Engineering, 2014, 6, 75-82.  | 3.8  | 20        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 22 | Effect of Strong Acid Functional Groups on Electrode Rise Potential in Capacitive Mixing by Double Layer Expansion. <i>Environmental Science &amp; Technology</i> , 2014, 48, 14041-14048.                                      | 4.6  | 47        |
| 23 | Effect of the resorcinol/catalyst ratio in the capacitive performance of carbon xerogels with potential use in sodium chloride removal from saline water. <i>Journal of Solid State Electrochemistry</i> , 2014, 18, 2847-2856. | 1.2  | 14        |
| 24 | Vertically Aligned Carbon Nanotubes/Carbon Fiber Composites for Electrochemical Applications. <i>Materials Science Forum</i> , 2014, 802, 192-196.  | 0.3  | 3         |
| 25 | Electric Double Layer Capacitor of Multiwall Carbon Nanotubes under Different Degree of Acid Oxidations. <i>Materials Science Forum</i> , 0, 802, 186-191.  | 0.3  | 0         |
| 26 | A novel method for metal oxide deposition on carbon aerogels with potential application in capacitive deionization of saline water. <i>Electrochimica Acta</i> , 2014, 135, 208-216.  | 2.6  | 81        |
| 27 | Enhanced capacitive deionization of lead ions using air-plasma treated carbon nanotube electrode. <i>Surface and Coatings Technology</i> , 2014, 251, 122-127.  | 2.2  | 58        |
| 28 | Energy from CO <sub>2</sub> using capacitive electrodes – Theoretical outline and calculation of open circuit voltage. <i>Journal of Colloid and Interface Science</i> , 2014, 418, 200-207.                                    | 5.0  | 32        |
| 29 | Desalination at overlimiting currents: State-of-the-art and perspectives. <i>Desalination</i> , 2014, 342, 85-106.  | 4.0  | 301       |
| 30 | Attractive forces in microporous carbon electrodes for capacitive deionization. <i>Journal of Solid State Electrochemistry</i> , 2014, 18, 1365-1376.   | 1.2  | 256       |
| 31 | Electrochemical Desalination for a Sustainable Water Future. <i>ChemElectroChem</i> , 2014, 1, 850-857.   | 1.7  | 37        |
| 32 | Capacitive deionization concept based on suspension electrodes without ion exchange membranes. <i>Electrochemistry Communications</i> , 2014, 43, 18-21.  | 2.3  | 109       |
| 33 | Development of multi-walled carbon nanotube/poly(vinyl alcohol) composite as electrode for capacitive deionization. <i>Separation and Purification Technology</i> , 2014, 130, 7-14.  | 3.9  | 74        |
| 34 | Enhanced desalination efficiency in modified membrane capacitive deionization by introducing ion-exchange polymers in carbon nanotubes electrodes. <i>Electrochimica Acta</i> , 2014, 130, 619-624.                             | 2.6  | 118       |
| 35 | Application of Capacitive Deionisation in water desalination: A review. <i>Desalination</i> , 2014, 342, 3-15.  | 4.0  | 413       |
| 36 | Water and chemical savings in cooling towers by using membrane capacitive deionization. <i>Desalination</i> , 2014, 342, 148-155.   | 4.0  | 62        |
| 37 | Graphitization as a Universal Tool to Tailor the Potential-Dependent Capacitance of Carbon Supercapacitors. <i>Advanced Energy Materials</i> , 2014, 4, 1400316.  | 10.2 | 201       |
| 38 | ZnCl <sub>2</sub> activated electrospun carbon nanofiber for capacitive desalination. <i>Desalination</i> , 2014, 344, 446-453.   | 4.0  | 79        |
| 39 | Design of graphene-coated hollow mesoporous carbon spheres as high performance electrodes for capacitive deionization. <i>Journal of Materials Chemistry A</i> , 2014, 2, 4739-4750.  | 5.2  | 325       |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 40 | Carbon nanorods derived from natural based nanocrystalline cellulose for highly efficient capacitive deionization. <i>Journal of Materials Chemistry A</i> , 2014, 2, 20966-20972.   | 5.2  | 24        |
| 41 | Performance of a mixing entropy battery alternately flushed with wastewater effluent and seawater for recovery of salinity-gradient energy. <i>Energy and Environmental Science</i> , 2014, 7, 2295-2300.  | 15.6 | 56        |
| 42 | Carbon aerogels electrode with reduced graphene oxide additive for capacitive deionization with enhanced performance. <i>Inorganic Chemistry Frontiers</i> , 2014, 1, 249.   | 3.0  | 55        |
| 43 | Using Flow Electrodes in Multiple Reactors in Series for Continuous Energy Generation from Capacitive Mixing. <i>Environmental Science and Technology Letters</i> , 2014, 1, 474-478.  | 3.9  | 58        |
| 44 | Determination of the electrode potential causing Faradaic reactions in membrane capacitive deionization. <i>Desalination</i> , 2014, 347, 224-229.   | 4.0  | 72        |
| 45 | Enhancement in Ion Adsorption Rate and Desalination Efficiency in a Capacitive Deionization Cell through Improved Electric Field Distribution Using Electrodes Composed of Activated Carbon Cloth Coated with Zinc Oxide Nanorods. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 10113-10120. | 4.0  | 55        |
| 46 | Dependence of the Capacitive Deionization Performance on Potential of Zero Charge Shifting of Carbon Xerogel Electrodes during Long-Term Operation. <i>Journal of the Electrochemical Society</i> , 2014, 161, E159-E166.  | 1.3  | 92        |
| 47 | Improving desalination by coupling membrane capacitive deionization with microbial desalination cell. <i>Desalination</i> , 2014, 354, 23-29.  | 4.0  | 32        |
| 48 | Polypyrrole/carbon nanotube composites as cathode material for performance enhancing of capacitive deionization technology. <i>Desalination</i> , 2014, 354, 62-67.  | 4.0  | 54        |
| 49 | Comparison of salt adsorption capacity and energy consumption between constant current and constant voltage operation in capacitive deionization. <i>Desalination</i> , 2014, 352, 52-57.  | 4.0  | 116       |
| 50 | Hybrid capacitive deionization to enhance the desalination performance of capacitive techniques. <i>Energy and Environmental Science</i> , 2014, 7, 3683-3689.   | 15.6 | 517       |
| 51 | Modification of the surface of activated carbon electrodes for capacitive mixing energy extraction from salinity differences. <i>Journal of Colloid and Interface Science</i> , 2014, 436, 146-153.  | 5.0  | 48        |
| 52 | Extraction of Energy from Small Thermal Differences near Room Temperature Using Capacitive Membrane Technology. <i>Environmental Science and Technology Letters</i> , 2014, 1, 356-360.  | 3.9  | 29        |
| 53 | Improved electro-assisted removal of phosphates and nitrates using mesoporous carbon aerogels with controlled porosity. <i>Journal of Applied Electrochemistry</i> , 2014, 44, 963-976.  | 1.5  | 26        |
| 54 | Potential Sweep Method to Evaluate Rate Capability in Capacitive Deionization. <i>Electrochimica Acta</i> , 2014, 139, 374-380.  | 2.6  | 20        |
| 55 | Asymmetric Electrode Configuration for Enhanced Membrane Capacitive Deionization. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 12640-12649.  | 4.0  | 176       |
| 56 | Ring Current Effects: Factors Affecting the NMR Chemical Shift of Molecules Adsorbed on Porous Carbons. <i>Journal of Physical Chemistry C</i> , 2014, 118, 7508-7514.   | 1.5  | 110       |
| 57 | Effect of pH waves on capacitive charging in microfluidic flow channels. <i>Ionics</i> , 2014, 20, 1315-1322.  | 1.2  | 4         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 58 | Preparation and characterization of cross-linked quaternised polyvinyl alcohol membrane/activated carbon composite electrode for membrane capacitive deionization. <i>Desalination</i> , 2014, 354, 107-115.                           | 4.0 | 60        |
| 59 | Enhanced Charging Kinetics of Porous Electrodes: Surface Conduction as a Short-Circuit Mechanism. <i>Physical Review Letters</i> , 2014, 113, 097701.  | 2.9 | 63        |
| 60 | Energy minimization in monoethanolamine-based CO <sub>2</sub> capture using capacitive deionization. <i>International Journal of Energy Research</i> , 2014, 38, 1531-1540.  | 2.2 | 39        |
| 61 | Cathode catalyst layers with ionomer to carbon mass ratios in the range 0-2 studied by electrochemical impedance spectroscopy, cyclic voltammetry, and performance measurements. <i>Journal of Power Sources</i> , 2014, 272, 735-742. | 4.0 | 10        |
| 62 | Enhancement of charge efficiency for a capacitive deionization cell using carbon xerogel with modified potential of zero charge. <i>Electrochemistry Communications</i> , 2014, 39, 22-25.   | 2.3 | 91        |
| 63 | Evaluating capacitive deionization for water desalination by direct determination of chloride ions. <i>Desalination</i> , 2014, 344, 396-401.  | 4.0 | 11        |
| 64 | Modeling the capacitive deionization batch mode operation for desalination. <i>Journal of Industrial and Engineering Chemistry</i> , 2014, 20, 3356-3360.  | 2.9 | 26        |
| 65 | Highly porous carbon spheres for electrochemical capacitors and capacitive flowable suspension electrodes. <i>Carbon</i> , 2014, 77, 155-164.  | 5.4 | 148       |
| 66 | Hybrid Reverse Osmosis-Capacitive Deionization versus Two-Stage Reverse Osmosis: A Comparative Analysis. <i>Chemical Engineering and Technology</i> , 2014, 37, 1137-1145.   | 0.9 | 18        |
| 67 | Electrospun Composites Made of Reduced Graphene Oxide and Activated Carbon Nanofibers for Capacitive Deionization. <i>Electrochimica Acta</i> , 2014, 137, 388-394.  | 2.6 | 115       |
| 68 | In Situ Spatially and Temporally Resolved Measurements of Salt Concentration between Charging Porous Electrodes for Desalination by Capacitive Deionization. <i>Environmental Science &amp; Technology</i> , 2014, 48, 2008-2015.      | 4.6 | 65        |
| 69 | Carbon flow electrodes for continuous operation of capacitive deionization and capacitive mixing energy generation. <i>Journal of Materials Chemistry A</i> , 2014, 2, 9313.   | 5.2 | 233       |
| 70 | Capacitive deionization of seawater effected by nano Ag and Ag@C on graphene. <i>Marine Pollution Bulletin</i> , 2014, 85, 733-737.  | 2.3 | 24        |
| 71 | Electro-enhanced removal of copper ions from aqueous solutions by capacitive deionization. <i>Journal of Hazardous Materials</i> , 2014, 278, 8-15.  | 6.5 | 142       |
| 72 | Batch mode and continuous desalination of water using flowing carbon deionization (FCDI) technology. <i>Electrochemistry Communications</i> , 2014, 46, 152-156.   | 2.3 | 137       |
| 73 | Exploring the impact of pore size distribution on the performance of carbon electrodes for capacitive deionization. <i>Journal of Colloid and Interface Science</i> , 2014, 430, 93-99.  | 5.0 | 121       |
| 74 | Electrokinetic and Electroconductivity Properties of Filtering Material Aqualat. <i>Procedia Engineering</i> , 2015, 117, 264-272.   | 1.2 | 4         |
| 75 | Optimum ANN empirical model of capacitive deionisation desalination unit. <i>International Journal of Industrial Electronics and Drives</i> , 2015, 2, 116.  | 0.1 | 0         |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 76 | Microwave-Assisted Synthesis of Highly-Crumpled, Few-Layered Graphene and Nitrogen-Doped Graphene for Use as High-Performance Electrodes in Capacitive Deionization. <i>Scientific Reports</i> , 2015, 5, 17503.          | 1.6  | 62        |
| 77 | Toward anti-fouling capacitive deionization by using visible-light reduced TiO <sub>2</sub> /graphene nanocomposites. <i>MRS Communications</i> , 2015, 5, 613-617.   | 0.8  | 21        |
| 78 | Multi-wall carbon nanostructured paper: characterization and potential applications definition. <i>Materials Research Express</i> , 2015, 2, 095601.  | 0.8  | 9         |
| 79 | Sulfonated Graphene as Cation-Selective Coating: A New Strategy for High-Performance Membrane Capacitive Deionization. <i>Advanced Materials Interfaces</i> , 2015, 2, 1500372.   | 1.9  | 75        |
| 80 | Enhanced electrosorption capacity for lead ion removal with polypyrrole and air-plasma activated carbon nanotube composite electrode. <i>Journal of Applied Polymer Science</i> , 2015, 132, .                            | 1.3  | 4         |
| 81 | Capacitive Deionization using Biomass-based Microporous Salt-Templated Heteroatom-Doped Carbons. <i>ChemSusChem</i> , 2015, 8, 1867-1874.   | 3.6  | 104       |
| 82 | Tracking the structural arrangement of ions in carbon supercapacitor nanopores using in situ small-angle X-ray scattering. <i>Energy and Environmental Science</i> , 2015, 8, 1725-1735.                                  | 15.6 | 126       |
| 83 | Rational design and fabrication of graphene/carbon nanotubes hybrid sponge for high-performance capacitive deionization. <i>Journal of Materials Chemistry A</i> , 2015, 3, 13418-13425.                                  | 5.2  | 90        |
| 84 | Influence of chemical structure of dyes on capacitive dye removal from solutions. <i>Electrochimica Acta</i> , 2015, 174, 588-595.  | 2.6  | 34        |
| 85 | Capacitive charging and desalination dynamics of a packed-bed reactor. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 7181-7195.  | 1.3  | 7         |
| 86 | Relation between operating parameters and desalination performance of capacitive deionization with activated carbon electrodes. <i>Environmental Science: Water Research and Technology</i> , 2015, 1, 516-522.           | 1.2  | 22        |
| 87 | Scalable and Continuous Water Deionization by Shock Electrodialysis. <i>Environmental Science and Technology Letters</i> , 2015, 2, 367-372.  | 3.9  | 78        |
| 88 | Synthesis and properties of sodium vinylbenzene sulfonate-grafted poly(vinylidene fluoride) cation exchange membranes for membrane capacitive deionization process. <i>Macromolecular Research</i> , 2015, 23, 1126-1133. | 1.0  | 18        |
| 89 | Estimates of Arab world research productivity associated with desalination: a bibliometric analysis. <i>IDA Journal of Desalination and Water Reuse</i> , 2015, 7, 3-16.  | 0.4  | 15        |
| 90 | Improved desalination by zinc oxide nanorod induced electric field enhancement in capacitive deionization of brackish water. <i>Desalination</i> , 2015, 359, 64-70.  | 4.0  | 53        |
| 91 | Comment on <i>Sponge-Templated Preparation of High Surface Area Graphene with Ultrahigh Capacitive Deionization Performance</i> . <i>Advanced Functional Materials</i> , 2015, 25, 179-181.                               | 7.8  | 23        |
| 92 | Desalination and disinfection of inland brackish ground water in a capacitive deionization cell using nanoporous activated carbon cloth electrodes. <i>Desalination</i> , 2015, 362, 126-132.                             | 4.0  | 80        |
| 93 | Continuous operation of membrane capacitive deionization cells assembled with dissimilar potential of zero charge electrode pairs. <i>Journal of Colloid and Interface Science</i> , 2015, 446, 345-351.                  | 5.0  | 52        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 94  | Activated carbon electrodes: Electrochemical oxidation coupled with desalination for wastewater treatment. <i>Chemosphere</i> , 2015, 125, 205-211.   | 4.2  | 69        |
| 95  | Effect of Oxidation of Carbon Material on Suspension Electrodes for Flow Electrode Capacitive Deionization. <i>Environmental Science &amp; Technology</i> , 2015, 49, 3040-3047.  | 4.6  | 184       |
| 96  | Facile synthesis of novel graphene sponge for high performance capacitive deionization. <i>Scientific Reports</i> , 2015, 5, 8458.  | 1.6  | 174       |
| 97  | Lithium recovery from brine using a $\gamma$ -MnO <sub>2</sub> /activated carbon hybrid supercapacitor system. <i>Chemosphere</i> , 2015, 125, 50-56.   | 4.2  | 154       |
| 98  | Nitrogen-doped porous carbon spheres for highly efficient capacitive deionization. <i>Electrochimica Acta</i> , 2015, 158, 403-409.   | 2.6  | 130       |
| 99  | Towards High-Energy-Density Pseudocapacitive Flowable Electrodes by the Incorporation of Hydroquinone. <i>ChemSusChem</i> , 2015, 8, 835-843.   | 3.6  | 80        |
| 100 | Surface charge enhanced carbon electrodes for stable and efficient capacitive deionization using inverted adsorption-desorption behavior. <i>Energy and Environmental Science</i> , 2015, 8, 897-909.   | 15.6 | 335       |
| 101 | Promising Performance Indicators for Water Desalination and Aqueous Capacitors Obtained by Engineering the Electric Double Layer in Nano-Structured Carbon Electrodes. <i>Journal of Physical Chemistry C</i> , 2015, 119, 3331-3337.   | 1.5  | 22        |
| 102 | Review on carbon-based composite materials for capacitive deionization. <i>RSC Advances</i> , 2015, 5, 15205-15225.   | 1.7  | 319       |
| 103 | Effects of activated carbon characteristics on the electrosorption capacity of titanium dioxide/activated carbon composite electrode materials prepared by a microwave-assisted ionothermal synthesis method. <i>Journal of Colloid and Interface Science</i> , 2015, 446, 352-358. | 5.0  | 27        |
| 104 | Enhancing capacitive deionization performance of electrospun activated carbon nanofibers by coupling with carbon nanotubes. <i>Journal of Colloid and Interface Science</i> , 2015, 446, 373-378.   | 5.0  | 72        |
| 105 | TiO <sub>2</sub> nanorod-intercalated reduced graphene oxide as high performance electrode material for membrane capacitive deionization. <i>Desalination</i> , 2015, 361, 53-64.   | 4.0  | 127       |
| 106 | Theory of the formation of the electric double layer at the ion exchange membrane-solution interface. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 5207-5218.   | 1.3  | 26        |
| 107 | Enhanced capacitive deionization performance of graphene by nitrogen doping. <i>Journal of Colloid and Interface Science</i> , 2015, 445, 143-150.  | 5.0  | 139       |
| 108 | Polyvinylpyrrolidone/polyvinyl butyral composite as a stable binder for castable supercapacitor electrodes in aqueous electrolytes. <i>Journal of Power Sources</i> , 2015, 279, 323-333.   | 4.0  | 51        |
| 109 | Optimization of highly microporous activated carbon preparation from Moso bamboo using central composite design approach. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2015, 50, 266-275.   | 2.7  | 46        |
| 110 | Capacitive deionization on-chip as a method for microfluidic sample preparation. <i>Lab on A Chip</i> , 2015, 15, 1458-1464.  | 3.1  | 17        |
| 111 | Novel nitrogen doped graphene sponge with ultrahigh capacitive deionization performance. <i>Scientific Reports</i> , 2015, 5, 11225.  | 1.6  | 165       |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 112 | Metal-organic framework-derived porous carbon polyhedra for highly efficient capacitive deionization. <i>Chemical Communications</i> , 2015, 51, 12020-12023.   | 2.2  | 196       |
| 113 | Characterization of Resistances of a Capacitive Deionization System. <i>Environmental Science &amp; Technology</i> , 2015, 49, 9699-9706.   | 4.6  | 110       |
| 114 | Nonlinear Viscous Water at Nanoporous Two-Dimensional Interfaces Resists High-Speed Flow through Cooperativity. <i>Nano Letters</i> , 2015, 15, 3939-3944.  | 4.5  | 42        |
| 115 | Single module flow-electrode capacitive deionization for continuous water desalination. <i>Electrochemistry Communications</i> , 2015, 60, 34-37.   | 2.3  | 117       |
| 116 | Highly porous activated carbons from resource-recovered <i>Leucaena leucocephala</i> wood as capacitive deionization electrodes. <i>Chemosphere</i> , 2015, 141, 71-79.                                 | 4.2  | 60        |
| 117 | Capacitive deionization with asymmetric electrodes: Electrode capacitance vs electrode surface area. <i>Electrochimica Acta</i> , 2015, 176, 420-425.   | 2.6  | 21        |
| 118 | Asymmetric capacitive deionization utilizing nitric acid treated activated carbon fiber as the cathode. <i>Electrochimica Acta</i> , 2015, 176, 426-433.  | 2.6  | 130       |
| 119 | Nitrogen-doped carbon nanorods with excellent capacitive deionization ability. <i>Journal of Materials Chemistry A</i> , 2015, 3, 17304-17311.  | 5.2  | 73        |
| 120 | H <sub>2</sub> MoO <sub>3</sub> nanobelts with sea water as electrolyte for high-performance pseudocapacitors and desalination devices. <i>Journal of Materials Chemistry A</i> , 2015, 3, 17217-17223. | 5.2  | 33        |
| 121 | Facile fabrication of porous carbon nanofibers by electrospun PAN/dimethyl sulfone for capacitive deionization. <i>Journal of Materials Chemistry A</i> , 2015, 3, 13827-13834.                         | 5.2  | 79        |
| 122 | Intercalation of cations into partially reduced molybdenum oxide for high-rate pseudocapacitors. <i>Energy Storage Materials</i> , 2015, 1, 1-8.  | 9.5  | 92        |
| 123 | Cost evaluation of large-scale membrane capacitive deionization for biomass hydrolysate desalination. <i>Separation and Purification Technology</i> , 2015, 146, 294-300.                               | 3.9  | 16        |
| 124 | Improved performance in capacitive deionization of activated carbon electrodes with a tunable mesopore and micropore ratio. <i>Desalination</i> , 2015, 367, 60-68.                                     | 4.0  | 215       |
| 125 | Ultra-thin carbon nanofiber networks derived from bacterial cellulose for capacitive deionization. <i>Journal of Materials Chemistry A</i> , 2015, 3, 8693-8700.  | 5.2  | 97        |
| 126 | Effect of a semiconductor dielectric coating on the salt adsorption capacity of a porous electrode in a capacitive deionization cell. <i>Electrochimica Acta</i> , 2015, 166, 329-337.                  | 2.6  | 32        |
| 127 | A study of electrosorption selectivity of anions by activated carbon electrodes in capacitive deionization. <i>Desalination</i> , 2015, 369, 46-50.   | 4.0  | 123       |
| 128 | Environmental applications of graphene-based nanomaterials. <i>Chemical Society Reviews</i> , 2015, 44, 5861-5896.  | 18.7 | 1,236     |
| 129 | Advanced Structural Analysis of Nanoporous Materials by Thermal Response Measurements. <i>Langmuir</i> , 2015, 31, 4040-4047.   | 1.6  | 27        |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 130 | Electrosorption for organic pollutants removal and desalination by graphite and activated carbon fiber composite electrodes. <i>International Journal of Environmental Science and Technology</i> , 2015, 12, 3735-3744. | 1.8  | 13        |
| 131 | Water desalination via capacitive deionization: what is it and what can we expect from it?. <i>Energy and Environmental Science</i> , 2015, 8, 2296-2319.  | 15.6 | 1,273     |
| 132 | Volume Averaging Study of the Capacitive Deionization Process in Homogeneous Porous Media. <i>Transport in Porous Media</i> , 2015, 109, 61-80.  | 1.2  | 19        |
| 133 | Carbon-Based Sorbents with Three-Dimensional Architectures for Water Remediation. <i>Small</i> , 2015, 11, 3319-3336.  | 5.2  | 166       |
| 134 | Nitrogen-doped electrospun reduced graphene oxide-carbon nanofiber composite for capacitive deionization. <i>RSC Advances</i> , 2015, 5, 34117-34124.  | 1.7  | 59        |
| 135 | New Insights into the Structure of Nanoporous Carbons from NMR, Raman, and Pair Distribution Function Analysis. <i>Chemistry of Materials</i> , 2015, 27, 6848-6857.   | 3.2  | 88        |
| 136 | Materials for suspension (semi-solid) electrodes for energy and water technologies. <i>Chemical Society Reviews</i> , 2015, 44, 8664-8687.   | 18.7 | 142       |
| 137 | Electrodeposited MnO <sub>2</sub> For Pseudocapacitive Deionization: Relating Deposition Condition and Electrode Structure to Performance. <i>Electrochimica Acta</i> , 2015, 182, 1008-1018.                            | 2.6  | 17        |
| 138 | Two-Dimensional Porous Electrode Model for Capacitive Deionization. <i>Journal of Physical Chemistry C</i> , 2015, 119, 24681-24694.   | 1.5  | 121       |
| 139 | Holistic Characterization of Carbon Nanotube Membrane for Capacitive Deionization Electrodes Application. <i>Materials Research Society Symposia Proceedings</i> , 2015, 1752, 125-130.                                  | 0.1  | 4         |
| 140 | Microfluidic desalination techniques and their potential applications. <i>Lab on A Chip</i> , 2015, 15, 3428-3438.   | 3.1  | 32        |
| 141 | Fluoride and nitrate removal from brackish groundwaters by batch-mode capacitive deionization. <i>Water Research</i> , 2015, 84, 342-349.  | 5.3  | 185       |
| 142 | Preparation optimization on the coating-type polypyrrole/carbon nanotube composite electrode for capacitive deionization. <i>Electrochimica Acta</i> , 2015, 182, 81-88.   | 2.6  | 29        |
| 143 | Performance investigation of an advanced multi-effect adsorption desalination (MEAD) cycle. <i>Applied Energy</i> , 2015, 159, 469-477.  | 5.1  | 64        |
| 144 | Desalination stability of capacitive deionization using ordered mesoporous carbon: Effect of oxygen-containing surface groups and pore properties. <i>Desalination</i> , 2015, 376, 17-24.                               | 4.0  | 83        |
| 145 | Enhanced Salt Removal in an Inverted Capacitive Deionization Cell Using Amine Modified Microporous Carbon Cathodes. <i>Environmental Science &amp; Technology</i> , 2015, 49, 10920-10926.                               | 4.6  | 162       |
| 146 | Cellulose Derived Graphenic Fibers for Capacitive Desalination of Brackish Water. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 20156-20163.  | 4.0  | 54        |
| 147 | Continuous cycling of an asymmetric capacitive deionization system: An evaluation of the electrode performance and stability. <i>Journal of Environmental Chemical Engineering</i> , 2015, 3, 2358-2367.                 | 3.3  | 36        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 148 | Enhanced desalination performance of membrane capacitive deionization cells by packing the flow chamber with granular activated carbon. <i>Water Research</i> , 2015, 85, 371-376.                               | 5.3 | 83        |
| 149 | A COMPARATIVE THEORETICAL STUDY OF POTENTIAL DISTRIBUTION AND CONDUCTIVITY IN CATION- AND ANION-EXCHANGE NANOPOROUS MEMBRANES FILLED WITH TERNARY ELECTROLYTES. <i>Electrochimica Acta</i> , 2015, 180, 929-938. | 2.6 | 7         |
| 150 | THE DIFFERENTIAL CAPACITANCE OF THE ELECTRIC DOUBLE LAYER IN THE DIFFUSION BOUNDARY LAYER OF ION-EXCHANGE MEMBRANE SYSTEMS. <i>Electrochimica Acta</i> , 2015, 178, 249-258.                                     | 2.6 | 14        |
| 151 | CDI ragone plot as a functional tool to evaluate desalination performance in capacitive deionization. <i>RSC Advances</i> , 2015, 5, 1456-1461.  | 1.7 | 219       |
| 152 | Thermodynamics and kinetics of adsorption of ammonium ions by graphene laminate electrodes in capacitive deionization. <i>Desalination</i> , 2015, 357, 178-188.   | 4.0 | 78        |
| 153 | The effect of the flow-regime, reversal of polarization, and oxygen on the long term stability in capacitive de-ionization processes. <i>Electrochimica Acta</i> , 2015, 153, 106-114.                           | 2.6 | 138       |
| 154 | Water purification by shock electro dialysis: Deionization, filtration, separation, and disinfection. <i>Desalination</i> , 2015, 357, 77-83.  | 4.0 | 101       |
| 155 | Porous carbon spheres via microwave-assisted synthesis for capacitive deionization. <i>Electrochimica Acta</i> , 2015, 151, 489-496.   | 2.6 | 151       |
| 156 | 3D porous graphene with ultrahigh surface area for microscale capacitive deionization. <i>Nano Energy</i> , 2015, 11, 711-718.   | 8.2 | 161       |
| 157 | Recent developments in thermally-driven seawater desalination: Energy efficiency improvement by hybridization of the MED and AD cycles. <i>Desalination</i> , 2015, 356, 255-270.                                | 4.0 | 149       |
| 158 | Supercapacitor devices for energy storage and capacitive dye removal from aqueous solutions. <i>RSC Advances</i> , 2015, 5, 320-327.   | 1.7 | 25        |
| 159 | Graphene-based nanomaterial: The state-of-the-art material for cutting edge desalination technology. <i>Desalination</i> , 2015, 356, 115-128.   | 4.0 | 179       |
| 160 | Capacitive desalination of ZnO/activated carbon asymmetric capacitor and mechanism analysis. <i>Electrochimica Acta</i> , 2015, 151, 312-318.  | 2.6 | 61        |
| 161 | Comparison of constant voltage (CV) and constant current (CC) operation in the membrane capacitive deionisation process. <i>Desalination and Water Treatment</i> , 2015, 56, 921-928.                            | 1.0 | 29        |
| 162 | Enhanced charge efficiency and reduced energy use in capacitive deionization by increasing the discharge voltage. <i>Journal of Colloid and Interface Science</i> , 2015, 446, 317-326.                          | 5.0 | 184       |
| 163 | Capacitive mixing and mixing entropy battery. , 2016, , 181-218.   |     | 6         |
| 164 | Solute Ion Linear Alignment as the Energy Source to Address Aquifer Depletion Fresh Water Scarcity and Sea Level Rise. , 2016, , .   |     | 0         |
| 165 | Synthesis of Porous and Mechanically Compliant Carbon Aerogels Using Conductive and Structural Additives. <i>Gels</i> , 2016, 2, 4.  | 2.1 | 19        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 166 | Hydrogen peroxide generation in flow-mode capacitive deionization. <i>Journal of Electroanalytical Chemistry</i> , 2016, 776, 101-104.   | 1.9 | 60        |
| 167 | Anion-Selective Redox Electrodes: Electrochemically Mediated Separation with Heterogeneous Organometallic Interfaces. <i>Advanced Functional Materials</i> , 2016, 26, 3394-3404.  | 7.8 | 106       |
| 168 | Shuttle-like Porous Carbon Rods from Carbonized Metal-Organic Frameworks for High-Performance Capacitive Deionization. <i>ChemElectroChem</i> , 2016, 3, 993-998.  | 1.7 | 30        |
| 170 | Facile synthesis of novel hierarchically porous carbon derived from nature biomass for enhanced removal of NaCl. <i>Water Science and Technology</i> , 2016, 74, 1821-1831.  | 1.2 | 8         |
| 171 | Ultrasound-assisted preparation of electrospun carbon fiber/graphene electrodes for capacitive deionization: Importance and unique role of electrical conductivity. <i>Carbon</i> , 2016, 103, 311-317.                              | 5.4 | 105       |
| 172 | N-doped hierarchical porous carbon derived from hypercrosslinked diblock copolymer for capacitive deionization. <i>Separation and Purification Technology</i> , 2016, 165, 190-198.  | 3.9 | 77        |
| 173 | Porous carbon hollow spheres synthesized via a modified Stober method for capacitive deionization. <i>RSC Advances</i> , 2016, 6, 53542-53549.   | 1.7 | 35        |
| 174 | Capacitive deionization of ground water using carbon aerogel based electrodes. <i>Desalination and Water Treatment</i> , 2016, 57, 26871-26879.  | 1.0 | 7         |
| 175 | New Operational Modes to Increase Energy Efficiency in Capacitive Deionization Systems. <i>Environmental Science &amp; Technology</i> , 2016, 50, 6053-6060.   | 4.6 | 64        |
| 176 | Structure and electrochemistry comparison of electrospun porous carbon nanofibers for capacitive deionization. <i>Electrochimica Acta</i> , 2016, 210, 171-180.  | 2.6 | 51        |
| 177 | Mn-Containing N-Doped Monolithic Carbon Aerogels with Enhanced Macroporosity as Electrodes for Capacitive Deionization. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 2487-2494.                                       | 3.2 | 32        |
| 178 | Optimization on electrode assemblies based on ion-doped polypyrrole/carbon nanotube composite in capacitive deionization process. <i>Journal of Electroanalytical Chemistry</i> , 2016, 768, 72-80.                                  | 1.9 | 43        |
| 179 | In situ creating interconnected pores across 3D graphene architectures and their application as high performance electrodes for flow-through deionization capacitors. <i>Journal of Materials Chemistry A</i> , 2016, 4, 4908-4919.  | 5.2 | 104       |
| 180 | Electrochemical softening using capacitive deionization (CDI) with zeolite modified carbon electrode (ZMCE). <i>Desalination and Water Treatment</i> , 2016, 57, 24682-24687.  | 1.0 | 5         |
| 181 | Improved capacitive deionization performance of mixed hydrophobic/hydrophilic activated carbon electrodes. <i>Journal of Physics Condensed Matter</i> , 2016, 28, 114003.  | 0.7 | 61        |
| 182 | Na <sub>2</sub> FeP <sub>2</sub> O <sub>7</sub> as a Novel Material for Hybrid Capacitive Deionization. <i>Electrochimica Acta</i> , 2016, 203, 265-271.   | 2.6 | 217       |
| 183 | Fabrication and characterization of TiO <sub>2</sub> -NTs based hollow carbon fibers/carbon film composite electrode with NiO <sub>x</sub> decorated for capacitive application. <i>Journal of Power Sources</i> , 2016, 318, 57-65. | 4.0 | 19        |
| 184 | On-line method to study dynamics of ion adsorption from mixtures of salts in capacitive deionization. <i>Desalination</i> , 2016, 390, 47-52.  | 4.0 | 46        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 185 | Mesoporous generation-inspired ultrahigh capacitive deionization performance by sono-assembled activated carbon/inter-connected graphene network architecture. <i>Electrochimica Acta</i> , 2016, 205, 161-169.                    | 2.6 | 28        |
| 186 | Capacitive deionization with Ca-alginate coated-carbon electrode for hardness control. <i>Desalination</i> , 2016, 392, 46-53.   | 4.0 | 89        |
| 187 | Investigation of fluoride removal from low-salinity groundwater by single-pass constant-voltage capacitive deionization. <i>Water Research</i> , 2016, 99, 112-121.  | 5.3 | 94        |
| 188 | Numerical simulation of electrochemical desalination. <i>Journal of Physics Condensed Matter</i> , 2016, 28, 194001.   | 0.7 | 20        |
| 189 | Modeling the Capacitive Deionization Process in Dual-Porosity Electrodes. <i>Transport in Porous Media</i> , 2016, 113, 173-205.   | 1.2 | 8         |
| 190 | Faradaic Reactions in Water Desalination by Batch-Mode Capacitive Deionization. <i>Environmental Science and Technology Letters</i> , 2016, 3, 222-226.  | 3.9 | 250       |
| 191 | Excellent capacitive deionization performance of meso-carbon microbeads. <i>RSC Advances</i> , 2016, 6, 47285-47291.   | 1.7 | 10        |
| 192 | Fluoride Removal from Brackish Groundwaters by Constant Current Capacitive Deionization (CDI). <i>Environmental Science &amp; Technology</i> , 2016, 50, 10570-10579.  | 4.6 | 80        |
| 193 | Flexible 3D Nanoporous Graphene for Desalination and Bio-decontamination of Brackish Water via Asymmetric Capacitive Deionization. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 25313-25325.                           | 4.0 | 123       |
| 194 | A novel process for NH <sub>3</sub> -based CO <sub>2</sub> capture by integrating flow-by capacitive ion separation. <i>International Journal of Greenhouse Gas Control</i> , 2016, 54, 50-58.                                     | 2.3 | 7         |
| 195 | Energy consumption analysis of constant voltage and constant current operations in capacitive deionization. <i>Desalination</i> , 2016, 400, 18-24.  | 4.0 | 123       |
| 196 | Selective Molecularly Mediated Pseudocapacitive Separation of Ionic Species in Solution. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 32743-32753.   | 4.0 | 44        |
| 197 | Influence of Metal Oxide Coatings on the Microstructural and Electrochemical Properties of Different Carbon Materials. <i>Journal of the Electrochemical Society</i> , 2016, 163, A2733-A2744.                                     | 1.3 | 16        |
| 198 | Carbon spheres with hierarchical micro/mesopores for water desalination by capacitive deionization. <i>Journal of Materials Chemistry A</i> , 2016, 4, 16094-16100.  | 5.2 | 56        |
| 199 | An asymmetrical activated carbon electrode configuration for increased pore utilization in a membrane-assisted capacitive deionization system. <i>New Carbon Materials</i> , 2016, 31, 378-385.                                    | 2.9 | 5         |
| 200 | Hierarchically ordered mesoporous carbons and silver nanoparticles as asymmetric electrodes for highly efficient capacitive deionization. <i>Desalination</i> , 2016, 398, 171-179.  | 4.0 | 59        |
| 201 | Performance of single carbon granules as perspective for larger scale capacitive bioanodes. <i>Journal of Power Sources</i> , 2016, 325, 690-696.  | 4.0 | 66        |
| 202 | On the correlation between the porous structure and the electrochemical response of powdered and monolithic carbon aerogels as electrodes for capacitive deionization. <i>Journal of Solid State Chemistry</i> , 2016, 242, 21-28. | 1.4 | 14        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 203 | From metal-organic frameworks to porous carbons: A promising strategy to prepare high-performance electrode materials for capacitive deionization. <i>Carbon</i> , 2016, 108, 433-439.                     | 5.4 | 104       |
| 204 | Surface-modified spherical activated carbon for high carbon loading and its desalting performance in flow-electrode capacitive deionization. <i>RSC Advances</i> , 2016, 6, 69720-69727.                   | 1.7 | 91        |
| 205 | Surface Modified Carbons as Scavengers for Fluoride from Water. , 2016, , .  |     | 9         |
| 206 | Methods of Defluoridation: Adsorption and Regeneration of Adsorbents. , 2016, , 63-92.   |     | 2         |
| 207 | Life cycle assessment of environmental impacts and energy demand for capacitive deionization technology. <i>Desalination</i> , 2016, 399, 53-60.   | 4.0 | 72        |
| 208 | Review on carbon-based electrode materials for application in capacitive deionization process. <i>International Journal of Environmental Science and Technology</i> , 2016, 13, 2961-2976.                 | 1.8 | 74        |
| 209 | Development of Redox-Active Flow Electrodes for High-Performance Capacitive Deionization. <i>Environmental Science &amp; Technology</i> , 2016, 50, 13495-13501.   | 4.6 | 122       |
| 210 | Capacitive neutralization deionization with flow electrodes. <i>Electrochimica Acta</i> , 2016, 216, 211-218.  | 2.6 | 34        |
| 211 | Electrochemical Quartz Crystal Microbalance with Dissipation Real-Time Hydrodynamic Spectroscopy of Porous Solids in Contact with Liquids. <i>Analytical Chemistry</i> , 2016, 88, 10151-10157.            | 3.2 | 22        |
| 212 | Energy Consumption in Batch-Mode Capacitive Deionization. <i>Materials Science Forum</i> , 2016, 868, 43-49.   | 0.3 | 1         |
| 213 | Porous MnO <sub>x</sub> Covered Electrospun Carbon Nanofiber for Capacitive Deionization. <i>Journal of the Electrochemical Society</i> , 2016, 163, A2515-A2523.  | 1.3 | 31        |
| 214 | Direct energy recovery system for membrane capacitive deionization. <i>Desalination</i> , 2016, 398, 144-150.  | 4.0 | 98        |
| 215 | Electrodeposited Manganese Dioxide/Activated Carbon Composite As a High-Performance Electrode Material for Capacitive Deionization. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 4762-4770. | 3.2 | 119       |
| 216 | Improved capacitive deionization performance by coupling TiO <sub>2</sub> nanoparticles with carbon nanotubes. <i>Separation and Purification Technology</i> , 2016, 171, 93-100.                          | 3.9 | 51        |
| 217 | Uniform carbon hollow sphere for highly efficient electrosorption. <i>Journal of Porous Materials</i> , 2016, 23, 1575-1580.   | 1.3 | 11        |
| 218 | Optimal Electrode Mass Ratio in Nanoporous Carbon Electrochemical Supercapacitors. <i>Journal of Physical Chemistry C</i> , 2016, 120, 27925-27933.  | 1.5 | 9         |
| 219 | The Origins of Low Efficiency in Electrochemical De-Ionization Systems. <i>Journal of the Electrochemical Society</i> , 2016, 163, E363-E371.  | 1.3 | 22        |
| 220 | High performance stability of titania decorated carbon for desalination with capacitive deionization in oxygenated water. <i>RSC Advances</i> , 2016, 6, 106081-106089.                                    | 1.7 | 32        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 221 | Ultrahigh Performance of Novel Capacitive Deionization Electrodes based on A Three-Dimensional Graphene Architecture with Nanopores. Scientific Reports, 2016, 6, 18966.   | 1.6 | 105       |
| 222 | Electrospun carbon nanofibers reinforced 3D porous carbon polyhedra network derived from metal-organic frameworks for capacitive deionization. Scientific Reports, 2016, 6, 32784.                                       | 1.6 | 48        |
| 223 | Suspension Electrodes Combining Slurries and Upflow Fluidized Beds. ChemSusChem, 2016, 9, 3045-3048.   | 3.6 | 31        |
| 224 | Side Reactions in Capacitive Deionization (CDI) Processes: The Role of Oxygen Reduction. Electrochimica Acta, 2016, 220, 285-295.  | 2.6 | 99        |
| 225 | MXene as a novel intercalation-type pseudocapacitive cathode and anode for capacitive deionization. Journal of Materials Chemistry A, 2016, 4, 18265-18271.  | 5.2 | 358       |
| 226 | Enhanced salt-removal percentage in capacitive deionization with addition of ion-exchange membrane using carbon electrode synthesized with freezing thawing method. AIP Conference Proceedings, 2016, , .                | 0.3 | 1         |
| 227 | Water Treatment by Electromembrane Processes. , 2016, , 181-214.   |     | 4         |
| 228 | Cluster-associated filling of water molecules in graphene-based mesopores. Adsorption, 2016, 22, 1035-1042.  | 1.4 | 4         |
| 229 | Moderately oxidized graphene-carbon nanotubes hybrid for high performance capacitive deionization. RSC Advances, 2016, 6, 58907-58915.   | 1.7 | 37        |
| 230 | The Carbon-Water Interface: Modeling Challenges and Opportunities for the Water-Energy Nexus. Annual Review of Chemical and Biomolecular Engineering, 2016, 7, 533-556.  | 3.3 | 72        |
| 231 | Nitrogen-doped porous carbon derived from a bimetallic metal-organic framework as highly efficient electrodes for flow-through deionization capacitors. Journal of Materials Chemistry A, 2016, 4, 10858-10868.          | 5.2 | 164       |
| 232 | Creating 3D Hierarchical Carbon Architectures with Micro-, Meso-, and Macropores via a Simple Self-Blowing Strategy for a Flow-through Deionization Capacitor. ACS Applied Materials & Interfaces, 2016, 8, 18027-18035. | 4.0 | 103       |
| 233 | On the challenge of developing wastewater treatment processes: capacitive deionization. Desalination and Water Treatment, 2016, 57, 2315-2324.   | 1.0 | 9         |
| 234 | Capacitive Deionization for Desalination Using Nanostructured Electrodes. Analytical Letters, 2016, 49, 1641-1655.   | 1.0 | 25        |
| 235 | Capacitive deionization in organic solutions: case study using propylene carbonate. RSC Advances, 2016, 6, 5865-5870.  | 1.7 | 29        |
| 236 | Hydrothermally synthesized graphene and Fe <sub>3</sub> O <sub>4</sub> nanocomposites for high performance capacitive deionization. RSC Advances, 2016, 6, 11967-11972.  | 1.7 | 52        |
| 237 | A flexible cotton-derived carbon sponge for high-performance capacitive deionization. Carbon, 2016, 101, 1-8.  | 5.4 | 100       |
| 238 | Effect of electrode properties and operational parameters on capacitive deionization using low-cost commercial carbons. Separation and Purification Technology, 2016, 158, 39-52.  | 3.9 | 41        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 239 | Review on carbon nanotubes and carbon nanotube bundles for gas/ion separation and water purification studied by molecular dynamics simulation. <i>International Journal of Environmental Science and Technology</i> , 2016, 13, 457-470. | 1.8 | 31        |
| 240 | Carbon aerogels through organo-inorganic co-assembly and their application in water desalination by capacitive deionization. <i>Carbon</i> , 2016, 99, 375-383.  | 5.4 | 134       |
| 241 | Effect of activated biochar porous structure on the capacitive deionization of NaCl and ZnCl <sub>2</sub> solutions. <i>Microporous and Mesoporous Materials</i> , 2016, 224, 217-228.   | 2.2 | 75        |
| 242 | Design and fabrication of mesoporous graphene via carbothermal reaction for highly efficient capacitive deionization. <i>Electrochimica Acta</i> , 2016, 188, 406-413.   | 2.6 | 68        |
| 243 | Solar light reduced Graphene as high energy density supercapacitor and capacitive deionization electrode. <i>Electrochimica Acta</i> , 2016, 209, 719-729.   | 2.6 | 56        |
| 244 | Enhanced capacitive deionization performance with carbon electrodes prepared with a modified evaporation casting method. <i>Desalination</i> , 2016, 386, 32-38.   | 4.0 | 23        |
| 245 | Hierarchical hybrids with microporous carbon spheres decorated three-dimensional graphene frameworks for capacitive applications in supercapacitor and deionization. <i>Electrochimica Acta</i> , 2016, 193, 88-95.                      | 2.6 | 285       |
| 246 | Electrospinning: a facile technique for fabricating functional nanofibers for environmental applications. <i>Nanotechnology Reviews</i> , 2016, 5, .   | 2.6 | 60        |
| 247 | High capacity and high rate capability of nitrogen-doped porous hollow carbon spheres for capacitive deionization. <i>Applied Surface Science</i> , 2016, 369, 460-469.  | 3.1 | 126       |
| 248 | Membrane Desalination: Where Are We, and What Can We Learn from Fundamentals?. <i>Annual Review of Chemical and Biomolecular Engineering</i> , 2016, 7, 29-64.   | 3.3 | 50        |
| 249 | Na-Ion Desalination (NID) Enabled by Na-Blocking Membranes and Symmetric Na-Intercalation: Porous-Electrode Modeling. <i>Journal of the Electrochemical Society</i> , 2016, 163, A530-A539.  | 1.3 | 144       |
| 250 | Energy-Recovery Optimization of an Experimental CDI Desalination System. <i>IEEE Transactions on Industrial Electronics</i> , 2016, 63, 1586-1597.   | 5.2 | 12        |
| 251 | Metal-organic framework-engaged formation of a hierarchical hybrid with carbon nanotube inserted porous carbon polyhedra for highly efficient capacitive deionization. <i>Journal of Materials Chemistry A</i> , 2016, 4, 5467-5473.     | 5.2 | 117       |
| 252 | Electrospun porous hierarchical carbon nanofibers with tailored structures for supercapacitors and capacitive deionization. <i>New Journal of Chemistry</i> , 2016, 40, 3786-3792.   | 1.4 | 51        |
| 253 | Novel <i>in situ</i> multiharmonic EQCM-D approach to characterize complex carbon pore architectures for capacitive deionization of brackish water. <i>Journal of Physics Condensed Matter</i> , 2016, 28, 114001.                       | 0.7 | 23        |
| 254 | Application of a multiwalled carbon nanotube-chitosan composite as an electrode in the electrosorption process for water purification. <i>Chemosphere</i> , 2016, 146, 113-120.  | 4.2 | 64        |
| 255 | Using activated carbon fiber separators to enhance the desalination rate of membrane capacitive deionization. <i>Desalination</i> , 2016, 381, 95-99.  | 4.0 | 48        |
| 256 | Design and fabrication of a graphene/carbon nanotubes/activated carbon hybrid and its application for capacitive deionization. <i>RSC Advances</i> , 2016, 6, 5817-5823.   | 1.7 | 37        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 257 | Hybrid CV-CC operation of capacitive deionization in comparison with constant current and constant voltage. <i>Separation Science and Technology</i> , 2016, 51, 1063-1069.   | 1.3  | 19        |
| 258 | Li-ion doped graphene/carbon nanofiber porous architectures for electrochemical capacitive desalination. <i>Desalination</i> , 2016, 379, 118-125.  | 4.0  | 17        |
| 259 | Application of poly(vinyl alcohol) and polysulfone based ionic exchange polymers to membrane capacitive deionization for the removal of mono- and divalent salts. <i>Separation and Purification Technology</i> , 2016, 157, 45-52. | 3.9  | 34        |
| 260 | Occurrence of re-adsorption in desorption cycles of capacitive deionization. <i>Journal of Industrial and Engineering Chemistry</i> , 2016, 34, 180-185.  | 2.9  | 27        |
| 261 | Comparative insight into the capacitive deionization behavior of the activated carbon electrodes by two electrochemical techniques. <i>Desalination</i> , 2016, 379, 34-41.   | 4.0  | 46        |
| 262 | Influence of surfactant fouling on rejection of trace nuclides and boron by reverse osmosis. <i>Desalination</i> , 2016, 377, 47-53.  | 4.0  | 18        |
| 263 | Individual and competitive removal of heavy metals using capacitive deionization. <i>Journal of Hazardous Materials</i> , 2016, 302, 323-331.   | 6.5  | 162       |
| 264 | New insights into the mechanism of flow-electrode capacitive deionization. <i>Electrochemistry Communications</i> , 2017, 76, 24-28.  | 2.3  | 92        |
| 265 | Quantification of ion confinement and desolvation in nanoporous carbon supercapacitors with modelling and in situ X-ray scattering. <i>Nature Energy</i> , 2017, 2, .   | 19.8 | 210       |
| 266 | Nitrogen recovery from low-strength wastewater by combined membrane capacitive deionization (MCDI) and ion exchange (IE) process. <i>Chemical Engineering Journal</i> , 2017, 316, 1-6.   | 6.6  | 88        |
| 267 | A protic salt-derived porous carbon for efficient capacitive deionization: Balance between porous structure and chemical composition. <i>Carbon</i> , 2017, 116, 21-32.   | 5.4  | 82        |
| 268 | Predicting Salt Permeability Coefficients in Highly Swollen, Highly Charged Ion Exchange Membranes. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 4044-4056.   | 4.0  | 126       |
| 269 | Removal of NaCl from saltwater solutions using micro/mesoporous carbon sheets derived from watermelon peel via deionization capacitors. <i>RSC Advances</i> , 2017, 7, 4297-4305.   | 1.7  | 64        |
| 270 | Hydrogen-treated, sub-micrometer carbon beads for fast capacitive deionization with high performance stability. <i>Carbon</i> , 2017, 117, 46-54.   | 5.4  | 50        |
| 271 | Bimetallic metal-organic framework derived porous carbon nanostructures for high performance membrane capacitive desalination. <i>Journal of Materials Chemistry A</i> , 2017, 5, 6113-6121.  | 5.2  | 98        |
| 272 | Nanotechnology for sustainable food production: promising opportunities and scientific challenges. <i>Environmental Science: Nano</i> , 2017, 4, 767-781.   | 2.2  | 202       |
| 273 | Electrosorption of monovalent alkaline metal ions onto highly ordered mesoporous titanium dioxide nanotube electrodes. <i>Electrochimica Acta</i> , 2017, 231, 632-640.   | 2.6  | 4         |
| 274 | Comment on "Ultra-high Desalination Performance of Asymmetric Flow-Electrode Capacitive Deionization Device with an Improved Operation Voltage of 1.8 V". <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 2035-2036.    | 3.2  | 3         |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 275 | Study the effect of active carbon modified using HNO <sub>3</sub> for carbon electrodes in capacitive deionization system. AIP Conference Proceedings, 2017, , .   | 0.3  | 2         |
| 276 | Hydrated proton self-diffusion study in ion-exchange membranes by MRI and impedance spectroscopy. Polymer Bulletin, 2017, 74, 4437-4452.   | 1.7  | 10        |
| 277 | Capacitive Deionization Using Alternating Polarization: Effect of Surface Charge on Salt Removal. Electrochimica Acta, 2017, 233, 249-255.   | 2.6  | 51        |
| 278 | Structured and Surface-Modified Carbon Xerogel Electrodes for Capacitive Deionization. , 2017, , 1-23.   |      | 0         |
| 279 | Contaminant Removal from Source Waters Using Cathodic Electrochemical Membrane Filtration: Mechanisms and Implications. Environmental Science & Technology, 2017, 51, 2757-2765.   | 4.6  | 76        |
| 280 | Creating Nitrogen-Doped Hollow Multiyolk@Shell Carbon as High Performance Electrodes for Flow-Through Deionization Capacitors. ACS Sustainable Chemistry and Engineering, 2017, 5, 3329-3338.  | 3.2  | 69        |
| 281 | Surface transport processes in charged porous media. Journal of Colloid and Interface Science, 2017, 498, 91-104.  | 5.0  | 5         |
| 282 | Fabrication of graphene/activated carbon nanofiber composites for high performance capacitive deionization. Journal of the Taiwan Institute of Chemical Engineers, 2017, 72, 213-219.  | 2.7  | 34        |
| 283 | Use of Soft Electrodes in Capacitive Deionization of Solutions. Environmental Science & Technology, 2017, 51, 5326-5333.   | 4.6  | 40        |
| 284 | Flowing suspensions of carbon black with high electronic conductivity for flow applications: Comparison between carbons black and exhibition of specific aggregation of carbon particles. Carbon, 2017, 119, 10-20.                              | 5.4  | 65        |
| 285 | A review of the management and treatment of brine solutions. Environmental Science: Water Research and Technology, 2017, 3, 625-658.   | 1.2  | 113       |
| 286 | Performance optimization of integrated electrochemical capacitive deionization and reverse electro dialysis model through a series pass desorption process. Journal of Electroanalytical Chemistry, 2017, 795, 41-50.                            | 1.9  | 16        |
| 287 | Electrochemical Activation of Graphene at Low Temperature: The Synthesis of Three-Dimensional Nanoarchitectures for High Performance Supercapacitors and Capacitive Deionization. ACS Sustainable Chemistry and Engineering, 2017, 5, 4573-4581. | 3.2  | 49        |
| 288 | Geometrical properties of materials for energy production by salinity exchange. Environmental Chemistry, 2017, 14, 279.  | 0.7  | 13        |
| 289 | Asymmetric Faradaic systems for selective electrochemical separations. Energy and Environmental Science, 2017, 10, 1272-1283.  | 15.6 | 143       |
| 290 | <i>In Situ</i> Expanding Pores of Dodecahedron-like Carbon Frameworks Derived from MOFs for Enhanced Capacitive Deionization. ACS Applied Materials & Interfaces, 2017, 9, 15068-15078.  | 4.0  | 134       |
| 291 | Quasi- <i>Steady-State</i> Polarization Reveals the Interplay of Capacitive and Faradaic Processes in Capacitive Deionization. ChemElectroChem, 2017, 4, 2404-2413.  | 1.7  | 47        |
| 292 | A novel three-dimensional desalination system utilizing honeycomb-shaped lattice structures for flow-electrode capacitive deionization. Energy and Environmental Science, 2017, 10, 1746-1750.   | 15.6 | 114       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 293 | Review Article: Flow battery systems with solid electroactive materials. Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics, 2017, 35, .   | 0.6 | 45        |
| 294 | Comparison of Faradaic reactions in capacitive deionization (CDI) and membrane capacitive deionization (MCDI) water treatment processes. Water Research, 2017, 120, 229-237.  | 5.3 | 242       |
| 295 | Incorporation of ion and solvent structure into mean-field modeling of the electric double layer. Advances in Colloid and Interface Science, 2017, 249, 220-233.  | 7.0 | 67        |
| 296 | Effect of increasing electrical conductivity and hydrophilicity on the electrosorption capacity of activated carbon electrodes for capacitive deionization. Desalination, 2017, 415, 14-19.                                   | 4.0 | 67        |
| 297 | Rocking Chair Desalination Battery Based on Prussian Blue Electrodes. ACS Omega, 2017, 2, 1653-1659.  | 1.6 | 216       |
| 298 | Combined Electrosorption and Chemisorption of As(V) in Water by Using Fe-rGO@AC Electrode. ACS Sustainable Chemistry and Engineering, 2017, 5, 6532-6538.   | 3.2 | 50        |
| 299 | Improvement of MCDI operation and design through experiment and modelling: Regeneration with brine and optimum residence time. Desalination, 2017, 417, 36-51.  | 4.0 | 34        |
| 300 | Effect of Pretreatment of Carbon Based Electrodes in Their Adsorption Performance in Capacitive Deionization. , 2017, , .   |     | 1         |
| 301 | Resin-enhanced rolling activated carbon electrode for efficient capacitive deionization. Desalination, 2017, 419, 20-28.  | 4.0 | 56        |
| 302 | Optimization of sulfate removal from brackish water by membrane capacitive deionization (MCDI). Water Research, 2017, 121, 302-310.   | 5.3 | 101       |
| 303 | N,P-Codoped Meso-/Microporous Carbon Derived from Biomass Materials via a Dual-Activation Strategy as High-Performance Electrodes for Deionization Capacitors. ACS Sustainable Chemistry and Engineering, 2017, 5, 5810-5819. | 3.2 | 138       |
| 304 | Equilibria model for pH variations and ion adsorption in capacitive deionization electrodes. Water Research, 2017, 122, 387-397.  | 5.3 | 46        |
| 305 | A dual-ion electrochemistry deionization system based on AgCl-Na <sub>0.44</sub> MnO <sub>2</sub> electrodes. Nanoscale, 2017, 9, 10101-10108.  | 2.8 | 137       |
| 306 | Electro-sorption of ammonium by a modified membrane capacitive deionization unit. Separation Science and Technology, 2017, 52, 2591-2599.   | 1.3 | 10        |
| 307 | Current-Generating Double-Layer Shoe with a Porous Sole: Ion Transport Matters. Journal of Physical Chemistry C, 2017, 121, 7584-7595.  | 1.5 | 13        |
| 308 | The effect of surface transport on water desalination by porous electrodes undergoing capacitive charging. Journal of Physics Condensed Matter, 2017, 29, 084003.   | 0.7 | 10        |
| 309 | Functionalization of biomass carbonaceous aerogels and their application as electrode materials for electro-enhanced recovery of metal ions. Environmental Science: Nano, 2017, 4, 1114-1123.                                 | 2.2 | 60        |
| 310 | Theory of linear sweep voltammetry with diffuse charge: Unsupported electrolytes, thin films, and leaky membranes. Physical Review E, 2017, 95, 033303.   | 0.8 | 35        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 311 | Development of a Resin Wafer Electrodeionization Process for Impaired Water Desalination with High Energy Efficiency and Productivity. ACS Sustainable Chemistry and Engineering, 2017, 5, 2942-2948.                      | 3.2  | 60        |
| 312 | Corrugated graphene layers for sea water desalination using capacitive deionization. Physical Chemistry Chemical Physics, 2017, 19, 8552-8562.   | 1.3  | 30        |
| 313 | Flow-Electrode Capacitive Deionization for Double Displacement Reactions. ACS Sustainable Chemistry and Engineering, 2017, 5, 3906-3912.   | 3.2  | 39        |
| 314 | High microporosity of carbide-derived carbon prepared from a vacuum-treated precursor for energy storage devices. Carbon, 2017, 118, 327-338.  | 5.4  | 11        |
| 315 | Enhancing capacitive deionization technology as an effective method for water treatment using commercially available graphene. Water Science and Technology, 2017, 75, 643-649.  | 1.2  | 6         |
| 316 | Highly porous N-doped graphene nanosheets for rapid removal of heavy metals from water by capacitive deionization. Chemical Communications, 2017, 53, 881-884.   | 2.2  | 84        |
| 317 | Nafion-AC-based asymmetric capacitive deionization. Electrochimica Acta, 2017, 225, 407-415.   | 2.6  | 53        |
| 318 | Enhanced performance stability of carbon/titania hybrid electrodes during capacitive deionization of oxygen saturated saline water. Electrochimica Acta, 2017, 224, 314-328.   | 2.6  | 98        |
| 319 | Recent trends in removal and recovery of heavy metals from wastewater by electrochemical technologies. Reviews in Chemical Engineering, 2017, 33, .  | 2.3  | 59        |
| 320 | Supercapacitive microbial desalination cells: New class of power generating devices for reduction of salinity content. Applied Energy, 2017, 208, 25-36.   | 5.1  | 43        |
| 321 | Cocoon derived nitrogen enriched activated carbon fiber networks for capacitive deionization. Journal of Electroanalytical Chemistry, 2017, 804, 179-184.  | 1.9  | 47        |
| 322 | Optimization of the voltage window for long-term capacitive deionization stability. Desalination, 2017, 424, 53-61.  | 4.0  | 67        |
| 323 | Ion Transport and Competition Effects on $\text{NaTi}_2(\text{PO}_4)_3$ and $\text{Na}_4\text{Mn}_9\text{O}_{18}$ Selective Insertion Electrode Performance. Langmuir, 2017, 33, 12580-12591.                              | 1.6  | 32        |
| 324 | Hybrid capacitive deionization with Ag coated carbon composite electrode. Desalination, 2017, 422, 42-48.  | 4.0  | 110       |
| 325 | A Prussian blue anode for high performance electrochemical deionization promoted by the faradaic mechanism. Nanoscale, 2017, 9, 13305-13312.   | 2.8  | 165       |
| 326 | Partial breaking of the Coulombic ordering of ionic liquids confined in carbon nanopores. Nature Materials, 2017, 16, 1225-1232.   | 13.3 | 219       |
| 327 | Several orders of magnitude increase in the hydraulic permeability of flow-through capacitive deionization electrodes via laser perforations. RSC Advances, 2017, 7, 21308-21313.  | 1.7  | 21        |
| 329 | Characterizing the Impacts of Deposition Techniques on the Performance of $\text{MnO}_2$ Cathodes for Sodium Electrosorption in Hybrid Capacitive Deionization. Environmental Science & Technology, 2017, 51, 12027-12034. | 4.6  | 72        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 330 | Fabrication of N-doped &SnO <sub>2</sub> -incorporated activated carbon to enhance desalination and bio-decontamination performance for capacitive deionization. <i>Journal of Alloys and Compounds</i> , 2017, 729, 764-775.                        | 2.8 | 43        |
| 331 | Low Energy Desalination Using Battery Electrode Deionization. <i>Environmental Science and Technology Letters</i> , 2017, 4, 444-449.  | 3.9 | 224       |
| 332 | Electrochemical selective ion separation in capacitive deionization with sodium manganese oxide. <i>Journal of Colloid and Interface Science</i> , 2017, 506, 644-648.   | 5.0 | 99        |
| 333 | Electrosorption at functional interfaces: from molecular-level interactions to electrochemical cell design. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 23570-23584.  | 1.3 | 71        |
| 334 | Concentration-Gradient Multichannel Flow-Stream Membrane Capacitive Deionization Cell for High Desalination Capacity of Carbon Electrodes. <i>ChemSusChem</i> , 2017, 10, 4914-4920.   | 3.6 | 69        |
| 335 | Pseudocapacitive Desalination of Brackish Water and Seawater with Vanadium-Pentoxide-Decorated Multiwalled Carbon Nanotubes. <i>ChemSusChem</i> , 2017, 10, 3611-3623.   | 3.6 | 89        |
| 337 | Enhancement of Zn <sup>2+</sup> and Ni <sup>2+</sup> removal performance using a deionization pseudocapacitor with nanostructured birnessite and its carbon nanotube composite electrodes. <i>Chemical Engineering Journal</i> , 2017, 328, 464-473. | 6.6 | 44        |
| 338 | Ultrahigh performance of a novel electrochemical deionization system based on a NaTi <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> /rGO nanocomposite. <i>Journal of Materials Chemistry A</i> , 2017, 5, 18157-18165.                                | 5.2 | 111       |
| 339 | Electrochemical characterization of electrolyte-filled porous carbon materials for electrosorption process. <i>Journal of Electroanalytical Chemistry</i> , 2017, 801, 179-184.  | 1.9 | 4         |
| 340 | Organic-inorganic hybrid binder enhances capacitive deionization performance of activated-carbon electrode. <i>Carbon</i> , 2017, 123, 574-582.  | 5.4 | 34        |
| 341 | Controlled electrochemical doping of graphene-based 3D nanoarchitecture electrodes for supercapacitors and capacitive deionisation. <i>Nanoscale</i> , 2017, 9, 14548-14557.   | 2.8 | 52        |
| 342 | A novel electrochemical reactor for nitrogen and phosphorus recovery from domestic wastewater. <i>Frontiers of Environmental Science and Engineering</i> , 2017, 11, 1.  | 3.3 | 33        |
| 343 | Rapid construction of 3D foam-like carbon nanoarchitectures via a simple photochemical strategy for capacitive deionization. <i>RSC Advances</i> , 2017, 7, 39372-39382.   | 1.7 | 20        |
| 344 | Electrode configuration optimization of capacitive deionization cells based on zero charge potential of the electrodes. <i>Separation and Purification Technology</i> , 2017, 189, 467-474.  | 3.9 | 35        |
| 345 | Insights into iron induced fouling of ion-exchange membranes revealed by a quartz crystal microbalance with dissipation monitoring. <i>RSC Advances</i> , 2017, 7, 36555-36561.  | 1.7 | 9         |
| 346 | Scalable Approach to Highly Efficient and Rapid Capacitive Deionization with CNT-Thread As Electrodes. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 39907-39915.   | 4.0 | 45        |
| 347 | Titanium Disulfide: A Promising Low-Dimensional Electrode Material for Sodium Ion Intercalation for Seawater Desalination. <i>Chemistry of Materials</i> , 2017, 29, 9964-9973.  | 3.2 | 112       |
| 348 | Plate-Shaped Graphite for Improved Performance of Flow-Electrode Capacitive Deionization. <i>Journal of the Electrochemical Society</i> , 2017, 164, E480-E488.  | 1.3 | 46        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 349 | Macropore- and Micropore-Dominated Carbon Derived from Poly(vinyl alcohol) and Polyvinylpyrrolidone for Supercapacitor and Capacitive Deionization. ACS Sustainable Chemistry and Engineering, 2017, 5, 11324-11333. | 3.2  | 61        |
| 350 | Investigation of pH-dependent phosphate removal from wastewaters by membrane capacitive deionization (MCDI). Environmental Science: Water Research and Technology, 2017, 3, 875-882.                                 | 1.2  | 43        |
| 351 | Influence of pore structure and cell voltage of activated carbon cloth as a versatile electrode material for capacitive deionization. Carbon, 2017, 122, 329-335.  | 5.4  | 149       |
| 352 | Faradaic deionization of brackish and sea water via pseudocapacitive cation and anion intercalation into few-layered molybdenum disulfide. Journal of Materials Chemistry A, 2017, 5, 15640-15649.                   | 5.2  | 167       |
| 353 | Starch Derived Porous Carbon Nanosheets for High-Performance Photovoltaic Capacitive Deionization. Environmental Science & Technology, 2017, 51, 9244-9251.  | 4.6  | 120       |
| 354 | Dual-ions electrochemical deionization: a desalination generator. Energy and Environmental Science, 2017, 10, 2081-2089.   | 15.6 | 259       |
| 355 | Graphene-based materials for capacitive deionization. Journal of Materials Chemistry A, 2017, 5, 13907-13943.  | 5.2  | 242       |
| 356 | Nitrogen-Doped Hollow Mesoporous Carbon Spheres for Efficient Water Desalination by Capacitive Deionization. ACS Sustainable Chemistry and Engineering, 2017, 5, 6635-6644.  | 3.2  | 157       |
| 357 | Carbon electrodes for capacitive deionization. Journal of Materials Chemistry A, 2017, 5, 470-496.   | 5.2  | 295       |
| 358 | The Role of Thin and Mobile Electric Double Layer in Water Purification and Energy Storage. Springer Theses, 2017, , 37-51.  | 0.0  | 0         |
| 360 | Ultrahigh Desalination Performance of Asymmetric Flow-Electrode Capacitive Deionization Device with an Improved Operation Voltage of 1.8 V. ACS Sustainable Chemistry and Engineering, 2017, 5, 189-195.             | 3.2  | 70        |
| 361 | Redox-electrodes for selective electrochemical separations. Advances in Colloid and Interface Science, 2017, 244, 6-20.  | 7.0  | 132       |
| 362 | A Combined Modeling and Experimental Study Assessing the Impact of Fluid Pulsation on Charge and Energy Efficiency in Capacitive Deionization. Journal of the Electrochemical Society, 2017, 164, E536-E547.         | 1.3  | 31        |
| 363 | A new energy-efficient topology for solar-powered capacitive deionization systems. , 2017, , .   |      | 3         |
| 364 | Hybrid capacitive deionization with anion-exchange membranes for lithium extraction. E3S Web of Conferences, 2017, 22, 00157.  | 0.2  | 17        |
| 365 | The Role of Ion Exchange Membranes in Membrane Capacitive Deionisation. Membranes, 2017, 7, 54.  | 1.4  | 78        |
| 366 | Emerging and Combined Electrochemical Methods. , 2017, , 131-225.  |      | 5         |
| 367 | 4.6 Membrane Systems for Seawater and Brackish Water Desalination. , 2017, , 118-130.  |      | 1         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 369 | Supercapacitors for Energy Storage and Conversion. , 2017, , 193-206.  |     | 0         |
| 370 | Porous Biomass Carbon Coated with SiO <sub>2</sub> as High Performance Electrodes for Capacitive Deionization. BioResources, 2017, 13, .   | 0.5 | 4         |
| 371 | 3.8 Membrane-Based Processes for Sustainable Power Generation Using Water: Pressure-Retarded Osmosis (PRO), Reverse Electrodialysis (RED), and Capacitive Mixing (CAPMIX). , 2017, , 206-248.                        |     | 17        |
| 372 | Improved capacitive deionization by using 3D intercalated graphene sheet@“sphere nanocomposite architectures. Environmental Science: Nano, 2018, 5, 980-991.   | 2.2 | 121       |
| 373 | A systematic Monte Carlo simulation study of the primitive model planar electrical double layer over an extended range of concentrations, electrode charges, cation diameters and valences. AIP Advances, 2018, 8, . | 0.6 | 25        |
| 374 | Heterostructured graphene@Na <sub>4</sub> Ti <sub>9</sub> O <sub>20</sub> nanotubes for asymmetrical capacitive deionization with ultrahigh desalination capacity. Chemical Engineering Journal, 2018, 343, 8-15.    | 6.6 | 127       |
| 375 | A direct comparison of flow-by and flow-through capacitive deionization. Desalination, 2018, 444, 169-177.   | 4.0 | 65        |
| 376 | Membrane capacitive deionisation as an alternative to the 2nd pass for seawater reverse osmosis desalination plant for bromide removal. Desalination, 2018, 433, 113-119.  | 4.0 | 56        |
| 377 | A high performance electrochemical deionization method to desalinate brackish water with an FePO <sub>4</sub> /RGO nanocomposite. Journal of Materials Chemistry A, 2018, 6, 8901-8908.                              | 5.2 | 64        |
| 378 | Blue Energy and Desalination with Nanoporous Carbon Electrodes: Capacitance from Molecular Simulations to Continuous Models. Physical Review X, 2018, 8, .   | 2.8 | 23        |
| 379 | Integrating Desalination and Energy Storage using a Saltwater-based Hybrid Sodium-ion Supercapacitor. ChemSusChem, 2018, 11, 1741-1745.  | 3.6 | 40        |
| 380 | Aqueous-Processed, High-Capacity Electrodes for Membrane Capacitive Deionization. Environmental Science & Technology, 2018, 52, 5859-5867.   | 4.6 | 65        |
| 381 | Improved capacitive deionization of sulfonated carbon/titania hybrid electrode. Electrochimica Acta, 2018, 270, 543-551.   | 2.6 | 37        |
| 382 | Significance, evolution and recent advances in adsorption technology, materials and processes for desalination, water softening and salt removal. Journal of Environmental Management, 2018, 215, 324-344.           | 3.8 | 108       |
| 383 | Hollow ZIFs-derived nanoporous carbon for efficient capacitive deionization. Electrochimica Acta, 2018, 273, 34-42.  | 2.6 | 85        |
| 384 | NaTi <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> -Ag electrodes based desalination battery and energy recovery. FlatChem, 2018, 8, 9-16.  | 2.8 | 56        |
| 385 | Capacitive deionization: Processes, materials and state of the technology. Journal of Electroanalytical Chemistry, 2018, 813, 178-192.   | 1.9 | 136       |
| 386 | Exergy analysis of membrane capacitive deionization (MCDI). Desalination, 2018, 444, 162-168.  | 4.0 | 16        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 387 | Design of nitrogen-doped cluster-like porous carbons with hierarchical hollow nanoarchitecture and their enhanced performance in capacitive deionization. <i>Desalination</i> , 2018, 430, 45-55.   | 4.0 | 95        |
| 388 | Highly conductive porous Na-embedded carbon nanowalls for high-performance capacitive deionization. <i>Journal of Physics and Chemistry of Solids</i> , 2018, 116, 347-352.   | 1.9 | 25        |
| 389 | Phosphorus-doped 3D carbon nanofiber aerogels derived from bacterial-cellulose for highly-efficient capacitive deionization. <i>Carbon</i> , 2018, 130, 377-383.  | 5.4 | 224       |
| 390 | A study of the effect of carbon characteristics on capacitive deionization (CDI) performance. <i>Desalination</i> , 2018, 433, 68-74.   | 4.0 | 64        |
| 391 | Rod-like nitrogen-doped carbon hollow shells for enhanced capacitive deionization. <i>FlatChem</i> , 2018, 7, 10-17.  | 2.8 | 19        |
| 392 | Nanoparticulate Dielectric Overlayer for Enhanced Electric Fields in a Capacitive Deionization Device. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 5941-5948.   | 4.0 | 19        |
| 393 | Enhanced Electrochemical Stability of a Zwitterionic-Polymer-Functionalized Electrode for Capacitive Deionization. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 6207-6217.   | 4.0 | 26        |
| 394 | Enhancement of the Donnan effect through capacitive ion increase using an electroconductive rGO-CNT nanofiltration membrane. <i>Journal of Materials Chemistry A</i> , 2018, 6, 4737-4745.  | 5.2 | 82        |
| 395 | Ion-selective asymmetric carbon electrodes for enhanced capacitive deionization. <i>RSC Advances</i> , 2018, 8, 2490-2497.  | 1.7 | 30        |
| 396 | Lithium capturing from geothermal water by hybrid capacitive deionization. <i>Desalination</i> , 2018, 436, 8-14.   | 4.0 | 79        |
| 397 | Ultrahigh performance of novel energy-efficient capacitive deionization electrodes based on 3D nanotubular composites. <i>New Journal of Chemistry</i> , 2018, 42, 3560-3567.   | 1.4 | 31        |
| 398 | Multionic effects on the capacitance of porous electrodes. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 5012-5020.  | 1.3 | 14        |
| 399 | Enhanced capacitive deionization performance by an rGO-SnO <sub>2</sub> nanocomposite modified carbon felt electrode. <i>RSC Advances</i> , 2018, 8, 4182-4190.   | 1.7 | 36        |
| 400 | Highly Stable Hybrid Capacitive Deionization with a MnO <sub>2</sub> Anode and a Positively Charged Cathode. <i>Environmental Science and Technology Letters</i> , 2018, 5, 98-102.   | 3.9 | 124       |
| 401 | Effect of the electronegativity on the electrosorption selectivity of anions during capacitive deionization. <i>Chemosphere</i> , 2018, 195, 282-290.   | 4.2 | 44        |
| 402 | A comparison of multicomponent electrosorption in capacitive deionization and membrane capacitive deionization. <i>Water Research</i> , 2018, 131, 100-109.   | 5.3 | 127       |
| 403 | Phosphorous recovery by means of fluidized bed homogeneous crystallization of calcium phosphate. Influence of operational variables and electrolytes on brushite homogeneous crystallization. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2018, 83, 124-132. | 2.7 | 47        |
| 404 | Incorporating Manganese Dioxide in Carbon Nanotube-Chitosan as a Pseudocapacitive Composite Electrode for High-Performance Desalination. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 3196-3205.   | 3.2 | 45        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 405 | Tunnel structured manganese oxide nanowires as redox active electrodes for hybrid capacitive deionization. <i>Nano Energy</i> , 2018, 44, 476-488.   | 8.2  | 145       |
| 406 | Hybrid Electrochemical Desalination System Combined with an Oxidation Process. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 1620-1626.  | 3.2  | 34        |
| 407 | Metal-organic-framework derived carbon polyhedron and carbon nanotube hybrids as electrode for electrochemical supercapacitor and capacitive deionization. <i>Electrochimica Acta</i> , 2018, 263, 85-93.                          | 2.6  | 121       |
| 408 | Facile synthesis of TiO <sub>2</sub> /ZrO <sub>2</sub> nanofibers/nitrogen co-doped activated carbon to enhance the desalination and bacterial inactivation via capacitive deionization. <i>Scientific Reports</i> , 2018, 8, 541. | 1.6  | 56        |
| 409 | Reinvestigation of membrane cleaning mechanisms using NaOCl: Role of reagent diffusion. <i>Journal of Membrane Science</i> , 2018, 550, 278-285.   | 4.1  | 30        |
| 410 | Charging and Transport Dynamics of a Flow-Through Electrode Capacitive Deionization System. <i>Journal of Physical Chemistry B</i> , 2018, 122, 240-249.   | 1.2  | 36        |
| 411 | Potential-Dependent, Switchable Ion Selectivity in Aqueous Media Using Titanium Disulfide. <i>ChemSusChem</i> , 2018, 11, 2091-2100.   | 3.6  | 33        |
| 412 | Recovering ammonia from municipal wastewater by flow-electrode capacitive deionization. <i>Chemical Engineering Journal</i> , 2018, 348, 301-309.  | 6.6  | 107       |
| 413 | Temporal and spatial distribution of pH in flow-mode capacitive deionization and membrane capacitive deionization. <i>Desalination</i> , 2018, 439, 188-195.   | 4.0  | 62        |
| 414 | A parametric study of multiscale transport phenomena and performance characteristics of capacitive deionization systems. <i>Desalination</i> , 2018, 438, 24-36.   | 4.0  | 19        |
| 415 | Optimizing the fabrication of carbon nanotube electrode for effective capacitive deionization via electrophoretic deposition strategy. <i>Progress in Natural Science: Materials International</i> , 2018, 28, 251-257.            | 1.8  | 26        |
| 416 | Calcined MgAl-Layered Double Hydroxide/Graphene Hybrids for Capacitive Deionization. <i>Industrial &amp; Engineering Chemistry Research</i> , 2018, 57, 6417-6425.   | 1.8  | 59        |
| 417 | Designed fabrication of hierarchical porous carbon nanotubes/graphene/carbon nanofibers composites with enhanced capacitive desalination properties. <i>Journal of Materials Science</i> , 2018, 53, 9521-9532.                    | 1.7  | 9         |
| 418 | Salt rejection in flow-between capacitive deionization devices. <i>Desalination</i> , 2018, 437, 154-163.  | 4.0  | 35        |
| 419 | Influence of Metal Oxide Coatings, Carbon Materials and Potentials on Ion Removal in Capacitive Deionization. <i>Journal of the Electrochemical Society</i> , 2018, 165, E148-E161.  | 1.3  | 27        |
| 420 | Porous Cryo-Dried MXene for Efficient Capacitive Deionization. <i>Joule</i> , 2018, 2, 778-787.  | 11.7 | 326       |
| 421 | Influence of thermal treatment conditions on capacitive deionization performance and charge efficiency of carbon electrodes. <i>Separation and Purification Technology</i> , 2018, 202, 67-75.                                     | 3.9  | 21        |
| 422 | Reaching the limiting current regime by linear sweep voltammetry in ion-exchange membrane systems. <i>Journal of Membrane Science</i> , 2018, 555, 134-145.  | 4.1  | 7         |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 423 | Parameter-based performance evaluation and optimization of a capacitive deionization desalination process. <i>Desalination</i> , 2018, 437, 133-143.                                     | 4.0  | 30        |
| 424 | Electrokinetic desalination of brackish water and associated challenges in the water and energy nexus. <i>Environmental Science: Water Research and Technology</i> , 2018, 4, 613-638.   | 1.2  | 39        |
| 425 | Membrane Capacitive Deionization with Constant Current vs Constant Voltage Charging: Which Is Better?. <i>Environmental Science &amp; Technology</i> , 2018, 52, 4051-4060.              | 4.6  | 75        |
| 426 | Reversible thermodynamic cycle analysis for capacitive deionization with modified Donnan model. <i>Journal of Colloid and Interface Science</i> , 2018, 512, 522-528.                    | 5.0  | 53        |
| 427 | Capacitive deionization for nutrient recovery from wastewater with disinfection capability. <i>Environmental Science: Water Research and Technology</i> , 2018, 4, 33-39.                | 1.2  | 43        |
| 428 | Nanofluidics: A New Arena for Materials Science. <i>Advanced Materials</i> , 2018, 30, 1702419.  | 11.1 | 78        |
| 429 | Faradaic reactions in capacitive deionization (CDI) - problems and possibilities: A review. <i>Water Research</i> , 2018, 128, 314-330.  | 5.3  | 523       |
| 430 | Semi-continuous capacitive deionization using multi-channel flow stream and ion exchange membranes. <i>Desalination</i> , 2018, 425, 104-110.  | 4.0  | 51        |
| 431 | Immobilization of uranium into magnetite from aqueous solution by electrodeposition approach. <i>Journal of Hazardous Materials</i> , 2018, 343, 255-265.                                | 6.5  | 59        |
| 432 | Modeling continuous flow-electrode capacitive deionization processes with ion-exchange membranes. <i>Journal of Membrane Science</i> , 2018, 546, 188-196.                               | 4.1  | 60        |
| 433 | Membrane-spacer assembly for flow-electrode capacitive deionization. <i>Applied Surface Science</i> , 2018, 433, 437-442.  | 3.1  | 27        |
| 434 | Capacitive deionization of a RO brackish water by AC/graphene composite electrodes. <i>Chemosphere</i> , 2018, 191, 296-301.   | 4.2  | 25        |
| 435 | Enhancement of salt removal in capacitive deionization cell through periodically alternated oxidation of electrodes. <i>Separation and Purification Technology</i> , 2018, 194, 451-456. | 3.9  | 21        |
| 436 | Investigation of the long-term desalination performance of membrane capacitive deionization at the presence of organic foulants. <i>Chemosphere</i> , 2018, 193, 989-997.                | 4.2  | 59        |
| 437 | Energy-efficient resin wafer electrodeionization for impaired water reclamation. <i>Journal of Cleaner Production</i> , 2018, 174, 1464-1474.  | 4.6  | 35        |
| 438 | Intrinsic tradeoff between kinetic and energetic efficiencies in membrane capacitive deionization. <i>Water Research</i> , 2018, 129, 394-401.   | 5.3  | 86        |
| 439 | Palladium Recovery through Membrane Capacitive Deionization from Metal Plating Wastewater. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 1692-1701.                        | 3.2  | 44        |
| 440 | Lithium dedicated adsorbent for the preparation of electrodes useful in the ion pumping method. <i>Separation and Purification Technology</i> , 2018, 194, 231-238.                      | 3.9  | 33        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 441 | Electro-spun graphene-enriched carbon fibres with high nitrogen-contents for electrochemical water desalination. <i>Desalination</i> , 2018, 428, 40-49.  | 4.0 | 34        |
| 442 | Improvement of capacitive deionization performance via using a Tiron-grafted TiO <sub>2</sub> nanoparticle layer on porous carbon electrode. <i>Korean Journal of Chemical Engineering</i> , 2018, 35, 272-282. | 1.2 | 19        |
| 443 | Quantifying the flow efficiency in constant-current capacitive deionization. <i>Water Research</i> , 2018, 129, 327-336.  | 5.3 | 66        |
| 444 | Nitrate electro-sorption/reduction in capacitive deionization using a novel Pd/NiAl-layered metal oxide film electrode. <i>Chemical Engineering Journal</i> , 2018, 335, 475-482.                               | 6.6 | 43        |
| 445 | Capacitive deionization of saline water using sandwich-like nitrogen-doped graphene composites via a self-assembling strategy. <i>Environmental Science: Nano</i> , 2018, 5, 2722-2730.                         | 2.2 | 118       |
| 446 | Sulfonated Poly(ether ether ketone) Ion-Exchange Membrane for Membrane Capacitive Deionization Applications. <i>Macromolecular Research</i> , 2018, 26, 1273-1275.  | 1.0 | 11        |
| 447 | Morphometric Analysis of One-Component Polyurethane Foams Applicable in the Building Sector via X-ray Computed Microtomography. <i>Materials</i> , 2018, 11, 1717.  | 1.3 | 8         |
| 448 | The Electrical Double Layer as a Capacitor. Evaluation of Capacitance in Different Solutions: Effect of Ion Concentrations, Sizes, and Valencies. <i>Interface Science and Technology</i> , 2018, , 39-62.      | 1.6 | 0         |
| 449 | Principles and Theoretical Models of CDI: Experimental Approaches. <i>Interface Science and Technology</i> , 2018, 24, 169-192.   | 1.6 | 13        |
| 450 | Selection of Carbon Electrode Materials. <i>Interface Science and Technology</i> , 2018, , 65-83.   | 1.6 | 12        |
| 451 | Capacitive Energy Extraction From Double Layer Expansion (CDLE). <i>Fundamentals of the Method</i> . <i>Interface Science and Technology</i> , 2018, , 87-117.  | 1.6 | 5         |
| 452 | Study of Pb ion adsorption on (n, 0) CNTs (n=4, 5, 6). <i>Nanotechnology Reviews</i> , 2018, 7, 469-473.  | 2.6 | 4         |
| 453 | Low Carbon Desalination by Innovative Membrane Materials and Processes. <i>Current Pollution Reports</i> , 2018, 4, 251-264.  | 3.1 | 8         |
| 454 | Graphene-based hybrid aerogels with carbon nanotubes: Mesoporous network functionality promoted defect density and electrochemical activity correlations. <i>Journal of Applied Physics</i> , 2018, 124, .      | 1.1 | 8         |
| 455 | Mechanisms of Humic Acid Fouling on Capacitive and Insertion Electrodes for Electrochemical Desalination. <i>Environmental Science &amp; Technology</i> , 2018, 52, 12633-12641.                                | 4.6 | 38        |
| 456 | Free-Standing Electrodes Derived from Metal-Organic Frameworks/ Nanofibers Hybrids for Membrane Capacitive Deionization. <i>Advanced Materials Technologies</i> , 2018, 3, 1800135.                             | 3.0 | 41        |
| 457 | Anion-exchange membrane for membrane capacitive deionization prepared via pore-filling polymerization in a porous polyethylene supporting membrane. <i>Reactive and Functional Polymers</i> , 2018, 132, 36-42. | 2.0 | 29        |
| 458 | Activated Carbon Cloth for Desalination of Brackish Water Using Capacitive Deionization. , 0, , .   |     | 7         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 459 | Integration of photovoltaic energy supply with membrane capacitive deionization (MCDI) for salt removal from brackish waters. <i>Water Research</i> , 2018, 147, 276-286.  | 5.3 | 94        |
| 460 | Electrochemical Desalination Using Bi/BiOCl Electrodes. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 15455-15462.   | 3.2 | 39        |
| 461 | Preparation of high surface area and high conductivity polyaniline nanoparticles using chemical oxidation polymerization technique. <i>Journal of Physics: Conference Series</i> , 2018, 983, 012162.                                    | 0.3 | 6         |
| 462 | Current to Clean Water – Electrochemical Solutions for Groundwater, Water, and Wastewater Treatment. <i>Chemie-Ingenieur-Technik</i> , 2018, 90, 1832-1854.  | 0.4 | 22        |
| 463 | Charging dynamics of an individual nanopore. <i>Nature Communications</i> , 2018, 9, 4203.   | 5.8 | 39        |
| 464 | Ultrahigh-Desalination-Capacity Dual-Ion Electrochemical Deionization Device Based on $\text{Na}_3\text{V}_2(\text{PO}_4)_3 @ \text{C} @ \text{AgCl}$ Electrodes. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 40540-40548. | 4.0 | 87        |
| 465 | Thermoeconomic and environmental optimization of geothermal water desalination plant with ejector refrigeration system. <i>Energy Conversion and Management</i> , 2018, 178, 65-77.  | 4.4 | 19        |
| 466 | Biomass-derived porous carbon anode for high-performance capacitive deionization. <i>Electrochimica Acta</i> , 2018, 290, 666-675.   | 2.6 | 125       |
| 467 | Low-Resistant Ion-Exchange Membranes for Energy Efficient Membrane Capacitive Deionization. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 13778-13786.   | 3.2 | 46        |
| 468 | Impedance Resonance in Narrow Confinement. <i>Journal of Physical Chemistry C</i> , 2018, 122, 21724-21734.  | 1.5 | 16        |
| 469 | Feasibility and optimisation of a batch mode capacitive deionization (BM CDI) process for textile cationic dyes (TCD) removal and recovery from industrial wastewaters. <i>Journal of Cleaner Production</i> , 2018, 205, 721-727.       | 4.6 | 15        |
| 470 | Effect of fixed charge group concentration on salt permeability and diffusion coefficients in ion exchange membranes. <i>Journal of Membrane Science</i> , 2018, 566, 307-316.   | 4.1 | 34        |
| 471 | How to achieve the optimal performance of capacitive deionization and inverted-capacitive deionization. <i>Desalination</i> , 2018, 442, 89-98.  | 4.0 | 31        |
| 472 | Developments in electrode design: structure, decoration and applications of electrodes for electrochemical technology. <i>Journal of Chemical Technology and Biotechnology</i> , 2018, 93, 3073-3090.                                    | 1.6 | 37        |
| 473 | Interconnected metal oxide CNT fibre hybrid networks for current collector-free asymmetric capacitive deionization. <i>Journal of Materials Chemistry A</i> , 2018, 6, 10898-10908.  | 5.2 | 53        |
| 474 | Enhanced capacitive deionization by nitrogen-doped porous carbon nanofiber aerogel derived from bacterial-cellulose. <i>Journal of Electroanalytical Chemistry</i> , 2018, 822, 81-88.   | 1.9 | 52        |
| 475 | High salt capacity and high removal rate capacitive deionization enabled by hierarchical porous carbons. <i>Carbon</i> , 2018, 139, 614-625.   | 5.4 | 83        |
| 476 | Investigation on the effect of organic dye molecules on capacitive deionization of sodium sulfate salt solution using activated carbon cloth electrodes. <i>Electrochimica Acta</i> , 2018, 279, 24-33.                                  | 2.6 | 18        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 477 | Electrochemical CDI integration with PRO process for water desalination and energy production: Concept, simulation, and performance evaluation. <i>Journal of Electroanalytical Chemistry</i> , 2018, 822, 134-143.              | 1.9 | 9         |
| 478 | Continuous capacitive deionization with regenerative rotating film electrodes. <i>Electrochemistry Communications</i> , 2018, 92, 5-8.   | 2.3 | 4         |
| 479 | High performance capacitive deionization using modified ZIF-8-derived, N-doped porous carbon with improved conductivity. <i>Nanoscale</i> , 2018, 10, 14852-14859.   | 2.8 | 97        |
| 480 | Maximizing Volumetric Removal Capacity in Capacitive Deionization by Adjusting Electrode Thickness and Charging Mode. <i>Journal of the Electrochemical Society</i> , 2018, 165, E294-E302.                                      | 1.3 | 22        |
| 481 | Layered graphene/mesoporous carbon heterostructures with improved mesopore accessibility for high performance capacitive deionization. <i>Journal of Materials Chemistry A</i> , 2018, 6, 14272-14280.                           | 5.2 | 77        |
| 482 | Electrodes Based on Carbon Nanomaterials: Structure, Properties, and Application to Capacitive Deionization in Static Cells. <i>Springer Proceedings in Physics</i> , 2018, , 127-146.   | 0.1 | 9         |
| 483 | A comprehensive review on recently developed carbon based nanocomposites for capacitive deionization: From theory to practice. <i>Separation and Purification Technology</i> , 2018, 207, 291-320.                               | 3.9 | 161       |
| 484 | Role of metastable-adsorbed charges in the stability degradation of carbon-based electrodes for capacitive deionization. <i>Environmental Science: Water Research and Technology</i> , 2018, 4, 1172-1180.                       | 1.2 | 4         |
| 485 | Confined Redox Reactions of Iodide in Carbon Nanopores for Fast and Energy-efficient Desalination of Brackish Water and Seawater. <i>ChemSusChem</i> , 2018, 11, 3460-3472.  | 3.6 | 46        |
| 486 | Efficient Capacitive Deionization Using Thin Film Sodium Manganese Oxide. <i>Journal of the Electrochemical Society</i> , 2018, 165, A2330-A2339.  | 1.3 | 12        |
| 487 | High-Performance Membrane Capacitive Deionization Based on Metal-Organic Framework-Derived Hierarchical Carbon Structures. <i>ACS Omega</i> , 2018, 3, 8506-8513.  | 1.6 | 42        |
| 488 | Short-Circuited Closed-Cycle Operation of Flow-Electrode CDI for Brackish Water Softening. <i>Environmental Science &amp; Technology</i> , 2018, 52, 9350-9360.  | 4.6 | 146       |
| 489 | Optimizing the energetic performance of capacitive deionization devices with unipolar and bipolar connections under constant current charging. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2018, 93, 201-210. | 2.7 | 10        |
| 490 | Direct observation of pseudocapacitive sodium storage behavior in molybdenum dioxide anodes. <i>Journal of Power Sources</i> , 2018, 397, 113-123.   | 4.0 | 10        |
| 491 | Rocking-Chair Capacitive Deionization for Continuous Brackish Water Desalination. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 10815-10822.   | 3.2 | 72        |
| 492 | Solvent-Free CO <sub>2</sub> Capture Using Membrane Capacitive Deionization. <i>Environmental Science &amp; Technology</i> , 2018, 52, 9478-9485.  | 4.6 | 62        |
| 493 | Ion Diffusion Coefficients in Ion Exchange Membranes: Significance of Counterion Condensation. <i>Macromolecules</i> , 2018, 51, 5519-5529.  | 2.2 | 123       |
| 494 | Hydration and dehydration of monovalent cations near an electrode surface. <i>Journal of Chemical Physics</i> , 2018, 149, 014705.   | 1.2 | 17        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 495 | Battery Electrode Materials with Omnivalent Cation Storage for Fast and Charge-efficient Ion Removal of Asymmetric Capacitive Deionization. <i>Advanced Functional Materials</i> , 2018, 28, 1802665.        | 7.8 | 117       |
| 496 | Exploring the scope of capacitance-assisted electrochemical carbon dioxide capture. <i>Dalton Transactions</i> , 2018, 47, 10447-10452.  | 1.6 | 2         |
| 497 | Analysis of capacitive and electro-dialytic contributions to water desalination by flow-electrode CDI. <i>Water Research</i> , 2018, 144, 296-303.   | 5.3 | 135       |
| 498 | Reduction of Tortuosity in Porous Electrodes through Macropore Patterning. <i>ECS Transactions</i> , 2018, 85, 133-153.  | 0.3 | 1         |
| 499 | Bromide Ions Specific Removal and Recovery by Electrochemical Desalination. <i>Environmental Science &amp; Technology</i> , 2018, 52, 6275-6281.   | 4.6 | 44        |
| 500 | Capacitive deionization from reconstruction of NiCoAl-mixed metal oxide film electrode based on the "memory effect". <i>Applied Surface Science</i> , 2018, 459, 767-773.                                    | 3.1 | 16        |
| 501 | Efficient Capacitive Deionization Using Natural Basswood-Derived, Freestanding, Hierarchically Porous Carbon Electrodes. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 31260-31270.              | 4.0 | 81        |
| 502 | Energy Recovery and Process Design in Continuous Flow Electrode Capacitive Deionization Processes. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 13007-13015.                                  | 3.2 | 81        |
| 503 | Highly porous activated carbon with multi-channelled structure derived from loofa sponge as a capacitive electrode material for the deionization of brackish water. <i>Chemosphere</i> , 2018, 208, 285-293. | 4.2 | 59        |
| 504 | Development of nitrogen-doped carbon for selective metal ion capture. <i>Chemical Engineering Journal</i> , 2018, 350, 608-615.  | 6.6 | 85        |
| 505 | Enhanced desalination via cell voltage extension of membrane capacitive deionization using an aqueous/organic bi-electrolyte. <i>Desalination</i> , 2018, 443, 56-61.  | 4.0 | 39        |
| 506 | Performance of Carbon Aerogel/Fiber Paper as Capacitive Deionization Electrodes under Variable Operating Conditions. , 2018, , .   |     | 0         |
| 507 | Recent developments of electromembrane desalination processes. <i>Environmental Technology Reviews</i> , 2018, 7, 199-219.   | 2.1 | 15        |
| 508 | Coupling desalination and energy storage with redox flow electrodes. <i>Nanoscale</i> , 2018, 10, 12308-12314.   | 2.8 | 70        |
| 509 | Energy Harvesting from Salinity Gradient. <i>IOP Conference Series: Earth and Environmental Science</i> , 2018, 140, 012045.   | 0.2 | 3         |
| 510 | Capacitive Performance and Tortuosity of Activated Carbon Electrodes with Macroscopic Pores. <i>Journal of the Electrochemical Society</i> , 2018, 165, A1685-A1693.   | 1.3 | 22        |
| 511 | Enhanced desalination performance of anion-exchange membrane capacitive deionization via effectively utilizing cathode oxidation. <i>Desalination</i> , 2018, 443, 221-227.                                  | 4.0 | 35        |
| 512 | Influence of Feed-Electrode Concentration Differences in Flow-Electrode Systems for Capacitive Deionization. <i>Industrial &amp; Engineering Chemistry Research</i> , 2018, 57, 8802-8809.                   | 1.8 | 41        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 513 | Desalination characteristics in a membrane capacitive deionization stack with carbon electrodes connected in series. <i>Separation and Purification Technology</i> , 2019, 209, 152-158.   | 3.9 | 10        |
| 514 | Capacitive deionization of NaCl from saline solution using graphene/CNTs/ZnO NPs based electrodes. <i>Journal Physics D: Applied Physics</i> , 2019, 52, 455304.   | 1.3 | 18        |
| 515 | A review of modification of carbon electrode material in capacitive deionization. <i>RSC Advances</i> , 2019, 9, 24401-24419.  | 1.7 | 94        |
| 516 | Synthesis of Three-Dimensional Graphene-Based Hybrid Materials for Water Purification: A Review. <i>Nanomaterials</i> , 2019, 9, 1123.   | 1.9 | 65        |
| 517 | Progress and outlook for capacitive deionization technology. <i>Current Opinion in Chemical Engineering</i> , 2019, 25, 1-8.   | 3.8 | 34        |
| 518 | Hotspot analysis and improvement schemes for capacitive deionization (CDI) using life cycle assessment. <i>Desalination</i> , 2019, 468, 114087.   | 4.0 | 20        |
| 519 | Exploration of a photo-redox desalination generator. <i>Journal of Materials Chemistry A</i> , 2019, 7, 20169-20175.   | 5.2 | 32        |
| 520 | Porous carbon material prepared from Na <sub>2</sub> EDTA and its performance in capacitive deionization process. <i>Applied Surface Science</i> , 2019, 496, 143526.  | 3.1 | 15        |
| 521 | Advances in Membrane Materials and Processes for Desalination of Brackish Water. <i>Current Pollution Reports</i> , 2019, 5, 319-336.  | 3.1 | 12        |
| 522 | Tamarind shell derived N-doped carbon for capacitive deionization (CDI) studies. <i>Journal of Electroanalytical Chemistry</i> , 2019, 848, 113307.  | 1.9 | 25        |
| 523 | An Easy-to-Use Tool for Modeling the Dynamics of Capacitive Deionization. <i>Journal of Physical Chemistry A</i> , 2019, 123, 6628-6634.   | 1.1 | 34        |
| 524 | Ag-doped sepiolite intercalated graphene nanostructure for hybrid capacitive deionization system. <i>Separation and Purification Technology</i> , 2019, 229, 115799.   | 3.9 | 29        |
| 525 | Significantly improved stability of hybrid capacitive deionization using nickel hexacyanoferrate/reduced graphene oxide cathode at low voltage operation. <i>Desalination</i> , 2019, 468, 114078.   | 4.0 | 112       |
| 526 | Decreased charge transport distance by titanium mesh-membrane assembly for flow-electrode capacitive deionization with high desalination performance. <i>Water Research</i> , 2019, 164, 114904.   | 5.3 | 58        |
| 527 | Superiority of a novel flow-electrode capacitive deionization (FCDI) based on a battery material at high applied voltage. <i>Desalination</i> , 2019, 468, 114080.   | 4.0 | 55        |
| 528 | Modification strategies to enhance electrosorption performance of activated carbon electrodes for capacitive deionization applications. <i>Journal of Electroanalytical Chemistry</i> , 2019, 848, 113328.   | 1.9 | 56        |
| 529 | Continuous Lithium Extraction from Aqueous Solution Using Flow-Electrode Capacitive Deionization. <i>Energies</i> , 2019, 12, 2913.  | 1.6 | 30        |
| 530 | Fabrication of polyvinylidene fluoride-derived porous carbon heterostructure with inserted carbon nanotube via phase-inversion coupled with annealing for capacitive deionization application. <i>Journal of Colloid and Interface Science</i> , 2019, 554, 353-361. | 5.0 | 18        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 531 | Enhanced Hybrid Capacitive Deionization Performance by Sodium Titanium Phosphate/Reduced Porous Graphene Oxide Composites. <i>ACS Omega</i> , 2019, 4, 11455-11463.  | 1.6 | 28        |
| 532 | Nanofibers versus Nanopores: A Comparison of the Electrochemical Performance of Hierarchically Ordered Porous Carbons. <i>ACS Applied Energy Materials</i> , 2019, 2, 5279-5291.                                     | 2.5 | 15        |
| 533 | Towards Real-Time Ion-Specific Structural Sensitivity in Nanoporous Carbon Electrodes Using In Situ Anomalous Small-Angle X-ray Scattering. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 42214-42220.   | 4.0 | 13        |
| 534 | Electrical double layers as ion reservoirs: applications to the deionization of solutions. <i>Current Opinion in Colloid and Interface Science</i> , 2019, 44, 72-84.  | 3.4 | 13        |
| 535 | Desalination mechanism of modified activated carbon/carbon nanotubes composite electrode. <i>Water Science and Technology: Water Supply</i> , 2019, 19, 2054-2060.   | 1.0 | 3         |
| 536 | Water Recovery Rate in Short-Circuited Closed-Cycle Operation of Flow-Electrode Capacitive Deionization (FCDI). <i>Environmental Science &amp; Technology</i> , 2019, 53, 13859-13867.                               | 4.6 | 57        |
| 537 | Integrated Flow-Electrode Capacitive Deionization and Microfiltration System for Continuous and Energy-Efficient Brackish Water Desalination. <i>Environmental Science &amp; Technology</i> , 2019, 53, 13364-13373. | 4.6 | 66        |
| 538 | Hydration of monovalent and divalent cations near a cathode surface. <i>Journal of Chemical Physics</i> , 2019, 151, 104704.   | 1.2 | 10        |
| 539 | Synthesis, Characterization, and Three-Dimensional Structure Generation of Zinc Oxide-Based Nanomedicine for Biomedical Applications. <i>Pharmaceutics</i> , 2019, 11, 575.  | 2.0 | 74        |
| 540 | Understanding and mitigating performance decline in electrochemical deionization. <i>Current Opinion in Chemical Engineering</i> , 2019, 25, 67-74.  | 3.8 | 17        |
| 541 | Novel Reuse Strategy in Flow-Electrode Capacitive Deionization with Switch Cycle Operation To Enhance Desalination Performance. <i>Environmental Science and Technology Letters</i> , 2019, 6, 739-744.              | 3.9 | 15        |
| 542 | Specific ion effects at graphitic interfaces. <i>Nature Communications</i> , 2019, 10, 4858.   | 5.8 | 62        |
| 543 | A quest for electrode materials: Heat-stable salts removal from industrial lean amine solution via electro-sorption. <i>Materials Research Express</i> , 2019, 6, 115548.  | 0.8 | 2         |
| 544 | Polypyrrole as a Novel Chloride-Storage Electrode for Seawater Desalination. <i>Energy Technology</i> , 2019, 7, 1900835.  | 1.8 | 40        |
| 545 | Different crystallographic sodium manganese oxides for capacitive deionization: performance comparison and the associated mechanism. <i>Environmental Science: Nano</i> , 2019, 6, 3091-3101.                        | 2.2 | 18        |
| 546 | Electro-enhanced removal of cobalt ions from aqueous solution by capacitive deionization. <i>Science of the Total Environment</i> , 2019, 697, 134144.   | 3.9 | 39        |
| 547 | High-Desalination Performance via Redox Couple Reaction in the Multichannel Capacitive Deionization System. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 16182-16189.                                 | 3.2 | 67        |
| 548 | Peroxydisulfate activation by positively polarized carbocatalyst for enhanced removal of aqueous organic pollutants. <i>Water Research</i> , 2019, 166, 115043.  | 5.3 | 137       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 549 | Highly efficient and stable desalination via novel hybrid capacitive deionization with redox-active polyimide cathode. <i>Desalination</i> , 2019, 469, 114098.   | 4.0 | 53        |
| 550 | Performance optimization of carbon electrodes for capacitive deionization by potentiostatic analysis. <i>Electrochimica Acta</i> , 2019, 325, 134898.   | 2.6 | 9         |
| 551 | Additive Manufacturing of Electrodes for Desalination. <i>Procedia Manufacturing</i> , 2019, 34, 252-259.   | 1.9 | 5         |
| 552 | Nitrogen-doped graphene $\text{TiO}_x\text{N}_y$ nanocomposite electrode for highly efficient capacitive deionization. <i>RSC Advances</i> , 2019, 9, 28186-28193.  | 1.7 | 8         |
| 553 | Chitosan-based activated carbon as economic and efficient sustainable material for capacitive deionization of low salinity water. <i>RSC Advances</i> , 2019, 9, 26676-26684.   | 1.7 | 29        |
| 554 | Sustainable Desalination by 3:1 Reduced Graphene Oxide/Titanium Dioxide Nanotubes (rGO/TiONTs) Composite via Capacitive Deionization at Different Sodium Chloride Concentrations. <i>Nanomaterials</i> , 2019, 9, 1319. | 1.9 | 8         |
| 555 | Tandem Desalination/Salination Strategies Enabling the Use of Redox Couples for Efficient and Sustainable Electrochemical Desalination. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 38641-38647.          | 4.0 | 23        |
| 556 | Enhancement in Desalination Performance of Battery Electrodes via Improved Mass Transport Using a Multichannel Flow System. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 36580-36588.                      | 4.0 | 30        |
| 557 | Synthesis and characterization of Co and Titania nanoparticle -intercalated rGO as a high capacitance electrode for CDI. <i>Journal of Environmental Chemical Engineering</i> , 2019, 7, 103441.                        | 3.3 | 27        |
| 558 | Assembly of Soft Electrodes and Ion Exchange Membranes for Capacitive Deionization. <i>Polymers</i> , 2019, 11, 1556.   | 2.0 | 11        |
| 559 | Simulation of capacitive deionization accounting the change of Stern layer thickness. <i>Journal of Mathematical Chemistry</i> , 2019, 57, 2169-2181.   | 0.7 | 4         |
| 560 | Unraveling charge transport in carbon flow-electrodes: Performance prediction for desalination applications. <i>Carbon</i> , 2019, 145, 507-520.  | 5.4 | 71        |
| 561 | Application of the macrohomogeneous line model for the characterization of carbon aerogel electrodes in capacitive deionization. <i>Electrochimica Acta</i> , 2019, 301, 1-7.   | 2.6 | 20        |
| 562 | Sodium ion removal by hydrated vanadyl phosphate for electrochemical water desalination. <i>Journal of Materials Chemistry A</i> , 2019, 7, 4175-4184.  | 5.2 | 46        |
| 563 | Timeline on the application of intercalation materials in Capacitive Deionization. <i>Desalination</i> , 2019, 455, 115-134.  | 4.0 | 132       |
| 564 | Self assembled, sulfonated pentablock copolymer cation exchange coatings for membrane capacitive deionization. <i>Molecular Systems Design and Engineering</i> , 2019, 4, 348-356.                                      | 1.7 | 19        |
| 565 | Dual-Ion Electrochemical Deionization System with Binder-Free Aerogel Electrodes. <i>Small</i> , 2019, 15, e1805505.  | 5.2 | 82        |
| 566 | Ambient Pressure-Dried Graphene-Composite Carbon Aerogel for Capacitive Deionization. <i>Processes</i> , 2019, 7, 29.   | 1.3 | 18        |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 567 | Comparison of energy consumption in desalination by capacitive deionization and reverse osmosis. <i>Desalination</i> , 2019, 455, 100-114.  | 4.0  | 210       |
| 568 | Controlling hierarchical porous structures of rice-husk-derived carbons for improved capacitive deionization performance. <i>Environmental Science: Nano</i> , 2019, 6, 916-924.  | 2.2  | 34        |
| 569 | Highly compact, free-standing porous electrodes from polymer-derived nanoporous carbons for efficient electrochemical capacitive deionization. <i>Journal of Materials Chemistry A</i> , 2019, 7, 1768-1778.                                | 5.2  | 47        |
| 570 | NASICON-Structured $\text{NaTi}_2(\text{PO}_4)_3$ for Sustainable Energy Storage. <i>Nano-Micro Letters</i> , 2019, 11, 44.   | 14.4 | 100       |
| 571 | New insights into the heat of adsorption of water, acetonitrile, and n-hexane in porous carbon with oxygen functional groups. <i>Journal of Colloid and Interface Science</i> , 2019, 552, 412-417.   | 5.0  | 20        |
| 573 | Finite Domain Effects in Steady State Solutions of Poisson–Nernst–Planck Equations. <i>SIAM Journal on Applied Mathematics</i> , 2019, 79, 1030-1050.   | 0.8  | 7         |
| 574 | Investigation on Resistivity-Dependent Behavior of Carbon-Composite-Based Paintable Ionovoltaic Device. <i>ACS Applied Electronic Materials</i> , 2019, 1, 1059-1064.   | 2.0  | 4         |
| 575 | Life Cycle Comparison of Membrane Capacitive Deionization and Reverse Osmosis Membrane for Textile Wastewater Treatment. <i>Water, Air, and Soil Pollution</i> , 2019, 230, 1.  | 1.1  | 33        |
| 576 | Comparative study on the electrosorption properties of carbon fabric, functionalized multiwall carbon nanotubes and solar-reduced graphene oxide for flow through electrode based desalination studies. <i>Carbon</i> , 2019, 152, 837-850. | 5.4  | 31        |
| 577 | Bromide and iodide selectivity in membrane capacitive deionisation, and its potential application to reduce the formation of disinfection by-products in water treatment. <i>Chemosphere</i> , 2019, 234, 536-544.                          | 4.2  | 19        |
| 578 | Electrical energy from CO <sub>2</sub> emissions by direct gas feeding in capacitive cells. <i>Electrochimica Acta</i> , 2019, 319, 264-276.  | 2.6  | 5         |
| 579 | Integrating a supercapacitor with capacitive deionization for direct energy recovery from the desalination of brackish water. <i>Applied Energy</i> , 2019, 252, 113417.  | 5.1  | 38        |
| 580 | Dynamic Langmuir Model: A Simpler Approach to Modeling Capacitive Deionization. <i>Journal of Physical Chemistry C</i> , 2019, 123, 16479-16485.  | 1.5  | 42        |
| 581 | Effect of Brine Water on Discharge of Cations in Membrane Capacitive Deionization and Its Implications on Nitrogen Recovery from Wastewater. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 11474-11484.                       | 3.2  | 10        |
| 582 | Impact of network heterogeneity on electrokinetic transport in porous media. <i>Journal of Colloid and Interface Science</i> , 2019, 553, 451-464.  | 5.0  | 26        |
| 583 | One-step synthesis of high surface-area honeycomb graphene clusters for highly efficient capacitive deionization. <i>Journal of Physics and Chemistry of Solids</i> , 2019, 134, 64-68.   | 1.9  | 14        |
| 584 | Effect of Ion Volume on the Asymmetry of Two-Dimensional Planar Capacitive Deionization System: Determination and Manipulation. <i>Journal of Physical Chemistry C</i> , 2019, 123, 13434-13443.  | 1.5  | 8         |
| 585 | The granular capacitive moving bed reactor for the scale up of bioanodes. <i>Journal of Chemical Technology and Biotechnology</i> , 2019, 94, 2738-2748.  | 1.6  | 16        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 586 | Desalination via chemical energy: An electro dialysis cell driven by spontaneous electrode reactions. <i>Desalination</i> , 2019, 467, 257-262.   | 4.0  | 36        |
| 587 | Boron-nitride-carbon nanosheets with different pore structure and surface properties for capacitive deionization. <i>Journal of Colloid and Interface Science</i> , 2019, 552, 604-612.                                 | 5.0  | 31        |
| 588 | Integrated ultrafiltration-capacitive-deionization (UCDI) for enhanced antifouling performance and synchronous removal of organic matter and salts. <i>Separation and Purification Technology</i> , 2019, 226, 146-153. | 3.9  | 27        |
| 589 | Enhancing the Ion-Size-Based Selectivity of Capacitive Deionization Electrodes. <i>Environmental Science &amp; Technology</i> , 2019, 53, 8447-8454.  | 4.6  | 62        |
| 590 | Using Ultramicroporous Carbon for the Selective Removal of Nitrate with Capacitive Deionization. <i>Environmental Science &amp; Technology</i> , 2019, 53, 10863-10870.   | 4.6  | 118       |
| 591 | Nitrate removal and recovery by capacitive deionization (CDI). <i>Chemical Engineering Journal</i> , 2019, 375, 121943.   | 6.6  | 74        |
| 592 | Energy generation and storage by salinity gradient power: A model-based assessment. <i>Journal of Energy Storage</i> , 2019, 24, 100755.  | 3.9  | 22        |
| 593 | Faradaic reactions in capacitive deionization for desalination and ion separation. <i>Journal of Materials Chemistry A</i> , 2019, 7, 15999-16027.  | 5.2  | 135       |
| 594 | Activated <i>Luffa</i> derived biowaste carbon for enhanced desalination performance in brackish water. <i>RSC Advances</i> , 2019, 9, 14884-14892.   | 1.7  | 20        |
| 595 | Low voltage operation of a silver/silver chloride battery with high desalination capacity in seawater. <i>RSC Advances</i> , 2019, 9, 14849-14858.  | 1.7  | 64        |
| 596 | High Electrochemical Seawater Desalination Performance Enabled by an Iodide Redox Electrolyte Paired with a Sodium Superionic Conductor. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 10132-10142.       | 3.2  | 32        |
| 597 | Removal of calcium ions from water by selective electrosorption using target-ion specific nanocomposite electrode. <i>Water Research</i> , 2019, 160, 445-453.  | 5.3  | 57        |
| 598 | Potential limits of capacitive deionization and membrane capacitive deionization for water electrolysis. <i>Separation Science and Technology</i> , 2019, 54, 2112-2125.  | 1.3  | 16        |
| 599 | Mapping Charge Percolation in Flowable Electrodes Used in Capacitive Deionization. , 2019, 1, 71-76.  |      | 20        |
| 600 | Facile Synthesis of In Situ Graphitic-N Doped Porous Carbon Derived from Ginkgo Leaf for Fast Capacitive Deionization. <i>Journal of the Electrochemical Society</i> , 2019, 166, E240-E247.                            | 1.3  | 31        |
| 601 | Continuous desalination with a metal-free redox-mediator. <i>Journal of Materials Chemistry A</i> , 2019, 7, 13941-13947.   | 5.2  | 38        |
| 602 | Rational Design of Carbon Nanomaterials for Electrochemical Sodium Storage and Capture. <i>Advanced Materials</i> , 2019, 31, e1803444.   | 11.1 | 103       |
| 603 | Mechanism of Selective Ion Removal in Membrane Capacitive Deionization for Water Softening. <i>Environmental Science &amp; Technology</i> , 2019, 53, 5797-5804.  | 4.6  | 115       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 604 | Grafting the Charged Functional Groups on Carbon Nanotubes for Improving the Efficiency and Stability of Capacitive Deionization Process. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 17617-17628.  | 4.0 | 60        |
| 605 | Implication of Non-electrostatic Contribution to Deionization in Flow-Electrode CDI: Case Study of Nitrate Removal From Contaminated Source Waters. <i>Frontiers in Chemistry</i> , 2019, 7, 146.   | 1.8 | 20        |
| 606 | Electro-sorption of ammonium ion onto nickel foam supported highly microporous activated carbon prepared from agricultural residues (dried <i>Luffa cylindrica</i> ). <i>Science of the Total Environment</i> , 2019, 673, 296-305.   | 3.9 | 24        |
| 607 | Removal of heat stable salts from aqueous MDEA solution via electrosorption using carbon-based electrodes. <i>International Journal of Greenhouse Gas Control</i> , 2019, 85, 166-173.  | 2.3 | 12        |
| 608 | Electroadsorptive Removal of Gaseous Pollutants. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 1162.   | 1.3 | 2         |
| 609 | Relationships between Electrolyte Concentration and the Supercapacitive Swing Adsorption of CO <sub>2</sub> . <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 21489-21495.  | 4.0 | 8         |
| 610 | Interplay of topologically interconnected mesoporous network and defects number density in improving electroactivity of graphene-single-walled carbon nanotube aerogels. <i>Journal of Applied Physics</i> , 2019, 125, 174301.   | 1.1 | 5         |
| 611 | Ion transport and selectivity in thin film composite membranes in pressure-driven and electrochemical processes. <i>Journal of Membrane Science</i> , 2019, 584, 46-55.   | 4.1 | 20        |
| 612 | Effect of the chemical bond on the electrosorption and desorption of anions during capacitive deionization. <i>Chemosphere</i> , 2019, 229, 341-348.  | 4.2 | 11        |
| 613 | Reuse of municipal wastewater via membrane capacitive deionization using ion-selective polymer-coated carbon electrodes in pilot-scale. <i>Chemical Engineering Journal</i> , 2019, 372, 241-250.   | 6.6 | 57        |
| 614 | Carbon polyaniline capacitive deionization electrodes with stable cycle life. <i>Desalination</i> , 2019, 464, 25-32.   | 4.0 | 32        |
| 615 | Hierarchical composite of N-doped carbon sphere and holey graphene hydrogel for high-performance capacitive deionization. <i>Desalination</i> , 2019, 464, 18-24.   | 4.0 | 75        |
| 616 | Characterization of the mass transfer fluxes in a capacitive desalination cell by using Fe <sup>III</sup> (CN) <sub>6</sub> <sup>3-</sup> /Fe <sup>II</sup> (CN) <sub>6</sub> <sup>4-</sup> redox couple as an electrochemical probe. <i>Journal of Electroanalytical Chemistry</i> , 2019, 842, 127-132. | 1.9 | 3         |
| 617 | Role of Mesopore Structure of Hierarchical Porous Carbons on the Electrosorption Performance of Capacitive Deionization Electrodes. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 7580-7596.  | 3.2 | 27        |
| 618 | Concurrent Nitrogen and Phosphorus Recovery Using Flow-Electrode Capacitive Deionization. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 7844-7850.  | 3.2 | 84        |
| 619 | The efficient faradaic Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> @C electrode exceeds the membrane capacitive desalination performance. <i>Journal of Materials Chemistry A</i> , 2019, 7, 8912-8921.   | 5.2 | 30        |
| 620 | Electrospun Nanomaterials for Energy Applications: Recent Advances. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 1049.  | 1.3 | 49        |
| 621 | Fractionation of mono- and divalent ions by capacitive deionization with nanofiltration membrane. <i>Journal of Colloid and Interface Science</i> , 2019, 544, 321-328.   | 5.0 | 23        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 622 | A core-shell heterostructured CuFe@NiFe Prussian blue analogue as a novel electrode material for high-capacity and stable capacitive deionization. <i>Journal of Materials Chemistry A</i> , 2019, 7, 10464-10474.                        | 5.2 | 91        |
| 623 | Mycelial pellet-derived heteroatom-doped carbon nanosheets with a three-dimensional hierarchical porous structure for efficient capacitive deionization. <i>Environmental Science: Nano</i> , 2019, 6, 1430-1442.                         | 2.2 | 33        |
| 624 | Soft electrodes in water desalination: application to multi-valent ions. <i>Environmental Science: Water Research and Technology</i> , 2019, 5, 873-883.  | 1.2 | 2         |
| 625 | Efficient treatment of brine wastewater through a flow-through technology integrating desalination and photocatalysis. <i>Water Research</i> , 2019, 157, 134-144.  | 5.3 | 54        |
| 626 | Free-standing flexible film as a binder-free electrode for an efficient hybrid deionization system. <i>Nanoscale</i> , 2019, 11, 5896-5908.   | 2.8 | 30        |
| 627 | Reducing impedance to ionic flux in capacitive deionization with Bi-tortuous activated carbon electrodes coated with asymmetrically charged polyelectrolytes. <i>Water Research X</i> , 2019, 3, 100027.                                  | 2.8 | 17        |
| 628 | Dynamic Adsorption of Ions into Like-Charged Nanospace: A Dynamic Density Functional Theory Study. <i>Langmuir</i> , 2019, 35, 4254-4262.   | 1.6 | 19        |
| 629 | In-situ embedding ZrO <sub>2</sub> nanoparticles in hierarchically porous carbon matrix as electrode materials for high desalination capacity of hybrid capacitive deionization. <i>Materials Letters</i> , 2019, 248, 197-200.           | 1.3 | 34        |
| 630 | Comparison of Two Sustainable Counter Electrodes for Energy Storage in the Microbial Rechargeable Battery. <i>ChemElectroChem</i> , 2019, 6, 2464-2473.   | 1.7 | 6         |
| 631 | Theoretical insight into the structure-property relationship of mixed transition metal oxides nanofibers doped in activated carbon and 3D graphene for capacitive deionization. <i>Chemical Engineering Journal</i> , 2019, 371, 166-181. | 6.6 | 70        |
| 632 | Phosphorus removal mechanisms from domestic wastewater by membrane capacitive deionization and system optimization for enhanced phosphate removal. <i>Chemical Engineering Research and Design</i> , 2019, 126, 44-52.                    | 2.7 | 53        |
| 633 | Electron beam-based fabrication of crosslinked hydrophilic carbon electrodes and their application for capacitive deionization. <i>RSC Advances</i> , 2019, 9, 9684-9691.   | 1.7 | 5         |
| 634 | Evaluation of the electrochemical performance of electrospun transition metal oxide-based electrode nanomaterials for water CDI applications. <i>Electrochimica Acta</i> , 2019, 309, 125-139.  | 2.6 | 20        |
| 635 | Metal-organic-frameworks-derived NaTi <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> /carbon composites for efficient hybrid capacitive deionization. <i>Journal of Materials Chemistry A</i> , 2019, 7, 12126-12133.                       | 5.2 | 115       |
| 636 | A stable operation method for membrane capacitive deionization systems without electrode reactions at high cell potentials. <i>Water Research</i> , 2019, 157, 167-174.   | 5.3 | 35        |
| 637 | Mesoporous amorphous FePO <sub>4</sub> nanosphere@Graphene as a faradic electrode in capacitive deionization for high-capacity and fast removal of NaCl from water. <i>Chemical Engineering Journal</i> , 2019, 370, 938-943.             | 6.6 | 80        |
| 638 | Polyelectrolyte-activated carbon composite electrodes for inverted membrane capacitive deionization (iMCDI). <i>Separation and Purification Technology</i> , 2019, 220, 145-151.  | 3.9 | 24        |
| 639 | Comments on "Comparison of energy consumption in desalination by capacitive deionization and reverse osmosis". <i>Desalination</i> , 2019, 461, 30-36.  | 4.0 | 37        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 640 | Theoretical framework for designing a desalination plant based on membrane capacitive deionization. <i>Water Research</i> , 2019, 158, 359-369.   | 5.3 | 37        |
| 641 | Energy Efficiency of Capacitive Deionization. <i>Environmental Science &amp; Technology</i> , 2019, 53, 3366-3378.  | 4.6 | 184       |
| 642 | Multi-parameter optimization of the capacitance of Carbon Xerogel catalyzed by NaOH for application in supercapacitors and capacitive deionization systems. <i>Heliyon</i> , 2019, 5, e01196.   | 1.4 | 7         |
| 643 | Activation behavior for ion permeation in ion-exchange membranes: Role of ion dehydration in selective transport. <i>Journal of Membrane Science</i> , 2019, 580, 316-326.  | 4.1 | 146       |
| 644 | An integrated strategy for improving the desalination performances of activated carbon-based capacitive deionization systems. <i>Electrochimica Acta</i> , 2019, 302, 277-285.  | 2.6 | 26        |
| 645 | A Study of MnO <sub>2</sub> with Different Crystalline Forms for Pseudocapacitive Desalination. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 13176-13184.  | 4.0 | 129       |
| 646 | The Ratio between the Surface Charge and Electrode's Capacitance as a Fast Tool for Assessing the Charge Efficiency in Capacitive Deionization Processes. <i>Journal of the Electrochemical Society</i> , 2019, 166, H119-H125.                   | 1.3 | 6         |
| 647 | Capacitive Deionization (CDI): An Alternative Cost-Efficient Desalination Technique. , 2019, , 165-202.   |     | 17        |
| 648 | A positive-negative alternate adsorption effect for capacitive deionization in nano-porous carbon aerogel electrodes to enhance desalination capacity. <i>Desalination</i> , 2019, 458, 45-53.  | 4.0 | 51        |
| 649 | Pore-scale study of dynamic ion adsorption process in porous electrodes of capacitive deionization using lattice Boltzmann method. <i>International Journal of Heat and Mass Transfer</i> , 2019, 135, 769-781.                                   | 2.5 | 21        |
| 650 | Tunable Pseudocapacitive Behavior in Metal-Organic Framework-Derived TiO <sub>2</sub> @Porous Carbon Enabling High-Performance Membrane Capacitive Deionization. <i>ACS Applied Energy Materials</i> , 2019, 2, 1812-1822.                        | 2.5 | 60        |
| 651 | Electro-assisted Adsorption of Zn(II) on Activated Carbon Cloth in Batch-Flow Mode: Experimental and Theoretical Investigations. <i>Environmental Science &amp; Technology</i> , 2019, 53, 2670-2678.   | 4.6 | 50        |
| 652 | Villiform carbon fiber paper as current collector for capacitive deionization devices with high areal electroadsorption capacity. <i>Desalination</i> , 2019, 459, 1-9.   | 4.0 | 29        |
| 653 | Intact mangrove root electrodes for desalination. <i>RSC Advances</i> , 2019, 9, 4735-4743.   | 1.7 | 6         |
| 654 | Nonlinear dynamics of ion concentration polarization in capacitive deionization. <i>Desalination</i> , 2019, 458, 14-24.  | 4.0 | 9         |
| 655 | High water recovery and improved thermodynamic efficiency for capacitive deionization using variable flowrate operation. <i>Water Research</i> , 2019, 155, 76-85.  | 5.3 | 55        |
| 656 | Flow-Electrode CDI Removes the Uncharged Ca <sup>2+</sup> -CO <sub>3</sub> Ternary Complex from Brackish Potable Groundwater: Complex Dissociation, Transport, and Sorption. <i>Environmental Science &amp; Technology</i> , 2019, 53, 2739-2747. | 4.6 | 54        |
| 658 | Application of Electro-Sorption Desalination Technique in Water Treatment. <i>IOP Conference Series: Earth and Environmental Science</i> , 2019, 371, 042005.   | 0.2 | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 659 | Optimization of the Capacitance of Activated Carbon in Symmetric Capacitive Deionization System. , 2019, , .  |     | 0         |
| 660 | Modelling of capacitive de-ionization with activated carbon electrodes. , 2019, , .   |     | 0         |
| 661 | Modeling the Operation of a Microseparator Taking into Account the Changes in the Thickness of the Stern Layer on the Surfaces of Electrode Pores. Russian Journal of Physical Chemistry A, 2019, 93, 2528-2533.                      | 0.1 | 1         |
| 662 | Novel hybrid capacitive deionization constructed by a redox-active covalent organic framework and its derived porous carbon for highly efficient desalination. Journal of Materials Chemistry A, 2019, 7, 25305-25313.                | 5.2 | 40        |
| 663 | Carbonâ€metal compound composite electrodes for capacitive deionization: synthesis, development and applications. Journal of Materials Chemistry A, 2019, 7, 26693-26743.   | 5.2 | 77        |
| 664 | Effect of Pore Size on the Ion Electrosorption and Hydrogen/Deuterium Electrosorption Using Sodium Chloride in H <sub>2</sub> O and D <sub>2</sub> O. Journal of the Electrochemical Society, 2019, 166, A4158-A4167.                 | 1.3 | 8         |
| 665 | Energy Efficiency of Desalination: Fundamental Insights from Intuitive Interpretation. Environmental Science & Technology, 2020, 54, 76-84.   | 4.6 | 126       |
| 666 | Modeling and interpretation of membrane capacitive deionization responses to different salt load. AWWA Water Science, 2019, 1, e1166.   | 1.0 | 4         |
| 667 | Seawater desalination by over-potential membrane capacitive deionization: Opportunities and hurdles. Chemical Engineering Journal, 2019, 357, 103-111.  | 6.6 | 90        |
| 668 | Capacitive deionization performance of CNTs-Si-Ag based electrodes for the removal of heat stable salts from methyl-diethanolamine (MDEA) solution in natural gas sweetening units. Chemical Engineering Journal, 2019, 356, 400-412. | 6.6 | 27        |
| 669 | Concentration of crotonic acid using capacitive deionization technology. Separation and Purification Technology, 2019, 209, 658-665.  | 3.9 | 11        |
| 670 | Low cost desalination of brackish groundwaters by Capacitive Deionization (CDI) â€ Implications for irrigated agriculture. Desalination, 2019, 453, 37-53.  | 4.0 | 40        |
| 671 | Perchlorate removal from brackish water by capacitive deionization: Experimental and theoretical investigations. Chemical Engineering Journal, 2019, 361, 209-218.  | 6.6 | 39        |
| 672 | Pine pollen derived porous carbon with efficient capacitive deionization performance. Electrochimica Acta, 2019, 298, 360-371.  | 2.6 | 45        |
| 673 | Review of concepts and applications of electrochemical ion separation (EIONS) process. Separation and Purification Technology, 2019, 215, 190-207.  | 3.9 | 81        |
| 674 | Selective adsorption of fluoride from drinking water using NiAl-layered metal oxide film electrode. Journal of Colloid and Interface Science, 2019, 539, 146-151.   | 5.0 | 64        |
| 675 | Biomorphic microchanneled electrodes for enhanced water desalination through capacitive deionization. Water Science and Technology: Water Supply, 2019, 19, 1221-1228.  | 1.0 | 3         |
| 676 | Influence of operating conditions and cathode parameters on desalination performance of hybrid CDI systems. Desalination, 2019, 452, 1-8.   | 4.0 | 36        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 677 | Treatment of low-level Cu(II) wastewater and regeneration through a novel capacitive deionization-electrodeionization (CDI-EDI) technology. <i>Chemosphere</i> , 2019, 217, 763-772.   | 4.2  | 47        |
| 678 | Comparative study on electrosorptive behavior of NH <sub>4</sub> HF <sub>2</sub> -etched Ti <sub>3</sub> C <sub>2</sub> and HF-etched Ti <sub>3</sub> C <sub>2</sub> for capacitive deionization. <i>Ionics</i> , 2019, 25, 727-735. | 1.2  | 48        |
| 679 | Performance metrics for the objective assessment of capacitive deionization systems. <i>Water Research</i> , 2019, 152, 126-137.   | 5.3  | 201       |
| 680 | Various cell architectures of capacitive deionization: Recent advances and future trends. <i>Water Research</i> , 2019, 150, 225-251.  | 5.3  | 298       |
| 681 | Ammonium removal and recovery from real digestate wastewater by a modified operational method of membrane capacitive deionization unit. <i>Journal of Cleaner Production</i> , 2019, 215, 1415-1423.                                 | 4.6  | 31        |
| 682 | Effect of Surface Ionization of Doped MnO <sub>2</sub> on Capacitive Deionization Efficiency. <i>Langmuir</i> , 2019, 35, 628-640.   | 1.6  | 13        |
| 683 | The maximum allowable charge for operating membrane capacitive deionization without electrode reactions. <i>Separation and Purification Technology</i> , 2019, 215, 125-133.   | 3.9  | 20        |
| 684 | Comparison of faradaic reactions in flow-through and flow-by capacitive deionization (CDI) systems. <i>Electrochimica Acta</i> , 2019, 299, 727-735.   | 2.6  | 87        |
| 685 | Performance evaluation of asymmetric capacitive deionization with carbon aerogel based fiber-paper electrodes: Effect of gold deposition vs acid treatment. <i>Journal of Electroanalytical Chemistry</i> , 2019, 835, 30-39.        | 1.9  | 5         |
| 686 | Study on the electrochemical characteristics of porous ceramic spacers in a capacitive deionization cell using slurry electrodes. <i>Journal of Electroanalytical Chemistry</i> , 2019, 835, 262-272.                                | 1.9  | 10        |
| 687 | Influence of various experimental parameters on the capacitive removal of phosphate from aqueous solutions using LDHs/AC composite electrodes. <i>Separation and Purification Technology</i> , 2019, 215, 454-462.                   | 3.9  | 40        |
| 688 | Studying the electrosorption performance of activated carbon electrodes in batch-mode and single-pass capacitive deionization. <i>Separation and Purification Technology</i> , 2019, 215, 403-409.                                   | 3.9  | 75        |
| 689 | A new standard metric describing the adsorption capacity of carbon electrode used in membrane capacitive deionization. <i>Water Research</i> , 2019, 148, 126-132.   | 5.3  | 24        |
| 690 | Enhancing capacitive deionization performance with charged structural polysaccharide electrode binders. <i>Water Research</i> , 2019, 148, 388-397.  | 5.3  | 28        |
| 691 | Fabrication of porous graphene electrodes via CO <sub>2</sub> activation for the enhancement of capacitive deionization. <i>Journal of Colloid and Interface Science</i> , 2019, 536, 252-260.                                       | 5.0  | 50        |
| 692 | Tailoring the pressure drop and fluid distribution of a capacitive deionization device. <i>Desalination</i> , 2019, 449, 111-117.  | 4.0  | 28        |
| 693 | Porous Polymers as Multifunctional Material Platforms toward Task-specific Applications. <i>Advanced Materials</i> , 2019, 31, e1802922.   | 11.1 | 315       |
| 694 | Applications of capacitive deionization: Desalination, softening, selective removal, and energy efficiency. <i>Desalination</i> , 2019, 449, 118-130.  | 4.0  | 257       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 695 | Enhanced desalination performance via mixed capacitive-Faradaic ion storage using RuO <sub>2</sub> -activated carbon composite electrodes. <i>Electrochimica Acta</i> , 2019, 295, 769-777.                           | 2.6 | 54        |
| 696 | Selective removal of lead ions through capacitive deionization: Role of ion-exchange membrane. <i>Chemical Engineering Journal</i> , 2019, 361, 1535-1542.  | 6.6 | 89        |
| 697 | A freestanding CNTs film fabricated by pyrrole-modified CVD for capacitive deionization. <i>Surface Innovations</i> , 2019, 7, 10-17.   | 1.4 | 19        |
| 698 | Novel anion exchange membrane for concentration of lithium salt in hybrid capacitive deionization. <i>Desalination</i> , 2019, 452, 279-289.  | 4.0 | 30        |
| 699 | Flow-electrode capacitive deionization with highly enhanced salt removal performance utilizing high-aspect ratio functionalized carbon nanotubes. <i>Water Research</i> , 2019, 151, 252-259.                         | 5.3 | 116       |
| 700 | 3D Channel-structured graphene as efficient electrodes for capacitive deionization. <i>Journal of Colloid and Interface Science</i> , 2019, 538, 420-425.   | 5.0 | 53        |
| 701 | Selective removal of nitrate ion using a novel activated carbon composite carbon electrode in capacitive deionization. <i>Separation and Purification Technology</i> , 2019, 212, 728-736.                            | 3.9 | 50        |
| 702 | Ag-Cu bimetallic nanoparticle decorated graphene nanocomposite as an effective anode material for hybrid capacitive deionization (HCDI) system. <i>Electrochimica Acta</i> , 2019, 297, 1052-1062.                    | 2.6 | 46        |
| 703 | Surface-microporous graphene for high-performance capacitive deionization under ultralow saline concentration. <i>Journal of Physics and Chemistry of Solids</i> , 2019, 125, 135-140.                                | 1.9 | 22        |
| 704 | Preparation of nitrogen-doped graphitic porous carbon towards capacitive deionization with high adsorption capacity and rate capability. <i>Separation and Purification Technology</i> , 2019, 211, 233-241.          | 3.9 | 51        |
| 705 | Three-dimensional graphene oxide and polyvinyl alcohol composites as structured activated carbons for capacitive desalination. <i>Desalination</i> , 2019, 451, 172-181.  | 4.0 | 56        |
| 706 | Low energy consumption dual-ion electrochemical deionization system using NaTi <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> -AgNPs electrodes. <i>Desalination</i> , 2019, 451, 241-247.                              | 4.0 | 99        |
| 707 | Development of a novel graphene/Co <sub>3</sub> O <sub>4</sub> composite for hybrid capacitive deionization system. <i>Desalination</i> , 2019, 451, 102-110.   | 4.0 | 143       |
| 708 | Carbon electrodes for capacitive technologies. <i>Energy Storage Materials</i> , 2019, 16, 126-145.   | 9.5 | 214       |
| 709 | Temperature and desorption mode matter in capacitive deionization process for water desalination. <i>Environmental Technology (United Kingdom)</i> , 2020, 41, 3456-3463.   | 1.2 | 15        |
| 710 | Deionization utilizing reduced graphene oxide-titanium dioxide nanotubes composite for the removal of Pb <sup>2+</sup> and Cu <sup>2+</sup> . <i>Journal of Environmental Chemical Engineering</i> , 2020, 8, 103063. | 3.3 | 24        |
| 711 | Preparation of electrodes for hybrid capacitive deionization and its influence on the adsorption behaviour. <i>Separation Science and Technology</i> , 2020, 55, 2238-2249.   | 1.3 | 10        |
| 712 | Porous nitrogen-doped MXene-based electrodes for capacitive deionization. <i>Energy Storage Materials</i> , 2020, 25, 731-739.  | 9.5 | 122       |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 713 | Energy storage and generation through desalination using flow-electrodes capacitive deionization. <i>Journal of Industrial and Engineering Chemistry</i> , 2020, 81, 317-322.  | 2.9 | 31        |
| 714 | Capacitive deionization for wastewater treatment: Opportunities and challenges. <i>Chemosphere</i> , 2020, 241, 125003.  | 4.2 | 75        |
| 715 | Hierarchically open-porous nitrogen-incorporated carbon polyhedrons derived from metal-organic frameworks for improved CDI performance. <i>Chemical Engineering Journal</i> , 2020, 382, 122996.   | 6.6 | 84        |
| 716 | Electrostatically-coupled graphene oxide nanocomposite cation exchange membrane. <i>Journal of Membrane Science</i> , 2020, 594, 117457.   | 4.1 | 26        |
| 717 | Flow-electrode capacitive deionization (FCDI) scale-up using a membrane stack configuration. <i>Water Research</i> , 2020, 168, 115186.  | 5.3 | 87        |
| 718 | Manipulating Water and Heat with Nanoengineered Surfaces. <i>Women in Engineering and Science</i> , 2020, , 85-99.   | 0.2 | 0         |
| 719 | Women in Nanotechnology. <i>Women in Engineering and Science</i> , 2020, , .   | 0.2 | 1         |
| 720 | Biomass-based carbon electrode materials for capacitive deionization: a review. <i>Biomass Conversion and Biorefinery</i> , 2020, 10, 1327-1356.   | 2.9 | 45        |
| 721 | Effective removal and selective capture of copper from salty solution in flow electrode capacitive deionization. <i>Environmental Science: Water Research and Technology</i> , 2020, 6, 341-350.   | 1.2 | 32        |
| 722 | The pseudo-capacitive deionization behaviour of CuAl-mixed metal oxides. <i>Environmental Science: Water Research and Technology</i> , 2020, 6, 296-302.   | 1.2 | 8         |
| 723 | Quantitative insight into the effect of ions size and electrodes pores on capacitive deionization performance. <i>Electrochimica Acta</i> , 2020, 329, 135176.   | 2.6 | 7         |
| 724 | Significantly enhanced capacitance deionization performance by coupling activated carbon with triethyltetramine-functionalized graphene. <i>Chemical Engineering Journal</i> , 2020, 384, 123317.  | 6.6 | 40        |
| 725 | Loofah-derived activated carbon supported on nickel foam (AC/Ni) electrodes for the electro-sorption of ammonium ion from aqueous solutions. <i>Chemosphere</i> , 2020, 242, 125259.   | 4.2 | 22        |
| 726 | Lithium iron manganese oxide as an adsorbent for capturing lithium ions in hybrid capacitive deionization with different electrical modes. <i>Separation and Purification Technology</i> , 2020, 236, 116234.  | 3.9 | 20        |
| 727 | Na <sub>0.71</sub> CoO <sub>2</sub> promoted sodium uptake via faradaic reaction for highly efficient capacitive deionization. <i>Separation and Purification Technology</i> , 2020, 234, 116090.  | 3.9 | 27        |
| 728 | Fabrication of 3D flower-like MoS <sub>2</sub> /graphene composite as high-performance electrode for capacitive deionization. <i>Desalination</i> , 2020, 473, 114191.   | 4.0 | 95        |
| 729 | Ag-doped hollow ZIFs-derived nanoporous carbon for efficient hybrid capacitive deionization. <i>Desalination</i> , 2020, 473, 114173.  | 4.0 | 46        |
| 730 | A coupling technology of capacitive deionization and MoS <sub>2</sub> /nitrogen-doped carbon spheres with abundant active sites for efficiently and selectively adsorbing low-concentration copper ions. <i>Journal of Colloid and Interface Science</i> , 2020, 564, 428-441. | 5.0 | 42        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 731 | Permselective ion electrosorption of subnanometer pores at high molar strength enables capacitive deionization of saline water. <i>Sustainable Energy and Fuels</i> , 2020, 4, 1285-1295.   | 2.5 | 34        |
| 732 | Inversion phenomenon and effective charging quantity in capacitive deionization device. <i>Ionics</i> , 2020, 26, 3523-3529.  | 1.2 | 2         |
| 733 | Performance Recovery in Degraded Carbon-Based Electrodes for Capacitive Deionization. <i>Environmental Science &amp; Technology</i> , 2020, 54, 1848-1856.  | 4.6 | 24        |
| 735 | Vertically-aligned growth of CuAl-layered double oxides on reduced graphene oxide for hybrid capacitive deionization with superior performance. <i>Environmental Science: Nano</i> , 2020, 7, 764-772.  | 2.2 | 19        |
| 736 | Efficient removal of metal ions by capacitive deionization with straw waste derived graphitic porous carbon nanosheets. <i>Environmental Science: Nano</i> , 2020, 7, 317-326.  | 2.2 | 63        |
| 737 | Enhanced desalination of electrospun activated carbon fibers with controlled pore structures in the electrosorption process. <i>Environmental Science: Water Research and Technology</i> , 2020, 6, 312-320.  | 1.2 | 11        |
| 738 | The fabrication of activated carbon and metal-carbide 2D framework-based asymmetric electrodes for the capacitive deionization of Cr(VI) ions toward industrial wastewater remediation. <i>Environmental Science: Water Research and Technology</i> , 2020, 6, 351-361. | 1.2 | 43        |
| 739 | Nutrient recovery from treated wastewater by a hybrid electrochemical sequence integrating bipolar membrane electrodialysis and membrane capacitive deionization. <i>Environmental Science: Water Research and Technology</i> , 2020, 6, 383-391.                       | 1.2 | 33        |
| 740 | Removal of chloride ions using a bismuth electrode in capacitive deionization (CDI). <i>Environmental Science: Water Research and Technology</i> , 2020, 6, 373-382.  | 1.2 | 34        |
| 741 | MoC nanoparticle-embedded carbon nanofiber aerogels as flow-through electrodes for highly efficient pseudocapacitive deionization. <i>Journal of Materials Chemistry A</i> , 2020, 8, 1443-1450.  | 5.2 | 43        |
| 742 | Hierarchical Porous Carbon from the Synergistic "Pore-on-Pore" Strategy for Efficient Capacitive Deionization. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 1129-1136.   | 3.2 | 49        |
| 743 | Rapid Inversion of Surface Charges in Heteroatom-Doped Porous Carbon: A Route to Robust Electrochemical Desalination. <i>Advanced Functional Materials</i> , 2020, 30, 1909387.   | 7.8 | 38        |
| 744 | An insight into the promotion effect of Na <sup>+</sup> /vacancy ordering on desalination performance of Na <sub>x</sub> CoO <sub>2</sub> . <i>Desalination</i> , 2020, 478, 114301.  | 4.0 | 14        |
| 745 | Tailored Methodology Based on Vapor Phase Polymerization to Manufacture PEDOT/CNT Scaffolds for Tissue Engineering. <i>ACS Biomaterials Science and Engineering</i> , 2020, 6, 1269-1278.   | 2.6 | 31        |
| 746 | Naturally occurring neem gum: An unprecedented green resource for bioelectrochemical flexible energy storage device. <i>International Journal of Energy Research</i> , 2020, 44, 913-924.   | 2.2 | 7         |
| 747 | Understanding capacitive deionization performance by comparing its electrical response with an electrochemical supercapacitor: Strategies to boost round-trip efficiency. <i>Electrochimica Acta</i> , 2020, 330, 135216.   | 2.6 | 9         |
| 748 | On operation of reverse electrodialysis (RED) and membrane capacitive deionisation (MCDI) with natural saline streams: A critical review. <i>Desalination</i> , 2020, 476, 114183.  | 4.0 | 42        |
| 749 | Energy recovery in capacitive deionization systems with inverted operation characteristics. <i>Environmental Science: Water Research and Technology</i> , 2020, 6, 321-330.   | 1.2 | 9         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 750 | The feasibility of hollow echinus-like NiCo <sub>2</sub> O <sub>4</sub> nanocrystals for hybrid capacitive deionization. <i>Environmental Science: Water Research and Technology</i> , 2020, 6, 283-289. | 1.2 | 10        |
| 751 | Graphite felt 3D framework composites as an easy to scale capacitive deionization electrode for brackish water desalination. <i>Chemical Engineering Journal</i> , 2020, 392, 123698.                    | 6.6 | 40        |
| 752 | Enhanced desalination performance utilizing sulfonated carbon nanotube in the flow-electrode capacitive deionization process. <i>Separation and Purification Technology</i> , 2020, 237, 116381.         | 3.9 | 60        |
| 753 | Capacitive deionization for simultaneous removal of salt and uncharged organic contaminants from water. <i>Separation and Purification Technology</i> , 2020, 237, 116388.                               | 3.9 | 17        |
| 754 | Influence of operating conditions on the desalination performance of a symmetric pre-conditioned Ti3C2T-MXene membrane capacitive deionization system. <i>Desalination</i> , 2020, 477, 114267.          | 4.0 | 71        |
| 755 | Role of ion exchange membranes and capacitive electrodes in membrane capacitive deionization (MCDI) for CO <sub>2</sub> capture. <i>Journal of Colloid and Interface Science</i> , 2020, 564, 478-490.   | 5.0 | 37        |
| 756 | Highly porous biomass-based capacitive deionization electrodes for water defluoridation. <i>Ionics</i> , 2020, 26, 2477-2492.  | 1.2 | 19        |
| 757 | 3D interconnected boron- and nitrogen-codoped carbon nanosheets decorated with manganese oxides for high-performance capacitive deionization. <i>Carbon</i> , 2020, 158, 184-192.                        | 5.4 | 74        |
| 758 | Scaling behavior of iron in capacitive deionization (CDI) system. <i>Water Research</i> , 2020, 171, 115370.   | 5.3 | 32        |
| 759 | Carbon electrodes with ionic functional groups for enhanced capacitive deionization performance. <i>Journal of Industrial and Engineering Chemistry</i> , 2020, 83, 136-144.                             | 2.9 | 31        |
| 760 | Removal and recovery of phosphorus from low-strength wastewaters by flow-electrode capacitive deionization. <i>Separation and Purification Technology</i> , 2020, 237, 116322.                           | 3.9 | 86        |
| 761 | High performance electrochemical saline water desalination using silver and silver-chloride electrodes. <i>Desalination</i> , 2020, 476, 114216.   | 4.0 | 57        |
| 762 | Denitrification enhancement by electro-sorption/reduction using a layered metal oxide electrode loaded with Pd-Cu nanoparticles. <i>Electrochemistry Communications</i> , 2020, 110, 106607.             | 2.3 | 11        |
| 763 | Synthesis of three-dimensional nitrogen doped meso/macroporous carbon beads for heterogeneous catalytic solvent-free oxidation of ethylbenzene. <i>Carbon</i> , 2020, 158, 226-237.                      | 5.4 | 26        |
| 764 | Energy transfer for storage or recovery in capacitive deionization using a DC-DC converter. <i>Journal of Power Sources</i> , 2020, 448, 227409.   | 4.0 | 16        |
| 765 | A quantitative prediction model for the phosphate adsorption capacity of carbon materials based on pore size distribution. <i>Electrochimica Acta</i> , 2020, 331, 135377.                               | 2.6 | 10        |
| 766 | Eco-friendly facile synthesis of glucose-derived microporous carbon spheres electrodes with enhanced performance for water capacitive deionization. <i>Desalination</i> , 2020, 477, 114278.             | 4.0 | 63        |
| 767 | Membrane and Electrochemical Processes for Water Desalination: A Short Perspective and the Role of Nanotechnology. <i>Membranes</i> , 2020, 10, 280.   | 1.4 | 9         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 768 | Ion separations with membranes. <i>Journal of Polymer Science</i> , 2020, 58, 2831-2856.   | 2.0  | 52        |
| 769 | High speed capacitive deionization system with flow-through electrodes. <i>Desalination</i> , 2020, 496, 114750.   | 4.0  | 19        |
| 770 | Sulfonated nickel phthalocyanine redox flow cell for high-performance electrochemical water desalination. <i>Desalination</i> , 2020, 496, 114762.   | 4.0  | 10        |
| 771 | Advances in capacitive deionization as an effective technique for reverse osmosis reject stream treatment. <i>Journal of Environmental Chemical Engineering</i> , 2020, 8, 104413.                                 | 3.3  | 21        |
| 772 | Capacitive deionization using carbon derived from an array of zeolitic-imidazolate frameworks. <i>Nano Energy</i> , 2020, 77, 105304.  | 8.2  | 48        |
| 773 | The design of nitrogen-doped core-shell-structured mesopore-dominant hierarchical porous carbon nanospheres for high-performance capacitive deionization. <i>Environmental Science: Nano</i> , 2020, 7, 3575-3586. | 2.2  | 15        |
| 774 | Performance of ion intercalation materials in capacitive deionization/electrochemical deionization: A review. <i>Journal of Electroanalytical Chemistry</i> , 2020, 878, 114588.                                   | 1.9  | 33        |
| 775 | Process model for high salinity flow-electrode capacitive deionization processes with ion-exchange membranes. <i>Journal of Membrane Science</i> , 2020, 616, 118614.  | 4.1  | 13        |
| 776 | Application of Mesoporous Silica as Catalyst Support in Sulfur Dioxide Removal: Metal and Amine Sorbent Modifications. <i>IOP Conference Series: Materials Science and Engineering</i> , 2020, 864, 012131.        | 0.3  | 0         |
| 777 | Faradaic Electrodes Open a New Era for Capacitive Deionization. <i>Advanced Science</i> , 2020, 7, 2002213.  | 5.6  | 104       |
| 778 | Pore-scale investigation on ion transport and transfer resistance in charged porous media with micro-macro structure. <i>Journal of Molecular Liquids</i> , 2020, 320, 114481.                                     | 2.3  | 3         |
| 779 | Facile preparation of poly(indole/thiophene) for energy storage and sensor applications. <i>Electrochimica Acta</i> , 2020, 358, 136919.   | 2.6  | 8         |
| 780 | N-Doping Carbon-Nanotube Membrane Electrodes Derived from Covalent Organic Frameworks for Efficient Capacitive Deionization. <i>Langmuir</i> , 2020, 36, 12030-12037.  | 1.6  | 22        |
| 781 | Electrochemical performance and enhanced nitrate removal of homogeneous polysulfone-based anion exchange membrane applied in membrane capacitive deionization cell. <i>Desalination</i> , 2020, 496, 114696.       | 4.0  | 15        |
| 782 | Cobalt and nickel ferrites based capacitive deionization electrode materials for water desalination applications. <i>Electrochimica Acta</i> , 2020, 363, 137083.  | 2.6  | 31        |
| 783 | Nitrogen-doped nanostructured carbons: A new material horizon for water desalination by capacitive deionization. <i>EnergyChem</i> , 2020, 2, 100043.  | 10.1 | 73        |
| 784 | Recent progress in graphene-based and ion-intercalation electrode materials for capacitive deionization. <i>Journal of Electroanalytical Chemistry</i> , 2020, 878, 114703.  | 1.9  | 21        |
| 785 | Separation of ions from water and wastewater using micro-scale capacitive-faradaic fuel cells (CFFCs), powered by H <sub>2</sub> (g) and air. <i>Separation and Purification Technology</i> , 2020, 253, 117494.   | 3.9  | 12        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 786 | Selectivity of nitrate and chloride ions in microporous carbons: the role of anisotropic hydration and applied potentials. <i>Nanoscale</i> , 2020, 12, 20292-20299.  | 2.8  | 11        |
| 787 | Facile synthesis of pinecone biomass-derived phosphorus-doping porous carbon electrodes for efficient electrochemical salt removal. <i>Separation and Purification Technology</i> , 2020, 251, 117357.                        | 3.9  | 62        |
| 788 | Bacterial-cellulose-derived carbonaceous electrode materials for water desalination via capacitive method: The crucial role of defect sites. <i>Desalination</i> , 2020, 492, 114596.   | 4.0  | 18        |
| 789 | Phase- and Crystallinity-Tailorable MnO <sub>2</sub> as an Electrode for Highly Efficient Hybrid Capacitive Deionization (HCDI). <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 11424-11434.                     | 3.2  | 30        |
| 790 | Development of watermelon rind derived activated carbon/manganese ferrite nanocomposite for cleaner desalination by capacitive deionization. <i>Journal of Cleaner Production</i> , 2020, 272, 122626.                        | 4.6  | 41        |
| 791 | Pulsed Electrodeposition of Ultrathin Polyaniline Films and Mechanistic Understanding of their Anion-Mediated Electrochemical Behavior. <i>Journal of the Electrochemical Society</i> , 2020, 167, 110548.                    | 1.3  | 9         |
| 792 | Performance Loss of Activated Carbon Electrodes in Capacitive Deionization: Mechanisms and Material Property Predictors. <i>Environmental Science &amp; Technology</i> , 2020, 54, 15516-15526.                               | 4.6  | 28        |
| 793 | Comparative Investigation of Activated Carbon Electrode and a Novel Activated Carbon/Graphene Oxide Composite Electrode for an Enhanced Capacitive Deionization. <i>Materials</i> , 2020, 13, 5185.                           | 1.3  | 26        |
| 794 | Enhanced desalination performance of capacitive deionization using ZIF-8/Graphene nanocomposite electrode. <i>Applied Water Science</i> , 2020, 10, 1.  | 2.8  | 7         |
| 795 | How to speed up ion transport in nanopores. <i>Nature Communications</i> , 2020, 11, 6085.  | 5.8  | 57        |
| 796 | First-Principles Modeling of Sodium Ion and Water Intercalation into Titanium Disulfide Interlayers for Water Desalination. <i>Chemistry of Materials</i> , 2020, 32, 10678-10687.  | 3.2  | 7         |
| 797 | A sunlight-responsive metal-organic framework system for sustainable water desalination. <i>Nature Sustainability</i> , 2020, 3, 1052-1058.   | 11.5 | 131       |
| 798 | Rational Design of Titanium Carbide MXene Electrode Architectures for Hybrid Capacitive Deionization. <i>Energy and Environmental Materials</i> , 2020, 3, 398-404.   | 7.3  | 42        |
| 799 | New Approach for Investigating Diffusion Kinetics Within Capacitive Deionization Electrodes Using Electrochemical Impedance Spectroscopy. <i>Frontiers in Materials</i> , 2020, 7, .  | 1.2  | 18        |
| 800 | Thermally reduced graphene oxide as an electrode for CDI processes: A compromise between performance and scalability?. <i>Desalination</i> , 2020, 492, 114599.   | 4.0  | 11        |
| 801 | Advanced Characterization in Clean Water Technologies. <i>Joule</i> , 2020, 4, 1637-1659.   | 11.7 | 33        |
| 802 | Electro-enhanced adsorption of ammonium ions by effective graphene-based electrode in capacitive deionization. <i>Separation and Purification Technology</i> , 2020, 250, 117243.   | 3.9  | 21        |
| 803 | Electro-assisted adsorption of Cs(I) and Co(II) from aqueous solution by capacitive deionization with activated carbon cloth/graphene oxide composite electrode. <i>Science of the Total Environment</i> , 2020, 749, 141524. | 3.9  | 44        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 804 | Insights on the role of interparticle porosity and electrode thickness on capacitive deionization performance for desalination. <i>Desalination</i> , 2020, 492, 114594.   | 4.0 | 20        |
| 805 | Electrochemical interfaces for chemical and biomolecular separations. <i>Current Opinion in Colloid and Interface Science</i> , 2020, 46, 77-93.   | 3.4 | 40        |
| 806 | A review on free-standing electrodes for energy-effective desalination: Recent advances and perspectives in capacitive deionization. <i>Desalination</i> , 2020, 493, 114662.  | 4.0 | 73        |
| 807 | La <sub>0.75</sub> Sr <sub>0.25</sub> Cr <sub>0.5</sub> Mn <sub>0.5</sub> O <sub>3</sub> perovskite developed for supercapacitor applications. <i>Journal of Energy Storage</i> , 2020, 32, 101951.                                    | 3.9 | 20        |
| 808 | Enhanced Desalination Performance of Capacitive Deionization Using Nanoporous Carbon Derived from ZIF-67 Metal Organic Frameworks and CNTs. <i>Nanomaterials</i> , 2020, 10, 2091.   | 1.9 | 24        |
| 809 | Improved Desalination Performance of Flow- and Fixed-Capacitive Deionization using Redox-Active Quinone. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 16701-16710.  | 3.2 | 27        |
| 810 | Selective adsorption of monovalent cations in porous electrodes. <i>Physical Chemistry Chemical Physics</i> , 2020, 22, 25184-25194.   | 1.3 | 7         |
| 811 | Exploring the Function of Ion-Exchange Membrane in Membrane Capacitive Deionization via a Fully Coupled Two-Dimensional Process Model. <i>Processes</i> , 2020, 8, 1312.   | 1.3 | 6         |
| 812 | Three-level micro-“meso”-macroporous three-dimensional graphene for highly fast capacitive deionization. <i>Materials Today Energy</i> , 2020, 18, 100502.   | 2.5 | 13        |
| 813 | Electrolytic characteristics of ammonia oxidation in real aquaculture water using nano-textured mono- and bimetal oxide catalysts supported on graphite electrodes. <i>Electrochimica Acta</i> , 2020, 360, 136990.                    | 2.6 | 17        |
| 814 | An energy efficient bi-functional electrode for continuous cation-selective capacitive deionization. <i>Nanoscale</i> , 2020, 12, 22917-22927.   | 2.8 | 12        |
| 816 | A Small RO and MCDI Coupled Seawater Desalination Plant and Its Performance Simulation Analysis and Optimization. <i>Processes</i> , 2020, 8, 944.   | 1.3 | 7         |
| 817 | Emerging electrochemical processes for materials recovery from wastewater: Mechanisms and prospects. <i>Frontiers of Environmental Science and Engineering</i> , 2020, 14, 1.  | 3.3 | 25        |
| 818 | Efficiency Improvement of a Capacitive Deionization (CDI) System by Modifying 3D SWCNT/RVC Electrodes Using Microwave-Irradiated Graphene Oxide (mwGO) for Effective Desalination. <i>Journal of Nanomaterials</i> , 2020, 2020, 1-14. | 1.5 | 7         |
| 819 | Water desalination with nickel hexacyanoferrate electrodes in capacitive deionization: Experiment, model and comparison with carbon. <i>Desalination</i> , 2020, 496, 114647.  | 4.0 | 35        |
| 820 | Mn <sub>2</sub> O <sub>3</sub> nanoflower decorated electrospun carbon nanofibers for efficient hybrid capacitive deionization. <i>Desalination</i> , 2020, 494, 114665.   | 4.0 | 44        |
| 821 | Compartmentalized desalination and salination by high energy density desalination seawater battery. <i>Desalination</i> , 2020, 495, 114666.   | 4.0 | 33        |
| 822 | Intercalation of Lithium into Graphite: Insights from First-Principles Simulations. <i>Journal of Physical Chemistry C</i> , 2020, 124, 21985-21992.   | 1.5 | 11        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 823 | Electrically Tuning Ultrafiltration Behavior for Efficient Water Purification. <i>Environmental Science &amp; Technology</i> , 2020, 54, 11536-11545.  | 4.6 | 12        |
| 824 | Combining Battery-type and Pseudocapacitive Charge Storage in Ag/Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene Electrode for Capturing Chloride Ions with High Capacitance and Fast Ion Transport. <i>Advanced Science</i> , 2020, 7, 2000621. | 5.6 | 101       |
| 825 | Understanding Cation Selectivity in Carbon Nanopores with Hybrid First-Principles/Continuum Simulations: Implications for Water Desalination and Separation Technologies. <i>ACS Applied Nano Materials</i> , 2020, 3, 9740-9748.                    | 2.4 | 23        |
| 826 | Graphene-PSS-DOPA nanocomposite cation exchange membranes for electro dialysis desalination. <i>Environmental Science: Nano</i> , 2020, 7, 3108-3123.  | 2.2 | 8         |
| 827 | Activated Carbons as Nanoporous Electron-Ion-Exchangers. <i>Russian Journal of Electrochemistry</i> , 2020, 56, 869-882.   | 0.3 | 8         |
| 828 | Formation mechanism of iron scale in membrane capacitive deionization (MCDI) system. <i>Desalination</i> , 2020, 495, 114636.  | 4.0 | 7         |
| 829 | Capacitive deionization utilizing Activated Biochar Manganese Dioxide (AB - MD) nanocomposites for desalination applications. <i>IOP Conference Series: Materials Science and Engineering</i> , 2020, 778, 012161.                                   | 0.3 | 5         |
| 830 | PTFE/rGO Aerogels with Both Superhydrophobic and Superhydrophilic Properties for Electroreduction of Molecular Oxygen. <i>Energy &amp; Fuels</i> , 2020, 34, 7573-7581.  | 2.5 | 10        |
| 831 | High-performance polyamide nanofiltration membrane with arch-bridge structure on a highly hydrated cellulose nanofiber support. <i>Science China Materials</i> , 2020, 63, 2570-2581.  | 3.5 | 35        |
| 832 | MXene/Activated-Carbon Hybrid Capacitive Deionization for Permselective Ion Removal at Low and High Salinity. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 26013-26025.   | 4.0 | 91        |
| 833 | Synthesis of single and bimetallic oxide-doped rGO as a possible electrode for capacitive deionization. <i>Journal of Applied Electrochemistry</i> , 2020, 50, 745-755.  | 1.5 | 13        |
| 834 | Asymmetric Membrane Capacitive Deionization Using Anion-Exchange Membranes Based on Quaternized Polymer Blends. <i>ACS Applied Polymer Materials</i> , 2020, 2, 2946-2956.   | 2.0 | 26        |
| 835 | Preparation and characterization of cellulose nanofiber cryogels as oil absorbents and enzymatic lipolysis scaffolds. <i>Carbohydrate Research</i> , 2020, 493, 108020.  | 1.1 | 4         |
| 836 | Double-layer cellulose hydrogel solar steam generation for high-efficiency desalination. <i>Carbohydrate Polymers</i> , 2020, 243, 116480.   | 5.1 | 100       |
| 837 | One-step turning leather wastes into heteroatom doped carbon aerogel for performance enhanced capacitive deionization. <i>Microporous and Mesoporous Materials</i> , 2020, 303, 110303.  | 2.2 | 45        |
| 838 | Energy consumption in membrane capacitive deionization and comparison with reverse osmosis. <i>Desalination</i> , 2020, 488, 114383.   | 4.0 | 64        |
| 839 | Enhanced supercapacitor and capacitive deionization boosted by constructing inherent N and P external defects in porous carbon framework with a hierarchical porosity. <i>Electrochimica Acta</i> , 2020, 353, 136523.                               | 2.6 | 44        |
| 840 | Modeling hydration-mediated ion-ion interactions in electrolytes through oscillating Yukawa potentials. <i>Physical Review E</i> , 2020, 101, 052603.  | 0.8 | 3         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 841 | Progress in Capacitive Deionization for Desalination of Brackish Water: A Materials Perspective. ACS Symposium Series, 2020, , 91-113.  | 0.5  | 1         |
| 842 | Composite Graphene-Containing Porous Materials from Carbon for Capacitive Deionization of Water. Molecules, 2020, 25, 2620.   | 1.7  | 5         |
| 843 | Treatment of acidic wastewater via fluoride ions removal by SiO <sub>2</sub> particles followed by phosphate ions recovery using flow-electrode capacitive deionization. Chemical Engineering Journal, 2020, 400, 125892.           | 6.6  | 27        |
| 844 | Asymmetrical removal of sodium and chloride in flow-through capacitive deionization. Water Research, 2020, 183, 116044.   | 5.3  | 25        |
| 845 | Flow-electrode capacitive deionization enables continuous and energy-efficient brine concentration. Desalination, 2020, 490, 114453.  | 4.0  | 37        |
| 846 | Properties of amorphous iron phosphate in pseudocapacitive sodium ion removal for water desalination. RSC Advances, 2020, 10, 16875-16880.  | 1.7  | 10        |
| 847 | Treatment of industrial brine using capacitive deionization (CDI) towards zero liquid discharge " challenges and optimization. Water Research, 2020, 183, 116059.   | 5.3  | 48        |
| 848 | Poly(Vinyl Alcohol)-Bonded Carbon Electrodes for Desalination of Brackish Water Using Capacitive Deionization. Journal of the Institution of Engineers (India): Series E, 2020, 101, 125-131.                                       | 0.5  | 4         |
| 849 | Sustainable Electrochemical Extraction of Metal Resources from Waste Streams: From Removal to Recovery. ACS Sustainable Chemistry and Engineering, 2020, 8, 4693-4707.  | 3.2  | 84        |
| 850 | Chemical properties and applications. , 2020, , 251-371.  |      | 2         |
| 851 | Selective removal of Cl <sup>-</sup> and F <sup>-</sup> from complex solution via electrochemistry deionization with bismuth/reduced graphene oxide composite electrode. Chemosphere, 2020, 251, 126319.                            | 4.2  | 41        |
| 852 | Hierarchical porous carbon derived from activated biochar as an eco-friendly electrode for the electrosorption of inorganic ions. Separation and Purification Technology, 2020, 242, 116813.  | 3.9  | 62        |
| 853 | All-MXene-Based Integrated Membrane Electrode Constructed using Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> as an Intercalating Agent for High-Performance Desalination. Environmental Science & Technology, 2020, 54, 4554-4563. | 4.6  | 103       |
| 854 | Preparation and Electrosorption Desalination Performance of Peanut Shell-Based Activated Carbon and MoS <sub>2</sub> . International Journal of Electrochemical Science, 2020, 15, 1861-1880.                                       | 0.5  | 9         |
| 855 | Enhancing Performance of Capacitive Deionization with Polyelectrolyte-Infiltrated Electrodes: Theory and Experimental Validation. Environmental Science & Technology, 2020, 54, 5874-5883.  | 4.6  | 23        |
| 856 | Pseudocapacitive Behaviors of Polypyrrole Grafted Activated Carbon and MnO <sub>2</sub> Electrodes to Enable Fast and Efficient Membrane-Free Capacitive Deionization. Environmental Science & Technology, 2020, 54, 5843-5852.     | 4.6  | 67        |
| 857 | Capacitive Deionization of Water (A Review). Russian Journal of Electrochemistry, 2020, 56, 18-51.  | 0.3  | 40        |
| 858 | The relative insignificance of advanced materials in enhancing the energy efficiency of desalination technologies. Energy and Environmental Science, 2020, 13, 1694-1710.   | 15.6 | 206       |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 859 | Semicommercial Desalination of Water by the Method of Capacitive Deionization. <i>Journal of Engineering Physics and Thermophysics</i> , 2020, 93, 743-749.   | 0.2  | 0         |
| 860 | Enhanced capacitive deionization of an integrated membrane electrode by thin layer spray-coating of ion exchange polymers on activated carbon electrode. <i>Desalination</i> , 2020, 491, 114460.   | 4.0  | 17        |
| 861 | Sustainable lignin-derived hierarchically porous carbon for capacitive deionization applications. <i>New Journal of Chemistry</i> , 2020, 44, 12058-12067.  | 1.4  | 17        |
| 862 | Cross-stacked super-aligned carbon nanotube/activated carbon composite electrodes for efficient water purification via capacitive deionization enhanced ultrafiltration. <i>Frontiers of Environmental Science and Engineering</i> , 2020, 14, 1. | 3.3  | 18        |
| 863 | Predicting and Enhancing the Ion Selectivity in Multi-Ion Capacitive Deionization. <i>Langmuir</i> , 2020, 36, 8476-8484.   | 1.6  | 15        |
| 864 | Basis and Prospects of Combining Electroadsorption Modeling Approaches for Capacitive Deionization. <i>Physics</i> , 2020, 2, 309-324.  | 0.5  | 8         |
| 865 | Electrode materials for capacitive deionization: A review. <i>Journal of Electroanalytical Chemistry</i> , 2020, 873, 114416.   | 1.9  | 89        |
| 866 | Evaluation of long-term performance of a continuously operated flow-electrode CDI system for salt removal from brackish waters. <i>Water Research</i> , 2020, 173, 115580.  | 5.3  | 68        |
| 867 | Exergoeconomic modeling and evaluation of a combined-cycle plant with MSF and MED desalination. <i>Journal of Water Reuse and Desalination</i> , 2020, 10, 158-172.   | 1.2  | 5         |
| 868 | pH Dependence of Phosphorus Speciation and Transport in Flow-Electrode Capacitive Deionization. <i>Environmental Science &amp; Technology</i> , 2020, 54, 9116-9123.  | 4.6  | 43        |
| 869 | Modification of Cation-Exchange Membranes with Polyelectrolyte Multilayers to Tune Ion Selectivity in Capacitive Deionization. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 34746-34754.   | 4.0  | 45        |
| 870 | Desalination of high salinity brackish water by an NF-RO hybrid system. <i>Desalination</i> , 2020, 491, 114445.  | 4.0  | 45        |
| 871 | Enabling Superior Sodium Capture for Efficient Water Desalination by a Tubular Polyaniline Decorated with Prussian Blue Nanocrystals. <i>Advanced Materials</i> , 2020, 32, e1907404.   | 11.1 | 168       |
| 872 | Hierarchically yolk-shell porous carbon sphere as an electrode material for high-performance capacitive deionization. <i>Electrochimica Acta</i> , 2020, 354, 136590.   | 2.6  | 24        |
| 873 | Interfacial interaction between micro/nanoplastics and typical PPCPs and nanoplastics removal via electrosorption from an aqueous solution. <i>Water Research</i> , 2020, 184, 116100.  | 5.3  | 137       |
| 874 | Nickel hexacyanoferrate electrodes for high mono/divalent ion-selectivity in capacitive deionization. <i>Desalination</i> , 2020, 481, 114346.  | 4.0  | 101       |
| 875 | Improving the Thermodynamic Energy Efficiency of Battery Electrode Deionization Using Flow-Through Electrodes. <i>Environmental Science &amp; Technology</i> , 2020, 54, 3628-3635.   | 4.6  | 32        |
| 876 | Elucidating the capacitive desalination behavior of Na <sub>x</sub> CoO <sub>2</sub> : the significance of electrochemical pre-activation. <i>Nanoscale</i> , 2020, 12, 7586-7594.  | 2.8  | 21        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 877 | Hydrophilic nano-porous carbon derived from egg whites for highly efficient capacitive deionization. Applied Surface Science, 2020, 512, 145740.  | 3.1 | 31        |
| 878 | Desalination behavior and performance of flow-electrode capacitive deionization under various operational modes. Chemical Engineering Journal, 2020, 389, 124051.   | 6.6 | 75        |
| 879 | Novel membrane-free hybrid capacitive deionization with a radical polymer anode for stable desalination. Desalination, 2020, 481, 114379.   | 4.0 | 34        |
| 880 | Electrochemical Desalination Using Intercalating Electrode Materials: A Comparison of Energy Demands. Environmental Science & Technology, 2020, 54, 3653-3662.  | 4.6 | 47        |
| 881 | Influence of surface chemistry of activated carbon electrodes on electro-assisted adsorption of arsenate. Journal of Hazardous Materials, 2020, 392, 122349.  | 6.5 | 15        |
| 882 | An Asymmetric Iron-Based Redox-Active System for Electrochemical Separation of Ions in Aqueous Media. Advanced Functional Materials, 2020, 30, 1910363.   | 7.8 | 39        |
| 883 | Energy Efficiency of Electro-Driven Brackish Water Desalination: Electrodialysis Significantly Outperforms Membrane Capacitive Deionization. Environmental Science & Technology, 2020, 54, 3663-3677.   | 4.6 | 133       |
| 884 | Modelling of Conductive Nanoporous Membranes with Switchable Ionic Selectivity. Membranes and Membrane Technologies, 2020, 2, 10-19.  | 0.6 | 8         |
| 885 | Impact of flow configuration on electrosorption performance and energy consumption of CDI systems. Journal of Water Supply: Research and Technology - AQUA, 2020, 69, 134-144.  | 0.6 | 12        |
| 886 | Versatile applications of capacitive deionization (CDI)-based technologies. Desalination, 2020, 482, 114390.  | 4.0 | 177       |
| 887 | Inverted hybrid-capacitive deionization with polyaniline nanotubes doped activated carbon as an anode. Electrochimica Acta, 2020, 339, 135920.  | 2.6 | 31        |
| 888 | MXene as a Cation-Selective Cathode Material for Asymmetric Capacitive Deionization. ACS Applied Materials & Interfaces, 2020, 12, 13750-13758.   | 4.0 | 89        |
| 889 | Nitrogen and sulfur co-doped NaTi <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> /hole graphene composite as high-performance electrosorption electrodes for hybrid capacitive deionization. Journal of Materials Science, 2020, 55, 6017-6029. | 1.7 | 23        |
| 890 | Improved performance and long-term stability of activated carbon doped with nitrogen for capacitive deionization. Desalination, 2020, 481, 114362.  | 4.0 | 53        |
| 891 | Selective removal of chloride ions by bismuth electrode in capacitive deionization. Separation and Purification Technology, 2020, 240, 116600.  | 3.9 | 34        |
| 892 | Polymer ion-exchange membranes for capacitive deionization of aqueous media with low and high salt concentration. Desalination, 2020, 479, 114331.  | 4.0 | 54        |
| 893 | Staged voltage mode in membrane capacitive deionization: Comparison with constant voltage and constant current modes. Desalination, 2020, 479, 114327.  | 4.0 | 5         |
| 894 | Selective recovery of rare-earth elements from diluted aqueous streams using N- and O-coordination ligand-grafted organic-inorganic hybrid composites. , 2020, , 565-664.   |     | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 895 | Enhancing the Desalination Performance of Capacitive Deionization Using a Layered Double Hydroxide Coated Activated Carbon Electrode. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 403.  | 1.3 | 10        |
| 896 | Performance analysis of the multi-channel membrane capacitive deionization with porous carbon electrode stacks. <i>Desalination</i> , 2020, 479, 114315.  | 4.0 | 29        |
| 897 | Simplified Prediction of Ion Removal in Capacitive Deionization of Multi-Ion Solutions. <i>Langmuir</i> , 2020, 36, 1338-1344.  | 1.6 | 24        |
| 898 | Efficiency of capacitive deionization using carbon materials based electrodes for water desalination. <i>Journal of Electroanalytical Chemistry</i> , 2020, 859, 113840.  | 1.9 | 38        |
| 899 | Enhanced capacitive deionization of saline water using N-doped rod-like porous carbon derived from dual-ligand metal-organic frameworks. <i>Environmental Science: Nano</i> , 2020, 7, 926-937.   | 2.2 | 63        |
| 900 | Carbon nanotubes in-situ cross-linking the activated carbon electrode for high-performance capacitive deionization. <i>Separation and Purification Technology</i> , 2020, 239, 116593.  | 3.9 | 35        |
| 901 | Zinc Spinel Ferrite Nanoparticles as a Pseudocapacitive Electrode with Ultrahigh Desalination Capacity and Long-Term Stability. <i>Environmental Science and Technology Letters</i> , 2020, 7, 118-125.   | 3.9 | 40        |
| 902 | Transforming waste polystyrene foam into N-doped porous carbon for capacitive energy storage and deionization applications. <i>Applied Surface Science</i> , 2020, 511, 145576.   | 3.1 | 52        |
| 903 | Optimal conditions for efficient flow-electrode capacitive deionization. <i>Separation and Purification Technology</i> , 2020, 240, 116626.   | 3.9 | 32        |
| 904 | Enhancing understandability and performance of flow electrode capacitive deionisation by optimizing configurational and operational parameters: A review on recent progress. <i>Separation and Purification Technology</i> , 2020, 240, 116660. | 3.9 | 47        |
| 905 | Evaluation of the optimal activation parameters for almond shell bio-char production for capacitive deionization. <i>Bioresource Technology Reports</i> , 2020, 11, 100435.   | 1.5 | 18        |
| 906 | Toward a Sustainable Decentralized Water Supply: Review of Adsorption Desorption Desalination (ADD) and Current Technologies: Saudi Arabia (SA) as a Case Study. <i>Water (Switzerland)</i> , 2020, 12, 1111.                                   | 1.2 | 28        |
| 907 | Coupling electrochemical ammonia extraction and cultivation of methane oxidizing bacteria for production of microbial protein. <i>Journal of Environmental Management</i> , 2020, 265, 110560.  | 3.8 | 21        |
| 908 | Object-Oriented Modeling of a Capacitive Deionization Process. <i>Frontiers in Chemical Engineering</i> , 2020, 2, .  | 1.3 | 2         |
| 909 | Efficient recovery of nitrate from municipal wastewater via MCDI using anion-exchange polymer coated electrode embedded with nitrate selective resin. <i>Desalination</i> , 2020, 484, 114425.  | 4.0 | 25        |
| 910 | Membrane-electrode assemblies for flow-electrode capacitive deionization. <i>Journal of Membrane Science</i> , 2020, 605, 118095.   | 4.1 | 25        |
| 911 | Effects of porous electrode pore size and operating flow rate on the energy production of capacitive energy extraction. <i>Renewable Energy</i> , 2020, 155, 278-285.   | 4.3 | 10        |
| 912 | Water Desalination by Flow-Electrode Capacitive Deionization in Overlimiting Current Regimes. <i>Environmental Science &amp; Technology</i> , 2020, 54, 5853-5863.  | 4.6 | 40        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 913 | Rocking-chair capacitive deionization with flow-through electrodes. <i>Journal of Materials Chemistry A</i> , 2020, 8, 8476-8484.  | 5.2  | 58        |
| 914 | Techno-economic analysis of capacitive and intercalative water deionization. <i>Energy and Environmental Science</i> , 2020, 13, 1544-1560.  | 15.6 | 76        |
| 915 | CAVIAR: A simulation package for charged particles in environments surrounded by conductive boundaries. <i>AIP Advances</i> , 2020, 10, 035310.  | 0.6  | 4         |
| 916 | Charge-transfer materials for electrochemical water desalination, ion separation and the recovery of elements. <i>Nature Reviews Materials</i> , 2020, 5, 517-538.   | 23.3 | 360       |
| 917 | Enhanced electrosorption capacity of activated carbon electrodes for deionized water production through capacitive deionization. <i>Separation and Purification Technology</i> , 2020, 247, 116998.                    | 3.9  | 45        |
| 918 | Acid treated RHW/BAC electrode performance for Cr(VI) removal by capacitive deionization and CFD analysis study. <i>Chemosphere</i> , 2020, 254, 126781.   | 4.2  | 29        |
| 919 | The Development of Pseudocapacitor Electrodes and Devices with High Active Mass Loading. <i>Advanced Energy Materials</i> , 2020, 10, 1903848.   | 10.2 | 152       |
| 920 | Thermodynamic reversible cycles of electrochemical desalination with intercalation materials in symmetric and asymmetric configurations. <i>Journal of Colloid and Interface Science</i> , 2020, 574, 152-161.         | 5.0  | 17        |
| 921 | Concentration effect on electric potential of a microporous carbon electrode in dilute sodium chloride solution. <i>Journal Physics D: Applied Physics</i> , 2020, 53, 305501.   | 1.3  | 1         |
| 922 | Exceptional capacitive deionization rate and capacity by block copolymer-based porous carbon fibers. <i>Science Advances</i> , 2020, 6, eaaz0906.  | 4.7  | 108       |
| 923 | Synthesis of cation exchange membranes for capacitive deionization based on crosslinked polyvinyl alcohol with citric acid. <i>Water Science and Technology</i> , 2020, 81, 491-498.                                   | 1.2  | 4         |
| 924 | Steady and controlled desalination via capacitive deionization: performance assessment and optimization of hybrid CV-CC process. <i>Separation Science and Technology</i> , 2021, 56, 1272-1289.                       | 1.3  | 1         |
| 925 | A review on electrochemical treatment of arsenic from aqueous medium. <i>Chemical Engineering Communications</i> , 2021, 208, 389-410.   | 1.5  | 32        |
| 926 | Improved electrosorption kinetics in meso/microporous carbon composite electrode for swift salt removal. <i>Catalysis Today</i> , 2021, 359, 133-140.  | 2.2  | 9         |
| 927 | Core-shell nanoparticles of Prussian blue analogues as efficient capacitive deionization electrodes for brackish water desalination. <i>Separation and Purification Technology</i> , 2021, 266, 117899.                | 3.9  | 21        |
| 928 | A Brief Review on High-Performance Capacitive Deionization Enabled by Intercalation Electrodes. <i>Global Challenges</i> , 2021, 5, 2000054.   | 1.8  | 26        |
| 929 | Covalent Organic Frameworks for Water Treatment. <i>Advanced Materials Interfaces</i> , 2021, 8, .   | 1.9  | 70        |
| 930 | Harvesting Electricity from CO <sub>2</sub> Emission: Opportunities, Challenges and Future Prospects. <i>International Journal of Precision Engineering and Manufacturing - Green Technology</i> , 2021, 8, 1061-1081. | 2.7  | 3         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 931 | Enhanced salt removal performance of flow electrode capacitive deionization with high cell operational potential. Separation and Purification Technology, 2021, 254, 117500.                                 | 3.9 | 32        |
| 932 | Selective fluoride removal in capacitive deionization by reduced graphene oxide/hydroxyapatite composite electrode. Journal of Colloid and Interface Science, 2021, 581, 396-402.                            | 5.0 | 50        |
| 933 | Controlled synthesis of bismuth oxychloride-carbon nanofiber hybrid materials as highly efficient electrodes for rocking-chair capacitive deionization. Chemical Engineering Journal, 2021, 403, 126326.     | 6.6 | 112       |
| 934 | A Self-Sustained Smart Monitoring Platform for Capacitive De-Ionization Cell in Wireless Sensor Network. IEEE Transactions on Industrial Electronics, 2021, 68, 4164-4172.                                   | 5.2 | 3         |
| 935 | Subsize Ti3C2T derived from molten-salt synthesized Ti3AlC2 for enhanced capacitive deionization. Ceramics International, 2021, 47, 3665-3670.   | 2.3 | 25        |
| 936 | Electrode degradation mechanisms in capacitive deionisation. Desalination, 2021, 497, 114622.  | 4.0 | 7         |
| 937 | Influence of natural organic matter on membrane capacitive deionization performance. Chemosphere, 2021, 264, 128519.   | 4.2 | 20        |
| 938 | Exploring the electrosorption selectivity of nitrate over chloride in capacitive deionization (CDI) and membrane capacitive deionization (MCDI). Desalination, 2021, 497, 114764.                            | 4.0 | 58        |
| 939 | Cost Comparison of Capacitive Deionization and Reverse Osmosis for Brackish Water Desalination. ACS ES&T Engineering, 2021, 1, 261-273.  | 3.7 | 50        |
| 940 | Understanding the performance of flow-electrodes for capacitive deionization through hydrodynamic voltammetry. Chemical Engineering Journal, 2021, 406, 126826.  | 6.6 | 21        |
| 941 | Highly efficient water desalination by capacitive deionization on biomass-derived porous carbon nanoflakes. Separation and Purification Technology, 2021, 256, 117771.                                       | 3.9 | 106       |
| 942 | Highly flexible, self-healable and conductive poly(vinyl alcohol)/Ti3C2Tx MXene film and its application in capacitive deionization. Chemical Engineering Journal, 2021, 408, 127256.                        | 6.6 | 60        |
| 943 | Ion-Exchange Materials for Membrane Capacitive Deionization. ACS ES&T Water, 2021, 1, 217-239.   | 2.3 | 56        |
| 944 | Design principles for enhanced up-scaling of flow-through capacitive deionization for water desalination. Desalination, 2021, 500, 114842.   | 4.0 | 18        |
| 945 | Facile synthesis and enhanced desalination performance of a novel layered Na4Mn14O27 made from earth-abundant element in capacitive deionization. Separation and Purification Technology, 2021, 258, 118057. | 3.9 | 5         |
| 946 | Selective adsorption mechanism of resin-activated carbon composite electrode for capacitive deionization. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2021, 610, 125935.               | 2.3 | 5         |
| 947 | Interpretable machine learning modeling of capacitive deionization for contribution analysis of electrode and process features. Journal of Materials Chemistry A, 2021, 9, 2259-2268.                        | 5.2 | 9         |
| 948 | A win-win strategy of $\beta$ -cyclodextrin and ion-doped polypyrrole composite nanomaterials for asymmetric capacitive deionization. Separation and Purification Technology, 2021, 259, 118175.             | 3.9 | 19        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 949 | A direct energy reuse strategy for absorption air-conditioning system based on electrode regeneration method. <i>Renewable Energy</i> , 2021, 168, 353-364.  | 4.3  | 3         |
| 950 | A review on lithium recovery using electrochemical capturing systems. <i>Desalination</i> , 2021, 500, 114883.   | 4.0  | 96        |
| 951 | Lithium extraction from water lithium resources through green electrochemical-battery approaches: A comprehensive review. <i>Journal of Cleaner Production</i> , 2021, 285, 124905.  | 4.6  | 72        |
| 952 | Can graphene and graphene oxide materials revolutionise desalination processes?. <i>Desalination</i> , 2021, 500, 114852.  | 4.0  | 27        |
| 953 | A review of membrane crystallization, forward osmosis and membrane capacitive deionization for liquid mining. <i>Resources, Conservation and Recycling</i> , 2021, 168, 105273.  | 5.3  | 41        |
| 954 | Impact of molecular size and electrical polarity on fouling of capacitive electrodes during water desalination. <i>Desalination</i> , 2021, 500, 114846.   | 4.0  | 5         |
| 955 | Nafion-coated Prussian blue electrodes to enhance the stability and efficiency of battery desalination system. <i>Desalination</i> , 2021, 500, 114778.  | 4.0  | 18        |
| 956 | Exploring the electrosorption selectivity and recovery of indium ions with capacitive deionization in acidic solution. <i>Journal of Colloid and Interface Science</i> , 2021, 586, 819-829.   | 5.0  | 17        |
| 957 | A highly efficient faradaic desalination system utilizing MnO <sub>2</sub> and polypyrrole-coated titanium electrodes. <i>Desalination</i> , 2021, 498, 114807.  | 4.0  | 22        |
| 958 | Synergistic effects of ionic and nonionic surfactants treatment on activated carbon electrodes for inverted capacitive deionization. <i>Separation and Purification Technology</i> , 2021, 258, 117987.  | 3.9  | 13        |
| 959 | In-situ formation of uniform V <sub>2</sub> O <sub>5</sub> nanocuboid from V <sub>2</sub> C MXene as electrodes for capacitive deionization with higher structural stability and ion diffusion ability. <i>Desalination</i> , 2021, 500, 114897. | 4.0  | 33        |
| 960 | Capacitive deionized hybrid systems for wastewater treatment and desalination: A review on synergistic effects, mechanisms and challenges. <i>Chemical Engineering Journal</i> , 2021, 417, 128129.  | 6.6  | 32        |
| 961 | Electrochemical carbon dioxide capture to close the carbon cycle. <i>Energy and Environmental Science</i> , 2021, 14, 781-814.   | 15.6 | 207       |
| 962 | Efficient sucrose-derived mesoporous carbon sphere electrodes with enhanced hydrophilicity for water capacitive deionization at low cell voltages. <i>New Journal of Chemistry</i> , 2021, 45, 1904-1914.  | 1.4  | 13        |
| 963 | Structurally and chemically engineered graphene for capacitive deionization. <i>Journal of Materials Chemistry A</i> , 2021, 9, 1429-1455.   | 5.2  | 45        |
| 964 | Antimony alloying electrode for high-performance sodium removal: how to use a battery material not stable in aqueous media for saline water remediation. <i>Journal of Materials Chemistry A</i> , 2021, 9, 585-596.                             | 5.2  | 11        |
| 965 | Electro-assisted naproxen adsorption followed by its electrodegradation and simultaneous electroreactivation of the activated carbon electrode. <i>Separation and Purification Technology</i> , 2021, 258, 118030.                               | 3.9  | 17        |
| 966 | Great enhancement in phosphate uptake onto lanthanum carbonate grafted microfibrinous composite under a low-voltage electrostatic field. <i>Chemosphere</i> , 2021, 264, 128378.   | 4.2  | 27        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 967 | Self-Enhanced Decomplexation of Cu-Organic Complexes and Cu Recovery from Wastewaters Using an Electrochemical Membrane Filtration System. <i>Environmental Science &amp; Technology</i> , 2021, 55, 655-664.                           | 4.6  | 67        |
| 968 | Comparative study of electrosorption performance of solar reduced graphene oxide in flow-between and flow-through capacitive deionization architectures. <i>Separation and Purification Technology</i> , 2021, 257, 117972.             | 3.9  | 18        |
| 969 | A confinement strategy to in-situ prepare a peanut-like N-doped, C-wrapped TiO <sub>2</sub> electrode with an enhanced desalination capacity and rate for capacitive deionization. <i>Nano Research</i> , 2021, 14, 684-691.            | 5.8  | 29        |
| 970 | Charge Storage Properties of Aqueous Halide Supercapatteries with Activated Carbon and Graphene Nanoplatelets as Active Electrode Materials. <i>Energy and Environmental Materials</i> , 2021, 4, 481-491.                              | 7.3  | 3         |
| 971 | A systematic investigation on synergistic electroplating and capacitive removal of Pb <sup>2+</sup> from artificial industrial waste water. <i>RSC Advances</i> , 2021, 11, 12877-12884.  | 1.7  | 4         |
| 972 | High performance hybrid capacitive deionization with a Ag-coated activated carbon electrode. <i>Environmental Science: Water Research and Technology</i> , 0, , .   | 1.2  | 6         |
| 973 | Recent Advances of Biomass Derived Electrode Materials for Capacitive Deionization. <i>Current Nanoscience</i> , 2022, 18, 2-17.  | 0.7  | 3         |
| 974 | State-of-the-Art Water Treatment in Czech Power Sector: Industry-Proven Case Studies Showing Economic and Technical Benefits of Membrane and Other Novel Technologies for Each Particular Water Cycle. <i>Membranes</i> , 2021, 11, 98. | 1.4  | 1         |
| 975 | Selective removal of specific anions using composite carbon electrodes coated with an anion-exchange resin powder. <i>Environmental Engineering Research</i> , 2022, 27, 200650-0.  | 1.5  | 1         |
| 976 | Recent Progress of Metal-Organic Frameworks (MOFs) as Electrodes for Capacitive Deionization (CDI) Desalination. , 2022, , 566-577.   |      | 2         |
| 977 | Enhanced water purification via redox interfaces created by an atomic layer deposition strategy. <i>Environmental Science: Nano</i> , 2021, 8, 950-959.   | 2.2  | 16        |
| 978 | Recent advances in ion selectivity with capacitive deionization. <i>Energy and Environmental Science</i> , 2021, 14, 1095-1120.   | 15.6 | 226       |
| 979 | Emerging investigator series: local pH effects on carbon oxidation in capacitive deionization architectures. <i>Environmental Science: Water Research and Technology</i> , 2021, 7, 861-869.  | 1.2  | 13        |
| 980 | Engineering of 3D Na <sub>x</sub> CoO <sub>2</sub> nanostructures for enhanced capacitive deionization: performance and mechanism. <i>Environmental Science: Nano</i> , 2021, 8, 657-665.   | 2.2  | 6         |
| 981 | Desalination Alternative Technology in Conjunction with Membrane Capacitive Deionization (MCDI): A Literature Review Article. <i>Journal of Environmental Protection</i> , 2021, 12, 218-236.   | 0.3  | 0         |
| 982 | Metal-organic framework-based processes for water desalination: Current development and future prospects. , 2021, , 491-532.  |      | 0         |
| 983 | Toward sustainable desalination using food waste: capacitive desalination with bread-derived electrodes. <i>RSC Advances</i> , 2021, 11, 9628-9637.   | 1.7  | 6         |
| 984 | Capacitive Deionization of Water with Electrodes Based on Nanoporous Activated Carbon and a Mosaic Cationic Anion Exchange Membrane. <i>Protection of Metals and Physical Chemistry of Surfaces</i> , 2021, 57, 68-79.                  | 0.3  | 3         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 985  | When water becomes an integral part of carbon – combining theory and experiment to understand the zeolite-like water adsorption properties of porous C <sub>2</sub> N materials. <i>Journal of Materials Chemistry A</i> , 2021, 9, 22563-22572. | 5.2 | 8         |
| 986  | A Covalently Integrated Reduced Graphene Oxide–Ion-Exchange Resin Electrode for Efficient Capacitive Deionization. <i>Advanced Materials Interfaces</i> , 2021, 8, 2001998.  | 1.9 | 9         |
| 987  | Preparation of TiO <sub>2</sub> /Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> Composite for Hybrid Capacitive Deionization. <i>Wuji Cailiao Xuebao/Journal of Inorganic Materials</i> , 2021, 36, 283.  | 0.6 | 9         |
| 988  | Promoting the uptake of chloride ions by ZnCo–Cl layered double hydroxide electrodes for enhanced capacitive deionization. <i>Environmental Science: Nano</i> , 2021, 8, 1886-1895.  | 2.2 | 14        |
| 989  | Power Generation Performance of a Pilot-Scale Reverse Electrodialysis Using Monovalent Selective Ion-Exchange Membranes. <i>Membranes</i> , 2021, 11, 27.  | 1.4 | 23        |
| 990  | Flexible modeling and control of capacitive-deionization processes through a linear-state-space dynamic Langmuir model. <i>Npj Clean Water</i> , 2021, 4, .  | 3.1 | 17        |
| 991  | Bio-Based Carbon Materials for Capacitive Deionization CDI Desalination Processes. , 2021, , .   |     | 3         |
| 992  | Research on Double-Stage and Multi-Stage Capacitive Deionization Absorption Air-Conditioning System. <i>Processes</i> , 2021, 9, 395.  | 1.3 | 0         |
| 993  | Investigation of Capacitive Deionization; Performance Assessment Based on Operational Parameters and Single-Objective Optimization. <i>Arabian Journal for Science and Engineering</i> , 2021, 46, 6727-6739.                                    | 1.7 | 0         |
| 994  | Partial Desalination of Saline Groundwater: Comparison of Nanofiltration, Reverse Osmosis and Membrane Capacitive Deionisation. <i>Membranes</i> , 2021, 11, 126.  | 1.4 | 6         |
| 995  | Electrochemical Redox Cells Capable of Desalination and Energy Storage: Addressing Challenges of the Water–Energy Nexus. <i>ACS Energy Letters</i> , 2021, 6, 1034-1044.   | 8.8 | 37        |
| 996  | Modeling the process of capacitive deionization of solutions at supposing complex structure of the pores of the electrodes. <i>Journal of Mathematical Chemistry</i> , 2021, 59, 1054-1067.  | 0.7 | 2         |
| 997  | A review of metal-organic framework-derived carbon electrode materials for capacitive deionization. <i>New Carbon Materials</i> , 2021, 36, 117-132.   | 2.9 | 30        |
| 998  | Modelling the Ionic Conductivity of Nanopores with Electrically Conductive Surface. <i>Journal of Siberian Federal University - Mathematics and Physics</i> , 2021, , 74-86.   | 0.2 | 0         |
| 999  | Research progress of capacitive deionization technology. <i>IOP Conference Series: Earth and Environmental Science</i> , 2021, 705, 012015.  | 0.2 | 0         |
| 1000 | Microscale Ionic Diodes: An Overview. <i>Electroanalysis</i> , 2021, 33, 1398-1418.  | 1.5 | 15        |
| 1001 | Metal-Ion Depletion Impacts the Stability and Performance of Battery Electrode Deionization over Multiple Cycles. <i>Environmental Science &amp; Technology</i> , 2021, 55, 5412-5421.   | 4.6 | 24        |
| 1002 | Long-lasting, monovalent-selective capacitive deionization electrodes. <i>Npj Clean Water</i> , 2021, 4, .   | 3.1 | 30        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1003 | Carbon-Based Capacitive Deionization Electrodes: Development Techniques and its Influence on Electrode Properties. <i>Chemical Record</i> , 2021, 21, 820-840.  | 2.9 | 20        |
| 1004 | Flow Electrode Capacitive Deionization (FCDI): Recent Developments, Environmental Applications, and Future Perspectives. <i>Environmental Science &amp; Technology</i> , 2021, 55, 4243-4267.                   | 4.6 | 125       |
| 1005 | Capacitive-faradaic fuel cells (CFFCs) for ion separation: Macro-scale configurations and polarization mechanism. <i>Electrochemistry Communications</i> , 2021, 124, 106945.                                   | 2.3 | 2         |
| 1006 | Superionic Liquids in Conducting Nanoslits: Insights from Theory and Simulations. <i>Journal of Physical Chemistry C</i> , 2021, 125, 4968-4976.  | 1.5 | 11        |
| 1007 | Primitive model electrolytes in the near and far field: Decay lengths from DFT and simulations. <i>Journal of Chemical Physics</i> , 2021, 154, 124504.   | 1.2 | 42        |
| 1008 | Understanding the Enhanced Capacitive Desalination Performance of Spherical ZnCo <sub>2</sub> O <sub>4</sub> Electrode. <i>Advanced Materials Interfaces</i> , 2021, 8, 2100125.                                | 1.9 | 2         |
| 1009 | Improving the feasibility and applicability of flow-electrode capacitive deionization (FCDI): Review of process optimization and energy efficiency. <i>Desalination</i> , 2021, 502, 114930.                    | 4.0 | 64        |
| 1010 | Optimization of preparation conditions of composite electrodes for selective adsorption of vanadium in CDI by response surface methodology. <i>Chemical Engineering Research and Design</i> , 2021, 168, 37-45. | 2.7 | 13        |
| 1011 | Dual-channel membrane capacitive deionization based on asymmetric ion adsorption for continuous water desalination. <i>Electrochemistry Communications</i> , 2021, 125, 106974.                                 | 2.3 | 57        |
| 1012 | Water softening during natural flow using electric double layer adsorption. <i>Tanso</i> , 2021, 2021, 65-69.   | 0.1 | 0         |
| 1013 | Bismuth Nanoparticle-Embedded Porous Carbon Frameworks as a High-Rate Chloride Storage Electrode for Water Desalination. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 21149-21156.                 | 4.0 | 38        |
| 1014 | Electrochemical Supercapacitors (a Review). <i>Russian Journal of Electrochemistry</i> , 2021, 57, 311-347.   | 0.3 | 40        |
| 1015 | Activated Carbon Blended with Reduced Graphene Oxide Nanoflakes for Capacitive Deionization. <i>Nanomaterials</i> , 2021, 11, 1090.   | 1.9 | 10        |
| 1016 | Capillary Ionization and Jumps of Capacitive Energy Stored in Mesopores. <i>Journal of Physical Chemistry C</i> , 2021, 125, 10243-10249.   | 1.5 | 4         |
| 1017 | A new hybrid desalination method based on the CO <sub>2</sub> gas hydrate and capacitive deionization processes. <i>Desalination</i> , 2021, 502, 114932.   | 4.0 | 17        |
| 1018 | Progress in energy recovery and graphene usage in capacitive deionization. <i>Critical Reviews in Environmental Science and Technology</i> , 2022, 52, 3080-3136.   | 6.6 | 15        |
| 1019 | A thermodynamic platform for evaluating the energy efficiency of combined power generation and desalination plants. <i>Npj Clean Water</i> , 2021, 4, .   | 3.1 | 20        |
| 1020 | Theory of Faradaically Modulated Redox Active Electrodes for Electrochemically Mediated Selective Adsorption Processes. <i>Journal of the Electrochemical Society</i> , 2021, 168, 053501.                      | 1.3 | 2         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1021 | Achieving Enhanced Capacitive Deionization by Interfacial Coupling in PEDOT Reinforced Cobalt Hexacyanoferrate Nanoflake Arrays. <i>Global Challenges</i> , 2021, 5, 2000128.  | 1.8 | 7         |
| 1022 | Modified Activated Carbon on Electric Double Layer Capacitor Applications. <i>Journal of Physics: Conference Series</i> , 2021, 1912, 012025.  | 0.3 | 0         |
| 1023 | Low-energy consumption, free-form capacitive deionization through nanostructured networks. <i>Carbon</i> , 2021, 176, 390-399.   | 5.4 | 15        |
| 1024 | High-Efficiency and Sustainable Desalination Using Thermo-regenerable MOF-808-EDTA: Temperature-Regulated Proton Transfer. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 23833-23842.  | 4.0 | 26        |
| 1025 | Graphene Family Nanomaterials in Ocular Applications: Physicochemical Properties and Toxicity. <i>Chemical Research in Toxicology</i> , 2021, 34, 1386-1402.   | 1.7 | 21        |
| 1026 | Three-dimensional reduced graphene oxide decorated with iron oxide nanoparticles as efficient active material for high performance capacitive deionization electrodes. <i>Chemical Engineering Journal Advances</i> , 2021, 6, 100094.             | 2.4 | 13        |
| 1027 | Recent progress and prospect of flow-electrode electrochemical desalination system. <i>Desalination</i> , 2021, 504, 114964.   | 4.0 | 33        |
| 1028 | MnO <sub>2</sub> decorated porous carbon derived from <i>Enteromorpha prolifera</i> as flow-through electrode for dual-mode capacitive deionization. <i>Desalination</i> , 2021, 504, 114977.  | 4.0 | 29        |
| 1029 | Parametric investigation of the desalination performance in multichannel membrane capacitive deionization (MC-MCDI). <i>Desalination</i> , 2021, 503, 114950.  | 4.0 | 24        |
| 1030 | Low-cost conductive films based on graphite and cellulose acetate as promising electroanalytical platforms. <i>Polymers for Advanced Technologies</i> , 2021, 32, 3714-3723.   | 1.6 | 5         |
| 1031 | Suppressing the oxygen-related parasitic reactions in NaTi <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> -based hybrid capacitive deionization with cation exchange membrane. <i>Journal of Colloid and Interface Science</i> , 2021, 591, 139-147. | 5.0 | 24        |
| 1032 | Sustainable Desalination and Water Reuse. <i>Synthesis Lectures on Sustainable Development</i> , 2021, 2, 1-204.   | 0.2 | 4         |
| 1033 | The Application of Cation Exchange Membranes in Electrochemical Systems for Ammonia Recovery from Wastewater. <i>Membranes</i> , 2021, 11, 494.  | 1.4 | 15        |
| 1034 | Increasing the Stability of LiMn <sub>2</sub> O <sub>4</sub> Against Harsh Conditions During Lithium Recovery from Real Brine Solutions. <i>Energy Technology</i> , 2021, 9, 2100145.  | 1.8 | 2         |
| 1035 | High-performance desalination of three-dimensional nitrogen-doped carbon framework reinforced Prussian blue in capacitive deionization. <i>Desalination</i> , 2021, 505, 114997.   | 4.0 | 40        |
| 1036 | Carbon electrode with cross-linked and charged chitosan binder for enhanced capacitive deionization performance. <i>Desalination</i> , 2021, 505, 114979.  | 4.0 | 22        |
| 1037 | NMR studies of adsorption and diffusion in porous carbonaceous materials. <i>Progress in Nuclear Magnetic Resonance Spectroscopy</i> , 2021, 124-125, 57-84.   | 3.9 | 19        |
| 1038 | Pore-scale study of capacitive charging and desalination process in porous electrodes and effects of porous structures. <i>Journal of Molecular Liquids</i> , 2021, 332, 115863.   | 2.3 | 8         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1039 | Capacitive deionization and methyl orange removal of holey graphene hydrogels. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021, 618, 126463.  | 2.3  | 11        |
| 1040 | Mitigating Water Crossover by Crosslinked Coating of Cation-Exchange Membranes for Brine Concentration. <i>Advanced Materials Technologies</i> , 2021, 6, 2100202.   | 3.0  | 6         |
| 1041 | Comparison of Adsorption Properties of Different Configurations of CDI Cells. <i>International Journal of Electrochemical Science</i> , 0, , ArticleID:210627.   | 0.5  | 1         |
| 1042 | Phase Transitions and Electrochemical Properties of Ionic Liquids and Ionic Liquid-Solvent Mixtures. <i>Molecules</i> , 2021, 26, 3668.  | 1.7  | 17        |
| 1043 | New green electrode materials derived from waste cigarette butts for capacitive deionization. <i>Water Science and Technology</i> , 2021, 84, 1011-1022.   | 1.2  | 6         |
| 1044 | Ultra-hydrophilic porous carbons and their supercapacitor performance using pure water as electrolyte. <i>Carbon</i> , 2021, 178, 540-551.   | 5.4  | 31        |
| 1045 | Insight into electrosorption behavior of monovalent ions and their selectivity in capacitive deionization: An atomic level study by molecular dynamics simulation. <i>Chemical Engineering Journal</i> , 2021, 415, 128920.                | 6.6  | 16        |
| 1046 | Divalent Ion Selectivity in Capacitive Deionization with Vanadium Hexacyanoferrate: Experiments and Quantum-Chemical Computations. <i>Advanced Functional Materials</i> , 2021, 31, 2105203.   | 7.8  | 38        |
| 1047 | Enhanced capacitive deionization of defect-containing MoS <sub>2</sub> /graphene composites through introducing appropriate MoS <sub>2</sub> defect. <i>Electrochimica Acta</i> , 2021, 383, 138363.                                       | 2.6  | 22        |
| 1048 | Ion-Exchange Functional Group-Containing Poly(ether ether ketone): Preparation and Use as Binder in Fabrication of Carbon Electrodes to Improve Capacitive Deionization Efficiency. <i>Porrime</i> , 2021, 45, 620-627.                    | 0.0  | 1         |
| 1049 | Solar-Powered Sustainable Water Production: State-of-the-Art Technologies for Sunlight-Energy-Water Nexus. <i>ACS Nano</i> , 2021, 15, 12535-12566.  | 7.3  | 220       |
| 1050 | Preferential Ion Adsorption in Blue Energy Applications. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 9230-9239.  | 3.2  | 7         |
| 1051 | Multi-walled vanadium oxide nanotubes modified 3D microporous bioderived carbon as novel electrodes for hybrid capacitive deionization. <i>Separation and Purification Technology</i> , 2021, 266, 118597.                                 | 3.9  | 18        |
| 1052 | Electrochemical recovery and high value-added reutilization of heavy metal ions from wastewater: Recent advances and future trends. <i>Environment International</i> , 2021, 152, 106512.  | 4.8  | 81        |
| 1053 | Metal Ion-Induced Assembly of MXene Aerogels via Biomimetic Microtextures for Electromagnetic Interference Shielding, Capacitive Deionization, and Microsupercapacitors. <i>Advanced Energy Materials</i> , 2021, 11, 2101494.             | 10.2 | 61        |
| 1054 | Enhanced capacitive deionization boosted by Co and N co-doping in carbon materials. <i>Separation and Purification Technology</i> , 2021, 266, 118590.   | 3.9  | 17        |
| 1055 | A critical review of point-of-use drinking water treatment in the United States. <i>Npj Clean Water</i> , 2021, 4, .   | 3.1  | 50        |
| 1056 | Investigation of carbonaceous materials electrosorption attributes and its performance for capacitive deionization process within the presence of humic acid. <i>Environmental Science and Pollution Research</i> , 2023, 30, 71714-71725. | 2.7  | 2         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1057 | Liquid flow reversibly creates a macroscopic surface charge gradient. <i>Nature Communications</i> , 2021, 12, 4102.  | 5.8 | 19        |
| 1058 | Hierarchical Co <sub>3</sub> O <sub>4</sub> /CNT decorated electrospun hollow nanofiber for efficient hybrid capacitive deionization. <i>Separation and Purification Technology</i> , 2021, 266, 118593.  | 3.9 | 25        |
| 1059 | High-performance capacitive deionization using 3D porous Ti <sub>3</sub> C <sub>2</sub> T with improved conductivity. <i>Journal of Electroanalytical Chemistry</i> , 2021, 895, 115515.  | 1.9 | 9         |
| 1060 | Pore Scale Study of Dynamic Adsorption Process in Capacitive deionization Porous Electrode Based on Lattice Boltzmann Method. <i>International Journal of Electrochemical Science</i> , 0, , ArticleID:210835.  | 0.5 | 2         |
| 1061 | Titanium Dioxide/Activated Carbon Electrode with Polyurethane Binder for the Removal of Indium Ions via Capacitive Deionization. <i>Processes</i> , 2021, 9, 1427.  | 1.3 | 1         |
| 1062 | Efficient and stable operation of capacitive deionization assessed by electrode and membrane asymmetry. <i>Electrochimica Acta</i> , 2021, 388, 138631.   | 2.6 | 11        |
| 1063 | Improving the discharge of capacitive granules in a moving bed reactor. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 105556.   | 3.3 | 3         |
| 1064 | Electrosorptive removal of organic water constituents by positively charged electrically conductive UF membranes. <i>Water Research</i> , 2021, 201, 117318.  | 5.3 | 15        |
| 1065 | Pharmaceutical removal at low energy consumption using membrane capacitive deionization. <i>Chemosphere</i> , 2021, 276, 130133.  | 4.2 | 11        |
| 1066 | TiO <sub>2</sub> and carbon nanotubes composites modify capacitive deionization anodes to improve the dechlorination efficiency in desulfurization wastewater. <i>Water Science and Technology</i> , 2021, 84, 1228-1244.                               | 1.2 | 4         |
| 1067 | Predicting the potential of capacitive deionization for the separation of pH-dependent organic molecules. <i>Engineering in Life Sciences</i> , 2021, 21, 589-606.  | 2.0 | 3         |
| 1068 | Exploration of the Exceptional Capacitive Deionization Performance of CoMn <sub>2</sub> O <sub>4</sub> Microspheres Electrode. <i>Energy and Environmental Materials</i> , 2023, 6, .   | 7.3 | 8         |
| 1069 | KOH-Activated Hollow ZIF-8 Derived Porous Carbon: Nanoarchitected Control for Upgraded Capacitive Deionization and Supercapacitor. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 52034-52043.   | 4.0 | 149       |
| 1070 | Synergetic effects of different ion-doped polypyrrole layer coupled with $\beta$ -cyclodextrin-derived hollow bottle-like carbon supporting framework for enhanced capacitive deionization performance. <i>Electrochimica Acta</i> , 2021, 388, 138555. | 2.6 | 12        |
| 1071 | Advanced ammonia nitrogen removal and recovery technology using electrokinetic and stripping process towards a sustainable nitrogen cycle: A review. <i>Journal of Cleaner Production</i> , 2021, 309, 127369.  | 4.6 | 63        |
| 1072 | Numerical Analysis of Capacitive Deionization Process Using Activated Carbon Electrodes. <i>Water, Air, and Soil Pollution</i> , 2021, 232, 1.  | 1.1 | 13        |
| 1073 | Capacitive deionization: a promising technology for water defluoridation: a review. <i>Water Science and Technology: Water Supply</i> , 2022, 22, 110-125.  | 1.0 | 4         |
| 1074 | Progress in Research and Application of Nanofiltration (NF) Technology for Brackish Water Treatment. <i>Membranes</i> , 2021, 11, 662.  | 1.4 | 27        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1075 | Nanoarchitectonics of Metal-Organic Frameworks for Capacitive Deionization via Controlled Pyrolyzed Approaches. <i>Small</i> , 2022, 18, e2102477.  | 5.2 | 35        |
| 1076 | Ionic Conductivity of Nanopores with Electrically Conductive Surface: Comparison Between 1D and 2D Models. <i>Advanced Theory and Simulations</i> , 2021, 4, 2100174.   | 1.3 | 2         |
| 1077 | Cross Effect of Surface Area and Electrical Conductivity for Carbonaceous Materials in Flow-electrode Capacitive Mixing (F-CapMix) and Flow-electrode Capacitive Deionization (FCDI): Solid-like Behavior of Flow-electrode. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 13514-13525. | 3.2 | 12        |
| 1078 | In situ potential measurement in a flow-electrode CDI for energy consumption estimation and system optimization. <i>Water Research</i> , 2021, 203, 117522.   | 5.3 | 22        |
| 1079 | Boosting Capacitive Deionization Performance of Commercial Carbon Fibers Cloth via Structural Regulation Based on Catalytic Etching Effect. <i>Energy and Environmental Materials</i> , 2023, 6, .  | 7.3 | 7         |
| 1080 | Unravelling pH Changes in Electrochemical Desalination with Capacitive Deionization. <i>Environmental Science &amp; Technology</i> , 2021, 55, 14165-14172.   | 4.6 | 19        |
| 1081 | Highly Efficient Removal of Fluorine from Groundwater by Membrane Capacitive Deionization. <i>Environmental Engineering Science</i> , 2022, 39, 352-363.  | 0.8 | 4         |
| 1082 | Binder-free 3D graphene nanostructures on Ni foam substrate for application in capacitive deionization. <i>Diamond and Related Materials</i> , 2021, 120, 108612.   | 1.8 | 11        |
| 1083 | Electrochemical removal of amphoteric ions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .   | 3.3 | 21        |
| 1084 | Applicability of Different Double-Layer Models for the Performance Assessment of the Capacitive Energy Extraction Based on Double Layer Expansion (CDLE) Technique. <i>Energies</i> , 2021, 14, 5828.   | 1.6 | 5         |
| 1085 | Scale-up and Modelling of Flow-electrode CDI Using Tubular Electrodes. <i>Water Research</i> , 2021, 203, 117498.   | 5.3 | 18        |
| 1086 | Recent Advances in Faradic Electrochemical Deionization: System Architectures versus Electrode Materials. <i>ACS Nano</i> , 2021, 15, 13924-13942.  | 7.3 | 102       |
| 1087 | Hydration shell energy barrier differences of sub-nanometer carbon pores enable ion sieving and selective ion removal. <i>Chemical Engineering Journal</i> , 2021, 419, 129438.   | 6.6 | 22        |
| 1088 | Novel Inorganic Integrated Membrane Electrodes for Membrane Capacitive Deionization. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 46537-46548.   | 4.0 | 15        |
| 1089 | Investigation of bromide removal and bromate minimization of membrane capacitive deionization for drinking water treatment. <i>Chemosphere</i> , 2021, 280, 130857.   | 4.2 | 12        |
| 1090 | Optimization of constant-current operation in membrane capacitive deionization (MCDI) using variable discharging operations. <i>Water Research</i> , 2021, 204, 117646.   | 5.3 | 17        |
| 1091 | Enhanced desalination performance in asymmetric flow electrode capacitive deionization with nickel hexacyanoferrate and activated carbon electrodes. <i>Desalination</i> , 2021, 514, 115172.   | 4.0 | 15        |
| 1092 | Enhanced electrosorption selectivity of phosphate using an anion-exchange resin-coated activated carbon electrode. <i>Journal of Colloid and Interface Science</i> , 2021, 600, 199-208.  | 5.0 | 15        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1093 | Assessing the contribution of micropores and mesopores from nitrogen adsorption on nanoporous carbons: Application to pore size analysis. <i>Carbon</i> , 2021, 183, 150-157.  | 5.4 | 25        |
| 1094 | Strategies to boost capacitive deionization performance of 3D electrodes. <i>Separation and Purification Technology</i> , 2021, 273, 118977.   | 3.9 | 9         |
| 1095 | Construction and evaluation of a novel three-electrode capacitive deionization system with high desalination performance. <i>Separation and Purification Technology</i> , 2021, 273, 118976.   | 3.9 | 33        |
| 1096 | Development of an integrated capacitive-electrodialysis process (CapED) for continuous, low-energy electrochemical deionization. <i>Separation and Purification Technology</i> , 2021, 274, 119063.  | 3.9 | 10        |
| 1097 | Electrochemically driven adsorptive separation techniques: From ions to proteins and cells in liquid streams. <i>Separation and Purification Technology</i> , 2021, 274, 118754.   | 3.9 | 6         |
| 1098 | Exploitation of acetic acid for calcite dissolution in small-capacity desalination plants. <i>Desalination</i> , 2021, 516, 115227.  | 4.0 | 6         |
| 1099 | Parametric study of multichannel desalination battery for low-energy electrochemical deionization of brackish water. <i>Desalination</i> , 2021, 515, 115188.  | 4.0 | 8         |
| 1100 | Enhanced ammonium removal and recovery from municipal wastewater by asymmetric CDI cell equipped with oxygen functionalized carbon electrode. <i>Separation and Purification Technology</i> , 2021, 274, 119064.   | 3.9 | 8         |
| 1101 | Deep learning for pH prediction in water desalination using membrane capacitive deionization. <i>Desalination</i> , 2021, 516, 115233.   | 4.0 | 21        |
| 1102 | Hierarchical N-doped holey three-dimensional reduced graphene oxide with high performance capacitive deionization. <i>Journal of Materials Research and Technology</i> , 2021, 15, 1996-2006.  | 2.6 | 6         |
| 1103 | Synergistically enhanced nitrate removal by capacitive deionization with activated carbon/PVDF/polyaniline/ZrO <sub>2</sub> composite electrode. <i>Separation and Purification Technology</i> , 2021, 274, 119108.                                      | 3.9 | 12        |
| 1104 | Insights on features' contribution to desalination dynamics and capacity of capacitive deionization through machine learning study. <i>Desalination</i> , 2021, 515, 115197.   | 4.0 | 12        |
| 1105 | Efficient recovery of carboxylates from the effluents treated by advanced oxidation processes using flow-electrode capacitive deionization in short-circuited closed-cycle operation. <i>Separation and Purification Technology</i> , 2021, 275, 119151. | 3.9 | 10        |
| 1106 | Removal of low concentrations of nickel ions in electroplating wastewater using capacitive deionization technology. <i>Chemosphere</i> , 2021, 284, 131341.  | 4.2 | 21        |
| 1107 | Selective sorbents for recovery of lithium ions by hybrid capacitive deionization. <i>Desalination</i> , 2021, 520, 115324.  | 4.0 | 22        |
| 1108 | Block copolymer coated carbon nanotube membrane anodes for enhanced and multipurpose hybrid capacitive deionization. <i>Desalination</i> , 2021, 520, 115368.  | 4.0 | 14        |
| 1109 | The electrosorption characteristics of simple aqueous ions on loofah-derived activated carbon decorated with manganese dioxide polymorphs: The effect of pseudocapacitance and beyond. <i>Chemical Engineering Journal</i> , 2021, 425, 130606.          | 6.6 | 12        |
| 1110 | Self-supporting porous carbon nanofibers with opposite surface charges for high-performance inverted capacitive deionization. <i>Desalination</i> , 2021, 520, 115340.   | 4.0 | 45        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1111 | Design of zinc oxide nanoparticles and graphene hydrogel co-incorporated activated carbon for efficient capacitive deionization. <i>Separation and Purification Technology</i> , 2021, 277, 119428.   | 3.9 | 19        |
| 1112 | Raspberry-structured silver-carbon hybrid nanoparticle clusters for high-performance capacitive deionization. <i>Desalination</i> , 2021, 520, 115343.  | 4.0 | 7         |
| 1113 | Novel strategy to enhance the desalination performance of flow-electrode capacitive deionization process via the assistance of electro-catalytic water splitting. <i>Separation and Purification Technology</i> , 2021, 279, 119753.                                    | 3.9 | 6         |
| 1114 | A novel butterfly-sandwich Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> /PANI/PPY electrode with enhanced adsorption capacity and recyclability toward asymmetric capacitive deionization. <i>Separation and Purification Technology</i> , 2021, 276, 119379.          | 3.9 | 21        |
| 1115 | Capacitive deionization characteristics of compressed granular activated carbon. <i>Separation and Purification Technology</i> , 2021, 277, 119454.   | 3.9 | 7         |
| 1116 | Enhanced desalination performance of nitrogen-doped porous carbon electrode in redox-mediated deionization. <i>Desalination</i> , 2021, 520, 115333.  | 4.0 | 12        |
| 1117 | Direct electrochemical lithium recovery from acidic lithium-ion battery leachate using intercalation electrodes. <i>Resources, Conservation and Recycling</i> , 2021, 175, 105837.  | 5.3 | 25        |
| 1118 | Suppression of electrode reactions and enhancement of the desalination performance of capacitive deionization using a composite carbon electrode coated with an ion-exchange polymer. <i>Separation and Purification Technology</i> , 2021, 278, 119503.                | 3.9 | 8         |
| 1119 | Controlled synthesis of NaTi <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> /Carbon composite derived from Metal-organic-frameworks as highly-efficient electrodes for hybrid capacitive deionization. <i>Separation and Purification Technology</i> , 2021, 278, 119565. | 3.9 | 46        |
| 1120 | Stepwise hollow Prussian blue/carbon nanotubes composite as a novel electrode material for high-performance desalination. <i>Journal of Colloid and Interface Science</i> , 2022, 605, 432-440.   | 5.0 | 27        |
| 1121 | Effective fluoride removal from brackish groundwaters by flow-electrode capacitive deionization (FCDI) under a continuous-flow mode. <i>Science of the Total Environment</i> , 2022, 804, 150166.   | 3.9 | 32        |
| 1122 | An Extended Randles Circuit and a Systematic Model-Development Approach for Capacitive Deionization. <i>Journal of the Electrochemical Society</i> , 2021, 168, 013502.   | 1.3 | 13        |
| 1123 | Electrochemically mediated deionization: a review. <i>Molecular Systems Design and Engineering</i> , 2021, 6, 25-51.  | 1.7 | 12        |
| 1124 | Simultaneous, monovalent ion selectivity with polyelectrolyte multilayers and intercalation electrodes in capacitive deionization. <i>Chemical Engineering Journal</i> , 2022, 432, 128329.   | 6.6 | 14        |
| 1125 | Sustainable N-doped lignin-derived porous carbon showing ion selectivity in capacitive deionization applications. <i>Environmental Science: Water Research and Technology</i> , 2021, 7, 1828-1839.   | 1.2 | 2         |
| 1126 | Carbon-Based Nanomaterial for Emerging Desalination Technologies: Electrodialysis and Capacitive Deionization. , 2021, , 411-411.   |     | 1         |
| 1127 | Agricultural waste buckwheat husk derived bifunctional nitrogen, sulfur and oxygen-co-doped porous carbon for symmetric supercapacitors and capacitive deionization. <i>New Journal of Chemistry</i> , 2021, 45, 10432-10447.   | 1.4 | 26        |
| 1128 | A Review of the Water Desalination Technologies. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 670.   | 1.3 | 179       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1129 | Synthesis of Metal/Metal Oxide Supported Reduced Graphene Oxide (RGO) for the Applications of Electrocatalysis and Supercapacitors. <i>Carbon Nanostructures</i> , 2019, , 1-48.  | 0.1 | 4         |
| 1130 | Pore-Filled Ion-Exchange Membranes with Optimal Cross-Linking Degrees for Efficient Membrane Capacitive Deionization. <i>Macromolecular Research</i> , 2020, 28, 1268-1275.   | 1.0 | 5         |
| 1131 | Pilot-scale membrane capacitive deionisation for effective bromide removal and high water recovery in seawater desalination. <i>Desalination</i> , 2020, 479, 114309.   | 4.0 | 40        |
| 1132 | Environmental impact of emerging desalination technologies: A preliminary evaluation. <i>Journal of Environmental Chemical Engineering</i> , 2020, 8, 104099.   | 3.3 | 102       |
| 1133 | Ammonia recovery from concentrated solution by designing novel stacked FCDI cell. <i>Separation and Purification Technology</i> , 2020, 250, 117066.  | 3.9 | 30        |
| 1134 | Equivalent film-electrode model for flow-electrode capacitive deionization: Experimental validation and performance analysis. <i>Water Research</i> , 2020, 181, 115917.  | 5.3 | 22        |
| 1135 | Enhanced Capacitive Deionization by Dispersion of CNTs in Activated Carbon Electrode. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 1572-1579.  | 3.2 | 71        |
| 1136 | Perspective and Roadmap of Energy-Efficient Desalination Integrated with Nanomaterials. <i>Separation and Purification Reviews</i> , 2018, 47, 124-141.   | 2.8 | 20        |
| 1137 | Deionization shock driven by electroconvection in a circular channel. <i>Physical Review Fluids</i> , 2019, 4, .  | 1.0 | 14        |
| 1138 | Editorsâ€™ Choiceâ€™ Reviewâ€™ Activated Carbon Electrode Design: Engineering Tradeoff with Respect to Capacitive Deionization Performance. <i>Journal of the Electrochemical Society</i> , 2020, 167, 143501.                | 1.3 | 47        |
| 1139 | Performance Enhancement of Modified 3D SWCNT/RVC Electrodes Using Microwave-Irradiated Graphene Oxide. <i>Nanoscale Research Letters</i> , 2019, 14, 351.   | 3.1 | 7         |
| 1140 | Carbon Electrodes in Capacitive Deionization Process. <i>Applied Chemistry for Engineering</i> , 2014, 25, 346-351.   | 0.2 | 2         |
| 1141 | Scale Formation by Electrode Reactions in Capacitive Deionization and its Effects on Desalination Performance. <i>Applied Chemistry for Engineering</i> , 2016, 27, 74-79.  | 0.2 | 11        |
| 1142 | Membrane post-synthesis modifications and how it came about. <i>International Journal of Advanced and Applied Sciences</i> , 2018, 5, 60-64.  | 0.2 | 14        |
| 1146 | Method for reducing the desalination time in a â€œflow-throughâ€•CDI-water clearance equipment. <i>Proceedings of the National Academy of Sciences of Belarus Physical-Technical Series</i> , 2019, 63, 444-454.              | 0.1 | 2         |
| 1147 | Electrophysical characteristics of the desalination plant based on the principle of capacitive deionization. <i>Proceedings of the National Academy of Sciences of Belarus Physical-Technical Series</i> , 2020, 64, 447-457. | 0.1 | 2         |
| 1148 | Short Review of Multichannel Membrane Capacitive Deionization: Principle, Current Status, and Future Prospect. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 683.   | 1.3 | 33        |
| 1149 | The Effect of Slurry Wet Mixing Time, Thermal Treatment, and Method of Electrode Preparation on Membrane Capacitive Deionisation Performance. <i>Processes</i> , 2021, 9, 1.  | 1.3 | 80        |



| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1150 | Effect of Chemically Treated / Untreated Carbon Cloth: Potential Use as Electrode Materials in the Capacitive Deionization Process of Desalination of Aqueous Salt Solution. Journal of Electrochemical Science and Technology, 2015, 6, 139-145.    | 0.9  | 10        |
| 1151 | Effect of Chemically Treated / Untreated Carbon Cloth: Potential Use as Electrode Materials in the Capacitive Deionization Process of Desalination of Aqueous Salt Solution. Journal of Electrochemical Science and Technology, 2015, 6, 139-145.    | 0.9  | 5         |
| 1152 | Application of Capacitive Deionization for Desalination of Mining Water. Journal of the Korean Electrochemical Society, 2014, 17, 37-43.   | 0.1  | 4         |
| 1153 | Application of Capacitive Deionization Packed Ion Exchange Resins in Two Flow Channels. Journal of the Korean Electrochemical Society, 2015, 18, 24-30.  | 0.1  | 1         |
| 1154 | Effect of surface modification of carbon felts on capacitive deionization for desalination. Carbon Letters, 2015, 16, 93-100.  | 3.3  | 18        |
| 1156 | Application and influence factors of capacitive deionization method for removing inorganic contaminated ions. Environmental Pollutants and Bioavailability, 2021, 33, 365-376.   | 1.3  | 3         |
| 1157 | Synergistic Improvement in Capacitive Deionization Performance Using a Novel Phase-Integrated Na <sub>0.55</sub> Mn <sub>2</sub> O <sub>4</sub> @Na <sub>0.7</sub> MnO <sub>2</sub> . ACS Sustainable Chemistry and Engineering, 2021, 9, 2496-2506. | 3.2  | 8         |
| 1158 | The Effect of Electropolymerization Conditions on the Physicochemical and Biological Properties of Polypyrrole-Modified Activated Carbon. Protection of Metals and Physical Chemistry of Surfaces, 2021, 57, 954-964.                                | 0.3  | 0         |
| 1159 | Three-Dimensional Cobalt Hydroxide Hollow Cube/Vertical Nanosheets with High Desalination Capacity and Long-Term Performance Stability in Capacitive Deionization. Research, 2021, 2021, 9754145.  | 2.8  | 6         |
| 1160 | Capacitive Deionization for the Removal of Paraquat Herbicide from Aqueous Solution. Adsorption Science and Technology, 2021, 2021, .  | 1.5  | 6         |
| 1161 | Design and Implementation of an Electrical Characterization System for Membrane Capacitive Deionization Units for the Water Treatment. Membranes, 2021, 11, 773.   | 1.4  | 1         |
| 1162 | Capacitive energy storage in single-file pores: Exactly solvable models and simulations. Journal of Chemical Physics, 2021, 155, 174112.   | 1.2  | 8         |
| 1163 | Metal Ion Oligomerization Inside Electrified Carbon Micropores and its Effect on Capacitive Charge Storage. Advanced Materials, 2022, 34, e2107439.  | 11.1 | 24        |
| 1164 | Neutron Imaging of Paramagnetic Ions: Electrosorption by Carbon Aerogels and Macroscopic Magnetic Forces. Journal of Physical Chemistry C, 2021, 125, 21831-21839.   | 1.5  | 2         |
| 1165 | Adsorption desalination: Advances in porous adsorbents. Chinese Journal of Chemical Engineering, 2022, 42, 151-169.  | 1.7  | 17        |
| 1166 | Insights on the role of supporting electrospun carbon nanofibers with binary metallic carbides for enhancing their capacitive deionization performance. Journal of Materials Research and Technology, 2021, 15, 3795-3806.                           | 2.6  | 5         |
| 1167 | MoS <sub>2</sub> nanoflakes-coated electrospun carbon nanofibers for rocking-chair capacitive deionization. Desalination, 2021, 520, 115376.   | 4.0  | 36        |
| 1168 | Adsorption Properties of Styrenesulfonate-Grafted Fibrous Metal Adsorbent. Journal of Ion Exchange, 2014, 25, 99-104.  | 0.1  | 0         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1169 | Comparison of Selective Removal of Nitrate Ion in Constant Voltage and Constant Current Operation in Capacitive Deionization. Korean Chemical Engineering Research, 2015, 53, 269-275.  | 0.2 | 2         |
| 1170 | Efficient Desalination of Brackish Ground Water via a Novel Capacitive Deionization Cell Using Nanoporous Activated Carbon Cloth Electrodes. Journal of Engineering Research, 2017, 12, 22.                                       | 0.2 | 2         |
| 1171 | UTILIZAÇÃfO DA FLULIGEM DO BAGAÃfO DE CANA-DE-AÃfSCAR ATIVADO COM CO2 COMO ELETRODO EM DEIONIZAÃfO CAPACITIVA. , 0, , .   |     | 0         |
| 1172 | Potential of Solar-driven CDI Technology for Water Desalination in Egypt. Renewable Energy and Sustainable Development, 2017, 3, 251.   | 0.2 | 1         |
| 1173 | Fabrication and Properties of Modified Aluminum Plate Current Collector for Capacitive Deionization Electrodes. Hans Journal of Chemical Engineering and Technology, 2018, 08, 358-366.   | 0.0 | 0         |
| 1174 | Aufarbeitung (Downstream Processing). , 2018, , 299-402.  |     | 0         |
| 1175 | Layered manganese oxides as electrodes for water desalination via hybrid capacitive deionization. , 2018, , .   |     | 0         |
| 1176 | HCDI performance of Na-2x3 and Na-2x4 nanowires for water desalination. , 2019, , .   |     | 0         |
| 1177 | Membran Kapasitif Deiyonizasyon Prosesi ile Sertlik Giderimi. Academic Platform Journal of Engineering and Science, 0, , 341-346.   | 0.5 | 1         |
| 1178 | Electrochemical Removal of Cesium Ions via Capacitive Deionization Using an Ion-Exchange Layer Coated on a Carbon Electrode. Applied Sciences (Switzerland), 2021, 11, 10042.   | 1.3 | 1         |
| 1179 | Denitrification enhancement by electro-adsorption/reduction in capacitive deionization (CDI) and membrane capacitive deionization (MCDI) with copper electrode. Chemosphere, 2022, 291, 132732.                                   | 4.2 | 9         |
| 1180 | Dynamics and Model Research on the Electrosorption by Activated Carbon Fiber Electrodes. Water (Switzerland), 2021, 13, 62.   | 1.2 | 5         |
| 1181 | Enhanced monovalent over divalent cation selectivity with polyelectrolyte multilayers in membrane capacitive deionization via optimization of operational conditions. Desalination, 2022, 522, 115391.                            | 4.0 | 12        |
| 1182 | A comprehensive review on flow-electrode capacitive deionization: Design, active material and environmental application. Separation and Purification Technology, 2022, 281, 119870.   | 3.9 | 34        |
| 1183 | High-performance capacitive deionization electrodes through regulated electrodeposition of manganese oxide and nickel-manganese oxide/hydroxide onto activated carbon. Separation and Purification Technology, 2022, 280, 119873. | 3.9 | 5         |
| 1184 | Freestanding N-doped graphene membrane electrode with interconnected porous architecture for efficient capacitive deionization. Carbon, 2022, 187, 86-96.   | 5.4 | 39        |
| 1185 | Electrochemical heavy metal removal from water using PVC waste-derived N, S co-doped carbon materials. RSC Advances, 2020, 10, 4064-4070.   | 1.7 | 17        |
| 1186 | Confirmation of The Fouling Phenomena in CDI Process and The Establishment of Its Removal Process Conditions. Membrane Journal, 2019, 29, 276-283.  | 0.2 | 1         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1187 | Fabrication of an antimony doped tin oxideâ€“graphene nanocomposite for highly effective capacitive deionization of saline water. RSC Advances, 2020, 10, 39130-39136.   | 1.7 | 5         |
| 1188 | Designing capacitive deionization module for water treatment systems at car washers. Eastern-European Journal of Enterprise Technologies, 2021, 5, 46-53.  | 0.3 | 1         |
| 1189 | On charge distribution and storage in porous conductive carbon structure. Electrochimica Acta, 2021, , 139534.   | 2.6 | 5         |
| 1190 | Bismuth oxychloride nanostructure coated carbon sponge as flow-through electrode for highly efficient rocking-chair capacitive deionization. Journal of Colloid and Interface Science, 2022, 608, 2752-2759.                           | 5.0 | 16        |
| 1191 | Improving water desalination performance of electrospun carbon nanofibers by supporting with binary metallic carbide nanoparticles. Ceramics International, 2022, 48, 4741-4753.   | 2.3 | 8         |
| 1192 | A new automated model brings stability to finiteâ€“element simulations of capacitive deionization. Nano Select, 2022, 3, 1021-1035.  | 1.9 | 10        |
| 1193 | Approach for Capacitive Deionizing the RO Reject via Developed Carbon-Coated Nickel Foam-Based Electrode. Journal of Hazardous, Toxic, and Radioactive Waste, 2022, 26, .  | 1.2 | 1         |
| 1194 | Synthesis and Characterization of Activated Carbon Co-Mixed Electrospun Titanium Oxide Nanofibers as Flow Electrode in Capacitive Deionization. Materials, 2021, 14, 6891.   | 1.3 | 5         |
| 1195 | Selectivity adsorption of sulfate by amino-modified activated carbon during capacitive deionization. Environmental Technology (United Kingdom), 2023, 44, 1505-1517.   | 1.2 | 5         |
| 1196 | A novel asymmetric CDI device for targeted removal of cation in water desalination. Environmental Technology (United Kingdom), 2023, 44, 1626-1641.  | 1.2 | 1         |
| 1197 | Fungal hypha-derived freestanding porous carbon pad as a high-capacity electrode for water desalination in membrane capacitive deionization. Chemical Engineering Journal, 2022, 433, 133781.  | 6.6 | 30        |
| 1198 | Self-Assembled NbOPO <sub>4</sub> Nanosheet/Reduced Graphene Oxide Heterostructure for Capacitive Desalination. ACS Applied Nano Materials, 2021, 4, 12629-12639.  | 2.4 | 11        |
| 1199 | La <sub>0.75</sub> Sr <sub>0.25</sub> Cr <sub>0.5</sub> Mn <sub>0.5</sub> O <sub>3</sub> /Graphene Oxide-Based Composite Electrodes for Energy Storage Applications. Arabian Journal for Science and Engineering, 2022, 47, 6365-6377. | 1.7 | 2         |
| 1200 | Chloride pre-intercalated CoFe-layered double hydroxide as chloride ion capturing electrode for capacitive deionization. Chemical Engineering Journal, 2022, 433, 133578.  | 6.6 | 35        |
| 1201 | Fabricating a Flow-Through Hybrid Capacitive Deionization Cell for Selective Recovery of Lithium Ions. ACS Applied Energy Materials, 2021, 4, 13036-13043.   | 2.5 | 12        |
| 1202 | Highly Efficient Capacitive Deionization Enabled by NiCo <sub>4</sub> MnO <sub>8.5</sub> Electrodes. Global Challenges, 2022, 6, 2100095.  | 1.8 | 3         |
| 1203 | Applications of bio-derived/bio-inspired materials in the field of interfacial solar steam generation. Nano Research, 2022, 15, 3122-3142.   | 5.8 | 19        |
| 1204 | Fibrous cathode materials for advanced sodium-chalcogen batteries. Energy Storage Materials, 2022, 45, 265-280.  | 9.5 | 15        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1205 | Layered double hydroxide coated electrospun carbon nanofibers as the chloride capturing electrode for ultrafast electrochemical deionization. <i>Journal of Colloid and Interface Science</i> , 2022, 609, 289-296.     | 5.0 | 20        |
| 1206 | New method for electrochemical ion separation (EIONS) for chloride/nitrate separation using Ag/AgCl electrodes with a cation exchange membrane. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 106876. | 3.3 | 6         |
| 1207 | Solvation of Isoelectronic Halide and Alkali Metal Ions by Argon Atoms. <i>Journal of Physical Chemistry A</i> , 2021, 125, 10524-10531.  | 1.1 | 2         |
| 1208 | Continuous desalination via redox flow desalination using sodium 4-sulfonatooxy-2,2,6,6-tetramethyl-piperidine-1-oxyl (NaSO <sub>4</sub> -TEMPO). <i>Chemical Engineering Journal</i> , 2022, 431, 133917.              | 6.6 | 8         |
| 1209 | Improving Long-Term Anode Stability in Capacitive Deionization Using Asymmetric Electrode Mass Ratios. <i>ACS ES&amp;T Engineering</i> , 2022, 2, 129-139.  | 3.7 | 9         |
| 1210 | Enhanced Capacitive Deionization of a Low-Concentration Brackish Water with Protonated Carbon Nitride-Decorated Graphene Oxide Electrode. <i>SSRN Electronic Journal</i> , 0, , .                                       | 0.4 | 0         |
| 1211 | Electromembranes for Water Treatment Driven by Electricity. <i>Chemistry in the Environment</i> , 2021, , 57-82.  | 0.2 | 0         |
| 1212 | Microscopic study of ion transport in the porous electrode of a desalination battery based on the lattice Boltzmann method. <i>New Journal of Chemistry</i> , 2022, 46, 1516-1532.                                      | 1.4 | 1         |
| 1213 | Ammonia removal from municipal wastewater via membrane capacitive deionization (MCDI) in pilot-scale. <i>Separation and Purification Technology</i> , 2022, 286, 120469.  | 3.9 | 15        |
| 1214 | Perfect divalent cation selectivity with capacitive deionization. <i>Water Research</i> , 2022, 210, 117959.  | 5.3 | 46        |
| 1215 | Electrochemical separation of organic acids and proteins for food and biomanufacturing. <i>Chemical Engineering Research and Design</i> , 2022, 178, 267-288.   | 2.7 | 25        |
| 1216 | Fabrication of phosphorus doping porous carbon derived from bagasse for highly-efficient removal of La <sup>3+</sup> ions via capacitive deionization. <i>Electrochimica Acta</i> , 2022, 404, 139735.                  | 2.6 | 15        |
| 1217 | Predicting capacitive deionization processes using an electrolytic-capacitor (ELC) model: 2D dynamics, leakages, and multi-ion solutions. <i>Desalination</i> , 2022, 525, 115493.                                      | 4.0 | 14        |
| 1218 | Particle size distribution influence on capacitive deionization: Insights for electrode preparation. <i>Desalination</i> , 2022, 525, 115503.   | 4.0 | 17        |
| 1219 | Application of digital twins for remote operation of membrane capacitive deionization (mCDI) systems. <i>Desalination</i> , 2022, 525, 115482.  | 4.0 | 15        |
| 1220 | Electroactive self-polymerized dopamine with improved desalination performance for flow- and fixed-electrodes capacitive deionization. <i>Applied Surface Science</i> , 2022, 579, 152154.                              | 3.1 | 16        |
| 1221 | Efficient bicarbonate removal and recovery of ammonium bicarbonate as CO <sub>2</sub> utilization using flow-electrode capacitive deionization. <i>Chemical Engineering Journal</i> , 2022, 431, 134233.                | 6.6 | 16        |
| 1222 | Three-dimensional Prussian blue nanoflower as a high-performance sodium storage electrode for water desalination. <i>Separation and Purification Technology</i> , 2022, 285, 120333.                                    | 3.9 | 6         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1223 | Effects of Additives and Conductors on Properties of Conducting Porous Composite Based on Activated Carbon. Communications in Physics, 2020, 30, 373.   | 0.0 | 0         |
| 1224 | Porous carbons for environment remediation. , 2022, , 541-802.  |     | 0         |
| 1225 | Novel mesoporous Co <sub>3</sub> O <sub>4</sub> @Sb <sub>2</sub> O <sub>3</sub> @SnO <sub>2</sub> active material in high-performance capacitive deionization. RSC Advances, 2021, 12, 907-920.   | 1.7 | 7         |
| 1226 | Industrial Utilization of Capacitive Deionization Technology for the Removal of Fluoride and Toxic Metal Ions (As <sup>3+/5+</sup> and Pb <sup>2+</sup> ). Global Challenges, 2022, 6, 2100129.   | 1.8 | 4         |
| 1227 | Modified Poly(vinylidene fluoride) by Diethylenetriamine as a Supported Anion Exchange Membrane for Lithium Salt Concentration by Hybrid Capacitive Deionization. Membranes, 2022, 12, 103.   | 1.4 | 5         |
| 1228 | A Study of 3D flake MnO <sub>2</sub> nanoflower decorated hollow carbon spheres as cathode material for pseudo-capacitive deionization. Journal of Environmental Chemical Engineering, 2022, 10, 107266.  | 3.3 | 7         |
| 1229 | A review of sodium chloride-based electrolytes and materials for electrochemical energy technology. Journal of Materials Chemistry A, 2022, 10, 2637-2671.  | 5.2 | 23        |
| 1230 | Ionophobicity of carbon sub-nanometer pores enables efficient desalination at high salinity. Cell Reports Physical Science, 2022, 3, 100689.  | 2.8 | 7         |
| 1231 | ZIF-8-derived porous carbon: application in capacitive deionization for vanadium (V) adsorption. Journal of Applied Electrochemistry, 2022, 52, 639-651.  | 1.5 | 6         |
| 1232 | Emerging, hydrogen-driven electrochemical water purification. Electrochemistry Communications, 2022, 136, 107211.   | 2.3 | 14        |
| 1233 | Hierarchical porous N, S co-doped carbon derived from fish scales for enhanced membrane capacitive deionization. Electrochimica Acta, 2022, 409, 139983.  | 2.6 | 12        |
| 1234 | Enhanced capacitive deionization of a low-concentration brackish water with protonated carbon nitride-decorated graphene oxide electrode. Chemosphere, 2022, 293, 133580.   | 4.2 | 12        |
| 1235 | Visualizing the landscape and evolution of capacitive deionization by scientometric analysis. Desalination, 2022, 527, 115562.  | 4.0 | 13        |
| 1236 | Recent progress in interfacial photo-vapor conversion technology using metal sulfide-based semiconductor materials. Desalination, 2022, 527, 115532.  | 4.0 | 23        |
| 1237 | Molecular understanding of aqueous electrolyte properties and dielectric effect in a CDI system. Chemical Engineering Journal, 2022, 435, 134750.   | 6.6 | 5         |
| 1238 | Mxene pseudocapacitive electrode material for capacitive deionization. Chemical Engineering Journal, 2022, 435, 134959.   | 6.6 | 48        |
| 1239 | 3D interconnected network architectures assembled from W <sub>18</sub> O <sub>49</sub> and Ti <sub>3</sub> C <sub>2</sub> MXene with excellent electrochemical properties and CDI performance. Chemical Engineering Journal, 2022, 435, 134922. | 6.6 | 19        |
| 1240 | Hierarchical Porous Nitrogen-Doped Spray-Dried Graphene for High Performance Capacitive Deionization. Advanced Energy and Sustainability Research, 2022, 3, .   | 2.8 | 7         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1241 | Relation between Charging Times and Storage Properties of Nanoporous Supercapacitors. <i>Nanomaterials</i> , 2022, 12, 587.   | 1.9 | 15        |
| 1242 | Carbon aerogel electrode for excellent dephosphorization via flow capacitive deionization. <i>Desalination</i> , 2022, 528, 115614.   | 4.0 | 19        |
| 1243 | Co-precipitation synthesis control for sodium ion adsorption capacity and cycle life of copper hexacyanoferrate electrodes in battery electrode deionization. <i>Chemical Engineering Journal</i> , 2022, 435, 135001.                            | 6.6 | 8         |
| 1244 | In Situ Synthesis of Bismuth Nanoclusters within Carbon Nano-Bundles from Metal-Organic Framework for Chloride-Driven Electrochemical Deionization. <i>Advanced Functional Materials</i> , 2022, 32, .  | 7.8 | 46        |
| 1245 | Desalination Fuel Cells with High Thermodynamic Energy Efficiency. <i>Environmental Science &amp; Technology</i> , 2022, 56, 1413-1422.   | 4.6 | 16        |
| 1246 | A binder-free $\text{MnO}_2$ @reduced graphene oxide composite film as a bi-functional electrode for aqueous rechargeable sodium-ion batteries and hybrid capacitive deionization. <i>New Journal of Chemistry</i> , 2022, 46, 8679-8687.         | 1.4 | 2         |
| 1247 | Electrodialysis, electrodialysis reversal and capacitive deionization technologies. , 2022, , 505-539.  |     | 2         |
| 1248 | Polymeric nano-enhanced membranes in electrodialysis, electrodialysis reversal and capacitive deionization technologies. , 2022, , 569-595.   |     | 0         |
| 1249 | Current status of ion exchange membranes for electrodialysis/reverse electrodialysis and membrane capacitive deionization/capacitive mixing. , 2022, , 575-602.   |     | 0         |
| 1250 | Dimensional optimization enables high-performance capacitive deionization. <i>Journal of Materials Chemistry A</i> , 2022, 10, 6414-6441.   | 5.2 | 43        |
| 1251 | Biochar with Inherited Negative Surface Charges Derived from <i>Enteromorpha Prolifera</i> as a Promising Cathode Material for Capacitive Deionization Technology. <i>SSRN Electronic Journal</i> , 0, , .  | 0.4 | 0         |
| 1252 | Emerging investigator series: a comparison of strong and weak-acid functionalized carbon electrodes in capacitive deionization. <i>Environmental Science: Water Research and Technology</i> , 2022, 8, 949-956.                                   | 1.2 | 4         |
| 1253 | Graphene-assisted $\text{Ti}_3\text{C}_2\text{MXene}$ -derived ultrathin sodium titanate for capacitive deionization with excellent rate performance and long cycling stability. <i>Journal of Materials Chemistry A</i> , 2022, 10, 10192-10200. | 5.2 | 12        |
| 1254 | Single-pass capacitive deionization with a $\text{HNO}_3$ -modified electrode for fluoride removal. <i>Environmental Engineering Research</i> , 2023, 28, 210430-0.   | 1.5 | 5         |
| 1255 | On the potential of pristine <i>Cocos nucifera</i> L. tissues for green desalination. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2022, 380, 20210145.   | 1.6 | 0         |
| 1256 | Synthesis and electrochemical behavior of monolayer- $\text{Ti}_3\text{C}_2\text{Tx}$ for capacitive deionization. <i>Journal of Central South University</i> , 2022, 29, 359-372.  | 1.2 | 6         |
| 1257 | Ionic liquids in conducting nanoslits: how important is the range of the screened electrostatic interactions?. <i>Journal of Physics Condensed Matter</i> , 2022, 34, 26LT01.   | 0.7 | 4         |
| 1258 | Zeolite-based monoliths for water softening by ion exchange/precipitation process. <i>Scientific Reports</i> , 2022, 12, 3686.  | 1.6 | 12        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1259 | Recent progress in materials and architectures for capacitive deionization: A comprehensive review. <i>Water Environment Research</i> , 2022, 94, e10696.  | 1.3  | 19        |
| 1260 | Progress and perspective in mechanically robust carbon aerogels. <i>Journal of Applied Physics</i> , 2022, 131, .  | 1.1  | 3         |
| 1261 | Enhanced Electrodesorption Performance via Cathode Potential Extension during Capacitive Deionization. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 2874.   | 1.3  | 0         |
| 1262 | Electro-Driven Materials and Processes for Lithium Recovery—A Review. <i>Membranes</i> , 2022, 12, 343.  | 1.4  | 7         |
| 1264 | The promising solar-powered water purification based on graphene functional architectures. <i>EcoMat</i> , 2022, 4, .  | 6.8  | 15        |
| 1266 | High-Performance Asymmetric Flow-Electrode Capacitive Mixing with MnO <sub>2</sub> -Coated Activated Carbon Flow-Electrode for Energy Harvesting from Salinity Gradient Power. , 2022, 4, 618-625.       |      | 7         |
| 1267 | Carbon Nanoarchitectonics with Bi Nanoparticle Encapsulation for Improved Electrochemical Deionization Performance. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 13177-13185.               | 4.0  | 26        |
| 1268 | Langmuir-Based Modeling Produces Steady Two-Dimensional Simulations of Capacitive Deionization via Relaxed Adsorption-Flow Coupling. <i>Langmuir</i> , 2022, 38, 3350-3359.                              | 1.6  | 7         |
| 1269 | Enhanced Capacitive Deionization Exploiting Novel Functionalized Graphene Oxide Electrodes. <i>Advanced Materials Technologies</i> , 2022, 7, .  | 3.0  | 5         |
| 1270 | Microscopic Simulations of Electrochemical Double-Layer Capacitors. <i>Chemical Reviews</i> , 2022, 122, 10860-10898.  | 23.0 | 81        |
| 1271 | Continuous cycling of carbon-based capacitive deionization systems: An evaluation of the electrode performance and stability. <i>Journal of Electroanalytical Chemistry</i> , 2022, 914, 116298.         | 1.9  | 6         |
| 1272 | Enhancing performance of capacitive deionization under high voltage by suppressing anode oxidation using a novel membrane coating electrode. <i>Journal of Membrane Science</i> , 2022, 652, 120506.     | 4.1  | 5         |
| 1273 | Mesopore dominated capacitive deionization of N-doped hierarchically porous carbon for water purification. <i>Separation and Purification Technology</i> , 2022, 290, 120912.                            | 3.9  | 37        |
| 1274 | Flexible self-supporting CoFe-LDH/MXene film as a chloride ions storage electrode in capacitive deionization. <i>Chemical Engineering Journal</i> , 2022, 437, 135381.                                   | 6.6  | 52        |
| 1275 | High-Performance Carbon Electrodes Modified with Polyaniline for Stable and Selective Anion Separation. <i>Separation and Purification Technology</i> , 2022, 290, 120807.                               | 3.9  | 20        |
| 1276 | Pore-scale study of ion transport and intercalation processes of capacitive deionization cells with intercalation electrodes based on lattice Boltzmann method. <i>Desalination</i> , 2022, 532, 115718. | 4.0  | 10        |
| 1277 | Eggshell membrane derived nitrogen rich porous carbon for selective electrosorption of nitrate from water. <i>Water Research</i> , 2022, 216, 118351.  | 5.3  | 24        |
| 1278 | Recovery of rare earth by electro-sorption with sodium diphenylamine sulfonate modified activated carbon electrode. <i>Separation and Purification Technology</i> , 2022, 292, 121005.                   | 3.9  | 14        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1279 | Simultaneous Efficient Decontamination of Bacteria and Heavy Metals via Capacitive Deionization Using Polydopamine/Polyhexamethylene Guanidine Co-deposited Activated Carbon Electrodes. ACS Applied Materials & Interfaces, 2021, 13, 61669-61680. | 4.0  | 16        |
| 1280 | Effective and Selective Removal of Phosphate from Wastewater Using Guanidinium-Functionalized Polyelectrolyte-Modified Electrodes in Capacitive Deionization. ACS ES&T Water, 2022, 2, 237-246.   | 2.3  | 15        |
| 1281 | Ladder Mechanisms of Ion Transport in Prussian Blue Analogues. ACS Applied Materials & Interfaces, 2022, 14, 1102-1113.   | 4.0  | 15        |
| 1282 | Electrochemical membrane technology for environmental remediation. , 2022, , 227-263.   |      | 0         |
| 1283 | Membrane-based electrochemical technologies: I. Membrane capacitive deionization and flow-electrode capacitive deionization. , 2022, , 317-360.   |      | 1         |
| 1284 | Introduction to electrochemical membrane technology: current status and recent developments. , 2022, , 1-42.  |      | 0         |
| 1285 | Fundamentals of electrochemical membrane technology. , 2022, , 43-80.   |      | 0         |
| 1286 | Selective removal of Na <sup>+</sup> by NaTi <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> -MWCNT composite hollow-fiber membrane electrode in capacitive deionization. Npj Clean Water, 2022, 5, .  | 3.1  | 8         |
| 1287 | How chemical defects influence the charging of nanoporous carbon supercapacitors. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, e2121945119.  | 3.3  | 3         |
| 1288 | Conceptual Circuit Model for the Prediction of Electrochemical Performance of Carbonaceous Electrodes Containing Reduced Ultra Large Graphene Oxide. Journal of the Electrochemical Society, 2022, 169, 040554.                                     | 1.3  | 2         |
| 1289 | Advanced ion transfer materials in electro-driven membrane processes for sustainable ion-resource extraction and recovery. Progress in Materials Science, 2022, 128, 100958.  | 16.0 | 36        |
| 1290 | Titanium disulfide decorated hollow carbon spheres towards capacitive deionization. Desalination, 2022, 533, 115766.  | 4.0  | 18        |
| 1291 | Ionic covalent organic nanosheet (iCON)â€™quaternized polybenzimidazole nanocomposite anion-exchange membranes to enhance the performance of membrane capacitive deionization. Desalination, 2022, 533, 115777.                                     | 4.0  | 12        |
| 1296 | Electrochemical modification of carbon nanotube fibres. Nanoscale, 2022, 14, 9313-9322.   | 2.8  | 2         |
| 1297 | Highly Efficient Water Purification Devices Utilizing the Microfluidic Electrochemical Deionization Technique. SSRN Electronic Journal, 0, , .  | 0.4  | 0         |
| 1298 | Knowledge and Technology Used in Capacitive Deionization of Water. Membranes, 2022, 12, 459.  | 1.4  | 10        |
| 1299 | Enhanced capacitive deionization by rGO@PEI/MoS <sub>2</sub> nanocomposites with rich heterostructures. Separation and Purification Technology, 2022, 295, 121156.  | 3.9  | 7         |
| 1300 | Efficient transport system of cultivated mushroom mycelium enables its derived carbon with high performance electrochemical desalination capability. Carbon, 2022, 196, 699-707.  | 5.4  | 11        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1301 | Extending pore network models to include electrical double layer effects in micropores for studying capacitive deionization. <i>Desalination</i> , 2022, 535, 115784.   | 4.0 | 9         |
| 1302 | Sodium to cesium ions: a general ladder mechanism of ion diffusion in prussian blue analogs. <i>Physical Chemistry Chemical Physics</i> , 2022, 24, 12374-12382.  | 1.3 | 10        |
| 1303 | Sulfur & nitrogen co-doped electrospun carbon nanofibers as freestanding electrodes for membrane capacitive deionization. <i>Separation and Purification Technology</i> , 2022, 295, 121280.                                    | 3.9 | 17        |
| 1304 | Comparing energy demands and longevities of membrane-based capacitive deionization architectures. <i>Environmental Science: Water Research and Technology</i> , 2022, 8, 1489-1496.   | 1.2 | 2         |
| 1305 | Determination of Ionic Diffusion Coefficients in Ion-Exchange Membranes: Strong Electrolytes and Sulfates with Dissociation Equilibria. <i>ChemElectroChem</i> , 2022, 9, .   | 1.7 | 5         |
| 1306 | Electrocapacitive desalination with nitrogen-doped hierarchically structured carbon prepared using a sustainable salt-template method. <i>Chemical Engineering Journal</i> , 2022, 446, 137211.                                 | 6.6 | 28        |
| 1307 | Selective Ion Removal by Capacitive Deionization (CDI)-Based Technologies. <i>Processes</i> , 2022, 10, 1075.   | 1.3 | 6         |
| 1308 | Mechanisms for enhanced transport selectivity of like-charged ions in hydrophobic-polymer-modified ion-exchange membranes. <i>Journal of Membrane Science</i> , 2022, 658, 120645.  | 4.1 | 11        |
| 1309 | Review: Brine Solution: Current Status, Future Management and Technology Development. <i>Sustainability</i> , 2022, 14, 6752.   | 1.6 | 11        |
| 1310 | Tailoring interlayer spacing in MXene cathodes to boost the desalination performance of hybrid capacitive deionization systems. <i>Nano Research</i> , 2023, 16, 6039-6047.   | 5.8 | 9         |
| 1311 | Improvements in desorption rate and electrode stability of membrane capacitive deionization systems by optimizing operation parameters. <i>Water Research</i> , 2022, 220, 118713.  | 5.3 | 5         |
| 1312 | Electrochemical lithium extraction from aqueous sources. <i>Matter</i> , 2022, 5, 1760-1791.  | 5.0 | 27        |
| 1313 | Multilayered Graphene-Coated Metal Current Collectors with High Electrical Conductivity and Corrosion Resistivity for Flow-Electrode Capacitive Mixing. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 7625-7634. | 3.2 | 7         |
| 1314 | Optimization of desorption potential for stable and efficient operation of membrane capacitive deionization systems. <i>Journal of Electroanalytical Chemistry</i> , 2022, 918, 116461.   | 1.9 | 4         |
| 1315 | Predicting the salt adsorption capacity of different capacitive deionization electrodes using random forest. <i>Desalination</i> , 2022, 537, 115826.   | 4.0 | 8         |
| 1316 | Zif-8 Induced Carbon Electrodes for Selective Lithium Recovery from Aqueous Feed Water by Employing Capacitive Deionization System. <i>SSRN Electronic Journal</i> , 0, , .   | 0.4 | 0         |
| 1317 | Capacitive de-ionisation: An electrochemical perspective. <i>Current Opinion in Electrochemistry</i> , 2022, 35, 101084.  | 2.5 | 1         |
| 1318 | Electroconvective instability and shocks in complex geometries. <i>Current Opinion in Colloid and Interface Science</i> , 2022, , 101604.   | 3.4 | 1         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1319 | Energy recovery in electrified capacitive deionization systems for wastewater treatment and desalination: A comprehensive review. <i>Chemical Engineering and Processing: Process Intensification</i> , 2022, 178, 109030.   | 1.8 | 6         |
| 1320 | Thermodynamic and Kinetic Analyses of Ion Intercalation/Deintercalation Using Different Temperatures on NiHCF Electrodes for Battery Electrode Deionization. <i>Environmental Science &amp; Technology</i> , 2022, 56, 8932-8941.  | 4.6 | 9         |
| 1321 | Predicting ion selectivity in water purification by capacitive deionization: Electric double layer models. <i>Current Opinion in Colloid and Interface Science</i> , 2022, 60, 101602.   | 3.4 | 10        |
| 1322 | Numerical simulation of the water desalination process based on a modified Gouy-Chapman-Stern (GCS) model for a membrane capacitive deionization (MCDI) unit. <i>International Journal of Electrochemical Science</i> , 2022, 17, 220741.                                  | 0.5 | 0         |
| 1323 | Highly efficient water purification devices utilizing the microfluidic electrochemical deionization technique. <i>Desalination</i> , 2022, 538, 115928.  | 4.0 | 9         |
| 1324 | Impact of Asymmetries in Valences and Diffusivities on the Transport of a Binary Electrolyte in a Charged Cylindrical Pore. <i>SSRN Electronic Journal</i> , 0, , .  | 0.4 | 0         |
| 1325 | Boron Removal from Reverse Osmosis Permeate Using an Electrosorption Process: Feasibility, Kinetics, and Mechanism. <i>Environmental Science &amp; Technology</i> , 2022, 56, 10391-10401.   | 4.6 | 13        |
| 1326 | Electrochemical investigation of carbon paper/ZnO nanocomposite electrodes for capacitive anion capturing. <i>Scientific Reports</i> , 2022, 12, .   | 1.6 | 5         |
| 1327 | The performance of MCDI: the effect of sulfosuccinic acid ratio in the PVA-based cation exchange membrane. <i>Ionics</i> , 2022, 28, 4369-4380.  | 1.2 | 2         |
| 1328 | Removal and recovery of ammonia from simulated wastewater using Ti3C2Tx MXene in flow electrode capacitive deionization. <i>Npj Clean Water</i> , 2022, 5, .   | 3.1 | 9         |
| 1329 | Porous 3D-graphene functionalized with MnO <sub>2</sub> nanospheres and NiO nanoparticles as highly efficient electrodes for asymmetric capacitive deionization: Evaluation by impedance-derived capacitance spectroscopy. <i>Electrochimica Acta</i> , 2022, 427, 140844. | 2.6 | 14        |
| 1330 | Characterization of nanofiber composite membrane for high water flux and antibacterial properties. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2022, 651, 129655.  | 2.3 | 9         |
| 1331 | Three-dimensional lattice Boltzmann simulation of reactive transport and ion adsorption processes in battery electrodes of cation intercalation desalination cells. <i>Separation and Purification Technology</i> , 2022, 298, 121626.                                     | 3.9 | 6         |
| 1332 | Biochar with inherited negative surface charges derived from <i>Enteromorpha prolifera</i> as a promising cathode material for capacitive deionization technology. <i>Desalination</i> , 2022, 539, 115955.  | 4.0 | 6         |
| 1333 | Cation selectivity of activated carbon and nickel hexacyanoferrate electrode materials in capacitive deionization: A comparison study. <i>Chemosphere</i> , 2022, 307, 135613.   | 4.2 | 9         |
| 1334 | Physical Interactions Tune the Chemisorption of Polar Anions on Carbon Nanostructures. <i>Journal of Physical Chemistry C</i> , 2022, 126, 13349-13357.  | 1.5 | 0         |
| 1335 | Desalination Using the Capacitive Deionization Technology with Graphite/AC Electrodes: Effect of the Flow Rate and Electrode Thickness. <i>Membranes</i> , 2022, 12, 717.  | 1.4 | 5         |
| 1336 | Carbon nanotubes composite embedded with silver nanoparticles as chloride storage electrode for high-capacity desalination batteries. <i>Separation and Purification Technology</i> , 2022, 299, 121731.   | 3.9 | 4         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1337 | Recent Progresses in Adsorption Mechanism, Architectures, Electrode Materials and Applications for Advanced Electrosorption System: A Review. <i>Polymers</i> , 2022, 14, 2985.                                   | 2.0  | 1         |
| 1338 | Surfactant-assisted self-assembly of flower-like ultrathin vanadium disulfide nanosheets for enhanced hybrid capacitive deionization. <i>Journal of Colloid and Interface Science</i> , 2022, 627, 1011-1020.     | 5.0  | 7         |
| 1339 | Electrochemical Methods for Water Purification, Ion Separations, and Energy Conversion. <i>Chemical Reviews</i> , 2022, 122, 13547-13635.   | 23.0 | 127       |
| 1340 | Theory of bipolar connections in capacitive deionization and principles of structural design. <i>Electrochimica Acta</i> , 2022, 430, 141066.   | 2.6  | 7         |
| 1341 | Surface Electrochemistry of Carbon Electrodes and Faradaic Reactions in Capacitive Deionization. <i>Environmental Science &amp; Technology</i> , 2022, 56, 12602-12612.   | 4.6  | 20        |
| 1342 | Electrical double layer in nano-pores of carbon electrodes: Beyond CDI; sensing and maximizing energy extraction from salinity gradients. <i>Current Opinion in Electrochemistry</i> , 2022, , 101107.            | 2.5  | 1         |
| 1343 | Hybrid Alkali-“Salt”-Acid Electrochemical Device for Electricity-Efficient Desalination and H <sub>2</sub> Generation. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 10781-10788.                  | 3.2  | 3         |
| 1344 | Energy Consumption in Capacitive Deionization for Desalination: A Review. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 10599.   | 1.2  | 1         |
| 1346 | A MOF-based trap with strong affinity toward low-concentration heavy metal ions. <i>Separation and Purification Technology</i> , 2022, 301, 121946.   | 3.9  | 6         |
| 1347 | Regulation, quantification and application of the effect of functional groups on anion selectivity in capacitive deionization. <i>Water Research</i> , 2022, 222, 118927.   | 5.3  | 17        |
| 1348 | Docked ions: Vertical-aligned tubular arrays for highly efficient capacitive deionization. <i>Desalination</i> , 2022, 540, 115985.   | 4.0  | 1         |
| 1349 | Polystyrene sulfonate coated activated graphene aerogel for boosting desalination performance using capacitive deionization. <i>Separation and Purification Technology</i> , 2022, 299, 121760.                   | 3.9  | 12        |
| 1350 | Enhanced sulfate ion adsorption selectivity in capacitive deionization with ball-milled activated carbon. <i>Desalination</i> , 2022, 540, 116014.  | 4.0  | 3         |
| 1351 | A review of recent advances in electrode materials and applications for flow-electrode desalination systems. <i>Desalination</i> , 2022, 541, 116037.   | 4.0  | 22        |
| 1352 | A comprehensive review of capacitive deionization technology with biochar-based electrodes: Biochar-based electrode preparation, deionization mechanism and applications. <i>Chemosphere</i> , 2022, 307, 136024. | 4.2  | 20        |
| 1353 | Advances and perspectives in integrated membrane capacitive deionization for water desalination. <i>Desalination</i> , 2022, 542, 116043.   | 4.0  | 32        |
| 1354 | HCl-activated porous nitrogen-doped carbon nanopolyhedras with abundant hierarchical pores for ultrafast desalination. <i>Journal of Colloid and Interface Science</i> , 2022, 628, 236-246.                      | 5.0  | 12        |
| 1355 | Improving capacitive deionization performance by using O <sub>2</sub> plasma modified carbon black. <i>Chemical Engineering Journal</i> , 2023, 451, 138530.  | 6.6  | 17        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1356 | Selectivity toward heavier monovalent cations of carbon ultramicropores used for capacitive deionization. <i>Desalination</i> , 2022, 542, 116053.  | 4.0 | 8         |
| 1357 | From MOF to Al/N-doped porous carbon: Creating multiple capture sites for efficient capacitive deionization defluorination. <i>Desalination</i> , 2022, 543, 116090.  | 4.0 | 13        |
| 1358 | Roles of mass transfer and cell architecture in electrochemical desalination performance using polyglycerol activated carbon electrodes. <i>Chemical Engineering Journal</i> , 2023, 452, 139226.   | 6.6 | 5         |
| 1359 | The Effect of Electrode Thickness and Electrode/Electrolyte Interface on the Capacitive Deionization Behavior of the Mxene Electrodes. <i>SSRN Electronic Journal</i> , 0, , .  | 0.4 | 0         |
| 1360 | Roles of Mass Transfer and Cell Architecture in Electrochemical Desalination Performance Using Polyglycerol Activated Carbon Electrodes. <i>SSRN Electronic Journal</i> , 0, , .  | 0.4 | 0         |
| 1361 | Hierarchical MXene/transition metal oxide heterostructures for rechargeable batteries, capacitors, and capacitive deionization. <i>Nanoscale</i> , 2022, 14, 11923-11944.   | 2.8 | 28        |
| 1362 | Electro-Adsorption of Cs(I) Ions from Aqueous Solution by Capacitive Deionization Using Acc/Moo3 Composite Electrode. <i>SSRN Electronic Journal</i> , 0, , .   | 0.4 | 0         |
| 1363 | An open-source deep learning model for predicting effluent concentration in capacitive deionization. <i>Science of the Total Environment</i> , 2023, 856, 159158.   | 3.9 | 8         |
| 1364 | Recent progress in renewable energy based-desalination in the Middle East and North Africa MENA region. <i>Journal of Advanced Research</i> , 2023, 48, 125-156.  | 4.4 | 18        |
| 1365 | Opposite role of humic acid in capacitive desalination system using intercalation electrode: Effect of electrode crystal structure. <i>Separation and Purification Technology</i> , 2023, 304, 122222.  | 3.9 | 0         |
| 1366 | Highly mesoporous carbon nanofiber electrodes with ultrahigh specific surface area for efficient capacitive deionization. <i>Carbon</i> , 2023, 201, 920-929.   | 5.4 | 35        |
| 1367 | Binder-free Wood Converted Carbon for Enhanced Water Desalination Performance. <i>Advanced Functional Materials</i> , 2022, 32, , .   | 7.8 | 36        |
| 1368 | Impact of asymmetries in valences and diffusivities on the transport of a binary electrolyte in a charged cylindrical pore. <i>Electrochimica Acta</i> , 2022, 433, 141220.   | 2.6 | 9         |
| 1369 | Metal-organic framework-derived carbon/N-doped three-dimensional reduced graphene oxide composite with high capacitive deionization performance. <i>Materials Today Sustainability</i> , 2022, 20, 100228.  | 1.9 | 3         |
| 1370 | Sustainable Desalination and Water Reuse. <i>Synthesis Lectures on Sustainable Development</i> , 2021, , , .  | 0.2 | 0         |
| 1371 | V <sub>2</sub> CT <sub>x</sub> -MXene partially derived hybrid VS <sub>2</sub> /V <sub>2</sub> CT <sub>x</sub> electrode for capacitive deionization with exceptional rate and capacity. <i>Journal of Materials Chemistry A</i> , 2022, 10, 23531-23541. | 5.2 | 9         |
| 1372 | Electrostatic interactions and physisorption: mechanisms of passive cesium adsorption on Prussian blue. <i>Physical Chemistry Chemical Physics</i> , 2022, 24, 25452-25461.   | 1.3 | 1         |
| 1373 | Compositing of MOFs with ceramic and nanoparticles for efficient and rapid adsorptive desalination of artificial seawater or NaCl solution. <i>RSC Advances</i> , 2022, 12, 29793-29804.  | 1.7 | 1         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1374 | Comparison of Ion Selectivity in Electrodialysis and Capacitive Deionization. <i>Environmental Science and Technology Letters</i> , 2022, 9, 889-899.  | 3.9 | 16        |
| 1375 | Electric Potential of Ions in Electrode Micropores Deduced from Calorimetry. <i>Physical Review Letters</i> , 2022, 129, .   | 2.9 | 8         |
| 1376 | Electrosorption of Cu(II) and Zn(II) in Capacitive Deionization by KOH Activation Coconut-Shell Activated Carbon. <i>Arabian Journal for Science and Engineering</i> , 2023, 48, 551-560.  | 1.7 | 5         |
| 1377 | Bioelectrochemical cells as a green energy source for electrochemical treatment of water and wastewater. <i>Journal of Water Process Engineering</i> , 2022, 50, 103232.   | 2.6 | 9         |
| 1378 | In-situ synthesis of self-coated bismuth-carbon composite electrode for chloride-storage in capacitive deionization. <i>Journal of Environmental Chemical Engineering</i> , 2022, 10, 108866.  | 3.3 | 6         |
| 1379 | Linking macroscopic surface morphology of activated carbon fibres and electrosorption performance: An electrochemical impedance spectroscopy and capacitive deionization study. <i>Applied Surface Science</i> , 2023, 609, 155397.                            | 3.1 | 6         |
| 1380 | Towards attaining SDG 6: The opportunities available for capacitive deionization technology to provide clean water to the African population. <i>Environmental Research</i> , 2023, 216, 114671.   | 3.7 | 11        |
| 1381 | A high-capacity hybrid desalination system using battery type and pseudocapacitive type electrodes. <i>Desalination</i> , 2023, 545, 116160.   | 4.0 | 9         |
| 1382 | MOFs meet electrospinning: New opportunities for water treatment. <i>Chemical Engineering Journal</i> , 2023, 453, 139669.   | 6.6 | 30        |
| 1383 | Exceptional long-term stability of titanium oxynitride nanoparticles as non-carbon-based electrodes for aerated saline water capacitive deionization. <i>Desalination</i> , 2023, 546, 116219.   | 4.0 | 7         |
| 1384 | ZIF-8 induced carbon electrodes for selective lithium recovery from aqueous feed water by employing capacitive deionization system. <i>Desalination</i> , 2023, 546, 116201.   | 4.0 | 18        |
| 1385 | Recent Advances in Capacitive Deionization: Research Progress and Application Prospects. <i>Sustainability</i> , 2022, 14, 14429.  | 1.6 | 4         |
| 1386 | An experimental approach to treat salt and dye contaminated water via capacitive deionization. <i>Water Science and Technology</i> , 0, , .  | 1.2 | 0         |
| 1387 | A Novel Dual-Ion Capacitive Deionization System Design with Ultrahigh Desalination Performance. <i>Polymers</i> , 2022, 14, 4776.  | 2.0 | 1         |
| 1388 | Influence of particle size distribution on carbon-based flowable electrode viscosity and desalination efficiency in flow electrode capacitive deionization. <i>Separation and Purification Technology</i> , 2023, 306, 122666.                                 | 3.9 | 8         |
| 1389 | Preparation of carbon-aerogel polypyrrole composite for desalination by hybrid capacitive desalination method. <i>Arabian Journal of Chemistry</i> , 2023, 16, 104412.   | 2.3 | 2         |
| 1390 | Machine learning modelling of a membrane capacitive deionization (MCDI) system for prediction of long-term system performance and optimization of process control parameters in remote brackish water desalination. <i>Water Research</i> , 2022, 227, 119349. | 5.3 | 12        |
| 1391 | ELC: Software and tutorial for finite-element modeling of electrochemical desalination. <i>SoftwareX</i> , 2022, 20, 101234.   | 1.2 | 4         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1392 | Lignin-derived carbon nanofibers with the micro-cracking structure for high-performance capacitive deionization. <i>Journal of Environmental Chemical Engineering</i> , 2022, 10, 108952.  | 3.3  | 6         |
| 1393 | Hydrophobic nanoporous carbon scaffolds reveal the origin of polarity-dependent electrocapillary imbibition. <i>Chemical Science</i> , 2023, 14, 1372-1385.  | 3.7  | 2         |
| 1394 | Uranium extraction from seawater: material design, emerging technologies and marine engineering. <i>Chemical Society Reviews</i> , 2023, 52, 97-162.   | 18.7 | 81        |
| 1395 | Electrochemical lithium ion pumps for lithium recovery: A systematic review and influencing factors analysis. <i>Desalination</i> , 2023, 548, 116228.   | 4.0  | 11        |
| 1396 | Hollow core-shell PANI-encapsulated Ni-Prussian blue analogue (H-NP@PANI) with omnidirectional conductive layer for efficient capacitive desalination. <i>Desalination</i> , 2023, 548, 116305.  | 4.0  | 14        |
| 1397 | Modular desalination concept with low-pressure reverse osmosis and capacitive deionization: Performance study of a pilot plant in Vietnam in comparison to seawater reverse osmosis. <i>Journal of Environmental Management</i> , 2023, 329, 117078. | 3.8  | 6         |
| 1398 | Evaluating the effects of temperature on flow-by capacitive deionization. <i>Energy Reports</i> , 2022, 8, 15524-15530.  | 2.5  | 0         |
| 1399 | Faradic Side Reactions at Novel Carbon Flow-Through Electrodes for Desalination Studied in a Static Supercapacitor Architecture. <i>Advanced Energy and Sustainability Research</i> , 2023, 4, .   | 2.8  | 1         |
| 1400 | New low-cost, flow-through carbon electrodes characterized in brackish water. <i>Chemical Papers</i> , 0, , .  | 1.0  | 0         |
| 1401 | Recent Advances in Poly( <i>N</i> -isopropylacrylamide) Hydrogels and Derivatives as Promising Materials for Biomedical and Engineering Emerging Applications. <i>Advanced Engineering Materials</i> , 2023, 25, .                                   | 1.6  | 8         |
| 1402 | Optimizing the Micro/Mesoporous Structure of Hierarchical Porous Carbon Synthesized from Petroleum Pitch Using the Solvent-Free Method for Ultra-Fast Capacitive Deionization. <i>ACS Omega</i> , 2022, 7, 47610-47618.                              | 1.6  | 3         |
| 1403 | Manganese dioxide nanoparticles/reduced graphene oxide nanocomposites for hybrid capacitive desalination. <i>Advanced Composites and Hybrid Materials</i> , 2023, 6, .   | 9.9  | 29        |
| 1404 | Tunnel-Structured $\text{V}_2\text{O}_5$ as a Redox-Active Insertion Host for Hybrid Capacitive Deionization. <i>ACS Applied Materials &amp; Interfaces</i> , 2023, 15, 1554-1562.   | 4.0  | 1         |
| 1405 | Preparation, characterization and CDI application of KOH-activated porous waste-corn-stalk-based carbon aerogel. <i>Journal of Porous Materials</i> , 2023, 30, 1183-1193.   | 1.3  | 5         |
| 1406 | Flow Electrode Capacitive Deionization System with Simultaneous Desalting of $\text{Na}^+$ and Gathering of $\text{Na}^+$ . <i>Langmuir</i> , 2022, 38, 15740-15746.   | 1.6  | 2         |
| 1407 | Process model for flow-electrode capacitive deionization for energy consumption estimation and system optimization. <i>Water Research</i> , 2023, 230, 119517.   | 5.3  | 4         |
| 1408 | Blockchain-Like MIL-101(Cr)/Carbon Black Electrodes for Unprecedented Defluorination by Capacitive Deionization. <i>Small</i> , 2023, 19, .  | 5.2  | 7         |
| 1409 | Optimising nanoporous supercapacitors for heat-to-electricity conversion. <i>Journal of Molecular Liquids</i> , 2023, 371, 121093.   | 2.3  | 4         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1410 | Development and Current Trends on Ion Exchange Materials. Separation and Purification Reviews, 2024, 53, 40-60.  | 2.8 | 1         |
| 1411 | Electrospun carbon nanofibers for use in the capacitive desalination of water. New Carbon Materials, 2022, 37, 1066-1084.  | 2.9 | 3         |
| 1412 | Hybrid Capacitive Deionization with Ag-coated Activated Carbon Electrodes for Nickel Treatment. Environmental Engineering Research, 0, , .   | 1.5 | 1         |
| 1413 | Fluidics for energy harvesting: from nano to milli scales. Lab on A Chip, 2023, 23, 1034-1065.   | 3.1 | 5         |
| 1414 | Ohmic charging in capacitive deionization: Efficient water desalination using capacitive spacers. Nano Select, 0, , .  | 1.9 | 0         |
| 1415 | Carbon Material-Based Flow-Electrode Capacitive Deionization for Continuous Water Desalination. Processes, 2023, 11, 195.  | 1.3 | 0         |
| 1416 | Fully 3D Modeling of Electrochemical Deionization. ACS Omega, 2023, 8, 2607-2617.  | 1.6 | 3         |
| 1417 | Evaluation of the Specific Capacitance of High-Entropy Oxide-Based Electrode Materials in View of Their Use for Water Desalination via Capacitive Method. Applied Sciences (Switzerland), 2023, 13, 721. | 1.3 | 6         |
| 1418 | New operation method of a membrane capacitive deionization system with a dual-solution mode for improving the desorption rate. Desalination, 2023, 549, 116364.  | 4.0 | 2         |
| 1419 | Electro-adsorption of Cs(I) ions from aqueous solution by capacitive deionization using ACC/MoO <sub>3</sub> composite electrode. Science of the Total Environment, 2023, 865, 161110.                   | 3.9 | 3         |
| 1420 | Enhancing the electronic and ionic transport of flow-electrode capacitive deionization by hollow mesoporous carbon nanospheres. Desalination, 2023, 550, 116381.   | 4.0 | 11        |
| 1421 | Prospects of metal recovery from wastewater and brine. , 2023, 1, 37-46.   |     | 37        |
| 1422 | Electron Transfer of Activated Carbon to Anode Excites and Regulates Desalination in Flow Electrode Capacitive Deionization. Environmental Science & Technology, 2023, 57, 2566-2574.                    | 4.6 | 8         |
| 1423 | 3D graphene-supported N-doped hierarchically porous carbon for capacitive deionization of saline water. Environmental Science: Nano, 2023, 10, 1163-1176.  | 2.2 | 12        |
| 1424 | In situ growth of LiMn <sub>2</sub> O <sub>4</sub> on graphene oxide for efficient lithium extraction by capacitive deionization. Journal of Solid State Electrochemistry, 2023, 27, 2029-2037.          | 1.2 | 4         |
| 1425 | Metal-Organic Framework with a Redox-Active Bridge Enables Electrochemically Highly Selective Removal of Arsenic from Water. Environmental Science & Technology, 2023, 57, 6342-6352.                    | 4.6 | 8         |
| 1426 | Voltage control for membrane capacitive de-ionization cell for higher energy efficiency in salt removal. , 2023, 4, 100061.  |     | 0         |
| 1427 | Order-of-magnitude enhancement in boron removal by membrane-free capacitive deionization. Chemical Engineering Journal, 2023, 466, 142722.   | 6.6 | 5         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1428 | Synergies and potential of hybrid solar photovoltaic-thermal desalination technologies. <i>Desalination</i> , 2023, 552, 116424.  | 4.0 | 21        |
| 1429 | Temperature-mediated in-situ formation of antimony nanoclusters inside carbon nanofibers for chloride-driven capacitive deionization. <i>Desalination</i> , 2023, 553, 116471.  | 4.0 | 6         |
| 1430 | Synergistic effect of intercalation and EDLC electrosorption of 2D/3D interconnected architectures to boost capacitive deionization for water desalination via MoSe <sub>2</sub> /mesoporous carbon hollow spheres. <i>Water Research</i> , 2023, 235, 119831.  | 5.3 | 55        |
| 1431 | A review of the development in shale oil and gas wastewater desalination. <i>Science of the Total Environment</i> , 2023, 873, 162376.  | 3.9 | 4         |
| 1432 | In situ synthesis of ultrasmall NaTi <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> nanocube decorated carbon nanofiber network enables ultrafast and superstable rocking-chair capacitive deionization. <i>Chemical Engineering Journal</i> , 2023, 463, 142394. | 6.6 | 47        |
| 1433 | Surface-treated carbon black for durable, efficient, continuous flow electrode capacitive deionization. <i>Separation and Purification Technology</i> , 2023, 313, 123444.  | 3.9 | 4         |
| 1434 | Outflow geometry for electrochemical desalination cells. <i>Electrochimica Acta</i> , 2023, 449, 142180.  | 2.6 | 0         |
| 1435 | Ion-doped polypyrrole coupled core-shell hierarchical porous carbon electrode material with high desalination capacity for capacitive deionization. <i>Journal of Environmental Chemical Engineering</i> , 2023, 11, 109684.                                    | 3.3 | 1         |
| 1436 | The effect of electrode thickness and electrode/electrolyte interface on the capacitive deionization behavior of the Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene electrodes. <i>Journal of Alloys and Compounds</i> , 2023, 947, 169701.                | 2.8 | 5         |
| 1437 | Selection and optimization of carbon-based electrode materials for flow-electrode capacitive deionization. <i>Separation and Purification Technology</i> , 2023, 315, 123649.   | 3.9 | 5         |
| 1438 | Unraveling the effect of CDI electrode characteristics on Cs removal from the perspective of ion transfer and energy composition. <i>Journal of Hazardous Materials</i> , 2023, 452, 131263.  | 6.5 | 1         |
| 1439 | Predictive performance and costing model for Membrane Capacitive Deionization (MCDI) at operational scale. <i>Desalination</i> , 2023, 557, 116595.   | 4.0 | 9         |
| 1440 | Biowaste materials derived activated carbon (BMDAC) electrodes for removal of pollutant ions using capacitive deionization: A mini review. <i>Materials Letters</i> , 2023, 340, 134165.  | 1.3 | 3         |
| 1441 | Enhancement of Zn-N-C charge-directed rearrangement for high-performance selectivity of heavy metal ions in capacitive deionization. <i>Desalination</i> , 2023, 557, 116597.   | 4.0 | 15        |
| 1442 | Ternary-metal Prussian blue analogues as high-quality sodium ion capturing electrodes for rocking-chair capacitive deionization. <i>Journal of Colloid and Interface Science</i> , 2023, 642, 680-690.  | 5.0 | 38        |
| 1443 | Controllable synthesis of nickel-cobalt-doped Prussian blue analogs for capacitive desalination. <i>Electrochimica Acta</i> , 2023, 442, 141815.  | 2.6 | 7         |
| 1444 | Parametric investigation of ferri/ferrocyanide redox flow for performance optimization of redox flow desalination. <i>Desalination</i> , 2023, 550, 116406.   | 4.0 | 6         |
| 1445 | Flexible $\gamma$ -MnO <sub>2</sub> nanosheet-infixed porous carbon nanofibers for capacitive deionization. <i>Electrochimica Acta</i> , 2023, 443, 141929.   | 2.6 | 9         |



| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1446 | Capacitive charging rate dependence of heat from porous carbon in aqueous salt solution. <i>Electrochimica Acta</i> , 2023, 443, 141957.   | 2.6  | 0         |
| 1447 | Tuning the Cation/Anion Adsorption Balance with a Multi-Electrode Capacitive-Deionization Process. <i>Journal of the Electrochemical Society</i> , 2023, 170, 023502.  | 1.3  | 0         |
| 1448 | Up-shifting the desalination rate limit of capacitive deionization via integrating chloride-capturing Bi nanocluster with flow-through cell architecture. <i>Chemical Engineering Journal</i> , 2023, 460, 141726. | 6.6  | 33        |
| 1449 | Preparation of N-Doped Layered Porous Carbon and Its Capacitive Deionization Performance. <i>Materials</i> , 2023, 16, 1435.   | 1.3  | 0         |
| 1450 | Stop-flow discharge operation aggravates spacer scaling in CDI treating brackish hard water. <i>Desalination</i> , 2023, 552, 116422.  | 4.0  | 2         |
| 1451 | Preparation of activated carbon electrode for capacitive deionization based on PTFE emulsion spraying technology. <i>Journal of Materials Science</i> , 2023, 58, 3825-3836.                                       | 1.7  | 3         |
| 1452 | Designing of a Free-Standing Flexible Symmetric Electrode Material for Capacitive Deionization and Solid-State Supercapacitors. <i>ACS Sustainable Chemistry and Engineering</i> , 2023, 11, 3750-3759.            | 3.2  | 8         |
| 1453 | Effects of layer-by-layer coating on activated carbon electrodes for capacitive deionization. <i>Physical Chemistry Chemical Physics</i> , 2023, 25, 9482-9491.  | 1.3  | 0         |
| 1454 | Electrocapacitive Deionization: Mechanisms, Electrodes, and Cell Designs. <i>Advanced Functional Materials</i> , 2023, 33, .   | 7.8  | 31        |
| 1455 | Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene/carbon nanofiber multifunctional electrode for electrode ionization with antifouling activity. <i>Chemical Science</i> , 2023, 14, 3610-3621.                  | 3.7  | 13        |
| 1456 | Enhanced desalination performance in flow electrode capacitive deionization with nitrogen doped porous carbon. <i>New Journal of Chemistry</i> , 2023, 47, 8625-8637.  | 1.4  | 2         |
| 1457 | Metal-organic framework derivatives for promoted capacitive deionization of oxygenated saline water. <i>Energy and Environmental Science</i> , 2023, 16, 1815-1820.  | 15.6 | 44        |
| 1458 | A review of technologies for bromide and iodide removal from water. <i>Environmental Technology Reviews</i> , 2023, 12, 129-148.   | 2.1  | 5         |
| 1459 | Anomalous Underscreening in the Restricted Primitive Model. <i>Physical Review Letters</i> , 2023, 130, .  | 2.9  | 12        |
| 1460 | Optimization and Evaluation for the Capacitive Deionization Process of Wastewater Reuse in Combined Cycle Power Plants. <i>Membranes</i> , 2023, 13, 316.  | 1.4  | 1         |
| 1461 | Analysis of the Scale of Global Human Needs and Opportunities for Sustainable Catalytic Technologies. <i>Topics in Catalysis</i> , 2023, 66, 338-374.  | 1.3  | 6         |
| 1462 | Technologies for Halide Removal in Water Treatment – A State-of-the-Art Review. <i>The Global Environmental Engineers</i> , 0, 9, 60-102.  | 0.3  | 1         |
| 1463 | Cu@Cu <sub>2</sub> O/carbon for efficient desalination in capacitive deionization. <i>Chinese Chemical Letters</i> , 2023, 34, 108362.   | 4.8  | 9         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1464 | B-doped graphitic carbon nitride as a capacitive deionization electrode material for the removal of sulfate from mine wastewater. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2023, 145, 104829.                | 2.7  | 2         |
| 1465 | Nitrate-Polluted Waterbodies Remediation: Global Insights into Treatments for Compliance. <i>Applied Sciences (Switzerland)</i> , 2023, 13, 4154.  | 1.3  | 3         |
| 1466 | The electrosorption behavior of shuttle-like FeP: performance and mechanism. <i>RSC Advances</i> , 2023, 13, 10029-10034.  | 1.7  | 1         |
| 1467 | Material Design Strategies for Recovery of Critical Resources from Water. <i>Advanced Materials</i> , 2023, 35, .  | 11.1 | 8         |
| 1468 | Capacitive Deionization for the Extraction and Recovery of Butyrate. <i>ACS Sustainable Chemistry and Engineering</i> , 2023, 11, 6385-6394.   | 3.2  | 2         |
| 1469 | Electrode materials for desalination of water via capacitive deionization. <i>Angewandte Chemie</i> , 0, , .   | 1.6  | 0         |
| 1470 | Electrode Materials for Desalination of Water via Capacitive Deionization. <i>Angewandte Chemie - International Edition</i> , 2023, 62, .  | 7.2  | 23        |
| 1471 | Platanus acerifolia (Aiton) Willd. fruit-derived nitrogen-doped porous carbon as an electrode material for the capacitive deionization of brackish water. <i>Journal of Environmental Chemical Engineering</i> , 2023, 11, 109914. | 3.3  | 1         |
| 1472 | Unlocking Enhanced Capacitive Deionization of NaTi <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> /Carbon Materials by the Yolk-Shell Design. <i>Journal of the American Chemical Society</i> , 2023, 145, 9242-9253.                | 6.6  | 53        |
| 1473 | Activated Carbon-Embedded Reduced Graphene Oxide Electrodes for Capacitive Desalination. <i>Journal of Electrochemical Science and Technology</i> , 2023, 14, 222-230.   | 0.9  | 0         |
| 1474 | Comparison of tree-based model with deep learning model in predicting effluent pH and concentration by capacitive deionization. <i>Desalination</i> , 2023, 558, 116614.   | 4.0  | 3         |
| 1475 | Industrial wastewater treatment technologies for reuse, recycle, and recovery: advantages, disadvantages, and gaps. <i>Environmental Technology Reviews</i> , 2023, 12, 205-250.   | 2.1  | 2         |
| 1476 | Controlled fabrication of nitrogen-doped porous carbon foam with refined hierarchical architectures for desalination via capacitive deionization. <i>Journal of Colloid and Interface Science</i> , 2023, 643, 516-527.            | 5.0  | 10        |
| 1477 | Metal organic framework-derived nitrogen-doped porous carbon sustained Prussian blue analogues for efficient and fast hybrid capacitive deionization. <i>Separation and Purification Technology</i> , 2023, 317, 123899.           | 3.9  | 42        |
| 1492 | Electrified water treatment: fundamentals and roles of electrode materials. <i>Nature Reviews Materials</i> , 2023, 8, 472-490.  | 23.3 | 33        |
| 1510 | Agricultural Applications of Activated Carbon. , 2023, , 134-151.  |      | 0         |
| 1511 | Theory and Simulations of Ionic Liquids in Nanoconfinement. <i>Chemical Reviews</i> , 2023, 123, 6668-6715.  | 23.0 | 24        |
| 1546 | Inverted Capacitive Deionization. , 2023, , 214-223.   |      | 0         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1547 | Carbon Nanomaterials for Capacitive Deionization: Emerging Precursors <i>Via</i> Pyrolysis. , 2023, , 60-85.   |     | 0         |
| 1548 | Carbon Nanomaterials for Capacitive Deionization: Heteroatom Doping and Its Functionalities. , 2023, , 23-59.  |     | 0         |
| 1549 | Timeline of Capacitive Deionization: The Path to a New Era. , 2023, , 1-22.  |     | 0         |
| 1550 | 3D Graphene for Capacitive De-ionization of Water. Carbon Nanostructures, 2023, , 389-407.   | 0.1 | 1         |
| 1553 | Graphene and Its Composites for Water and Wastewater Treatment. Materials Horizons, 2023, , 19-56.   | 0.3 | 0         |
| 1555 | Osmotically assisted reverse osmosis (OARO) for desalination of brackish water. AIP Conference Proceedings, 2023, , .  | 0.3 | 0         |
| 1567 | Capacitive Deionization for Industrial Applications: What Can We Expect?. , 2023, , 327-341.   |     | 0         |
| 1568 | Capacitive Deionization for Rare Metal Recovery. , 2023, , 310-326.  |     | 0         |
| 1569 | Defining Capacitive Deionization from the Perspective of Faradaic Nanomaterials. , 2023, , 112-146.  |     | 0         |
| 1600 | 3D grape string-like heterostructures enable high-efficiency sodium ion capture in $Ti_3C_2Tx$ MXene/fungi-derived carbon nanoribbon hybrids. Materials Horizons, 2024, 11, 1223-1233. | 6.4 | 0         |
| 1613 | Desalination of seawater and related technologies: a step towards achieving sustainable development goals. , 2024, , 305-325.  |     | 0         |
| 1625 | Electrodialysis and membrane capacitive deionization. , 2024, , 189-231.   |     | 0         |
| 1632 | Electrochemically driven extraction and recovery of ammonia from human urine. , 2024, , 299-341.   |     | 0         |
| 1647 | Capacitive Deionization: A Promising Water Treatment and Desalination Technology. Advances in Science, Technology and Innovation, 2024, , 25-40.                                       | 0.2 | 0         |