

CITATION REPORT

List of articles citing

Stable Li-ion battery anodes by in-situ polymerization of conducting hydrogel to conformally coat silicon nanoparti

DOI: 10.1038/ncomms2941

Nature Communications, 2013, 4, 1943.

Source: <https://exaly.com/paper-pdf/55909070/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1056	Organic Li ₄ C ₈ H ₂ O ₆ nanosheets for lithium-ion batteries. 2013 , 13, 4404-9		288
1055	High volumetric capacity silicon-based lithium battery anodes by nanoscale system engineering. 2013 , 13, 5578-84		159
1054	Conjugated Microporous Polymer-Derived Porous Hard Carbon as High-Rate Long-Life Anode Materials for Lithium Ion Batteries. 2013 , 1, 721-725		20
1053	Three-dimensional hierarchical ternary nanostructures for high-performance Li-ion battery anodes. 2013 , 13, 3414-9		272
1052	Simply mixed commercial red phosphorus and carbon nanotube composite with exceptionally reversible sodium-ion storage. 2013 , 13, 5480-4		347
1051	Tin Nanoparticles Impregnated in Nitrogen-Doped Graphene for Lithium-Ion Battery Anodes. 2013 , 117, 25367-25373		110
1050	Lithium silicide nanocrystals: synthesis, chemical stability, thermal stability, and carbon encapsulation. 2014 , 53, 11289-97		20
1049	Towards an understanding of the role of hyper-branched oligomers coated on cathodes, in the safety mechanism of lithium-ion batteries. 2014 , 4, 56147-56155		16
1048	Colloidal nanocrystals of lithiated group 14 elements. 2014 , 53, 14527-32		9
1047	Electrode Nanostructures in Lithium-Based Batteries. 2014 , 1, 1400012		123
1046	Synthesis of Silicon Nanostructures Using DC-Arc Thermal Plasma: Effect of Ambient Hydrogen on Morphology. 2014 , 938, 76-81		1
1045	Iron Pyrite Nanocrystal Inks: Solvothermal Synthesis, Digestive Ripening, and Reaction Mechanism. 2014 , 26, 6743-6751		17
1044	Scalable fracture-free SiOC glass coating for robust silicon nanoparticle anodes in lithium secondary batteries. 2014 , 14, 7120-5		82
1043	Ultrahigh rate capabilities of lithium-ion batteries from 3D ordered hierarchically porous electrodes with entrapped active nanoparticles configuration. 2014 , 26, 1296-303		127
1042	Reversible high-capacity Si nanocomposite anodes for lithium-ion batteries enabled by molecular layer deposition. 2014 , 26, 1596-601		146
1041	Synthesis of porous microspheres composed of graphitized carbon@amorphous silicon/carbon layers as high performance anode materials for Li-ion batteries. 2014 , 4, 55010-55015		6
1040	A coordinatively cross-linked polymeric network as a functional binder for high-performance silicon submicro-particle anodes in lithium-ion batteries. 2014 , 2, 19036-19045		116

1039	Magnesium Vapor Reduction of Structured Silica for Lithium Ion Battery Applications. 2014 , 1643, 1	
1038	Biomass derived activated carbon with 3D connected architecture for rechargeable lithium-sulfur batteries. 2014 , 116, 146-151	230
1037	Ultrasml Sn nanoparticles embedded in nitrogen-doped porous carbon as high-performance anode for lithium-ion batteries. 2014 , 14, 153-7	490
1036	Nanomaterials for electrochemical energy storage. 2014 , 9, 323-350	77
1035	Influence of electronic type purity on the lithiation of single-walled carbon nanotubes. 2014 , 8, 2399-409	13
1034	Fabrication of High Conductive S/C Cathode by Sulfur Infiltration into Hierarchical Porous Carbon/Carbon Fiber Weave-Structured Materials via Vapor-Melting Method. 2014 , 127, 123-131	24
1033	Controllable synthesis of hollow Si anode for long-cycle-life lithium-ion batteries. 2014 , 26, 4326-32	176
1032	Controlled synthesis of yolk-shell porous shell Si@SiO ₂ nanohybrid designed for high performance Li ion battery. 2014 , 4, 20814-20820	27
1031	Scalable synthesis of interconnected porous silicon/carbon composites by the Rochow reaction as high-performance anodes of lithium ion batteries. 2014 , 53, 5165-9	155
1030	A Three-Dimensionally Interconnected Carbon Nanotube-Conducting Polymer Hydrogel Network for High-Performance Flexible Battery Electrodes. 2014 , 4, 1400207	242
1029	High-purity iron pyrite (FeS ₂) nanowires as high-capacity nanostructured cathodes for lithium-ion batteries. 2014 , 6, 2112-8	129
1028	Hyperbranched Cyclodextrin polymer as an effective multidimensional binder for silicon anodes in lithium rechargeable batteries. 2014 , 14, 864-70	230
1027	A silicon nanowire-reduced graphene oxide composite as a high-performance lithium ion battery anode material. 2014 , 6, 3353-60	60
1026	Alloy negative electrodes for Li-ion batteries. 2014 , 114, 11444-502	1329
1025	3D interconnected SnO ₂ -coated Cu foam as a high-performance anode for lithium-ion battery applications. 2014 , 4, 58059-58063	32
1024	A unique hollow Li ₃ VO ₄ /carbon nanotube composite anode for high rate long-life lithium-ion batteries. 2014 , 6, 11072-7	77
1023	Flexible and stable lithium ion batteries based on three-dimensional aligned carbon nanotube/silicon hybrid electrodes. 2014 , 2, 9306	61
1022	Novel design of ultra-fast Si anodes for Li-ion batteries: crystalline Si@amorphous Si encapsulating hard carbon. 2014 , 6, 10604-10	37

1021	Three-dimensional ultrathin Sn/polypyrrole nanosheet network as high performance lithium-ion battery anode. 2014 , 4, 52074-52082	9
1020	Chemically integrated two-dimensional hybrid zinc manganate/graphene nanosheets with enhanced lithium storage capability. 2014 , 8, 8610-6	137
1019	Composites of graphene and encapsulated silicon for practically viable high-performance lithium-ion batteries. 2014 , 7, 1429-1438	28
1018	Atomic-layer-deposition oxide nanogluue for sodium ion batteries. 2014 , 14, 139-47	173
1017	Rational design of MnO/carbon nanopeapods with internal void space for high-rate and long-life li-ion batteries. 2014 , 8, 6038-46	388
1016	High Energy Density Calendered Si Alloy/Graphite Anodes. 2014 , 161, A1698-A1705	68
1015	Scalable Synthesis of Interconnected Porous Silicon/Carbon Composites by the Rochow Reaction as High-Performance Anodes of Lithium Ion Batteries. 2014 , 126, 5265-5269	70
1014	Bulk-nanoporous-silicon negative electrode with extremely high cyclability for lithium-ion batteries prepared using a top-down process. 2014 , 14, 4505-10	174
1013	Graphene oxide-immobilized NH ₂ terminated silicon nanoparticles by cross-linked interactions for highly stable silicon negative electrodes. 2014 , 6, 11277-85	57
1012	Hydrothermal fabrication of three-dimensional secondary battery anodes. 2014 , 26, 7096-101	46
1011	Synthesis and electrochemical properties of hollow-porous MnO ₂ -graphene micro-nano spheres for supercapacitor applications. 2014 , 267, 268-272	23
1010	A novel mesoporous carbon@silicon-silica nanostructure for high-performance Li-ion battery anodes. 2014 , 50, 13944-7	15
1009	Stable 4 V-class bicontinuous cathodes by hierarchically porous carbon coating on Li ₃ V ₂ (PO ₄) ₃ nanospheres. 2014 , 6, 12426-33	19
1008	Dry-air-stable lithium silicide-lithium oxide core-shell nanoparticles as high-capacity prelithiation reagents. <i>Nature Communications</i> , 2014 , 5, 5088	17.4 203
1007	Safe and reliable operation of sulfur batteries with lithiated silicon. 2014 , 9, 318-324	39
1006	Enhancing the lithiation rate of silicon nanowires by the inclusion of tin. 2014 , 4, 42022-42028	17
1005	Metal-induced crystallization of highly corrugated silicon thick films as potential anodes for Li-ion batteries. 2014 , 6, 8782-8	25
1004	Freestanding nanocellulose-composite fibre reinforced 3D polypyrrole electrodes for energy storage applications. 2014 , 6, 13068-75	81

1003	Interpenetrated Gel Polymer Binder for High-Performance Silicon Anodes in Lithium-ion Batteries. 2014 , 24, 5904-5910	354
1002	An SbOx/Reduced Graphene Oxide Composite as a High-Rate Anode Material for Sodium-Ion Batteries. 2014 , 118, 23527-23534	93
1001	In situ atomic force microscopy study of initial solid electrolyte interphase formation on silicon electrodes for Li-ion batteries. 2014 , 6, 6672-86	100
1000	25th anniversary article: polymer-particle composites: phase stability and applications in electrochemical energy storage. 2014 , 26, 201-34	210
999	Fabrication of 3-Dimensional Porous Graphene Materials for Lithium Ion Batteries. 2014 , 146, 437-446	23
998	Surface binding of polypyrrole on porous silicon hollow nanospheres for Li-ion battery anodes with high structure stability. 2014 , 26, 6145-50	201
997	MoO ₂ @carbon hollow microspheres with tunable interiors and improved lithium-ion battery anode properties. 2014 , 16, 20570-7	37
996	Polyaniline encapsulated silicon nanocomposite as high-performance anode materials for lithium ion batteries. 2014 , 18, 1989-1994	13
995	Porous structure SnSb/amorphous carbon core-shell composite as high capacity anode materials for lithium ion batteries. 2014 , 18, 2573-2579	4
994	Li(+)-conductive polymer-embedded nano-Si particles as anode material for advanced Li-ion batteries. 2014 , 6, 3508-12	72
993	Mesoporous silicon sponge as an anti-pulverization structure for high-performance lithium-ion battery anodes. <i>Nature Communications</i> , 2014 , 5, 4105	17.4 646
992	Artificial solid electrolyte interphase to address the electrochemical degradation of silicon electrodes. 2014 , 6, 10083-8	115
991	Facile fabrication of yolk-shell structured porous SiO ₂ microspheres as effective anode materials for Li-ion batteries. 2014 , 4, 71-75	76
990	Preparation and improved electrochemical performance of SiCN/graphene composite derived from poly(silylcarbodiimide) as Li-ion battery anode. 2014 , 2, 4168	30
989	Do we need covalent bonding of Si nanoparticles on graphene oxide for Li-ion batteries?. 2014 , 173, 391-402	18
988	Enhanced sensitivity and stability of room-temperature NH ₃ sensors using core-shell CeO ₂ nanoparticles@cross-linked PANI with p-n heterojunctions. 2014 , 6, 14131-40	154
987	Sodium ion diffusion in Al ₂ O ₃ : a distinct perspective compared with lithium ion diffusion. 2014 , 14, 6559-63	77
986	Evolution of disposable bamboo chopsticks into uniform carbon fibers: a smart strategy to fabricate sustainable anodes for Li-ion batteries. 2014 , 7, 2670-2679	219

985	Ultra-uniform SnOx/carbon nanohybrids toward advanced lithium-ion battery anodes. 2014 , 26, 3943-9	283
984	Biologically derived soft conducting hydrogels using heparin-doped polymer networks. 2014 , 8, 4348-57	99
983	Ultrahigh volumetric capacity lithium ion battery anodes with CNTBi film. 2014 , 8, 71-77	82
982	High areal capacity, micrometer-scale amorphous Si film anode based on nanostructured Cu foil for Li-ion batteries. 2014 , 267, 629-634	27
981	3-D Micro and Nano Technologies for Improvements in Electrochemical Power Devices. 2014 , 5, 171-203	31
980	Colloidal Nanocrystals of Lithiated Group 14 Elements. 2014 , 126, 14755-14760	
979	Lithium-Ion Batteries: Thermomechanics, Performance, and Design Optimization. 2015 , 1-16	1
978	Lithium Sulfur Primary Battery with Super High Energy Density: Based on the Cauliflower-like Structured C/S Cathode. 2015 , 5, 14949	74
977	Mechanochemically Reduced SiO ₂ by Ti Incorporation as Lithium Storage Materials. 2015 , 8, 3111-7	17
976	Energy Storage Materials from Nature through Nanotechnology: A Sustainable Route from Reed Plants to a Silicon Anode for Lithium-Ion Batteries. 2015 , 127, 9768-9772	68
975	Energy Storage Materials from Nature through Nanotechnology: A Sustainable Route from Reed Plants to a Silicon Anode for Lithium-Ion Batteries. 2015 , 54, 9632-6	214
974	Reconstruction of Pyrolyzed Bacterial Cellulose (PBC)-Based Three-Dimensional Conductive Network for Silicon Lithium Battery Anodes. 2015 , 2, 1238-1242	7
973	Li-Metal-Free Prelithiation of Si-Based Negative Electrodes for Full Li-Ion Batteries. 2015 , 8, 2737-44	44
972	Core/shell silicon/polyaniline particles via in-flight plasma-induced polymerization. 2015 , 48, 314009	10
971	High Full-Electrode Basis Capacity Template-Free 3D Nanocomposite Secondary Battery Anodes. 2015 , 11, 6265-71	13
970	Composites of Polymer Hydrogels and Nanoparticulate Systems for Biomedical and Pharmaceutical Applications. 2015 , 5, 2054-2130	221
969	Dual yolk-shell structure of carbon and silica-coated silicon for high-performance lithium-ion batteries. 2015 , 5, 10908	141
968	Electrochemical Hierarchical Composites. 2015 , 239-286	

967	Three-dimensional carbon-coated Si/rGO nanostructures anchored by nickel foam with carbon nanotubes for Li-ion battery applications. 2015 , 15, 679-687	46
966	Understanding the Structure of Electrodes in Li-Ion Batteries: A Numerical Study. 2015 , 162, A1485-A1492	22
965	Nitrogen and Phosphorus Dual-Doped Graphene/Carbon Nanosheets as Bifunctional Electrocatalysts for Oxygen Reduction and Evolution. 2015 , 5, 4133-4142	539
964	High-performance silicon-based multicomponent battery anodes produced via synergistic coupling of multifunctional coating layers. 2015 , 8, 2075-2084	110
963	Ultrafast chemical lithiation of single crystalline silicon nanowires: in situ characterization and first principles modeling. 2015 , 5, 17438-17443	10
962	Hierarchical Co ₃ O ₄ /Co(OH) ₂ Nanoflakes as a Supercapacitor Electrode: Experimental and Semi-Empirical Model. 2015 , 7, 11172-9	92
961	Flexible freestanding Cladophora nanocellulose paper based Si anodes for lithium-ion batteries. 2015 , 3, 14109-14115	79
960	Multiscale electrochemistry of hydrogels embedding conductive nanotubes. 2015 , 6, 3900-3905	7
959	Direct plasma deposition of amorphous Si/C nanocomposites as high performance anodes for lithium ion batteries. 2015 , 3, 3522-3528	31
958	Sulfur quantum dots wrapped by conductive polymer shell with internal void spaces for high-performance lithium-sulfur batteries. 2015 , 3, 4049-4057	39
957	Tin nanoparticle-loaded porous carbon nanofiber composite anodes for high current lithium-ion batteries. 2015 , 278, 660-667	56
956	Polyaniline-assisted synthesis of Si@C/RGO as anode material for rechargeable lithium-ion batteries. 2015 , 7, 409-14	72
955	High-Areal-Capacity Silicon Electrodes with Low-Cost Silicon Particles Based on Spatial Control of Self-Healing Binder. 2015 , 5, 1401826	166
954	Low cost and environmentally benign crack-blocking structures for long life and high power Si electrodes in lithium ion batteries. 2015 , 3, 2036-2042	47
953	Highly oriented macroporous graphene hybrid monoliths for lithium ion battery electrodes with ultrahigh capacity and rate capability. 2015 , 12, 287-295	45
952	An Ion-Exchange Promoted Phase Transition in a Li-Excess Layered Cathode Material for High-Performance Lithium Ion Batteries. 2015 , 5, 1401937	63
951	Critical roles of binders and formulation at multiscales of silicon-based composite electrodes. 2015 , 280, 533-549	167
950	Mechanically and chemically robust sandwich-structured C@Si@C nanotube array Li-ion battery anodes. 2015 , 9, 1985-94	103

949	Regulated Breathing Effect of Silicon Negative Electrode for Dramatically Enhanced Performance of Li-Ion Battery. 2015 , 25, 1426-1433	132
948	Storing energy in plastics: a review on conducting polymers & their role in electrochemical energy storage. 2015 , 5, 11611-11626	144
947	Dually fixed SnO ₂ nanoparticles on graphene nanosheets by polyaniline coating for superior lithium storage. 2015 , 7, 2444-51	90
946	Nanoparticle-Hydrogel Composites: Concept, Design, and Applications of These Promising, Multi-Functional Materials. 2015 , 2, 1400010	485
945	Conductive Smart-Hybrid Hydrogels with PNIPAM and Nanostructured Conductive Polymers. 2015 , 25, 1219-1225	288
944	Nano-to-Microdesign of Marimo-Like Carbon Nanotubes Supported Frameworks via In-spaced Polymerization for High Performance Silicon Lithium Ion Battery Anodes. 2015 , 11, 2314-22	28
943	Coupling Behaviors of a Radiating Dipole with the Surface Plasmon Induced on a Metal Protrusion. 2015 , 10, 241-249	5
942	A Peanut Shell Inspired Scalable Synthesis of Three-Dimensional Carbon Coated Porous Silicon Particles as an Anode for Lithium-Ion Batteries. 2015 , 156, 11-19	48
941	A strategy for suitable mass production of a hollow Si@C nanostructured anode for lithium ion batteries. 2015 , 5, 6782-6789	28
940	Nanoporous graphene materials by low-temperature vacuum-assisted thermal process for electrochemical energy storage. 2015 , 284, 146-153	37
939	An in situ self-developed graphite as high capacity anode of lithium-ion batteries. 2015 , 51, 12118-21	16
938	High-coulombic-efficiency Si-based hybrid microspheres synthesized by the combination of graphene and IL-derived carbon. 2015 , 3, 20935-20943	20
937	3D Nanostructured Molybdenum Diselenide/Graphene Foam as Anodes for Long-Cycle Life Lithium-ion Batteries. 2015 , 176, 103-111	95
936	Robust polymeric coating enables the stable operation of silicon micro-plate anodes recovered from photovoltaic industry waste for high-performance Li-ion batteries. 2015 , 3, 15432-15443	31
935	Thermodynamic and Kinetic Origins of Lithiation-Induced Amorphous-to-Crystalline Phase Transition of Phosphorus. 2015 , 119, 12130-12137	21
934	Hydrogel-derived non-precious electrocatalysts for efficient oxygen reduction. 2015 , 5, 11739	21
933	Nanostructured conducting polymer hydrogels for energy storage applications. 2015 , 7, 12796-806	133
932	In-situ synthesis of nano-Li ₄ Ti ₅ O ₁₂ /C composite as an anode material for Li-ion batteries. 2015 , 274, 83-87	25

931	Three-Dimensional Conductive Gel Network as an Effective Binder for High-Performance Si Electrodes in Lithium-Ion Batteries. 2015 , 7, 15961-7	51
930	Highly stable cycling of a lead oxide/copper nanocomposite as an anode material in lithium ion batteries. 2015 , 5, 50245-50252	16
929	Heading towards novel superior silicon-based lithium-ion batteries: ultrasmall nanoclusters top-down dispersed over synthetic graphite flakes as binary hybrid anodes. 2015 , 3, 16998-17007	10
928	Nanostructured conductive polymers for advanced energy storage. 2015 , 44, 6684-96	542
927	High yield and low-cost ball milling synthesis of nano-flake Si@SiO ₂ with small crystalline grains and abundant grain boundaries as a superior anode for Li-ion batteries. 2015 , 639, 27-35	26
926	Hierarchical Si hydrogel architecture with conductive polyaniline channels on sulfonated-graphene for high-performance Li ion battery anodes having a robust cycle life. 2015 , 3, 10238-10242	18
925	Efficient coupling of nanoparticles to electrochemically exfoliated graphene. 2015 , 137, 5576-81	69
924	Silicon-nanoparticles isolated by in situ grown polycrystalline graphene hollow spheres for enhanced lithium-ion storage. 2015 , 3, 7810-7821	37
923	Scalable Upcycling Silicon from Waste Slicing Sludge for High-performance Lithium-ion Battery Anodes. 2015 , 173, 82-90	39
922	Chemically Reduced Organic Small-Molecule-Based Lithium Battery with Improved Efficiency. 2015 , 27, 2121-2126	62
921	The Optimized Tin Dioxide-Carbon Nanocomposites as High-performance Anode for Lithium ion Battery with a long cycle life. 2015 , 167, 69-74	13
920	Constructing robust TiO ₂ -V ₂ O ₅ /C nanostructures decorated by multi-walled carbon nanotubes for high performance lithium ion batteries. 2015 , 635, 158-162	5
919	Nano-silicon/polyaniline composites with an enhanced reversible capacity as anode materials for lithium ion batteries. 2015 , 19, 1773-1782	30
918	Spatially-confined lithiation/delithiation in highly dense nanocomposite anodes towards advanced lithium-ion batteries. 2015 , 8, 1471-1479	62
917	Greatly Enhanced Electronic Conduction and Lithium Storage of Faceted TiO ₂ Crystals Supported on Metallic Substrates by Tuning Crystallographic Orientation of TiO ₂ . 2015 , 27, 3507-12	70
916	Interconnected TiO _x /carbon hybrid framework incorporated silicon for stable lithium ion battery anodes. 2015 , 3, 12709-12717	23
915	Heavily n-Dopable π -Conjugated Redox Polymers with Ultrafast Energy Storage Capability. 2015 , 137, 4956-9	188
914	Conducting polymers and their inorganic composites for advanced Li-ion batteries: a review. 2015 , 5, 42109-42130	121

913	Coaxial three-dimensional CoMoO ₄ nanowire arrays with conductive coating on carbon cloth for high-performance lithium ion battery anode. 2015 , 300, 132-138	67
912	Surface Coating Constraint Induced Self-Discharging of Silicon Nanoparticles as Anodes for Lithium Ion Batteries. 2015 , 15, 7016-22	94
911	Effect of potential range on electrochemical performance of polyaniline as a component of lithium battery electrodes. 2015 , 184, 111-116	14
910	Dopant-Enabled Supramolecular Approach for Controlled Synthesis of Nanostructured Conductive Polymer Hydrogels. 2015 , 15, 7736-41	178
909	Self-assembled asymmetric membrane containing micron-size germanium for high capacity lithium ion batteries. 2015 , 5, 92878-92884	12
908	Evidence of covalent synergy in silicon-sulfur-graphene yielding highly efficient and long-life lithium-ion batteries. <i>Nature Communications</i> , 2015 , 6, 8597	17.4 133
907	A nanofibrous polypyrrole/silicon composite derived from cellulose substance as the anode material for lithium-ion batteries. 2015 , 51, 14590-3	36
906	A Conductive Self-Healing Hybrid Gel Enabled by Metal-Ligand Supramolecule and Nanostructured Conductive Polymer. 2015 , 15, 6276-81	294
905	A hybrid gel of hypergravity prepared NiO and polyaniline as Li-ion battery anodes. 2015 , 5, 88419-88424	7
904	Co ₃ O ₄ /C/graphene nanocomposites as novel anode materials for high capacity lithium ion batteries. 2015 , 5, 73677-73683	11
903	Asymmetric Electrode for Suppressing Cell Swelling in Commercial Lithium Ion Batteries. 2015 , 162, A2152-A2156	
902	SEI-component formation on sub 5 nm sized silicon nanoparticles in Li-ion batteries: the role of electrode preparation, FEC addition and binders. 2015 , 17, 24956-67	105
901	Poly L-lysine (PLL)-mediated porous hematite clusters as anode materials for improved Li-ion batteries. 2015 , 11, 815-821	1
900	Graphene as an Interfacial Layer for Improving Cycling Performance of Si Nanowires in Lithium-Ion Batteries. 2015 , 15, 6658-64	58
899	A mechanically driven form of Kirigami as a route to 3D mesostructures in micro/nanomembranes. 2015 , 112, 11757-64	344
898	Hollow Core-Shell SnO ₂ /C Fibers as Highly Stable Anodes for Lithium-Ion Batteries. 2015 , 7, 21472-8	116
897	In situ incorporation of a S, N doped carbon/sulfur composite for lithium sulfur batteries. 2015 , 5, 78017-78025	46
896	Amorphous cobalt silicate nanobelts@carbon composites as a stable anode material for lithium ion batteries. 2015 , 6, 6908-6915	52

895	Controlled Shape and Nucleation Switching of Interfacially Polymerizable Nanoassemblies by Methyl Substitution. 2015 , 27, 8170-8178	6
894	Carbon encapsulated Fe ₃ O ₄ /graphene framework with oriented macropores for lithium ion battery anode with enhanced cycling stability. 2015 , 5, 98399-98403	10
893	Multi-dimensional construction of a novel active yolk@conductive shell nanofiber web as a self-standing anode for high-performance lithium-ion batteries. 2015 , 7, 19930-4	12
892	Porous nanoarchitectures of spinel-type transition metal oxides for electrochemical energy storage systems. 2015 , 17, 30963-77	105
891	Hybridization and pore engineering for achieving high-performance lithium storage of carbide as anode material. 2015 , 12, 152-160	71
890	Manipulating the polarity of conductive polymer binders for Si-based anodes in lithium-ion batteries. 2015 , 3, 3651-3658	34
889	Building sponge-like robust architectures of CNT/graphene/Si composites with enhanced rate and cycling performance for lithium-ion batteries. 2015 , 3, 3962-3967	44
888	Orderly packed anodes for high-power lithium-ion batteries with super-long cycle life: rational design of MnCO ₃ /large-area graphene composites. 2015 , 27, 806-12	161
887	Multilayered silicon embedded porous carbon/graphene hybrid film as a high performance anode. 2015 , 84, 434-443	124
886	Hydrothermal synthesis of nano-silicon from a silica sol and its use in lithium ion batteries. 2015 , 8, 1497-1504	51
885	Pyrolytic carbon-coated Si nanoparticles on elastic graphene framework as anode materials for high-performance lithium-ion batteries. 2015 , 82, 161-167	96
884	Stable cycling of SiO ₂ nanotubes as high-performance anodes for lithium-ion batteries. 2014 , 4, 4605	139
883	Metal-like fluorine-doped FeOOH nanorods grown on carbon cloth for scalable high-performance supercapacitors. 2015 , 11, 119-128	154
882	Li ₄ Ti ₅ O ₁₂ /C anode material with high-rate performance using phenanthroline as carbon precursor. 2015 , 21, 629-634	3
881	Lignin as a Binder Material for Eco-Friendly Li-Ion Batteries. 2016 , 9,	43
880	Critical thickness of phenolic resin-based carbon interfacial layer for improving long cycling stability of silicon nanoparticle anodes. 2016 , 27, 255-264	163
879	Constructing Hierarchically Hollow Core-Shell MnO ₂ /C Hybrid Spheres for High-Performance Lithium Storage. 2016 , 12, 3914-9	46
878	Mechanisms for Imparting Conductivity to Nonconductive Polymeric Biomaterials. 2016 , 16, 1103-21	9

877	Hollow Silica Spheres Embedded in a Porous Carbon Matrix and Its Superior Performance as the Anode for Lithium-Ion Batteries. 2016 , 33, 110-117	43
876	Flexible SnO ₂ /N-Doped Carbon Nanofiber Films as Integrated Electrodes for Lithium-Ion Batteries with Superior Rate Capacity and Long Cycle Life. 2016 , 12, 853-9	264
875	Polyoxometalate Cluster-Incorporated Metal-Organic Framework Hierarchical Nanotubes. 2016 , 12, 2982-90	45
874	Preparation of hybrid composite microspheres containing nanosilicon via microsuspension polymerization. 2016 , 133, n/a-n/a	2
873	Scalable Clean Exfoliation of High-Quality Few-Layer Black Phosphorus for a Flexible Lithium Ion Battery. 2016 , 28, 510-7	289
872	Mechanically Robust Hybrid Hydrogels for Photovoltaic Applications. 2016 , 369, 119-124	2
871	Artificial solid electrolyte interphase with in-situ formed porosity for enhancing lithiation of silicon wafer. 2016 , 336, 401-407	6
870	Lithium-Ion Batteries: Thermomechanics, Performance, and Design Optimization. 2016 , 1-17	2
869	Conducting Polymer-based Hybrid Nanocomposites as Promising Electrode Materials for Lithium Batteries. 2016 , 355-396	
868	The Electrochemical Behavior of Polyimide Binders in Li and Na Cells. 2016 , 163, A364-A372	28
867	Opportunities for near zero volt storage of lithium ion batteries. 2016 , 9, 2219-2239	16
866	Surface engineering of nanomaterials for improved energy storage A review. 2016 , 154, 3-19	42
865	Impact of the Slurry pH on the Expansion/Contraction Behavior of Silicon/Carbon/Carboxymethylcellulose Electrodes for Li-Ion Batteries. 2016 , 163, A1020-A1026	34
864	Heterostructure composites of rGO/GeO ₂ /PANI with enhanced performance for Li ion battery anode material. 2016 , 306, 791-800	34
863	Studies of the Capacity Fade Mechanisms of LiCoO ₂ /Si-Alloy: Graphite Cells. 2016 , 163, A1146-A1156	92
862	Effect of local velocity on diffusion-induced stress in large-deformation electrodes of lithium-ion batteries. 2016 , 319, 168-177	30
861	Current status and challenges of biohydrogels for applications as supercapacitors and secondary batteries. 2016 , 4, 8952-8968	62
860	A Tremella-Like Nanostructure of Silicon@void@graphene-Like Nanosheets Composite as an Anode for Lithium-Ion Batteries. 2016 , 11, 204	18

859	Porous ternary complex metal oxide nanoparticles converted from core/shell nanoparticles. 2016 , 9, 996-1004	16
858	Hierarchical porous reduced graphene oxide/SnO ₂ networks as highly stable anodes for lithium-ion batteries. 2016 , 207, 9-15	57
857	Energy Storage Performance Enhancement by Surface Engineering of Electrode Materials. 2016 , 3, 1600430	15
856	Phosphorus-Rich Copper Phosphide Nanowires for Field-Effect Transistors and Lithium-Ion Batteries. 2016 , 10, 8632-44	63
855	Three-dimensional SnO ₂ /carbon on Cu foam for high-performance lithium ion battery anodes. 2016 , 27, 415401	7
854	Cu-Li ₂ O@Si core-shell nanowall arrays: Facile voltage-controlled synthesis and enhanced lithium-storage capabilities. 2016 , 689, 56-62	2
853	Nanostructured Co(II)-based MOFs as promising anodes for advanced lithium storage. 2016 , 40, 9238-9244	43
852	Enhancement of Energy Storage and Photoresponse Properties of Folic Acid-Polyaniline Hybrid Hydrogel by in Situ Growth of Ag Nanoparticles. 2016 , 8, 28055-28067	51
851	Conducting Block Copolymer Binders for Carbon-Free Hybrid Vanadium Pentoxide Cathodes with Enhanced Performance. 2016 , 8, 28585-28591	18
850	Hierarchical three-dimensional MnO nanorods/carbon anodes for ultralong-life lithium-ion batteries. 2016 , 4, 16936-16945	68
849	Polyaniline-based electrodes: recent application in supercapacitors and next generation rechargeable batteries. 2016 , 13, 150-160	31
848	Towards cost-effective silicon anodes using conductive polyaniline-encapsulated silicon micropowders. 2016 , 6, 77682-77687	3
847	Excimer Ultraviolet-Irradiated Carbon Nanofibers as Advanced Anodes for Long Cycle Life Lithium-Ion Batteries. 2016 , 12, 5269-5275	17
846	Solid polymer electrolyte coating three-dimensional Sn/Ni bimetallic nanotube arrays for high performance lithium-ion battery anodes. 2016 , 685, 690-698	21
845	A Tough Nanocomposite Aerogel of Manganese Oxide and Polyaniline as an Electrode for a Supercapacitor. 2016 , 81, 40-43	16
844	Flexible binder-free reduced graphene oxide wrapped Si/carbon fibers paper anode for high-performance lithium ion batteries. 2016 , 41, 21268-21277	37
843	A Cytocompatible Robust Hybrid Conducting Polymer Hydrogel for Use in a Magnesium Battery. 2016 , 28, 9349-9355	46
842	Si/SiO ₂ -Conductive Polymer Core-Shell Nanospheres with an Improved Conducting Path Preservation for Lithium-Ion Battery. 2016 , 9, 2754-2758	37

841	Conductive polymers for next-generation energy storage systems: recent progress and new functions. 2016 , 3, 517-535	210
840	Electron/Ion Transport Enhancer in High Capacity Li-Ion Battery Anodes. 2016 , 28, 6689-6697	47
839	A highly-safe lithium-ion sulfur polymer battery with SnO ₂ anode and acrylate-based gel polymer electrolyte. 2016 , 28, 97-105	51
838	Electrochemical Tailoring of Fibrous Polyaniline and Electroless Decoration with Gold and Platinum Nanoparticles. 2016 , 32, 8834-42	9
837	Vanadium Carbide Based Composite for High Performance Oxygen Reduction Reaction and Lithium Ion Batteries. 2016 , 1, 2682-2686	10
836	Tin-based nanomaterials for electrochemical energy storage. 2016 , 6, 95449-95468	44
835	One-step solid-state in-situ thermal polymerization of silicon-PEDOT nanocomposites for the application in lithium-ion battery anodes. 2016 , 99, 488-495	35
834	Assessing Charge Contribution from Thermally Treated Ni Foam as Current Collectors for Li-Ion Batteries. 2016 , 163, A1805-A1811	9
833	Structural model, size effect and nano-energy system design for more sustainable energy of solid state automotive battery. 2016 , 65, 685-697	7
832	Rapid and large-scale synthesis of bare Co ₃ O ₄ porous nanostructures from an oleate precursor as superior Li-ion anodes with long-cycle lives. 2016 , 45, 13509-13	21
831	Scalable preparation of silicon@graphite/carbon microspheres as high-performance lithium-ion battery anode materials. 2016 , 6, 69882-69888	26
830	Graphene Sandwiched Mesostructured Li-Ion Battery Electrodes. 2016 , 28, 7696-702	68
829	Promise and reality of post-lithium-ion batteries with high energy densities. 2016 , 1,	2575
828	Facile, Water-Based, Direct Deposit Fabrication of Hybrid Silicon Assemblies for Scalable and High Performance Li-Ion Battery Anodes. 2016 , 222, 946-955	4
827	In situ Scanning Electron Microscopy of Silicon Anode Reactions in Lithium-Ion Batteries during Charge/Discharge Processes. 2016 , 6, 36153	52
826	A Facile Bottom-Up Approach to Construct Hybrid Flexible Cathode Scaffold for High-Performance Lithium-Sulfur Batteries. 2016 , 8, 33775-33785	38
825	Poly (acrylic acid sodium) grafted carboxymethyl cellulose as a high performance polymer binder for silicon anode in lithium ion batteries. 2016 , 6, 19583	105
824	Protective Oxide Coating for Ionic Conductive Solid Electrolyte Interphase. 2016 , 8, 30980-30984	6

823	Low-Temperature Treated Lignin as Both Binder and Conductive Additive for Silicon Nanoparticle Composite Electrodes in Lithium-Ion Batteries. 2016 , 8, 32341-32348	48
822	Energy gels: A bio-inspired material platform for advanced energy applications. 2016 , 11, 738-762	112
821	Ultra-fast self-assembly and stabilization of reactive nanoparticles in reduced graphene oxide films. <i>Nature Communications</i> , 2016 , 7, 12332	17.4 74
820	Growth of conformal graphene cages on micrometre-sized silicon particles as stable battery anodes. 2016 , 1,	509
819	Tin nanoparticles as an effective conductive additive in silicon anodes. 2016 , 6, 30952	17
818	Growth of copper oxide nanocrystals in metallic nanotubes for high performance battery anodes. 2016 , 8, 19994-20000	16
817	Mechanical assembly of complex, 3D mesostructures from releasable multilayers of advanced materials. 2016 , 2, e1601014	152
816	A Stretchable Graphitic Carbon/Si Anode Enabled by Conformal Coating of a Self-Healing Elastic Polymer. 2016 , 28, 2455-61	163
815	Silicon Asymmetric Membranes for Efficient Lithium Storage: A Scalable Method. 2016 , 4, 502-509	6
814	Nanostructured Conjugated Polymers for Energy-Related Applications beyond Solar Cells. 2016 , 11, 1489-511	127
813	In-situ synthesis of interconnected SWCNT/OMC framework on silicon nanoparticles for high performance lithium-ion batteries. 2016 , 1, 91-99	28
812	Novel Conjugated Ladder-Structured Oligomer Anode with High Lithium Storage and Long Cycling Capability. 2016 , 8, 16932-8	46
811	Amphiphilic Graft Copolymers as a Versatile Binder for Various Electrodes of High-Performance Lithium-Ion Batteries. 2016 , 12, 3119-27	33
810	Facile synthesis of self-standing binder-free vanadium pentoxide-carbon nanofiber composites for high-performance supercapacitors. 2016 , 213, 400-407	44
809	A Low-Cost Nano/Micro Structured-Silicon-MWCNTs from Nano-Silica for Lithium Storage. 2016 , 11, 1650031	6
808	The Effects of Cross-Linking in a Supramolecular Binder on Cycle Life in Silicon Microparticle Anodes. 2016 , 8, 2318-24	73
807	A Deep Reduction and Partial Oxidation Strategy for Fabrication of Mesoporous Si Anode for Lithium Ion Batteries. 2016 , 10, 2295-304	104
806	Facile fabrication of a nanoporous Si/Cu composite and its application as a high-performance anode in lithium-ion batteries. 2016 , 9, 908-916	64

805	Preparation of three-dimensional nanoporous Si using dealloying by metallic melt and application as a lithium-ion rechargeable battery negative electrode. 2016 , 306, 8-16	71
804	Chemical doping of a core-shell silicon nanoparticles@polyaniline nanocomposite for the performance enhancement of a lithium ion battery anode. 2016 , 8, 1280-7	56
803	The Challenge to Develop Metrology at the Nanoscale. 2016 , 105-130	
802	MoS ₂ anchored free-standing three dimensional vertical graphene foam based binder-free electrodes for enhanced lithium-ion storage. 2016 , 194, 151-160	26
801	Recent progress in rechargeable lithium batteries with organic materials as promising electrodes. 2016 , 4, 7091-7106	228
800	Porous silicon nano-aggregate from silica fume as an anode for high-energy lithium-ion batteries. 2016 , 6, 30577-30581	14
799	Latest development of nanostructured Si/C materials for lithium anode studies and applications. 2016 , 4, 1-14	77
798	Designing Hierarchically Nanostructured Conductive Polymer Gels for Electrochemical Energy Storage and Conversion. 2016 , 28, 2466-2477	185
797	Core-Shell Coating Silicon Anode Interfaces with Coordination Complex for Stable Lithium-Ion Batteries. 2016 , 8, 5358-65	47
796	Electrochemical Applications of Two-Dimensional Nanosheets: The Effect of Nanosheet Length and Thickness. 2016 , 28, 2641-2651	79
795	Carbon-based silicon nanohybrid anode materials for rechargeable lithium ion batteries. 2016 , 31, 872-883	10
794	Nanostructured conducting polymers for energy applications: towards a sustainable platform. 2016 , 8, 6921-47	173
793	A Commercial Conducting Polymer as Both Binder and Conductive Additive for Silicon Nanoparticle-Based Lithium-Ion Battery Negative Electrodes. 2016 , 10, 3702-13	320
792	Atomic-Level Understanding toward a High-Capacity and High-Power Silicon Oxide (SiO) Material. 2016 , 120, 886-892	66
791	Controllable synthesis of carbon-coated Sn/SnO ₂ /carbon-nanofiber membrane as advanced binder-free anode for lithium-ion batteries. 2016 , 188, 661-670	42
790	A stable nanoporous silicon anode prepared by modified magnesiothermic reactions. 2016 , 20, 68-75	58
789	Strategies to succeed in improving the lithium-ion storage properties of silicon nanomaterials. 2016 , 4, 32-50	111
788	Nano-energy system coupling model and failure characterization of lithium ion battery electrode in electric energy vehicles. 2016 , 54, 1250-1261	16

787	In-situ observation of volume expansion behavior of a silicon particle in various electrolytes. 2016 , 302, 46-52	23
786	Si-, Ge-, Sn-Based Anode Materials for Lithium-Ion Batteries: From Structure Design to Electrochemical Performance. 2017 , 1, 1600037	174
785	Supramolecular hydrogel directed self-assembly of C- and N-doped hollow CuO as high-performance anode materials for Li-ion batteries. 2017 , 53, 2138-2141	34
784	Towards Improving the Practical Energy Density of Li-Ion Batteries: Optimization and Evaluation of Silicon:Graphite Composites in Full Cells. 2017 , 164, A6294-A6302	29
783	Ordered SnO nanoparticles in MWCNT as a functional host material for high-rate lithium-sulfur battery cathode. 2017 , 10, 2083-2095	33
782	Porous Sandwiched Graphene/Silicon Anodes for Lithium Storage. 2017 , 229, 445-451	54
781	Analytical Investigation of Binder's Role on the Diffusion Induced Stresses in Lithium Ion Battery through a Representative System of Spherical Isolated Electrode Particle Enclosed by Binder. 2017 , 164, A608-A621	23
780	Polyaniline Cryogels Supported with Poly(vinyl alcohol): Soft and Conducting. 2017 , 50, 972-978	48
779	A robust, highly stretchable supramolecular polymer conductive hydrogel with self-healability and thermo-processability. 2017 , 7, 41566	101
778	Conductive polymer nanocomposites: a critical review of modern advanced devices. 2017 , 5, 1569-1585	177
777	Surface Coating Constraint Induced Anisotropic Swelling of Silicon in Si-Void@SiO Nanowire Anode for Lithium-Ion Batteries. 2017 , 13, 1603754	38
776	Ge@CNFs Anchored on 3D Graphene Foam for Binder-Free and High-Efficiency Anodes in LiIon Batteries. 2017 , 4, 1002-1006	5
775	Ordered mesoporous carbon-supported CoFe ₂ O ₄ composite with enhanced lithium storage properties. 2017 , 52, 6265-6279	12
774	Research progress regarding Si-based anode materials towards practical application in high energy density Li-ion batteries. 2017 , 1, 1691-1708	193
773	Amorphous nanosized silicon with hierarchically porous structure for high-performance lithium ion batteries. 2017 , 7, 203-208	25
772	Facile Synthesis of 3D Anode Assembly with Si Nanoparticles Sealed in Highly Pure Few Layer Graphene Deposited on Porous Current Collector for Long Life Li-Ion Battery. 2017 , 4, 1601043	52
771	Low-Cost and Novel Si-Based Gel for Li-Ion Batteries. 2017 , 9, 10699-10707	34
770	Mesoporous hollow nanospheres consisting of carbon coated silica nanoparticles for robust lithium-ion battery anodes. 2017 , 345, 227-236	78

769	A Conductive Molecular Framework Derived Li ₂ S/N,P-Codoped Carbon Cathode for Advanced Lithium Sulfur Batteries. 2017 , 7, 1602876	212
768	Inkjet-printed silicon as high performance anodes for Li-ion batteries. 2017 , 36, 313-321	71
767	Silicon Derived from Glass Bottles as Anode Materials for Lithium Ion Full Cell Batteries. 2017 , 7, 917	41
766	Conducting polymers revisited: applications in energy, electrochromism and molecular recognition. 2017 , 21, 2489-2515	52
765	Protecting Silicon Film Anodes in Lithium-Ion Batteries Using an Atomically Thin Graphene Drape. 2017 , 11, 5051-5061	96
764	Silicon Composite Electrodes with Dynamic Ionic Bonding. 2017 , 7, 1700045	31
763	Large-scale synthesis of Li ₃ V ₂ (PO ₄) ₃ @C composites by a modified carbothermal reduction method as cathode material for lithium-ion batteries. 2017 , 7, 25422-25428	10
762	Methods for the Stabilization of Nanostructured Electrode Materials for Advanced Rechargeable Batteries. 2017 , 1, 1700094	42
761	Mechanically-Guided Deterministic Assembly of 3D Mesostructures Assisted by Residual Stresses. 2017 , 13, 1700151	25
760	Mesoporous Silicon Anodes by Using Polybenzimidazole Derived Pyrrolic N-Enriched Carbon toward High-Energy Li-Ion Batteries. 2017 , 2, 1279-1287	90
759	Study of Lithium Silicide Nanoparticles as Anode Materials for Advanced Lithium Ion Batteries. 2017 , 9, 16071-16080	34
758	Stabilizing silica nanoparticles in hydrogels: impact on storage and polydispersity. 2017 , 7, 19924-19933	19
757	Enhanced Electrochemical Performances of Si/Graphite Composite Anode Using Commercial Promising Waterborne Conductive Binder. 2017 , 191, 012049	0
756	Electrochemomechanical degradation of high-capacity battery electrode materials. 2017 , 89, 479-521	115
755	Bird's nest-like nanographene shell encapsulated Si nanoparticles Their structural and Li anode properties. 2017 , 341, 46-52	25
754	An all-solid-state asymmetric device based on a polyaniline hydrogel for a high energy flexible supercapacitor. 2017 , 41, 237-244	38
753	A high performance wire-shaped flexible lithium-ion battery based on silicon nanoparticles within polypyrrole/twisted carbon fibers. 2017 , 7, 26601-26607	17
752	High-Rate and Long-Cycle Silicon/Porous Nitrogen-Doped Carbon Anode via a Low-Cost Facile Pre-Template-Coating Approach for Li-ion Batteries. 2017 , 245, 14-24	31

751	Temperature Effect on Interfacial Structure and Dynamics Properties in Polymer/Single-Chain Nanoparticle Composite. 2017 , 218, 1700029	7
750	Silicon anodes protected by a nitrogen-doped porous carbon shell for high-performance lithium-ion batteries. 2017 , 9, 8871-8878	63
749	Dual carbon layer hybridized mesoporous tin hollow spheres for fast-rechargeable and highly-stable lithium-ion battery anodes. 2017 , 5, 14422-14429	34
748	Environmental Friendly Scalable Production of Colloidal 2D Titanium Carbonitride MXene with Minimized Nanosheets Restacking for Excellent Cycle Life Lithium-Ion Batteries. 2017 , 235, 690-699	129
747	A Novel Polar Copolymer Design as a Multi-Functional Binder for Strong Affinity of Polysulfides in Lithium-Sulfur Batteries. 2017 , 12, 195	26
746	Silicon hollow sphere anode with enhanced cycling stability by a template-free method. 2017 , 28, 165404	30
745	Composites of Piezoelectric Materials and Silicon as Anodes for Lithium-Ion Batteries. 2017 , 4, 1523-1527	6
744	Reduced Graphene Oxide Wrapped Si/C Assembled on 3D N-Doped Carbon Foam as Binder-Free Anode for Enhanced Lithium Storage. 2017 , 2, 2832-2840	10
743	Printing, folding and assembly methods for forming 3D mesostructures in advanced materials. 2017 , 2,	372
742	Dichlorosilane-derived nano-silicon inside hollow carbon spheres as a high-performance anode for Li-ion batteries. 2017 , 5, 9262-9271	21
741	Chemomechanical modeling of lithiation-induced failure in high-volume-change electrode materials for lithium ion batteries. 2017 , 3,	63
740	Microstructural degradation of silicon electrodes during lithiation observed via operando X-ray tomographic imaging. 2017 , 342, 904-912	44
739	Novel hybrid Si nanocrystals embedded in a conductive SiOx@C matrix from one single precursor as a high performance anode material for lithium-ion batteries. 2017 , 5, 7026-7034	40
738	Dual-Functionalized Double Carbon Shells Coated Silicon Nanoparticles for High Performance Lithium-Ion Batteries. 2017 , 29, 1605650	257
737	Conformal coating of TiO2 shell on silicon nanoparticles for improved electrochemical performance in Li-ion battery applications. 2017 , 235, 191-199	16
736	A Tunable 3D Nanostructured Conductive Gel Framework Electrode for High-Performance Lithium Ion Batteries. 2017 , 29, 1603922	124
735	Highly Stable Cycling of Amorphous Li2CO3-Coated Fe2O3 Nanocrystallines Prepared via a New Mechanochemical Strategy for Li-Ion Batteries. 2017 , 27, 1605011	46
734	Conducting polymer hydrogels. 2017 , 71, 269-291	49

733	Polyacrylamide-phytic acid-polydopamine conducting porous hydrogel for rapid detection and removal of copper (II) ions. 2017 , 91, 306-312	63
732	Design principles and energy system scale analysis technologies of new lithium-ion and aluminum-ion batteries for sustainable energy electric vehicles. 2017 , 71, 645-651	30
731	Quick Activation of Nanoporous Anatase TiO as High-Rate and Durable Anode Materials for Sodium-Ion Batteries. 2017 , 9, 39432-39440	48
730	General Method of Manipulating Formation, Composition, and Morphology of Solid-Electrolyte Interphases for Stable Li-Alloy Anodes. 2017 , 139, 17359-17367	81
729	Si alloy/graphite coating design as anode for Li-ion batteries with high volumetric energy density. 2017 , 254, 123-129	11
728	Material and Structural Design of Novel Binder Systems for High-Energy, High-Power Lithium-Ion Batteries. 2017 , 50, 2642-2652	186
727	Rapidly annealed nanoporous graphene materials for electrochemical energy storage. 2017 , 5, 23720-23726	11
726	High performance polymer binders inspired by chemical finishing of textiles for silicon anodes in lithium ion batteries. 2017 , 5, 22156-22162	55
725	A flexible all inorganic nanowire bilayer mesh as a high-performance lithium-ion battery anode. 2017 , 5, 22662-22671	12
724	Group IVA Element (Si, Ge, Sn)-Based Alloying/Dealloying Anodes as Negative Electrodes for Full-Cell Lithium-Ion Batteries. 2017 , 13, 1702000	120
723	An All-Integrated Anode via Interlinked Chemical Bonding between Double-Shelled-Yolk-Structured Silicon and Binder for Lithium-Ion Batteries. 2017 , 29, 1703028	185
722	Designing solid-liquid interphases for sodium batteries. <i>Nature Communications</i> , 2017 , 8, 898	17.4 212
721	Advances in Structure and Property Optimizations of Battery Electrode Materials. 2017 , 1, 522-547	163
720	Conductive hydrogel films produced by freestanding electrophoretic deposition and polymerization at the interface of immiscible liquids. 2017 , 153, 128-135	2
719	Self-standing MgMoO ₄ /Reduced Graphene Oxide Nanosheet Arrays for Lithium and Sodium Ion Storage. 2017 , 252, 322-330	29
718	Understanding materials challenges for rechargeable ion batteries with in situ transmission electron microscopy. <i>Nature Communications</i> , 2017 , 8,	17.4 234
717	A general route to coat poly(cyclotriphosphazene-co-4,4'-sulfonyldiphenol) on various substrates and the derived N, P, S-doped hollow carbon shells for catalysis. 2017 , 9, 13538-13545	20
716	Artificial interphase engineering of electrode materials to improve the overall performance of lithium-ion batteries. 2017 , 10, 4115-4138	38

715	Silicon-Carbon Nanocomposite Semi-Solid Negolyte and Its Application in Redox Flow Batteries. 2017 , 29, 7533-7542	26
714	A three-dimensional hierarchically porous Mo ₂ C architecture: salt-template synthesis of a robust electrocatalyst and anode material towards the hydrogen evolution reaction and lithium storage. 2017 , 5, 20228-20238	87
713	A mechanically strong conductive hydrogel reinforced by diaminotriazine hydrogen bonding. 2017 , 35, 1222-1230	11
712	Graphene supercapacitor with both high power and energy density. 2017 , 28, 445401	103
711	Unity Convolutd Design of Solid Li-Ion Battery and Triboelectric Nanogenerator for Self-Powered Wearable Electronics. 2017 , 7, 1701629	96
710	Mechanochemical Synthesis of PEDOT:PSS Hydrogels for Aqueous Formulation of Li-Ion Battery Electrodes. 2017 , 9, 34865-34874	29
709	Synthesis and electrochemical performance of double shell SnO ₂ @amorphous TiO ₂ spheres for lithium ion battery application. 2017 , 322, 84-91	15
708	Synthesis and Electrochemical Performance of SnO Quantum Dots@ UiO-66 Hybrid for Lithium Ion Battery Applications. 2017 , 9, 35030-35039	36
707	Two-Dimensional Porous Sandwich-Like C/Si-Graphene-Si/C Nanosheets for Superior Lithium Storage. 2017 , 9, 39371-39379	40
706	A critical review on the prospect of polyaniline-grafted biodegradable nanocomposite. 2017 , 249, 2-16	48
705	Poly(3, 4-ethyleendioxythiophene) coated titanium dioxide nanoparticles in situ synthesis and their application for rechargeable lithium sulfur batteries. 2017 , 252, 461-469	23
704	Functionalized few-layer black phosphorus with super-wettability towards enhanced reaction kinetics for rechargeable batteries. 2017 , 40, 576-586	75
703	Electrostatic-Interaction-Assisted Construction of 3D Networks of Manganese Dioxide Nanosheets for Flexible High-Performance Solid-State Asymmetric Supercapacitors. 2017 , 11, 7879-7888	100
702	Surface and Interface Engineering of Silicon-Based Anode Materials for Lithium-Ion Batteries. 2017 , 7, 1701083	249
701	Nanosilicon anodes for high performance rechargeable batteries. 2017 , 90, 1-44	133
700	Kinetics and electrochemical evolution of binary silicon-polymer systems for lithium ion batteries. 2017 , 7, 36541-36549	18
699	Irreversible lithium storage during lithiation of amorphous silicon thin film electrodes studied by in-situ neutron reflectometry. 2017 , 359, 415-421	31
698	Solvent influence on crosslinking and surface characteristics of Urushi films. 2017 , 199, 387-392	4

- 697 Assembly of Multifunctional NiP/NiS Heterostructures and Their Superstructure for High Lithium and Sodium Anodic Performance. **2017**, 9, 28549-28557 20
- 696 Fabrication of an arbitrary-shaped and nitrogen-doped graphene aerogel for highly compressible all solid-state supercapacitors. **2017**, 5, 18684-18690 57
- 695 Nanostructured Conjugated Polymers: Toward High-Performance Organic Electrodes for Rechargeable Batteries. **2017**, 2, 1985-1996 221
- 694 Confined silicon nanospheres by biomass lignin for stable lithium ion battery. **2017**, 28, 405401 12
- 693 Electroless Formation of Hybrid Lithium Anodes for Fast Interfacial Ion Transport. **2017**, 56, 13070-13077 107
- 692 Electroless Formation of Hybrid Lithium Anodes for Fast Interfacial Ion Transport. **2017**, 129, 13250-13257 10
- 691 Practical considerations of Si-based anodes for lithium-ion battery applications. **2017**, 10, 3970-4002 70
- 690 Green Fabrication of Silkworm Cocoon-like Silicon-Based Composite for High-Performance Li-Ion Batteries. **2017**, 11, 8628-8635 71
- 689 Design of Complex Nanomaterials for Energy Storage: Past Success and Future Opportunity. **2017**, 50, 2895-2905 198
- 688 Theoretical prediction of fracture conditions for delithiation in silicon anode of lithium ion battery. **2017**, 5, 106101 11
- 687 Thermoelectric properties of Si Nanoparticle-Polyaniline composites. **2017**, 4
- 686 Ionic Liquids Electrodeposition of Sn with Different Structures as Anodes for Lithium-Ion Batteries. **2017**, 164, D945-D953 4
- 685 A three-dimensional hierarchical structure of cyclized-PAN/Si/Ni for mechanically stable silicon anodes. **2017**, 5, 24667-24676 24
- 684 Ultrasonic-assisted synthesis of polyvinyl alcohol/phytic acid polymer film and its thermal stability, mechanical properties and surface resistivity. **2017**, 39, 853-862 22
- 683 A three-dimensional network structure Si/C anode for Li-ion batteries. **2017**, 52, 10950-10958 17
- 682 Multifunctional Nanostructured Conductive Polymer Gels: Synthesis, Properties, and Applications. **2017**, 50, 1734-1743 257
- 681 Liquid exfoliation of interlayer spacing-tunable 2D vanadium oxide nanosheets: High capacity and rate handling Li-ion battery cathodes. **2017**, 39, 151-161 91
- 680 Nanostructured Phosphorus Doped Silicon/Graphite Composite as Anode for High-Performance Lithium-Ion Batteries. **2017**, 9, 23672-23678 88

679	Interfacial reactions in lithium batteries. 2017 , 50, 303001	10
678	A high-performance anode material based on FeMnO ₃ /graphene composite. 2017 , 695, 1223-1230	29
677	Copper/constantan nanoparticles impregnated PEO + PVP:Li ⁺ blended solid polymer electrolyte films for lithium battery applications. 2017 , 74, 2545-2564	7
676	Self-supported Ni ₆ MnO ₈ 3D mesoporous nanosheet arrays with ultrahigh lithium storage properties and conversion mechanism by in-situ XAFS. 2017 , 10, 263-275	17
675	Carbon-Coated Silicon Nanowires on Carbon Fabric as Self-Supported Electrodes for Flexible Lithium-Ion Batteries. 2017 , 9, 9551-9558	81
674	Electrochemical reactivity of polyimide and feasibility as a conductive binder for silicon negative electrodes. 2017 , 52, 3613-3621	17
673	Enhanced cycle stability of polypyrrole-derived nitrogen-doped carbon-coated tin oxide hollow nanofibers for lithium battery anodes. 2017 , 111, 28-37	50
672	Watermelon-Inspired Si/C Microspheres with Hierarchical Buffer Structures for Densely Compacted Lithium-Ion Battery Anodes. 2017 , 7, 1601481	397
671	Recent Advances in Antimicrobial Hydrogels Containing Metal Ions and Metals/Metal Oxide Nanoparticles. 2017 , 9,	72
670	Oxidative chemical vapor deposition of polyaniline thin films. 2017 , 8, 1266-1276	28
669	Molecular Layer Deposition for Energy Conversion and Storage. 2018 , 3, 899-914	96
668	Polyethylene oxide film coating enhances lithium cycling efficiency of an anode-free lithium-metal battery. 2018 , 10, 6125-6138	126
667	High-Performance Anode Materials for Rechargeable Lithium-Ion Batteries. 2018 , 1, 35-53	334
666	Lignin in storage and renewable energy applications: A review. 2018 , 27, 1422-1438	111
665	Directionally assembled MoS ₂ with significantly expanded interlayer spacing: a superior anode material for high-rate lithium-ion batteries. 2018 , 2, 1441-1448	7
664	Graphene Oxides Used as a New "Dual Role" Binder for Stabilizing Silicon Nanoparticles in Lithium-Ion Battery. 2018 , 10, 15665-15672	41
663	Green, Scalable, and Controllable Fabrication of Nanoporous Silicon from Commercial Alloy Precursors for High-Energy Lithium-Ion Batteries. 2018 , 12, 4993-5002	193
662	A flexible pressure sensor based on rGO/polyaniline wrapped sponge with tunable sensitivity for human motion detection. 2018 , 10, 10033-10040	170

661	Carboxymethyl fenugreek gum: Rheological characterization and as a novel binder for silicon anode of lithium-ion batteries. 2018 , 115, 672-679		7
660	Potassium vanadate K _{0.23} V ₂ O ₅ as anode materials for lithium-ion and potassium-ion batteries. 2018 , 389, 77-83		42
659	In Situ Polymerization of Nanostructured Conductive Polymer on 3D Sulfur/Carbon Nanofiber Composite Network as Cathode for High-Performance Lithium Sulfur Batteries. 2018 , 5, 1701598		34
658	Influence of EDTA in poly(acrylic acid) binder for enhancing electrochemical performance and thermal stability of silicon anode. 2018 , 447, 442-451		21
657	Recent progress on nanostructured conducting polymers and composites: synthesis, application and future aspects. 2018 , 61, 303-352		140
656	Engraving Electrolyte and Ion-Transport Tunnels in a Holey Carbon Nanosheet Array for Fast Sodium Ion Storage. 2018 , 4, 379-386		6
655	Core-shell structured Si@Ni nanoparticles encapsulated in graphene nanosheet for lithium ion battery anodes with enhanced reversible capacity and cyclic performance. 2018 , 265, 348-354		21
654	Evolving affinity between Coulombic reversibility and hysteretic phase transformations in nano-structured silicon-based lithium-ion batteries. <i>Nature Communications</i> , 2018 , 9, 479	17.4	53
653	Polyaniline-encapsulated silicon on three-dimensional carbon nanotubes foam with enhanced electrochemical performance for lithium-ion batteries. 2018 , 381, 156-163		60
652	Operando Micro-Raman Study Revealing Enhanced Connectivity of Plasmonic Metals Decorated Silicon Anodes for Lithium-Ion Batteries. 2018 , 1, 1096-1105		8
651	Nanofiller-conjugated percolating conductive network modified polymerization reaction characteristics of aromatic thermosetting copolyester resin.. 2018 , 8, 4946-4954		8
650	Few-Layer Antimonene: Anisotropic Expansion and Reversible Crystalline-Phase Evolution Enable Large-Capacity and Long-Life Na-Ion Batteries. 2018 , 12, 1887-1893		135
649	Caging tin oxide in three-dimensional graphene networks for superior volumetric lithium storage. <i>Nature Communications</i> , 2018 , 9, 402	17.4	186
648	Harnessing the concurrent reaction dynamics in active Si and Ge to achieve high performance lithium-ion batteries. 2018 , 11, 669-681		249
647	Real-Time Stress Measurement in SiO ₂ Thin Films during Electrochemical Lithiation/Delithiation Cycling. 2018 , 58, 537-547		8
646	Carbon Nanotube Web with Carboxylated Polythiophene "Assist" for High-Performance Battery Electrodes. 2018 , 12, 3126-3139		35
645	A Highly Stretchable Cross-Linked Polyacrylamide Hydrogel as an Effective Binder for Silicon and Sulfur Electrodes toward Durable Lithium-Ion Storage. 2018 , 28, 1705015		114
644	Tuning the High-Temperature Wetting Behavior of Metals toward Ultrafine Nanoparticles. 2018 , 57, 2625-2629		5

643	Three-dimensional cross-linking composite of graphene, carbon nanotubes and Si nanoparticles for lithium ion battery anode. 2018 , 29, 125603	17
642	Tuning the High-Temperature Wetting Behavior of Metals toward Ultrafine Nanoparticles. 2018 , 130, 2655-2659	0
641	The emerging era of supramolecular polymeric binders in silicon anodes. 2018 , 47, 2145-2164	217
640	Room temperature solid state dual-ion batteries based on gel electrolytes. 2018 , 6, 4313-4323	29
639	Sintered polymeric binders for Li-ion battery alloy anodes. 2018 , 96, 765-770	1
638	Silicon-Based Anodes for Lithium-Ion Batteries: From Fundamentals to Practical Applications. 2018 , 14, 1702737	433
637	Carbon nanofibers (CNFs) supported cobalt-nickel sulfide (CoNiS) nanoparticles hybrid anode for high performance lithium ion capacitor. 2018 , 8, 1602	35
636	An easy and scalable approach to synthesize three-dimensional sandwich-like Si/Polyaniline/Graphene nanoarchitecture anode for lithium ion batteries. 2018 , 44, 4282-4286	15
635	Doping of Ni and Zn Elements in MnCO ₃ : High-Power Anode Material for Lithium-Ion Batteries. 2018 , 14, 1702574	18
634	A novel dual-graphite aluminum-ion battery. 2018 , 12, 119-127	61
633	Embedding MnO@Mn ₂ O ₃ Nanoparticles in an N-Doped-Carbon Framework Derived from Mn-Organic Clusters for Efficient Lithium Storage. 2018 , 30, 1704244	280
632	Fundamental Understanding of Nanostructured Si Electrodes: Preparation and Characterization. 2018 , 4, 319-337	17
631	Mussel-Inspired Conductive Polymer Binder for Si-Alloy Anode in Lithium-Ion Batteries. 2018 , 10, 5440-5446	62
630	A high-performance tin dioxide@carbon anode with a super high initial coulombic efficiency via a primary cell prelithiation process. 2018 , 740, 830-835	10
629	Conducting Fe ₂ O ₃ nanorod/polyaniline/CNT gel framework for high performance anodes towards supercapacitors. 2018 , 156, 231-237	35
628	Cyanogel-Enabled Homogeneous Sb-Ni-C Ternary Framework Electrodes for Enhanced Sodium Storage. 2018 , 12, 759-767	63
627	Si/Ag/C Nanohybrids with in Situ Incorporation of Super-Small Silver Nanoparticles: Tiny Amount, Huge Impact. 2018 , 12, 861-875	49
626	Growth of Sub-5 nm Metal Nanoclusters in Polymer Melt Aerosol Droplets. 2018 , 34, 585-594	10

625	In situ preparation of magnetite/cuprous oxide/poly(AMPS/NIPAm) for removal of methylene blue from waste water. 2018 , 67, 471-480	9
624	Dielectric spectroscopy of nanocomposites based on iPP and aPS treated in the water solutions of alkali metal salts. 2018 , 29, 1826-1833	1
623	Scalable Synthesis of Hierarchical Antimony/Carbon Micro-/Nanohybrid Lithium/Sodium-Ion Battery Anodes Based on Dimethacrylate Monomer. 2018 , 31, 910-922	12
622	A robust network binder with dual functions of Cu ²⁺ ions as ionic crosslinking and chemical binding agents for highly stable LiS batteries. 2018 , 6, 7382-7388	60
621	Self-template construction of mesoporous silicon submicrocube anode for advanced lithium ion batteries. 2018 , 15, 139-147	46
620	Tough and Conductive Hybrid Hydrogels Enabling Facile Patterning. 2018 , 10, 13685-13692	63
619	Robust Nanofibrillated Cellulose Hydro/Aerogels from Benign Solution/Solvent Exchange Treatment. 2018 , 6, 6624-6634	22
618	Silicon-Based Composite Negative Electrode Prepared from Recycled Silicon-Slicing Slurries and Lignin/Lignocellulose for Li-Ion Cells. 2018 , 6, 4759-4766	30
617	Thermal Lithiated-TiO: A Robust and Electron-Conducting Protection Layer for Li-Si Alloy Anode. 2018 , 10, 12750-12758	29
616	Fe ₃ O ₄ @Ti ₃ C ₂ MXene hybrids with ultrahigh volumetric capacity as an anode material for lithium-ion batteries. 2018 , 6, 11189-11197	165
615	Controllable Photoluminescent and Nonlinear Optical Properties of Polymerizable Carbon Dots and Their Arbitrary Copolymerized Gel Glasses. 2018 , 6, 1701273	19
614	Self-assembled superstructure of carbon-wrapped, single-crystalline Cu ₃ P porous nanosheets: One-step synthesis and enhanced Li-ion battery anode performance. 2018 , 15, 75-81	50
613	Application of Cross-Linked Polyborosiloxanes and Organically Modified Boron Silicate Binders in Silicon-Containing Anodes for Lithium-Ion Batteries. 2018 , 165, A731-A735	7
612	Graphene-chambered interconnected nano-Si@N, P, S-doped C spheres as anodes for lithium ion batteries. 2018 , 331, 52-59	12
611	Design of robust and photoluminescence-responsive materials based on poly(methacrylic acid-co-m-phenylenediamine) with graphene oxide composite hydrogels and its adsorption. 2018 , 135, 46354	5
610	The progress of novel binder as a non-ignorable part to improve the performance of Si-based anodes for Li-ion batteries. 2018 , 42, 919-935	36
609	Three-dimensional spongy nanographene-functionalized silicon anodes for lithium ion batteries with superior cycling stability. 2018 , 11, 233-245	26
608	Controlled synthesis of dual-phase carbon-coated Nb ₂ O ₅ /TiNb ₂ O ₇ porous spheres and their Li-ion storage properties. 2018 , 731, 437-443	28

607	Rationally Designed Silicon Nanostructures as Anode Material for Lithium-Ion Batteries. 2018 , 20, 1700591	72
606	Utilizing a graphene matrix to overcome the intrinsic limitations of red phosphorus as an anode material in lithium-ion batteries. 2018 , 127, 588-595	39
605	Ultrathin Graphdiyne Nanosheets Grown In Situ on Copper Nanowires and Their Performance as Lithium-Ion Battery Anodes. 2018 , 57, 774-778	192
604	Polyaniline-Based Blends, Composites, and Nanocomposites: State of the Art, New Challenges, and Opportunities. 2018 , 1-22	5
603	Applications of Polyaniline-Based Blends, Composites, and Nanocomposites. 2018 , 257-277	1
602	A Self-Healable, Highly Stretchable, and Solution Processable Conductive Polymer Composite for Ultrasensitive Strain and Pressure Sensing. 2018 , 28, 1705551	285
601	Novel silicon tungsten oxide-carbon composite as advanced negative electrode for lithium-ion batteries. 2018 , 314, 41-45	4
600	Ultrathin Graphdiyne Nanosheets Grown In Situ on Copper Nanowires and Their Performance as Lithium-Ion Battery Anodes. 2018 , 130, 782-786	37
599	The electrochemical behavior of poly 1-pyrenemethyl methacrylate binder and its effect on the interfacial chemistry of a silicon electrode. 2018 , 376, 152-160	22
598	Electrosprayed silicon-embedded porous carbon microspheres as lithium-ion battery anodes with exceptional rate capacities. 2018 , 127, 424-431	123
597	A scalable ultrasonic-assisted and foaming combination method preparation polyvinyl alcohol/phytic acid polymer sponge with thermal stability and conductive capability. 2018 , 42, 18-25	15
596	Facile preparation of nanoscale silicon as an anode material for lithium ion batteries by a mild temperature metathesis route. 2018 , 735, 441-444	11
595	Alternative binders for sustainable electrochemical energy storage II: the transition to aqueous electrode processing and bio-derived polymers. 2018 , 11, 3096-3127	234
594	High performance of porous silicon/carbon/RGO network derived from rice husks as anodes for lithium-ion batteries. 2018 , 42, 19811-19817	20
593	Morphology-Controlled Discharge Profile and Reversible Cu Extrusion and Dissolution in Biomimetic CuS. 2018 , 10, 41458-41464	7
592	Hollow Silicon@In Nanospheres Encapsulated by N-Doped Carbon as Anode Materials for Lithium-Ion Batteries. 2018 , 1, 6989-6999	41
591	Stress-Affected Lithiation Reactions in Elasto-Viscoplastic Si Particles with Hyperelastic Polymer Coatings: A Nonlinear Chemo-Mechanical Finite-Element Study. 2018 , 8, 455	
590	Double-Holey-Heterostructure Frameworks Enable Fast, Stable, and Simultaneous Ultrahigh Gravimetric, Areal, and Volumetric Lithium Storage. 2018 , 12, 12879-12887	49

589 Advanced Hydrogel Structures. **2018**, 1-27

588 Silicon Nanocanyon: One-Step Bottom-Up Fabrication of Black Silicon via in-Lasing Hydrophobic Self-Clustering of Silicon Nanocrystals for Sustainable Optoelectronics. **2018**, 10, 36523-36530 7

587 Electrostatically regulated ternary-doped carbon foams with exposed active sites as metal-free oxygen reduction electrocatalysts. **2018**, 10, 19498-19508 11

586 Achieving a high loading Si anode via employing a triblock copolymer elastomer binder, metal nanowires and a laminated conductive structure. **2018**, 6, 20982-20991 14

585 Lithium-ion cycling performance of multi-walled carbon nanotube electrodes and current collectors coated with nanometer scale Al₂O₃ by atomic layer deposition. **2018**, 292, 628-638 8

584 A fluoride ion-mediated continuous etching-redeposition strategy to synthesize Si nanocomposites with appropriate SiO coating layers for Li-ion batteries. **2018**, 54, 12447-12450 13

583 C-Plasma of Hierarchical Graphene Survives SnS Bundles for Ultrastable and High Volumetric Na-Ion Storage. **2018**, 30, e1804833 98

582 Double core-shell of Si@PANI@TiO₂ nanocomposite as anode for lithium-ion batteries with enhanced electrochemical performance. **2018**, 43, 20843-20852 16

581 Highly durable 3D conductive matrixed silicon anode for lithium-ion batteries. **2018**, 407, 84-91 20

580 Design-Considerations regarding Silicon/Graphite and Tin/Graphite Composite Electrodes for Lithium-Ion Batteries. **2018**, 8, 15851 22

579 Size and Surface Effects of Silicon Nanocrystals in Graphene Aerogel Composite Anodes for Lithium Ion Batteries. **2018**, 30, 7782-7792 35

578 Shell-Protective Secondary Silicon Nanostructures as Pressure-Resistant High-Volumetric-Capacity Anodes for Lithium-Ion Batteries. **2018**, 18, 7060-7065 78

577 Remote Microwave and Field-Effect Sensing Techniques for Monitoring Hydrogel Sensor Response. **2018**, 9, 2

576 Highly Stretchable Conductive Glue for High-Performance Silicon Anodes in Advanced Lithium-Ion Batteries. **2018**, 28, 1704858 90

575 Polymersome-hydrogel composites with combined quick and long-term antibacterial activities. **2018**, 6, 6311-6321 25

574 Sandwich architecture of SnSnSb alloy nanoparticles and N-doped reduced graphene oxide sheets as a high rate capability anode for lithium-ion batteries. **2018**, 401, 165-174 16

573 Pseudocapacitive Lithium Storage in Three-Dimensional Cobalt-Doped MnO/Nitrogen-Doped Reduced Graphene Oxide Aerogels as High-Rate Anode Material. **2018**, 5, 3419-3425 3

572 Waterborne polyurethane as a carbon coating for micrometre-sized silicon-based lithium-ion battery anode material. **2018**, 5, 180311 2

571	Pyromellitic Diimide-Based Copolymers and Their Application as Stable Cathode Active Materials in Lithium and Sodium-Ion Batteries. 2018 , 30, 6821-6830	21
570	Robust Micron-Sized Silicon Secondary Particles Anchored by Polyimide as High-Capacity, High-Stability Li-Ion Battery Anode. 2018 , 10, 34132-34139	17
569	A novel approach to synthesize micrometer-sized porous silicon as a high performance anode for lithium-ion batteries. 2018 , 50, 589-597	133
568	Conductive Hydrogels as Smart Materials for Flexible Electronic Devices. 2018 , 24, 16930-16943	123
567	Fe ₂ O ₃ /SnO ₂ heterostructure composites: A high stability anode for lithium-ion battery. 2018 , 106, 7-13	14
566	Surface Modification of Silicon Nanoparticles by an "Ink" Layer for Advanced Lithium Ion Batteries. 2018 , 10, 19639-19648	17
565	Low-Temperature Growth of All-Carbon Graphdiyne on a Silicon Anode for High-Performance Lithium-Ion Batteries. 2018 , 30, e1801459	192
564	Reaction-Ball-Milling-Driven Surface Coating Strategy to Suppress Pulverization of Microparticle Si Anodes. 2018 , 10, 20591-20598	23
563	Hydrogel ionotronics. 2018 , 3, 125-142	643
562	A "Sticky" Mucin-Inspired DNA-Polysaccharide Binder for Silicon and Silicon-Graphite Blended Anodes in Lithium-Ion Batteries. 2018 , 30, e1707594	68
561	Recent progress in sodium alginate based sustainable hydrogels for environmental applications. 2018 , 198, 143-159	190
560	Putting Nanoarmors on Yolk-Shell Si@C Nanoparticles: A Reliable Engineering Way To Build Better Si-Based Anodes for Li-Ion Batteries. 2018 , 10, 24157-24163	33
559	Novel Superabsorbent Cellulose-Based Hydrogels: Present Status, Synthesis, Characterization, and Application Prospects. 2018 , 1-41	2
558	Facile electrostatic self-assembly of silicon/reduced graphene oxide porous composite by silica assist as high performance anode for Li-ion battery. 2018 , 456, 379-389	46
557	Formation of Polypyrrole-Coated Sb ₂ Se ₃ Microclips with Enhanced Sodium-Storage Properties. 2018 , 130, 10007-10011	28
556	Conductive Binder for Si Anode with Boosted Charge Transfer Capability via n-Type Doping. 2018 , 10, 27795-27800	30
555	Influence of operating temperature on Li ₂ ZnTi ₃ O ₈ anode performance and high-rate charging activity of Li-ion battery. 2018 , 44, 18625-18632	14
554	Controlled scalable synthesis of yolk-shell structured large-size industrial silicon with interconnected carbon network for lithium storage. 2018 , 283, 1702-1711	16

553	Engineered Nanomaterials for Energy Applications. 2018 , 751-767	8
552	Fabrication and the electrochemical activation of network-like MnO ₂ nanoflakes as a flexible and large-area supercapacitor electrode. 2018 , 22, 3507-3514	5
551	A high-performance dual-ion cell utilizing Si nanosphere@graphene anode. 2018 , 282, 946-954	6
550	Fabrication of Si Nanoparticles@Carbon Fibers Composites from Natural Nanoclay as an Advanced Lithium-Ion Battery Flexible Anode. 2018 , 8, 180	7
549	Highly Graphitized Carbon Coating on SiO ₂ with a π -Stacking Precursor Polymer for High Performance Lithium-Ion Batteries. 2018 , 10,	11
548	Boron Embedded in Metal Iron Matrix as a Novel Anode Material of Excellent Performance. 2018 , 30, e1801409	20
547	Interface-engineered hematite nanocones as binder-free electrodes for high-performance lithium-ion batteries. 2018 , 6, 13968-13974	13
546	Amperometric DNA biosensor for Mycobacterium tuberculosis detection using flower-like carbon nanotubes-polyaniline nanohybrid and enzyme-assisted signal amplification strategy. 2018 , 119, 215-220	50
545	Muscle-Inspired Highly Anisotropic, Strong, Ion-Conductive Hydrogels. 2018 , 30, e1801934	257
544	Corrosive environments tolerant, ductile and self-healing hydrogel for highly efficient oil/water separation. 2018 , 354, 1185-1196	27
543	Reprogrammable 3D Mesostructures Through Compressive Buckling of Thin Films with Prestrained Shape Memory Polymer. 2018 , 31, 589-598	9
542	One-Dimensional Porous Silicon Nanowires with Large Surface Area for Fast Charge/Discharge Lithium-Ion Batteries. 2018 , 8,	24
541	Practical anodes for Li-ion batteries comprising metallurgical silicon particles and multiwall carbon nanotubes. 2018 , 22, 3289-3301	4
540	Axial Si-Ge Heterostructure Nanowires as Lithium-Ion Battery Anodes. 2018 , 18, 5569-5575	57
539	In situ synthesis of porous Si dispersed in carbon nanotube intertwined expanded graphite for high-energy lithium-ion batteries. 2018 , 10, 16638-16644	29
538	In-situ constructing 3D graphdiyne as all-carbon binder for high-performance silicon anode. 2018 , 53, 135-143	62
537	Exploring Chemical, Mechanical, and Electrical Functionalities of Binders for Advanced Energy-Storage Devices. 2018 , 118, 8936-8982	337
536	Nanoparticle Manufacturing [Heterogeneity through Processes to Products. 2018 , 1, 4358-4385	44

535	Freestanding silicon microparticle and self-healing polymer composite design for effective lithiation stress relaxation. 2018 , 6, 11353-11361	17
534	Carbon nanofiber interlayer: a highly effective strategy to stabilize silicon anodes for use in lithium-ion batteries. 2018 , 10, 12430-12435	9
533	Highly durable and cycle-stable lithium storage based on MnO nanoparticle-decorated 3D interconnected CNT/graphene architecture. 2018 , 10, 13140-13148	27
532	Recent progress of NiCo ₂ O ₄ -based anodes for high-performance lithium-ion batteries. 2018 , 22, 109-126	102
531	Hierarchically Porous N,S-Codoped Carbon-Embedded Dual Phase MnO/MnS Nanoparticles for Efficient Lithium Ion Storage. 2018 , 57, 7993-8001	23
530	Confining electrodeposition of metals in structured electrolytes. 2018 , 115, 6620-6625	42
529	Rational design of coaxial MWCNTs@Si/SiO _x @C nanocomposites as extending-life anode materials for lithium-ion batteries. 2018 , 44, 16660-16667	25
528	Bio-inspired fabrication of Li ₄ Ti ₅ O ₁₂ with hierarchical structure for high-performance anode in lithium-ion batteries. 2018 , 29, 12216-12220	3
527	Three-dimensionally integrated carbon tubes/MoS ₂ with reduced graphene oxide foam as a binder-free anode for lithium ion battery. 2018 , 823, 307-314	15
526	Dual stabilized architecture of hollow Si@TiO ₂ @C nanospheres as anode of high-performance Li-ion battery. 2018 , 351, 269-279	66
525	Low-cost and sustainable corn starch as a high-performance aqueous binder in silicon anodes via in situ cross-linking. 2018 , 396, 459-466	38
524	Formation of Polypyrrole-Coated Sb Se Microclips with Enhanced Sodium-Storage Properties. 2018 , 57, 9859-9863	131
523	Silicon carbon nanohybrids with expandable space: A high-performance lithium battery anodes. 2019 , 275, 42-49	23
522	3D skeleton nanostructured Ni ₃ S ₂ /Ni foam@RGO composite anode for high-performance dual-ion battery. 2019 , 28, 144-150	13
521	Germanium Nanowire Battery Electrodes with Engineered Surface-Binder Interactions Exhibit Improved Cycle Life and High Energy Density without Fluorinated Additives. 2019 , 2, 6200-6208	10
520	Soft-Nanoparticle Functionalization of Natural Hydrogels for Tissue Engineering Applications. 2019 , 8, e1900506	62
519	Inorganic Gel-Derived Metallic Frameworks Enabling High-Performance Silicon Anodes. 2019 , 19, 6292-6298	35
518	Ultrafast synthesis of graphene nanosheets encapsulated Si nanoparticles via deflagration of energetic materials for lithium-ion batteries. 2019 , 65, 104028	14

517	Stress evolution with concentration-dependent compositional expansion in a silicon lithium-ion battery anode particle. 2019 , 23, 2331-2342	8
516	Conjugated Carbonyl Polymer-Based Flexible Cathode for Superior Lithium-Organic Batteries. 2019 , 11, 28801-28808	40
515	Roll to roll manufacturing of fast charging, mechanically robust 0D/2D nanolayered Si-graphene anode with well-interfaced and defect engineered structures. 2019 , 22, 450-460	22
514	Quantification on Growing Mass of Solid Electrolyte Interphase and Deposited Mn(II) on the Silicon Anode of LiMnO Full Lithium-Ion Cells. 2019 , 11, 27839-27845	4
513	Layer-by-Layer Assembly of High-Performance Electroactive Composites Using a Multiple Charged Small Molecule. 2019 , 35, 10367-10373	5
512	Activated Carbon-Decorated Spherical Silicon Nanocrystal Composites Synchronously-Derived from Rice Husks for Anodic Source of Lithium-Ion Battery. 2019 , 9,	18
511	Structure design and mechanism analysis of silicon anode for lithium-ion batteries. 2019 , 62, 1515-1536	39
510	Nanosized Si particles with rich surface organic functional groups as high-performance Li-battery anodes. 2019 , 320, 134625	12
509	Mussel-Inspired Self-Healing Metallopolymers for Silicon Nanoparticle Anodes. 2019 , 13, 8364-8373	65
508	Conducting polyaniline/poly (acrylic acid)/phytic acid multifunctional binders for Si anodes in lithium ion batteries. 2019 , 25, 5323-5331	14
507	Boosting the initial coulombic efficiency in silicon anodes through interfacial incorporation of metal nanocrystals. 2019 , 7, 17426-17434	61
506	Improving the electrochemical performance of Si-based anodes by co-compositing LiF and double carbon layer composed of graphite and three-dimensional PM. 2019 , 6, 1150g4	
505	One-pot prepared silicon-silver-polydopamine ternary composite anode materials with high specific capacity and cycling stability. 2019 , 810, 151820	2
504	In situ cross-linked poly(ether urethane) elastomer as a binder for high-performance Si anodes of lithium-ion batteries. 2019 , 327, 135011	15
503	Trifluoropropylene Carbonate-Driven Interface Regulation Enabling Greatly Enhanced Lithium Storage Durability of Silicon-Based Anodes. 2019 , 29, 1906548	24
502	Different Dimensional Nanostructured Silicon Materials: From Synthesis Methodology to Application in High-Energy Lithium-Ion Batteries. 2019 , 7, 1900962	14
501	A clean technique to fabricate the renewable and recyclable metal phosphate anode of the high-capacity lithium-ion battery. 2019 , 855, 113625	1
500	Remarkably Improved Cycling Stability of Boron-Strengthened Multicomponent Layer Protected Micron-Si Composite Anode. 2019 , 7, 19167-19175	7

499	A Pyrene-Poly(acrylic acid)-Polyrotaxane Supramolecular Binder Network for High-Performance Silicon Negative Electrodes. 2019 , 31, e1905048	50
498	Confirmation of a Late Miocene Subchron C4n.2n-1r From the Eastern Qaidam Basin in the NE Tibetan Plateau. 2019 , 124, 12354-12365	1
497	Facile fabrication of flexible Si-based nanocomposite films as high-rate anodes by layer-by-layer self-assembly. 2019 , 476, 501-512	11
496	PANI-Encapsulated Si Nanocomposites with a Chemical Bond Linkage in the Interface Exhibiting Higher Electrochemical Stability as Anode Materials for Lithium-Ion Batteries. 2019 , 14, 1950078	5
495	Largely Improved Battery Performance Using a Microsized Silicon Skeleton Caged by Polypyrrole as Anode. 2019 , 13, 12032-12041	36
494	Silicon and reduced graphene oxide employed as additives to enhance the performances of artificial graphite anode for lithium-ion battery. 2019 , 27, 887-894	8
493	Enhancing Delithiation Reversibility of LiSi Alloy of Silicon Nanoparticles-Carbon/Graphite Anode Materials for Stable-Cycling Lithium Ion Batteries by Restricting the Silicon Particle Size. 2019 , 11, 35809-35819 ¹⁹	19
492	Si-based materials derived from biomass: synthesis and applications in electrochemical energy storage. 2019 , 7, 22123-22147	53
491	Designing superior solid electrolyte interfaces on silicon anodes for high-performance lithium-ion batteries. 2019 , 11, 19086-19104	53
490	Semianalytical study of the effect of realistic boundary conditions on diffusion induced stresses in cylindrical lithium ion electrode-binder system. 2019 , 163, 105141	11
489	An interfacial crosslinking strategy to fabricate an ultrathin two-dimensional composite of silicon oxycarbide-enwrapped silicon nanoparticles for high-performance lithium storage. 2019 , 7, 22950-22957	8
488	Adding Metal Carbides to Suppress the Crystalline LiSi Formation: A Route toward Cycling Durable Si-Based Anodes for Lithium-Ion Batteries. 2019 , 11, 38727-38736	17
487	Electrically Conductive Shell-Protective Layer Capping on the Silicon Surface as the Anode Material for High-Performance Lithium-Ion Batteries. 2019 , 11, 40034-40042	13
486	Biomass-Derived Carbon Paper to Sandwich Magnetite Anode for Long-Life Li-Ion Battery. 2019 , 13, 11901-11914 ¹⁹	14
485	PEDOT-PSS coated VS2 nanosheet anodes for high rate and ultrastable lithium-ion batteries. 2019 , 43, 1681-1687	14
484	A fast self-healing and conductive nanocomposite hydrogel as soft strain sensor. 2019 , 567, 139-149	64
483	Hierarchical void structured Si/PANi/C hybrid anode material for high-performance lithium-ion batteries. 2019 , 300, 341-348	21
482	Electrochemically building three-dimensional supramolecular polymer hydrogel for flexible solid-state micro-supercapacitors. 2019 , 301, 136-144	47

481	Tailored MoO ₃ -encapsulated Fe ₃ O ₄ ·3H ₂ O composites as high performance cathodes for Li-ion batteries. 2019 , 847, 113227	11
480	Carbon-based hydrogels: synthesis and their recent energy applications. 2019 , 7, 15491-15518	72
479	Electroconductive hydrogels for biomedical applications. 2019 , 11, e1568	34
478	Infinitesimal sulfur fusion yields quasi-metallic bulk silicon for stable and fast energy storage. <i>Nature Communications</i> , 2019 , 10, 2351	17.4 37
477	The controllable synthesis of Si/Ge composites with a synergistic effect for enhanced Li storage performance. 2019 , 6, 1897-1903	6
476	Recent Advances in Rochow-Müller Process Research: Driving to Molecular Catalysis and to A More Sustainable Silicone Industry. 2019 , 11, 2757-2779	10
475	High-performance solid PEO/PPC/LLTO-nanowires polymer composite electrolyte for solid-state lithium battery. 2019 , 43, 4854-4866	42
474	Recent advance in understanding the electro-chemo-mechanical behavior of lithium-ion batteries by electron microscopy. 2019 , 7, 100040	15
473	Improving Cycling Performance of Si-Based Lithium Ion Batteries Anode with Se-Loaded Carbon Coating. 2019 , 2, 5124-5132	6
472	Conclusions and Perspectives on New Opportunities of Nanostructures and Nanomaterials in Batteries. 2019 , 359-379	
471	Fe ₂ O ₃ /C-modified Si nanoparticles as anode material for high-performance lithium-ion batteries. 2019 , 795, 284-290	23
470	Red phosphorus filled biomass carbon as high-capacity and long-life anode for sodium-ion batteries. 2019 , 430, 60-66	29
469	Novel multi-block conductive binder with polybutadiene for Si anodes in lithium-ion batteries. 2019 , 315, 58-66	17
468	Nanostructures and Nanomaterials for Lithium-Ion Batteries. 2019 , 89-158	1
467	Facile synthesis of nanostructured polyaniline in ionic liquids for high solubility and enhanced electrochemical properties. 2019 , 2, 279-288	25
466	Novel hybrid Si film/highly branched graphene nanosheets for anode materials in lithium-ion batteries. 2019 , 52, 345201	4
465	Facile laser synthesis of multimodal composite silicon/gold nanoparticles with variable chemical composition. 2019 , 21, 1	9
464	Enhanced Electrochemical Performance of Silicon-Based Anode Material Via a Synergistic Effect Between Sodium Alginate and Dopamine Hydrochloride. 2019 , 48, 4324-4329	2

463	Dual-Confined SiO Embedded in TiO ₂ Shell and 3D Carbon Nanofiber Web as Stable Anode Material for Superior Lithium Storage. 2019 , 6, 1801800	20
462	Rational Design of a Multifunctional Binder for High-Capacity Silicon-Based Anodes. 2019 , 4, 1171-1180	71
461	Managing transport properties in composite electrodes/electrolytes for all-solid-state lithium-based batteries. 2019 , 4, 850-871	21
460	Tunable Core-Shell Nanowire Active Material for High Capacity Li-Ion Battery Anodes Comprised of PECVD Deposited aSi on Directly Grown Ge Nanowires. 2019 , 11, 19372-19380	19
459	Prelithiated Surface Oxide Layer Enabled High-Performance Si Anode for Lithium Storage. 2019 , 11, 18305-18312	33
458	Polymer Binders Constructed through Dynamic Noncovalent Bonds for High-Capacity Silicon-Based Anodes. 2019 , 25, 10976-10994	29
457	A rapid and green method for the fabrication of conductive hydrogels and their applications in stretchable supercapacitors. 2019 , 426, 205-215	50
456	Elucidating the interfacial evolution and anisotropic dynamics on silicon anodes in lithium-ion batteries. 2019 , 61, 304-310	22
455	Phase Dynamics on Conversion-Reaction-Based Tin-Doped Ferrite Anode for Next-Generation Lithium Batteries. 2019 , 13, 5674-5685	30
454	Development of electrical conducting nanocomposite based on carboxymethyl cellulose hydrogel/silver nanoparticles@polypyrrole. 2019 , 250, 104-114	21
453	In Situ Synthesis of Multilayer Carbon Matrix Decorated with Copper Particles: Enhancing the Performance of Si as Anode for Li-Ion Batteries. 2019 , 13, 3054-3062	78
452	Confronting the Challenges of Next-Generation Silicon Anode-Based Lithium-Ion Batteries: Role of Designer Electrolyte Additives and Polymeric Binders. 2019 , 12, 2515-2539	92
451	Sandwich, Vertical-Channeled Thick Electrodes with High Rate and Cycle Performance. 2019 , 29, 1809196	49
450	Development of Battery Electrodes Based on Carbon Species and Conducting Polymers. 2019 , 477-510	1
449	A bioinspired high-modulus mineral hydrogel binder for improving the cycling stability of microsized silicon particle-based lithium-ion battery. 2019 , 12, 1121-1127	30
448	Nanoporous SiO coated amorphous silicon anode material with robust mechanical behavior for high-performance rechargeable Li-ion batteries. 2019 , 1, 70-76	15
447	Hollow Mesoporous Co(PO ₃) ₂ @Carbon Polyhedra as High Performance Anode Materials for Lithium Ion Batteries. 2019 , 123, 8599-8606	18
446	Polymeric carbon encapsulated Si nanoparticles from waste Si as a battery anode with enhanced electrochemical properties. 2019 , 307, 107-117	18

445	Strategies for improving the storage performance of silicon-based anodes in lithium-ion batteries. 2019 , 12, 1739-1749	43
444	Doped Silicon Nanowires for Lithium Ion Battery Anodes. 2019 , 22,	13
443	Enhanced cyclability of silicon anode via synergy effect of polyimide binder and conductive polyacrylonitrile. 2019 , 54, 8941-8954	7
442	Silicon-Based Anodes for Advanced Lithium-Ion Batteries. 2019 , 1-12	1
441	Superior Electrochemical Performance of Thin-Film Thermoplastic Elastomer-Coated SnSb as an Anode for Li-ion Batteries. 2019 , 9, 4301	7
440	Graphene caging silicon nanoparticles anchored on graphene sheets for high performance Li-ion batteries. 2019 , 484, 11-20	21
439	Porous Silicon Nanostructures as Effective Faradaic Electrochemical Sensing Platforms. 2019 , 29, 1809206	13
438	A Cost-Effective and Scaleable Approach for the In-Situ Synthesis of Porous Carbon-Coated Micrometer-Sized AlSi Particles as Anode for Lithium-Ion Batteries. 2019 , 6, 2517-2523	4
437	A carob-inspired nanoscale design of yolk-shell Si@void@TiO-CNF composite as anode material for high-performance lithium-ion batteries. 2019 , 48, 6846-6852	8
436	Designing polymers for advanced battery chemistries. 2019 , 4, 312-330	333
435	Capacity fading model for a solid electrolyte interface with surface growth. 2019 , 308, 418-425	6
434	Advanced Hydrogel Structures. 2019 , 279-305	0
433	A water-soluble binary conductive binder for Si anode lithium ion battery. 2019 , 305, 555-562	26
432	Reconfigurable plug-and-play assembly for the continuous production of composite anodes for modulating lithium storage. 2019 , 364, 485-492	2
431	Recycling of waste plastics and scalable preparation of Si/CNF/C composite as anode material for lithium-ion batteries. 2019 , 25, 1523-1529	15
430	The in situ synthesis of conductive polyaniline patterns using micro-reactive inkjet printing. 2019 , 7, 2219-2224	19
429	The improved performance of lithium-ion batteries via the novel electron transport catalytic role of polyaniline (PANI) in PANI/Co ₃ O ₄ /CuO raspberry as new anode material. 2019 , 49, 327-340	8
428	Inorganic Nanocomposite Hydrogels: Present Knowledge and Future Challenge. 2019 , 805-853	0

427	Cross-Linking Methacrylated Porcine Pericardium by Radical Polymerization Confers Enhanced Extracellular Matrix Stability, Reduced Calcification, and Mitigated Immune Response to Bioprosthetic Heart Valves. 2019 , 5, 1822-1832		16
426	Morphological effects on polymeric mixed ionic/electronic conductors. 2019 , 4, 310-324		33
425	Minimized Volume Expansion in Hierarchical Porous Silicon upon Lithiation. 2019 , 11, 13257-13263		31
424	High capacity silicon anodes enabled by MXene viscous aqueous ink. <i>Nature Communications</i> , 2019 , 10, 849	17.4	174
423	A review of polyaniline based materials as anodes for lithium ion batteries. 2019 , 677, 022115		5
422	Mechanistic Elucidation of Si Particle Morphology on Electrode Performance. 2019 , 166, A3852-A3860		2
421	Polymer-Supported Nanocomposite-Based Nanomaterials for Removal and Recovery of Pollutants and Their Application in Bio-Electrochemical System. 2019 , 265-290		1
420	Engineering of carbon and other protective coating layers for stabilizing silicon anode materials. 2019 , 1, 219-245		43
419	Electrically conductive hydrogels for flexible energy storage systems. 2019 , 88, 220-240		154
418	Silicon core-mesoporous shell carbon spheres as high stability lithium-ion battery anode. 2019 , 534, 47-54		42
417	Silicon @ nitrogen-doped porous carbon fiber composite anodes synthesized by an in-situ reaction collection strategy for high-performance lithium-ion batteries. 2019 , 475, 211-218		24
416	A rubber-like, underwater superoleophobic hydrogel for efficient oil/water separation. 2019 , 361, 364-372		38
415	Scalable synthesis of Si nanowires interconnected SiO _x anode for high performance lithium-ion batteries. 2019 , 783, 128-135		29
414	Self-healing silicon-sodium alginate-polyaniline composites originated from the enhancement hydrogen bonding for lithium-ion battery: A combined simulation and experiment study. 2019 , 412, 749-758		25
413	Hollow Triple-Layer Puff-like Composites with High Structural Stability for High-Performance Lithium-Ion Battery. 2019 , 2, 896-904		20
412	A Modified Natural Polysaccharide as a High-Performance Binder for Silicon Anodes in Lithium-Ion Batteries. 2019 , 11, 4311-4317		40
411	Engineering the Direct Deposition of Si Nanoparticles for Improved Performance in Li-Ion Batteries. 2019 , 166, A5252-A5258		2
410	The Effect of EPotential and Hydrodynamic Size on Nanoparticle Interactions in Hydrogels. 2019 , 36, 1800292		6

409	Interweaving 3D Network Binder for High-Areal-Capacity Si Anode through Combined Hard and Soft Polymers. 2019 , 9, 1802645	112
408	In situ fabrication of nanohybrid carbon/polyamide film providing robust binding and conductive network in silicon anode for lithium-ion battery. 2019 , 410-411, 25-30	20
407	Nano-/Micro-engineering for Future LiIon Batteries. 2019 , 141-176	
406	Small things make big deal: Powerful binders of lithium batteries and post-lithium batteries. 2019 , 20, 146-175	61
405	Novel Superabsorbent Cellulose-Based Hydrogels: Present Status, Synthesis, Characterization, and Application Prospects. 2019 , 155-195	2
404	Rational design of porous carbon matrices to enable efficient lithiated silicon sulfur full cell. 2019 , 145, 100-111	10
403	An in-situ polymerized solid polymer electrolyte enables excellent interfacial compatibility in lithium batteries. 2019 , 299, 820-827	47
402	Silicon-Based Anodes with Long Cycle Life for Lithium-Ion Batteries Achieved by Significant Suppression of Their Volume Expansion in Ionic-Liquid Electrolyte. 2019 , 11, 2950-2960	46
401	Recent Progress in Two-Dimensional Nanomaterials for Laser Protection. 2019 , 1, 17-43	14
400	Quickly self-healing hydrogel at room temperature with high conductivity synthesized through simple free radical polymerization. 2019 , 136, 47379	11
399	Smart Conducting PANI/P(St-NIPAM) Particles and Their Switchable Conductivity. 2019 , 1, 152-159	2
398	Core-Shell-Structured SiOx/C Composite for Lithium-Ion Battery Anodes. 2019 , 7, 1800800	4
397	Synthesis of Sn-MnO@nitrogen-doped carbon yolk-shelled three-dimensional interconnected networks as a high-performance anode material for lithium-ion batteries. 2019 , 360, 1509-1516	24
396	Stress-relieved Si anode on a porous Cu current collector for high-performance lithium-ion batteries. 2019 , 223, 152-156	4
395	Porous germanium enabled high areal capacity anode for lithium-ion batteries. 2019 , 163, 158-164	22
394	Application of Polyaniline for Li-Ion Batteries, Lithium-Sulfur Batteries, and Supercapacitors. 2019 , 12, 1591-1611	58
393	Ionic network for aqueous-polymer binders to enhance the electrochemical performance of Li-Ion batteries. 2019 , 294, 22-27	10
392	A Nanostructured Si/SiOC Composite Anode with Volume-Change-Buffering Microstructure for Lithium-Ion Batteries. 2019 , 25, 2604-2609	16

391	Three-Dimensional Decoupling Co-Catalyst from a Photoabsorbing Semiconductor as a New Strategy To Boost Photoelectrochemical Water Splitting. 2019 , 19, 455-460	34
390	Lithium Titanate Matrix-Supported Nanocrystalline Silicon Film as an Anode for Lithium-Ion Batteries. 2019 , 11, 534-540	13
389	In situ transmission electron microscopy observations of rechargeable lithium ion batteries. 2019 , 56, 619-640	28
388	Spontaneous pseudo-topological silicon quantization for redesigned Si-based Li-ion batteries. 2019 , 56, 875-883	13
387	Fabrication of graphene/single wall carbon nanotubes/polyaniline composite gels as binder-free electrode materials. 2019 , 136, 46948	5
386	Coating nanoparticle-assembled Si microspheres with carbon for anode material in lithium-ion battery. 2019 , 124, 312-317	14
385	Non-porous carbonaceous materials derived from coffee waste grounds as highly sustainable anodes for lithium-ion batteries. 2019 , 207, 411-417	50
384	In Situ Probing Multiple-Scale Structures of Energy Materials for Li-Ion Batteries. 2020 , 4, 1900223	29
383	Wire-in-tube ZnO@carbon by molecular layer deposition: Accurately tunable electromagnetic parameters and remarkable microwave absorption. 2020 , 382, 122860	61
382	Superior sodium-storage behavior of flexible anatase TiO ₂ promoted by oxygen vacancies. 2020 , 25, 903-911	73
381	Revealing the Critical Factor in Metal Sulfide Anode Performance in Sodium-Ion Batteries: An Investigation of Polysulfide Shuttling Issues. 2020 , 4, 1900673	25
380	Inorganic-anion-modulated synthesis of 2D nonlayered aluminum-based metal-organic frameworks as carbon precursor for capacitive sodium ion storage. 2020 , 26, 391-399	9
379	Unveiling the Working Mechanism of Graphene Bubble Film/Silicon Composite Anodes in Li-Ion Batteries: From Experiment to Modeling. 2020 , 3, 521-531	8
378	An overview on efforts to enhance the Si electrode stability for lithium ion batteries. 2020 , 2, e94	8
377	Top-Down Synthesis of Silicon/Carbon Composite Anode Materials for Lithium-Ion Batteries: Mechanical Milling and Etching. 2020 , 13, 1923-1946	25
376	Bioinspired hierarchical cross-linked graphene-silicon nanofilms via synergistic interfacial interactions as integrated negative electrodes for high-performance lithium storage. 2020 , 22, 2105-2114	2
375	An environment-friendly approach to produce nanostructured germanium anodes for lithium-ion batteries. 2020 , 22, 359-367	17
374	A controllable strategy for the self-assembly of WM nanocrystals/nitrogen-doped porous carbon superstructures (M = O, C, P, S, and Se) for sodium and potassium storage. 2020 , 8, 2047-2065	11

- 373 Re-Engineering Poly(Acrylic Acid) Binder toward Optimized Electrochemical Performance for Silicon Lithium-Ion Batteries: Branching Architecture Leads to Balanced Properties of Polymeric Binders. **2020**, 30, 1908558 27
- 372 Facile Fabrication of Porous Si Microspheres from Low-Cost Precursors for High-Capacity Electrode. **2020**, 7, 1901726 8
- 371 Porosity- and Graphitization-Controlled Fabrication of Nanoporous Silicon@Carbon for Lithium Storage and Its Conjugation with MXene for Lithium-Metal Anode. **2020**, 30, 1908721 85
- 370 Three-dimensional polymer networks for solid-state electrochemical energy storage. **2020**, 391, 123548 26
- 369 Coupling of a conductive Ni(2,3,6,7,10,11-hexaiminotriphenylene) metal-organic framework with silicon nanoparticles for use in high-capacity lithium-ion batteries. **2020**, 12, 1629-1642 24
- 368 Toward understanding the interaction within Silicon-based anodes for stable lithium storage. **2020**, 385, 123821 36
- 367 3D Meshlike Polyacrylamide Hydrogel as a Novel Binder System via in situ Polymerization for High-Performance Si-Based Electrode. **2020**, 7, 1901475 15
- 366 3D Network Binder via In Situ Cross-Linking on Silicon Anodes with Improved Stability for Lithium-Ion Batteries. **2020**, 221, 1900414 19
- 365 Self-Assembly and Cross-Linking of Conducting Polymers into 3D Hydrogel Electrodes for Supercapacitor Applications. **2020**, 3, 923-932 39
- 364 Cu-dispersed cobalt oxides as high volumetric capacity anode materials for Li-ion storage. **2020**, 27, 453-458 8
- 363 Tailoring the Polymer-Derived Carbon Encapsulated Silicon Nanoparticles for High-Performance Lithium-Ion Battery Anodes. **2020**, 3, 268-278 29
- 362 Nanocrystalline silicon embedded highly conducting phosphorus doped silicon thin film as high power lithium ion battery anode. **2020**, 330, 135318 14
- 361 A Multi-Wall Sn/SnO₂@Carbon Hollow Nanofiber Anode Material for High-Rate and Long-Life Lithium-Ion Batteries. **2020**, 132, 2486-2493 30
- 360 A Multi-Wall Sn/SnO @Carbon Hollow Nanofiber Anode Material for High-Rate and Long-Life Lithium-Ion Batteries. **2020**, 59, 2465-2472 107
- 359 A conductive self-healing hydrogel binder for high-performance silicon anodes in lithium-ion batteries. **2020**, 449, 227472 41
- 358 Improving the electrochemical performance of lithium Si batteries by multilayer porous carbon nanosheets/multi-walled carbon nanotubes composite inert nano-Ag. **2020**, 26, 1149-1158 3
- 357 Building sandwich-like carbon coated Si@CNTs composites as high-performance anode materials for lithium-ion batteries. **2020**, 364, 137278 12
- 356 The influence of nanoparticulate drug delivery systems in drug therapy. **2020**, 60, 101961 15

355	Dihexyl-Substituted Poly(3,4-Propylenedioxythiophene) as a Dual Ionic and Electronic Conductive Cathode Binder for Lithium-Ion Batteries. 2020 , 32, 9176-9189	16
354	Uncovering the Chemistry of Cross-Linked Polymer Binders via Chemical Bonds for Silicon-Based Electrodes. 2020 , 12, 47164-47180	11
353	A Review of the Design of Advanced Binders for High-Performance Batteries. 2020 , 10, 2002508	72
352	Conductive polyaniline doped with phytic acid as a binder and conductive additive for a commercial silicon anode with enhanced lithium storage properties. 2020 , 8, 16323-16331	18
351	Preparation and properties of SnO ₂ /nitrogen-doped foamed carbon as anode materials for lithium ion batteries. 2020 , 26, 5333-5341	3
350	Synthesis and surface modification of light emitting silicon nanoparticles using non-thermal plasma techniques. 2020 , 89, 20401	2
349	Construction of a secondary conductive and buffer structure towards high-performance Si anodes for Li-ion batteries. 2020 , 354, 136767	5
348	Mo-Doped SnO Nanoparticles Embedded in Ultrathin Graphite Nanosheets as a High-Reversible-Capacity, Superior-Rate, and Long-Cycle-Life Anode Material for Lithium-Ion Batteries. 2020 , 36, 9276-9283	6
347	High stable zinc tungstate electrode for electrochemical supercapacitor. 2020 ,	0
346	Progress of 3D network binders in silicon anodes for lithium ion batteries. 2020 , 8, 25548-25570	26
345	Electrochemical Reactivity and Passivation of Silicon Thin-Film Electrodes in Organic Carbonate Electrolytes. 2020 , 12, 40879-40890	22
344	Tunable Metallogels Based on Bifunctional Ligands: Precursor Metallogels, Spinel Oxides, Dye and CO Adsorption. 2020 , 5, 17356-17366	11
343	Stable high-capacity and high-rate silicon-based lithium battery anodes upon two-dimensional covalent encapsulation. <i>Nature Communications</i> , 2020 , 11, 3826	17.4 92
342	Micro-nano NiO-MnCoO heterostructure with optimal interfacial electronic environment for high performance and enhanced lithium storage kinetics. 2020 , 49, 10994-11004	5
341	Silicon cages with tailored mesopores as anodes for high rate performance lithium ion batteries. 2020 , 848, 156539	4
340	Highly Elastic Hydrated Cellulosic Materials with Durable Compressibility and Tunable Conductivity. 2020 ,	35
339	Conducting polymer composites as water-dispersible electrode matrices for Li-Ion batteries: Synthesis and characterization. 2020 , 6, 100033	1
338	Highly Conductive, Stretchable, Adhesive, and Self-Healing Polymer Hydrogels for Strain and Pressure Sensor. 2020 , 305, 2000479	9

- 337 Minimizing two-dimensional TiCT MXene nanosheet loading in carbon-free silicon anodes. **2020**, 12, 20699-20789
- 336 Nanoparticle-Based Electrodes with High Charge Transfer Efficiency through Ligand Exchange Layer-by-Layer Assembly. **2020**, 32, e2001924 8
- 335 Diatomite-Derived Hierarchical Porous Crystalline-Amorphous Network for High-Performance and Sustainable Si Anodes. **2020**, 30, 2005956 17
- 334 Intrinsic self-healing polymers for advanced lithium-based batteries: Advances and strategies. **2020**, 7, 031304 25
- 333 Regenerative rehabilitation with conductive biomaterials for spinal cord injury. **2020**, 7, 031304 7
- 332 Onion-Structured Si Anode Constructed with Coating by LiTiO and Cyclized-Polyacrylonitrile for Lithium-Ion Batteries. **2020**, 10, 2005956 0
- 331 Review Conducting Polymer-Based Binders for Lithium-Ion Batteries and Beyond. **2020**, 167, 065501 44
- 330 Liquid-Phase Electron Microscopy for Soft Matter Science and Biology. **2020**, 32, e2001582 40
- 329 Understanding Binder-Silicon Interactions during Slurry Processing. **2020**, 124, 13479-13494 10
- 328 Interface-Amorphized TiC@Si/SiO@TiO Anodes with Sandwiched Structures and Stable Lithium Storage. **2020**, 12, 24796-24805 29
- 327 High-Performance Multi-Layers Tubular Nanostructure Anode Materials for Lithium-Ion Batteries. **2020**, 15, 2050053 2
- 326 Hierarchical graphene-scaffolded mesoporous germanium dioxide nanostructure for high-performance flexible lithium-ion batteries. **2020**, 29, 198-206 6
- 325 Elastic buffer structured Si/C microsphere anodes via polymerization-induced colloid aggregation. **2020**, 56, 6770-6773 8
- 324 Real-time characterization of hydrogel viscoelastic properties and sol-gel phase transitions using cantilever sensors. **2020**, 64, 837-850 4
- 323 Micrometer-sized ferrosilicon composites wrapped with multi-layered carbon nanosheets as industrialized anodes for high energy lithium-ion batteries. **2020**, 50, 286-295 8
- 322 Boosting Lithium Storage in Free-Standing Black Phosphorus Anode via Multifunction of Nanocellulose. **2020**, 12, 31628-31636 28
- 321 Chemically Controllable Porous Polymer-Nanocrystal Composites with Hierarchical Arrangement Show Substrate Transport Selectivity. **2020**, 32, 5904-5915 1
- 320 A Hierarchical 3D Graphene Nanocomposite Foam for Extremely Tough, Non-Wettable, and Elastic Conductor. **2020**, 7, 2000354 2

3 ¹⁹	Growth of flexible and porous surface layers of vertical graphene sheets for accommodating huge volume change of silicon in lithium-ion battery anodes. 2020 , 17, 100445	19
3 ¹⁸	Covalently Bonded Silicon/Carbon Nanocomposites as Cycle-Stable Anodes for Li-Ion Batteries. 2020 , 12, 16411-16416	33
3 ¹⁷	Facilitated Transdermal Drug Delivery Using Nanocarriers-Embedded Electroconductive Hydrogel Coupled with Reverse Electrodialysis-Driven Iontophoresis. 2020 , 14, 4523-4535	41
3 ¹⁶	Silicon-nanoparticle-based composites for advanced lithium-ion battery anodes. 2020 , 12, 7461-7484	28
3 ¹⁵	Recovery of Nano-Structured Silicon from End-of-Life Photovoltaic Wafers with Value-Added Applications in Lithium-Ion Battery. 2020 , 8, 5868-5879	12
3 ¹⁴	Tin-graphene tubes as anodes for lithium-ion batteries with high volumetric and gravimetric energy densities. <i>Nature Communications</i> , 2020 , 11, 1374	17.4 61
3 ¹³	Three-Dimensional Polypyrrole Nano-Network with Sb Nanocrystals as Electrode Material for Sodium-Ion and Lithium-Ion Batteries. 2020 , 167, 020527	3
3 ¹²	Fabrication of SiO-G/PAA-PANI/Graphene Composite With Special Cross-Doped Conductive Hydrogels as Anode Materials for Lithium Ion Batteries. 2020 , 8, 96	5
3 ¹¹	Improvement of electrochemical performance of LiNi _{0.8} Co _{0.1} Mn _{0.1} O ₂ cathode material via Li ₂ O ₉ W _{0.9} Nb _{0.1} O ₄ Li-ion conductive coating layer. 2020 , 24, 2301-2313	3
3 ¹⁰	A Commercial Carbonaceous Anode with a-Si Layers by Plasma Enhanced Chemical Vapor Deposition for Lithium Ion Batteries. 2020 , 4, 72	4
3 ⁰⁹	Controlling Binder Adhesion to Impact Electrode Mesostructures and Transport. 2020 , 12, 34919-34930	16
3 ⁰⁸	Texture and nanostructural engineering of conjugated conducting and semiconducting polymers. 2020 , 8, 100086	22
3 ⁰⁷	Hydrogels and Hydrogel-Derived Materials for Energy and Water Sustainability. 2020 , 120, 7642-7707	266
3 ⁰⁶	Three-Dimensional Si Anodes with Fast Diffusion, High Capacity, High Rate Capability, and Long Cycle Life. 2020 , 12, 34763-34770	6
3 ⁰⁵	Influence of Carbonate-Based Additives on the Electrochemical Performance of Si NW Anodes Cycled in an Ionic Liquid Electrolyte. 2020 , 20, 7011-7019	9
3 ⁰⁴	Scalable coral-like silicon powders with three-dimensional interconnected structures for lithium ion battery anodes. 2020 , 2, e187	1
3 ⁰³	Silicon Anodes for High-Performance Storage Devices: Structural Design, Material Compounding, Advances in Electrolytes and Binders. 2020 , 6, 720-738	12
3 ⁰²	High-performance boron-doped silicon micron-rod anode fabricated using a mass-producible lithography method for a lithium ion battery. 2020 , 454, 227931	13

301	Hierarchical Nanostructured Benzoic Naphthalene Tetracarboxylic Di-imide Organic Cathode for Lithium Ion Battery. 2020 , 5, 2157-2163	3
300	Interface engineering in amorphous silicon thin-films using ultra-thin TiO ₂ interlayers and its effect on Li-ion storage. 2020 , 19, 100462	1
299	Sodium in metal-organic framework anode material with advanced lithium storage properties for lithium-ion batteries. 2020 , 55, 6030-6036	11
298	Multilayer Porous Three-Dimensional PM Composite Unbonded Paper Fiber Improves Electrochemical Properties of Nano-Si. 2020 , 72, 2226-2234	1
297	In Situ Surface Protection for Enhancing Stability and Performance of LiNi _{0.5} Mn _{0.3} Co _{0.2} O ₂ at 4.8 V: The Working Mechanisms. 2020 , 2, 280-290	32
296	Molecular design principles for polymeric binders in silicon anodes. 2020 , 5, 709-724	12
295	Synthesis of 3D phosphorus doped graphene foam in carbon cloth to support V ₂ O ₅ /CoMoS ₄ hybrid for flexible all-solid-state asymmetry supercapacitors. 2020 , 453, 227902	14
294	Improved adhesion of cross-linked binder and SiO ₂ -coating enhances structural and cyclic stability of silicon electrodes for lithium-ion batteries. 2020 , 454, 227907	30
293	Chitosan-poly(aniline-anthranilic acid) as a water soluble binder to form 3D structures for Si anodes.. 2020 , 10, 7643-7653	6
292	Polyaniline/Poly(acrylamide-co-sodium acrylate) Porous Conductive Hydrogels with High Stretchability by Freeze-Thaw-Shrink Treatment for Flexible Electrodes. 2020 , 305, 1900737	7
291	Synthesis Strategies of Porous Carbon for Supercapacitor Applications. 2020 , 4, 1900853	161
290	High-Throughput Exploration of Lithium-Alloy Protection Layers for High-Performance Lithium-Metal Batteries. 2020 , 3, 2547-2555	1
289	Mechanistic insight into the role of N-doped carbon matrix in electrospun binder-free Si@C composite anode for lithium-ion batteries. 2020 , 26, 3297-3305	8
288	Molecularly Engineered Conductive Polymer Binder Enables Stable Lithium Storage of Si. 2020 , 59, 2680-2688	6
287	Carbon free silicon/polyaniline hybrid anodes with 3D conductive structures for superior lithium-ion batteries. 2020 , 56, 2328-2331	20
286	The influence of compact and ordered carbon coating on solid-state behaviors of silicon during electrochemical processes. 2020 , 2, 143-150	22
285	Glycerol-crosslinked PEDOT:PSS as bifunctional binder for Si anodes: Improved interfacial compatibility and conductivity. 2020 , 565, 270-277	22
284	Ultrastable Li-ion battery anodes by encapsulating SnS nanoparticles in sulfur-doped graphene bubble films. 2020 , 12, 3941-3949	27

283	Improving rate capacity and cycling stability of Si-anode lithium ion battery by using copper nanowire as conductive additive. 2020 , 822, 153664	12
282	Defect Engineering on Electrode Materials for Rechargeable Batteries. 2020 , 32, e1905923	270
281	Excellent electrochemical performance of the SiO _x -G/PAA-PANi/Cu as anode materials for lithium-ion battery. 2020 , 35, 580-586	1
280	Annihilating the Formation of Silicon Carbide: Molten Salt Electrolysis of Carbon/Silica Composite to Prepare the Carbon/Silicon Hybrid for Lithium-Ion Battery Anode. 2020 , 3, 166-176	14
279	Asymmetric Modification of Carbon Nanotube Arrays with Thermoresponsive Hydrogel for Controlled Delivery. 2020 , 12, 23378-23387	4
278	In-situ synthesis of nanocomposite from metal-organic frameworks template for high-performance rechargeable batteries. 2020 , 464, 228247	14
277	Silicon Anode with High Initial Coulombic Efficiency by Modulated Trifunctional Binder for High-Areal-Capacity Lithium-Ion Batteries. 2020 , 10, 1903110	113
276	Porphyrin-Based Conducting Polymer Hydrogel for Supercapacitor Application. 2020 , 8, 2000061	7
275	Self-assembly by electrostatic attraction to encapsulate Si in N-rich graphene for high performance lithium-ion batteries. 2020 , 867, 114125	5
274	Environment-friendly synthesis of carbon-encapsulated SnO ₂ core-shell nanocubes as high-performance anode materials for lithium ion batteries. 2020 , 16, 100406	13
273	Ultra-efficient polymer binder for silicon anode in high-capacity lithium-ion batteries. 2020 , 73, 104804	27
272	Ion-Cross-Linking-Promoted High-Performance Si/PEDOT:PSS Electrodes: The Importance of Cations' Ionic Potential and Softness Parameters. 2020 , 12, 19431-19438	10
271	Targeted synthesis and reaction mechanism discussion of Mo ₂ C based insertion-type electrodes for advanced pseudocapacitors. 2020 , 8, 7819-7827	5
270	Thermolytically grafted silicon particles with ultrathin carbonaceous coating rich of phenyl moieties as lithium-storage anode material. 2020 , 395, 125169	6
269	Synthesis of silicon anode binders with ultra-high content of catechol groups and the effect of molecular weight on battery performance. 2020 , 463, 228188	18
268	Ni-less cathode with 3D free-standing conductive network for planar Na-NiCl ₂ batteries. 2020 , 387, 124059	8
267	Carboxymethyl Cellulose-Based Hydrogel: Dielectric Study, Antimicrobial Activity and Biocompatibility. 2021 , 46, 17-30	15
266	Carbon-encapsulated Sb ₆ O ₁₃ nanoparticles for an efficient and durable sodium-ion battery anode. 2021 , 852, 156939	7

265	Combustion synthesis of $\text{SnWO}_4\text{-rGO}$: Anode material for Li-ion battery and photocatalytic dye degradation. 2021 , 47, 10291-10300	4
264	Si nanoparticles confined within a conductive 2D porous Cu-based metal-organic framework ($\text{Cu}_3(\text{HITP})_2$) as potential anodes for high-capacity Li-ion batteries. 2021 , 405, 126963	21
263	Preparation and electrochemical performance of silicon@graphene aerogel composites for lithium-ion batteries. 2021 , 854, 157135	4
262	Highly Energy-Dissipative, Fast Self-Healing Binder for Stable Si Anode in Lithium-Ion Batteries. 2021 , 31, 2005699	50
261	Recent progress of advanced anode materials of lithium-ion batteries. 2021 , 57, 451-468	58
260	Anchoring silicon on the basal plane of graphite via a three-phase heterostructure for highly reversible lithium storage. 2021 , 34, 311-319	33
259	Ultrafine SnO_2 anchored in ordered mesoporous carbon framework for lithium storage with high capacity and rate capability. 2021 , 406, 126710	15
258	Hierarchical core-shell $\text{Ag@Ni(OH)}_2\text{@PPy}$ nanowire electrode for ultrahigh energy density asymmetric supercapacitor. 2021 , 405, 126984	28
257	Highly flexible, self-healable and conductive poly(vinyl alcohol)/ $\text{Ti}_3\text{C}_2\text{T}_x$ MXene film and its application in capacitive deionization. 2021 , 408, 127256	28
256	Rational design of functional binder systems for high-energy lithium-based rechargeable batteries. 2021 , 35, 353-377	13
255	Influence of polyaniline on the photocatalytic properties of metal nanocomposites: A review. 2021 , 40, 100339	14
254	Hydrogel-Based Sensor Networks: Compositions, Properties, and Applications-A Review.. 2021 , 4, 140-162	32
253	Tempura-like carbon/carbon composite as advanced anode materials for K-ion batteries. 2021 , 59, 589-598	29
252	Effects of Mn(II) on nano silicon@polyaniline electrodes in both half and full cells. 2021 , 45, 4357-4369	0
251	A synchronously dual-conductive coating towards enhancing the electrochemical performance of $\text{LiNiO}_2\text{-CoO}_2\text{-5AlO}_3\text{-5SO}_2$ cathode material. 2021 , 852, 156966	3
250	Highly Ordered Carbon Coating Prepared with Polyvinylidene Chloride Precursor for High-Performance Silicon Anodes in Lithium-Ion Batteries. 2021 , 4, 240-247	8
249	Biomass-derived fluorinated corn starch emulsion as binder for silicon and silicon oxide based anodes in lithium-ion batteries. 2021 , 365, 137359	8
248	Poly (acrylic acid-co-N-methylol acrylamide-co-butyl acrylate) copolymer grafted carboxymethyl cellulose binder for silicon anode in lithium ion batteries. 2021 , 51, 131-141	7

247	Defined Poly(borosiloxane) as an Artificial Solid Electrolyte Interphase Layer for Thin-Film Silicon Anodes. 2021 , 4, 2241-2247	5
246	Hydrogel-nanoparticle hybrids for biomedical applications: principles and advantages. 2021 , 16, 81-84	1
245	Surface Oxidation Layer-Mediated Conformal Carbon Coating on Si Nanoparticles for Enhanced Lithium Storage. 2021 , 13, 3991-3998	21
244	Polymers in Lithium-Ion and Lithium Metal Batteries. 2021 , 11, 2003239	45
243	Three-Dimensional MOFs@MXene Aerogel Composite Derived MXene Threaded Hollow Carbon Confined CoS Nanoparticles toward Advanced Alkali-Ion Batteries. 2021 , 15, 3228-3240	50
242	1000 Wh L lithium-ion batteries enabled by crosslink-shrunk tough carbon encapsulated silicon microparticle anodes. 2021 , 8, nwab012	16
241	Bridging Structural Inhomogeneity to Functionality: Pair Distribution Function Methods for Functional Materials Development. 2021 , 8, 2003534	14
240	PANI-based conductive polymer composites as water-soluble binders for nano-silicon anodes in lithium-ion batteries. 2021 , 27, 587-597	
239	One-step in situ encapsulation of Ge nanoparticles into porous carbon network with enhanced electron/ion conductivity for lithium storage. 2021 , 40, 2432-2439	4
238	Mutual Performance Enhancement within Dual N-doped TiO ₂ /Si/C Nanohybrid Lithium-Ion Battery Anode. 2021 , 6, 141-153	0
237	The electrochemical performance enhancement of carbon anode by hybrid from battery and capacitor through nitrogen doping. 2021 , 27, 1393-1401	0
236	Energy-Loss Near-Edge Structures and Low-Loss Structures of Polymers in a Solid Electrolyte Interface Formed from Fluoroethylene Carbonate on a Si Anode Clarified by DFT Calculations. 2021 , 125, 3890-3900	2
235	In Situ Measurement of Ionic and Electronic Conductivities of Conductive Polymers as a Function of Electrochemical Doping in Battery Electrolytes. 2021 , 125, 7533-7541	8
234	Machine Learning Solvation Environments in Conductive Polymers: Application to ProDOT-2Hex with Solvent Swelling. 2021 , 54, 3377-3387	4
233	Highly Stable Cycling of Silicon-Nanographite Aerogel-Based Anode for Lithium-Ion Batteries. 2021 , 6, 6600-6606	2
232	Boosting Lithium-Ion Transport Kinetics by Increasing the Local Lithium-Ion Concentration Gradient in Composite Anodes of Lithium-Ion Batteries. 2021 , 13, 14752-14758	6
231	Architectural Engineering Achieves High-Performance Alloying Anodes for Lithium and Sodium Ion Batteries. 2021 , 17, e2005248	12
230	Advances of polymer binders for silicon-based anodes in high energy density lithium-ion batteries. 2021 , 3, 460-501	55

229	Recent Advances in Silicon-Based Electrodes: From Fundamental Research toward Practical Applications. 2021 , 33, e2004577	51
228	Polydopamine-mediated synthesis of Si@carbon@graphene aerogels for enhanced lithium storage with long cycle life. 2021 , 32, 3787-3787	3
227	Binder-free cobalt sulfide@carbon nanofibers composite films as cathode for rechargeable aluminum-ion batteries. 2021 , 409, 128235	23
226	From scaled-up production of silicon-graphene nanocomposite to the realization of an ultra-stable full-cell Li-ion battery. 2021 , 8, 035014	7
225	Solution-Grown Phosphorus-Hyperdoped Silicon Nanowires/Carbon Nanotube Bilayer Fabric as a High-Performance Lithium-Ion Battery Anode. 2021 , 4, 3160-3168	7
224	Real-Time Single-Polymer Growth towards Single-Monomer Resolution. 2021 , 3, 318-331	0
223	Conductive Hydrogel-Based Electrodes and Electrolytes for Stretchable and Self-Healable Supercapacitors. 2021 , 31, 2101303	52
222	Challenges and Recent Progress on Silicon-Based Anode Materials for Next-Generation Lithium-Ion Batteries. 2021 , 2, 2100009	36
221	Polyaniline-coated nanoporous antimony with improved performance for sodium-ion battery anodes. 2021 , 861, 158647	2
220	Design of Mixed Electron- and Ion-Conducting Radical Polymer-Based Blends. 2021 , 54, 5178-5186	2
219	Inorganic Electrodes for Flexible Supercapacitor. 2021 , 263-275	1
218	Investigation on mechanical and conductive properties of polypyrrole/UV cured acrylate nanocomposite coatings. 2021 , 154, 106190	5
217	Tailoring Stress and Ion-Transport Kinetics via a Molecular Layer Deposition-Induced Artificial Solid Electrolyte Interphase for Durable Silicon Composite Anodes. 2021 , 13, 32520-32530	6
216	Enhanced Electrochemical Performance and Safety of Silicon by a Negative Thermal Expansion Material of ZrWO. 2021 , 13, 30468-30478	3
215	Polyvinyl alcohol-phytic acid polymer films as promising gas/vapor sorption materials. 2021 , 28,	1
214	Fibrin biopolymer hydrogel-templated 3D interconnected Si@C framework for lithium ion battery anodes. 2021 , 551, 149439	1
213	Muscle-inspired double-network hydrogels with robust mechanical property, biocompatibility and ionic conductivity. 2021 , 262, 117936	14
212	Effect of continuous pressures on electrochemical performance of Si anodes. 2021 , 20, 100632	8

211	Two advantages by a single move: Core-bishell electrode design for ultrahigh-rate capacity and ultralong-life cyclability of lithium ion batteries. 2021 , 216, 108883	6
210	Nickel-assisted one-pot preparation of graphenic carbon matrices embedded with silicon nanoparticles as anode materials for lithium ion batteries. 2021 , 179, 266-274	4
209	Recent Progresses on Applications of Conducting Polymers for Modifying Electrode of Rechargeable Batteries. 2021 , 2, 2100088	3
208	Preparation of Carbon-Coated Silicon Nanoparticles with Different Hydrocarbon Gases in Induction Thermal Plasma. 2021 , 125, 15551-15559	3
207	Robust and rapid responsive organic-inorganic hybrid bilayer hydrogel actuators with silicon nanoparticles as the cross-linker. 2021 , 228, 123863	2
206	A facile synthesis of phosphorus doped Si/SiO ₂ /C with high coulombic efficiency and good stability as an anode material for lithium ion batteries. 2021 , 385, 138385	6
205	Revisiting lithium-storage mechanisms of molybdenum disulfide. 2021 ,	2
204	Mitigation and In Situ Probing of Volume Expansion in Silicon/Graphene Hybrid Anodes for High-Capacity, High-Rate-Capable Lithium-Ion Batteries. 2100125	3
203	Combining ReaxFF Simulations and Experiments to Evaluate the Structure-Property Characteristics of Polymeric Binders in Si-Based Li-Ion Batteries. 2021 , 13, 41956-41967	0
202	Corncob Derived Porous Carbon Anode for Long-Term Cycling in Low-Cost Lithium Storage. 2022 , 19,	0
201	Engineering the Si Anode Interface via Particle Surface Modification: Embedded Organic Carbonates Lead to Enhanced Performance. 2021 , 4, 8193-8200	7
200	Secondary Dopants of Electrically Conducting Polyanilines. 2021 , 13,	1
199	Toward High-Performance Dihydrophenazine-Based Conjugated Microporous Polymer Cathodes for Dual-Ion Batteries through Donor-Acceptor Structural Design. 2105027	14
198	Compact energy storage enabled by graphenes: Challenges, strategies and progress. 2021 ,	12
197	Binary Network of Conductive Elastic Polymer Constraining Nanosilicon for a High-Performance Lithium-Ion Battery. 2021 , 15, 14570-14579	7
196	Optimizing the function of SiO _x in the porous Si/SiO _x network via a controllable magnesiothermic reduction for enhanced lithium storage. 2021 , 874, 159914	1
195	Highly stretchable and self-healing cellulose nanofiber-mediated conductive hydrogel towards strain sensing application. 2021 , 597, 171-181	38
194	Key Factors for Binders to Enhance the Electrochemical Performance of Silicon Anodes through Molecular Design. 2021 , e2101680	7

193	Design of Conductive Binders for LiFePO ₄ Cathodes with Long-Term Cycle Life.	2
192	Sodium vanadate/PEDOT nanocables rich with oxygen vacancies for high energy conversion efficiency zinc ion batteries. 2021 , 40, 209-218	23
191	Research Progress on Coating Structure of Silicon Anode Materials for Lithium-Ion Batteries. 2021 , 14, 5135-5160	4
190	Feasibility of silicon nanoparticles produced by fast-rate plasma spray PVD for high density lithium-ion storage. 2021 , 54, 494002	0
189	Strategies of binder design for high-performance lithium-ion batteries: a mini review. 1	3
188	Improvement of electrochemical performances of ultrathin Ti-coated Si-based multilayer nanofibers as anode materials for lithium-ion batteries. 2021 , 424, 127669	2
187	Three-dimensional laser-induced holey graphene and its dry release transfer onto Cu foil for high-rate energy storage in lithium-ion batteries. 2021 , 564, 150416	1
186	Natural biomass-derived porous carbons from buckwheat hulls used as anode for lithium-ion batteries. 2021 , 119, 108553	4
185	Simple preparation of Si/N-doped carbon anodes from photovoltaic industry waste for lithium-ion batteries. 2022 , 890, 161792	6
184	Silicon anode systems for lithium-ion batteries. 2022 , 3-46	0
183	Application of silicon-based composite in batteries. 2022 , 125-144	
182	Conductive polymer hydrogels crosslinked by electrostatic interaction with PEDOT:PSS dopant for bioelectronics application. 2022 , 429, 132430	5
181	Nanostructured 3D (three dimensional) electrode architectures of silicon for high-performance Li-ion batteries. 2022 , 331-371	
180	Silicon-based nanomaterials for energy storage. 2022 , 103-124	1
179	Silicon-based hybrid nanoparticles: An introduction. 2022 , 1-9	
178	SEI layer and impact on Si-anodes for Li-ion batteries. 2022 , 183-263	0
177	Crosslinking porcine aortic valve by radical polymerization for the preparation of BHVs with improved cytocompatibility, mild immune response, and reduced calcification. 2021 , 35, 1218-1232	1
176	The rational design of a redox-active mixed ion/electron conductor as a multi-functional binder for lithium-ion batteries. 2021 , 9, 4751-4757	6

175	Interpenetrating gels as conducting/adhering matrices enabling high-performance silicon anodes. 2021 , 9, 12003-12008	2
174	Mechanically robust and superior conductive n-type polymer binders for high-performance micro-silicon anodes in lithium-ion batteries. 2021 , 9, 3472-3481	6
173	Chemical Coupled PEDOT:PSS/Si Electrode: Suppressed Electrolyte Consumption Enables Long-Term Stability. 2021 , 13, 54	10
172	Nanobased Biodegradable Hydrogel for Biomedical Application. 2021 , 81-107	
171	Multifunctional Batteries: Flexible, Transient, and Transparent. 2021 , 7, 231-244	19
170	Conducting Polymer/Hydrogel Systems as Soft Actuators. 211-252	5
169	Toward High Performance Thiophene-Containing Conjugated Microporous Polymer Anodes for Lithium-Ion Batteries through Structure Design. 2018 , 28, 1705432	124
168	Highly Doped 3D Graphene Na-Ion Battery Anode by Laser Scribing Polyimide Films in Nitrogen Ambient. 2018 , 8, 1800353	61
167	Porous Silicon Suspensions and Colloids. 2018 , 227-245	2
166	Unique amorphous manganese oxide/rGo anodes for lithium-ion batteries with high capacity and excellent stability. 2020 , 26, 4339-4349	4
165	Recent progress of structural designs of silicon for performance-enhanced lithium-ion batteries. 2020 , 397, 125380	57
164	Real-time monitoring of hydrogel rheological property changes and gelation processes using high-order modes of cantilever sensors. 2020 , 128, 174502	2
163	Challenges and prospects of nanosized silicon anodes in lithium-ion batteries. 2021 , 32, 042002	37
162	Chapter 17: Conjugated Polymers Nanostructures: Synthesis and Applications. 2017 , 469-502	1
161	Stable silicon electrodes with vinylidene fluoride polymer binder for lithium-ion batteries. 2020 , 11, 58-71	2
160	Electrically Conducting Hydrogels for Health care: Concept, Fabrication Methods, and Applications. 2020 , 6, 273	14
159	Lignocellulosic Biomass Derived Functional Materials: Synthesis and Applications in Biomedical Engineering. 2019 , 26, 2456-2474	8
158	Mucin-like glycopolymer gels in electrosensory tissues generate cues which direct electrolocation in amphibians and neuronal activation in mammals. 2019 , 14, 1191-1195	9

157	Recent Progress on Polymeric Binders for Silicon Anodes in Lithium-Ion Batteries. 2015 , 6, 35-49	34
156	Binders for sodium-ion batteries: progress, challenges and strategies. 2021 , 57, 12406-12416	5
155	Prospective on doping engineering of conductive polymers for enhanced interfacial properties. 2021 , 119, 150504	1
154	Effect of crosslink-induced heterogeneities on the transport and deformation behavior of hydrophilic ionic polymer membranes.	0
153	Micrometer-Sized, Dual-Conductive MoO ₃ /EMoO ₃ Mosaics for High Volumetric Capacity Li/Na-Ion Batteries.. 2021 , 5, e2100765	4
152	Phase engineering of transition metal compounds for boosting lithium/sodium storage. 2021 , 9, 100701	1
151	Cross-linked siloxane-based copolymer binder with combined hardness and softness for stable silicon anodes in Li-ion batteries. 2021 , 56, 20126	
150	Porous Silicon Suspensions and Colloids. 2016 , 1-19	0
149	Conducting Polymers/Inorganic Nanohybrids for Energy Applications. 2017 , 365-417	1
148	Silicon-based core-shell nanostructures. 2017 , 215-262	
147	Silicon-carbon yolk-shell structures for energy storage application. 2017 , 617-636	
146	Acquiring Wi-Fi Energy to Charge a Mobile Phone. 2018 , 3, 28-35	
145	Designing Solid-Liquid Interphases for Sodium Batteries. 2019 , 95-116	
144	Confining Electrodeposition of Metals in Structured Electrolytes. 2019 , 59-79	1
143	Electroless Formation of Hybrid Lithium Anodes for High Interfacial Ion Transport. 2019 , 117-135	
142	Models, SOC, Maximum, Time, Cell, Data, Parameters. 2019 , 195-247	
141	Guar Gel Binders for Silicon Nanoparticle Anodes: Relating Binder Rheology to Electrode Performance. 2021 , 13, 51403-51413	1
140	Revisiting Classical Rocking Chair Lithium-Ion Battery. 2020 , 28, 1175-1191	5

139	A Density Functional Theory (DFT) Investigation on the Structure and Spectroscopic Behavior of 2-Aminoterephthalic Acid and Its Sodium Salts. 2020 , 10, 39-55	0
138	Mechanism Analysis of Preparation of Anode Materials for Lithium-Ion Batteries. 2020 , 10, 192-207	
137	Nanocellulose and nanohydrogel for energy, environmental, and biomedical applications. 2020 , 33-64	2
136	Daedal Construction for One-Dimensional/One-Dimensional Analogue Nanomaterials. 2020 , 19-33	
135	A novel functional polymeric binder for silicon anodes in lithium-ion batteries. 2021 , 2021, 012017	2
134	In Situ Room-Temperature Cross-Linked Highly Branched Biopolymeric Binder Based on the Diels-Alder Reaction for High-Performance Silicon Anodes in Lithium-Ion Batteries. 2021 , 13, 56095-56108	3
133	Constructing Robust Cross-Linked Binder Networks for Silicon Anodes with Improved Lithium Storage Performance. 2021 , 13, 53818-53828	7
132	Perovskite Solid-State Electrolytes for Lithium Metal Batteries. 2021 , 7, 75	4
131	Polymer/graphene nanocomposites as versatile platforms for energy and electronic devices. 2022 , 173-196	
130	Phytic acid based novel optically transparent intumescent fire-retardant coating for protection of combustible substrates with retention of aesthetic appearance. 1	0
129	Based On Confined Polymerization: In Situ Synthesis of PANI/PEEK Composite Film in One-Step. 2021 , 9, e2103706	5
128	Incorporation of aniline tetramer into alginate-grafted-polyacrylamide as polymeric binder for high-capacity silicon/graphite anodes. 2021 , 433, 133553	0
127	A review on polymer hydrogel and polymer microneedle based transdermal drug delivery system. 2021 ,	2
126	Redox-Active Heteroatom-Functionalized Polyacetylenes. 2021 , 61, e202114586	2
125	Redox-Active Heteroatom-Functionalized Polyacetylenes. 2022 , 134, e202114586	
124	Dual-layer carbon protected coaxial cable-like si-based composites as high-performance anodes for lithium-ion batteries. 2021 , 896, 163069	0
123	Strategies for improving rechargeable lithium-ion batteries: From active materials to CO2 emissions. 2021 , 10, 1993-2026	3
122	Revisiting the Preparation Progress of Nano-Structured Si Anodes toward Industrial Application from the Perspective of Cost and Scalability. 2102181	11

- 121 Piezoelectric-driven self-accelerated anion migration for SiOX-C/PbZr0.52Ti0.48O3 with durable lithium storage performance. **2022**,
- 120 Lithium substituted poly(amic acid) as a water-soluble anode binder for high-temperature pre-lithiation. **2022**, 521, 230889 2
- 119 Assembling Iron Oxide Nanoparticles into Aggregates by LiPO: A Universal Strategy Inspired by Frogspawn for Robust Li-Storage.. **2022**, 3
- 118 Investigations of Intramolecular Hydrogen Bonding Effect of a Polymer Brush Modified Silicon in Lithium-Ion Batteries. 2102007 2
- 117 transmission electron microscopy of battery cycling: thickness dependent breaking of TiO coating on Si/SiO nanoparticles.. **2022**, 1
- 116 Graphene oxide interlayered in binder-free sulfur vapor deposited cathode for lithium-sulfur battery. **2022**, 55, 165504 0
- 115 Toward Practical High-Energy and High-Power Lithium Battery Anodes: Present and Future.. **2022**, e2105213 9
- 114 High performance polyurethane-polyacrylic acid polymer binders for silicon microparticle anodes in lithium-ion batteries. 0
- 113 Significant Roles of Silicon for Improving Crop Productivity and Factors Affecting Silicon Uptake and Accumulation in Rice: a Review. 1
- 112 Improving the electrochemical performance of silicon materials by SnO2 through structural design and conductivity. **2022**, 581, 152230 1
- 111 Synthetic Methodologies for Si-Containing Li-Storage Electrode Materials. 2100198 1
- 110 Carboxymethylated tamarind polysaccharide gum as a green binder for silicon-based lithium-ion battery anodes. **2022**, 136, 107241 0
- 109 Recent progress in template-assisted synthesis of porous carbons for supercapacitors. **2022**, 1, 100018 13
- 108 Mixed Ionic-Electronic Conductors Based on Polymer Composites. **2022**, 493-532 0
- 107 Reinforced concrete inspired Si/rGO/cPAN hybrid electrode: highly improved lithium storage Si electrode nanoarchitecture engineering.. **2022**, 0
- 106 Scalable Synthesis of Pore-Rich Si/C@C Core-Shell-Structured Microspheres for Practical Long-Life Lithium-Ion Battery Anodes.. **2022**, 8
- 105 In situ polymerization of aniline to prepare porous micro-nanostructure anode of graphene wrapping silicon and polyaniline for lithium ion batteries. 1 0
- 104 Esterification modification and characterization of polyvinyl alcohol anion exchange membrane for direct methanol fuel cell. **2022**, 29, 1 0

- 103 Generation of Si@C/SiC@C core-shell nanoparticles by laser irradiation of silicon grinding waste.
- 102 Polymers for Long-Cycle and Highly Safe Lithium-Based Batteries. 2100923
- 101 Fast Charging Anode Materials for Lithium-Ion Batteries: Current Status and Perspectives. 2200796 15
- 100 Improving the Performance of the SiO/C Anode by Employing the Triblock Copolymer Binder and Copper Nanowires.
- 99 Assembling MXene with bio-phytic acid: Improving the fire safety and comprehensive properties of epoxy resin. **2022**, 110, 107564 2
- 98 Polymerizable Deep Eutectic Solvent-Based Skin-Like Elastomers with Dynamic Schemochrome and Self-Healing Ability.. **2022**, e2201012 13
- 97 Effects of Valence States of Working Cations on the Electrochemical Performance of Sodium Vanadate.. **2022**,
- 96 Recent Progress on Performance Modulation and Mechanism Study of Silicon-based Anodes. 0
- 95 One-pot synthesis of high-capacity silicon anodes via on-copper growth of a semiconducting, porous polymer.
- 94 Revisit the Progress of Binders for a Silicon-Based Anode from the Perspective of Designed Binder Structure and Special Sized Silicon Nanoparticles. 2
- 93 Nitrogen-doped carbon hollow spheres packed with multiple nano Sn particles for enhanced lithium storage. **2022**, 136768 0
- 92 LiNi_{0.5}Mn_{1.5}O₄-Hybridized Gel Polymer Cathode and Gel Polymer Electrolyte Containing a Sulfolane-Based Highly Concentrated Electrolyte for the Fabrication of a 5 V Class of Flexible Lithium Batteries. 0
- 91 Stable silicon anodes realized by multifunctional dynamic cross-linking structure with self-healing chemistry and enhanced ionic conductivity for lithium-ion batteries. **2022**, 99, 107334 4
- 90 Sequential absorption and shell-to-core evolution to encapsulate Sn particles in hollow TiO₂-x spheres for enhanced lithium storage. **2022**, 153631
- 89 Nitrogen-Rich Two-dimensional Conjugated Porous Covalent Quinazoline Polymer for Lithium Storage. **2022**, 4
- 88 Yolk-shelled SnO₂@NxC spheres with controllable void space as high-capacity and cycle-stable anode materials for Lithium-ion batteries. **2022**, 110745 0
- 87 Accurately tailoring yolk-shell spheres to balance cycling stability and volumetric capacity of lithium storage. **2022**, 917, 165548 0
- 86 Mechanics of Spontaneous Deformation in Nanomembranes: Theory, Simulations, and Experiments. **2022**, 143-191

85	Defect Character Distribution Regulation of Alloy Foil Anode for High Volumetric Energy Density Lithium Ion Battery. 2022 , 118113	0
84	Nanomembranes Technology for Microrobots: from Origami to 4 D Construction. 2022 , 287-316	
83	One-step synthesis of uniformly distributed SiO _x -C composites as stable anodes for lithium-ion battery.	1
82	Integrating SEI into Layered Conductive Polymer Coatings for Ultrastable Silicon Anodes. 2203617	3
81	Emerging Organic Surface Chemistry for Si Anodes in Lithium-Ion Batteries: Advances, Prospects, and Beyond. 2200924	6
80	Design Criteria for Silicon-Based Anode Binders in Half and Full Cells. 2200850	8
79	Graphene-Based Materials for Supercapacitors. 2022 , 215-243	
78	The development of super electrically conductive Si material with polymer brush acid and emeraldine base and its auto-switch design for high-safety and high-performance lithium-ion battery. 2022 , 140829	
77	Insights on polymeric materials for the optimization of high-capacity anodes. 2022 , 110131	0
76	Challenges of 3D printing in LIB electrodes: Emphasis on material-design properties, and performance of 3D printed Si-based LIB electrodes. 2022 , 543, 231840	0
75	Controlled synthesis of mesoporous Si/C composites anode via confining carbon coating and Mg gas reduction. 2022 , 627, 151-159	1
74	Establishing a Resilient Conductive Binding Network for Si-Based Anodes via Molecular Engineering.	0
73	Artificial jelly channel inspired by the shark for sensing specific ions and environmental perturbation. 2022 , 26, 101047	
72	Additive manufacturing of smart polymeric composites: Literature review and future perspectives.	2
71	On the connection between slurry rheology and electrochemical performance of graphite anodes in Lithium-ion batteries. 2022 , 141, 107353	
70	Surfactant induced increase in supercapacitor activity for nickel manganese oxide. 2022 ,	
69	Steric Molecular Combing Effect Enables Ultrafast Self-Healing Electrolyte in Quasi-Solid-State Zinc-Ion Batteries. 2022 , 7, 2825-2832	4
68	Zero-strain K ₂ SrV ₄ O ₁₂ as a high-temperature friendly Li ⁺ -storage material. 2022 ,	0

67	Design of Bipolar Polymer Electrodes for Symmetric Li-Dual-Ion Batteries. 2022 , 138773	0
66	Advances and challenges in conductive hydrogels: From properties to applications. 2022 , 177, 111454	2
65	One-Step Synthesis of Multi-Core-Void@Shell Structured Silicon Anode for High-Performance Lithium-Ion Batteries. 2200796	0
64	Pineapple leaf fibers (PALF) as the sustainable carbon anode material for lithium-ion batteries. 2022 , 33, 18961-18981	0
63	A three-dimensionally hierarchical interconnected silicon-based composite for long-cycle-life anodes towards advanced Li-ion batteries. 2022 , 925, 166563	1
62	A self-adhesive and low-temperature-tolerant strain sensor based on organohydrogel for extreme ice and snow motion monitoring. 2023 , 451, 138675	0
61	Electrical, Structural, Surface Evaluation Depends on the Different Deposition Temperature of rGO/SnSbS Nanocomposite. 2022 , 14, 907-916	0
60	Ni-P-SBR composite-electroless-plating enables Si anode with high conductivity and elasticity for high performance Li-ion batteries application. 2023 , 76, 59-66	0
59	Constructing three-dimensional N-doped carbon coating silicon/iron silicide nanoparticles cross-linked by carbon nanotubes as advanced anode materials for lithium-ion batteries. 2023 , 629, 908-916	0
58	Polyaniline-Based Nanostructure Interface for Signal-to-Noise Ratio Enhancement in Potentiometric Enzyme-Free Biosensors. 2022 , 9, 2201029	0
57	The Size Effects of Si Particles on the Final Si@C Composite Anode. 2022 , 61, 13431-13441	1
56	High Active Material Loading in Organic Electrodes Enabled by a Multifunctional Binder. 2022 , 14, 42298-42307	0
55	Construction and Ion Transport-Related Applications of the Hydrogel-Based Membrane with 3D Nanochannels. 2022 , 14, 4037	1
54	Stable sodium anodes for sodium metal batteries (SMBs) enabled by in-situ formed quasi solid-state polymer electrolyte. 2022 ,	0
53	Graphene Oxide Microrolls as High- Content Si Carriers Boosting Li-Ion Storage. 2022 , 139586	0
52	Towards Fast-Charging High-Energy Lithium-Ion Batteries: From Nano- to Micro-Structuring Perspectives. 2022 , 140003	2
51	Cross-Linked Collagen-Based Scaffold: Anti-infective Potential, Hydrophilic, and Biocompatible.	0
50	In-Operando Neutron Diffraction Investigation of Structural Transitions during Lithiation of Si Electrode in Li-Ion Battery. 2022 , 169, 100545	0

49	Miscellaneous PEDOT : PTS (polythiophenesulfonyl chloride) based conductive binder for silicon anodes in lithium ion batteries.	0
48	Long-life and high volumetric capacity Bi ₂ Sn ₂ O ₇ anode with interpenetrating Bi ₂ O ₃ and SnO ₂ networks. 2022 , 101109	0
47	Flexible and Ultralight MXene Paper as a Current Collector for Microsized Porous Silicon Anode in High-Energy Lithium-Ion Batteries.	1
46	Metal-Catalyzed Nanostructured Silicon Films as Potential Anodes for Flexible Rechargeable Batteries.	0
45	In Situ Construction of S-Based Artificial Solid Electrolyte Interphases Layer for Stable Silicon Anode in Lithium-Ion Batteries.	0
44	Self-assembled three-dimensional Si/carbon frameworks as promising lithium-ion battery anode. 2023 , 553, 232274	0
43	Regulating desolvation and homogenized ion flux towards highly reversible dendrite-free zinc anode. 2023 , 453, 139963	1
42	Supratough and stretchable hydrogels with time-space controllability for athletic rehabilitation. 2023 , 453, 139667	1
41	An Energy Dissipative Binder for Self-Tuning Silicon Anodes in Lithium-Ion Batteries. 2205443	2
40	Next-Generation Anodes for Secondary Li -Ion Batteries. 2023 , 127-185	0
39	Recent advances in conductive hydrogels: classifications, properties, and applications.	3
38	Mechanistic insights into structural parameters maximizing energy storage density in Si mesoporous electrodes for Li-ion batteries. 2023 , 556, 232481	0
37	Constructing practical micron silicon anodes via a homogeneous and robust network binder induced by a strong-affinity inorganic oligomer. 2023 , 634, 621-629	0
36	Insights into Enhancing Electrochemical Performance of Li-Ion Battery Anodes via Polymer Coating. 2022 , 15, 8791	1
35	Recent advances in modification strategies of silicon-based lithium-ion batteries.	1
34	Hydrogel Nanocomposite Adsorbents and Photocatalysts for Sustainable Water Purification. 2201375	2
33	Carbon nanotube-hyperbranched polymer core-shell nanowires with highly accessible redox-active sites for fast-charge organic lithium batteries. 2022 ,	0
32	SiO _x C _y Microspheres with Homogeneous Atom Distribution for a High-Performance Li-Ion Battery. 2022 , 22, 9559-9565	0

- 31 Intercalation of argon in honeycomb structures towards promising strategy for rechargeable Li-ion batteries. **2023**, 35, 085301 ○
- 30 Fabrication of Earth-Abundant Electrocatalysts Based on Green-Chemistry Approaches to Achieve Efficient Alkaline Water Splitting: A Review. **2022**, 14, 16359 ○
- 29 Self-Repairable Silicon Anodes Using a Multifunctional Binder for High-Performance Lithium-Ion Batteries. 2206141 1
- 28 Segmental Motion Adjustment of the Polycarbonate Electrolyte for Lithium-Metal Batteries. **2022**, 14, 55653-55663 ○
- 27 Intertwining porous silicon with conducting polymer for high-efficiency stable Li-ion battery anodes. ○
- 26 Heteroatomic interface engineering of an octahedron $VSe_2@rO_2/C/MXene$ composite derived from a MXene-MOF hybrid as a superior-performance anode for lithium-ion batteries. 1
- 25 Rational design of PANI-modified three-dimensional dendritic hierarchical porous $CuSn$ nanocomposites as thick anodes with ultrahigh areal capacity and good cycling stability. **2023**, 2, 20220032 ○
- 24 Dual-Salt Localized High-Concentration Electrolyte for Long Cycle Life Silicon-Based Lithium-Ion Batteries. **2023**, 15, 3586-3598 ○
- 23 Stable cycling of Si nanowire electrodes in fluorine-free cyano-based ionic liquid electrolytes enabled by vinylene carbonate as SEI-forming additive. **2023**, 558, 232621 ○
- 22 Hydrogel as an advanced energy material for flexible batteries. **2023**, 62, 359-383 ○
- 21 Fabrication of modern lithium ion batteries by 3D inkjet printing: opportunities and challenges. **2022**, 8, e12623 ○
- 20 Carbon-based hydrogels. **2023**, 281-324 ○
- 19 Nanoscale Borate Coating Network Stabilized Iron Oxide Anode for High-Energy-Density Bipolar Lithium-Ion Batteries. 2207074 ○
- 18 Modified preparation of $Si@C@TiO_2$ porous microspheres as anodes for high-performance lithium-ion batteries. ○
- 17 One-Step Non-Reactive Spray Drying Approach to Produce Silicon/Carbon Composite-Based Hierarchically Structured Supraparticles for Lithium-Ion Battery Anodes. ○
- 16 Silicon-based lithium-ion battery anodes and their application in solid-state batteries. **2023**, 129-169 ○
- 15 Prospects and future perspective of nanomaterials for energy storage applications. **2023**, 569-578 ○
- 14 Electromagnetic shielding and fire-retardant wood obtained by in situ aniline polymerization. ○

- 13 S doped CNTs scaffolded Si@C spheres anode toward splendid High-Temperature performance in Lithium-ion Battery. **2023**, 626, 157254 ○
- 12 Facile synthesis of C, N, P co-doped SiO as anode material for lithium-ion batteries with excellent rate performance. **2023**, 64, 107147 ○
- 11 Binders for Si based electrodes: current status, modification strategies and perspective. **2023**, 102776 ○
- 10 Photo-Initiated in situ synthesis of polypyrrole Fe-Coated porous silicon microspheres for High-performance Lithium-ion battery anodes. **2023**, 459, 141543 ○
- 9 Tailoring the Crystal-Chemical States of Water Molecules in Sepiolite for Superior Coating Layers of Zn Metal Anodes. **2023**, 33, 2211088 ○
- 8 Hybrid polymer gels for energy applications. ○
- 7 In situ Fe₃O₄ loaded sonochemically functionalized multi-walled CNTs and RGO based composites as electrode materials for supercapacitors. **2023**, 294, 117312 ○
- 6 N-Type Polyoxadiazole Conductive Polymer Binders Derived High-Performance Silicon Anodes Enabled by Crosslinking Metal Cations. **2023**, 15, 12946-12956 ○
- 5 Spidroin-Inspired Hierarchical Structure Binder Achieves Highly Integrated Silicon-Based Electrodes. ○
- 4 Compressible Cellulose Wood Prepared with Deep Eutectic Solvents and Its Improved Technology. **2023**, 15, 1593 ○
- 3 High-performance of surface-treated Si-flakes anode via a Schiff-base reaction processed at room-temperature. **2023**, 302, 127676 ○
- 2 Rational Design and Engineering of 1D Heterostructured Porous Sn/CoSn_x@C Nanotubes for Superior Lithium Storage. ○
- 1 Intermolecular interaction engineering to enhance Lithium-Ion storage in Two-Dimensional oxidized silicon nanosheet anodes. **2023**, 467, 143364 ○