

CITATION REPORT

List of articles citing

Microperimetric sensitivity in patients on hydroxychloroquine (Plaquenil) therapy

DOI: 10.1038/eye.2013.112

Eye, 2013, 27, 1044-52.

Source: <https://exaly.com/paper-pdf/55914020/citation-report.pdf>

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
17	Comparison between multifocal electroretinography and microperimetry in age-related macular degeneration. <i>2014</i> , 55, 6431-9		31
16	Relationship between retinal microstructures on optical coherence tomography and microperimetry in age-related macular degeneration. <i>Ophthalmology</i> , 2014 , 121, 1445-52	7.3	55
15	Decreased Perifoveal Sensitivity Detected by Microperimetry in Patients Using Hydroxychloroquine and without Visual Field and Fundoscopic Anomalies. <i>Journal of Ophthalmology</i> , 2015 , 2015, 437271	2	12
14	Assessment of hydroxychloroquine maculopathy after cessation of treatment: an optical coherence tomography and multifocal electroretinography study. <i>Drug Design, Development and Therapy</i> , 2015 , 9, 2993-9	4.4	10
13	Hydroxychloroquine and chloroquine retinopathy: a systematic review evaluating the multifocal electroretinogram as a screening test. <i>Ophthalmology</i> , 2015 , 122, 1239-1251.e4	7.3	31
12	Determining Spatial Summation and Its Effect on Contrast Sensitivity across the Central 20 Degrees of Visual Field. <i>PLoS ONE</i> , 2016 , 11, e0158263	3.7	14
11	Hydroxychloroquine retinopathy. <i>Eye</i> , 2017 , 31, 828-845	4.4	99
10	Value of Microperimetry in Detecting Early Retinal Toxicity of Hydroxychloroquine in Children with Juvenile Systemic Lupus Erythematosus. <i>Ophthalmologica</i> , 2017 , 237, 180-184	3.7	5
9	Macular sensitivities measured by microperimetry in patients on hydroxychloroquine treatment. <i>Cutaneous and Ocular Toxicology</i> , 2018 , 37, 275-280	1.8	1
8	Comparison of Fundus-Guided Microperimetry and Multifocal Electroretinography for Evaluating Hydroxychloroquine Maculopathy. <i>Translational Vision Science and Technology</i> , 2019 , 8, 19	3.3	3
7	MICROPERIMETRY AS A SCREENING TEST FOR HYDROXYCHLOROQUINE RETINOPATHY: The Hard-Risk-1 Study. <i>Retina</i> , 2019 , 39, 485-491	3.6	4
6	Contrast sensitivity is associated with outer-retina thickness in early-stage diabetic retinopathy. <i>Acta Ophthalmologica</i> , 2020 , 98, e224-e231	3.7	9
5	Structural and Functional Abnormalities in Early-stage Diabetic Retinopathy. <i>Current Eye Research</i> , 2020 , 45, 975-985	2.9	11
4	INVERTED INTERNAL LIMITING MEMBRANE-FLAP TECHNIQUE FOR OPTIC DISK PIT MACULOPATHY: MORPHOLOGIC AND FUNCTIONAL ANALYSIS. <i>Retinal Cases and Brief Reports</i> , 2021 , 15, 31-37	1.1	10
3	Microperimetry in hydroxychloroquine macular toxicity.. <i>Romanian Journal of Ophthalmology</i> , 2021 , 65, 235-240	1	1
2	Visual functional changes after ocriplasmin injection for vitreomacular traction: A microperimetric analysis. <i>Taiwan Journal of Ophthalmology</i> , 2021 , 11, 259-265	1.4	
1	Novel imaging techniques for hydroxychloroquine retinopathy. 9,		0

