

CITATION REPORT

List of articles citing

A long noncoding RNA contributes to neuropathic pain by silencing Kcna2 in primary afferent neurons

DOI: 10.1038/nn.3438

Nature Neuroscience, 2013, 16, 1024-31.

Source: <https://exaly.com/paper-pdf/55920544/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
294	Making antisense of pain. <i>Nature Neuroscience</i> , 2013 , 16, 986-7	25.5	6
293	The central dogma decentralized: new perspectives on RNA function and local translation in neurons. 2013 , 80, 648-57		359
292	Conduits of life's spark: a perspective on ion channel research since the birth of neuron. 2013 , 80, 658-74		33
291	Of antisense, antibodies, K ⁺ channels, and jejunal metabolism. 2013 , 142, 179-80		
290	microRNAs in nociceptive circuits as predictors of future clinical applications. <i>Frontiers in Molecular Neuroscience</i> , 2013 , 6, 33	6.1	55
289	Long non-coding RNAs learn the importance of being in vivo. 2014 , 5, 45		13
288	Identification of potential therapeutic targets in a model of neuropathic pain. 2014 , 5, 131		12
287	Long non-coding RNA-dependent transcriptional regulation in neuronal development and disease. 2014 , 5, 164		120
286	A comparison of RNA-seq and exon arrays for whole genome transcription profiling of the L5 spinal nerve transection model of neuropathic pain in the rat. <i>Molecular Pain</i> , 2014 , 10, 7	3.4	68
285	Investigating the expression of metabotropic glutamate receptors in trigeminal ganglion neurons and satellite glial cells: implications for craniofacial pain. 2014 , 34, 261-9		24
284	Impaired neuropathic pain and preserved acute pain in rats overexpressing voltage-gated potassium channel subunit Kv1.2 in primary afferent neurons. <i>Molecular Pain</i> , 2014 , 10, 8	3.4	59
283	Reduced excitability of gp130-deficient nociceptors is associated with increased voltage-gated potassium currents and Kcna4 channel upregulation. <i>Pflügers Archiv European Journal of Physiology</i> , 2014 , 466, 2153-65	4.6	19
282	Kv2 dysfunction after peripheral axotomy enhances sensory neuron responsiveness to sustained input. 2014 , 251, 115-26		41
281	Opening paths to novel analgesics: the role of potassium channels in chronic pain. 2014 , 37, 146-58		163
280	Regulating excitability of peripheral afferents: emerging ion channel targets. <i>Nature Neuroscience</i> , 2014 , 17, 153-63	25.5	265
279	It is an RNA world. 2014 , 7, 815-815		1
278	Noncoding RNAs: key molecules in understanding and treating pain. 2014 , 20, 437-48		75

277	Using constellation pharmacology to define comprehensively a somatosensory neuronal subclass. 2014 , 111, 2319-24		41
276	Sensibilisation nociceptive centrale : systèmes de signalisation cellulaire et moléculaire. 2014 , 15, 44-51		2
275	.		
274	Noncoding RNAs: new players in chronic pain. 2014 , 121, 409-17		71
273	Transcriptome complexity in cardiac development and diseases--an expanding universe between genome and phenome. 2014 , 78, 1038-47		2
272	Long non-coding RNAs in corticogenesis: deciphering the non-coding code of the brain. 2015 , 34, 2865-84		58
271	Current gene therapy using viral vectors for chronic pain. <i>Molecular Pain</i> , 2015 , 11, 27	3-4	45
270	Short-term pre- and post-operative stress prolongs incision-induced pain hypersensitivity without changing basal pain perception. <i>Molecular Pain</i> , 2015 , 11, 73	3-4	25
269	Long non-coding RNA uc.217 regulates neurite outgrowth in dorsal root ganglion neurons following peripheral nerve injury. 2015 , 42, 1718-25		43
268	Emerging potassium channel targets for the treatment of pain. 2015 , 9, 147-54		34
267	An epigenetic hypothesis for the genomic memory of pain. 2015 , 9, 88		32
266	Local knockdown of the Nav1.6 sodium channel reduces pain behaviors, sensory neuron excitability, and sympathetic sprouting in rat models of neuropathic pain. 2015 , 291, 317-30		64
265	Genetic variants in long non-coding RNA MIAT contribute to risk of paranoid schizophrenia in a Chinese Han population. 2015 , 166, 125-30		49
264	microRNA and Pain. 2015 , 888, 17-39		25
263	Dysregulation of Kv3.4 channels in dorsal root ganglia following spinal cord injury. <i>Journal of Neuroscience</i> , 2015 , 35, 1260-73	6.6	36
262	Intrinsic plasticity: an emerging player in addiction. 2015 , 16, 173-84		105
261	Epigenetics and Personalized Pain Management. 2015 , 389-427		
260	Evf2 lncRNA/BRG1/DLX1 interactions reveal RNA-dependent inhibition of chromatin remodeling. 2015 , 142, 2641-52		68

259	Tissue-specific transcriptome assemblies of the marine medaka <i>Oryzias melastigma</i> and comparative analysis with the freshwater medaka <i>Oryzias latipes</i> . 2015 , 16, 135		40
258	The role of long non-coding RNAs in genome formatting and expression. 2015 , 6, 165		85
257	Dorsal root ganglion myeloid zinc finger protein 1 contributes to neuropathic pain after peripheral nerve trauma. <i>Pain</i> , 2015 , 156, 711-721	8	51
256	A delayed chronic pain like condition with decreased Kv channel activity in a rat model of Gulf War illness pain syndrome. 2015 , 51, 67-79		17
255	Identification of lncRNA expression profile in the spinal cord of mice following spinal nerve ligation-induced neuropathic pain. <i>Molecular Pain</i> , 2015 , 11, 43	3-4	65
254	Identifying and characterising key alternative splicing events in <i>Drosophila</i> development. 2015 , 16, 608		9
253	The regulatory roles of non-coding RNAs in nerve injury and regeneration. 2015 , 134, 122-39		58
252	Short-Term Sleep Disturbance-Induced Stress Does not Affect Basal Pain Perception, but Does Delay Postsurgical Pain Recovery. 2015 , 16, 1186-99		26
251	Mechanisms of Long Non-coding RNAs in Mammalian Nervous System Development, Plasticity, Disease, and Evolution. 2015 , 88, 861-877		275
250	G9a is essential for epigenetic silencing of K(+) channel genes in acute-to-chronic pain transition. <i>Nature Neuroscience</i> , 2015 , 18, 1746-55	25.5	116
249	Epigenetic regulation of persistent pain. 2015 , 165, 177-99		53
248	RP5-833A20.1/miR-382-5p/NFIA-dependent signal transduction pathway contributes to the regulation of cholesterol homeostasis and inflammatory reaction. 2015 , 35, 87-101		137
247	Recent advances in understanding neuropathic pain: glia, sex differences, and epigenetics. <i>F1000Research</i> , 2016 , 5, 2743	3.6	32
246	A Mechanistic Approach to the Development of Gene Therapy for Chronic Pain. 2016 , 327, 89-161		4
245	Emerging Putative Associations between Non-Coding RNAs and Protein-Coding Genes in Neuropathic Pain: Added Value from Reusing Microarray Data. 2016 , 7, 168		8
244	Expression of lncRNAs in Low-Grade Gliomas and Glioblastoma Multiforme: An In Silico Analysis. 2016 , 13, e1002192		59
243	Autoantibodies and pain. 2016 , 10, 137-42		8
242	Potassium channels in neuropathic pain: advances, challenges, and emerging ideas. <i>Pain</i> , 2016 , 157 Suppl 1, S7-S14	8	61

241	G9a inhibits CREB-triggered expression of mu opioid receptor in primary sensory neurons following peripheral nerve injury. <i>Molecular Pain</i> , 2016 , 12,	3-4	37
240	La douleur sous le contrôle des canaux potassiques. 2016 , 29, 204-211		1
239	Future Directions in Pain Management: Integrating Anatomically Selective Delivery Techniques With Novel Molecularly Selective Agents. 2016 , 91, 522-33		6
238	lncRNA expression in the auditory forebrain during postnatal development. 2016 , 593, 201-216		16
237	Phospholipase C β regulates cold sensitivity in mice. <i>Journal of Physiology</i> , 2016 , 594, 3609-28	3-9	18
236	G9a participates in nerve injury-induced Kcna2 downregulation in primary sensory neurons. 2016 , 6, 37704		52
235	Contribution of the Suppressor of Variegation 3-9 Homolog 1 in Dorsal Root Ganglia and Spinal Cord Dorsal Horn to Nerve Injury-induced Nociceptive Hypersensitivity. 2016 , 125, 765-78		31
234	The endocannabinoid system and neuropathic pain. <i>Pain</i> , 2016 , 157 Suppl 1, S23-S32	8	46
233	Environmental Health and Long Non-coding RNAs. 2016 , 3, 178-87		64
232	Exposure to Gulf War Illness chemicals induces functional muscarinic receptor maladaptations in muscle nociceptors. 2016 , 54, 99-110		8
231	Dorsal root ganglion transcriptome analysis following peripheral nerve injury in mice. <i>Molecular Pain</i> , 2016 , 12,	3-4	56
230	AAV-Mediated Gene Transfer to Dorsal Root Ganglion. 2016 , 1382, 251-61		14
229	A Systems-Level Analysis of the Peripheral Nerve Intrinsic Axonal Growth Program. 2016 , 89, 956-70		206
228	Recent advances in therapeutic strategies that focus on the regulation of ion channel expression. <i>Pharmacology & Therapeutics</i> , 2016 , 160, 11-43	13-9	23
227	Voltage-gated potassium channels involved in regulation of physiological function in MrgprA3-specific itch neurons. 2016 , 1636, 161-171		6
226	Targeting Epigenetic Mechanisms for Chronic Pain: A Valid Approach for the Development of Novel Therapeutics. 2016 , 357, 84-93		34
225	Gene Therapy for Neurological Disorders. 2016 ,		2
224	Continuous wound infusion of ropivacaine for the control of pain after thoracolumbar spinal surgery: a randomized clinical trial. 2017 , 26, 825-831		17

223	DNA methyltransferase DNMT3a contributes to neuropathic pain by repressing Kcna2 in primary afferent neurons. 2017 , 8, 14712		89
222	Role of the Excitability Brake Potassium Current I in Cold Allodynia Induced by Chronic Peripheral Nerve Injury. <i>Journal of Neuroscience</i> , 2017 , 37, 3109-3126	6.6	30
221	The long non-coding RNA Neat1 is an important mediator of the therapeutic effect of bexarotene on traumatic brain injury in mice. 2017 , 65, 183-194		66
220	Nerve injury-induced epigenetic silencing of opioid receptors controlled by DNMT3a in primary afferent neurons. <i>Pain</i> , 2017 , 158, 1153-1165	8	54
219	The Plastic Brain. 2017 ,		5
218	Laminotomy for Lumbar Dorsal Root Ganglion Access and Injection in Swine. 2017 ,		2
217	Long Non Coding RNA Biology. 2017 ,		9
216	Noncoding RNAs in neurodegeneration. 2017 , 18, 627-640		84
215	Pain vulnerability and DNA methyltransferase 3a involved in the affective dimension of chronic pain. <i>Molecular Pain</i> , 2017 , 13, 1744806917726713	3.4	10
214	Analyses of long non-coding RNA and mRNA profiles in the spinal cord of rats using RNA sequencing during the progression of neuropathic pain in an SNI model. <i>RNA Biology</i> , 2017 , 14, 1810-1826	4.8	38
213	Long Noncoding RNAs in Mammalian Development and Diseases. 2017 , 1008, 155-198		28
212	IKD Current in Cold Transduction and Damage-Triggered Cold Hypersensitivity. 2017 , 1015, 265-277		5
211	DNMT3a contributes to the development and maintenance of bone cancer pain by silencing Kv1.2 expression in spinal cord dorsal horn. <i>Molecular Pain</i> , 2017 , 13, 1744806917740681	3.4	18
210	Role of dorsal root ganglion K2p1.1 in peripheral nerve injury-induced neuropathic pain. <i>Molecular Pain</i> , 2017 , 13, 1744806917701135	3.4	8
209	MicroRNA cluster miR-17-92 regulates multiple functionally related voltage-gated potassium channels in chronic neuropathic pain. 2017 , 8, 16079		56
208	Annotation and cluster analysis of spatiotemporal- and sex-related lncRNA expression in rhesus macaque brain. 2017 , 27, 1608-1620		53
207	Long Noncoding RNA Kcna2 Antisense RNA Contributes to Ventricular Arrhythmias via Silencing Kcna2 in Rats With Congestive Heart Failure. 2017 , 6,		24
206	LncRNA-Six1 Encodes a Micropeptide to Activate in and Is Involved in Cell Proliferation and Muscle Growth. 2017 , 8, 230		65

205	Mechanisms of Long Non-Coding RNAs in the Assembly and Plasticity of Neural Circuitry. 2017 , 11, 76		29
204	Identification of the Spinal Expression Profile of Non-coding RNAs Involved in Neuropathic Pain Following Spared Nerve Injury by Sequence Analysis. <i>Frontiers in Molecular Neuroscience</i> , 2017 , 10, 91	6.1	96
203	MiR-30b Attenuates Neuropathic Pain by Regulating Voltage-Gated Sodium Channel Nav1.3 in Rats. <i>Frontiers in Molecular Neuroscience</i> , 2017 , 10, 126	6.1	50
202	Role of MicroRNA-143 in Nerve Injury-Induced Upregulation of Dnmt3a Expression in Primary Sensory Neurons. <i>Frontiers in Molecular Neuroscience</i> , 2017 , 10, 350	6.1	24
201	Epigenetics in Chronic Pain. 2017 , 185-226		1
200	Regulation of Noncoding Transcriptome in Developing Photoreceptors by Rod Differentiation Factor NRL. 2017 , 58, 4422-4435		15
199	LncRNA expression in the spinal cord modulated by minocycline in a mouse model of spared nerve injury. <i>Journal of Pain Research</i> , 2017 , 10, 2503-2514	2.9	20
198	Long non-coding RNA CCAT1 modulates neuropathic pain progression through sponging miR-155. <i>Oncotarget</i> , 2017 , 8, 89949-89957	3.3	25
197	Immune or Genetic-Mediated Disruption of CASPR2 Causes Pain Hypersensitivity Due to Enhanced Primary Afferent Excitability. 2018 , 97, 806-822.e10		81
196	Characterization of the lncRNA transcriptome in mESC-derived motor neurons: Implications for FUS-ALS. 2018 , 27, 172-179		14
195	RNA-binding proteins as targets for pain therapeutics. 2018 , 4, 2-7		6
194	Long Non-coding RNA BC168687 is Involved in TRPV1-mediated Diabetic Neuropathic Pain in Rats. 2018 , 374, 214-222		40
193	Hydrogen sulfide upregulated lncRNA CasC7 to reduce neuronal cell apoptosis in spinal cord ischemia-reperfusion injury rat. 2018 , 98, 856-862		29
192	Mice lacking Kcns1 in peripheral neurons show increased basal and neuropathic pain sensitivity. <i>Pain</i> , 2018 , 159, 1641-1651	8	13
191	Identification of lncRNA expression profiles and ceRNA analysis in the spinal cord of morphine-tolerant rats. 2018 , 11, 21		13
190	Cancer-Related Neuropathic Pain: Review and Selective Topics. 2018 , 32, 417-431		10
189	Endothelin type A receptors mediate pain in a mouse model of sickle cell disease. 2018 , 103, 1124-1135		15
188	Forging our understanding of lncRNAs in the brain. 2018 , 371, 55-71		68

187	Effects of XIST/miR-137 axis on neuropathic pain by targeting TNFAIP1 in a rat model. 2018 , 233, 4307-4316		35
186	MicroRNA-182 Alleviates Neuropathic Pain by Regulating Nav1.7 Following Spared Nerve Injury in Rats. 2018 , 8, 16750		25
185	MBD1 Contributes to the Genesis of Acute Pain and Neuropathic Pain by Epigenetic Silencing of and Genes in Primary Sensory Neurons. <i>Journal of Neuroscience</i> , 2018 , 38, 9883-9899	6.6	28
184	The Role of Long Noncoding RNAs in Central Nervous System and Neurodegenerative Diseases. 2018 , 12, 175		37
183	Expression of acetyl-histone H3 and acetyl-histone H4 in dorsal root ganglion and spinal dorsal horn in rat chronic pain models. <i>Life Sciences</i> , 2018 , 211, 182-188	6.8	5
182	Disrupting interaction of PSD-95 with nNOS attenuates hemorrhage-induced thalamic pain. 2018 , 141, 238-248		10
181	A modified immunofluorescence hybridization method to detect long non-coding RNAs and proteins in frozen spinal cord sections. <i>Experimental and Therapeutic Medicine</i> , 2018 , 15, 4623-4628	2.1	0
180	MiR-28-5p relieves neuropathic pain by targeting Zeb1 in CCI rat models. 2018 , 119, 8555-8563		13
179	Transcriptomic differential lncRNA expression is involved in neuropathic pain in rat dorsal root ganglion after spared sciatic nerve injury. 2018 , 51, e71113		13
178	Long Non-Coding RNAs in Neuronal Aging. 2018 , 4,		39
177	Transcriptomic and neurochemical analysis of the stellate ganglia in mice highlights sex differences. 2018 , 8, 8963		9
176	Long Noncoding RNA Expression Profile in BV2 Microglial Cells Exposed to Lipopolysaccharide. 2019 , 2019, 5387407		5
175	The importance of long non-coding RNAs in neuropsychiatric disorders. 2019 , 70, 127-140		31
174	Role of Long Noncoding RNAs and Circular RNAs in Nerve Regeneration. <i>Frontiers in Molecular Neuroscience</i> , 2019 , 12, 165	6.1	18
173	. 2019 ,		0
172	MZF1 in the Dorsal Root Ganglia Contributes to the Development and Maintenance of Neuropathic Pain via Regulation of TRPV1. 2019 , 2019, 2782417		3
171	Noncanonical Ion Channel Behaviour in Pain. 2019 , 20,		5
170	Mining the Na1.7 interactome: Opportunities for chronic pain therapeutics. <i>Biochemical Pharmacology</i> , 2019 , 163, 9-20	6	12

169	Comprehensive analysis of long noncoding RNA expression in dorsal root ganglion reveals cell-type specificity and dysregulation after nerve injury. <i>Pain</i> , 2019 , 160, 463-485	8	24
168	Decreased expression of lncRNA Malat1 in rat spinal cord contributes to neuropathic pain by increasing neuron excitability after brachial plexus avulsion. <i>Journal of Pain Research</i> , 2019 , 12, 1297-1310 ⁹		14
167	Contribution of DNMT1 to Neuropathic Pain Genesis Partially through Epigenetically Repressing in Primary Afferent Neurons. <i>Journal of Neuroscience</i> , 2019 , 39, 6595-6607	6.6	29
166	Increased H19 Long Non-coding RNA Expression in Schwann Cells in Peripheral Neuropathic Pain. 2019 , 86, 215-221		13
165	Novel Approaches to Persistent Pain Therapy. 2019 , 40, 367-377		3
164	Functional roles of lncRNAs and its potential mechanisms in neuropathic pain. 2019 , 11, 78		14
163	Impacts of Salt Stress on Locomotor and Transcriptomic Responses in the Intertidal Gastropod. 2019 , 236, 224-241		6
162	MiR-30b-5p attenuates oxaliplatin-induced peripheral neuropathic pain through the voltage-gated sodium channel Na1.6 in rats. 2019 , 153, 111-120		24
161	HDAC2, but not HDAC1, regulates Kv1.2 expression to mediate neuropathic pain in CCI rats. 2019 , 408, 339-348		19
160	Identification of lncRNA and mRNA expression profiles in rat spinal cords at various time-points following cardiac ischemia/reperfusion. 2019 , 43, 2361-2375		10
159	Fn14 Participates in Neuropathic Pain Through NF- κ B Pathway in Primary Sensory Neurons. <i>Molecular Neurobiology</i> , 2019 , 56, 7085-7096	6.2	9
158	Long Noncoding RNAs: Emerging Players in Medulloblastoma. 2019 , 7, 67		3
157	Construction of lncRNA-mediated ceRNA network to reveal clinically relevant lncRNA biomarkers in glioblastomas. 2019 , 17, 4369-4374		13
156	Characterization of novel lnc RNAs in the spinal cord of rats with lumbar disc herniation. <i>Journal of Pain Research</i> , 2019 , 12, 501-512	2.9	6
155	The Genetics of Neuropathic Pain from Model Organisms to Clinical Application. 2019 , 104, 637-653		46
154	The long noncoding RNA regulates presynaptic activity by interacting with the neurodegeneration-associated protein TDP-43. 2019 , 5, eaay2670		20
153	Sleep deprivation of rats increases postsurgical expression and activity of L-type calcium channel in the dorsal root ganglion and slows recovery from postsurgical pain. 2019 , 7, 217		3
152	Transcriptome Changes In Dorsal Spinal Cord Of Rats With Neuropathic Pain. <i>Journal of Pain Research</i> , 2019 , 12, 3013-3023	2.9	10

151	LINC00657 expedites neuropathic pain development by modulating miR-136/ZEB1 axis in a rat model. 2019 , 120, 1000-1010		25
150	An Overview of Epigenetic Correlates of Human Chronic Pain Conditions. 2019 , 183-228		
149	Long noncoding RNA (lncRNA): a target in neuropathic pain. 2019 , 23, 15-20		50
148	Cannabinoids-induced peripheral analgesia depends on activation of BK channels. 2019 , 1711, 23-28		7
147	MicroRNA-1224 Splicing CircularRNA-Filip1l in an Ago2-Dependent Manner Regulates Chronic Inflammatory Pain via Targeting Ubr5. <i>Journal of Neuroscience</i> , 2019 , 39, 2125-2143	6.6	30
146	Role of DNA Methylation in Chronic Pain. 2019 , 99-110		0
145	Pain-Induced Chromatin Modifications. 2019 , 111-124		
144	Noncoding RNAs Are New Players in Chronic Pain. 2019 , 157-167		
143	LncRNA X inactive specific transcript contributes to neuropathic pain development by sponging miR-154-5p via inducing toll-like receptor 5 in CCI rat models. 2018 , 120, 1271		26
142	Emerging roles of long non-coding RNAs in neuropathic pain. 2019 , 52, e12528		63
141	TET1 Overexpression Mitigates Neuropathic Pain Through Rescuing the Expression of μ Opioid Receptor and Kv1.2 in the Primary Sensory Neurons. <i>Neurotherapeutics</i> , 2019 , 16, 491-504	6.4	17
140	OBSOLETE: Non-coding RNAs and Pain: From Bench to Bedside. 2020 ,		
139	Protein kinase C β upregulates sodium channel Nav1.9 in nociceptive dorsal root ganglion neurons in an inflammatory arthritis pain model of rat. 2020 , 121, 768-778		10
138	Alternative Splicing of Nrcam Gene in Dorsal Root Ganglion Contributes to Neuropathic Pain. 2020 , 21, 892-904		5
137	Chronic morphine-mediated upregulation of high mobility group box 1 in the spinal cord contributes to analgesic tolerance and hyperalgesia in rats. <i>Neurotherapeutics</i> , 2020 , 17, 722-742	6.4	17
136	LncRNAs linc00311 and AK141205 are identified as new regulators in STAT3-mediated neuropathic pain in bCCI rats. 2020 , 868, 172880		11
135	ZNRD1-AS and RP11-819C21.1 long non-coding RNA changes following painful laser stimulation correlate with laser-evoked potential amplitude and habituation in healthy subjects: A pilot study. 2020 , 24, 593-603		1
134	The temporal pattern of brachial plexus root avulsion-induced lncRNA and mRNA expression prior to the motoneuron loss in the injured spinal cord segments. 2020 , 132, 104611		1

133	Strategies and technologies for exploring long noncoding RNAs in heart failure. 2020 , 131, 110572		5
132	Transcribed ultraconserved noncoding RNA uc.153 is a new player in neuropathic pain. <i>Pain</i> , 2020 , 161, 1744-1754	8	6
131	A network pharmacology study on analgesic mechanism of Yuanhu-Baizhi herb pair. 2020 , 20, 284		6
130	Relationship between Pain Behavior and Changes in KCNA2 Expression in the Dorsal Root Ganglia of Rats with Osteoarthritis. <i>Pain Research and Management</i> , 2020 , 2020, 1-10	2.6	1
129	K Channels in Primary Afferents and Their Role in Nerve Injury-Induced Pain. 2020 , 14, 566418		10
128	Long non coding RNAs involved in MAPK pathway mechanism mediates diabetic neuropathic pain. 2020 , 44, 2372-2379		3
127	Advances with Long Non-Coding RNAs in Diabetic Peripheral Neuropathy. 2020 , 13, 1429-1434		2
126	Role of Long Noncoding RNA Gas5 in Cocaine Action. 2020 , 88, 758-766		11
125	N-Methyladenosine Demethylase FTO Contributes to Neuropathic Pain by Stabilizing G9a Expression in Primary Sensory Neurons. <i>Advanced Science</i> , 2020 , 7, 1902402	13.6	28
124	Transcriptomic analysis of long noncoding RNAs and mRNAs expression profiles in the spinal cord of bone cancer pain rats. 2020 , 13, 47		1
123	Toll-like receptor 7 contributes to neuropathic pain by activating NF- κ B in primary sensory neurons. 2020 , 87, 840-851		17
122	Upregulation of Myeloid Zinc Finger 1 in Dorsal Root Ganglion via Regulating Matrix Metalloproteinase-2/9 and Voltage-gated Potassium 1.2 Expression Contributes to Complete Freund's Adjuvant-induced Inflammatory Pain. 2020 , 432, 174-187		6
121	Long non-coding RNA MALAT1 promotes the proliferation and migration of Schwann cells by elevating BDNF through sponging miR-129-5p. 2020 , 390, 111937		6
120	Interactions Among lncRNAs/circRNAs, miRNAs, and mRNAs in Neuropathic Pain. <i>Neurotherapeutics</i> , 2020 , 17, 917-931	6.4	15
119	miR-384-5p ameliorates neuropathic pain by targeting SCN3A in a rat model of chronic constriction injury. 2020 , 42, 299-307		9
118	Psychiatric Disorders and lncRNAs: A Synaptic Match. 2020 , 21,		14
117	Long Noncoding RNA SNHG5 Knockdown Alleviates Neuropathic Pain by Targeting the miR-154-5p/CXCL13 Axis. 2020 , 45, 1566-1575		9
116	Heterogeneous presentation of caspr2 antibody-associated peripheral neuropathy - A case series. 2020 , 24, 1411-1418		1

115	The long noncoding RNA Arrl1 inhibits neurite outgrowth by functioning as a competing endogenous RNA during neuronal regeneration in rats. 2020 , 295, 8374-8386		12
114	Central Neuropathic Mechanisms in Pain Signaling Pathways: Current Evidence and Recommendations. 2020 , 37, 1946-1959		12
113	PARP-1-regulated TNF- α expression in the dorsal root ganglia and spinal dorsal horn contributes to the pathogenesis of neuropathic pain in rats. 2020 , 88, 482-496		11
112	Epigenetic restoration of voltage-gated potassium channel Kv1.2 alleviates nerve injury-induced neuropathic pain. <i>Journal of Neurochemistry</i> , 2021 , 156, 367-378	6	13
111	Neuropathic Pain: From Mechanisms to Treatment. 2021 , 101, 259-301		120
110	Genome-wide analysis of acute traumatic spinal cord injury-related RNA expression profiles and uncovering of a regulatory axis in spinal fibrotic scars. 2021 , 54, e12951		4
109	Injectable PLGA-Coated Ropivacaine Produces A Long-Lasting Analgesic Effect on Incisional Pain and Neuropathic Pain. 2021 , 22, 180-195		5
108	CREB Participates in Paclitaxel-Induced Neuropathic Pain Genesis Through Transcriptional Activation of Dnmt3a in Primary Sensory Neurons. <i>Neurotherapeutics</i> , 2021 , 18, 586-600	6.4	6
107	Eukaryotic initiation factor 4 gamma 2 contributes to neuropathic pain through down-regulation of Kv1.2 and the mu opioid receptor in mouse primary sensory neurones. 2021 , 126, 706-719		7
106	Pharmacology and Mechanism of Action of HSK16149, a Selective Ligand of α_2 Subunit of Voltage-Gated Calcium Channel with Analgesic Activity in Animal Models of Chronic Pain. 2021 , 376, 330-337		3
105	Epigenetic control of ion channel expression and cell-specific splicing in nociceptors: Chronic pain mechanisms and potential therapeutic targets. 2021 , 15, 156-164		1
104	MZF1 alleviates oxidative stress and apoptosis induced by rotenone in SH-SY5Y cells by promoting RBM3 transcription. 2021 , 46, 477-486		0
103	Transcriptome profiling of long noncoding RNAs and mRNAs in spinal cord of a rat model of paclitaxel-induced peripheral neuropathy identifies potential mechanisms mediating neuroinflammation and pain. 2021 , 18, 48		14
102	A Role for Transmembrane Protein 16C/Slack Impairment in Excitatory Nociceptive Synaptic Plasticity in the Pathogenesis of Remifentanyl-induced Hyperalgesia in Rats. 2021 , 37, 669-683		2
101	Identification of potential biomarkers of long non-coding RNAs in neuropathic pain using bioinformatic analysis: A protocol for systematic review and meta-analysis. 2021 , 100, e25147		
100	Silent cold-sensing neurons contribute to cold allodynia in neuropathic pain. 2021 , 144, 1711-1726		5
99	Gene Transcript Alterations in the Spinal Cord, Anterior Cingulate Cortex, and Amygdala in Mice Following Peripheral Nerve Injury. 2021 , 9, 634810		2
98	MMP24 Contributes to Neuropathic Pain in an FTO-Dependent Manner in the Spinal Cord Neurons. <i>Frontiers in Pharmacology</i> , 2021 , 12, 673831	5.6	2

97	Different sensitivity of action potential generation to the rate of depolarization in vagal afferent A-fiber versus C-fiber neurons. 2021 , 125, 2000-2012		3
96	Effect of Pharmacological Inhibition of Fat-Mass and Obesity-Associated Protein on Nerve Trauma-Induced Pain Hypersensitivities. <i>Neurotherapeutics</i> , 2021 , 18, 1995-2007	6.4	0
95	Methylene Blue Application to Lessen Pain: Its Analgesic Effect and Mechanism. <i>Frontiers in Neuroscience</i> , 2021 , 15, 663650	5.1	0
94	Vitamin D Deficiency and Molecular Changes in Circulating MicroRNAs in Older Adults with Lower Back Pain. <i>Pain Research and Management</i> , 2021 , 2021, 6662651	2.6	0
93	Integrated analysis of long noncoding RNAs and mRNA expression profiles reveals the potential role of lncRNAs in early stage of post-peripheral nerve injury in Sprague-Dawley rats. <i>Aging</i> , 2021 , 13, 13909-13925	5.6	0
92	BDNF Participates in Chronic Constriction Injury-Induced Neuropathic Pain via Transcriptionally Activating P2X in Primary Sensory Neurons. <i>Molecular Neurobiology</i> , 2021 , 58, 4226-4236	6.2	2
91	Downregulation of a Dorsal Root Ganglion-Specifically Enriched Long Noncoding RNA is Required for Neuropathic Pain by Negatively Regulating RALY-Triggered Ehmt2 Expression. <i>Advanced Science</i> , 2021 , 8, e2004515	13.6	8
90	Usefulness of the measurement of neurite outgrowth of primary sensory neurons to study cancer-related painful complications. <i>Biochemical Pharmacology</i> , 2021 , 188, 114520	6	2
89	Brain Long Noncoding RNAs: Multitask Regulators of Neuronal Differentiation and Function. <i>Molecules</i> , 2021 , 26,	4.8	2
88	Loc680254 regulates Schwann cell proliferation through Psrc1 and Ska1 as a microRNA sponge following sciatic nerve injury. <i>Glia</i> , 2021 , 69, 2391-2403	9	2
87	MicroRNA-124-3p attenuates the development of nerve injury-induced neuropathic pain by targeting early growth response 1 in the dorsal root ganglia and spinal dorsal horn. <i>Journal of Neurochemistry</i> , 2021 , 158, 928-942	6	3
86	Circulating long non-coding RNA signature in knee osteoarthritis patients with postoperative pain one-year after total knee replacement. <i>Scandinavian Journal of Pain</i> , 2021 , 21, 823-830	1.9	1
85	Elevated Expression and Activity of Sodium Leak Channel Contributes to Neuronal Sensitization of Inflammatory Pain in Rats. <i>Frontiers in Molecular Neuroscience</i> , 2021 , 14, 723395	6.1	1
84	Role of mammalian long non-coding RNAs in normal and neuro oncological disorders. <i>Genomics</i> , 2021 , 113, 3250-3273	4.3	2
83	Studying Independent Knock-out Mice Reveals Toxicity of Exogenous LacZ to Central Nociceptor Terminals and Differential Effects of Kv1.6 on Acute and Neuropathic Pain Sensation. <i>Journal of Neuroscience</i> , 2021 , 41, 9141-9162	6.6	0
82	Epigenetics of pain management. 2021 , 817-837		
81	Chemokines in chronic pain: cellular and molecular mechanisms and therapeutic potential. <i>Pharmacology & Therapeutics</i> , 2020 , 212, 107581	13.9	33
80	Non-coding RNAs in neuropathic pain. <i>Neuronal Signaling</i> , 2020 , 4, NS20190099	3.7	13

79	Autoantibodies and Neuropathic Pain. 2020 , 832-850		2
78	Potassium Channels and Pain. 2020 , 262-312		2
77	Contribution of dorsal root ganglion octamer transcription factor 1 to neuropathic pain after peripheral nerve injury. <i>Pain</i> , 2019 , 160, 375-384	8	16
76	The transcription factor C/EBP β in the dorsal root ganglion contributes to peripheral nerve trauma-induced nociceptive hypersensitivity. <i>Science Signaling</i> , 2017 , 10,	8.8	42
75	Fgr contributes to hemorrhage-induced thalamic pain by activating NF- κ B/ERK1/2 pathways. <i>JCI Insight</i> , 2020 , 5,	9.9	8
74	Neuroimmune modulation of pain and regenerative pain medicine. <i>Journal of Clinical Investigation</i> , 2020 , 130, 2164-2176	15.9	8
73	Opioid receptor-triggered spinal mTORC1 activation contributes to morphine tolerance and hyperalgesia. <i>Journal of Clinical Investigation</i> , 2014 , 124, 592-603	15.9	116
72	How can precision medicine be applied to temporomandibular disorders and its comorbidities?. <i>Molecular Pain</i> , 2017 , 13, 1744806917710094	3.4	5
71	Epigenetic modification of DRG neuronal gene expression subsequent to nerve injury: etiological contribution to complex regional pain syndromes (Part II). <i>Medical Science Monitor</i> , 2014 , 20, 1188-200	3.2	17
70	Regulation of Nav1.7: A Conserved SCN9A Natural Antisense Transcript Expressed in Dorsal Root Ganglia. <i>PLoS ONE</i> , 2015 , 10, e0128830	3.7	22
69	Altered expression of differential gene and lncRNA in the lower thoracic spinal cord on different time courses of experimental obstructive jaundice model accompanied with altered peripheral nociception in rats. <i>Oncotarget</i> , 2017 , 8, 106098-106112	3.3	9
68	Microarray analysis of lung long non-coding RNAs in cigarette smoke-exposed mouse model. <i>Oncotarget</i> , 2017 , 8, 115647-115656	3.3	7
67	BIX01294, a G9a inhibitor, alleviates nerve injury-induced pain hypersensitivities during both development and maintenance periods. <i>Translational Perioperative and Pain Medicine</i> , 2019 , 6, 106-114	1.7	6
66	Natural antisense transcripts regulate the neuronal stress response and excitability. <i>ELife</i> , 2014 , 3, e018899	3.9	14
65	Criticality and degeneracy in injury-induced changes in primary afferent excitability and the implications for neuropathic pain. <i>ELife</i> , 2014 , 3, e02370	8.9	35
64	Altered potassium channel distribution and composition in myelinated axons suppresses hyperexcitability following injury. <i>ELife</i> , 2016 , 5, e12661	8.9	32
63	Upregulation of ubiquitin conjugating enzyme E2B (Ube2b) ameliorates neuropathic pain by regulating Kcna2 (potassium voltage-gated channel subfamily A member 2) in primary afferent neurons. <i>Bioengineered</i> , 2021 , 12, 7470-7480	5.7	1
62	Voltage-Gated Ion Channels as Molecular Targets for Pain. 2016 , 415-436		1

61	MicroRNA and long noncoding RNA in neuropathic pain. <i>Pain Research</i> , 2019 , 34, 219-227		0
60	Silent cold-sensing neurons drive cold allodynia in neuropathic pain states.		0
59	Molecular Biology of the Nociceptor/Transduction. 2020 , 88-119		
58	Non-coding RNAs and Pain: From Bench to Bedside. 2020 , 410-443		
57	Intrathecal rapamycin attenuates morphine-induced analgesic tolerance and hyperalgesia in rats with neuropathic pain. <i>Translational Perioperative and Pain Medicine</i> , 2015 , 2, 27-34	1.7	20
56	Altered T-UCRs expression profile in the spinal cord of mice with neuropathic pain. <i>Translational Perioperative and Pain Medicine</i> , 2016 , 1, 1-10	1.7	8
55	Long noncoding RNA H19 in the injured dorsal root ganglion contributes to peripheral nerve injury-induced pain hypersensitivity. <i>Translational Perioperative and Pain Medicine</i> , 2020 , 7, 176-184	1.7	9
54	[Regulatory role of long non-coding RNA in peripheral nerve injury and neural regeneration]. <i>Zhongguo Xiu Fu Chong Jian Wai Ke Za Zhi = Zhongguo Xiufu Chongjian Waike Zazhi = Chinese Journal of Reparative and Reconstructive Surgery</i> , 2021 , 35, 1051-1056	0.2	
53	A Compound Mitigates Cancer Pain and Chemotherapy-Induced Neuropathic Pain by Dually Targeting nNOS-PSD-95 Interaction and GABA Receptor. <i>Neurotherapeutics</i> , 2021 , 1	6.4	0
52	ZNF382 controls mouse neuropathic pain via silencer-based epigenetic inhibition of Cxcl13 in DRG neurons. <i>Journal of Experimental Medicine</i> , 2021 , 218,	16.6	0
51	Nucleo-cytoplasmic RNA distribution responsible for maintaining neuroinflammatory microenvironment. <i>RNA Biology</i> , 2021 , 1-15	4.8	0
50	Transcriptome profiling of lncRNA and co-expression network in the vaginal epithelial tissue of women with lubrication disorders. <i>PeerJ</i> , 2021 , 9, e12485	3.1	0
49	Roles of Long Non-coding RNAs in the Development of Chronic Pain. <i>Frontiers in Molecular Neuroscience</i> , 2021 , 14, 760964	6.1	2
48	Epigenetic modifications in neuropathic pain. <i>Molecular Pain</i> , 2021 , 17, 17448069211056767	3.4	4
47	A population of in silico models identifies the interplay between Nav 1.8 conductance and potassium currents as key in regulating human dorsal root ganglion neuron excitability. <i>F1000Research</i> , 11, 104	3.6	
46	Epigenetic Mechanisms of Neural Plasticity in Chronic Neuropathic Pain.. <i>ACS Chemical Neuroscience</i> , 2022 ,	5.7	1
45	Inhibiting Hv1 channel in peripheral sensory neurons attenuates chronic inflammatory pain and opioid side effects.. <i>Cell Research</i> , 2022 ,	24.7	2
44	The Antinociceptive Potential of Leaf Extract, (-)-Epicatechin, and Rutin against Chronic Constriction Injury-Induced Neuropathic Pain in Rats.. <i>Antioxidants</i> , 2022 , 11,	7.1	0

43	Exploring neuronal mechanisms involved in the scratching behavior of a mouse model of allergic contact dermatitis by transcriptomics.. <i>Cellular and Molecular Biology Letters</i> , 2022 , 27, 16	8.1	1
42	New Vistas in microRNA Regulatory Interactome in Neuropathic Pain.. <i>Frontiers in Pharmacology</i> , 2021 , 12, 778014	5.6	1
41	Nitrate/ammonium-responsive microRNA-mRNA regulatory networks affect root system architecture in <i>Populus trichocarpa</i> .. <i>BMC Plant Biology</i> , 2022 , 22, 96	5.3	1
40	miR-223 ameliorates thalamus hemorrhage-induced central poststroke pain via targeting NLRP3 in a mouse model.. <i>Experimental and Therapeutic Medicine</i> , 2022 , 23, 353	2.1	0
39	Ion channel long non-coding RNAs in neuropathic pain.. <i>Pflugers Archiv European Journal of Physiology</i> , 2022 , 474, 457	4.6	1
38	TET1 overexpression attenuates paclitaxel-induced neuropathic pain through rescuing K1.1 expression in primary sensory neurons of male rats.. <i>Life Sciences</i> , 2022 , 297, 120486	6.8	1
37	Advances With Non-coding RNAs in Neuropathic Pain.. <i>Frontiers in Neuroscience</i> , 2021 , 15, 760936	5.1	1
36	Peripheral Voltage-Gated Cation Channels in Neuropathic Pain and Their Potential as Therapeutic Targets.. <i>Frontiers in Pain Research</i> , 2021 , 2, 750583	1.4	2
35	Differential Expression of Long Non-Coding RNAs and Their Role in Rodent Neuropathic Pain Models.. <i>Journal of Pain Research</i> , 2021 , 14, 3935-3950	2.9	1
34	Biomarkers from Secondary Complications in Spinal Cord Injury. <i>Current Pharmacology Reports</i> , 2022 , 8, 20-30	5.5	0
33	K 1/D-type potassium channels inhibit the excitability of bronchopulmonary vagal afferent nerves.. <i>Journal of Physiology</i> , 2022 ,	3.9	1
32	Upregulation of LncRNA71132 in spinal cord regulates hypersensitivity in rat model of bone cancer pain.. <i>Pain</i> , 2022 ,	8	1
31	E74-like factor 1 contributes to nerve trauma-induced nociceptive hypersensitivity via transcriptionally activating matrix metalloprotein-9 in dorsal root ganglion neurons.. <i>Pain</i> , 2022 ,	8	
30	Transcriptomic Analysis of Trigeminal Ganglion and Spinal Trigeminal Nucleus Caudalis in Mice with Inflammatory Temporomandibular Joint Pain. <i>Journal of Pain Research</i> , Volume 15, 1487-1502	2.9	0
29	A compendium of validated pain genes. <i>WIREs Mechanisms of Disease</i> ,	0.3	0
28	The etiological roles of miRNAs , lncRNAs , and circRNAs in neuropathic pain: A narrative review. <i>Journal of Clinical Laboratory Analysis</i> ,	3	2
27	A nerve injury-specific long noncoding RNA promotes neuropathic pain by increasing Ccl2 expression. <i>Journal of Clinical Investigation</i> , 2022 , 132,	15.9	1
26	Involvement of Histone Lysine Crotonylation in the Regulation of Nerve-Injury-Induced Neuropathic Pain. <i>Frontiers in Immunology</i> , 13,	8.4	1

25	Decoding gene expression signatures in mice trigeminal ganglion across trigeminal neuropathic pain stages via high-throughput sequencing. <i>Brain Research Bulletin</i> , 2022 , 187, 122-137	3.9
24	Long Non-Coding RNA and mRNA Profiles in the Spinal Cord of Rats with Resiniferatoxin-Induced Neuropathic Pain. Volume 15, 2149-2160	
23	Potential roles of extracellular noncoding RNAs in pain treatment. 2022 , 37, 89-96	
22	Role of Epigenetic Mechanisms in Chronic Pain. 2022 , 11, 2613	3
21	RNA sequencing profiling of mRNAs, long noncoding RNAs, and circular RNAs in Trigeminal Ganglion following Temporomandibular Joint inflammation. 10,	
20	Cold avoidance and heat pain hypersensitivity in neuronal nucleoredoxin knockout mice. 2022 , 192, 84-97	0
19	K ⁺ channel Kv4.1 is expressed in the nociceptors/secondary nociceptive neurons and participates in pain regulation.	0
18	Transcriptome profiling of microRNAs reveals potential mechanisms of manual therapy alleviating neuropathic pain through microRNA-547-3p-mediated Map4k4/NF- κ B signaling pathway. 2022 , 19,	1
17	Effect of AMPK Subunit Alpha 2 Polymorphisms on Postherpetic Pain Susceptibility in Southwestern Han Chinese. Volume 15, 3319-3326	0
16	The emerging power and promise of non-coding RNAs in chronic pain. 15,	0
15	Derivation of nociceptive sensory neurons from hiPSCs with early patterning and temporally controlled NEUROG2 overexpression. 2022 , 100341	0
14	Non-coding RNA and N ⁶ -methyladenosine modification play crucial roles in neuropathic pain. 15,	0
13	m ⁶ A-modified lincRNA Dubr is required for neuronal development by stabilizing YTHDF1/3 and facilitating mRNA translation. 2022 , 41, 111693	0
12	Effect of intrathecal NIS-lincRNA antisense oligonucleotides on neuropathic pain caused by nerve trauma, chemotherapy, or diabetes mellitus. 2022 ,	1
11	Somatosensory neurons express specific sets of lincRNAs, and lincRNA CLAP promotes itch sensation in mice.	0
10	Long non-coding RNAs: definitions, functions, challenges and recommendations.	5
9	Association between single nucleotide variants and severe chronic pain in older adult patients after lower extremity arthroplasty.	0
8	Regulation by noncoding RNAs of local translation, injury responses, and pain in the peripheral nervous system. 2023 , 13, 100119	0

- 7 Gene therapy for chronic pain: emerging opportunities in target-rich peripheral nociceptors. ○
- 6 Rhodajaponin VI indirectly targets Cav2.2 channels via N-ethylmaleimide-sensitive fusion protein to alleviate neuropathic pain. **2023**, ○
- 5 Sox2ot /miR-9 /Cthrc1 Promote Proliferation and Migration of Schwann Cells Following Nerve Injury. **2023**, 519, 47-59 ○
- 4 Long non-coding RNA rhabdomyosarcoma 2-associated transcript contributes to neuropathic pain by recruiting HuR to stabilize DNA methyltransferase 3 alpha mRNA expression in dorsal root ganglion neuron. 15, ○
- 3 Association between single nucleotide variants and severe chronic pain in older adult patients after lower extremity arthroplasty. **2023**, 18, ○
- 2 Natural antisense transcript of MYOG regulates development and regeneration in skeletal muscle by shielding the binding sites of MicroRNAs of MYOG mRNA 3'UTR. **2023**, ○
- 1 Global research trends on epigenetics and neuropathic pain: A bibliometric analysis. 16, ○