

CITATION REPORT

List of articles citing

Combined prevalence of frailty and mild cognitive impairment in a population of elderly Japanese people

DOI: 10.1016/j.jamda.2013.03.010

Journal of the American Medical Directors Association,
2013, 14, 518-24.

Source: <https://exaly.com/paper-pdf/56038107/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
331	The frail brain. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 453-5	5.9	32
330	Frailty and cognition: linking two common syndromes in older persons. 2013 , 17, 723-5		33
329	Dementia with Lewy bodies: a common condition in nursing homes?. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 713-4	5.9	3
328	Delirium in the nursing home. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 632-4	5.9	21
327	Cognition and nutrition. 2014 , 17, 1-4		18
326	Frailty, sarcopenia and diabetes. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 853-9	5.9	154
325	Olfactory identification and cognitive performance in community-dwelling older adults with mild cognitive impairment. 2014 , 39, 39-46		27
324	Development of an equation for estimating appendicular skeletal muscle mass in Japanese older adults using bioelectrical impedance analysis. 2014 , 14, 851-7		46
323	Mild cognitive impairment-a treatable condition. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 1-5	5.9	29
322	From sarcopenia to frailty: a road less traveled. 2014 , 5, 5-8		81
321	JAMDA: The Future History of the Journal. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 775-779	5.9	1
320	Alzheimer's preventive approaches and cognitive monitoring must be integrated into the primary care setting. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 783-5	5.9	
319	Clinical update on nursing home medicine: 2014. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 786-801	5.9	7
318	Cognitive stimulation therapy. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 689-91	5.9	11
317	Depressive symptoms and cognitive performance in older adults. 2014 , 57, 149-56		71
316	Frailty screening comes of age. 2014 , 18, 453-4		22
315	Prevention of Late-life Cognitive Disorders: Diet-Related Factors, Dietary Patterns, and Frailty Models. 2014 , 3, 110-129		6

314	Cognitive function and gait speed under normal and dual-task walking among older adults with mild cognitive impairment. 2014 , 14, 67		64
313	Is it possible to prevent injurious falls?. 2014 , 5, 75-77		4
312	Are the new guidelines for cholesterol and hypertension age friendly?. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 373-5	5.9	4
311	Vitamins: the good, the bad, and the ugly. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 229-31	5.9	1
310	The combined status of physical performance and depressive symptoms is strongly associated with a history of falling in community-dwelling elderly: cross-sectional findings from the Obu Study of Health Promotion for the Elderly (OSHPE). 2014 , 58, 327-31		6
309	Meaningful activities in the nursing home. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 79-81	5.9	28
308	Self-reported Exhaustion is Associated with Small Life Space in Older Adults with Mild Cognitive Impairment. 2014 , 26, 1979-83		7
307	JAMDA: The Journal Continues to Have a High Impact. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 804-807	5.9	0
306	Motoric Cognitive Risk Syndrome: Prevalence and Risk Factors in Japanese Seniors. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 1103.e21-5	5.9	30
305	Factors Predicting Decline to Frailty Status among the Urban Community-dwelling Elderly. 2015 , 30, 549-555		2
304	Targeting Cognitive Frailty: Clinical and Neurobiological Roadmap for a Single Complex Phenotype. 2015 , 47, 793-813		80
303	Impact of physical frailty on disability in community-dwelling older adults: a prospective cohort study. 2015 , 5, e008462		136
302	Association between Frailty, Osteoporosis, Falls and Hip Fractures among Community-Dwelling People Aged 50 Years and Older in Taiwan: Results from I-Lan Longitudinal Aging Study. 2015 , 10, e0136968		51
301	Mail-Based Intervention for Sarcopenia Prevention Increased Anabolic Hormone and Skeletal Muscle Mass in Community-Dwelling Japanese Older Adults: The INE (Intervention by Nutrition and Exercise) Study. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 654-60	5.9	44
300	Effects of exercise and horticultural intervention on the brain and mental health in older adults with depressive symptoms and memory problems: study protocol for a randomized controlled trial [UMIN000018547]. 2015 , 16, 499		14
299	Mild Cognitive Impairment, Slow Gait, and Risk of Disability: A Prospective Study. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 1082-6	5.9	26
298	Walking Speed: A Summary Indicator of Frailty?. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 635-7	5.9	16
297	Objectively measured physical activity, brain atrophy, and white matter lesions in older adults with mild cognitive impairment. <i>Experimental Gerontology</i> , 2015 , 62, 1-6	4.5	32

296	Frailty in nursing homes: the FRAIL-NH Scale. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 87-9	5.9	72
295	Association of insulin-like growth factor-1 with mild cognitive impairment and slow gait speed. 2015 , 36, 942-7		33
294	Cognitive frailty, a novel target for the prevention of elderly dependency. 2015 , 20, 1-10		140
293	Moderate-intensity physical activity, hippocampal volume, and memory in older adults with mild cognitive impairment. 2015 , 70, 480-6		72
292	Subjective physical and cognitive age among community-dwelling older people aged 75 years and older: differences with chronological age and its associated factors. 2015 , 19, 756-61		11
291	Cognitive frailty: what is still missing?. 2015 , 19, 273-5		26
290	Dysphagia and Aspiration. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 631-4	5.9	16
289	White matter lesions (leukoaraiosis): a major cause of falls. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 441-3	5.9	11
288	The association between kidney function and cognitive decline in community-dwelling, elderly Japanese people. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 349.e1-5	5.9	19
287	Exposure to atropinic drugs and frailty status. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 253-7	5.9	30
286	Dehydration is difficult to detect and prevent in nursing homes. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 175-6	5.9	9
285	Analysis of Choice Stepping with Visual Interference Can Detect Prolonged Postural Preparation in Older Adults with Mild Cognitive Impairment at High Risk of Falling. 2015 , 40, 13-21		5
284	Screening for frailty phenotype with objectively-measured physical activity in a west Japanese suburban community: evidence from the Sasaguri Genkimon Study. <i>BMC Geriatrics</i> , 2015 , 15, 36	4.1	38
283	Validation of hepatectomy for elderly patients with hepatocellular carcinoma. 2015 , 22, 3094-101		33
282	Cognitive Frailty: A Systematic Review of Epidemiological and Neurobiological Evidence of an Age-Related Clinical Condition. 2015 , 18, 389-412		83
281	Frailty and cognitive decline: how do they relate?. 2015 , 18, 43-50		59
280	Predictive Value of Frailty Scores for Healthy Life Expectancy in Community-Dwelling Older Japanese Adults. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 1002.e7-11	5.9	79
279	Incidence of Disability in Frail Older Persons With or Without Slow Walking Speed. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 690-6	5.9	56

278	Brain health: the importance of recognizing cognitive impairment: an IAGG consensus conference. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 731-9	5.9	149
277	Effects of white matter lesions on trunk stability during dual-task walking among older adults with mild cognitive impairment. 2015 , 37, 120		15
276	Cognitive frailty: A new geriatric syndrome?. 2015 , 6, 408-411		13
275	Social Frailty in Community-Dwelling Older Adults as a Risk Factor for Disability. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 1003.e7-11	5.9	108
274	Clinical Update on Nursing Home Medicine: 2015. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 911-22	5.9	1
273	New horizons in the management of Alzheimer disease. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 1-5	5.9	9
272	Cognitive function and associated factors among older people in Taiwan: age and sex differences. 2015 , 60, 196-200		23
271	Differential association of frailty with cognitive decline and sarcopenia in community-dwelling older adults. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 120-4	5.9	58
270	Cognitive function and falling among older adults with mild cognitive impairment and slow gait. 2015 , 15, 1073-8		54
269	Physical frailty predicts incident depressive symptoms in elderly people: prospective findings from the Obu Study of Health Promotion for the Elderly. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 194-9	5.9	54
268	Meta-Analysis of the Association between Tea Intake and the Risk of Cognitive Disorders. 2016 , 11, e0165861		30
267	Self-reported exhaustion associated with physical activity among older adults. 2016 , 16, 625-30		6
266	Frailty in diabetes-related dementia. 2016 , 16, 653-5		6
265	Reduced prefrontal oxygenation in mild cognitive impairment during memory retrieval. 2016 , 31, 583-91		20
264	Driving and Incidence of Functional Limitation in Older People: A Prospective Population-Based Study. 2016 , 62, 636-643		26
263	Characteristics of physical prefrailty among Japanese healthy older adults. 2017 , 17, 1568-1574		18
262	Comorbid Mild Cognitive Impairment and Depressive Symptoms Predict Future Dementia in Community Older Adults: A 24-Month Follow-Up Longitudinal Study. 2016 , 54, 1473-1482		19
261	Impact of Cognitive Frailty on Daily Activities in Older Persons. 2016 , 20, 729-35		118

260	Frailty and sarcopenia in elderly. 2016 , 128, 439-445		40
259	JAMDA: The State of the Journal. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 867-715,9		
258	Frailty and sarcopenia in subjects with Alzheimer's disease with or without cerebrovascular disease. 2016 , 16, 1235-1236		7
257	Cognitive Impairment in Advanced Chronic Kidney Disease: The Canadian Frailty Observation and Interventions Trial. 2016 , 44, 473-480		34
256	Predictors of Frailty in Old Age - Results of a Longitudinal Study. 2016 , 20, 952-957		46
255	Gait, Falls, and Dementia. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 467-70	5.9	7
254	Declines and Impairment in Executive Function Predict Onset of Physical Frailty. 2016 , 71, 1624-1630		47
253	Performance on the flanker task predicts driving cessation in older adults. 2016 , 31, 169-75		7
252	Driving continuity in cognitively impaired older drivers. 2016 , 16, 508-14		60
251	Frailty: An Emerging Public Health Priority. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 188-92	5.9	331
250	Insulin-Like Growth Factor-1 Related to Disability Among Older Adults. 2016 , 71, 797-802		18
249	Combined Effect of Slow Gait Speed and Depressive Symptoms on Incident Disability in Older Adults. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 123-7	5.9	13
248	Cognitive impairment is associated with the absence of fear of falling in community-dwelling frail older adults. 2017 , 17, 232-238		15
247	Gray matter volume and dual-task gait performance in mild cognitive impairment. 2017 , 11, 887-898		24
246	Oxidative stress and inflammation are associated with physical frailty in patients with Alzheimer's disease. 2017 , 17, 913-918		42
245	Subjective Memory Complaints are Associated with Incident Dementia in Cognitively Intact Older People, but Not in Those with Cognitive Impairment: A 24-Month Prospective Cohort Study. 2017 , 25, 607-616		20
244	The association between anorexia of aging and physical frailty: Results from the national center for geriatrics and gerontology's study of geriatric syndromes. 2017 , 97, 32-37		22
243	Assessing the Current State of Cognitive Frailty: Measurement Properties. 2017 , 21, 152-160		36

242	Association of Social Frailty With Both Cognitive and Physical Deficits Among Older People. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 603-607	5.9	56
241	Prevalence of Frailty Assessed by Fried and Kihon Checklist Indexes in a Prospective Cohort Study: Design and Demographics of the Kyoto-Kameoka Longitudinal Study. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 733.e7-733.e15	5.9	45
240	Association between body composition parameters and risk of mild cognitive impairment in older Japanese adults. 2017 , 17, 2053-2059		11
239	Prevalence of Dementia, Depression, and Mild Cognitive Impairment in a Rural Area of the Island of Crete, Greece. 2017 , 32, 252-264		14
238	Frailty in older adults with amnesic mild cognitive impairment as a result of Alzheimer's disease: A comparison of two models of frailty characterization. 2017 , 17, 2096-2102		7
237	Validity of the National Center for Geriatrics and Gerontology-Functional Assessment Tool and Mini-Mental State Examination for detecting the incidence of dementia in older Japanese adults. 2017 , 17, 2383-2388		17
236	Singapore Healthy Older People Everyday (HOPE) Study: Prevalence of Frailty and Associated Factors in Older Adults. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 734.e9-734.e14	5.9	58
235	Cognitive Frailty: Mechanisms, Tools to Measure, Prevention and Controversy. 2017 , 33, 339-355		22
234	The impact of age-related cataract on measures of frailty in an aging global population. 2017 , 28, 93-97		24
233	Effects of a community disability prevention program for frail older adults at 48-month follow up. 2017 , 17, 2347-2353		10
232	Motoric Cognitive Risk Syndrome: Association with Incident Dementia and Disability. 2017 , 59, 77-84		31
231	Relationship between Sensory Perception and Frailty in a Community-Dwelling Elderly Population. 2017 , 21, 710-714		23
230	Effects of Cognitive Leisure Activity on Cognition in Mild Cognitive Impairment: Results of a Randomized Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 686-691	5.9	64
229	Reversible Cognitive Frailty, Dementia, and All-Cause Mortality. The Italian Longitudinal Study on Aging. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 89.e1-89.e8	5.9	82
228	Clinical Update on Nursing Home Medicine: 2017. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 928-940	5.9	1
227	Conversion and Reversion Rates in Japanese Older People With Mild Cognitive Impairment. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 808.e1-808.e6	5.9	20
226	Unmet Care Needs in the Oldest Old Primary Care Patients with Cognitive Disorders: Results of the AgeCoDe and AgeQualiDe Study. 2017 , 44, 71-83		11
225	Association between joint stiffness and health-related quality of life in community-dwelling older adults. 2017 , 73, 234-239		3

224	How clinical practitioners assess frailty in their daily practice: an international survey. 2017 , 29, 905-912		34
223	A Decade of JAMDA. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 993-997	5.9	
222	Additive Role of a Potentially Reversible Cognitive Frailty Model and Inflammatory State on the Risk of Disability: The Italian Longitudinal Study on Aging. 2017 , 25, 1236-1248		60
221	A cross-sectional study of the association between dynapenia and higher-level functional capacity in daily living in community-dwelling older adults in Japan. <i>BMC Geriatrics</i> , 2017 , 17, 1	4.1	107
220	Diet with a combination of high protein and high total antioxidant capacity is strongly associated with low prevalence of frailty among old Japanese women: a multicenter cross-sectional study. 2017 , 16, 29		30
219	Sex differences in the prevalence and incidence of mild cognitive impairment: A meta-analysis. 2017 , 35, 176-199		58
218	Cognitive Frailty in Italian Community-Dwelling Older Adults: Prevalence Rate and Its Association with Disability. 2017 , 21, 631-636		63
217	Relationship Between Frailty and Oral Function in Community-Dwelling Elderly Adults. 2017 , 65, 66-76		136
216	Association between comprehensive health literacy and frailty level in community-dwelling older adults: A cross-sectional study in Japan. 2017 , 17, 804-809		20
215	Prevalence of frailty among community-dwellers and outpatients in Japan as defined by the Japanese version of the Cardiovascular Health Study criteria. 2017 , 17, 2629-2634		98
214	Cognitive Frailty and Incidence of Dementia in Older Persons. 2018 , 5, 42-48		20
213	Self-Management Group Exercise Extends Healthy Life Expectancy in Frail Community-Dwelling Older Adults. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	23
212	Cognitive Frailty in China: Results from China Comprehensive Geriatric Assessment Study. 2017 , 4, 174		26
211	Neuropsychological Correlates of Pre-Frailty in Neurocognitive Disorders: A Possible Role for Metacognitive Dysfunction and Mood Changes. 2017 , 4, 199		13
210	Strong Relationship between Malnutrition and Cognitive Frailty in the Singapore Longitudinal Ageing Studies (SLAS-1 and SLAS-2). 2018 , 5, 142-148		14
209	Frailty Severity and Dietary Variety in Japanese Older Persons: A Cross-Sectional Study. 2018 , 22, 451-456		14
208	Cognitive Frailty and Its Association with All-Cause Mortality Among Community-Dwelling Older Adults in Taiwan: Results from I-Lan Longitudinal Aging Study. 2018 , 21, 510-517		29
207	High plasma adiponectin levels are associated with frailty in a general old-old population: The Septuagenarians, Octogenarians, Nonagenarians Investigation with Centenarians study. 2018 , 18, 839-846		14

206	Oral function as an indexing parameter for mild cognitive impairment in older adults. 2018 , 18, 790-798		24
205	Relationship between masticatory function and frailty in community-dwelling Japanese elderly. 2018 , 30, 1093-1099		13
204	Social Frailty Has a Stronger Impact on the Onset of Depressive Symptoms than Physical Frailty or Cognitive Impairment: A 4-Year Follow-up Longitudinal Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2018 , 19, 504-510	5.9	26
203	Epidemiological and clinical significance of cognitive frailty: A mini review. 2018 , 44, 1-7		50
202	The Association Between Excessive Daytime Sleepiness and Gait Parameters in Community-Dwelling Older Adults: Cross-Sectional Findings From the Obu Study of Health Promotion for the Elderly. 2018 , 30, 213-228		10
201	Physical Frailty Is Associated with Longitudinal Decline in Global Cognitive Function in Non-Demented Older Adults: A Prospective Study. 2018 , 22, 82-88		21
200	Moderating effect of intrinsic religiosity on the relationship between depression and cognitive function among community-dwelling older adults. 2018 , 22, 483-488		11
199	Duration of moderate to vigorous daily activity is negatively associated with slow walking speed independently from step counts in elderly women aged 75 years or over: A cross-sectional study. 2018 , 74, 94-99		11
198	Interventions Against Disability in Frail Older Adults: Lessons Learned from Clinical Trials. 2018 , 22, 676-688		5
197	A 5-year longitudinal study of association of maximum bite force with development of frailty in community-dwelling older adults. 2018 , 45, 17-24		45
196	Dentition status and frailty in community-dwelling older adults: A 5-year prospective cohort study. 2018 , 18, 256-262		28
195	Behavioral protective factors of increased depressive symptoms in community-dwelling older adults: A prospective cohort study. 2018 , 33, e234-e241		5
194	Effects of Combined Physical and Cognitive Exercises on Cognition and Mobility in Patients With Mild Cognitive Impairment: A Randomized Clinical Trial. <i>Journal of the American Medical Directors Association</i> , 2018 , 19, 584-591	5.9	59
193	Frailty and as a Benchtop Animal Model for Screening Drugs Including Natural Herbs. 2018 , 5, 111		7
192	Effectiveness of Exercise-Training on Frailty and the Specificity of Exercise Effectiveness on Frailty-Related Indices among Community Dwelling Robust, Pre-Frailty and Frailty Older Peoples. 2018 ,		1
191	Frailty and Cognitive Impairment in Predicting Mortality Among Oldest-Old People. 2018 , 10, 295		28
190	Prevalence and Prognosis of Coexisting Frailty and Cognitive Impairment in Patients on Continuous Ambulatory Peritoneal Dialysis. 2018 , 8, 17305		9
189	Association Between Appetite and Sarcopenia in Patients With Mild Cognitive Impairment and Early-Stage Alzheimer's Disease: A Case-Control Study. 2018 , 5, 128		3

188	The Relationship between Dietary Habits and Frailty in Rural Japanese Community-Dwelling Older Adults: Cross-Sectional Observation Study Using a Brief Self-Administered Dietary History Questionnaire. 2018 , 10,	14
187	Cognitive Frailty is Associated with Fall-Related Fracture among Older People. 2018 , 22, 1216-1220	18
186	[The characteristics of frail elderly patients in acute care hospitals]. 2018 , 55, 124-130	
185	Isotemporal substitution of sedentary time with physical activity and its associations with frailty status. 2018 , 13, 1831-1836	16
184	Calf Circumference as a Screening Tool for Cognitive Frailty in Community-Dwelling Older Adults: The Korean Frailty and Aging Cohort Study (KFACS). 2018 , 7,	8
183	Long and Short Sleep Duration and Physical Frailty in Community-Dwelling Older Adults. 2018 , 22, 1066-1071	25
182	Physical Frailty and Cognitive Functioning in Korea Rural Community-Dwelling Older Adults. 2018 , 7,	13
181	Investigating Factors Associated with Pre-frailty among Young-old Females. 2018 , 33, 159-163	
180	Transitional status and modifiable risk of frailty in Japanese older adults: A prospective cohort study. 2018 , 18, 1562-1566	15
179	Cognitive Frailty Predicts Incident Dementia among Community-Dwelling Older People. 2018 , 7,	45
178	Combined effects of mild cognitive impairment and slow gait on risk of dementia. <i>Experimental Gerontology</i> , 2018 , 110, 146-150	4.5 14
177	Geriatric syndromes, multimorbidity, and disability overlap and increase healthcare use among older Chinese. <i>BMC Geriatrics</i> , 2018 , 18, 147	4.1 38
176	Social Frailty Leads to the Development of Physical Frailty among Physically Non-Frail Adults: A Four-Year Follow-Up Longitudinal Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6 83
175	Effectiveness of the KENKOJISEICHI local revitalization system on cognitive function change in older adults with mild cognitive impairment: study protocol for a randomized controlled trial. 2018 , 19, 276	8
174	Independent association between subjective cognitive decline and frailty in the elderly. 2018 , 13, e0201351	15
173	The Effects of Combinations of Cognitive Impairment and Pre-frailty on Adverse Outcomes from a Prospective Community-Based Cohort Study of Older Chinese People. 2018 , 5, 50	39
172	Mild Cognitive Impairment in Geriatrics. 2018 , 34, 563-589	47
171	Lifestyle activities and the risk of dementia in older Japanese adults. 2018 , 18, 1491-1496	16

170	Aging-related anorexia and its association with disability and frailty. 2018 , 9, 834-843		40
169	Cognitive Frailty in Geriatrics. 2018 , 34, 667-675		24
168	Healthy Behaviors and Incidence of Disability in Community-Dwelling Elderly. 2018 , 42, 51-58		8
167	A Community-Wide Intervention Trial for Preventing and Reducing Frailty Among Older Adults Living in Metropolitan Areas: Design and Baseline Survey for a Study Integrating Participatory Action Research With a Cluster Trial. 2019 , 29, 73-81		21
166	The effect of short-term health promotion intervention on motor function in community-dwelling older adults. 2019 , 31, 475-481		4
165	Impact of Sedentary Time on Chronic Kidney Disease and Disability Incidence in Community-Dwelling Japanese Older Adults: A 4-Year Prospective Cohort Study. 2019 , 27, 184-190		1
164	Severe Apathy as a Risk Factor for Falls in Older Adults With Frailty Symptoms. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 1473-1475	5.9	2
163	Self-Reported Cognitive Frailty Predicts Adverse Health Outcomes for Community-Dwelling Older Adults Based on an Analysis of Sex and Age. 2019 , 23, 654-664		4
162	Cognitive frailty among Malaysian older adults: baseline findings from the LRGS TUA cohort study. 2019 , 14, 1343-1352		27
161	Study protocol of the self-monitoring activity program: Effects of activity on incident dementia. 2019 , 5, 303-307		3
160	Impact of Social Frailty on Alzheimer's Disease Onset: A 53-Month Longitudinal Cohort Study. 2019 , 70, 587-595		7
159	Effects of oral environment on frailty: particular relevance of tongue pressure. 2019 , 14, 1643-1648		20
158	Association Between Carotid Artery Intima-Media Thickness and Combinations of Mild Cognitive Impairment and Pre-Frailty in Older Adults. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	5
157	The Relationship between Physical Frailty and Mild Cognitive Impairment in the Elderly: A Systematic Review. 2019 , 8, 192-197		15
156	Prevalence of Psychological Frailty in Japan: NCGG-SGS as a Japanese National Cohort Study. 2019 , 8,		14
155	Neuroimaging Characteristics of Frailty Status in Patients with Alzheimer's Disease. 2019 , 67, 1201-1208		2
154	An Acquaintance with An Aging Society. 2019 , 8, 110		1
153	Coexistence of Chronic Musculoskeletal Pain and Depressive Symptoms and Their Combined and Individual Effects on Onset of Disability in Older Adults: A Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 1263-1267.e3	5.9	3

152	Physical Performance Predictors for Incident Dementia Among Japanese Community-Dwelling Older Adults. 2019 , 99, 1132-1140		6
151	Influence of mild cognitive impairment on activities of daily living in patients with cardiovascular disease. 2019 , 34, 1944-1951		7
150	Association between Chronic Pain and Physical Frailty in Community-Dwelling Older Adults. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	21
149	Rethinking the Relationship Between Spatiotemporal Gait Variables and Dementia: A Prospective Study. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 899-903	5.9	9
148	Reversible predictors of reversion from mild cognitive impairment to normal cognition: a 4-year longitudinal study. 2019 , 11, 24		30
147	Skeletal muscle function and need for long-term care of urban elderly people in Japan (the Bunkyo Health Study): a prospective cohort study. 2019 , 9, e031584		9
146	Characteristics of Mild Cognitive Impairment in Northern Japanese Community-Dwellers from the ORANGE Registry. 2019 , 8,		5
145	Associations of Skeletal Muscle Mass, Lower-Extremity Functioning, and Cognitive Impairment in Community-Dwelling Older People in Japan. 2019 , 23, 35-41		8
144	Effects of Driving Skill Training on Safe Driving in Older Adults with Mild Cognitive Impairment. 2019 , 65, 90-97		8
143	Cognitive activity in a sitting position is protectively associated with cognitive impairment among older adults. 2019 , 19, 98-102		10
142	Mild cognitive impairment in older adults with pre-dialysis patients with chronic kidney disease: Prevalence and association with physical function. 2019 , 24, 50-55		21
141	Association between frailty and bone loss in patients undergoing maintenance hemodialysis. 2019 , 37, 81-89		13
140	Estimation of reduced walking speed using simple measurements of physical and psychophysiological function in community-dwelling elderly people: a cross-sectional and longitudinal study. 2019 , 31, 59-66		1
139	Declining neck circumference is an anthropometric marker related to frailty in middle-aged and elderly women. 2020 , 30, 598-603		7
138	Cognitive Performance Among Older Persons in Japan and the United States. 2020 , 68, 354-361		0
137	Disability trajectories and mortality in older adults with different cognitive and physical profiles. 2020 , 32, 1007-1016		17
136	Prevalence of Cognitive Frailty Phenotypes and Associated Factors in a Community-Dwelling Elderly Population. 2020 , 24, 172-180		19
135	Intensity of community-based programs by long-term care insurers and the likelihood of frailty: Multilevel analysis of older Japanese adults. 2020 , 245, 112701		11

134	Behavioral Factors Related to the Incidence of Frailty in Older Adults. 2020 , 9,		3
133	The Association between Neighborhood Amenities and Cognitive Function: Role of Lifestyle Activities. 2020 , 9,		2
132	Falls in Community-Dwelling Older Adults with Lower Back or Knee Pain Are Associated with Cognitive and Emotional Factors. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	4
131	A Possible Association Between Executive Dysfunction and Frailty in Patients With Neurocognitive Disorders. 2020 , 11, 554307		5
130	Effects of comorbid physical frailty and low muscle mass on incident disability in community-dwelling older adults: A 24-month follow-up longitudinal study. 2020 , 139, 57-63		2
129	Association between chronic pain and pre-frailty in Japanese community-dwelling older adults: A cross-sectional study. 2020 , 15, e0236111		3
128	What Role Does Activity Engagement Play in the Association between Cognitive Frailty and Falls among Older Adults? Evidence from Rural Shandong, China. 2020 , 66, 593-602		7
127	Predictive Factors for Short-Term Survival after Non-Curative Endoscopic Submucosal Dissection for Early Gastric Cancer. 2021 , 102, 630-639		3
126	Association between heart diseases, social factors and physical frailty in community-dwelling older populations: The septuagenarians, octogenarians, nonagenarians investigation with centenarians study. 2020 , 20, 974-979		3
125	Association among kidney function, frailty, and oral function in patients with chronic kidney disease: a cross-sectional study. 2020 , 21, 357		3
124	Global Cognitive Impairment Prevalence and Incidence in Community Dwelling Older Adults-A Systematic Review. 2020 , 5,		16
123	Physical frailty predicts the development of social frailty: a prospective cohort study. <i>BMC Geriatrics</i> , 2020 , 20, 403	4.1	8
122	Differential long-term retention of biological disease-modifying antirheumatic drugs in patients with rheumatoid arthritis by age group from the FIRST registry. 2020 , 22, 136		5
121	Combined Effects of Pain Interference and Depressive Symptoms on Dementia Incidence: A 36-Month Follow-Up Study. 2020 , 76, 703-712		0
120	Association between anorexia of ageing and sarcopenia among Japanese older adults. 2020 , 11, 1250-1257		10
119	The mediating effect of psychological distress on cognitive function and physical frailty among the elderly: Evidence from rural Shandong, China. 2020 , 268, 88-94		19
118	Association between motoric cognitive risk syndrome and frailty among older Chinese adults. <i>BMC Geriatrics</i> , 2020 , 20, 110	4.1	6
117	Associations between Depressive Symptoms and Satisfaction with Meaningful Activities in Community-Dwelling Japanese Older Adults. 2020 , 9,		11

116	The Association with Dietary Patterns and Risk of Anemia in Japanese Elderly. 2020 , 66, 32-40		3
115	Relationship between instrumental activities of daily living performance and incidence of mild cognitive impairment among older adults: A 48-month follow-up study. 2020 , 88, 104034		5
114	Chapter 2 Frailty concepts. 2020 , 20 Suppl 1, 14-19		2
113	Pinch strength is associated with the prevalence of mild cognitive impairment in patients with cardiovascular disease. 2020 , 75, 594-599		8
112	Modifiable Risk Factor Possession Patterns of Dementia in Elderly with MCI: A 4-Year Repeated Measures Study. 2020 , 9,		5
111	Cognitive Frailty as a Risk Factor for Incident Disability During Late Life: A 24-Month Follow-Up Longitudinal Study. 2020 , 24, 494-499		14
110	Physio-cognitive decline as the accelerated aging phenotype. 2020 , 88, 104051		14
109	Friendship-related social isolation is a potential risk factor for the transition from robust to prefrailty among healthy older adults: a 1-year follow-up study. 2021 , 12, 285-293		0
108	Associations of older adults' physical activity and bout-specific sedentary time with frailty status: Compositional analyses from the NEIGE study. <i>Experimental Gerontology</i> , 2021 , 143, 111149	4-5	3
107	Lifestyle Activity Patterns Related to Physical Frailty and Cognitive Impairment in Urban Community-Dwelling Older Adults in Japan. <i>Journal of the American Medical Directors Association</i> , 2021 , 22, 583-589	5-9	10
106	Low back pain is closely associated with frailty but not with sarcopenia: Cross-sectional study of rural Japanese community-dwelling older adults. 2021 , 21, 54-59		2
105	Effect of Sarcopenia Status on Disability Incidence Among Japanese Older Adults. <i>Journal of the American Medical Directors Association</i> , 2021 , 22, 846-852	5-9	6
104	Frailty, sarcopenia and health related outcomes among elderly patients in Saudi Arabia. 2021 , 28, 1213-1217		0
103	Efficacy of preoperative frailty assessment in patients with gastrointestinal disease. 2021 , 21, 327-330		1
102	The Association between Dietary Variety and Physical Frailty in Community-Dwelling Older Adults. 2021 , 9,		2
101	Prospective Associations of Physical Frailty With Future Falls and Fear of Falling: A 48-Month Cohort Study. 2021 , 101,		6
100	Anticoagulant Therapy for Frail Patients with Atrial Fibrillation. 2021 , 60, 495-506		1
99	How gait influences frailty models and health-related outcomes in clinical-based and population-based studies: a systematic review. 2021 , 12, 274-297		17

98	Association between Physical Frailty Subdomains and Oral Frailty in Community-Dwelling Older Adults. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	4
97	Habitual fish intake negatively correlates with prevalence of frailty among patients with rheumatoid arthritis. 2021 , 11, 5104		4
96	Cognitive frailty and suicidal ideation among Chinese rural empty-nest older adults: Parent-child geographic proximity as a possible moderator?. 2021 , 282, 348-353		2
95	Physical Frailty and Future Costs of Long-Term Care in Older Adults: Results from the NCGG-SGS. 2021 , 67, 695-704		4
94	Cognitive Frailty and 30-Day Mortality in a National Cohort of Older Chinese Inpatients. 2021 , 16, 389-401		5
93	Relationship between locomotive syndrome, frailty and sarcopenia: Locomotive syndrome overlapped in the majority of frailty and sarcopenia patients. 2021 , 21, 458-464		1
92	????????????????????????????????ADL ?????????????-?????????-. 2021 , 12, 62-67		
91	Prevalence of Sarcopenia and Relationships Between Muscle and Bone in Indian Men and Women. 2021 , 109, 423-433		1
90	Lifestyle changes and outcomes of older adults with mild cognitive impairment: A 4-year longitudinal study. 2021 , 94, 104376		3
89	Life Satisfaction and the Relationship between Mild Cognitive Impairment and Disability Incidence: An Observational Prospective Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
88	Absolute Cardiovascular Disease Risk Is Associated With the Incidence of Non-amnestic Cognitive Impairment in Japanese Older Adults. 2021 , 13, 685683		0
87	Sleep duration and progression to sarcopenia in Japanese community-dwelling older adults: a 4 year longitudinal study. 2021 , 12, 1034-1041		3
86	Characteristics of esophageal achalasia in geriatric patients over 75 years of age and outcomes after peroral endoscopic myotomy. 2021 , 21, 788-793		0
85	Association between physical function and onset of coronary heart disease in a cohort of community-dwelling older populations: The SONIC study. 2021 , 95, 104386		1
84	Cognitive frailty predicting death and disability in Chinese elderly. 2021 , 43, 815-822		1
83	Identification of Disability Risk in Addition to Slow Walking Speed in Older Adults. 2021 , 1-10		2
82	Walking speed and short physical performance battery are associated with conversion to long-term care need: A study in outpatients of a locomotive syndrome-frailty clinic. 2021 , 21, 919-925		1
81	Did "" Prevent the Decline of Mental and Physical Functions and Frailty for the Home-Based Elderly during the COVID-19 Pandemic?. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1

80	Spatiotemporal gait characteristics and risk of mortality in community-dwelling older adults. 2021 , 151, 31-35		1
79	Associations Between Active Mobility Index and Disability. <i>Journal of the American Medical Directors Association</i> , 2021 ,	5.9	0
78	Prognostic score based on physical frailty in patients with heart failure: a multicenter prospective cohort study (FLAGSHIP). 2021 ,		2
77	Diabetes and Prediabetes Inhibit Reversion From Mild Cognitive Impairment to Normal Cognition. <i>Journal of the American Medical Directors Association</i> , 2021 , 22, 1912-1918.e2	5.9	2
76	Driving cessation and physical frailty in community-dwelling older adults: A longitudinal study. 2021 , 21, 1047-1052		0
75	Computer use and cognitive decline among Japanese older adults: A prospective cohort study. 2021 , 97, 104488		2
74	Physical and Cognitive Function Assessment to Predict Postoperative Outcomes of Abdominal Surgery. 2021 , 267, 495-505		1
73	Association between osteosarcopenia and cognitive frailty in older outpatients visiting a frailty clinic. 2022 , 98, 104530		1
72	Spatio-temporal gait variables predicted incident disability. 2020 , 17, 11		8
71	Plasma brain natriuretic peptide level in older outpatients with heart failure is associated with physical frailty, especially with the slowness domain. 2016 , 13, 608-14		15
70	Cognitive Impairment and Disability in Older Japanese Adults. 2016 , 11, e0158720		37
69	Usefulness of the Simplified Frailty Scale in Predicting Risk of Readmission or Mortality in Elderly Patients Hospitalized with Cardiovascular Disease. 2020 , 61, 571-578		4
68	Association between cognitive impairment and criteria for frailty syndrome among older adults. 2020 , 78, 2-8		5
67	Diagnostic criteria and prevalence of mild cognitive impairment in older adults living in the community: a systematic review and meta-analysis. 2019 , 46, 72-79		5
66	The prevalence of cognitive frailty and pre-frailty among older people in Bangkok metropolitan area: a multicenter study of hospital-based outpatient clinics. 2020 , 5, 62-71		6
65	Evidence-based Prevention of Frailty in Older Adults. 2015 , 19, 121-129		6
64	Association of Dietary Variety with Nutrient and Food Group Intake and Frailty among Community-dwelling Japanese Older Adults. 2019 , 77, 19-28		6
63	Epidemiology of frailty in elderly Japanese. 2016 , 5, 301-307		12

62	Development and validation of new screening tool for predicting dementia risk in community-dwelling older Japanese adults. 2021 , 19, 448	1
61	Prevalence of cognitive frailty among community-dwelling older adults: A systematic review and meta-analysis. 2021 , 125, 104112	9
60	Association between mild cognitive impairment and lumbar degenerative disease in a Japanese community: A cross-sectional study. 2021 , 16, e0258852	0
59	Encyclopedia of Geropsychology. 2016 , 1-6	
58	Frailty. 2017 , 64, 446-446	
57	Encyclopedia of Geropsychology. 2017 , 906-911	
56	Relationship between Pre-frailty and Static Standing Balance. 2018 , 33, 991-996	
55	Frailty Prevalence and Characteristics in Older Patients with Type 2 Diabetes. 2019 , 09, 31-38	1
54	Community Medicine and Medical Care for Elderly People. 2019 , 108, 563-567	
53	Variables associated with frailty in a hospital population in Colombia. 2020 , 14, 114-119	
52	The Preventative Strategy to Increase Physical Activity in Perioperative Period for Postoperative Cognitive Dysfunction. 2020 , 40, 376-383	
51	Association between Sarcopenia, Its Defining Indices, and Driving Cessation in Older Adults. 2021 , 25, 462-466	2
50	Fragilit� du sujet g�t et pr�vention : que retenir des avanc�es de la recherche ?. 2020 , vol. 42 / n� 163, 221-233	
49	Frailty Syndrome among oldest old Individuals, aged �80 years: Prevalence & Correlates. 2020 , 5, 92-101	7
48	TRENDS IN THE PREVALENCE OF FRAILITY IN JAPAN: A META-ANALYSIS FROM THE ILSA-J. 2021 , 10, 211-218	0
47	Physio-Cognitive Decline Syndrome as the Phenotype and Treatment Target of Unhealthy Aging. 2021 , 25, 1179-1189	2
46	Prevalence, Lifestyle Correlates, and Psychosocial Functioning Among Multi-Ethnic Older Adults with Mild Cognitive Impairment in Singapore: Preliminary Findings from a 10/66 Population Study. 2021 , 94, 73-83	1
45	Number of ideas in spontaneous speech predicts cognitive impairment and frailty in community-dwelling older adults nine years later. 2021 , 1-9	

44	Prevalence, risk and protective factors for mild cognitive impairment in a population-based study of Singaporean elderly. 2021 , 145, 111-117		2
43	Cognitive Frailty in Thai Community-Dwelling Elderly: Prevalence and Its Association with Malnutrition.. 2021 , 13,		1
42	Association between cognitive frailty and higher-level competence among community-dwelling older adults.. 2021 , 99, 104589		1
41	Characteristics of meaningful activities in community-dwelling Japanese older adults with pre-frailty and Frailty.. 2021 , 99, 104616		1
40	Prevalence and Associated Risk Factors of Cognitive Frailty: A Systematic Review and Meta-Analysis.. 2021 , 13, 755926		1
39	Applying Information and Communication Technology to Promote Healthy Aging in Older People: Japan's Challenges and Perspective.		
38	Cognitive function, daily function and physical and mental health in older adults: A comparison of venue and home-visit community surveys in Metropolitan Tokyo.. 2021 , 100, 104617		0
37	Social support and subsequent cognitive frailty during a 1-year follow-up of older people: the mediating role of psychological distress.. <i>BMC Geriatrics</i> , 2022 , 22, 162	4.1	0
36	Lifestyle Factors Associated with Undernutrition in Older People after the Great East Japan Earthquake: A Prospective Study in the Fukushima Health Management Survey.. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19,	4.6	1
35	Health Care Utilization and Out-of-Pocket Payments among Elderly with Cognitive Frailty in Malaysia.. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19,	4.6	0
34	Absolute Cardiovascular Disease Risk Assessed in Old Age Predicts Disability and Mortality: A Retrospective Cohort Study of Community-Dwelling Older Adults.. 2021 , 10, e022004		1
33	The Impact of Cognitive Impairment on Disaster Preparedness: A Cross-sectional Study of Older Adults over the Age of 75 Requiring Special Care in Japan.. 2021 , 1-18		
32	Impact of Health Literacy on the Progression of Frailty after 4 Years among Community-Dwelling Older Adults.. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 19,	4.6	2
31	Associations between physical frailty and living arrangements in Japanese older adults living in a rural remote island: The Shimane CoHRE study. <i>Journal of General and Family Medicine</i> ,	1	
30	Association Between the Onset of Physical Frailty and Executive Function in Community-Dwelling Elderly People. <i>Perspectives of the ASHA Special Interest Groups</i> , 2022 , 7, 610-615	0.9	
29	Usefulness of measuring maximal gait speed in conjunction with usual gait speed for risk stratification in patients with cardiovascular disease.. <i>Experimental Gerontology</i> , 2022 , 111810	4.5	0
28	Cerebral small vessel disease is associated with concurrent physical and cognitive impairments at preclinical stage. <i>Cerebral Circulation - Cognition and Behavior</i> , 2022 , 3, 100144	0	0
27	table_1.DOCX. 2018 ,		

26 Data_Sheet_1.ZIP. 2020,

25	A Pilot Survey: Oral Function as One of the Risk Factors for Physical Frailty. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 6136	4.6	
24	Characteristics of community-dwelling older adults with focus on the components of social frailty: A pilot cross-sectional study. <i>Asian Pacific Journal of Disease Management</i> , 2021 , 10, 15-23		0
23	Mapping the Global Landscape of Long-Term Care Insurance Research: A Scientometric Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 7425	4.6	0
22	Gait Speed and Sleep Duration Is Associated with Increased Risk of MCI in Older Community-Dwelling Adults. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 7625	4.6	0
21	Global Research on Cognitive Frailty: A Bibliometric and Visual Analysis of Papers Published during 2013-2021. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 8170	4.6	
20	The transitions and predictors of cognitive frailty with multi-state Markov model: a cohort study. <i>BMC Geriatrics</i> , 2022 , 22,	4.1	0
19	Frailty in the context of COVID-19 pandemic: A life-threatening condition. 9,		0
18	Rehabilitation for elderly patients with cancer.		1
17	Finger Tapping Test for Assessing the Risk of Mild Cognitive Impairment. 156918612211098		
16	Overarching Goal and Intervention for Healthy Aging in Older People during and after the COVID-19 Pandemic: Impact of Rehabilitation.		0
15	The complex burden of determining prevalence rates of mild cognitive impairment: A systematic review. 13,		2
14	Social Functioning and Life-Related Domains Associated with Cognitive Frailty in Older Adults. 1-16		0
13	The association between social activity and physical frailty among community-dwelling older adults in Japan. 2022 , 22,		1
12	The Significance of Zinc in Patients with Chronic Liver Disease. 2022 , 14, 4855		0
11	Relationship between Mild Cognitive Impairment and Physical Activity in Patients with Heart Disease. 2022 , 37, 551-556		0
10	Effect of Music Therapy on Pain, Physical and Cognitive Function, and Mood of Patients with Knee Osteoarthritis After Total Knee Arthroplasty: Protocol for A Randomized Controlled Trial.		0
9	Differences in Subjective and Objective Cognitive Decline Outcomes Are Associated with Modifiable Protective Factors: A 4-Year Longitudinal Study. 2022 , 11, 7441		0

8	The relationship between frailty and motor function among living in the community elderly females. 2023 , 35, 70-74	1
7	MASK-air □ real-world data in respiratory allergy in old-age adults. 2023 , 13,	0
6	Frailty and its combined effects with lifestyle factors on cognitive function: a cross-sectional study. 2023 , 23,	0
5	Cross sectional association between cognitive frailty and disability among community-dwelling older adults: Focus on the role of social factors. 11,	0
4	Outcome of novel oral anticoagulant versus warfarin in frail elderly patients with atrial fibrillation: a systematic review and meta-analysis of retrospective studies. 1-11	0
3	Impact of osteosarcopenia on disability and mortality among Japanese older adults. 2023 , 14, 1107-1116	0
2	Changes in Satisfaction with Meaningful Activities and Onset of Depressive Symptoms among Community-Dwelling Japanese Older Adults: A Population-Based Study Before and During the COVID-19 Pandemic. 2023 ,	0
1	Computer-based cognitive tests and cerebral pathology among Japanese older adults. 2023 , 23,	0