

CITATION REPORT

List of articles citing

Update of the EBF recommendation for the use of DBS in regulated bioanalysis integrating the conclusions from the EBF DBS-microsampling consortium

DOI: 10.4155/bio.13.173
Bioanalysis, 2013, 5, 2129-36.

Source: <https://exaly.com/paper-pdf/56195222/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
91	The effect of hematocrit on bioanalysis of DBS: results from the EBF DBS-microsampling consortium. <i>Bioanalysis</i> , 2013 , 5, 2147-60	2.1	86
90	The first 5 years of Bioanalysis: a story of growth and evolution. <i>Bioanalysis</i> , 2013 , 5, 2975-80	2.1	
89	Bioanalysis annual round-up: the bioanalysis editorial team is delighted to welcome you to this mid-year round-up. <i>Bioanalysis</i> , 2013 , 5, 2227-31	2.1	
88	Advantages and challenges of microsampling. 2013 , 6-13		
87	. 2014 ,		23
86	Pharmaceutical Perspectives of Use of Dried Blood Spots. 2014 , 151-159		1
85	Development of a UPLC-MS/MS method for the quantification of sildenafil by DBS, and its use on pediatric pulmonary hypertension. <i>Bioanalysis</i> , 2014 , 6, 2815-24	2.1	6
84	EBF: reflection on bioanalytical assay requirements used to support liquid microsampling. <i>Bioanalysis</i> , 2014 , 6, 2581-6	2.1	13
83	Determination of tamoxifen and endoxifen in dried blood spots using LC-MS/MS and the effect of coated DBS cards on recovery and matrix effects. <i>Bioanalysis</i> , 2014 , 6, 2999-3009	2.1	23
82	Conference report: moving forward together: "we are making progress". <i>Bioanalysis</i> , 2014 , 6, 1159-65	2.1	1
81	European Bioanalysis Forum continued plans to support liquid microsampling. <i>Bioanalysis</i> , 2014 , 6, 1897-900		9
80	Sensitive quantification of IGF-1 and its synthetic analogs in dried blood spots. <i>Bioanalysis</i> , 2014 , 6, 2651-62		17
79	Quantifying vemurafenib in dried blood spots using high-performance LC-MS/MS. <i>Bioanalysis</i> , 2014 , 6, 3215-24	2.1	12
78	Procedures and practices for the validation of bioanalytical methods using dried blood spots: a review. <i>Bioanalysis</i> , 2014 , 6, 2481-514	2.1	67
77	Dried blood spots: concepts, present status, and future perspectives in bioanalysis. <i>Drug Testing and Analysis</i> , 2014 , 6, 399-414	3.5	88
76	Determination of venlafaxine and O-desmethylenlafaxine in dried blood spots for TDM purposes, using LC-MS/MS. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 2349-53	4.4	30
75	Dried blood spots and their role in bioanalysis. 2015 , 194-208		

74	Capillary blood sampling: national recommendations on behalf of the Croatian Society of Medical Biochemistry and Laboratory Medicine. <i>Biochemia Medica</i> , 2015 , 25, 335-58	2.5	39
73	Overview of Omics Technologies for Military Occupational Health Surveillance and Medicine. <i>Military Medicine</i> , 2015 , 180, 34-48	1.3	11
72	A device for dried blood microsampling in quantitative bioanalysis: overcoming the issues associated blood hematocrit. <i>Bioanalysis</i> , 2015 , 7, 653-9	2.1	133
71	Applying dried blood spot sampling with LCMS quantification in the clinical development phase of tasquinimod. <i>Bioanalysis</i> , 2015 , 7, 179-91	2.1	4
70	Dried blood spots for monitoring and individualization of antiepileptic drug treatment. <i>European Journal of Pharmaceutical Sciences</i> , 2015 , 75, 25-39	5.1	32
69	Implementing dried blood spot sampling for clinical pharmacokinetic determinations: considerations from the IQ Consortium Microsampling Working Group. <i>AAPS Journal</i> , 2015 , 17, 292-300	3.7	43
68	Potential missing steps for a wide use of dried matrix spots in biomedical analysis. <i>Bioanalysis</i> , 2015 , 7, 2375-2385	2.1	9
67	Bioanalysis of emixustat (ACU-4429) in whole blood collected with volumetric absorptive microsampling by LC-MS/MS. <i>Bioanalysis</i> , 2015 , 7, 2071-83	2.1	25
66	Hematocrit-independent recovery of immunosuppressants from DBS using heated flow-through desorption. <i>Bioanalysis</i> , 2015 , 7, 2019-29	2.1	18
65	Novel membrane devices and their potential utility in blood sample collection prior to analysis of dried plasma spots. <i>Bioanalysis</i> , 2015 , 7, 1987-2002	2.1	30
64	The use of mass spectrometry to analyze dried blood spots. <i>Mass Spectrometry Reviews</i> , 2016 , 35, 361-438		143
63	Capillary Microsampling of Mouse Blood in Early Pre-Clinical Studies: A Preferred Alternative to Dried Blood Spot Sampling. <i>Journal of Bioanalysis & Biomedicine</i> , 2016 , 08,	1	2
62	Clinical feasibility of dried blood spots: Analytics, validation, and applications. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 130, 231-243	3.5	79
61	Validation and Clinical Evaluation of a Novel Method To Measure Miltefosine in Leishmaniasis Patients Using Dried Blood Spot Sample Collection. <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 2081-9	5.9	14
60	Development of a prototype blood fractionation cartridge for plasma analysis by paper spray mass spectrometry. <i>Clinical Mass Spectrometry</i> , 2016 , 2, 18-24	1.9	24
59	Is there a role for microsampling in antibiotic pharmacokinetic studies?. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2016 , 12, 601-14	5.5	16
58	Microscale bioanalysis. <i>Bioanalysis</i> , 2016 , 8, 859-62	2.1	2
57	Dried blood spots analysis with mass spectrometry: Potentials and pitfalls in therapeutic drug monitoring. <i>Clinical Biochemistry</i> , 2016 , 49, 1035-46	3.5	77

56	Multiplexed longitudinal measurement of protein biomarkers in DBS using an automated SISCAPA workflow. <i>Bioanalysis</i> , 2016 , 8, 1597-1609	2.1	33
55	DBS-LC-MS/MS assay for caffeine: validation and neonatal application. <i>Bioanalysis</i> , 2016 , 8, 1893-902	2.1	14
54	An Integrated Strategy for Implementation of Dried Blood Spots in Clinical Development Programs. <i>AAPS Journal</i> , 2016 , 18, 519-27	3.7	33
53	Development and clinical validation of an LC-MS/MS method for the quantification of pazopanib in DBS. <i>Bioanalysis</i> , 2016 , 8, 123-34	2.1	8
52	Evaluation of sample extraction methods for minimizing hematocrit effect on whole blood analysis with volumetric absorptive microsampling. <i>Bioanalysis</i> , 2017 , 9, 349-357	2.1	29
51	Volumetric absorptive microsampling (VAMS) as an alternative to conventional dried blood spots in the quantification of miltefosine in dried blood samples. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 135, 160-166	3.5	46
50	Validation, quality control, and compliance practice for mass spectrometry assays in the clinical laboratory. 2017 , 63-76		1
49	Capillary microsampling in nonclinical safety assessment: practical sampling and bioanalysis from a CRO perspective. <i>Bioanalysis</i> , 2017 , 9, 787-798	2.1	7
48	Dried Blood Spots Combined With Ultra-High-Performance Liquid Chromatography-Mass Spectrometry for the Quantification of the Antipsychotics Risperidone, Aripiprazole, Pipamperone, and Their Major Metabolites. <i>Therapeutic Drug Monitoring</i> , 2017 , 39, 429-440	3.2	12
47	Dried blood spots from finger prick facilitate therapeutic drug monitoring of adalimumab and anti-adalimumab in patients with inflammatory diseases. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 2474-2484	3.8	22
46	α-Synuclein aggregation modulation: an emerging approach for the treatment of Parkinson's disease. <i>Future Medicinal Chemistry</i> , 2017 , 9, 1039-1053	4.1	21
45	Study of measurement of the alcohol biomarker phosphatidylethanol (PEth) in dried blood spot (DBS) samples and application of a volumetric DBS device. <i>Clinica Chimica Acta</i> , 2018 , 479, 38-42	6.2	26
44	Dried matrix spots and clinical elemental analysis. Current status, difficulties, and opportunities. <i>TrAC - Trends in Analytical Chemistry</i> , 2018 , 99, 75-87	14.6	36
43	Extractability-mediated stability bias and hematocrit impact: High extraction recovery is critical to feasibility of volumetric adsorptive microsampling (VAMS) in regulated bioanalysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 156, 58-66	3.5	47
42	Clinical application of microsampling versus conventional sampling techniques in the quantitative bioanalysis of antibiotics: a systematic review. <i>Bioanalysis</i> , 2018 , 10, 407-423	2.1	20
41	Advances in metabolome information retrieval: turning chemistry into biology. Part I: analytical chemistry of the metabolome. <i>Journal of Inherited Metabolic Disease</i> , 2018 , 41, 379-391	5.4	18
40	A dried blood spot assay for paclitaxel and its metabolites. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 148, 307-315	3.5	20
39	Feedback from the fourth European Bioanalysis Forum Young Scientist Symposium. <i>Bioanalysis</i> , 2018 , 10, 1631-1634	2.1	3

38	Dried-Blood-Spot Technique to Monitor Direct Oral Anticoagulants: Clinical Validation of a UPLC-MS/MS-Based Assay. <i>Analytical Chemistry</i> , 2018 , 90, 9395-9402	7.8	22
37	Novel and rapid LC-MS/MS method for quantitative analysis of methylphenidate in dried blood spots. <i>Bioanalysis</i> , 2018 , 10, 839-850	2.1	9
36	Microsampling: considerations for its use in pharmaceutical drug discovery and development. <i>Bioanalysis</i> , 2019 , 11, 1015-1038	2.1	26
35	Feedback from the Fifth European Bioanalysis Forum Young Scientist Symposium. <i>Bioanalysis</i> , 2019 , 11, 1453-1458	2.1	3
34	Preanalytical considerations in therapeutic drug monitoring of immunosuppressants with dried blood spots. <i>Diagnosis</i> , 2019 , 6, 57-68	4.2	8
33	Development and Validation of a Method Using Dried Oral Fluid Spot to Determine Drugs of Abuse. <i>Journal of Forensic Sciences</i> , 2019 , 64, 1906-1912	1.8	8
32	How and when to use dried blood spots in psychoneuroendocrinological research. <i>Psychoneuroendocrinology</i> , 2019 , 108, 190-196	5	6
31	The 10-year bioanalysis challenge in Mexico. <i>Bioanalysis</i> , 2019 , 11, 575-577	2.1	0
30	Feedback from the European Bioanalysis Forum liquid microsampling consortium: capillary liquid microsampling and assessment of homogeneity of the resultant samples. <i>Bioanalysis</i> , 2019 , 11, 525-532	2.1	5
29	Hematocrit effect on dried blood spots in adults: a computational study and theoretical considerations. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2019 , 79, 325-333	2	6
28	Microsampling for quantitative bioanalysis, an industry update: output from an AAPS/EBF survey. <i>Bioanalysis</i> , 2019 , 11, 619-628	2.1	16
27	Validation of methods for determining pediatric midazolam using wet whole blood and volumetric absorptive microsampling. <i>Bioanalysis</i> , 2019 , 11, 1737-1754	2.1	10
26	Official International Association for Therapeutic Drug Monitoring and Clinical Toxicology Guideline: Development and Validation of Dried Blood Spot-Based Methods for Therapeutic Drug Monitoring. <i>Therapeutic Drug Monitoring</i> , 2019 , 41, 409-430	3.2	91
25	LC-MS application for therapeutic drug monitoring in alternative matrices. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 166, 40-51	3.5	47
24	Concentration Determination of >200 Proteins in Dried Blood Spots for Biomarker Discovery and Validation. <i>Molecular and Cellular Proteomics</i> , 2020 , 19, 540-553	7.6	12
23	Vancomycin and creatinine determination in dried blood spots: Analytical validation and clinical assessment. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2020 , 1137, 121897	3.2	8
22	Determination of Perampanel in Dried Plasma Spots: Applicability to Therapeutic Drug Monitoring. <i>Therapeutic Drug Monitoring</i> , 2020 , 42, 309-314	3.2	3
21	Novel LC-MS/MS method for the determination of selumetinib (AZD6244) in whole blood collected with volumetric absorptive microsampling. <i>Bioanalysis</i> , 2020 , 12, 883-892	2.1	

20	Fluispotter, a novel automated and wearable device for accurate volume serial dried blood spot sampling. <i>Bioanalysis</i> , 2020 , 12, 665-681	2.1	3
19	Extraction of dried oral fluid spots (DOFS) for the identification of drugs of abuse using liquid chromatography tandem mass spectrometry (LC-MS/MS). <i>Forensic Chemistry</i> , 2020 , 19, 100254	2.8	6
18	Evaluating an easy sampling method using dried blood spots to determine vedolizumab concentrations. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 185, 113224	3.5	8
17	Validation and clinical application of dried blood spot assay for quantitative assessment of edoxaban in healthy adults. <i>Bioanalysis</i> , 2020 , 12, 393-407	2.1	0
16	Selection of a surrogate matrix for the quantification of an endogenous analyte in dried whole blood. <i>Bioanalysis</i> , 2020 , 12, 409-418	2.1	2
15	Microsampling Devices for Routine Therapeutic Drug Monitoring-Are We There Yet?. <i>Therapeutic Drug Monitoring</i> , 2021 , 43, 322-334	3.2	2
14	The Evolving Role of Microsampling in Therapeutic Drug Monitoring of Monoclonal Antibodies in Inflammatory Diseases. <i>Molecules</i> , 2021 , 26,	4.8	1
13	Dried Blood Spot Technique Applied in Therapeutic Drug Monitoring of Anticancer Drugs: a Review on Conversion Methods to Correlate Plasma and Dried Blood Spot Concentrations. <i>Pharmaceutical Research</i> , 2021 , 38, 759-778	4.5	7
12	Therapeutic Drug Monitoring of Antiseizure Medications Using Volumetric Absorptive Microsampling: Where Are We?. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	2
11	Review of the Preanalytical Errors That Impact Therapeutic Drug Monitoring. <i>Therapeutic Drug Monitoring</i> , 2021 , 43, 595-608	3.2	1
10	Giving patients choices: AstraZeneca's evolving approach to patient-centric sampling. <i>Bioanalysis</i> , 2020 , 12, 957-970	2.1	3
9	Comparison of glucose measurement on dried blood spots versus plasma samples in pregnant women with and without anemia. <i>Archives of Endocrinology and Metabolism</i> , 2020 , 64, 454-461	2.2	
8	A Joint Technology Combining the Advantages of Capillary Microsampling with Mass Spectrometry Applied to the Trans-Resveratrol Pharmacokinetic Study in Mice.. <i>Journal of Analytical Methods in Chemistry</i> , 2022 , 2022, 5952436	2	0
7	Methodological aspects of dried blood spot sampling for the determination of isoprostanoids and prostanoids. <i>Microchemical Journal</i> , 2022 , 175, 107212	4.8	0
6	Direct multi-class DESI-MS/MS method for the analysis of sleep inducers and ototoxic drugs in Dried Blood Spots.. <i>Rapid Communications in Mass Spectrometry</i> , 2022 , e9265	2.2	0
5	Biological Matrix Supply Chain Shortages: More Matrices Are Now Rare-the Case for Surrogate Matrices.. <i>AAPS Journal</i> , 2022 , 24, 42	3.7	
4	Dried Urine Spot Analysis for assessing cardiovascular drugs exposure applicable in spaceflight conditions. 2022 , 123539		0
3	A fast and validated LC-MS/MS method to quantify lenvatinib in dried blood spot. 2023 , 115255		0

- 2 A Validated UHPLC-MS/MS Method to Quantify Eight Antibiotics in Quantitative Dried Blood Spots in Support of Pharmacokinetic Studies in Neonates. **2023**, 12, 199 ○
- 1 Ceramides biomarkers determination in quantitative dried blood spots by UHPLC-MS/MS. **2023**, 1255, 341131 ○