

A Review of Factors Influencing the Banking of Collecte

Stem Cells International

2013, 1-7

DOI: [10.1155/2013/463031](https://doi.org/10.1155/2013/463031)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Cord blood processing by a novel filtration system. <i>Cell Proliferation</i> , 2015, 48, 671-681.	2.4	4
2	Banking or Bankrupting: Strategies for Sustaining the Economic Future of Public Cord Blood Banks. <i>PLoS ONE</i> , 2015, 10, e0143440.	1.1	34
3	Industrial Economics of Cord Blood Banks. , 2015, , 325-345.		0
4	Cord Blood Banking. , 2015, , 197-210.		0
5	Detecting primitive hematopoietic stem cells in total nucleated and mononuclear cell fractions from umbilical cord blood segments and units. <i>Journal of Translational Medicine</i> , 2015, 13, 94.	1.8	15
6	Mesenchymal cells of umbilical cord and umbilical cord blood as a source of human oligodendrocyte progenitors. <i>Life Sciences</i> , 2015, 139, 24-29.	2.0	5
7	Improving Quality and Potency Testing for Umbilical Cord Blood: A New Perspective. <i>Stem Cells Translational Medicine</i> , 2015, 4, 967-973.	1.6	19
8	Umbilical cord blood <scp>CD</scp>34⁺ stem cells and other mononuclear cell subtypes processed up to 96Ah from collection and stored at room temperature maintain a satisfactory functionality for cell therapy. <i>Vox Sanguinis</i> , 2015, 108, 72-81.	0.7	8
10	Cord Blood Stem Cell Banking. <i>Stem Cells in Clinical Applications</i> , 2016, , 163-180.	0.4	2
11	Maternal microchimerism is prevalent in cord blood in memory T cells and other cell subsets, and persists post-transplant. <i>Oncolmmunology</i> , 2017, 6, e1311436.	2.1	38
12	Family cord blood banking for sickle cell disease: a twenty-year experience in two dedicated public cord blood banks. <i>Haematologica</i> , 2017, 102, 976-983.	1.7	8
13	Ex Vivo-expanded Natural Killer Cells Derived From Long-term Cryopreserved Cord Blood are Cytotoxic Against Primary Breast Cancer Cells. <i>Journal of Immunotherapy</i> , 2018, 41, 64-72.	1.2	29
14	Dual-wavelength oblique back-illumination microscopy for the non-invasive imaging and quantification of blood in collection and storage bags. <i>Biomedical Optics Express</i> , 2018, 9, 2743.	1.5	28
15	Reducing ethnic disparity in access to high-quality HLA-matched cord blood units for transplantation: analysis of the Canadian Blood Services' Cord Blood Bank inventory. <i>Transfusion</i> , 2019, 59, 2382-2388.	0.8	11
16	Factors Affecting Human Umbilical Cord Blood Quality Before Cryopreservation: The Importance of Birth Weight and Gestational Age. <i>Biopreservation and Biobanking</i> , 2020, 18, 18-24.	0.5	3
17	Noninvasive white blood cell quantification in umbilical cord blood collection bags with quantitative oblique back-illumination microscopy. <i>Transfusion</i> , 2020, 60, 588-597.	0.8	19
18	Cord Blood Banking and Transplantation in a National Program: Thirteen Years of Experience. <i>Archives of Medical Research</i> , 2020, 51, 54-62.	1.5	1
19	High Integrity and Fidelity of Long-Term Cryopreserved Umbilical Cord Blood for Transplantation. <i>Journal of Clinical Medicine</i> , 2021, 10, 293.	1.0	6

#	ARTICLE	IF	CITATIONS
20	Correlation of ultrasound estimated placental volume and umbilical cord blood volume in term pregnancy. Journal of the Turkish German Gynecology Association, 2015, 16, 64-67.	0.2	1
21	Effects of gestational diabetes mellitus on the quality and quantity of blood hematopoietic stem cells: a case-control study.. Croatian Medical Journal, 2021, 62, 590-597.	0.2	0
22	Current donor selection strategies for allogeneic hematopoietic cell transplantation. Human Immunology, 2022, 83, 674-686.	1.2	10