Persistence of DNA in a cured patient and positive culture in cases with low antibody levels bring into question diagnosis of Q fever endocarditis

DOI: 10.1128/jcm.00812-13
Journal of Clinical Microbiology, 2013, 51, 3012-7.

#	Paper	IF	Citations
22	Reduction in incidence of Q fever endocarditis: 27 years of experience of a national reference center. *Journal of Infection*, **2014**, 68, 141-8	18.9	20
21	[Diagnosis of infectious lymphadenitis]. *Revue De Medecine Interne*, **2015**, 36, 668-76	0.1	3
20	Bartonella, a common cause of endocarditis: a report on 106 cases and review. *Journal of Clinical Microbiology*, **2015**, 53, 824-9	9.7	77
19	Specific in vitro interferon-gamma and IL-2 production as biomarkers during treatment of chronic Q fever. *Frontiers in Microbiology*, **2015**, 6, 93	5.7	8
18	Persistent Q fever and ischaemic stroke in elderly patients. *Clinical Microbiology and Infection*, **2015**, 21, 362-7	9.5	4
17	Coxiella burnetii Endocarditis in a Child Caused by a New Genotype. *Pediatric Infectious Disease Journal*, **2016**, 35, 213-4	3.4	5
16	Bergeyella zoohelcum Associated with Abscess and Cellulitis After a Dog Bite. *Pediatric Infectious Disease Journal*, **2016**, 35, 214-6	3.4	6
15	Coxiella burnetii Endocarditis and Aortic Vascular Graft Infection: An Underrecognized Disease. *Annals of Thoracic Surgery*, **2016**, 101, 141-5	2.7	5
14	New diagnostic approaches in infective endocarditis. *Heart*, **2016**, 102, 796-807	5.1	11
13	Low antibodies titer and serological cross-reaction between Coxiella burnetii and Legionella pneumophila challenge the diagnosis of mediastinitis, an emerging Q fever clinical entity. *Infection*, **2017**, 45, 911-915	5.8	9
12	Bartonella henselae is usually not viable in lymph nodes of patients with cat scratch disease. *European Journal of Clinical Microbiology and Infectious Diseases*, **2017**, 36, 2207-2213	5.3	9
11	From Q Fever to Coxiella burnetii Infection: a Paradigm Change. *Clinical Microbiology Reviews*, **2017**, 30, 115-190	34	388
10	A case of giant cell arteritis associated with culture-proven Coxiella burnetii aortitis. *International Journal of Infectious Diseases*, **2018**, 69, 50-54	10.5	8
9	Molecular detection of Coxiella burnetii in heart valve tissue from patients with culture-negative infective endocarditis. *Medicine (United States)*, **2018**, 97, e11881	1.8	9
8	Non-diagnostic anti-C. burnetii phase I IgG titres: Should they be discarded in elderly patients?. *Journal of Infection and Public Health*, **2018**, 11, 851-855	7.4	1
7	Fluorescence Hybridization (FISH) and Peptide Nucleic Acid Probe-Based FISH for Diagnosis of Q Fever Endocarditis and Vascular Infections. *Journal of Clinical Microbiology*, **2018**, 56,	9.7	13
6	Blood Culture-Negative Cardiovascular Infection in a Patient With Multiple Sclerosis. *Open Forum Infectious Diseases*, **2019**, 6, ofz429	1	2

5	New insights in infection: diagnosis and therapeutic update. *Expert Review of Anti-Infective Therapy*, **2020**, 18, 75-86	5.5	13
4	Lyophilization to improve the sensitivity of qPCR for bacterial DNA detection in serum: the Q fever paradigm. *Journal of Medical Microbiology*, **2016**, 65, 462-467	3.2	8
3	Subacute, tetracycline-responsive, granulomatous osteomyelitis in an adult man, consistent with Q fever infection. *BMJ Case Reports*, **2015**, 2015,	0.9	2
2	causing life-threatening disease in a susceptible patient. *BMJ Case Reports*, **2017**, 2017,	0.9	4
1	Development and Evaluation of Rapid and Accurate CRISPR/Cas13-Based RNA Diagnostics for Pneumocystis jirovecii Pneumonia. *Frontiers in Cellular and Infection Microbiology*, 12,	5.9	0