

# CT and MRI Measurements of Tibial Tubercleâ€™Trochlear Equivalent in Patients With Patellar Instability

American Journal of Sports Medicine

41, 1835-1840

DOI: [10.1177/0363546513484895](https://doi.org/10.1177/0363546513484895)

Citation Report

#	ARTICLE	IF	CITATIONS
1	The Tibial Tubercleâ€“Trochlear Groove Distance: Letter to the Editor. American Journal of Sports Medicine, 2013, 41, NP51-NP52.	1.9	2
2	The Tibial Tubercleâ€“Trochlear Groove Distance on Axial CT and MRI: Letter to the Editor. American Journal of Sports Medicine, 2013, 41, NP53-NP55.	1.9	3
3	Variation in Tibial Tubercleâ€“Trochlear Groove Measurement as a Function of Age, Sex, Size, and Patellar Instability. American Journal of Sports Medicine, 2014, 42, 389-393.	1.9	89
4	Magnetic Resonance Imaging of the Extensor Mechanism. Magnetic Resonance Imaging Clinics of North America, 2014, 22, 601-620.	0.6	29
5	Tibial Tuberosity Osteotomy. American Journal of Sports Medicine, 2014, 42, 2006-2017.	1.9	112
6	Clinical outcomes of medial patellofemoral ligament reconstruction in patients with an increased tibial tuberosityâ€“trochlear groove distance. Knee Surgery, Sports Traumatology, Arthroscopy, 2014, 22, 2438-2444.	2.3	104
7	Measurement of tibial tuberosityâ€“trochlear groove distance: evaluation of inter- and intraobserver correlation dependent on the severity of trochlear dysplasia. Knee Surgery, Sports Traumatology, Arthroscopy, 2014, 22, 2382-2387.	2.3	35
8	The Segond Fracture: A Bony Injury of the Anterolateral Ligament of the Knee. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2014, 30, 1475-1482.	1.3	192
9	Imaging of the Patellofemoral Joint. Clinics in Sports Medicine, 2014, 33, 413-436.	0.9	32
10	Patellar Instability. Clinics in Sports Medicine, 2014, 33, 461-476.	0.9	58
11	Trochlear Dysplasia and the Role of Trochleoplasty. Clinics in Sports Medicine, 2014, 33, 531-545.	0.9	52
12	Distal Realignment. Clinics in Sports Medicine, 2014, 33, 517-530.	0.9	23
15	Patellar Tendonâ€“Trochlear Groove Angle Measurement. Orthopaedic Journal of Sports Medicine, 2015, 3, 232596711560103.	0.8	38
16	Correlation Between Changes in Tibial Tuberosityâ€“Trochlear Groove Distance and Patellar Position During Active Knee Extension on Dynamic Kinematic Computed Tomographic Imaging. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2015, 31, 1748-1755.	1.3	68
17	Systematic Technique-Dependent Differences in CT Versus MRI Measurement of the Tibial Tubercleâ€“Trochlear Groove Distance. American Journal of Sports Medicine, 2015, 43, 675-682.	1.9	63
18	Defining the Role of the Tibial Tubercleâ€“Trochlear Groove and Tibial Tubercleâ€“Posterior Cruciate Ligament Distances in the Work-up of Patients With Patellofemoral Disorders. American Journal of Sports Medicine, 2015, 43, 1348-1353.	1.9	77
19	Are the osseous and tendinous-cartilaginous tibial tuberosity-trochlear groove distances the same on CT and MRI?. Skeletal Radiology, 2015, 44, 1085-1093.	1.2	52
20	Passport for the Orthopedic Boards and FRCS Examination. , 2015, , .		1

#	ARTICLE	IF	CITATIONS
21	Inter- and Intraobserver Reliability in the MRI Measurement of the Tibial Tubercleâ€”Trochlear Groove Distance and Trochlea Dysplasia. <i>American Journal of Sports Medicine</i> , 2015, 43, 873-878.	1.9	44
22	Upright CT of the knee: the effect of weight-bearing on joint alignment. <i>European Radiology</i> , 2015, 25, 3398-3404.	2.3	48
23	Recurrent Patellar Instability: Assessment and Decision Making. <i>Operative Techniques in Sports Medicine</i> , 2015, 23, 68-76.	0.2	8
24	Treatment of Patellofemoral Cartilage Lesions in the Young, Active Patient. <i>Journal of Knee Surgery</i> , 2015, 28, 285-296.	0.9	17
25	What Components Comprise the Measurement of the Tibial Tuberosity-Trochlear Groove Distance in a Patellar Dislocation Population?. <i>Journal of Bone and Joint Surgery - Series A</i> , 2015, 97, 1441-1448.	1.4	60
26	À la Carte. <i>American Journal of Sports Medicine</i> , 2015, 43, 2099-2101.	1.9	3
27	Inestabilidad rotuliana. <i>EMC - Aparato Locomotor</i> , 2015, 48, 1-11.	0.1	0
28	Patellar Instability. <i>Orthopedic Clinics of North America</i> , 2015, 46, 147-157.	0.5	53
29	Considerations in Evaluating Treatment Options for Patellofemoral Cartilage Pathology. <i>Sports Medicine and Arthroscopy Review</i> , 2016, 24, 92-97.	1.0	7
30	Comparison of a Novel Weightbearing Cone Beam Computed Tomography Scanner Versus a Conventional Computed Tomography Scanner for Measuring Patellar Instability. <i>Orthopaedic Journal of Sports Medicine</i> , 2016, 4, 232596711667356.	0.8	26
31	Tibial Tubercle to Trochlear Groove Distance and Index in Children with One-Time versus Recurrent Patellar Dislocation: A Magnetic Resonance Imaging Study. <i>Journal of Orthopaedic Surgery</i> , 2016, 24, 253-257.	0.4	16
32	TT-TG vs. modified lateral patellar edge for determination of tibial tubercle transfer distance in Fulkerson osteotomy procedures. <i>Knee</i> , 2016, 23, 712-715.	0.8	4
33	An Algorithmic Approach to the Management of Recurrent Lateral Patellar Dislocation. <i>Journal of Bone and Joint Surgery - Series A</i> , 2016, 98, 417-427.	1.4	212
34	Imaging of Individual Anatomical Risk Factors for Patellar Instability. <i>Seminars in Musculoskeletal Radiology</i> , 2016, 20, 065-073.	0.4	65
35	Tibial Tuberosityâ€”Posterior Cruciate Ligament Distance. <i>Journal of Knee Surgery</i> , 2016, 29, 471-477.	0.9	42
36	Radiographic and Anatomic Evaluation of Tibial Tubercle to Trochlear Groove Distance. <i>Journal of Knee Surgery</i> , 2016, 29, 589-593.	0.9	7
37	An Algorithm for Diagnosing and Treating Primary and Recurrent Patellar Instability. <i>JBJS Reviews</i> , 2016, 4, .	0.8	23
38	Anatomical patella instability risk factors on MRI show sensitivity without specificity in patients with patellofemoral instability: a systematic review. <i>Journal of ISAKOS</i> , 2016, 1, 141-152.	1.1	21

#	ARTICLE	IF	CITATIONS
39	Management of Patellofemoral Arthritis. <i>Journal of the American Academy of Orthopaedic Surgeons</i> , The, 2016, 24, e163-e173.	1.1	12
40	Comparative study of magnetic resonance imaging (MRI) parameters in a Southeast Asian population with symptomatic patellofemoral instability. <i>Knee</i> , 2016, 23, 588-592.	0.8	4
41	A simple method of measuring tibial tubercle to trochlear groove distance on MRI: description of a novel and reliable technique. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016, 24, 879-884.	2.3	37
42	Tibial ACL insertion site length: correlation between preoperative MRI and intra-operative measurements. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016, 24, 2787-2793.	2.3	9
43	The tibial tubercle trochlear groove distance in patients with trochlear dysplasia: the influence of the proximally flat trochlea. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016, 24, 2741-2747.	2.3	22
44	Does tibial tuberosity to trochlear groove distance (TT-TG) correlate with knee size or body height?. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016, 24, 2861-2867.	2.3	25
45	Imaging assessment of patellar instability and its treatment in children and adolescents. <i>Pediatric Radiology</i> , 2016, 46, 618-636.	1.1	25
46	The Relationship Between Tibial Tubercle to Trochlear Groove Distance and Noncontact Anterior Cruciate Ligament Injuries in Adolescents and Young Adults. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2016, 32, 63-68.	1.3	18
47	The Relationship Between Tibial Tuberosity to Trochlear Groove Distance and Abnormal Patellar Tracking in Patients With Unilateral Patellar Instability. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2016, 32, 55-61.	1.3	51
48	The contribution of the tibial tubercle to patellar instability: analysis of tibial tubercle to trochlear groove (TT-TG) and tibial tubercle to posterior cruciate ligament (TT-PCL) distances. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 2347-2351.	2.3	48
49	Evaluation of a modified knee rotation angle in MRI scans with and without trochlear dysplasia: a parameter independent of knee size and trochlear morphology. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 2447-2452.	2.3	7
50	Why are bone and soft tissue measurements of the TT-TG distance on MRI different in patients with patellar instability?. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 3053-3060.	2.3	21
51	Variability in Patellofemoral Alignment Measurements on MRI: Influence of Knee Position. <i>American Journal of Roentgenology</i> , 2017, 208, 1097-1102.	1.0	30
52	When and How Far to Move the Tibial Tuberosity in Patients With Patellar Instability. <i>Sports Medicine and Arthroscopy Review</i> , 2017, 25, 78-84.	1.0	8
53	The Tibial Tubercle to Trochlear Groove Distance Is Greater in Patients With Patellofemoral Pain: Implications for the Origin of Pain and Clinical Interventions. <i>American Journal of Sports Medicine</i> , 2017, 45, 1110-1116.	1.9	29
54	Patellar Height Measurements on Radiograph and Magnetic Resonance Imaging in Patellar Instability and Control Patients. <i>Journal of Knee Surgery</i> , 2017, 30, 943-950.	0.9	39
55	Medial Patellofemoral Ligament Repair Versus Reconstruction for Recurrent Patellar Instability. <i>Orthopaedic Journal of Sports Medicine</i> , 2017, 5, 232596711668946.	0.8	40
56	The Tibial Tubercle to Trochlear Groove (TT-TG) Distance Is Reliable in the Setting of Trochlear Dysplasia, and Superior to the Tibial Tubercle to Posterior Cruciate Ligament (TT-PCL) Distance When Evaluating Coronal Malalignment in Patellofemoral Instability. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2017, 33, 2026-2034.	1.3	43

#	ARTICLE	IF	CITATIONS
57	Are metric parameters sufficient alone in evaluation of the patellar instability? New angular measuring parameters. <i>Journal of Orthopaedic Surgery</i> , 2017, 25, 230949901668449.	0.4	4
58	Editorial Commentary: Measuring Coronal (Mal)Alignment for Patients With Patellar Instability: Tibial Tubercle to Trochlear Groove Versus Tibial Tubercle to Posterior Cruciate Ligament Distance. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2017, 33, 2035-2037.	1.3	3
59	Current Concepts in the Management of Patellar Instability. <i>Indian Journal of Orthopaedics</i> , 2017, 51, 493-504.	0.5	30
60	The patellofemoral joint: from dysplasia to dislocation. <i>EFORT Open Reviews</i> , 2017, 2, 204-214.	1.8	28
61	Patellofemoral Joint Instability: Where Are We in 2018?. , 2018, , 153-170.		1
62	Surgical Treatment With Closing-Wedge Distal Femoral Osteotomy for Recurrent Patellar Dislocation With Genu Valgum. <i>American Journal of Sports Medicine</i> , 2018, 46, 1632-1640.	1.9	43
63	Sulcus-Deepening Trochleoplasty and Medial Patellofemoral Ligament Reconstruction for Recurrent Patellar Instability. <i>Arthroscopy Techniques</i> , 2018, 7, e113-e123.	0.5	21
64	The Pediatric Patella: Normal Development, Anatomical Variants and Malformations, Stability, Imaging, and Injury Patterns. <i>Seminars in Musculoskeletal Radiology</i> , 2018, 22, 081-094.	0.4	9
65	How Do Axial Scan Orientation Deviations Affect the Measurements of Knee Anatomical Parameters Associated with Patellofemoral Instability? A Simulated Computed Tomography Study. <i>Journal of Knee Surgery</i> , 2018, 31, 425-432.	0.9	7
66	Tibial tuberosity to trochlear groove distance and its association with patellofemoral osteoarthritis-related structural damage worsening: data from the osteoarthritis initiative. <i>European Radiology</i> , 2018, 28, 4669-4680.	2.3	15
67	Lateralization of the Tibial Tubercle in Recurrent Patellar Dislocation. <i>Journal of Bone and Joint Surgery - Series A</i> , 2018, 100, e58.	1.4	29
68	The use of tibial tuberosity-trochlear groove indices based on joint size in lower limb evaluation. <i>International Orthopaedics</i> , 2018, 42, 995-1000.	0.9	17
69	Variations in Tibial Tuberosity to Trochlear Groove and Posterior Cruciate Ligament Distances due to Tibial External and Valgus Rotations. <i>Journal of Knee Surgery</i> , 2018, 31, 557-561.	0.9	15
70	Current evidence advocates use of a new pathologic tibial tubercle to posterior cruciate ligament distance threshold in patients with patellar instability. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 2733-2742.	2.3	27
71	Patellar tracking should be taken into account when measuring radiographic parameters for recurrent patellar instability. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 3593-3600.	2.3	29
72	Modified exorotation graft tension for tibial fixation in anterior cruciate ligament reconstruction: a randomized controlled trial. <i>Medical Journal of Indonesia</i> , 2018, 27, 169-77.	0.2	2
74	Combined Tibial Tubercle Osteotomy and Medial Patellofemoral Ligament Reconstruction for Recurrent Lateral Patellar Instability in Patients With Multiple Anatomic Risk Factors. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2018, 34, 2420-2426.e3.	1.3	57
75	Avoiding Complications with MPFL Reconstruction. <i>Current Reviews in Musculoskeletal Medicine</i> , 2018, 11, 241-252.	1.3	32

#	ARTICLE	IF	CITATIONS
76	Patellofemoral Issues. , 2018, , 103-117.		0
77	Use of TT-PCL versus TT-TG. Current Reviews in Musculoskeletal Medicine, 2018, 11, 261-265.	1.3	37
78	Patellofemoral Imaging and Analysis. Operative Techniques in Sports Medicine, 2019, 27, 150684.	0.2	2
79	A Knee Size-Independent Parameter for Malalignment of the Distal Patellofemoral Joint in Children. Advances in Orthopedics, 2019, 2019, 1-7.	0.4	3
80	Referencing the trochlear groove based on three-dimensional computed tomography imaging improves the reliability of the measurement of the tibial tuberosity-trochlear groove distance in patients with higher grades of trochlea dysplasia. Knee, 2019, 26, 1429-1436.	0.8	13
81	Imaging of the Patellofemoral Joint. , 2019, , 7-23.		1
82	Coronal and Axial Alignment: The Effects of Malalignment. , 2019, , 41-56.		0
83	Joint Preservation of the Knee. , 2019, , .		8
84	Patellofemoral instability: an overview. Orthopaedics and Trauma, 2019, 33, 119-126.	0.2	4
85	Trochleoplasty: Groove-Deepening and Entrance Grooveplasty. Operative Techniques in Sports Medicine, 2019, 27, 150690.	0.2	3
86	Team Approach: Patellofemoral Instability in the Skeletally Immature. JBJS Reviews, 2019, 7, e10-e10.	0.8	1
87	Why and Where to Move the Tibial Tubercle: Indications and Techniques for Tibial Tubercle Osteotomy. Sports Medicine and Arthroscopy Review, 2019, 27, 154-160.	1.0	26
88	Treatment of First-time Patellar Dislocations and Evaluation of Risk Factors for Recurrent Patellar Instability. Sports Medicine and Arthroscopy Review, 2019, 27, 130-135.	1.0	12
89	When is Trochleoplasty a Rational Addition?. Sports Medicine and Arthroscopy Review, 2019, 27, 161-168.	1.0	11
90	Tibial Tubercle-Trochlear Groove Distance Is a Reliable and Accurate Indicator of Patellofemoral Instability. Clinical Orthopaedics and Related Research, 2019, 477, 1450-1458.	0.7	23
91	Surgical management of patellofemoral instability. I. Imaging considerations. Skeletal Radiology, 2019, 48, 859-869.	1.2	10
92	Highly variable tibial tubercle-trochlear groove distance (TT-tTG) in osteoarthritic knees should be considered when performing TKA. Knee Surgery, Sports Traumatology, Arthroscopy, 2019, 27, 1403-1409.	2.3	26
93	The Difference between Computed Tomography and Magnetic Resonance Imaging Measurements of Tibial Tubercle-Trochlear Groove Distance for Patients with or without Patellofemoral Instability: A Systematic Review and Meta-analysis. Journal of Knee Surgery, 2020, 33, 768-776.	0.9	39

#	ARTICLE	IF	CITATIONS
94	Arthroscopic assessment of patella tracking correlates with recurrent patellar instability. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 876-880.	2.3	1
95	A pre-operative grade 3 J-sign adversely affects short-term clinical outcome and is more likely to yield MPFL residual graft laxity in recurrent patellar dislocation. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 2147-2156.	2.3	35
96	The Distance between Tibial Tubercle and Trochlear Groove Correlates with Knee Articular Torsion. <i>Journal of Knee Surgery</i> , 2021, 34, 918-923.	0.9	7
97	Increased femoral anteversion is associated with inferior clinical outcomes after MPFL reconstruction and combined tibial tubercle osteotomy for the treatment of recurrent patellar instability. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 2261-2269.	2.3	64
98	A High-Grade J Sign Is More Likely to Yield Higher Postoperative Patellar Laxity and Residual Maltracking in Patients With Recurrent Patellar Dislocation Treated With Derotational Distal Femoral Osteotomy. <i>American Journal of Sports Medicine</i> , 2020, 48, 117-127.	1.9	46
99	Preoperative Complete Patellofemoral Dislocation in Extension Predicts an Inferior Clinical Outcome After Medial Patellofemoral Ligament Reconstruction in Patients With Recurrent Patellar Dislocation. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712093898.	0.8	1
100	Quantitative Variable Assessment of Patellar Instability: An MRI-Based Study. <i>American Journal of Roentgenology</i> , 2020, 215, 1163-1170.	1.0	11
101	Tibial Tubercleâ€”Roman Arch Distance: A New Measurement of Patellar Dislocation and Indication of Tibial Tubercle Osteotomy. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712091487.	0.8	21
102	New standardization method of tibial tubercle-posterior cruciate ligament distance according to patient size in patients with patellofemoral instability. <i>Knee</i> , 2020, 27, 695-700.	0.8	5
103	A robust and semi-automatic quantitative measurement of patellofemoral instability based on four dimensional computed tomography. <i>Medical Engineering and Physics</i> , 2020, 78, 29-38.	0.8	9
104	The relationship between patellar lateralization diagnostic imaging markers and non-contact internal knee derangements. <i>Journal of Orthopaedic Surgery and Research</i> , 2020, 15, 160.	0.9	1
105	The presence of a preoperative high-grade J-sign and femoral tunnel malposition are associated with residual graft laxity after MPFL reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 1183-1190.	2.3	13
106	Measurement of tibial tuberosityâ€”trochlear groove distance by MRI: assessment and correction of knee positioning errors. <i>Skeletal Radiology</i> , 2021, 50, 751-759.	1.2	5
107	Validating the Role of Tibial Tubercleâ€”Posterior Cruciate Ligament Distance and Tibial Tubercleâ€”Trochlear Groove Distance Measured by Magnetic Resonance Imaging in Patients With Patellar Dislocation: A Diagnostic Study. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 234-242.	1.3	25
108	Tibial tuberosityâ€”tibial intercondylar midpoint distance measured on computed tomography scanner is not biased during knee rotation and could be clinically more relevant than current measurement systems. <i>International Orthopaedics</i> , 2021, 45, 959-970.	0.9	7
109	Medial Patellofemoral Ligament Reconstruction With or Without Derotational Distal Femoral Osteotomy in Treating Recurrent Patellar Dislocation With Increased Femoral Anteversion: A Retrospective Comparative Study. <i>American Journal of Sports Medicine</i> , 2021, 49, 200-206.	1.9	32
110	Defining the role of TT-TG and TT-PCL in the diagnosis of lateralization of the Tibial tubercle in recurrent patellar dislocation. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 52.	0.8	16
111	Assessment of Patient, Joint, Cartilage Injury Characteristics. , 2021, , 65-75.		0

#	ARTICLE	IF	CITATIONS
112	Quantifying the variability between multiple multiplanar reconstructions of computed tomography scans. <i>BMC Biomedical Engineering</i> , 2021, 3, 2.	1.7	1
113	Effect of Medialization of the Trochlear Groove and Lateralization of the Tibial Tubercle on TT-TG Distance: A Cross-sectional Study of Dysplastic and Nondysplastic Knees. <i>American Journal of Sports Medicine</i> , 2021, 49, 970-974.	1.9	17
114	Optimizing Outcomes in Articulating (Kissing) Patellofemoral Joint Osteochondral Lesions: Case Report and Review of the Literature. <i>Journal of the American Academy of Orthopaedic Surgeons Global Research and Reviews</i> , 2021, 5, .	0.4	0
115	A ressonância magnética do joelho usando a bobina de corpo inteiro equivalente a TC na medição da distância TT-ST: Removendo o viés do sistema. <i>Revista Brasileira De Ortopedia</i> , 2022, 57, 082-088.	0.2	0
116	Extensor mechanism tendinopathy in patients with lateral patellar maltracking. <i>Skeletal Radiology</i> , 2021, 50, 2205-2212.	1.2	0
117	Functional outcomes of paediatric medial patellofemoral ligament (MPFL) reconstruction surgery with or without patella distalisation and medialisation for recurrent patella instability. <i>Journal of Arthroscopy and Joint Surgery</i> , 2021, 8, 177-183.	0.3	0
118	Allgraft Medial Patellofemoral Ligament Reconstruction in Adolescent Patients Results in a Low Recurrence Rate of Patellar Dislocation or Subluxation at Midterm Follow-Up. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2022, 38, 128-138.	1.3	9
119	Radiologic Measurements in the Assessment of Patellar Instability: A Systematic Review and Meta-analysis. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712199317.	0.8	27
120	The effect of native knee rotation on the tibial-tubercle-trochlear-groove distance in patients with patellar instability: an analysis of MRI and CT measurements. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2022, 142, 3149-3155.	1.3	13
121	Accuracy of tibial tuberosity-trochlear groove distance and tibial tuberosity-posterior cruciate ligament distance in terms of the severity of trochlear dysplasia. <i>Journal of Orthopaedic Surgery and Research</i> , 2021, 16, 383.	0.9	15
122	MPFL reconstruction corrects patella alta: a cohort study. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2022, 32, 883-889.	0.6	5
123	Risk assessment and management of primary patellar dislocation is complex and multifactorial: a survey of Australian knee surgeons. <i>Journal of ISAKOS</i> , 2021, 6, jisakos-2020-000609.	1.1	2
124	Coronal and Transverse Malalignment in Pediatric Patellofemoral Instability. <i>Journal of Clinical Medicine</i> , 2021, 10, 3035.	1.0	17
125	Clinical outcomes and predictive factors for failure with MPFL reconstruction combined with tibial tubercle osteotomy and lateral retinacular release for recurrent patellar instability. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 632.	0.8	13
126	Utility of the Merchant View Radiograph for Assessment of Tibial Tubercle-Trochlear Groove Distance: A Comparison to MRI in Pediatric and Adolescent Patients. <i>Journal of Pediatric Orthopaedics</i> , 2021, 41, e628-e634.	0.6	3
127	The TT-TG Distance/Trochlear Dysplasia Index Quotient Is the Most Accurate Indicator for Determining Patellofemoral Instability Risk. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, , .	1.3	10
128	MRI evaluation of predisposing factors in patellar instability. <i>Indian Journal of Musculoskeletal Radiology</i> , 0, .	0.0	0
129	Evaluation of Anterior Knee Pain by Magnetic Resonance Imaging. <i>The Egyptian Journal of Hospital Medicine</i> , 2021, 85, 2990-2994.	0.0	0



#	ARTICLE	IF	CITATIONS
130	Derotational distal femoral osteotomy yields satisfactory clinical outcomes in pathological femoral rotation with failed medial patellofemoral ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 1809-1817.	2.3	12
131	Treatment Algorithm in Patellofemoral Disorders. , 2022, , 309-320.		0
132	Tibial Tuberosity Osteotomies. , 2022, , 321-335.		0
133	Cartilage Restoration and Stabilization Strategies for the Patellofemoral Joint. , 2021, , 299-318.		0
134	Comparing the Tibial Tuberosityâ€”Trochlear Groove Distance Between CT and MRI in Skeletally Immature Patients With and Without Patellar Instability. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712097366.	0.8	13
135	Patellofemoral Joint Contact Pressures: Current Concepts and Use in Patellar Instability Studies. <i>Orthopedics</i> , 2019, 42, e172-e179.	0.5	6
136	Patellofemoral Joint Instability: A Review of Current Concepts. <i>Journal of Orthopaedics and Trauma</i> , 0, 6, .	0.0	5
138	Demystifying Tibial-Tuberosity Trochlear Groove Distance, the J-Sign and Trochlear Dysplasia: An Imaging Encomium. <i>Journal of Medical Diagnostic Methods</i> , 2017, 06, .	0.0	0
139	IDENTIFICATION OF FRICTION CONDITIONS IN HUMAN JOINTS. <i>Tribologia</i> , 2017, 273, 127-136.	0.0	0
140	Patellofemoral Joint. <i>Medical Radiology</i> , 2020, , 553-593.	0.0	0
141	Imaging Analysis of Patella Instability Factors. , 2020, , 33-46.		1
142	Tibial Tubercle Anteromedialization Osteotomy. , 2020, , 265-275.		0
143	Tibial Tubercle Osteotomies: Indications and Results. , 2020, , 251-264.		0
144	The Influence of Tibial Tuberosity-trochlear Groove Distance on Development of Patellofemoral Pain Syndrome. <i>Archives of Bone and Joint Surgery</i> , 2019, 7, 46-51.	0.1	5
145	Evaluating Patellofemoral Patients. <i>Clinics in Sports Medicine</i> , 2022, 41, 1-13.	0.9	5
146	Coronal Malalignmentâ€”When and How to Perform a Tibial Tubercle Osteotomy. <i>Clinics in Sports Medicine</i> , 2022, 41, 15-26.	0.9	6
147	Influence of Articular Geometry and Tibial Tubercle Location on Patellofemoral Kinematics and Contact Mechanics. <i>Journal of Applied Biomechanics</i> , 2022, 38, 58-66.	0.3	4
148	High Rates of Damage to the Medial Patellofemoral Ligament, Lateral Trochlea, and Patellar Crest After Acute Patellar Dislocation: Magnetic Resonance Imaging Analysis. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2022, 38, 2472-2479.	1.3	27

#	ARTICLE	IF	CITATIONS
149	Tibial tuberosity-trochlear groove distance: does it measure up?. Bone & Joint Open, 2022, 3, 268-274.	1.1	8
150	Radiological evaluation of patellofemoral instability and possible causes of assessment errors. World Journal of Methodology, 2022, 12, 64-82.	1.1	3
151	Diagnostic Performance of MRI Versus CT in the Evaluation of Intra-articular Osteochondral Fracture in Pediatric Patients With Acute Traumatic Lateral Patellar Dislocation. Orthopaedic Journal of Sports Medicine, 2022, 10, 232596712210835.	0.8	0
152	The tibial tubercleâ€“posterior cruciate ligament (TTâ€“PCL) distance does not truly reflect the lateralization of the tibial tubercle. Knee Surgery, Sports Traumatology, Arthroscopy, 2022, 30, 3470-3479.	2.3	4
153	Measurement of Medial Tibial Eminence Dimensions for the Clinical Evaluation of ACL-Injured Knees: A Comparison between CT and MRI. Journal of Knee Surgery, 2021, , .	0.9	0
154	Patellofemoral Pain, Chondrosis, and Arthritis in the Young to Middle-Aged Patient: A 32-Year-Old Woman with Lateral Patella and Trochlear Chondrosis. , 2022, , 149-155.		0
156	Utility of Diagnostic Ultrasound in the Assessment of Patellar Instability. Orthopaedic Journal of Sports Medicine, 2022, 10, 232596712210987.	0.8	4
157	The Increased Tibiofemoral Rotation: A Potential Contributing Factor for Patellar Maltracking in Patients with Recurrent Patellar Dislocation. Orthopaedic Surgery, 2022, 14, 1469-1475.	0.7	3
158	Assessment of the reliability and validity of imaging measurements for patellofemoral instability: an updated systematic review. Skeletal Radiology, 2022, 51, 2245-2256.	1.2	6
159	Reliability of the Tibial Tubercleâ€“Roman Arch Distance for Evaluating Tibial Tubercle Malposition and Predicting Patellar Dislocation via Magnetic Resonance Imaging. Orthopaedic Journal of Sports Medicine, 2022, 10, 232596712211185.	0.8	5
160	Anatomical Components Associated With Increased Tibial Tuberosityâ€“Trochlear Groove Distance. Orthopaedic Journal of Sports Medicine, 2022, 10, 232596712211138.	0.8	5
161	CT and MRI measurements of tibial tubercle lateralization in patients with patellar dislocation were not equivalent but could be interchangeable. Knee Surgery, Sports Traumatology, Arthroscopy, 2023, 31, 349-357.	2.3	6
162	Low re-dislocation rate following Bereiter trochleoplasty for recurrent patellar instability with severe trochlear dysplasia. Knee Surgery, Sports Traumatology, Arthroscopy, 2023, 31, 2494-2499.	2.3	2
163	Chondromalacia Patellae â€“ Cartilaginous Lesions of the Patella in the Setting of Anterior Knee Pain: A Current Concepts Review. Journal of Cartilage & Joint Preservation, 2022, , 100096.	0.2	0
164	Factors That Affect the Magnitude of Tibial Tubercleâ€“Trochlear Groove Distance in Patients With Patellar Instability. American Journal of Sports Medicine, 2023, 51, 25-31.	1.9	6
165	Patellar Tendonâ€“Trochlear Groove Angle Measured on a Single Computed Tomography Slice of the Distal Femoral Trochlear Groove Is a Reliable Measurement for the Evaluation of Patellar Instability. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2023, 39, 1244-1250.	1.3	1
166	Predictors of Graft Failure After Primary Medial Patellofemoral Ligament Reconstruction. Orthopaedic Journal of Sports Medicine, 2022, 10, 232596712211388.	0.8	2
167	Clinical and Second-look Arthroscopic Results for Derotational Distal Femoral Osteotomy With Medial Patellofemoral Ligament Reconstruction for Recurrent Patellar Dislocation With Increased Femoral Anteversion: A Series of 102 Cases With a Minimum Clinical Follow-up of 2 Years. American Journal of Sports Medicine, 2023, 51, 663-671.	1.9	5

#	ARTICLE	IF	CITATIONS
168	Patellofemoral Arthritis. , 2023, , 329-348.		0
169	Editorial Commentary: Patellar Tendonâ€™Trochlear Groove Angle Demonstrates Potential as a Measurement of Instability That Would Benefit From Continued Study Adhering to Guidelines for Quality Research. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2023, 39, 1251-1253.	1.3	0