

Psychological Responses Matter in Returning to Preinjury Cruciate Ligament Reconstruction Surgery

American Journal of Sports Medicine

41, 1549-1558

DOI: [10.1177/0363546513489284](https://doi.org/10.1177/0363546513489284)

Citation Report

#	ARTICLE	IF	CITATIONS
1	The impact of medical gymnastics on load on the lower limb after knee twisting, on the basis of selected tests. <i>Studia Medyczne</i> , 2014, 1, 27-34.	0.0	0
2	Structured Rehabilitation Model with Clinical Outcomes After ACL Reconstruction. , 2014, , 1-28.		1
3	At return to play following hamstring injury the majority of professional football players have residual isokinetic deficits. <i>British Journal of Sports Medicine</i> , 2014, 48, 1364-1369.	3.1	104
4	Treatment of Anterior Cruciate Ligament Injuries by Major League Soccer Team Physicians. <i>Orthopaedic Journal of Sports Medicine</i> , 2014, 2, 232596711455989.	0.8	28
5	Adolescent differences in knee stability following computer-assisted anterior cruciate ligament reconstruction. <i>Orthopedic Reviews</i> , 2014, 6, 5653.	0.3	11
6	Fifty-five per cent return to competitive sport following anterior cruciate ligament reconstruction surgery: an updated systematic review and meta-analysis including aspects of physical functioning and contextual factors. <i>British Journal of Sports Medicine</i> , 2014, 48, 1543-1552.	3.1	920
7	Return to competitive football after major knee surgery: more questions than answers?. <i>Journal of Sports Sciences</i> , 2014, 32, 1209-1216.	1.0	14
8	Dynamic Postural Stability in Young Adolescent Male and Female Athletes. <i>Pediatric Physical Therapy</i> , 2014, 26, 447-452.	0.3	23
10	Anatomic anterior cruciate ligament (ACL) reconstruction: a global perspective. Part 1. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014, 22, 1467-1482.	2.3	163
11	The impact of psychological readiness to return to sport and recreational activities after anterior cruciate ligament reconstruction. <i>British Journal of Sports Medicine</i> , 2014, 48, 1613-1619.	3.1	315
12	Critères de reprise du sport après reconstruction du ligament croisé antérieur. <i>Journal De Traumatologie Du Sport</i> , 2014, 31, 145-148.	0.1	0
13	Variables associated with return to sport following anterior cruciate ligament reconstruction: a systematic review. <i>British Journal of Sports Medicine</i> , 2014, 48, 356-364.	3.1	242
15	Critères de reprise du sport après reconstruction du ligament croisé antérieur. <i>Journal De Traumatologie Du Sport</i> , 2014, 31, 185-187.	0.1	0
16	THE LARS AUGMENTED 4-TUNNEL HAMSTRING "HYBRID" ACLR GRAFT CONSTRUCTION ALLOWS ACCELERATED REHABILITATION WITHOUT KNEE LAXITY " CASE SERIES OF 111 PATIENTS AFTER 2 YEARS. <i>Journal of Musculoskeletal Research</i> , 2015, 18, 1550020.	0.1	7
17	Differences in Attentional Focus Associated With Recovery From Sports Injury: Does Injury Induce an Internal Focus?. <i>Journal of Sport and Exercise Psychology</i> , 2015, 37, 607-616.	0.7	12
18	An Exploration of Sports Rehabilitators' and Athletic Rehabilitation Therapists' Views on Fear of Re-injury After Anterior Cruciate Ligament Reconstruction. <i>Journal of Sport Rehabilitation</i> , 2015, 24, 140-150.	0.4	5
19	Kinesiophobia After Anterior Cruciate Ligament Reconstruction in Physically Active Individuals. <i>Journal of Sport Rehabilitation</i> , 2015, 24, 434-439.	0.4	24
21	Psychological Aspects of Recovery Following Anterior Cruciate Ligament Reconstruction. <i>Journal of the American Academy of Orthopaedic Surgeons</i> , The, 2015, 23, 501-509.	1.1	124

#	ARTICLE	IF	CITATIONS
22	Intrinsic factors associated with return to sport after anterior cruciate ligament reconstruction: A systematic review. <i>South African Journal of Physiotherapy</i> , 2015, 71, 230.	0.3	4
23	An evidence-based review of hip-focused neuromuscular exercise interventions to address dynamic lower extremity valgus. <i>Open Access Journal of Sports Medicine</i> , 2015, 6, 291.	0.6	48
24	Anterior Cruciate Ligament Reconstructionâ€™Not Exactly a One-Way Ticket Back to the Preinjury Level. <i>Sports Health</i> , 2015, 7, 224-230.	1.3	137
25	Increased Compliance With Supervised Rehabilitation Improves Functional Outcome and Return to Sport After Anterior Cruciate Ligament Reconstruction in Recreational Athletes. <i>Orthopaedic Journal of Sports Medicine</i> , 2015, 3, 232596711562077.	0.8	33
26	Sports Participation 2 Years After Anterior Cruciate Ligament Reconstruction in Athletes Who Had Not Returned to Sport at 1 Year. <i>American Journal of Sports Medicine</i> , 2015, 43, 848-856.	1.9	204
27	Predictive parameters for return to pre-injury level of sport 6 months following anterior cruciate ligament reconstruction surgery. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 3623-3631.	2.3	136
28	Neuroplasticity Following Anterior Cruciate Ligament Injury: A Framework for Visual-Motor Training Approaches in Rehabilitation. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2015, 45, 381-393.	1.7	154
29	Return to recreational sports activity after anterior cruciate ligament reconstruction: a one- to six-year follow-up study. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2015, 135, 1117-1122.	1.3	34
30	After revision anterior cruciate ligament reconstruction, who returns to sport? A systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2015, 49, 1295-1304.	3.1	70
31	Comparison of Physical Impairment, Functional, and Psychosocial Measures Based on Fear of Re-injury/Lack of Confidence and Return-to-Sport Status After ACL Reconstruction. <i>American Journal of Sports Medicine</i> , 2015, 43, 345-353.	1.9	200
32	Individual Recovery Profiles in Basketball Players. <i>Spanish Journal of Psychology</i> , 2015, 18, E24.	1.1	15
33	LCA opÃ© et retour sur le terrain. <i>Journal De Traumatologie Du Sport</i> , 2015, 32, 155-159.	0.1	0
34	Perceived personal importance of exercise and fears of re-injury: a longitudinal study of psychological factors related to activity after anterior cruciate ligament reconstruction. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2015, 7, 4.	0.7	30
35	Structured Rehabilitation Model with Clinical Outcomes After Anterior Cruciate Ligament Reconstruction. , 2015, , 1439-1465.		2
36	The effects of attentional focus on jump performance and knee joint kinematics in patients after ACL reconstruction. <i>Physical Therapy in Sport</i> , 2015, 16, 114-120.	0.8	91
37	Translation, cross-cultural adaptation and validation of the French version of the Anterior Cruciate Ligament-Return to Sport after Injury (ACL-RSI) scale. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 1192-1196.	2.3	106
38	Return to sports after ACL reconstruction: a new functional test protocol. <i>Muscles, Ligaments and Tendons Journal</i> , 2016, 6, 499-509.	0.1	10
39	ACL injury in football: a literature overview of the prevention program. <i>Muscles, Ligaments and Tendons Journal</i> , 2016, 6, 473-479.	0.1	7

#	ARTICLE	IF	CITATIONS
41	What is the evidence to support a psychological component to rehabilitation programs after anterior cruciate ligament reconstruction?. <i>Current Orthopaedic Practice</i> , 2016, 27, 263-268.	0.1	13
42	An Ecological Study of Anterior Cruciate Ligament Reconstruction, Part 1. <i>Orthopaedic Journal of Sports Medicine</i> , 2016, 4, 232596711667220.	0.8	13
43	Evidence-based clinical practice update: practice guidelines for anterior cruciate ligament rehabilitation based on a systematic review and multidisciplinary consensus. <i>British Journal of Sports Medicine</i> , 2016, 50, 1506-1515.	3.1	512
44	Incidence Rate and Results of the Surgical Treatment of Pectoralis Major Tendon Ruptures in Active-Duty Military Personnel. <i>American Journal of Sports Medicine</i> , 2016, 44, 1837-1843.	1.9	53
45	Psychological Factors Associated With Anterior Cruciate Ligament Reconstruction Recovery. <i>Orthopaedic Journal of Sports Medicine</i> , 2016, 4, 232596711663834.	0.8	54
46	Revision Anterior Cruciate Ligament Reconstruction in Military Personnel. <i>Journal of Knee Surgery</i> , 2016, 29, 464-470.	0.9	8
47	Rehabilitation after first-time anterior cruciate ligament injury and reconstruction in female football players: a study of resilience factors. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2016, 8, 20.	0.7	28
48	External supports improve knee performance in anterior cruciate ligament reconstructed individuals with higher kinesiophobia levels. <i>Knee</i> , 2016, 23, 807-812.	0.8	18
49	Forced knee extension test is a manual test that correlates with the unstable feelings of patients with ACL injury before and after reconstruction. <i>Knee</i> , 2016, 23, 1159-1163.	0.8	2
50	Return to Play Following Anterior Cruciate Ligament Reconstruction. <i>Clinics in Sports Medicine</i> , 2016, 35, 655-668.	0.9	18
51	Return to Sport (General Aspects). , 2016, , 49-54.		0
52	Rates and Determinants of Return to Play After Anterior Cruciate Ligament Reconstruction in National Collegiate Athletic Association Division I Soccer Athletes. <i>American Journal of Sports Medicine</i> , 2016, 44, 433-439.	1.9	47
53	Activity preferences, lifestyle modifications and re-injury fears influence longer-term quality of life in people with knee symptoms following anterior cruciate ligament reconstruction: a qualitative study. <i>Journal of Physiotherapy</i> , 2016, 62, 103-110.	0.7	67
54	Psyched Down. <i>American Journal of Sports Medicine</i> , 2016, 44, 569-571.	1.9	0
55	Psychological Aspects of Anterior Cruciate Ligament Injuries. <i>Operative Techniques in Sports Medicine</i> , 2016, 24, 77-83.	0.2	72
56	The Importance of Patient Sex in the Outcomes of Anterior Cruciate Ligament Reconstructions. <i>American Journal of Sports Medicine</i> , 2016, 44, 242-254.	1.9	123
57	Factors informing fear of reinjury after anterior cruciate ligament reconstruction. <i>Physiotherapy Theory and Practice</i> , 2017, 33, 103-114.	0.6	43
58	Optimization of the Return-to-Sport Paradigm After Anterior Cruciate Ligament Reconstruction: A Critical Step Back to Move Forward. <i>Sports Medicine</i> , 2017, 47, 1487-1500.	3.1	187

#	ARTICLE	IF	CITATIONS
59	Permanent knee sensorimotor system changes following ACL injury and surgery. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 1461-1474.	2.3	43
60	Return to Play and Patient Satisfaction After ACL Reconstruction. <i>Journal of Bone and Joint Surgery - Series A</i> , 2017, 99, 720-725.	1.4	80
61	A novel web-support intervention to promote recovery following Anterior Cruciate Ligament reconstruction: A pilot randomised controlled trial. <i>Physical Therapy in Sport</i> , 2017, 27, 29-37.	0.8	23
62	Modern pain neuroscience in clinical practice: applied to post-cancer, paediatric and sports-related pain. <i>Brazilian Journal of Physical Therapy</i> , 2017, 21, 225-232.	1.1	29
63	Knee Stability and Movement Coordination Impairments: Knee Ligament Sprain Revision 2017. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2017, 47, A1-A47.	1.7	77
64	Young Athletes After Anterior Cruciate Ligament Reconstruction Cleared for Sports Participation: How Many Actually Meet Recommended Return-to-Sport Criteria Cutoffs?. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2017, 47, 1-27.	1.7	93
65	Fear of movement in patients after anterior cruciate ligament reconstruction. <i>Physiotherapy Practice and Research</i> , 2017, 38, 113-120.	0.1	2
66	International Olympic Committee consensus statement on pain management in elite athletes. <i>British Journal of Sports Medicine</i> , 2017, 51, 1245-1258.	3.1	113
67	Preoperative Short Form Health Survey Score Is Predictive of Return to Play and Minimal Clinically Important Difference at a Minimum 2-Year Follow-up After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2017, 45, 2784-2790.	1.9	108
69	Outcomes Based on Surgery and Rehabilitation. , 2017, , 497-512.		0
70	Translation and cross-cultural adaptation of the anterior cruciate ligament-return to sport after injury (ACL-RSI) scale into Turkish. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 159-164.	2.3	40
71	Psychological factors are important to return to pre-injury sport activity after anterior cruciate ligament reconstruction: expect and motivate to satisfy. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 1375-1384.	2.3	123
72	Fear of Reinjury in Athletes. <i>Sports Health</i> , 2017, 9, 162-167.	1.3	117
73	Return to Sport following ACL Reconstruction: The Australian Experience. , 2017, , 413-426.		1
74	Development of a test battery to enhance safe return to sports after anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 192-199.	2.3	204
75	Webinar: Assessing Patient Satisfaction Following Anterior Cruciate Ligament Reconstruction. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2017, 47, .	1.7	0
76	The Utility of Objective Strength and Functional Performance to Predict Subjective Outcomes After Anterior Cruciate Ligament Reconstruction. <i>Orthopaedic Journal of Sports Medicine</i> , 2017, 5, 232596711774475.	0.8	23
77	Scientific Basis of Rehabilitation After Anterior Cruciate Ligament Autogenous Reconstruction. , 2017, , 268-292.		3

#	ARTICLE	IF	CITATIONS
78	Acceptability of a digital health intervention alongside physiotherapy to support patients following anterior cruciate ligament reconstruction. BMC Musculoskeletal Disorders, 2017, 18, 471.	0.8	33
79	Which patient reported outcomes to collect after anterior cruciate ligament reconstruction. Annals of Joint, 2017, 2, 21-21.	1.0	8
80	Doctor Kate E. Webster: anterior cruciate ligament injury in young athletes in Australia. Annals of Joint, 2017, 2, 45-45.	1.0	0
81	Decision to Return to Sport After Anterior Cruciate Ligament Reconstruction, Part I: A Qualitative Investigation of Psychosocial Factors. Journal of Athletic Training, 2018, 53, 452-463.	0.9	69
82	Quadriceps Strength Deficit at 6 Months After ACL Reconstruction Does Not Predict Return to Preinjury Sports Level. Sports Health, 2018, 10, 266-271.	1.3	25
83	Return to Play Criteria: The Swedish Experience. , 2018, , 173-181.		0
84	Development and Implementation of a Modular Return-to-Play Test Battery After ACL Reconstruction. , 2018, , 217-235.		3
85	Development and Validation of a Short Version of the Anterior Cruciate Ligament Return to Sport After Injury (ACL-RSI) Scale. Orthopaedic Journal of Sports Medicine, 2018, 6, 232596711876376.	0.8	96
86	Knee Pain and Mobility Impairments: Meniscal and Articular Cartilage Lesions Revision 2018. Journal of Orthopaedic and Sports Physical Therapy, 2018, 48, A1-A50.	1.7	71
87	Translation and validation of the simplified Chinese version of the anterior cruciate ligament-return to sport after injury (ACL-RSI). Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 2997-3003.	2.3	12
88	Aptitude physique et psychologique pour la reprise du sport après reconstruction du ligament croisé antérieur du genou: score ACL-RSI et tests fonctionnels. Journal De Traumatologie Du Sport, 2018, 35, 15-24.	0.1	2
89	Factors Associated With Psychological Readiness to Return to Sport After Anterior Cruciate Ligament Reconstruction Surgery. American Journal of Sports Medicine, 2018, 46, 1545-1550.	1.9	151
90	Criteria for return to running after anterior cruciate ligament reconstruction: a scoping review. British Journal of Sports Medicine, 2018, 52, 1437-1444.	3.1	97
91	Factors Affecting Subjective and Objective Outcomes and Return to Play in Anterior Cruciate Ligament Reconstruction: A Retrospective Cohort Study. Joints, 2018, 06, 023-032.	1.5	34
92	Low rates of patients meeting return to sport criteria 9 months after anterior cruciate ligament reconstruction: a prospective longitudinal study. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 3636-3644.	2.3	117
93	Psychological Factors Influencing Return to Sport After Anterior Cruciate Ligament Reconstruction. , 2018, , 73-83.		5
94	ACL: Criteria-Based Return to Play "Outcome Predictor Analysis After ACL Reconstruction. , 2018, , 183-192.		0
95	Return to Play Following Anterior Cruciate Ligament Injury. , 2018, , 535-546.		0

#	ARTICLE	IF	CITATIONS
96	Eighty-three per cent of elite athletes return to preinjury sport after anterior cruciate ligament reconstruction: a systematic review with meta-analysis of return to sport rates, graft rupture rates and performance outcomes. British Journal of Sports Medicine, 2018, 52, 128-138.	3.1	305
97	Functional performance 6 months after ACL reconstruction can predict return to participation in the same preinjury activity level 12 and 24 months after surgery. British Journal of Sports Medicine, 2018, 52, 375-375.	3.1	85
98	Translation, cross-adaptation and measurement properties of the Brazilian version of the ACL-RSI Scale and ACL-QoL Questionnaire in patients with anterior cruciate ligament reconstruction. Brazilian Journal of Physical Therapy, 2018, 22, 127-134.	1.1	39
99	Anterior cruciate ligament revision with Achilles tendon allograft in young athletes. Orthopaedics and Traumatology: Surgery and Research, 2018, 104, 209-215.	0.9	13
100	Conservative Treatment of ACL Tear. , 2018, , 69-82.		1
101	Management of Pain in Elite Athletes: Identified Gaps in Knowledge and Future Research Directions. Clinical Journal of Sport Medicine, 2018, 28, 485-489.	0.9	22
102	The Impact of Depression on Patient Outcomes in Hip Arthroscopic Surgery. Orthopaedic Journal of Sports Medicine, 2018, 6, 232596711880649.	0.8	53
103	Progression of the Psychological ACL-RSI Score and Return to Sport After Anterior Cruciate Ligament Reconstruction: A Prospective 2-Year Follow-up Study From the French Prospective Anterior Cruciate Ligament Reconstruction Cohort Study (FAST). Orthopaedic Journal of Sports Medicine, 2018, 6, 232596711881281.	0.8	80
104	Improvements in Thigh Strength Symmetry Are Modestly Correlated With Changes in Self-Reported Function After Anterior Cruciate Ligament Reconstruction. Orthopaedic Journal of Sports Medicine, 2018, 6, 232596711880745.	0.8	5
105	Patient Characteristics and Predictors of Return to Sport at 12 Months After Anterior Cruciate Ligament Reconstruction: The Importance of Patient Age and Postoperative Rehabilitation. Orthopaedic Journal of Sports Medicine, 2018, 6, 232596711879757.	0.8	48
107	The ACL: Anatomy, Biomechanics, Mechanisms of Injury, and the Gender Disparity. , 2018, , 3-32.		2
108	Determination of Neuromuscular Function Before Return to Sports After ACL Reconstruction: Can We Reduce the Risk of Reinjury?. , 2018, , 589-606.		0
109	Decision to Return to Sport Participation After Anterior Cruciate Ligament Reconstruction, Part II: Self-Reported and Functional Performance Outcomes. Journal of Athletic Training, 2018, 53, 464-474.	0.9	31
110	CORR Insights®: What is the Relationship of Fear Avoidance to Physical Function and Pain Intensity in Injured Athletes?. Clinical Orthopaedics and Related Research, 2018, 476, 764-766.	0.7	0
111	Ready or Not. American Journal of Sports Medicine, 2018, 46, 1542-1544.	1.9	2
112	Psychological Predictors of Anterior Cruciate Ligament Recovery Outcomes. , 2018, , 498-500.e2.		0
113	Anterior Cruciate Ligament Reconstruction Outcomes as a Function of Age. , 2018, , 490-493.e2.		0
114	Prevalence of Posttraumatic Stress Disorder Symptoms Among Young Athletes After Anterior Cruciate Ligament Rupture. Orthopaedic Journal of Sports Medicine, 2018, 6, 232596711878715.	0.8	52

#	ARTICLE	IF	CITATIONS
115	Psychological Readiness to Return to Sport Is Associated With Knee Kinematic Asymmetry During Gait Following Anterior Cruciate Ligament Reconstruction. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2018, 48, 968-973.	1.7	36
116	Role of tissue perfusion, muscle strength recovery, and pain in rehabilitation after acute muscle strain injury: A randomized controlled trial comparing early and delayed rehabilitation. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018, 28, 2579-2591.	1.3	25
117	No Difference in the KOOS Quality of Life Subscore Between Anatomic Double-Bundle and Anatomic Single-Bundle Anterior Cruciate Ligament Reconstruction of the Knee: A Prospective Randomized Controlled Trial With 2 Years' Follow-up. <i>American Journal of Sports Medicine</i> , 2018, 46, 2341-2354.	1.9	39
118	Rehabilitation of ACL Injury in the Handball Player. , 2018, , 481-491.		3
119	What Is the Relationship of Fear Avoidance to Physical Function and Pain Intensity in Injured Athletes?. <i>Clinical Orthopaedics and Related Research</i> , 2018, 476, 754-763.	0.7	49
120	Sex-Specific Differences in Psychological Response to Injury and Return to Sport Following ACL Reconstruction. <i>JBJS Reviews</i> , 2018, 6, e9-e9.	0.8	23
121	The Association of Fear-Avoidance Beliefs and Self-Reported Knee Function in Patients With a Knee Injury: A Critically Appraised Topic. <i>International Journal of Athletic Therapy and Training</i> , 2018, 23, 187-191.	0.1	4
122	Examination of Early Functional Recovery After ACL Reconstruction: Functional Milestone Achievement and Self-Reported Function. <i>Sports Health</i> , 2018, 10, 345-354.	1.3	10
123	Psychological and Functional Readiness for Sport Following Advanced Group Training in Patients With Anterior Cruciate Ligament Reconstruction. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2018, 48, 864-872.	1.7	35
124	Rehabilitation before regenerative cartilage knee surgery: a new prehabilitation guideline based on the best available evidence. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2019, 139, 217-230.	1.3	8
125	Factors Associated With a Return to Preinjury Level of Sport Performance After Anterior Cruciate Ligament Reconstruction Surgery. <i>American Journal of Sports Medicine</i> , 2019, 47, 2557-2562.	1.9	76
126	The relationships between kinesiophobia and clinical outcomes after ACL reconstruction differ by self-reported physical activity engagement. <i>Physical Therapy in Sport</i> , 2019, 40, 1-9.	0.8	26
127	Identifying Meaningful Patient Outcomes After Lower Extremity Injury, Part 2: Linking Outcomes to the International Classification of Functioning, Disability and Health. <i>Journal of Athletic Training</i> , 2019, 54, 869-880.	0.9	3
128	Translation and cultural adaptation of Lithuanian version of the anterior cruciate ligament return to sport after injury (ACL-RSI) scale. <i>PLoS ONE</i> , 2019, 14, e0219593.	1.1	11
129	A decade of Australian and New Zealand orthopaedic publications: a bibliometric trend analysis from 2008 to 2018. <i>International Orthopaedics</i> , 2019, 43, 2217-2226.	0.9	7
130	Preoperative Mental Health Scores and Achieving Patient Acceptable Symptom State Are Predictive of Return to Work After Arthroscopic Rotator Cuff Repair. <i>Orthopaedic Journal of Sports Medicine</i> , 2019, 7, 232596711987841.	0.8	24
131	Return to Play and Long-term Participation in Pivoting Sports After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2019, 47, 3339-3346.	1.9	65
132	Psychosocial Barriers After Anterior Cruciate Ligament Reconstruction: A Clinical Review of Factors Influencing Postoperative Success. <i>Sports Health</i> , 2019, 11, 528-534.	1.3	35

#	ARTICLE	IF	CITATIONS
133	Patellofemoral Pain. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2019, 49, CPG1-CPG95.	1.7	201
134	Negative Emotion and Joint-Stiffness Regulation Strategies After Anterior Cruciate Ligament Injury. <i>Journal of Athletic Training</i> , 2019, 54, 1269-1279.	0.9	9
135	Well-Come Back! Professional Basketball Players Perceptions of Psychosocial and Behavioral Factors Influencing a Return to Pre-injury Levels. <i>Frontiers in Psychology</i> , 2019, 10, 222.	1.1	29
136	Which criteria are used to clear patients to return to sport after primary ACL reconstruction? A scoping review. <i>British Journal of Sports Medicine</i> , 2019, 53, 1154-1161.	3.1	151
137	Learned Helplessness After Anterior Cruciate Ligament Reconstruction: An Altered Neurocognitive State?. <i>Sports Medicine</i> , 2019, 49, 647-657.	3.1	14
138	How Much Do Psychological Factors Affect Lack of Return to Play After Anterior Cruciate Ligament Reconstruction? A Systematic Review. <i>Orthopaedic Journal of Sports Medicine</i> , 2019, 7, 232596711984531.	0.8	110
139	Korean Version of the Anterior Cruciate Ligament-Return to Sport after Injury Scale: Translation and Cross-cultural Adaptation. <i>Clinics in Orthopedic Surgery</i> , 2019, 11, 164.	0.8	17
140	The association of psychological readiness to return to sport after anterior cruciate ligament reconstruction and hip and knee landing kinematics. <i>Clinical Biomechanics</i> , 2019, 68, 104-108.	0.5	19
141	A comparison of anterior cruciate ligament - Return to sports after injury (ACL-RSI) scores of male athletes nine-months Post-ACL reconstruction with matched uninjured controls. <i>Physical Therapy in Sport</i> , 2019, 38, 179-183.	0.8	9
142	Patient Participation During Anterior Cruciate Ligament Reconstruction Improves Comprehension, Satisfaction, and Functional Outcomes: A Simple Way to Improve Our Practices. <i>Orthopaedic Journal of Sports Medicine</i> , 2019, 7, 232596711984108.	0.8	12
143	How Is Psychological Outcome Related to Knee Function and Return to Sport Among Adolescent Athletes After Anterior Cruciate Ligament Reconstruction?. <i>American Journal of Sports Medicine</i> , 2019, 47, 1567-1575.	1.9	39
144	Return to Play (RTP). , 2019, , 149-169.		1
145	A research update on the state of play for return to sport after anterior cruciate ligament reconstruction. <i>Journal of Orthopaedics and Traumatology</i> , 2019, 20, 10.	1.0	40
146	Cross-cultural adaptation and measurement properties of the Dutch knee self efficacy scale (K-SES). <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2019, 11, 3.	0.7	9
147	Evidence-based recommendations for the management of anterior cruciate ligament (ACL) rupture. <i>Best Practice and Research in Clinical Rheumatology</i> , 2019, 33, 33-47.	1.4	179
148	Psychology of Return to Play After Anterior Cruciate Ligament Injury. , 2019, , 95-109.		3
149	Knee Function, Strength, and Resumption of Preinjury Sports Participation in Young Athletes Following Anterior Cruciate Ligament Reconstruction. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2019, 49, 145-153.	1.7	55
150	Psychological Readiness to Return to Sport Is Associated With Second Anterior Cruciate Ligament Injuries. <i>American Journal of Sports Medicine</i> , 2019, 47, 857-862.	1.9	143

#	ARTICLE	IF	CITATIONS
151	Association Between Isokinetic Knee Strength and Perceived Function and Patient Satisfaction With Sports and Recreational Ability After Matrix-Induced Autologous Chondrocyte Implantation. Orthopaedic Journal of Sports Medicine, 2019, 7, 232596711988587.	0.8	7
152	Medium-Term (Least 5 Years) Comparative Outcomes in Anterior Cruciate Ligament Reconstruction Using 4SHG, Allograft, and LARS Ligament. Clinical Journal of Sport Medicine, 2021, 31, e101-e110.	0.9	18
153	Male and Female Adolescent Athletes' Readiness to Return to Sport After Anterior Cruciate Ligament Injury and Reconstruction. Clinical Journal of Sport Medicine, 2021, 31, 383-387.	0.9	16
154	Determining the Generalizability of the PROMIS Depression Domain's Floor Effect and Completion Time in Patients Undergoing Orthopaedic Surgery. Clinical Orthopaedics and Related Research, 2019, 477, 2215-2225.	0.7	31
155	KOOS-JR Demonstrates Psychometric Limitations in Measuring Knee Health in Individuals After ACL Reconstruction. Sports Health, 2019, 11, 242-246.	1.3	7
156	Return to sport testing after anterior cruciate ligament reconstruction has marginal psychological impact: a randomised controlled trial. Journal of ISAKOS, 2019, 4, 4-8.	1.1	2
157	Expectations for Return to Preinjury Sport Before and After Anterior Cruciate Ligament Reconstruction. American Journal of Sports Medicine, 2019, 47, 578-583.	1.9	67
158	Shear wave elastography of the healing human patellar tendon following ACL reconstruction. Knee, 2019, 26, 347-354.	0.8	13
160	Systematic Selection of Key Logistic Regression Variables for Risk Prediction Analyses: A Five-Factor Maximum Model. Clinical Journal of Sport Medicine, 2019, 29, 78-85.	0.9	30
161	Relationship Between Physical Activity and Clinical Outcomes After ACL Reconstruction. Journal of Sport Rehabilitation, 2019, 28, 180-187.	0.4	28
162	"My desire to play was stronger than my fear of re-injury": athlete perspectives of psychological readiness to return to soccer following anterior cruciate ligament reconstruction surgery. Annals of Leisure Research, 2020, 23, 447-461.	1.0	14
163	Importance of functional performance and psychological readiness for return to preinjury level of sports 1 year after ACL reconstruction in competitive athletes. Knee Surgery, Sports Traumatology, Arthroscopy, 2020, 28, 2203-2212.	2.3	58
164	Worse knee confidence, fear of movement, psychological readiness to return-to-sport and pain are associated with worse function after ACL reconstruction. Physical Therapy in Sport, 2020, 41, 1-8.	0.8	50
165	Timing of anterior cruciate ligament reconstruction and preoperative pain are important predictors for postoperative kinesiophobia. Knee Surgery, Sports Traumatology, Arthroscopy, 2020, 28, 2502-2510.	2.3	21
166	Unanticipated jump-landing quality in patients with anterior cruciate ligament reconstruction: How long after the surgery and return to sport does the re-injury risk factor persist?. Clinical Biomechanics, 2020, 72, 195-201.	0.5	16
167	No Relationship Between Strength and Power Scores and Anterior Cruciate Ligament Return to Sport After Injury Scale 9 Months After Anterior Cruciate Ligament Reconstruction. American Journal of Sports Medicine, 2020, 48, 78-84.	1.9	40
168	The effectiveness of preoperative rehabilitation programmes on postoperative outcomes following anterior cruciate ligament (ACL) reconstruction: a systematic review. BMC Musculoskeletal Disorders, 2020, 21, 647.	0.8	35
169	Outcome Measures After Shoulder Stabilization in the Athletic Population: A Systematic Review of Clinical and Patient-Reported Metrics. Orthopaedic Journal of Sports Medicine, 2020, 8, 232596712095004.	0.8	9

#	ARTICLE	IF	CITATIONS
170	Effectiveness of modeling videos on psychological responses of patients following anterior cruciate ligament reconstruction. <i>Medicine (United States)</i> , 2020, 99, e23158.	0.4	6
171	BAck iN the Game (BANG) – a smartphone application to help athletes return to sport following anterior cruciate ligament reconstruction: protocol for a multi-centre, randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 523.	0.8	15
172	Baseline Analysis of Patients Presenting for Surgical Review of Anterior Cruciate Ligament Rupture Reveals Heterogeneity in Patient-Reported Outcome Measures. <i>Journal of Knee Surgery</i> , 2022, 35, 159-166.	0.9	1
173	The Use of Psychological Patient Reported Outcome Measures to Identify Adolescent Athletes at Risk for Prolonged Recovery Following an ACL Reconstruction. <i>Journal of Pediatric Orthopaedics</i> , 2020, 40, e844-e852.	0.6	12
174	Sports injury type and psychological factors affect treatment period and willingness-to-pay. <i>Medicine (United States)</i> , 2020, 99, e23647.	0.4	2
175	The ankle ligament reconstruction-return to sport after injury (ALR-RSI) is a valid and reproducible scale to quantify psychological readiness before returning to sport after ankle ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 4003-4010.	2.3	20
176	Readiness to Return to Sport After ACL Reconstruction: A Combination of Physical and Psychological Factors. <i>Sports Medicine and Arthroscopy Review</i> , 2020, 28, 66-70.	1.0	29
177	Hop tests and psychological PROs provide a demanding and clinician-friendly RTS assessment of patients after ACL reconstruction, a registry study. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2020, 12, 32.	0.7	9
178	Clinical Decision Algorithm Associated With Return to Sport After Anterior Cruciate Ligament Reconstruction. <i>Journal of Athletic Training</i> , 2020, 55, 691-698.	0.9	23
179	Psychological Readiness to Return to Sport Following Anterior Cruciate Ligament Reconstruction. <i>JBJS Reviews</i> , 2020, 8, e0110-e0110.	0.8	11
180	Passing return to sports tests after ACL reconstruction is associated with greater likelihood for return to sport but fail to identify second injury risk. <i>Knee</i> , 2020, 27, 949-957.	0.8	55
181	Return to Sport After Anterior Cruciate Ligament Injury: Panther Symposium ACL Injury Return to Sport Consensus Group. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712093082.	0.8	43
182	Shifting Focus: A Clinician's Guide to Understanding Neuroplasticity for Anterior Cruciate Ligament Rehabilitation. <i>Current Sports Medicine Reports</i> , 2020, 19, 76-83.	0.5	14
183	All-Inside Quadrupled Semitendinosus Autograft Shows Stability Equivalent to Patellar Tendon Autograft Anterior Cruciate Ligament Reconstruction: Randomized Controlled Trial in Athletes 24 Years or Younger. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2020, 36, 1629-1646.	1.3	19
184	Psychological, social and contextual factors across recovery stages following a sport-related knee injury: a scoping review. <i>British Journal of Sports Medicine</i> , 2020, 54, 1149-1156.	3.1	86
185	The Japanese version of the anterior cruciate ligament-return to sport after injury (ACL-RSI) scale has acceptable validity and reliability. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 2519-2525.	2.3	25
186	Return to sport after anterior cruciate ligament injury: Panther Symposium ACL Injury Return to Sport Consensus Group. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 2403-2414.	2.3	53
187	Current clinical practice and return-to-sport criteria after anterior cruciate ligament reconstruction: a survey of Brazilian physical therapists. <i>Brazilian Journal of Physical Therapy</i> , 2021, 25, 242-250.	1.1	8

#	ARTICLE	IF	CITATIONS
188	Patient-reported evaluation on giving way is important for return to preinjury activity level after Anterior Cruciate Ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 1128-1136.	2.3	5
189	Patient expectations and perceived social support related to return to sport after anterior cruciate ligament reconstruction in adolescent athletes. <i>Physical Therapy in Sport</i> , 2021, 47, 72-77.	0.8	8
190	High kinesiophobia and pain catastrophizing in people with articular cartilage defects in the knee and associations with knee function. <i>Knee</i> , 2021, 28, 17-24.	0.8	5
191	Sleep and psychological factors are associated with meeting discharge criteria to return to sport following ACL reconstruction in athletes. <i>Biology of Sport</i> , 2021, 38, 305-313.	1.7	3
192	Quadriceps Strength and Kinesiophobia Predict Long-Term Function After ACL Reconstruction: A Cross-Sectional Pilot Study. <i>Sports Health</i> , 2021, 13, 251-257.	1.3	17
193	The Effect of ACL Reconstruction on Involved and Contralateral Limb Vastus Lateralis Morphology and Histology: A Pilot Study. <i>Journal of Knee Surgery</i> , 2021, 34, 533-537.	0.9	4
194	Low Rate of Return to Preinjury Tegner Activity Level Among Recreational Athletes: Results at 1 Year After Primary ACL Reconstruction. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712097575.	0.8	13
195	A qualitative assessment of return to sport following Achilles tendon repair. <i>Journal of Orthopaedics</i> , 2021, 23, 46-51.	0.6	5
196	Psychological Factors Change During the Rehabilitation of an Achilles Tendon Rupture: A Multicenter Prospective Cohort Study. <i>Physical Therapy</i> , 2021, 101, .	1.1	4
197	Rehabilitation and Return to Sports After Anterior Cruciate Ligament Reconstruction. , 2021, , 133-147.		0
198	Italian version of the anterior cruciate ligament-return to sport after injury scale (IT ACL-RSI): translation, cross-cultural adaptation, validation and ability to predict the return to sport at medium-term follow-up in a population of sport patients. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 270-279.	2.3	8
199	Return to Sport After Anterior Cruciate Ligament Reconstruction in a Cohort of Division I NCAA Athletes From a Single Institution. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712098228.	0.8	9
200	The Influence of Mode-of-Injury on Psychological Readiness for Return-To-Sport Following Anterior Cruciate Ligament Reconstruction: A Matched-Controlled Study. <i>International Journal of Sports Physical Therapy</i> , 2021, 16, 177-184.	0.5	5
201	Return to Sport Composite Test After Anterior Cruciate Ligament Reconstruction (K-STARTS): Factors Affecting Return to Sport Test Score in a Retrospective Analysis of 676 Patients. <i>Sports Health</i> , 2021, 13, 364-372.	1.3	14
202	Association between Kinesiophobia and Gait Asymmetry after ACL Reconstruction: Implications for Prevention of Reinjury. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3264.	1.2	19
203	Differences in Knee Shape between ACL Injured and Non-Injured: A Matched Case-Control Study of 168 Patients. <i>Journal of Clinical Medicine</i> , 2021, 10, 968.	1.0	4
205	Effect of Early Residual Laxity After Anterior Cruciate Ligament Reconstruction on Long-term Laxity, Graft Failure, Return to Sports, and Subjective Outcome at 25 Years. <i>American Journal of Sports Medicine</i> , 2021, 49, 1227-1235.	1.9	18
206	Return to sport after anterior cruciate ligament injury: Panther Symposium ACL Injury Return to Sport Consensus Group. <i>Journal of ISAKOS</i> , 2021, 6, 138-146.	1.1	16

#	ARTICLE	IF	CITATIONS
207	The Role of Psychological Readiness in Return to Sport Assessment After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2021, 49, 1236-1243.	1.9	38
208	The Relationship Between Injury-Related Fear and Visuomotor Reaction Time in Individuals With a History of Anterior Cruciate Ligament Reconstruction. <i>Journal of Sport Rehabilitation</i> , 2021, 30, 353-359.	0.4	6
209	Test Batteries After Primary Anterior Cruciate Ligament Reconstruction: A Systematic Review. <i>Sports Health</i> , 2022, 14, 205-215.	1.3	15
210	Athletic identity and sport commitment in athletes after anterior cruciate ligament reconstruction who have returned to sports at their pre-injury level of competition. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2021, 13, 37.	0.7	17
211	The Mental Side of the Injured Athlete. <i>Journal of the American Academy of Orthopaedic Surgeons</i> , The, 2021, 29, 499-506.	1.1	26
212	Advanced training enhances readiness to return to sport after anterior cruciate ligament reconstruction. <i>Journal of Orthopaedic Research</i> , 2022, 40, 191-199.	1.2	8
213	Confidence, ability to meet return to sport criteria, and second ACL injury risk associations after ACL reconstruction. <i>Journal of Orthopaedic Research</i> , 2022, 40, 182-190.	1.2	17
214	Rehabilitation duration and time of starting sport-related activities associated with return to the previous level of sports after anterior cruciate ligament reconstruction. <i>Physical Therapy in Sport</i> , 2021, 49, 164-170.	0.8	4
215	Return to sports activity in the revision of anterior cruciate ligament reconstruction: A 6 Year follow-up study. <i>Journal of Clinical Orthopaedics and Trauma</i> , 2021, 16, 80-85.	0.6	3
216	Association of Prior Anterior Cruciate Ligament Tear With Decreased Career Longevity in Women's National Basketball Association. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712110092.	0.8	2
217	Participation in pre-injury level sport one-year following sport-related concussion: A prospective, matched cohort study. <i>Journal of Science and Medicine in Sport</i> , 2021, 24, 561-566.	0.6	0
218	Psychosocial factors 3 months after anterior cruciate ligament reconstruction predict 6 month subjective and objective knee outcomes. <i>Journal of Orthopaedic Research</i> , 2022, 40, 231-238.	1.2	9
219	Adolescents show a lower healing rate of anterolateral ligament injury and a higher rotational laxity than adults after anterior cruciate ligament reconstruction. <i>Knee</i> , 2021, 30, 113-124.	0.8	10
220	Return to Sport After Bone Patellar Tendon Bone Autograft ACL Reconstruction in High School Aged Athletes. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712110115.	0.8	8
221	Assessing Physical Activity After ACL Injury: Moving Beyond Return to Sport. <i>Sports Health</i> , 2022, 14, 197-204.	1.3	15
222	The psychological readiness to return to sports of patients with anterior cruciate ligament reconstruction preoperatively and 6 months postoperatively. <i>Physical Therapy in Sport</i> , 2021, 50, 114-120.	0.8	8
223	Composite psychosocial risk based on the fear avoidance model in patients undergoing anterior cruciate ligament reconstruction: Cluster-based analysis. <i>Physical Therapy in Sport</i> , 2021, 50, 217-225.	0.8	4
224	Mental Health in Patients Undergoing Orthopaedic Surgery. <i>JBS Reviews</i> , 2021, 9, .	0.8	7

#	ARTICLE	IF	CITATIONS
225	Psychological factors during rehabilitation of patients with Achilles or patellar tendinopathy: a cross-sectional study. <i>Physical Therapy in Sport</i> , 2021, 50, 145-152.	0.8	10
226	Association Between Psychological Readiness and Knee Laxity and Their Predictive Value for Return to Sport in Patients With Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2021, 49, 2599-2606.	1.9	10
227	Evaluation of the Responsiveness of the Anterior Cruciate Ligament Return to Sport After Injury (ACL-RSI) Scale. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712110312.	0.8	20
228	Postoperative Pain Is Associated With Psychological and Physical Readiness to Return to Sports One-Year After Anterior Cruciate Ligament Reconstruction. <i>Arthroscopy, Sports Medicine, and Rehabilitation</i> , 2021, 3, e1737-e1743.	0.8	6
229	Return-to-Sport Criteria After Upper Extremity Surgery in Athletes—A Scoping Review, Part 1: Rotator Cuff and Shoulder Stabilization Procedures. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712110218.	0.8	4
230	Screening for Yellow Flags in Orthopaedic Physical Therapy: A Clinical Framework. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2021, 51, 459-469.	1.7	21
231	Psychological and Social Components of Recovery Following Anterior Cruciate Ligament Reconstruction in Young Athletes: A Narrative Review. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9267.	1.2	12
232	Comprehensive Return to Competitive Distance Running: A Clinical Commentary. <i>Sports Medicine</i> , 2021, 51, 2507-2523.	3.1	4
233	Fear of Reinjury Following Anterior Cruciate Ligament Reconstruction Is Manifested in Muscle Activation Patterns of Single-Leg Side-Hop Landings. <i>Physical Therapy</i> , 2022, 102, .	1.1	13
234	Utilizing Hip Abduction Strength to Body-Weight Ratios in Return to Sport Decision-Making After ACL Reconstruction. <i>International Journal of Sports Physical Therapy</i> , 2021, 16, 1295-1301.	0.5	5
235	Preoperative knee self-efficacy scale as a predictor of outcome following anterior cruciate ligament reconstruction: A short-term study. <i>Journal of Orthopaedics and Spine</i> , 2021, .	0.1	0
236	Subjective and Objective Assessments of Knee Function. , 2021, , 29-40.		0
237	Current preoperative physiotherapy management strategies for patients awaiting Anterior Cruciate Ligament Reconstruction (ACLR): A worldwide survey of physiotherapy practice. <i>Knee</i> , 2021, 28, 300-310.	0.8	9
238	Common Symptom, Psychological, and Psychosocial Barriers to Return to Sport. , 2019, , 25-35.		1
239	Correlations of Single-Leg Performance Tests to Patient-Reported Outcomes After Primary Anterior Cruciate Ligament Reconstruction. <i>Clinical Journal of Sport Medicine</i> , 2021, 31, e265-e270.	0.9	15
240	Return to sport after ACL reconstruction: how, when and why? A narrative review of current evidence. <i>Joints</i> , 0, , .	1.5	36
241	Current Perspectives of the Australian Knee Society on Rehabilitation and Return to Sport After Anterior Cruciate Ligament Reconstruction. <i>Journal of Sport Rehabilitation</i> , 2020, 29, 970-975.	0.4	5
242	The Influence, Barriers to and Facilitators of Anterior Cruciate Ligament Rehabilitation Adherence and Participation: a Scoping Review. <i>Sports Medicine - Open</i> , 2020, 6, 32.	1.3	26

#	ARTICLE	IF	CITATIONS
243	Influence of Graft Diameter on Functional Outcomes After Anterior Cruciate Ligament Reconstruction: A Prospective Study with a 1-Year Follow-Up. <i>Medical Science Monitor</i> , 2018, 24, 4339-4345.	0.5	8
244	Functional outcome from anterior cruciate ligament surgery: A review. <i>OA Orthopaedics</i> , 2013, 1, .	0.1	12
245	THE MUSCULOSKELETAL READINESS SCREENING TOOL- ATHLETE CONCERN FOR INJURY & PRIOR INJURY ASSOCIATED WITH FUTURE INJURY. <i>International Journal of Sports Physical Therapy</i> , 2018, 13, 595-604.	0.5	13
246	TIMELINE OF GAINS IN QUADRICEPS STRENGTH SYMMETRY AND PATIENT-REPORTED FUNCTION EARLY AFTER ACL RECONSTRUCTION. <i>International Journal of Sports Physical Therapy</i> , 2020, 15, 995-1005.	0.5	8
247	Social Cognitive Theory and the Fear-Avoidance Model: An Explanation of Poor Health Outcomes After ACL Reconstruction. <i>Athletic Training & Sports Health Care</i> , 2019, 11, 168-173.	0.4	10
248	What Are Our Patients Really Telling Us? Psychological Constructs Associated With Patient-Reported Outcomes After Anterior Cruciate Ligament Reconstruction. <i>Journal of Athletic Training</i> , 2020, 55, 707-716.	0.9	15
249	Depression and psychiatric disease associated with outcomes after anterior cruciate ligament reconstruction. <i>World Journal of Orthopedics</i> , 2016, 7, 709.	0.8	35
250	Reintroduction of Running After Anterior Cruciate Ligament Reconstruction With a Hamstrings Graft: Can We Predict Short-Term Success?. <i>Journal of Athletic Training</i> , 2022, 57, 540-546.	0.9	3
251	Validation of an 18-item version of the Swedish Knee Self-Efficacy Scale for patients after ACL injury and ACL reconstruction. <i>Journal of Experimental Orthopaedics</i> , 2021, 8, 96.	0.8	12
252	Association of the Psychological Response to the ACL-SPORTS Training Program and Self-reported Function at 2 Years After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2021, 49, 3495-3501.	1.9	5
254	Return to Play Decision-Making Following Anterior Cruciate Ligament Reconstruction: Multi-Factor Considerations. , 2015, , 1491-1502.		0
255	Videoin sight®: A New Psychological Enhancing Method to Speed-up Recovery After Orthopedic Surgery. <i>Middle East Journal of Rehabilitation and Health Studies</i> , 2015, 2, .	0.1	0
256	Return to play. , 2016, , 157-162.		0
257	DETERMINANTS OF QUALITY OF LIFE RELATED TO ACL RECONSTRUCTION: MALES OF ONE REHABILITATION CENTER. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2016, 78, .	0.3	0
258	A Novel Modified Simulated Annealing Algorithm and Big Data Sampling Analysis based Sports Effect Evaluation Mode. , 2016, , .		1
259	Teamwork in Football/Bringing Science to the Pitch. , 2017, , 13-22.		0
260	Principles of Rehabilitation. <i>Contemporary Pediatric and Adolescent Sports Medicine</i> , 2018, , 11-28.	0.0	0
261	Implementing Outcomes Collection in Clinical Practice. , 2019, , 99-114.		0

#	ARTICLE	IF	CITATIONS
262	Identification and Management of Psychosocial Issues in the Athlete for Return to Sport. , 2019, , 563-573.		0
263	Validated Questionnaires to Measure Return to Sport and Psychological Factors. , 2019, , 543-561.		1
264	Advantages and Potential Consequences of Return to Sport After ACL Reconstruction: Quality of Life, Reinjury Rates, and Knee Osteoarthritis. , 2019, , 3-23.		2
265	Neurocognitive Testing. , 2019, , 529-540.		0
266	Outcomes of anterior cruciate ligament reconstruction. Genij Ortopedii, 2019, 25, 285-289.	0.1	0
267	TRANSLATION AND VALIDATION OF THE DUTCH INJURY PSYCHOLOGICAL READINESS TO RETURN TO SPORT SCALE (I-PRRS). International Journal of Sports Physical Therapy, 2019, 14, 785-793.	0.5	2
269	Psychological Aspects in Return to Sport Following ACL Reconstruction. , 2020, , 1005-1013.		0
270	A Cyber-Physical System for Near Real-Time Monitoring of At-Home Orthopedic Rehabilitation and Mobile-Based Provider-Patient Communications to Improve Adherence: Development and Formative Evaluation. JMIR Human Factors, 2020, 7, e16605.	1.0	4
271	Arthroscopic Primary Repair for Partial Proximal Anterior Cruciate Ligament Tear in Military Personnel. Clinical Journal of Sport Medicine, 2021, 31, e258-e264.	0.9	1
272	A Qualitative Assessment of Return to Sport in Collegiate Athletes: Does Gender Matter?. Cureus, 2020, 12, e9689.	0.2	4
273	Psychological Aspect of Rehabilitation and Return to Sport Following Lower Limb Injuries. Montenegrin Journal of Sports Science and Medicine, 2020, 9, 59-64.	0.3	7
274	Knee Joint Preservation Rehabilitation. , 2021, , 101-112.		0
275	RETURN TO PLAY AFTER ANTERIOR CRUCIATE LIGAMENT RECONSTRUCTION. Revista Brasileira De Medicina Do Esporte, 2020, 26, 478-486.	0.1	5
276	What's rehabilitation without patient buy in? The importance of psychology in sport injury rehabilitation. , 2020, , 525-536.		0
278	Comprehensive Rehabilitation of the Athlete: A Specific and Purposeful Approach. Sports Medicine and Arthroscopy Review, 2021, 29, e57-e64.	1.0	1
279	Effect of fatigue on landing performance assessed with the landing error scoring system (less) in patients after ACL reconstruction. A pilot study. International Journal of Sports Physical Therapy, 2014, 9, 302-11.	0.5	37
280	Return to Sport Following Surgery for a Complicated Tibia and Fibula Fracture in a Collegiate Women's Soccer Player with a Low Level of Kinesiophobia. International Journal of Sports Physical Therapy, 2015, 10, 95-103.	0.5	2
281	Considerations for late stage acl rehabilitation and return to sport to limit re-injury risk and maximize athletic performance. International Journal of Sports Physical Therapy, 2015, 10, 256-71.	0.5	31

#	ARTICLE	IF	CITATIONS
282	Return to sport after ACL reconstruction: how, when and why? A narrative review of current evidence. <i>Joints</i> , 2015, 3, 25-30.	1.5	39
283	HIGH REPETITION JUMP TRAINING COUPLED WITH BODY WEIGHT SUPPORT IN A PATIENT WITH KNEE PAIN AND PRIOR HISTORY OF ANTERIOR CRUCIATE LIGAMENT RECONSTRUCTION: A CASE REPORT. <i>International Journal of Sports Physical Therapy</i> , 2015, 10, 1035-49.	0.5	1
284	Injuries in Collegiate Wrestlers at an Elite Division I NCAA Wrestling Program: An Epidemiological Study. <i>Iowa orthopaedic journal, The</i> , 2017, 37, 65-70.	0.5	7
285	THE MUSCULOSKELETAL READINESS SCREENING TOOL- ATHLETE CONCERN FOR INJURY & PRIOR INJURY ASSOCIATED WITH FUTURE INJURY. <i>International Journal of Sports Physical Therapy</i> , 2018, 13, 595-604.	0.5	5
286	TRANSLATION AND VALIDATION OF THE DUTCH INJURY PSYCHOLOGICAL READINESS TO RETURN TO SPORT SCALE (I-PRRS). <i>International Journal of Sports Physical Therapy</i> , 2019, 14, 785-793.	0.5	0
287	Association between Functional Performance and Return to Performance in High-Impact Sports after Lower Extremity Injury: A Systematic Review. <i>Journal of Sports Science and Medicine</i> , 2020, 19, 564-576.	0.7	4
288	FUNCTIONAL MEASURES DO NOT DIFFER IN LATE STAGE REHABILITATION AFTER ANTERIOR CRUCIATE LIGAMENT RECONSTRUCTION ACCORDING TO MECHANISM OF INJURY. <i>International Journal of Sports Physical Therapy</i> , 2020, 15, 744-754.	0.5	0
289	Effect of Patient Resilience and the Single Assessment Numeric Evaluation (SANE) Score on Return to Sport Following Anterior Cruciate Ligament Reconstruction Surgery. <i>Archives of Bone and Joint Surgery</i> , 2021, 9, 512-518.	0.1	0
290	Earlier Resolution of Symptoms and Return of Function After Bridge-Enhanced Anterior Cruciate Ligament Repair As Compared With Anterior Cruciate Ligament Reconstruction. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 2325967121110525.	0.8	11
292	Return to Sport After Anterior Cruciate Ligament Reconstruction: Criteria-Based Rehabilitation and Return to Sport Testing. , 2022, , 83-93.		1
293	Effective Attentional Focus Strategies after Anterior Cruciate Ligament Reconstruction: A Commentary. <i>International Journal of Sports Physical Therapy</i> , 2021, 16, 1575-1585.	0.5	5
294	Lived Experiences of an Elite Performance Management Team Through Injury Rehabilitation: An Interpretative Phenomenological Analysis. <i>Journal of Sport Rehabilitation</i> , 2022, 31, 199-210.	0.4	1
295	Which psychosocial factors are associated with return to sport following concussion? A systematic review. <i>Journal of Sport and Health Science</i> , 2022, 11, 438-449.	3.3	12
296	FUNCTIONAL MEASURES DO NOT DIFFER IN LATE STAGE REHABILITATION AFTER ANTERIOR CRUCIATE LIGAMENT RECONSTRUCTION ACCORDING TO MECHANISM OF INJURY. <i>International Journal of Sports Physical Therapy</i> , 2020, 15, 744-754.	0.5	1
297	Rehabilitation and Return to Sport After Medial Patellofemoral Complex Reconstruction. <i>Arthroscopy, Sports Medicine, and Rehabilitation</i> , 2022, 4, e133-e140.	0.8	5
298	The time from injury to surgery is an important factor affecting the mechanoreceptors at stump of torn anterior cruciate ligament. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2022, 142, 3389-3393.	1.3	5
299	Unique Considerations for the Pediatric Athlete During Rehabilitation and Return to Sport After Anterior Cruciate Ligament Reconstruction. <i>Arthroscopy, Sports Medicine, and Rehabilitation</i> , 2022, 4, e221-e230.	0.8	8
300	Rehabilitation and Return to Sport Testing After Anterior Cruciate Ligament Reconstruction: Where Are We in 2022?. <i>Arthroscopy, Sports Medicine, and Rehabilitation</i> , 2022, 4, e77-e82.	0.8	46

#	ARTICLE	IF	CITATIONS
301	Postoperative Rehabilitation and Return to Sport Following Multiligament Knee Reconstruction. <i>Arthroscopy, Sports Medicine, and Rehabilitation</i> , 2022, 4, e29-e40.	0.8	6
302	Steadiness training improves the quadriceps strength and self-reported outcomes in persistent quadriceps weakness following nine months of anterior cruciate ligament reconstruction and failed conventional physiotherapy. <i>Clinical Biomechanics</i> , 2022, 92, 105585.	0.5	2
303	Psychological Readiness to Return to Sport at 6 Months Is Higher After Bridge-Enhanced ACL Restoration Than Autograft ACL Reconstruction: Results of a Prospective Randomized Clinical Trial. <i>Orthopaedic Journal of Sports Medicine</i> , 2022, 10, 232596712110705.	0.8	8
304	Arabic version of the anterior cruciate ligament return to sport index: Translation and cross-cultural adaptation. <i>Saudi Journal of Sports Medicine</i> , 2022, 22, 9.	0.1	0
305	External stressors prior to traumatic knee injury: A cohort study on youth athletes.. <i>F1000Research</i> , 0, 11, 236.	0.8	0
306	Translation, cross-cultural adaptation, and validation of the Italian version of the anterior cruciate ligamentâ€œreturn to sport after injury (ACL-RSI) scale and its integration into the K-STARTS test. <i>Journal of Orthopaedics and Traumatology</i> , 2022, 23, 11.	1.0	2
307	Disrupted knee â€œ disrupted me: a strenuous process of regaining balance in the aftermath of an anterior cruciate ligament injury. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, 290.	0.8	2
308	Return to Play and Performance After Anterior Cruciate Ligament Reconstruction in National Football League Players. <i>Orthopaedic Journal of Sports Medicine</i> , 2022, 10, 232596712210796.	0.8	5
309	PROMIS Depression and Anxiety in shoulder surgery patients. <i>Bone and Joint Journal</i> , 2022, 104-B, 479-485.	1.9	7
310	Rehabilitation After Anterior Cruciate Ligament Injury: Review of Current Literature and Recommendations. <i>Current Reviews in Musculoskeletal Medicine</i> , 2022, 15, 170-179.	1.3	15
311	Individualized Exercise Prescription for Athletes Using a Construct-Based Model. <i>Sports Medicine</i> , 2022, , 1.	3.1	4
312	Current trends in the anterior cruciate ligament part II: evaluation, surgical technique, prevention, and rehabilitation. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 34-51.	2.3	34
313	Fear of Movement and Reinjury in Sports Medicine: Relevance for Rehabilitation and Return to Sport. <i>Physical Therapy</i> , 2022, 102, .	1.1	18
314	A Framework for Clinicians to Improve the Decision-Making Process in Return to Sport. <i>Sports Medicine - Open</i> , 2022, 8, 52.	1.3	13
317	Association between landing biomechanics, knee pain, and kinesiophobia in athletes following anterior cruciate ligament reconstruction: A crossâ€œsectional study. <i>PM and R</i> , 2022, , .	0.9	3
318	Association Between Meeting Return-to-Sport Criteria and Psychological Readiness to Return to Sport After Anterior Cruciate Ligament Reconstruction. <i>Orthopaedic Journal of Sports Medicine</i> , 2022, 10, 232596712210939.	0.8	4
319	Translation and validation of the shoulder instability-return to sport after injury (SIRSI) score in French. <i>Journal of Experimental Orthopaedics</i> , 2022, 9, 41.	0.8	1
320	Determining the Substantial Clinical Benefit Values for Patient-Reported Outcome Scores After Primary ACL Reconstruction. <i>Orthopaedic Journal of Sports Medicine</i> , 2022, 10, 232596712210917.	0.8	2

#	ARTICLE	IF	CITATIONS
321	Functional outcomes and return to sport following anterior cruciate ligament reconstruction in recreational athletes: A systematic review. <i>Knee</i> , 2022, 36, 103-113.	0.8	8
322	A structured accelerated versus control rehabilitation pathway after anterior cruciate ligament reconstruction using autologous hamstrings demonstrates earlier improvement in physical outcomes without increasing graft laxity: A randomized controlled trial. <i>Physical Therapy in Sport</i> , 2022, 55, 271-281.	0.8	4
323	Have We Forgotten Our Patient? An Exploration of Patient Experiences After Anterior Cruciate Ligament Reconstruction. <i>Journal of Sport Rehabilitation</i> , 2022, , 1-7.	0.4	1
324	Sport Participation and Psychosocial Factors Which Influence Athletic Identity in Youth Athletes With Anterior Cruciate Ligament Injury. <i>Frontiers in Psychology</i> , 2022, 13, .	1.1	1
326	Biopsychosocial Factors Associated With Return to Preinjury Sport After ACL Injury Treated Without Reconstruction: NACOX Cohort Study 12-Month Follow-up. <i>Sports Health</i> , 0, , 194173812210947.	1.3	4
327	Atypical Lower Limb Mechanics During Weight Acceptance of Stair Descent at Different Time Frames After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2022, 50, 2125-2133.	1.9	3
328	Measurement properties of the Brazilian Portuguese anterior cruciate ligament - return to sport after injury (ACL-RSI) scale short version after anterior cruciate ligament reconstruction. <i>Brazilian Journal of Physical Therapy</i> , 2022, 26, 100421.	1.1	1
329	â€œSuch a massive part of rehab is between the earsâ€™; barriers to and facilitators of anterior cruciate ligament reconstruction rehabilitation: a qualitative focus group analysis. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2022, 14, .	0.7	7
330	Patients Who Return to Sport After Primary Anterior Cruciate Ligament Reconstruction Have Significantly Higher Psychological Readiness: A Systematic Review and Meta-analysis of 3744 Patients. <i>American Journal of Sports Medicine</i> , 2023, 51, 2774-2783.	1.9	15
331	Psychological readiness to return to sport following injury: a state-of-the-art review. <i>International Review of Sport and Exercise Psychology</i> , 0, , 1-20.	3.1	7
332	A Minority of Athletes Pass Symmetry Criteria in a Series of Hop and Strength Tests Irrespective of Having an ACL Reconstructed Knee or Being Noninjured. <i>Sports Health</i> , 2023, 15, 45-51.	1.3	7
333	Return to Sports After Anterior Cruciate Ligament Reconstruction: Validity and Reliability of the SPORTS Score at 6 and 12 Months. <i>Orthopaedic Journal of Sports Medicine</i> , 2022, 10, 232596712210984.	0.8	3
334	The Effects of a Combined Pre- and Post-Operative Anterior Cruciate Ligament Reconstruction Rehabilitation Program on Lower Extremity Muscle Imbalance. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 7411.	1.3	1
335	Return to sports after ACL injury 5Âyears from now: 10 things we must do. <i>Journal of Experimental Orthopaedics</i> , 2022, 9, .	0.8	13
336	Returning Athletes to Sports Following Anterior Cruciate Ligament Tears. <i>Current Reviews in Musculoskeletal Medicine</i> , 2022, 15, 616-628.	1.3	2
337	Patients older than 55Âyears regain sporting and recreational activities after arthroscopic anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2023, 31, 632-640.	2.3	1
338	Kinesiophobia, Knee Self-Efficacy, and Fear Avoidance Beliefs in People with ACL Injury: A Systematic Review and Meta-Analysis. <i>Sports Medicine</i> , 2022, 52, 3001-3019.	3.1	17
339	Relationship of the SIRSI Score to Return to Sports After Surgical Stabilization of Glenohumeral Instability. <i>American Journal of Sports Medicine</i> , 2022, 50, 3318-3325.	1.9	10

#	ARTICLE	IF	CITATIONS
340	Return to sport soccer after anterior cruciate ligament reconstruction: ISAKOS consensus. Journal of ISAKOS, 2022, 7, 150-161.	1.1	5
341	Low percentage of patients passed the "Back in Action"™ test battery 9 months after bone-patellar tendon-bone anterior cruciate ligament reconstruction. Journal of Clinical Orthopaedics and Trauma, 2022, 34, 102025.	0.6	4
342	Psychological Response to Injury and Illness. , 2022, , 165-170.		0
343	Quadriceps Strength and Psychological Readiness are Associated with Multiplanar Knee Kinematics after Anterior Cruciate Ligament Reconstruction. SSRN Electronic Journal, 0, , .	0.4	0
344	Revision anterior cruciate ligament reconstruction: Return to sports at a minimum 5-year follow-up. World Journal of Orthopedics, 2022, 13, 812-824.	0.8	1
345	Multiplanar knee kinematics-based test battery helpfully guide return-to-sports decision-making after anterior cruciate ligament reconstruction. Frontiers in Bioengineering and Biotechnology, 0, 10, .	2.0	3
346	ACL Blasts From Past to Present. American Journal of Sports Medicine, 2022, 50, 3169-3173.	1.9	1
347	Psychological Aspects of Adolescent Knee Injuries. Clinics in Sports Medicine, 2022, 41, 595-609.	0.9	0
348	Rehabilitation Guidelines for Use Following a Periacetabular Osteotomy (PAO): A North American Based Delphi Consensus. International Journal of Sports Physical Therapy, 2022, 17, .	0.5	9
349	Psychological readiness of elite rugby players at return to play after severe knee injury. African Journal for Physical Activity and Health Sciences, 2022, 28, 185-202.	0.0	0
350	Epidemiology of cruciate ligament reconstruction in the Australian Defence Force and predictors of outcome. BMJ Military Health, 0, , e002150.	0.4	0
352	Side-to-side differences in knee laxity and side hop test may predispose an anterior cruciate ligament reinjury in competitive adolescent alpine skiers. Frontiers in Sports and Active Living, 0, 4, .	0.9	2
353	Return to Play Considerations After Patellar Instability. Current Reviews in Musculoskeletal Medicine, 2022, 15, 597-605.	1.3	5
354	Predicting readiness for return to sport and performance after anterior cruciate ligament reconstruction rehabilitation. Annals of Physical and Rehabilitation Medicine, 2023, 66, 101689.	1.1	1
355	Range of Motion, Strength, and Function After ACL Reconstruction Using a Contralateral Patellar Tendon Graft. Orthopaedic Journal of Sports Medicine, 2022, 10, 232596712211381.	0.8	3
356	An Investigation of the Nature of Fear within ACL-Injured Subjects When Exposed to Provocative Videos: A Concurrent Qualitative and Quantitative Study. Sports, 2022, 10, 183.	0.7	2
357	Current study on the influence of psychological factors on returning to sports after ACLR. Heliyon, 2022, 8, e12434.	1.4	4
358	Isometric Knee Strength is Greater in Individuals Who Score Higher on Psychological Readiness to Return to Sport After Primary Anterior Cruciate Ligament Reconstruction. International Journal of Sports Physical Therapy, 2022, 17, .	0.5	2

#	ARTICLE	IF	CITATIONS
359	Psychological Readiness to Return to Sport After Anterior Cruciate Ligament Reconstruction in the Adolescent Athlete. <i>Journal of Athletic Training</i> , 2022, 57, 955-960.	0.9	5
360	Higher Grit Scores Are Associated With Earlier Increases in Knee Flexion Following Anterior Cruciate Ligament Reconstruction With Meniscus Repair in Pediatric Patients. <i>Journal of Pediatric Orthopaedics</i> , 0, Publish Ahead of Print, .	0.6	0
361	Trends in the Treatment of Anterior Cruciate Ligament Injuries. <i>Advances in Clinical Medicine</i> , 2023, 13, 2450-2460.	0.0	0
362	Aspetar clinical practice guideline on rehabilitation after anterior cruciate ligament reconstruction. <i>British Journal of Sports Medicine</i> , 2023, 57, 500-514.	3.1	23
363	Understanding Fear after an Anterior Cruciate Ligament Injury: A Qualitative Thematic Analysis Using the Common-Sense Model. <i>International Journal of Environmental Research and Public Health</i> , 2023, 20, 2920.	1.2	4
364	Quadriceps strength and psychological readiness are associated with multiplanar knee kinematics after anterior cruciate ligament reconstruction. <i>Gait and Posture</i> , 2023, 101, 101-105.	0.6	0
365	Psychiatric Disorders Are Predictive of Worse Pain Severity and Functional Outcomes After Fasciotomy for Chronic Exertional Compartment Syndrome of the Leg. <i>Clinical Journal of Sport Medicine</i> , 2023, 33, 376-382.	0.9	0
366	Kinesiophobia Is Negatively Associated With Psychological Readiness to Return to Sport in Patients Awaiting Anterior Cruciate Ligament Reconstruction. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2023, 39, 2048-2055.	1.3	1
367	Patient-Reported Measures Associated with the Return to Pre-Injury Levels of Sport 2 Years after Anterior Cruciate Ligament Reconstruction. <i>Journal of Functional Morphology and Kinesiology</i> , 2023, 8, 28.	1.1	0
368	The effect of anterior cruciate ligament reconstruction and RAMP lesion repair on psychological status. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2023, 33, 2873-2880.	0.6	1
369	Differences in Short-Term Sport-Specific Functional Recovery After Primary ACL Reconstruction in the Adolescent Athlete. <i>Sports Health</i> , 2024, 16, 139-148.	1.3	0
370	Brace-Free Rehabilitation after Isolated Anterior Cruciate Ligament Reconstruction with Hamstring Tendon Autograft Is Not Inferior to Brace-Based Rehabilitationâ€”A Randomised Controlled Trial. <i>Journal of Clinical Medicine</i> , 2023, 12, 2074.	1.0	2
371	Only 10% of Patients With a Concomitant MCL Injury Return to Their Preinjury Level of Sport 1 Year After ACL Reconstruction: A Matched Comparison With Isolated ACL Reconstruction. <i>Sports Health</i> , 2024, 16, 124-135.	1.3	3
372	High-demand tasks show that ACL reconstruction is not the only factor in controlling range of tibial rotation: a preliminary investigation. <i>Journal of Orthopaedic Surgery and Research</i> , 2023, 18, .	0.9	1
373	Female Athletes With Better Psychological Readiness Are at Higher Risk for Second ACL Injury After Primary ACL Reconstruction. <i>Sports Health</i> , 2024, 16, 149-154.	1.3	4
374	Ä–n Ä†apraz BaÄŸ AmeliyatÄ± Olan SporcularÄ±n Spora DÄ¶nÄ¼ÄŸlerindeki DuygularÄ±, Performansta Kendine GÄ¼venleri ve Risk DeÄŸerlendirmeleri. GÄ¼mÄ¼ÄŸhane Äœeniversitesi SaÄŸlÄ±k Bilimleri Dergisi, 2023, 12, 227-232.	0.1	1
375	Ecological and Specific Evidence-Based Safe Return To Play After Anterior Cruciate Ligament Reconstruction In Soccer Players: A New International Paradigm. <i>International Journal of Sports Physical Therapy</i> , 2023, 18, .	0.5	1
376	EFFECTS OF CROSSFIT TRAINING ON BODY FUNCTION AND MOVEMENT PERFORMANCE OF AEROBIC ATHLETES. <i>Revista Brasileira De Medicina Do Esporte</i> , 0, 29, .	0.1	1

#	ARTICLE	IF	CITATIONS
384	The Psychological Effects of Injury on Youth Athletes. Contemporary Pediatric and Adolescent Sports Medicine, 2023, , 99-116.	0.0	0
385	Psychological Considerations for Surgical Outcomes in the Pediatric and Adolescent Athlete. Contemporary Pediatric and Adolescent Sports Medicine, 2023, , 135-153.	0.0	0
393	Postoperative Rehabilitation After Multiligament Knee Reconstruction. , 2023, , 1-20.		0
406	Key Objective Measurements and Outcomes for Rehabilitation Success: Testing and Decision-Making. , 2023, , 1-11.		0
420	Structured Rehabilitation Considerations to Improve Outcomes After Complex Athletic Knee Injury. , 2024, , 1-18.		0
421	Return to Play Decision-Making Following ACL Reconstruction: Multifactor Considerations. , 2024, , 1-22.		0