

CITATION REPORT

List of articles citing

Receptor for advanced glycation end products and its involvement in inflammatory diseases

DOI: 10.1155/2013/403460

International Journal of Inflammation, 2013, 2013, 403460.

Source: <https://exaly.com/paper-pdf/56542382/citation-report.pdf>

Version: 2024-04-29

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
160	Chronic spontaneous urticaria is characterized by lower serum advanced glycation end-products. 2014 , 2014, 974154		6
159	Effect of advanced glycation end product intake on inflammation and aging: a systematic review. 2014 , 72, 638-50		88
158	Characterization of immune cells in psoriatic adipose tissue. 2014 , 12, 258		22
157	Vascular effects of advanced glycation endproducts: Clinical effects and molecular mechanisms. 2014 , 3, 94-108		191
156	The molecular basis of peanut allergy. 2014 , 14, 429		38
155	Quercetin protects necrotic insult and promotes apoptosis by attenuating the expression of RAGE and its ligand HMGB1 in human breast adenocarcinoma cells. 2015 , 67, 361-73		29
154	The production of cross-reactive autoantibodies that bind to bovine serum albumin in mice administered reducing sugars by subcutaneous injection. 2015 , 40, 25-9		1
153	Cellular and Molecular Mechanisms of Chronic Kidney Disease with Diabetes Mellitus and Cardiovascular Diseases as Its Comorbidities. <i>Frontiers in Immunology</i> , 2015 , 6, 340	8.4	50
152	The Receptor for Advanced Glycation Endproducts Does Not Contribute to Pathology in a Mouse Mesenteric Ischemia/Reperfusion-Induced Injury Model. <i>Frontiers in Immunology</i> , 2015 , 6, 614	8.4	3
151	Advanced Glycation End Products Enhance Macrophages Polarization into M1 Phenotype through Activating RAGE/NF- κ B Pathway. 2015 , 2015, 732450		91
150	Role of the RAGE Axis during the Immune Response after Severe Trauma: A Prospective Pilot Study. 2015 , 2015, 691491		6
149	Extracellularly secreted APE1/Ref-1 triggers apoptosis in triple-negative breast cancer cells via RAGE binding, which is mediated through acetylation. 2015 , 6, 23383-98		25
148	Impact of Tobacco Smoking and Type-2 Diabetes Mellitus on Public Health: A Cerebrovascular Perspective. 2015 , Suppl 2,		3
147	Advanced glycation end products and schizophrenia: A systematic review. 2015 , 66-67, 112-7		33
146	DHA inhibited AGEs-induced retinal microglia activation via suppression of the PPAR γ /NF κ B pathway and reduction of signal transducers in the AGEs/RAGE axis recruitment into lipid rafts. 2015 , 40, 713-22		17
145	PPAR γ is involved in the hyperglycemia-induced inflammatory responses and collagen degradation in human chondrocytes and diabetic mouse cartilages. 2015 , 33, 373-81		36
144	Endothelial cell metabolism in normal and diseased vasculature. 2015 , 116, 1231-44		337

143	Soluble receptor for advanced glycation end products as a potential biomarker to predict weight loss and improvement of insulin sensitivity by a very low calorie diet of obese human subjects. 2015 , 73, 265-9	18
142	High-mobility group box 1 enhances the inflammatory process in diabetic lung. 2015 , 583, 55-64	11
141	An alkaline phosphatase transport mechanism in the pathogenesis of Alzheimer's disease and neurodegeneration. 2015 , 226, 30-9	14
140	Molecular Docking and In Silico ADMET Study Reveals Acylguanidine 7a as a Potential Inhibitor of β Secretase. 2016 , 2016, 9258578	40
139	RAGE Expression and ROS Generation in Neurons: Differentiation versus Damage. <i>Oxidative Medicine and Cellular Longevity</i> , 2016 , 2016, 9348651	6.7 41
138	Association of high mobility group BOX-1 and receptor for advanced glycation endproducts with clinicopathological features of haematological malignancies: a systematic review. 2016 , 20, 425-429	3
137	The Association of -429T>C and -374T>A Polymorphisms in the RAGE Gene with Polycystic Ovary Syndrome. 2016 , 13, 451-6	5
136	Nutritional Modulation of Advanced Glycation End Products. 2016 , 263-276	
135	Heat-treated high-fat diet modifies gut microbiota and metabolic markers in apoe ^{-/-} mice. 2016 , 13, 22	16
134	Clinical Value of High Mobility Group Box 1 and the Receptor for Advanced Glycation End-products in Head and Neck Cancer: A Systematic Review. 2016 , 20, 382-389	12
133	Innate Immunity in Viral Encephalitis. 2016 , 251-303	
132	Pathogenic, immunologic, and clinical aspects of sepsis - update 2016. 2016 , 14, 917-27	9
131	Recovery from volumetric muscle loss injury: A comparison between young and aged rats. 2016 , 83, 37-46	13
130	Intake of high-fructose corn syrup sweetened soft drinks, fruit drinks and apple juice is associated with prevalent arthritis in US adults, aged 20-30 years. 2016 , 6, e199	41
129	Soluble receptor for advanced glycation end-products protects against ischemia/reperfusion-induced myocardial apoptosis via regulating the ubiquitin proteasome system. 2016 , 94, 17-26	17
128	Ketamine attenuates sepsis-induced acute lung injury via regulation of HMGB1-RAGE pathways. 2016 , 34, 114-128	22
127	RAGE axis in neuroinflammation, neurodegeneration and its emerging role in the pathogenesis of amyotrophic lateral sclerosis. 2016 , 62, 48-55	84
126	Protein carbamylation is a hallmark of aging. 2016 , 113, 1191-6	114

125	Role of RAGE in Alzheimer's Disease. 2016 , 36, 483-95		152
124	The promoter polymorphisms of receptor for advanced glycation end products were associated with the susceptibility and progression of sepsis. 2017 , 91, 564-575		7
123	RAGE-Mediated Suppression of Interleukin-10 Results in Enhanced Mortality in a Murine Model of <i>Acinetobacter baumannii</i> Sepsis. 2017 , 85,		21
122	Blockade of RAGE ameliorates elastase-induced emphysema development and progression RAGE-DAMP signaling. 2017 , 31, 2076-2089		40
121	22016 ATVB Plenary Lecture: Receptor for Advanced Glycation Endproducts and Implications for the Pathogenesis and Treatment of Cardiometabolic Disorders: Spotlight on the Macrophage. 2017 , 37, 613-621		29
120	The Research on the Relationship of RAGE, LRP-1, and A β Accumulation in the Hippocampus, Prefrontal Lobe, and Amygdala of STZ-Induced Diabetic Rats. 2017 , 62, 1-10		18
119	Expression of receptor for advanced glycation end-products (RAGE) in thymus from myasthenia patients. 2017 , 173, 388-395		2
118	Profile of upregulated inflammatory proteins in sera of Myasthenia Gravis patients. <i>Scientific Reports</i> , 2017 , 7, 39716	4-9	21
117	Glycation & the RAGE axis: targeting signal transduction through DIAPH1. 2017 , 14, 147-156		17
116	Expression and purification of the extracellular domains of human glycoprotein VI (GPVI) and the receptor for advanced glycation end products (RAGE) from <i>Rattus norvegicus</i> in <i>Leishmania tarentolae</i> . 2017 , 47, 1008-1015		6
115	Dietary Advanced Glycation End Products and Cardiometabolic Risk. 2017 , 17, 63		38
114	Intake of high fructose corn syrup sweetened soft drinks, fruit drinks and apple juice is associated with prevalent coronary heart disease, in U.S. adults, ages 45-59 y. 2017 , 3, 51		10
113	Multifaceted Roles of Metzincins in CNS Physiology and Pathology: From Synaptic Plasticity and Cognition to Neurodegenerative Disorders. <i>Frontiers in Cellular Neuroscience</i> , 2017 , 11, 178	6.1	10
112	Increase of Soluble RAGE in Cerebrospinal Fluid following Subarachnoid Haemorrhage. 2017 , 2017, 7931534		6
111	Association of Polymorphisms of the Receptor for Advanced Glycation Endproducts Gene with Schizophrenia in a Han Chinese Population. 2017 , 2017, 6379639		5
110	DJC Suppresses Advanced Glycation End Products-Induced JAK-STAT Signaling and ROS in Mesangial Cells. 2017 , 2017, 2942830		7
109	Healthy brain aging: Interplay between reactive species, inflammation and energy supply. 2018 , 43, 26-45		43
108	Danger-Associated Molecular Patterns Derived From the Extracellular Matrix Provide Temporal Control of Innate Immunity. 2018 , 66, 213-227		68

107	RAGE and its emerging role in the pathogenesis of Parkinson's disease. 2018 , 672, 65-69		18
106	RAGE-TLR Crosstalk Sustains Chronic Inflammation in Neurodegeneration. 2018 , 55, 1463-1476		51
105	Hypoxia driven glycation: Mechanisms and therapeutic opportunities. 2018 , 49, 75-82		20
104	Oxidation, glycation and glycooxidation-The vicious cycle and lung cancer. 2018 , 49, 29-36		37
103	Ousting RAGE in melanoma: A viable therapeutic target?. 2018 , 49, 20-28		8
102	sRAGE prolonged stem cell survival and suppressed RAGE-related inflammatory cell and T lymphocyte accumulations in an Alzheimer's disease model. 2018 , 495, 807-813		19
101	Glycation Damage: A Possible Hub for Major Pathophysiological Disorders and Aging. 2018 , 9, 880-900		99
100	ATP/P2X7 receptor signaling as a potential anti-inflammatory target of natural polyphenols. <i>PLoS ONE</i> , 2018 , 13, e0204229	3.7	11
99	RAGE in the pathophysiology of skeletal muscle. 2018 , 9, 1213-1234		43
98	The role of neutrophil granule proteins in neuroinflammation and Alzheimer's disease. 2018 , 15, 240		33
97	Benefit of Oleuropein Aglycone for Alzheimer's Disease by Promoting Autophagy. <i>Oxidative Medicine and Cellular Longevity</i> , 2018 , 2018, 5010741	6.7	52
96	Conflicting Effects of Methylglyoxal and Potential Significance of miRNAs for Seizure Treatment. 2018 , 11, 70		3
95	RAGE and Its Ligands: Molecular Interplay Between Glycation, Inflammation, and Hallmarks of Cancer-a Review. 2018 , 9, 295-325		69
94	Therapeutic positioning of secretory acetylated APE1/Ref-1 requirement for suppression of tumor growth in triple-negative breast cancer in vivo. <i>Scientific Reports</i> , 2018 , 8, 8701	4.9	8
93	High fat diet aggravates cardiomyopathy in murine chronic Chagas disease. 2019 , 21, 63-71		5
92	Systemic Inflammation Changes the Site of RAGE Expression from Endothelial Cells to Neurons in Different Brain Areas. 2019 , 56, 3079-3089		9
91	Application of the optimized and validated LC-MS method for simultaneous quantification of tryptophan metabolites in culture medium from cancer cells. 2019 , 176, 112805		13
90	Corrigendum: Obesity and Comorbidity: Could Simultaneous Targeting of esRAGE and sRAGE Be the Panacea?. 2019 , 10, 1017		1

89	Obesity and Comorbidity: Could Simultaneous Targeting of esRAGE and sRAGE Be the Panacea?. 2019 , 10, 787		13
88	Glycated collagen - a 3D matrix system to study pathological cell behavior. 2019 , 7, 3480-3488		13
87	D-Ribose Induces Podocyte NLRP3 Inflammasome Activation and Glomerular Injury via AGEs/RAGE Pathway. 2019 , 7, 259		12
86	Spironolactone ameliorates endothelial dysfunction through inhibition of the AGE/RAGE axis in a chronic renal failure rat model. 2019 , 20, 351		13
85	The Protective Effect of Brazilian Propolis against Glycation Stress in Mouse Skeletal Muscle. 2019 , 8,		7
84	RAGE Signaling in Skeletal Biology. 2019 , 17, 16-25		20
83	Soluble Forms of the Receptor for Advanced Glycation Endproducts (RAGE) in Periodontitis. <i>Scientific Reports</i> , 2019 , 9, 8170	4.9	14
82	RAGE polymorphisms are not associated with risk of multiple sclerosis in Iranian population. 2019 , 15, 100400		
81	The impact of polytrauma on sRAGE levels: evidence and statistical analysis of temporal variations. 2019 , 14, 13		1
80	Toll-like receptor 4 promotes high glucose-induced catabolic and inflammatory responses in chondrocytes in an NF- κ B-dependent manner. <i>Life Sciences</i> , 2019 , 228, 258-265	6.8	14
79	Insulin Signaling in Bone Marrow Adipocytes. 2019 , 17, 446-454		13
78	Novel potential biomarkers for the diagnosis and monitoring of patients with ulcerative colitis. 2019 , 31, 1173-1183		3
77	Retrospective immunohistological study of autopsied lungs in patients with acute exacerbation of interstitial pneumonia managed with extracorporeal membrane oxygenation. 2019 , 11, 4436-4443		
76	The C-terminal region of tumor necrosis factor like weak inducer of apoptosis is required for interaction with advanced glycation end products. 2019 , 66, 254-260		0
75	Methylglyoxal disturbs the expression of antioxidant, apoptotic and glycation responsive genes and triggers programmed cell death in human leukocytes. 2019 , 55, 33-42		12
74	Targeted therapies in pancreatic cancer: Promises and failures. 2019 , 120, 2726-2741		13
73	DAMP-sensing receptors in sterile inflammation and inflammatory diseases. 2020 , 20, 95-112		425
72	Linagliptin protects human chondrogenic ATDC5 cells against advanced glycation end products (AGEs)-induced apoptosis via a mitochondria-dependent pathway. 2020 , 315, 108901		7

71	Receptor for Advanced Glycation End Products Acts as a Fuel to Colorectal Cancer Development. 2020 , 10, 552283		12
70	Association between carbonyl stress markers and the risk of acute coronary syndrome in patients with type 2 diabetes mellitus-A pilot study. 2020 , 14, 1751-1755		7
69	Tanshinone IIA attenuates neuroinflammation via inhibiting RAGE/NF- κ B signaling pathway in vivo and in vitro. 2020 , 17, 302		19
68	In silico analysis of new flavonoids from with a therapeutic potential for age-related macular degeneration. 2020 , 10, 536		0
67	Effect of atorvastatin on AGEs-induced injury of cerebral cortex via inhibiting NADPH oxidase -NF- κ B pathway in ApoE mice. 2020 , 47, 9479-9488		3
66	Danger-Sensing/Patten Recognition Receptors and Neuroinflammation in Alzheimer's Disease. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	9
65	Hyperglycaemia in cystic fibrosis adversely affects BK channel function critical for mucus clearance. 2021 , 57,		2
64	Pleiotropic ameliorative effects of ellagitannin geraniin against metabolic syndrome induced by high-fat diet in rats. 2020 , 79-80, 110973		1
63	RAGE and its ligands: from pathogenesis to therapeutics. 2020 , 55, 555-575		10
62	RAGE Silencing Ameliorates Neuroinflammation by Inhibition of p38-NF- κ B Signaling Pathway in Mouse Model of Parkinson's Disease. 2020 , 14, 353		20
61	Alarmins in Osteoporosis, RAGE, IL-1, and IL-33 Pathways: A Literature Review. 2020 , 56,		17
60	How do Uremic Toxins Affect the Endothelium?. <i>Toxins</i> , 2020 , 12,	4.9	13
59	Amyloid Proteins and Peripheral Neuropathy. <i>Cells</i> , 2020 , 9,	7.9	4
58	RAGE modulatory effects on cytokines network and histopathological conditions in malarial mice. <i>Experimental Parasitology</i> , 2020 , 216, 107946	2.1	
57	Implication of HMGB1 signaling pathways in Amyotrophic lateral sclerosis (ALS): From molecular mechanisms to pre-clinical results. <i>Pharmacological Research</i> , 2020 , 156, 104792	10.2	8
56	Advanced Glycation End Products (AGEs): Biochemistry, Signaling, Analytical Methods, and Epigenetic Effects. <i>Oxidative Medicine and Cellular Longevity</i> , 2020 , 2020, 3818196	6.7	78
55	Effects of the age/rage axis in the platelet activation. <i>International Journal of Biological Macromolecules</i> , 2021 , 166, 1149-1161	7.9	2
54	The AGE-RAGE Axis and RAGE Genetics in Chronic Obstructive Pulmonary Disease. <i>Clinical Reviews in Allergy and Immunology</i> , 2021 , 60, 244-258	12.3	7

53	The Regulatory Role of High-Mobility Group Protein 1 in Sepsis-Related Immunity. <i>Frontiers in Immunology</i> , 2020 , 11, 601815	8.4	7
52	Increase of α -dicarbonyls in liver and receptor for advanced glycation end products on immune cells are linked to nonalcoholic fatty liver disease and liver cancer. <i>OncolImmunology</i> , 2021 , 10, 1874159	7.2	4
51	Targeting adaptor protein SLP76 of RAGE as a therapeutic approach for lethal sepsis. <i>Nature Communications</i> , 2021 , 12, 308	17.4	4
50	Is carbonyl/AGE/RAGE stress a hallmark of the brain aging?. <i>Pflugers Archiv European Journal of Physiology</i> , 2021 , 473, 723-734	4.6	3
49	Insulin Resistance and Diabetes Mellitus in Alzheimer's Disease. <i>Cells</i> , 2021 , 10,	7.9	10
48	Receptor for advanced glycation end-products axis and coronavirus disease 2019 in inflammatory bowel diseases: A dangerous liaison?. <i>World Journal of Gastroenterology</i> , 2021 , 27, 2270-2280	5.6	2
47	Association of Diabetes With Lower Back Pain: A Narrative Review. <i>Cureus</i> , 2021 , 13, e15776	1.2	1
46	Advanced glycation end products and their receptors in serum of patients with type 2 diabetes. <i>Scientific Reports</i> , 2021 , 11, 13264	4.9	11
45	Molecular Characteristics of RAGE and Advances in Small-Molecule Inhibitors. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	7
44	Hydroxytyrosol Selectively Affects Non-Enzymatic Glycation in Human Insulin and Protects by AGEs Cytotoxicity. <i>Antioxidants</i> , 2021 , 10,	7.1	6
43	Neutrophil Granule Proteins Inhibit Amyloid Beta Aggregation and Neurotoxicity. <i>Current Alzheimer Research</i> , 2021 , 18, 414-427	3	1
42	Pathophysiological Implication of Pattern Recognition Receptors in Fetal Membranes Rupture: RAGE and NLRP Inflammasome. <i>Biomedicines</i> , 2021 , 9,	4.8	0
41	Glyoxal-Lysine Dimer, an Advanced Glycation End Product, Induces Oxidative Damage and Inflammatory Response by Interacting with RAGE. <i>Antioxidants</i> , 2021 , 10,	7.1	2
40	Lycopene can modulate the LRP1 and RAGE transporters expression at the choroid plexus in Alzheimer's disease rat. <i>Journal of Functional Foods</i> , 2021 , 85, 104644	5.1	0
39	Productos finales de glicaci3n avanzada en la enfermedad cardiovascular como complicaci3n de la diabetes. <i>Medicina E Investigaci3n</i> , 2016 , 4, 52-57		2
38	Modeling the interaction between quinolinate and the receptor for advanced glycation end products (RAGE): relevance for early neuropathological processes. <i>PLoS ONE</i> , 2015 , 10, e0120221	3.7	13
37	Receptor for Advanced Glycation End-Products Signaling Interferes with the Vascular Smooth Muscle Cell Contractile Phenotype and Function. <i>PLoS ONE</i> , 2015 , 10, e0128881	3.7	32
36	RAGE and TGF- β Cross-Talk Regulate Extracellular Matrix Turnover and Cytokine Synthesis in AGEs Exposed Fibroblast Cells. <i>PLoS ONE</i> , 2016 , 11, e0152376	3.7	42

35	The Mouse-Specific Splice Variant mRAGE_v4 Encodes a Membrane-Bound RAGE That Is Resistant to Shedding and Does Not Contribute to the Production of Soluble RAGE. <i>PLoS ONE</i> , 2016 , 11, e0153832 ^{3,7}		5
34	Innate immunity sensors participating in pathophysiology of joint diseases: a brief overview. <i>Journal of Long-Term Effects of Medical Implants</i> , 2014 , 24, 297-317	0.2	6
33	Mechanistic roles of epithelial and immune cell signaling during the development of colitis-associated cancer. <i>Cancer Research Frontiers</i> , 2016 , 2, 1-21		18
32	Inhibition of RAGE Axis Signaling: A Pharmacological Challenge. <i>Current Drug Targets</i> , 2019 , 20, 340-346 ³		18
31	The Potential of Receptor for Advanced Glycation End Products (RAGE) as a Therapeutic Target for Lung Associated Diseases. <i>Current Drug Targets</i> , 2019 , 20, 679-689	3	8
30	Receptor for Advanced Glycation Endproducts (RAGE), Its Ligands, and Soluble RAGE: Potential Biomarkers for Diagnosis and Therapeutic Targets for Human Renal Diseases. <i>Genomics and Informatics</i> , 2013 , 11, 224-9	1.9	73
29	Elevated level of the soluble receptor for advanced glycation end-products involved in sarcopenia: an observational study. <i>BMC Geriatrics</i> , 2021 , 21, 531	4.1	1
28	Targeting Advanced Glycation End Products (esRAGE and sRAGE) for Obesity, Diabetes, and its Associated Complications. 2020 , 191-197		1
27	Allergie, Mikrobiom und weitere epigenetische Faktoren. 2020 , 47-118		
26	Chinese Herbal Medicine Adjusting Brain Microenvironment via Mediating Central Nervous System Lymphatic Drainage in Alzheimer's Disease. <i>Chinese Journal of Integrative Medicine</i> , 2021 , 28, 176	2.9	1
25	Unraveled roles of hyaluronan in severe COVID-19. <i>EXCLI Journal</i> , 2021 , 20, 117-125	2.4	3
24	[Research progress on effects of high glucose microenvironment on biological activity of adipose-derived stem cells]. <i>Zhongguo Xiu Fu Chong Jian Wai Ke Za Zhi = Zhongguo Xiu fu Chongjian Waike Zazhi = Chinese Journal of Reparative and Reconstructive Surgery</i> , 2020 , 34, 1602-1606	0.2	
23	A comprehensive review on RAGE-facilitated pathological pathways connecting Alzheimer's disease, diabetes mellitus, and cardiovascular diseases. <i>The Egyptian Journal of Internal Medicine</i> , 2021 , 33,	0.5	0
22	AGE/Non-AGE Glycation: An Important Event in Rheumatoid Arthritis Pathophysiology. <i>Inflammation</i> , 2021 , 1	5.1	3
21	AGER gene variant as a risk factor for juvenile idiopathic arthritis. <i>Journal of Gene Medicine</i> , 2021 , e3399 ^{3,5}		1
20	Impact of Advanced Glycation End products (AGEs) and its receptor (RAGE) on cancer metabolic signaling pathways and its progression.. <i>Glycoconjugate Journal</i> , 2022 , 38, 717	3	1
19	Single nucleotide variants of receptor for advanced glycation end-products (AGER) gene: is it a new opening in the risk assessment of diabetic retinopathy?-a review.. <i>Journal of Genetic Engineering and Biotechnology</i> , 2022 , 20, 17	3.1	1
18	Peperomia pellucida (L.) Kunth and eye diseases: A review on phytochemistry, pharmacology and toxicology.. <i>Journal of Integrative Medicine</i> , 2022 ,	4	3

17	Indole-linked 1,2,3-triazole derivatives efficiently modulate COX-2 protein and PGE levels in human THP-1 monocytes by suppressing AGE-ROS-NF- κ B. <i>Life Sciences</i> , 2022 , 291, 120282	6.8	1
16	The Repertoire of Small-Molecule PET Probes for Neuroinflammation Imaging: Challenges and Opportunities beyond TSPO.. <i>Journal of Medicinal Chemistry</i> , 2021 , 64, 17656-17689	8.3	4
15	The antioxidant, anti-inflammatory, and antiplatelet effects of Ribes rubrum L. fruit extract in the diabetic rats.. <i>Journal of Food Biochemistry</i> , 2022 , e14124	3.3	0
14	Advanced Glycation End Products and Diabetes Mellitus: Mechanisms and Perspectives.. <i>Biomolecules</i> , 2022 , 12,	5.9	8
13	Role of RAGE and Its Ligands on Inflammatory Responses to Brain Tumors.. <i>Frontiers in Cellular Neuroscience</i> , 2021 , 15, 770472	6.1	0
12	In silico Docking Studies of Antiglycation Activity of Isorhamnetin on Molecular Proteins of Advanced Glycation end Product (AGE) Pathway. <i>Biomedical and Pharmacology Journal</i> , 2021 , 14, 2299-2306	3.0	0
11	Suppression of COX-2/PGE2 levels by carbazole-linked triazoles via modulating methylglyoxal-AGEs and glucose-AGEs Induced ROS/NF- κ B signaling in monocytes. <i>Cellular Signalling</i> , 2022 , 110372	4.9	0
10	Therapeutic potential of targeting the receptor for advanced glycation end products (RAGE) by small molecule inhibitors. <i>Drug Development Research</i> ,	5.1	1
9	Damage associated molecular patterns and neutrophil extracellular traps in acute pancreatitis. 12,		
8	RAGE and HMGB1 expressions in fetal membranes of premature rupture of membranes patients.		0
7	Endogenous advanced glycation end products in the pathogenesis of chronic diabetic complications. 9,		1
6	The role of HMGB1/RAGE/TLR4 signaling pathways in cigarette smoke-induced inflammation in chronic obstructive pulmonary disease. 2022 , 10,		0
5	Extracellular histones as damage-associated molecular patterns in neuroinflammatory responses. 2022 ,		0
4	Psoriatic arthritis: review of potential biomarkers predicting response to TNF inhibitors.		0
3	Differential gene expression analysis of RAGE-S100A6 complex for target selection and the design of novel inhibitors for anticancer drug discovery.		0
2	Knockdown of PAC1 improved inflammatory pain in mice by regulating the RAGE/TLR4/NF- κ B signaling pathway. 2023 , 197, 49-56		0
1	Soluble receptors for advanced glycation end-products prevent unilateral ureteral obstruction-induced renal fibrosis. 14,		0