

Origin and history of grasslands in <scp>C</scp>entral

Grass and Forage Science

68, 345-363

DOI: 10.1111/gfs.12066

Citation Report

#	ARTICLE	IF	CITATIONS
1	Categorizing Grassland Vegetation with Full-Waveform Airborne Laser Scanning: A Feasibility Study for Detecting Natura 2000 Habitat Types. <i>Remote Sensing</i> , 2014, 6, 8056-8087.	4.0	64
2	Diversity of the Western Carpathian flysch grasslands: Do extremely species-rich plant communities coincide with a high diversity of snails?. <i>Biologia (Poland)</i> , 2014, 69, 202-213.	1.5	2
3	Nutritive value of winter-collected annual twigs of main European woody species, mistletoe and ivy and its possible consequences for winter foddering of livestock in prehistory. <i>Holocene</i> , 2014, 24, 659-667.	1.7	24
4	Conservation status of the only representative of infraorder Mygalomorphae (Araneae) in cultivated regions of Central Europe. <i>Journal of Insect Conservation</i> , 2014, 18, 523-537.	1.4	10
5	Forage quality of leaf-fodder from the main broad-leaved woody species and its possible consequences for the Holocene development of forest vegetation in Central Europe. <i>Vegetation History and Archaeobotany</i> , 2014, 23, 607-613.	2.1	29
6	The Steinach Grassland Experiment: Soil chemical properties, sward height and plant species composition in three cut alluvial meadow after decades-long fertilizer application. <i>Agriculture, Ecosystems and Environment</i> , 2014, 184, 76-87.	5.3	26
7	The influence of environmental factors and management methods on the vegetation of mesic grasslands in a central European mountain range. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2014, 209, 687-692.	1.2	18
8	Biodiversity of Palaearctic grasslands: a synthesis. <i>Agriculture, Ecosystems and Environment</i> , 2014, 182, 1-14.	5.3	422
9	Native range habitats of invasive plants: are they similar to invaded range habitats and do they differ according to the geographical direction of invasion?. <i>Diversity and Distributions</i> , 2015, 21, 312-321.	4.1	43
10	Origin of the forest steppe and exceptional grassland diversity in Transylvania (central-eastern Europe). <i>Journal of Biogeography</i> , 2015, 42, 107-118.	3.0	90
11	Mid-Holocene bottleneck for central European dry grasslands: Did steppe survive the forest optimum in northern Bohemia, Czech Republic?. <i>Holocene</i> , 2015, 25, 716-726.	1.7	97
12	The origin of grasslands in the temperate forest zone of east-central Europe: long-term legacy of climate and human impact. <i>Quaternary Science Reviews</i> , 2015, 116, 15-27.	3.0	104
13	Grass strategies and grassland community responses to environmental drivers: a review. <i>Agronomy for Sustainable Development</i> , 2015, 35, 1297-1318.	5.3	52
14	Effect of cattle slurry on soil and herbage chemical properties, yield, nutrient balance and plant species composition of moderately dry Arrhenatherion grassland. <i>Agriculture, Ecosystems and Environment</i> , 2015, 213, 281-289.	5.3	14
15	Alluvial grasslands along the northern upper Rhine – nature conservation value vs. agricultural value under non-intensive management. <i>Agriculture, Ecosystems and Environment</i> , 2015, 200, 102-109.	5.3	6
16	Landscape functions and their change – a review on methodological approaches. <i>Ecological Engineering</i> , 2015, 75, 378-383.	3.6	28
17	Spontaneous colonization of restored dry grasslands by target species: restoration proceeds beyond sowing regional seed mixtures. <i>Grass and Forage Science</i> , 2015, 70, 631-638.	2.9	14
18	Contrasting microbial biogeographical patterns between anthropogenic subalpine grasslands and natural alpine grasslands. <i>New Phytologist</i> , 2016, 209, 1196-1207.	7.3	28

#	ARTICLE	IF	CITATIONS
19	Quantification of present and past biomass productivity as a support to effective biomass management. <i>Journal of Environmental Planning and Management</i> , 2016, 59, 1456-1472.	4.5	2
20	Tradeoffs between forage quality and soil fertility: Lessons from Himalayan rangelands. <i>Agriculture, Ecosystems and Environment</i> , 2016, 234, 31-39.	5.3	31
21	29. Vrbka (Czech Republic): Pollen record of secondary steppe vegetation development within the Bronze Age agricultural landscape. <i>Grana</i> , 2016, 55, 246-249.	0.8	1
22	The Palaearctic steppe biome: a new synthesis. <i>Biodiversity and Conservation</i> , 2016, 25, 2197-2231.	2.6	167
23	Wildflowers: From conserving biodiversity to urban greeningâ€”A review. <i>Urban Forestry and Urban Greening</i> , 2016, 20, 428-436.	5.3	79
24	Contrasting Holocene environmental histories may explain patterns of species richness and rarity in a Central European landscape. <i>Quaternary Science Reviews</i> , 2016, 133, 48-61.	3.0	45
25	Goat pasturingâ€”A biological solution to counteract shrub encroachment on abandoned dry grasslands in Central Europe?. <i>Agriculture, Ecosystems and Environment</i> , 2016, 234, 98-106.	5.3	31
26	Grazing vs. mowing: A meta-analysis of biodiversity benefits for grassland management. <i>Agriculture, Ecosystems and Environment</i> , 2016, 222, 200-212.	5.3	225
27	What is the effect of long-term mulching and traditional cutting regimes on soil and biomass chemical properties, species richness and herbage production in <i>Dactylis glomerata</i> grassland?. <i>Agriculture, Ecosystems and Environment</i> , 2016, 217, 13-21.	5.3	22
28	Genetic differentiation within multiple common grassland plants supports seed transfer zones for ecological restoration. <i>Journal of Applied Ecology</i> , 2017, 54, 116-126.	4.0	95
29	Species distribution modeling and molecular markers suggest longitudinal range shifts and cryptic northern refugia of the typical calcareous grassland species <i>Hippocrepis comosa</i> (horseshoe) Tj ETQq0 0 0 rgBT /Overlook 10 Tf 5		
30	Long-lasting Imprint of Former Glassworks on Vegetation Pattern in an Extremely Species-rich Grassland: A Battle of Species Pools on Mesic Soils. <i>Ecosystems</i> , 2017, 20, 1233-1249.	3.4	17
31	Methods of establishing species-rich meadow biotopes in urban areas. <i>Ecological Engineering</i> , 2017, 103, 134-140.	3.6	11
32	Molecular markers provide evidence for a broadâ€”fronted recolonisation of the widespread calcareous grassland species <i>Sanguisorba minor</i> from southern and cryptic northern refugia. <i>Plant Biology</i> , 2017, 19, 562-570.	3.8	14
33	Trait variation in response to varying winter temperatures, diversity patterns and signatures of selection along the latitudinal distribution of the widespread grassland plant <i>Arrhenatherum elatius</i> . <i>Ecology and Evolution</i> , 2017, 7, 3268-3280.	1.9	16
34	The influence of forest/grassland proportion on the species composition, diversity and natural values of an eastern Austrian forest-steppe. <i>Russian Journal of Ecology</i> , 2017, 48, 350-357.	0.9	4
35	Direct and indirect effects of agricultural intensification on a host-parasitoid system on the ribwort plantain (<i>Plantago lanceolata</i> L.) in a landscape context. <i>Landscape Ecology</i> , 2017, 32, 2015-2028.	4.2	3
36	Palaeoecology and Gis Modeling Reveal Historic Grasslands as â€œHotspotsâ€”of Biodiversity and Plant Genetic Resources. <i>Journal of Ethnobiology</i> , 2017, 37, 581.	2.1	0

#	ARTICLE	IF	CITATIONS
37	The Contribution of 21st Century Pastoralists to Biodiversity Conservation and Emerging Bioeconomies. <i>Journal of Ethnobiology</i> , 2017, 37, 514-521.	2.1	3
38	Invasive plants differ from native plants in their impact on native communities. <i>Journal of Vegetation Science</i> , 2017, 28, 1250-1259.	2.2	4
39	Physical Geography of the Czech Republic. <i>Plant and Vegetation</i> , 2017, , 1-23.	0.6	1
40	Agricultural intensification without biodiversity loss is possible in grassland landscapes. <i>Nature Ecology and Evolution</i> , 2017, 1, 1136-1145.	7.8	24
41	Revisiting historical semi-natural grasslands in the Apennines to assess patterns of changes in species composition and functional traits. <i>Applied Vegetation Science</i> , 2017, 20, 247-258.	1.9	33
42	Establishment limitation may be more important than species dispersal: insights from dry grasslands and old fields. <i>Journal of Vegetation Science</i> , 2017, 28, 34-42.	2.2	14
43	Forages and Pastures: Grazing Management , 2017, , .		0
44	Historical changes in grassland area determined the demography of semi-natural grassland butterflies in Japan. <i>Heredity</i> , 2018, 121, 155-168.	2.6	23
45	Early and middle Holocene ecosystem changes at the Western Carpathian/Pannonian border driven by climate and Neolithic impact. <i>Boreas</i> , 2018, 47, 897-909.	2.4	16
46	Land-use and abandonment alters methane and nitrous oxide fluxes in mountain grasslands. <i>Science of the Total Environment</i> , 2018, 628-629, 997-1008.	8.0	15
47	Woody encroachment and soil carbon stocks in subalpine areas in the Central Spanish Pyrenees. <i>Science of the Total Environment</i> , 2018, 636, 727-736.	8.0	26
48	Open country species persisted in loess regions during the Atlantic and early Subboreal phases: New multidisciplinary data from southern Poland. <i>Review of Palaeobotany and Palynology</i> , 2018, 253, 49-69.	1.5	19
49	Changes in the area of permanent grassland and its implications for the provision of bioenergy: Slovakia as a case study. <i>Grass and Forage Science</i> , 2018, 73, 218-232.	2.9	13
50	Leaf Attenuated Total Reflection Fourier Transform Infrared (ATR-FTIR) biochemical profile of grassland plant species related to land-use intensity. <i>Ecological Indicators</i> , 2018, 84, 803-810.	6.3	26
51	Human-induced changes in fire regime and subsequent alteration of the sandstone landscape of Northern Bohemia (Czech Republic). <i>Holocene</i> , 2018, 28, 427-443.	1.7	25
52	Environmental context and the role of plants at the early medieval artificial island in the lake Paklicko Wielkie, Nowy Dworek, western Poland. <i>Vegetation History and Archaeobotany</i> , 2018, 27, 99-110.	2.1	26
53	Biodiversity-rich European grasslands: Ancient, forgotten ecosystems. <i>Biological Conservation</i> , 2018, 228, 224-232.	4.1	105
54	The Neolithic Plant Invasion Hypothesis: the role of preadaptation and disturbance in grassland invasion. <i>New Phytologist</i> , 2018, 220, 94-103.	7.3	24

#	ARTICLE	IF	CITATIONS
55	Similar effects of different mowing frequencies on the conservation value of semi-natural grasslands in Europe. <i>Biodiversity and Conservation</i> , 2018, 27, 2451-2475.	2.6	40
56	Direct and indirect effects of land use on bryophytes in grasslands. <i>Science of the Total Environment</i> , 2018, 644, 60-67.	8.0	31
57	Responses of plant community mycorrhization to anthropogenic influence depend on the habitat and mycorrhizal type. <i>Oikos</i> , 2019, 128, 1565-1575.	2.7	4
58	Pleistocene climate changes, and not agricultural spread, accounts for range expansion and admixture in the dominant grassland species <i>Lolium perenne</i> L.. <i>Journal of Biogeography</i> , 2019, 46, 1451.	3.0	26
59	Direct and indirect effects of land-use intensification on ant communities in temperate grasslands. <i>Ecology and Evolution</i> , 2019, 9, 4013-4024.	1.9	26
60	The effect of harvest date and the chemical characteristics of biomass from <i>Molinia</i> meadows on methane yield. <i>Biomass and Bioenergy</i> , 2019, 130, 105391.	5.7	6
61	Management effects on botanical composition of species-rich meadows within the Natura 2000 network. <i>Biodiversity and Conservation</i> , 2019, 28, 729-750.	2.6	10
62	Land-use components, abundance of predatory arthropods, and vegetation height affect predation rates in grasslands. <i>Agriculture, Ecosystems and Environment</i> , 2019, 270-271, 84-92.	5.3	27
63	Fertilization effects on organic matter of arable soils in diverse environmental conditions of the Czech Republic. <i>Archives of Agronomy and Soil Science</i> , 2019, 65, 782-795.	2.6	1
64	What was the ecological impact of a <i>Trypillia</i> megasite occupation? Multi-proxy palaeo-environmental investigations at Nebelivka, Ukraine. <i>Vegetation History and Archaeobotany</i> , 2020, 29, 15-34.	2.1	31
65	<i>Festuca valesiaca</i> Schleich. ex Gaudin newly discovered in the Central Apennines (Italy): a further example of steppe relict in the Abruzzo "dry valleys". <i>Plant Biosystems</i> , 2020, 154, 593-600.	1.6	4
66	The scheme of nutrient addition affects vegetation composition and plant species richness in different ways: Results from a long-term grasslands experiment. <i>Agriculture, Ecosystems and Environment</i> , 2020, 291, 106789.	5.3	15
67	Different but valuable: Anthropogenic habitats as genetic diversity reservoirs for endangered dry grassland species – A case study of <i>Stipa pennata</i> . <i>Ecological Indicators</i> , 2020, 111, 105998.	6.3	2
68	A complex scenario of glacial survival in Mediterranean and continental refugia of a temperate continental vole species (<i>Microtus arvalis</i>) in Europe. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2020, 58, 459-474.	1.4	9
69	Fen grassland vegetation under different land uses (Biebrza National Park, Poland). <i>Global Ecology and Conservation</i> , 2020, 23, e01188.	2.1	9
70	Climate, landscape history and management drive Eurasian steppe biodiversity. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2020, 271, 151685.	1.2	15
71	Evolution of Hay Meadows between 1956, 1986, and 2016 and Its Relation to the Characteristics and Location of the Parcels in the Valley of the River Esera (Pyrenees, Spain). <i>Agronomy</i> , 2020, 10, 329.	3.0	4
72	Long-term vegetation changes in <i>Nardus</i> grasslands indicate eutrophication, recovery from acidification, and management change as the main drivers. <i>Applied Vegetation Science</i> , 2020, 23, 508-521.	1.9	19

#	ARTICLE	IF	CITATIONS
73	Genetic Variation of Typical Plant Species in Hay Meadows: The Effect of Land Use History, Landscape Structure, and Habitat Quality. <i>Frontiers in Ecology and Evolution</i> , 2020, 8, .	2.2	4
74	Variation of the Main Alkaloid Content in <i>Equisetum palustre</i> L. in the Light of Its Ontogeny. <i>Toxins</i> , 2020, 12, 710.	3.4	4
75	Settlements, migration and the break of tradition: The settlement patterns of the Earliest Bandkeramik and the LBK and the formation of a neolithic lifestyle in Western Central Europe. <i>Quaternary International</i> , 2020, 560-561, 248-258.	1.5	3
76	Establishment rate of regional provenances mirrors relative share and germination rate in a climate change experiment. <i>Ecosphere</i> , 2020, 11, e03093.	2.2	6
77	Effect of environmental gradients, habitat continuity and spatial structure on vascular plant species richness in semi-natural grasslands. <i>Agriculture, Ecosystems and Environment</i> , 2020, 300, 106974.	5.3	15
78	Grasslands of Eastern Europe. , 2020, , 703-713.		5
79	Grasslands of Northern Europe and the Baltic States. , 2020, , 689-702.		3
80	Canonical correlations reveal adaptive loci and phenotypic responses to climate in perennial ryegrass. <i>Molecular Ecology Resources</i> , 2021, 21, 849-870.	4.8	20
81	Seedling recruitment in mountain grassland restoration: Effects of soil preparation and grazing. <i>Applied Vegetation Science</i> , 2021, 24, .	1.9	9
82	How does grassland management affect physical and biochemical properties of temperate grassland soils? A review study. <i>Grass and Forage Science</i> , 2021, 76, 215-244.	2.9	35
84	Intensification of agriculture in southwestern Germany between the Bronze Age and Medieval period, based on archaeobotanical data from Baden-Württemberg. <i>Vegetation History and Archaeobotany</i> , 2021, 30, 35-46.	2.1	9
85	Grassland with tradition: sampling across several scientific disciplines. <i>Vegetation Classification and Survey</i> , 0, 2, 19-35.	0.0	9
86	The phylogeographic history of <i>Krascheninnikovia</i> reflects the development of dry steppes and semi-deserts in Eurasia. <i>Scientific Reports</i> , 2021, 11, 6645.	3.3	10
87	Basaltic Outcrops as Centers of Diversity for Xerothermic Plants in the Sudetes Mountains (Central) Tj ETQq1 1 0.784314 rgBT /Overl	1.7	0
88	Recent changes in mountain hay meadows of high conservation value in eastern France. <i>Applied Vegetation Science</i> , 2021, 24, e12573.	1.9	3
89	Editorial: Sustainability of grasslands and grass-based ruminant production – Topics from the 28 th General Meeting of the European Grassland Federation. <i>Grass and Forage Science</i> , 2021, 76, 173-174.	2.9	1
90	Assessing Habitat Vulnerability and Loss of Naturalness: Applying the GLOBIO3 Model in the Czech Republic. <i>Sustainability</i> , 2021, 13, 5355.	3.2	2
91	Distribution, Population Size, and Habitat Characteristics of the Endangered European Ground Squirrel (<i>Spermophilus citellus</i> , Rodentia, Mammalia) in Its Southernmost Range. <i>Sustainability</i> , 2021, 13, 8411.	3.2	6

#	ARTICLE	IF	CITATIONS
92	Phosphorus puts a mortgage on restoration of species-rich grasslands on former agricultural land. <i>Restoration Ecology</i> , 2022, 30, e13523.	2.9	3
93	Restoration of species-rich grasslands by transfer of local plant material and its impact on species diversity and genetic variation—Findings of a practical restoration project in southeastern Germany. <i>Ecology and Evolution</i> , 2021, 11, 12816-12833.	1.9	4
94	Open canopy forests of the loess regions of southern Poland: A review based on wood charcoal assemblages from Neolithic and Bronze Age archaeological sites. <i>Quaternary International</i> , 2021, 593-594, 204-223.	1.5	12
95	Fire- and herbivory-driven consumer control in a savanna-like temperate wood-pasture: An experimental approach. <i>Journal of Ecology</i> , 2021, 109, 4103-4114.	4.0	3
96	Are result-based schemes a superior approach to the conservation of High Nature Value grasslands? Evidence from Slovenia. <i>Land Use Policy</i> , 2021, 111, 105749.	5.6	10
97	Extremely Endangered Butterflies of Scattered Central European Dry Grasslands Under Current Habitat Alteration. <i>Insect Systematics and Diversity</i> , 2021, 5, .	1.7	8
98	The influence of historical management on the vegetation and habitat properties of semi-dry grassland. <i>Agriculture, Ecosystems and Environment</i> , 2021, 320, 107587.	5.3	4
99	Grazing Management. , 2022, , 749-758.		0
100	Beech and Mixed Beech Forests. , 2017, , 351-441.		5
101	Vegetation of the Alpine and Nival Belts. , 2017, , 271-431.		3
102	Current Vegetation of the Czech Republic. <i>Plant and Vegetation</i> , 2017, , 229-337.	0.6	8
103	<i>Adenophora liliifolia</i> : Condition of its Populations in Central Europe. <i>Acta Biologica Cracoviensia Series Botanica</i> , 2016, 58, 83-105.	0.5	2
104	Biodiversity of herbaceous vegetation in abandoned and managed sites under protection regime: a case study in the Central Forest Reserve, NW Russia. <i>Hacquetia</i> , 2018, 17, 35-59.	0.4	4
105	From Chernozem to Luvisol or from Luvisol to Chernozem? A discussion about the relationships and limits of the two types of soils. A case study of the soil catena of Hrušův, Czechia. <i>Geografie-Sborník CGS</i> , 2020, 125, 473-500.	0.6	7
106	Impact of land-use change in mountain semi-dry meadows on plants, litter decomposition and earthworms. <i>Web Ecology</i> , 2019, 19, 53-63.	1.6	11
107	Forest encroachment on temperate mountain meadows – scale, drivers, and current research directions. <i>Geographia Polonica</i> , 2017, 90, 463-480.	1.0	14
108	Seed ecology of European mesic meadows. <i>Annals of Botany</i> , 2022, 129, 121-134.	2.9	3
109	Species composition of semi-natural mesic grasslands as a factor influencing the methane yield of plant biomass (Central Europe). <i>GCB Bioenergy</i> , 2022, 14, 54-64.	5.6	2

#	ARTICLE	IF	CITATIONS
110	Nutrient-Poor Dry Grasslands. , 2017, , 495-596.		0
111	Divergrass "a cross border project to promote sustainable management of grasslands. ACC Journal, 2018, 24, 61-80.	0.2	0
113	Intricacies of Grassland Management for Conservation. , 2019, , 71-88.		0
114	Floristic analysis of the grassland vegetation of the Molinio-Arrhenatheretea and Festuco-Brometea classes in Serbia. Acta Herbologica, 2019, 28, 77-86.	0.4	3
116	Xerothermic Grassland Protection by Means of Sheep Grazing: What is the Short-Term Effect on Ants?. Annales Zoologici Fennici, 2019, 56, 33.	0.6	1
117	Above and Below Ground Biomass and Carbon Stock in Permanent Grasslands of Slovakia. Agriculture, 2019, 65, 155-163.	0.4	0
118	Quantifying drought effects in Central European grasslands through regression-based unmixing of intra-annual Sentinel-2 time series. Remote Sensing of Environment, 2022, 268, 112781.	11.0	25
119	Floristic diversity versus utilization value of selected semi-natural Central-European grassland communities: A study from Poland. Ecological Indicators, 2021, 132, 108316.	6.3	1
120	Effects of management cessation on hoverflies (Diptera: Syrphidae) across Austrian and Swiss mountain meadows. Web Ecology, 2020, 20, 143-152.	1.6	3
121	The turfgrass in landscape and landscaping. Ornamental Horticulture, 2020, 26, 499-515.	1.0	1
122	Mowing and warming effects on grassland species richness and harvested biomass: meta-analyses. Agronomy for Sustainable Development, 2021, 41, 1.	5.3	13
123	The Admont Grassland Experiment: 70 years of fertilizer application and its effects on soil and vegetation properties in an alluvial meadow managed under a three-cut regime. Science of the Total Environment, 2022, 808, 152081.	8.0	6
124	No Support for the Neolithic Plant Invasion Hypothesis: Invasive Species From Eurasia Do Not Perform Better Under Agropastoral Disturbance in Early Life Stages Than Invaders From Other Continents. Frontiers in Plant Science, 2022, 13, 801750.	3.6	1
125	Permanent grasslands in Europe: Land use change and intensification decrease their multifunctionality. Agriculture, Ecosystems and Environment, 2022, 330, 107891.	5.3	72
126	Green Corridors May Sustain Habitats for Earthworms in A Partially Converted Grassland. Agronomy, 2022, 12, 793.	3.0	1
127	Barriers and bridges for sustaining functional habitat networks: A macroecological system analysis of wet grassland landscapes. Ecology and Evolution, 2022, 12, e8801.	1.9	6
128	Contrasting patterns of richness, abundance, and turnover in mountain bumble bees and their floral hosts. Ecology, 2022, 103, e3712.	3.2	12
129	Agri-environmental payments drive the conservation and forage value of semi-natural grasslands by modifying fine-scale grazing intensity. Biological Conservation, 2022, 269, 109531.	4.1	4

#	ARTICLE	IF	CITATIONS
130	Macroecological drivers of vascular plant species composition in semi-natural grasslands: A regional study from Lower Silesia (Poland). <i>Science of the Total Environment</i> , 2022, 833, 155151.	8.0	3
131	Central European forestâ€“steppe: An ecosystem shaped by climate, topography and disturbances. <i>Journal of Biogeography</i> , 2022, 49, 1006-1020.	3.0	16
136	Botanical composition of meadows and pastures and their role in the functioning of early medieval semi-artificial lake islands in Ziemia Lubuska (Lubusz land), western Poland. <i>Vegetation History and Archaeobotany</i> , 0, , .	2.1	1
137	The Impact of Fine-Scale Present and Historical Land Cover on Plant Diversity in Central European National Parks with Heterogeneous Landscapes. <i>Land</i> , 2022, 11, 814.	2.9	2
138	Types of Traditional Cultural Landscapes Throughout the World. <i>Landscape Series</i> , 2022, , 19-76.	0.2	1
139	How climate, topography, soils, herbivores, and fire control forestâ€“grassland coexistence in the Eurasian forestâ€“steppe. <i>Biological Reviews</i> , 2022, 97, 2195-2208.	10.4	18
140	Functional rarity of plants in German hay meadows â€” Patterns on the species level and mismatches with community species richness. <i>Ecology and Evolution</i> , 2022, 12, .	1.9	2
141	The Effects of Nitrogen Fertilisation on Plant Species Richness in European Permanent Grasslands: A Systematic Review and Meta-Analysis. <i>Agronomy</i> , 2022, 12, 2928.	3.0	3
142	Land sharing complements land sparing in the conservation of disturbance-dependent species. <i>Ambio</i> , 0, , .	5.5	1
143	Low-intensity land use fosters species richness of threatened butterflies and grasshoppers in mires and grasslands. <i>Global Ecology and Conservation</i> , 2022, , e02357.	2.1	0
144	No detrimental effects of soil disturbance resulting from grassland restoration operations on above groundâ€“dwelling invertebrate communities. <i>Restoration Ecology</i> , 0, , .	2.9	1
145	Long-term success of floodplain meadow restoration on species-poor grassland. <i>Frontiers in Ecology and Evolution</i> , 0, 10, .	2.2	3
146	<i>Adonis fucensis</i> (A. sect. <i>Adonanthe</i> , Ranunculaceae), a New Species from the Central Apennines (Italy). <i>Biology</i> , 2023, 12, 118.	2.8	4
147	How animal dung can help to reconstruct past forest use: a late Neolithic case study from the Mooswinkel pile dwelling (Austria). <i>Archaeological and Anthropological Sciences</i> , 2023, 15, .	1.8	3
148	Variation in methane uptake by grassland soils in the context of climate change â€” A review of effects and mechanisms. <i>Science of the Total Environment</i> , 2023, 871, 162127.	8.0	6
149	Mesophilic, Wet, and Calcareous Grassland. , 2023, , 343-373.		0
150	Impact of Water Meadow Restoration on Forage Hay Production in Different Hydro-Meteorological Conditions: A Case Study of Racot, Central Poland. <i>Sustainability</i> , 2023, 15, 2959.	3.2	3
151	Vegetation History in Central Croatia from ~10,000 Cal BC to the Beginning of Common Eraâ€”Filling the Palaeoecological Gap for the Western Part of South-Eastern Europe (Western Balkans). <i>Diversity</i> , 2023, 15, 235.	1.7	0

#	ARTICLE	IF	CITATIONS
152	Grazing hay meadows: History, distribution, and ecological context. <i>Applied Vegetation Science</i> , 2023, 26, .	1.9	4
153	The relative effectiveness of different grassland restoration methods: A systematic literature search and meta-analysis. <i>Ecological Solutions and Evidence</i> , 2023, 4, .	2.0	7
154	Intensity-dependent effects of cattle and sheep grazing in sand grasslands – Does livestock type really matter?. <i>Applied Vegetation Science</i> , 2023, 26, .	1.9	1
155	Some Physiological Responses of Native Sheep Breeds to Environmental Conditions during Grazing in Natura 2000 Habitats. <i>Agriculture (Switzerland)</i> , 2023, 13, 982.	3.1	0
156	Contribution of genetic analyses to semi-natural grassland biodiversity conservation in Japan. <i>Plant Species Biology</i> , 0, , .	1.0	0
157	Combining historical aerial photography with machine learning to map landscape change impacts on dry grasslands in the Central Alps. <i>Landscape Ecology</i> , 2023, 38, 2121-2143.	4.2	2
160	Effect of nature protection and management of grassland on biodiversity – Case from big flooded river valley (NE Poland). <i>Science of the Total Environment</i> , 2023, 898, 165280.	8.0	1
161	Persisting effects of seed bed preparation and early grazing on plant communities in grassland restoration. <i>Frontiers in Ecology and Evolution</i> , 0, 11, .	2.2	1
162	Abandoning grassland management negatively influences plant but not bird or insect biodiversity in Europe. <i>Conservation Science and Practice</i> , 2023, 5, .	2.0	4
163	Two common, often coexisting grassland plant species differ in their evolutionary potential in response to experimental drought. <i>Ecology and Evolution</i> , 2023, 13, .	1.9	0
164	Dry grasslands adjacent to organic fields have higher plant diversity – Even far into their interior. <i>Agriculture, Ecosystems and Environment</i> , 2023, 357, 108672.	5.3	2
165	Sustainable Grazing by Cattle and Sheep for Semi-Natural Grasslands in Sweden. <i>Agronomy</i> , 2023, 13, 2469.	3.0	3
166	Using the old-growth concept to identify old species-rich semi-natural grasslands. <i>Ecological Indicators</i> , 2023, 155, 110953.	6.3	0
167	Archaeopedological reconstruction of Middle Bronze Age subsistence farming in SW-Germany from sedimentary archives in the Western Allgäu. <i>Geoderma Regional</i> , 2023, 35, e00715.	2.1	0
168	Human-beaver cohabitation in the Early and Mid-Holocene of Northern Europe: Re-visiting Mesolithic material culture and ecology through a multispecies lens. <i>Holocene</i> , 0, , .	1.7	2
169	Cessation of grazing causes biodiversity loss and homogenization of soil food webs. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2023, 290, .	2.6	1
170	Maintaining an open landscape: Comparison of management methods for semi-natural grasslands: A Swedish multi-site study. <i>Global Ecology and Conservation</i> , 2023, 48, e02721.	2.1	0
171	The history of the Jizera Mts forests in the former heavily polluted area of Central Europe. <i>Infrastructure Asset Management</i> , 0, , .	1.6	0

#	ARTICLE	IF	CITATIONS
172	Resurveying inner-alpine dry grasslands after 70 years calls for integrative conservation efforts. <i>Biological Conservation</i> , 2024, 289, 110393.	4.1	0
173	Vegetation History and Diversity of Archaeological Contexts at the Roztoky Site from the Anthracological Perspective. <i>Environmental Archaeology</i> , 0, , 1-15.	1.2	0
175	Managed as wild, horses influence grassland vegetation differently than domestic herds. <i>Biological Conservation</i> , 2024, 290, 110469.	4.1	0
176	The Role of Vegetation in Elevational Diversity Patterns of Tenebrionid Beetles in Central Italy. <i>Diversity</i> , 2024, 16, 110.	1.7	0
178	Quest to find compromised spatial and temporal resolutions for integrating remote sensing data with an agro-ecosystem model for grasslands. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2024, 128, 103705.	1.9	0
179	Contribution of military training areas for the conservation of calcareous grasslands. <i>Journal for Nature Conservation</i> , 2024, 78, 126579.	1.8	0
180	Vegetation changes since the late Middle Ages around Bern, Switzerland. <i>Vegetation History and Archaeobotany</i> , 0, , .	2.1	0
181	Abandonment of traditional livestock grazing reduces soil fertility and enzyme activity, alters soil microbial communities, and decouples microbial networks, with consequences for forage quality in Mediterranean grasslands. <i>Agriculture, Ecosystems and Environment</i> , 2024, 366, 108932.	5.3	0
182	Identifying favourable conditions for farm scale trafficability and grass growth using a combined Sentinel-2 and soil moisture deficit approach. <i>Frontiers in Environmental Science</i> , 0, 12, .	3.3	0
183	Intensive pasture management alters the composition and structure of plant-pollinator interactions in Sibiu, Romania. <i>PeerJ</i> , 0, 12, e16900.	2.0	0
184	Seminatural Grasslands: An Emblematic Challenge for Nature Conservation in Protected Areas. <i>Land</i> , 2024, 13, 386.	2.9	0