

CITATION REPORT

List of articles citing

Interpretation of increased deformation rate in aquifer IV due to groundwater pumping in Shanghai

DOI: 10.1139/cgj-2013-0042

Canadian Geotechnical Journal, 2013, 50, 1129-1142.

Source: <https://exaly.com/paper-pdf/56716195/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
139	Performance of embankments with and without reinforcement on soft subsoil. <i>Canadian Geotechnical Journal</i> , 2002 , 39, 838-848	3.2	65
138	Evaluation of the blocking effect of retaining walls on groundwater seepage in aquifers with different insertion depths. <i>Engineering Geology</i> , 2014 , 183, 254-264	6	93
137	Long-term settlement behaviour of metro tunnels in the soft deposits of Shanghai. <i>Tunnelling and Underground Space Technology</i> , 2014 , 40, 309-323	5.7	382
136	Test and numerical research on wall deflections induced by pre-excavation dewatering. <i>Computers and Geotechnics</i> , 2014 , 62, 244-256	4.4	40
135	Environmental impacts caused by phosphate mining and ecological restoration: a case history in Kunming, China. <i>Natural Hazards</i> , 2014 , 74, 755-770	3	11
134	Evaluation of train-load-induced settlement in metro tunnels. 2015 , 168, 396-406		28
133	Evaluation of train-load-induced settlement in metro tunnels. 2015 , 168, 396-406		9
132	Characteristics of groundwater seepage with cut-off wall in gravel aquifer. II: Numerical analysis. <i>Canadian Geotechnical Journal</i> , 2015 , 52, 1539-1549	3.2	82
131	Characteristics of groundwater seepage with cut-off wall in gravel aquifer. I: Field observations. <i>Canadian Geotechnical Journal</i> , 2015 , 52, 1526-1538	3.2	86
130	Environmental protection using dewatering technology in a deep confined aquifer beneath a shallow aquifer. <i>Engineering Geology</i> , 2015 , 196, 59-70	6	51
129	Investigation into subsidence hazards due to groundwater pumping from Aquifer II in Changzhou, China. <i>Natural Hazards</i> , 2015 , 78, 281-296	3	36
128	Longitudinal structural modelling of shield tunnels considering shearing dislocation between segmental rings. <i>Tunnelling and Underground Space Technology</i> , 2015 , 50, 317-323	5.7	178
127	Lessons Learned from Construction of Shanghai Metro Stations: Importance of Quick Excavation, Prompt Propping, Timely Casting, and Segmented Construction. <i>Journal of Performance of Constructed Facilities</i> , 2015 , 29, 04014096	2	57
126	Evaluation of hydraulic conductivity for both marine and deltaic deposits based on piezocone testing. <i>Ocean Engineering</i> , 2015 , 110, 174-182	3.9	99
125	Deformation behaviour of clay under repeated one-dimensional unloading/reloading. <i>Canadian Geotechnical Journal</i> , 2015 , 52, 1035-1044	3.2	9
124	Evaluation of the Strength Increase of Marine Clay under Staged Embankment Loading: A Case Study. 2015 , 33, 532-541		92
123	Mining-induced geo-hazards with environmental protection measures in Yunnan, China: an overview. <i>Bulletin of Engineering Geology and the Environment</i> , 2015 , 74, 141-150	4	24

122	Analysis and GIS Mapping of Flooding Hazards on 10 May 2016, Guangzhou, China. 2016 , 8, 447		54
121	Characteristics of dewatering induced drawdown curve under blocking effect of retaining wall in aquifer. <i>Journal of Hydrology</i> , 2016 , 539, 554-566	6	129
120	Land subsidence due to groundwater withdrawal in Arak plain, Markazi province, Iran. <i>Arabian Journal of Geosciences</i> , 2016 , 9, 1	1.8	12
119	Three-dimensional modelling of stress relaxation of soft clay under complex loading conditions. <i>European Journal of Environmental and Civil Engineering</i> , 2016 , 1-13	1.5	
118	Ground settlement during tunneling in groundwater drawdown environment ¶ Influencing factors. <i>Underground Space (China)</i> , 2016 , 1, 20-29	3.7	10
117	Geohazards induced by anthropic activities of geoconstruction: a review of recent failure cases. <i>Arabian Journal of Geosciences</i> , 2016 , 9, 1	1.8	19
116	Investigation into pluvial flooding hazards caused by heavy rain and protection measures in Shanghai, China. <i>Natural Hazards</i> , 2016 , 83, 1301-1320	3	20
115	Geological formation and geo-hazards during subway construction in Guangzhou. <i>Environmental Earth Sciences</i> , 2016 , 75, 1	2.9	38
114	Protection of neighbour buildings due to construction of shield tunnel in mixed ground with sand over weathered granite. <i>Environmental Earth Sciences</i> , 2016 , 75, 1	2.9	24
113	Three-dimensional numerical analysis of a DCM column-supported highway embankment. <i>Computers and Geotechnics</i> , 2016 , 72, 42-56	4.4	69
112	Evaluation of Effective Depth of PVD Improvement in Soft Clay Deposit: A Field Case Study. 2016 , 34, 420-430		31
111	Dewatering induced subsidence during excavation in a Shanghai soft deposit. <i>Environmental Earth Sciences</i> , 2017 , 76, 1	2.9	20
110	Performance of buried HDPE pipes ¶ part I: peaking deflection during initial backfilling process. 2017 , 24, 383-395		8
109	Risk and impacts on the environment of free-phase biogas in quaternary deposits along the Coastal Region of Shanghai. <i>Ocean Engineering</i> , 2017 , 137, 129-137	3.9	39
108	Numerical approach to predict ground displacement caused by installing a horizontal jet grout column. 2017 , 35, 970-977		13
107	Geological characteristics of strata in Chongqing, China, and mitigation of the environmental impacts of tunneling-induced geo-hazards. <i>Environmental Earth Sciences</i> , 2017 , 76, 1	2.9	15
106	Effect of Daily Fluctuation of Groundwater Level on Land-Subsidence. 2017 , 3, 1		5
105	The groundwater rise in the urban area of Milan (Italy) and its interactions with underground structures and infrastructures. <i>Tunnelling and Underground Space Technology</i> , 2017 , 62, 103-114	5.7	17

104	Physical simulation of aquifer compression due to groundwater fluctuation. <i>Engineering Geology</i> , 2017 , 231, 157-164	6	3
103	Earth pressures on the trenched HDPE pipes in fine-grained soils during construction phase: Full-scale field trial and finite element modeling. 2017 , 12, 56-69		19
102	Axisymmetric consolidation of saturated multi-layered soils with anisotropic permeability due to well pumping. <i>Computers and Geotechnics</i> , 2017 , 92, 229-239	4.4	7
101	Semi-analytical solution to pumping test data with barrier, wellbore storage, and partial penetration effects. <i>Engineering Geology</i> , 2017 , 226, 44-51	6	82
100	Calculation of head difference at two sides of a cut-off barrier during excavation dewatering. <i>Computers and Geotechnics</i> , 2017 , 91, 192-202	4.4	108
99	Identification of Tunnel Settlement Caused by Land Subsidence in Soft Deposit of Shanghai. <i>Journal of Performance of Constructed Facilities</i> , 2017 , 31, 04017092	2	105
98	Estimation of critical state-related formula in advanced constitutive modeling of granular material. 2017 , 12, 1329-1351		74
97	Tornado hazards on June 23 in Jiangsu Province, China: preliminary investigation and analysis. <i>Natural Hazards</i> , 2017 , 85, 597-604	3	52
96	Prediction and analysis of surface settlement due to shield tunneling for Xi'an Metro. <i>Canadian Geotechnical Journal</i> , 2017 , 54, 529-546	3.2	11
95	Strain Observation Affected by Groundwater-Level Change in Seismic Precursor Monitoring. 2017 , 174, 981-996		2
94	Geotechnical characteristics of weathered granitic gneiss with geo-hazards investigation of pit excavation in Guangzhou, China. <i>Bulletin of Engineering Geology and the Environment</i> , 2017 , 76, 681-694	4	6
93	State-Of-The-Art Review of Geosynthetic Clay Liners. 2017 , 9, 2110		20
92	Sustainable Measures for Mitigation of Flooding Hazards: A Case Study in Shanghai, China. 2017 , 9, 310		9
91	Fractal Prediction of Grouting Volume for Treating Karst Caverns along a Shield Tunneling Alignment. 2017 , 7, 652		14
90	Evaluation of Environmental Risk Due to Metro System Construction in Jinan, China. 2017 , 14,		12
89	Investigation into geohazards during urbanization process of Xi'an, China. <i>Natural Hazards</i> , 2018 , 92, 1937-1953	3	53
88	Multilayered low-strength geogrid-reinforced piled embankment. 2018 , 5, 231-246		5
87	Effect of Groundwater Level Variation on Residual Settlement of Korean High-Speed Railway on Soft Ground. 2018 , 22, 3312-3320		4

86	Review: Water-rock interactions and related eco-environmental effects in typical land subsidence zones of China. 2018 , 26, 1339-1349		8
85	Model test on partial expansion in stratified subsidence during foundation pit dewatering. <i>Journal of Hydrology</i> , 2018 , 557, 489-508	6	29
84	Soil-tunnel interaction modelling for shield tunnels considering shearing dislocation in longitudinal joints. <i>Tunnelling and Underground Space Technology</i> , 2018 , 78, 168-177	5.7	88
83	Zoning of confined aquifers inrush and quicksand in Shanghai region. <i>Natural Hazards</i> , 2018 , 91, 1341-1363		3
82	Mechanical response analysis of the buried pipeline due to adjacent foundation pit excavation. <i>Tunnelling and Underground Space Technology</i> , 2018 , 78, 135-145	5.7	39
81	Investigation into the tempo-spatial distribution of recent fire hazards in China. <i>Natural Hazards</i> , 2018 , 92, 1889-1907	3	6
80	In situ determination of hydraulic conductivity in Yangtze Delta deposits using a modified piezocone model. <i>Bulletin of Engineering Geology and the Environment</i> , 2018 , 77, 153-164	4	3
79	Optimization techniques for identifying soil parameters in geotechnical engineering: Comparative study and enhancement. 2018 , 42, 70-94		173
78	Distinct element method analysis of jointed rock fragmentation induced by TBM cutting. <i>European Journal of Environmental and Civil Engineering</i> , 2018 , 22, s79-s98	1.5	13
77	Analytical approach for time-dependent groundwater inflow into shield tunnel face in confined aquifer. 2018 , 42, 655-673		76
76	Evaluation of ground loss ratio with moving trajectories induced in double-O-tube (DOT) tunnelling. <i>Canadian Geotechnical Journal</i> , 2018 , 55, 894-902	3.2	63
75	Experimental investigations on discrepancy in consolidation degrees with deformation and pore pressure variations of natural clays. 2018 , 152, 38-43		6
74	Millimeter-Accuracy Structural Deformation Monitoring Using Stand-Alone GPS: Case Study in Beijing, China. <i>Journal of Surveying Engineering, - ASCE</i> , 2018 , 144, 05017007	1.3	15
73	Recent Advances in Horizontal Jet Grouting (HJG): An Overview. 2018 , 43, 1543-1560		25
72	Assessment of Social-Economic Risk of Chinese Dual Land Use System Using Fuzzy AHP. 2018 , 10, 2451		20
71	Material properties of the seal gasket for shield tunnels: A review. 2018 , 191, 877-890		35
70	Geological and hydrogeological environment with geohazards during underground construction in Hangzhou: a review. <i>Arabian Journal of Geosciences</i> , 2018 , 11, 1	1.8	15
69	Analysis of the effect of groundwater on soil arch in shield tunneling. <i>Arabian Journal of Geosciences</i> , 2018 , 11, 1	1.8	3

68	A probabilistic design approach for load of metro tunnel induced by surrounding development. <i>Tunnelling and Underground Space Technology</i> , 2018 , 79, 52-66	5.7	4
67	Geological and hydrogeological environment in Tianjin with potential geohazards and groundwater control during excavation. <i>Environmental Earth Sciences</i> , 2018 , 77, 1	2.9	42
66	Dewatering of a 32.55 m Deep Foundation Pit in MAMA Under Leakage Risk Conditions. 2018 , 22, 2784-2801		11
65	Investigation on fatal accidents in Chinese construction industry between 2004 and 2016. <i>Natural Hazards</i> , 2018 , 94, 655-670	3	10
64	A Physical Study of the Effect of Groundwater Salinity on the Compressibility of the Semarang-Demak Aquitard, Java Island. 2018 , 8, 130		7
63	Grouting-based treatment of tunnel settlement: Practice in Shanghai. <i>Tunnelling and Underground Space Technology</i> , 2018 , 80, 181-196	5.7	35
62	Shield tunnel uplift and deformation characterisation: A case study from Zhengzhou metro. <i>Tunnelling and Underground Space Technology</i> , 2018 , 79, 83-95	5.7	44
61	Investigation of Collapsed Building Incidents on Soft Marine Deposit: Both from Social and Technical Perspectives. 2018 , 7, 20		14
60	A review of jet grouting practice and development. <i>Arabian Journal of Geosciences</i> , 2018 , 11, 1	1.8	33
59	Flood risk assessment of metro systems in a subsiding environment using the interval FAHP-FCA approach. 2019 , 50, 101682		75
58	Behaviours of wall and soil during pre-excavation dewatering under different foundation pit widths. <i>Computers and Geotechnics</i> , 2019 , 115, 103169	4.4	33
57	Evaluation of optimized depth of waterproof curtain to mitigate negative impacts during dewatering. <i>Journal of Hydrology</i> , 2019 , 577, 123969	6	54
56	Estimation of mechanical parameters of Tongji-1 lunar soil simulant based on cone penetration test. <i>European Journal of Environmental and Civil Engineering</i> , 2019 , 1-16	1.5	1
55	Dynamic Consolidation Measurements in a Well Field Using Fiber Bragg Grating Sensors. 2019 , 19,		3
54	Engineering Properties of Vertical Cutoff Walls Consisting of Reactive Magnesia-Activated Slag and Bentonite: Workability, Strength, and Hydraulic Conductivity. 2019 , 31, 04019263		15
53	Land Subsidence Control Zone and Policy for the Environmental Protection of Shanghai. 2019 , 16,		13
52	Responses of deep soil layers to combined recharge in a leaky aquifer. <i>Engineering Geology</i> , 2019 , 260, 105263	6	27
51	A three-dimensional fluid-solid model, coupling high-rise building load and groundwater abstraction, for prediction of regional land subsidence. 2019 , 27, 1515-1526		12

50	Analytical Solutions to Interaction Factors of Two Unequal Length Piles under Horizontal Loads. 2019 , 19, 06019003		4
49	How Groundwater Level Fluctuations and Geotechnical Properties Lead to Asymmetric Subsidence: A PSInSAR Analysis of Land Deformation over a Transit Corridor in the Los Angeles Metropolitan Area. <i>Remote Sensing</i> , 2019 , 11, 377	5	25
48	Practice of Optimisation Theory in Geotechnical Engineering. 2019 ,		4
47	Optimization-Based Evolutionary Polynomial Regression. 2019 , 71-99		1
46	Dewatering-Induced Building Settlement around a Deep Excavation in Soft Deposit in Tianjin, China. 2019 , 145, 05019003		89
45	Investigation of Groundwater Withdrawal and Recharge Affecting Underground Structures in the Shanghai Urban Area. 2019 , 11, 7162		3
44	Predicting of the Unit Grouting Quantity in Karst Curtain Grouting by the Water Permeability of Rock Strata. 2019 , 9, 4814		4
43	Investigation into the triggering mechanism of loess landslides in the south Jingyang platform, Shaanxi province. <i>Bulletin of Engineering Geology and the Environment</i> , 2019 , 78, 4919-4930	4	29
42	Combined recharge: A method to prevent ground settlement induced by redevelopment of recharge wells. <i>Journal of Hydrology</i> , 2019 , 568, 1-11	6	56
41	A single-objective EPR based model for creep index of soft clays considering L2 regularization. <i>Engineering Geology</i> , 2019 , 248, 242-255	6	38
40	Evaluation of foam conditioning effect on groundwater inflow at tunnel cutting face. 2019 , 43, 463-481		40
39	Investigation of the geological and hydrogeological environment with relation to metro system construction in Jinan, China. <i>Bulletin of Engineering Geology and the Environment</i> , 2019 , 78, 1005-1024	4	12
38	Investigation of a large ground collapse and countermeasures during mountain tunnelling in Hangzhou: a case study. <i>Bulletin of Engineering Geology and the Environment</i> , 2019 , 78, 991-1003	4	14
37	A review on land subsidence caused by groundwater withdrawal in Xiān, China. <i>Bulletin of Engineering Geology and the Environment</i> , 2019 , 78, 2851-2863	4	43
36	Variation of hydro-environment during past four decades with underground sponge city planning to control flash floods in Wuhan, China: An overview. <i>Underground Space (China)</i> , 2020 , 5, 184-198	3-7	17
35	Effect of random geometric imperfections on the water-tightness of diaphragm wall. <i>Journal of Hydrology</i> , 2020 , 580, 124252	6	7
34	Risk assessment of mega-city infrastructures related to land subsidence using improved trapezoidal FAHP. <i>Science of the Total Environment</i> , 2020 , 717, 135310	10.2	76
33	Micro-mechanical analysis of caisson foundation in sand using DEM: Particle breakage effect. <i>Ocean Engineering</i> , 2020 , 215, 107921	3-9	10

32	Mechanical behavior analysis of buried pipeline under stratum settlement caused by underground mining. <i>International Journal of Pressure Vessels and Piping</i> , 2020 , 188, 104212	2.4	8
31	Durability of engineered cementitious composite exposed to acid mine drainage. <i>Cement and Concrete Composites</i> , 2020 , 108, 103550	8.6	14
30	End-of-primary consolidation parameters using inflection point method. <i>Geotechnique</i> , 2021 , 71, 645-654	3.4	0
29	Stability analysis of gravity anchorage: a case study of Taizhou Yangtze River Bridge. <i>European Journal of Environmental and Civil Engineering</i> , 2021 , 25, 1002-1024	1.5	1
28	Catastrophic Failure of Shanghai Metro Line 4 in July, 2003: Occurrence, Emergency Response, and Disaster Relief. <i>Journal of Performance of Constructed Facilities</i> , 2021 , 35, 04020125	2	15
27	Effects of groundwater exploitation and recharge on land subsidence and infrastructure settlement patterns in Shanghai. <i>Engineering Geology</i> , 2021 , 282, 105995	6	8
26	Land subsidence: A global challenge. <i>Science of the Total Environment</i> , 2021 , 778, 146193	10.2	15
25	Damage mechanism modelling of shield tunnel with longitudinal differential deformation based on elastoplastic damage model. <i>Tunnelling and Underground Space Technology</i> , 2021 , 113, 103952	5.7	8
24	SChina20: A Stable Geodetic Reference Frame for Ground Movement and Structural Deformation Monitoring in South China. <i>Journal of Surveying Engineering, - ASCE</i> , 2021 , 147, 04021006	1.3	3
23	Construction dewatering in a metro station incorporating buttress retaining wall to limit ground settlement: Insights from experimental modelling. <i>Tunnelling and Underground Space Technology</i> , 2021 , 116, 104124	5.7	8
22	Investigation of a large ground collapse, water inrush and mud outburst, and countermeasures during subway excavation in Qingdao: A case study. <i>Tunnelling and Underground Space Technology</i> , 2021 , 117, 104127	5.7	4
21	Longitudinal structural deformation mechanism of shield tunnel linings considering shearing dislocation of circumferential joints. <i>Computers and Geotechnics</i> , 2021 , 139, 104384	4.4	3
20	Land subsidence monitoring based on InSAR and inversion of aquifer parameters. <i>Eurasip Journal on Wireless Communications and Networking</i> , 2019 , 2019,	3.2	7
19	Investigation of alternative mechanisms of aquifer-system compaction and land subsidence in Shanghai. <i>Proceedings of the International Association of Hydrological Sciences</i> , 372, 13-15		1
18	Research on the deformation of a confined aquifer based on Cosserat continuum mechanics. <i>Proceedings of the International Association of Hydrological Sciences</i> , 372, 399-401		
17	Assessment of subsidence phenomena for the Thatta, Jamshoro Districts, Southern Pakistan. <i>Arabian Journal of Geosciences</i> , 2020 , 13, 1	1.8	
16	An optimized neural network with a hybrid GA-ResNN training algorithm: applications in foundation pit. <i>Arabian Journal of Geosciences</i> , 2021 , 14, 1	1.8	3
15	Effects of water intrusion on thermal conductivity and durability of carbonaceous rocks. <i>Soils and Foundations</i> , 2022 , 62, 101102	2.9	0

14	Evolution Assessment of Mining Subsidence Characteristics Using SBAS and PS Interferometry in Sanshandao Gold Mine, China. <i>Remote Sensing</i> , 2022 , 14, 290	5	1
13	Field monitoring and numerical analysis of tunnel water inrush and the environmental changes. <i>Tunnelling and Underground Space Technology</i> , 2022 , 122, 104360	5.7	3
12	Seepage field distribution and water inflow laws of tunnels in water-rich regions. <i>Journal of Mountain Science</i> , 2022 , 19, 591-605	2.1	1
11	Investigation on the phenomena and influence factors of urban ground collapse in China. <i>Natural Hazards</i> , 1	3	0
10	Ground Surface Displacements and Failure Mechanisms induced by EPB Shield Tunneling Method and Groundwater Levels Changes. <i>Transportation Infrastructure Geotechnology</i> ,	1.3	0
9	Rapid ground subsidence in the Kızılirmaci Graben (W. Turkey) captured by Sentinel-1 SAR data. <i>Environmental Earth Sciences</i> , 2022 , 81,	2.9	1
8	Groundwater environment and related potential engineering disasters of deep underground space in Shanghai. <i>Bulletin of Engineering Geology and the Environment</i> , 2022 , 81,	4	2
7	What causes the excessive metro tunnel settlement in soft deposits: learned from a detailed case with factor decomposition. <i>Bulletin of Engineering Geology and the Environment</i> , 2022 , 81,	4	1
6	Experimental research on macroscopic and mesoscopic evolution mechanism of land subsidence induced by groundwater exploitation. <i>Natural Hazards</i> ,	3	
5	Characterizing Spatiotemporal Patterns of Land Deformation in the Santa Ana Basin, Los Angeles, from InSAR Time Series and Independent Component Analysis. <i>Remote Sensing</i> , 2022 , 14, 2624	5	0
4	Analysis of the factors resulting in the acceleration of land subsidence in the central area of Dezhou city, China. 2022 , 81,		1
3	Global review of groundwater potential models in the last decade: Parameters, model techniques, and validation. 2022 , 128501		0
2	Fluid-Solid Coupling Effect on Numerical Simulation of Deep Foundation Pit Deformation in Soft Soil Area. 2022 , 12, 11242		0
1	Hydraulic head difference at two sides of suspended waterproof curtain during multi-grade dewatering of excavation. 2023 , 10, 137-149		0