

# CITATION REPORT

List of articles citing

Time spent in sedentary behavior and changes in childhood BMI: a longitudinal study from ages 9 to 15 years

DOI: 10.1038/ijo.2012.41

International Journal of Obesity, 2013, 37, 54-60.

**Source:** <https://exaly.com/paper-pdf/56807269/citation-report.pdf>

**Version:** 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
178	Is Sitting Time a Strong Predictor of Weight Gain?. <b>2013</b> , 2, 77-85		3
177	Factors associated with development of excessive fatness in children and adolescents: a review of prospective studies. <i>Obesity Reviews</i> , <b>2013</b> , 14, 645-58	10.6	85
176	Which contributes more to childhood adiposity-high levels of sedentarism or low levels of moderate-through-vigorous physical activity? The Iowa Bone Development Study. <b>2013</b> , 162, 1169-74		40
175	Longitudinal levels and bouts of sedentary time among adolescent girls. <i>BMC Pediatrics</i> , <b>2013</b> , 13, 173	2.6	23
174	Socioeconomic position and childhood sedentary time: evidence from the PEACH project. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2013</b> , 10, 105	8.4	28
173	Validation of a novel protocol for calculating estimated energy requirements and average daily physical activity ratio for the US population: 2005-2006. <b>2013</b> , 88, 1398-407		22
172	Lifestyle practices and obesity in Malaysian adolescents. <i>International Journal of Environmental Research and Public Health</i> , <b>2014</b> , 11, 5828-38	4.6	7
171	Sedentary Behavior and Health Outcomes in Children and Adolescents. <b>2014</b> , 8, 173-199		47
170	Temporal divergence of percent body fat and body mass index in pre-teenage children: the LOOK longitudinal study. <b>2014</b> , 9, 448-54		12
169	Television viewing over the life course and the metabolic syndrome in mid-adulthood: a longitudinal population-based study. <b>2014</b> , 68, 928-33		28
168	Fatness predicts decreased physical activity and increased sedentary time, but not vice versa: support from a longitudinal study in 8- to 11-year-old children. <i>International Journal of Obesity</i> , <b>2014</b> , 38, 959-65	5.5	97
167	Changes in BMI and waist circumference among primary and secondary school students from 2005 to 2010 in Anhui, China. <b>2014</b> , 41, 201-4		5
166	Built environment and physical activity in New Zealand adolescents: a protocol for a cross-sectional study. <b>2014</b> , 4, e004475		20
165	Volumes and bouts of sedentary behavior and physical activity: associations with cardiometabolic health in obese children. <b>2014</b> , 22, E112-8		43
164	Be BOLD: Encouraging Girls to Include Unstructured Bouts of Physical Activity into Daily Routines. <b>2014</b> , 27, 18-22		
163	Independent and combined associations of total sedentary time and television viewing time with food intake patterns of 9- to 11-year-old Canadian children. <b>2014</b> , 39, 937-43		25
162	Food intake and overweight in school-aged children in Germany: Results of the GINIplus and LISAPLUS studies. <i>Annals of Nutrition and Metabolism</i> , <b>2014</b> , 64, 60-70	4.5	13

161	Physical activity, sedentary time and adiposity during the first two decades of life. <b>2014</b> , 73, 319-29		39
160	Sedentary behaviour as an emerging risk factor for cardiometabolic diseases in children and youth. <b>2014</b> , 38, 53-61		180
159	Health inequalities in urban adolescents: role of physical activity, diet, and genetics. <b>2014</b> , 133, e884-95		24
158	Longitudinal changes in health behaviours and body weight among Swedish school children--associations with age, gender and parental education--the SCIP school cohort. <i>BMC Public Health</i> , <b>2014</b> , 14, 640	4.1	29
157	Physical activity, screen time and obesity status in a nationally representative sample of Maltese youth with international comparisons. <i>BMC Public Health</i> , <b>2014</b> , 14, 664	4.1	25
156	The role of family-related factors in the effects of the UP4FUN school-based family-focused intervention targeting screen time in 10- to 12-year-old children: the ENERGY project. <i>BMC Public Health</i> , <b>2014</b> , 14, 857	4.1	6
155	Associations of social and environmental supports with sedentary behavior, light and moderate-to-vigorous physical activity in obese underserved adolescents. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2014</b> , 11, 92	8.4	19
154	Objectively measured sedentary behaviour and cardio-metabolic risk in youth: a review of evidence. <b>2014</b> , 173, 845-60		32
153	Validation and calibration of the activPAL for estimating METs and physical activity in 4-6 year olds. <i>Journal of Science and Medicine in Sport</i> , <b>2014</b> , 17, 602-6	4.4	16
152	Longitudinal changes in objectively measured sedentary behaviour and their relationship with adiposity in children and adolescents: systematic review and evidence appraisal. <i>Obesity Reviews</i> , <b>2014</b> , 15, 791-803	10.6	69
151	Coach autonomy support predicts autonomous motivation and daily moderate-to-vigorous physical activity and sedentary time in youth sport participants. <b>2014</b> , 15, 453-463		47
150	The role of greenery for physical activity play at school grounds. <b>2014</b> , 13, 103-113		45
149	Built environment and active play among Washington DC metropolitan children: A protocol for a cross-sectional study. <b>2015</b> , 73, 22		14
148	Active Living: development and quasi-experimental evaluation of a school-centered physical activity intervention for primary school children. <i>BMC Public Health</i> , <b>2015</b> , 15, 1315	4.1	21
147	Changing from primary to secondary school highlights opportunities for school environment interventions aiming to increase physical activity and reduce sedentary behaviour: a longitudinal cohort study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2015</b> , 12, 59	8.4	42
146	Objectively measured physical activity and sedentary time in youth: the International children's accelerometry database (ICAD). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2015</b> , 12, 113	8.4	407
145	School nurses' health dialogues with pupils about physical activity. <b>2015</b> , 10, 330-336		3
144	Temporal Trends in Overweight and Obesity, Physical Activity and Screen Time among Czech Adolescents from 2002 to 2014: A National Health Behaviour in School-Aged Children Study. <i>International Journal of Environmental Research and Public Health</i> , <b>2015</b> , 12, 11848-68	4.6	44

143	The relationship between meeting vigorous physical activity recommendations and burnout symptoms among adolescents: an exploratory study with vocational students. <b>2015</b> , 37, 180-92		23
142	Determinants of changes in sedentary time and breaks in sedentary time among 9 and 12 year old children. <b>2015</b> , 2, 880-5		12
141	Effects of the 3-year Sigue la Huella intervention on sedentary time in secondary school students. <b>2015</b> , 25, 438-43		6
140	Prospective associations between sedentary time, sleep duration and adiposity in adolescents. <b>2015</b> , 16, 717-22		27
139	Examining communication- and media-based recreational sedentary behaviors among Canadian youth: results from the COMPASS study. <i>Preventive Medicine</i> , <b>2015</b> , 74, 74-80	4.3	28
138	The Association Between the Physical Environment of Primary Schools and Active School Transport. <b>2015</b> , 47, 418-435		15
137	Sedentary behavior and indicators of mental health in school-aged children and adolescents: A systematic review. <i>Preventive Medicine</i> , <b>2015</b> , 76, 48-57	4.3	156
136	Longitudinal changes in sedentary time and physical activity during adolescence. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2015</b> , 12, 44	8.4	80
135	Vigorous physical activity rather than sedentary behaviour predicts overweight and obesity in pubertal boys: a 2-year follow-up study. <b>2015</b> , 43, 276-82		31
134	Association between physical activity, sedentary time, and healthy fitness in youth. <b>2015</b> , 47, 575-80		46
133	Bone architecture and strength in the growing skeleton: the role of sedentary time. <b>2015</b> , 47, 363-72		22
132	Prospective effects of pedometer use and class competitions on physical activity in youth: A cluster-randomized controlled trial. <i>Preventive Medicine</i> , <b>2015</b> , 81, 399-404	4.3	13
131	Effects of Interrupting Children's Sedentary Behaviors With Activity on Metabolic Function: A Randomized Trial. <b>2015</b> , 100, 3735-43		50
130	Issues Related to Measuring and Interpreting Objectively Measured Sedentary Behavior Data. <b>2015</b> , 19, 116-124		31
129	Television viewing and food intake during television viewing in normal-weight, overweight and obese 9- to 11-year-old Canadian children: a cross-sectional analysis. <b>2015</b> , 4, e8		13
128	Outcomes and process evaluation of a programme integrating physical activity into the primary school mathematics curriculum: The EASY Minds pilot randomised controlled trial. <i>Journal of Science and Medicine in Sport</i> , <b>2015</b> , 18, 656-61	4.4	59
127	Physical activity and physical fitness in obese, overweight, and normal-weight children. <b>2016</b> , 46, 443-50		16
126	Development of sedentary behavior across childhood and adolescence: longitudinal analysis of the Gateshead Millennium Study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2016</b> , 13, 88	8.4	57

125	Pubertal development and screen time among South Korean adolescents: testing body mass index and psychological well-being as mediators. <b>2016</b> , 1, 19		7
124	Physical activity, sedentary behavior, and long-term cardiovascular risk in young people: A review and discussion of methodology in prospective studies. <i>Journal of Sport and Health Science</i> , <b>2016</b> , 5, 145-150	8.2	20
123	To work or not to work: Neural representation of cost and benefit of instrumental action. <b>2016</b> , 229, 125-157		8
122	Excessive Appetite vs. Inadequate Physical Activity in the Pathology of Obesity: Evidence from Objective Monitoring. <b>2016</b> , 277-298		
121	Measuring the Daily Activity of Lying Down, Sitting, Standing and Stepping of Obese Children Using the ActivPAL™ Activity Monitor. <b>2017</b> , 63, 98-103		4
120	An evidence-update on the prospective relationship between childhood sedentary behaviour and biomedical health indicators: a systematic review and meta-analysis. <i>Obesity Reviews</i> , <b>2016</b> , 17, 833-49	10.6	108
119	In-school versus out-of-school sedentary behavior patterns in U.S. children. <b>2016</b> , 3, 34		22
118	Weight development from age 13 to 30 years and adolescent socioeconomic status: The Norwegian Longitudinal Health Behaviour study. <b>2016</b> , 61, 465-73		8
117	Systematic review of sedentary behaviour and health indicators in school-aged children and youth: an update. <b>2016</b> , 41, S240-65		566
116	Objectively measured sedentary behaviour and health and development in children and adolescents: systematic review and meta-analysis. <i>Obesity Reviews</i> , <b>2016</b> , 17, 330-44	10.6	185
115	Screen time, weight status and the self-concept of physical attractiveness in adolescents. <b>2016</b> , 48, 11-7		24
114	Longitudinal patterns and predictors of multiple health risk behaviors among adolescents: The TRAILS study. <i>Preventive Medicine</i> , <b>2016</b> , 84, 76-82	4.3	41
113	Inter-participant variability in daily physical activity and sedentary time among male youth sport footballers: independent associations with indicators of adiposity and cardiorespiratory fitness. <i>Journal of Sports Sciences</i> , <b>2016</b> , 34, 239-51	3.6	10
112	The relation between internet use and overweight among adolescents: a longitudinal study in Switzerland. <i>International Journal of Obesity</i> , <b>2016</b> , 40, 45-50	5.5	18
111	Cross-sectional and prospective associations between moderate to vigorous physical activity and sedentary time with adiposity in children. <i>International Journal of Obesity</i> , <b>2016</b> , 40, 28-33	5.5	39
110	Maximal isometric muscle strength values obtained By hand-held dynamometry in children between 6 and 15 years of age. <b>2017</b> , 55, 16-22		3
109	Cross-sectional and prospective impact of reallocating sedentary time to physical activity on children's body composition. <b>2017</b> , 12, 373-379		23
108	Bone Density in the Obese Child: Clinical Considerations and Diagnostic Challenges. <b>2017</b> , 100, 514-527		19

107	Does a single bout of exercise influence subsequent physical activity and sedentary time in overweight boys?. <b>2017</b> , 173, 231-235		2
106	Wrist Accelerometer Cut Points for Classifying Sedentary Behavior in Children. <b>2017</b> , 49, 813-822		22
105	Physical Activity and Pediatric Obesity: A Quantile Regression Analysis. <b>2017</b> , 49, 466-473		24
104	The stability of children's weight status over time, and the role of television, physical activity, and diet. <i>Preventive Medicine</i> , <b>2017</b> , 100, 229-234	4.3	25
103	Reallocating sedentary time to moderate-to-vigorous physical activity but not to light-intensity physical activity is effective to reduce adiposity among youths: a systematic review and meta-analysis. <i>Obesity Reviews</i> , <b>2017</b> , 18, 1088-1095	10.6	30
102	Physical Activity, Sedentary Behavior and the Risk of Overweight and Obesity in School-Aged Children. <i>Pediatric Exercise Science</i> , <b>2017</b> , 29, 408-418	2	36
101	Cardiorespiratory fitness, but not physical activity, is associated with academic achievement in children and adolescents. <b>2017</b> , 44, 309-315		11
100	Objectively measured sedentary behaviour and moderate and vigorous physical activity in different school subjects: a cross-sectional study. <i>BMC Public Health</i> , <b>2017</b> , 17, 108	4.1	16
99	Longitudinal study of the associations between change in sedentary behavior and change in adiposity during childhood and adolescence: Gateshead Millennium Study. <i>International Journal of Obesity</i> , <b>2017</b> , 41, 1042-1047	5.5	33
98	Objectively Measured Sedentary Behavior, Obesity, and Psychological Well-Being: A Cross-Sectional Study of Japanese Schoolchildren. <i>Journal of Physical Activity and Health</i> , <b>2017</b> , 14, 270-274	2.5	10
97	Physical Activity and Changes in Adiposity in the Transition from Elementary to Middle School. <i>Childhood Obesity</i> , <b>2017</b> , 13, 53-62	2.5	8
96	School grade and sex differences in domain-specific sedentary behaviors among Japanese elementary school children: a cross-sectional study. <i>BMC Public Health</i> , <b>2017</b> , 17, 318	4.1	12
95	Sedentary behaviour across the primary-secondary school transition: A systematic review. <i>Preventive Medicine</i> , <b>2017</b> , 94, 40-47	4.3	63
94	"We actually care and we want to make the parks better": A qualitative study of youth experiences and perceptions after conducting park audits. <i>Preventive Medicine</i> , <b>2017</b> , 95 Suppl, S109-S114	4.3	11
93	Validation of thigh-based accelerometer estimates of postural allocation in 5-12 year-olds. <i>Journal of Science and Medicine in Sport</i> , <b>2017</b> , 20, 273-277	4.4	6
92	The effects of interrupting prolonged sitting with intermittent activity on appetite sensations and subsequent food intake in preadolescent children. <i>PLoS ONE</i> , <b>2017</b> , 12, e0188986	3.7	4
91	Reliability of self-report measures of correlates of obesity-related behaviours in Hong Kong adolescents for the iHealt(H) and IPEN adolescent studies. <b>2017</b> , 75, 38		9
90	. <b>2017</b> , 42,		2

89	Relationship Among Changes in Sedentary Time, Physical Activity, and Body Mass Index in Young Schoolchildren: A 3-Year Longitudinal Study. <i>Pediatric Exercise Science</i> , <b>2018</b> , 30, 426-432	2	1
88	Daily sitting time associated with the risk of metabolic syndrome in Korean adolescents. <b>2018</b> , 31, 63-69		4
87	Sedentary Behaviour and Adiposity. <b>2018</b> , 155-178		2
86	Does mothers' employment affect adolescents' weight and activity levels? Improving our empirical estimates. <b>2018</b> , 4, 291-300		5
85	Secular and longitudinal physical activity changes in population-based samples of children and adolescents. <i>Scandinavian Journal of Medicine and Science in Sports</i> , <b>2018</b> , 28, 161-171	4.6	63
84	Childcare Educators' Perceptions of and Solutions to Reducing Sitting Time in Young Children: A Qualitative Study. <b>2018</b> , 46, 377-385		5
83	Obesity-risk behaviours and their associations with body mass index (BMI) in Korean American children. <b>2018</b> , 27, 3408-3417		4
82	Longitudinal analysis of physical activity, sedentary behaviour and anthropometric measures from ages 6 to 11 years. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2018</b> , 15, 126	8.4	17
81	Changes in physical activity over the lifespan: impact on body composition and sarcopenic obesity. <i>Obesity Reviews</i> , <b>2018</b> , 19 Suppl 1, 8-13	10.6	34
80	The impact of height-adjustable desks and prompts to break-up classroom sitting on adolescents' energy expenditure, adiposity markers and perceived musculoskeletal discomfort. <i>PLoS ONE</i> , <b>2018</b> , 13, e0203938	3.7	10
79	Effect and process evaluation of implementing standing desks in primary and secondary schools in Belgium: a cluster-randomised controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2018</b> , 15, 94	8.4	17
78	Meta-Analysis of Physical Activity Levels in Youth With and Without Disabilities. <i>Adapted Physical Activity Quarterly</i> , <b>2018</b> , 35, 381-402	1.7	17
77	Growth Trajectories of Young Children's Objectively Determined Physical Activity, Sedentary Behavior, and Body Mass Index. <i>Childhood Obesity</i> , <b>2018</b> , 14, 259-264	2.5	11
76	Adolescent religious attendance and spirituality-Are they associated with leisure-time choices?. <i>PLoS ONE</i> , <b>2018</b> , 13, e0198314	3.7	12
75	The Association between Adolescent's Weight Perception and Health Behaviors: Analysis of National Health and Nutrition Examination Survey Data, 2011-2014. <i>Journal of Obesity</i> , <b>2018</b> , 2018, 3547856	3.7	9
74	Physical Activity, Sedentary Behaviour, Sleep Duration and Well-Being Among Estonian Schoolchildren: A Thematic Review. <i>International Handbooks of Quality-of-life</i> , <b>2018</b> , 365-391	0.5	2
73	Gender differences in the associations between age trends of social media interaction and well-being among 10-15 year olds in the UK. <i>BMC Public Health</i> , <b>2018</b> , 18, 321	4.1	84
72	Behavioural patterns only predict concurrent BMI status and not BMI trajectories in a sample of youth in Ontario, Canada. <i>PLoS ONE</i> , <b>2018</b> , 13, e0190405	3.7	6



71	Evaluation of an intervention to reduce adolescent sitting time during the school day: The 'Stand Up for Health' randomised controlled trial. <i>Journal of Science and Medicine in Sport</i> , <b>2018</b> , 21, 1244-1249	4.4	6
70	Feasibility, acceptability, and potential efficacy of a childcare-based intervention to reduce sitting time among pre-schoolers: A pilot randomised controlled trial. <i>Journal of Sports Sciences</i> , <b>2019</b> , 37, 146-155	3.6	5
69	BMI is a misleading proxy for adiposity in longitudinal studies with adolescent males: The Australian LOOK study. <i>Journal of Science and Medicine in Sport</i> , <b>2019</b> , 22, 307-310	4.4	4
68	Overweight and obesity in sexual and gender minority adolescents: A systematic review. <i>Obesity Reviews</i> , <b>2019</b> , 20, 1350-1366	10.6	12
67	Executive function and probabilities of engaging in long-term sedentary and high calorie/low nutrition eating behaviors in early adolescence. <i>Social Science and Medicine</i> , <b>2019</b> , 237, 112483	5.1	6
66	Sedentary Time and Behavior during School: A Systematic Review and Meta-Analysis. <i>American Journal of Health Education</i> , <b>2019</b> , 50, 283-290	1	17
65	Drivers of adolescent adiposity: Evidence from the Australian LOOK study. <i>Journal of Science and Medicine in Sport</i> , <b>2019</b> , 22, 1330-1334	4.4	1
64	Exercise in Children with Disabilities. <i>Current Physical Medicine and Rehabilitation Reports</i> , <b>2019</b> , 7, 46-55	0.7	1
63	Association between television viewing and early childhood overweight and obesity: a pair-matched case-control study in China. <i>BMC Pediatrics</i> , <b>2019</b> , 19, 184	2.6	6
62	Maternal BMI Change Linked to Child Activity Change in Family-Based Behavioral Interventions for Pediatric Weight Management. <i>Childhood Obesity</i> , <b>2019</b> , 15, 371-378	2.5	1
61	Skipping breakfast is associated with adiposity markers especially when sleep time is adequate in adolescents. <i>Scientific Reports</i> , <b>2019</b> , 9, 6380	4.9	11
60	Exploring Children's Physical Activity Behaviours According to Location: A Mixed-Methods Case Study. <i>Sports</i> , <b>2019</b> , 7,	3	0
59	Longitudinal Changes in Sitting Patterns, Physical Activity, and Health Outcomes in Adolescents. <i>Children</i> , <b>2018</b> , 6,	2.8	12
58	The prospective association between objectively measured sedentary time, moderate-to-vigorous physical activity and cardiometabolic risk factors in youth: a systematic review and meta-analysis. <i>Obesity Reviews</i> , <b>2019</b> , 20, 55-74	10.6	54
57	Electronic Gaming Characteristics Associated with Class 3 Severe Obesity in Youth Who Attend the Pediatric Weight Management Programs of the COMPASS Network. <i>Childhood Obesity</i> , <b>2019</b> , 15, 21-30	2.5	6
56	Associations of accelerometer-measured sedentary time, sedentary bouts, and physical activity with adiposity and fitness in children. <i>Journal of Sports Sciences</i> , <b>2020</b> , 38, 114-120	3.6	10
55	Longitudinal changes in moderate-to-vigorous-intensity physical activity in children and adolescents: A systematic review and meta-analysis. <i>Obesity Reviews</i> , <b>2020</b> , 21, e12953	10.6	84
54	Latent class analysis of sexual health markers among men and women participating in a British probability sample survey. <i>BMC Public Health</i> , <b>2020</b> , 20, 14	4.1	2



53	Heavy Screen Use on Weekends in Childhood Predicts Increased Body Mass Index in Adolescence: A Three-Year Follow-Up Study. <i>Journal of Adolescent Health</i> , <b>2020</b> , 66, 559-566	5.8	11
52	Videogame-related experiences among regular adolescent gamers. <i>PLoS ONE</i> , <b>2020</b> , 15, e0235327	3.7	1
51	Accelerometer-measured physical activity and sedentary behavior in Chinese children and adolescents: a systematic review and meta-analysis. <i>Public Health</i> , <b>2020</b> , 186, 71-77	4	8
50	Latin American interventions in children and adolescents' sedentary behavior: a systematic review. <i>Revista De Saude Publica</i> , <b>2020</b> , 54, 59	2.4	5
49	Evaluation of a program targeting sports coaches as deliverers of health-promoting messages to at-risk youth: Assessing feasibility using a realist-informed approach. <i>PLoS ONE</i> , <b>2020</b> , 15, e0236812	3.7	1
48	Physical Activity Habits and Well-Being among 6-Year-Old Children: The "Improving Umbrian Kids' Healthy Lifestyle", an Uncontrolled Pilot Study Project. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	0
47	Feasibility and applicability of Evenson sedentary behavior cut points applied to children with and without intellectual and developmental disabilities. <i>Disability and Rehabilitation</i> , <b>2020</b> , 1-6	2.4	2
46	Association of Reallocating Time in Different Intensities of Physical Activity with Weight Status Changes among Normal-Weight Chinese Children: A National Prospective Study. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	2
45	Adiposity and High Blood Pressure during Childhood: A Prospective Analysis of the Role of Physical Activity Intensity and Sedentary Time in the GECKO Drenthe Cohort. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	2
44	The association between obesity and sedentary behavior or daily physical activity among children with Down's syndrome aged 7-12 years in Japan: A cross-sectional study. <i>Heliyon</i> , <b>2020</b> , 6, e04861	3.6	0
43	Tracking Children's Physical Activity Patterns across the School Year: A Mixed-Methods Longitudinal Case Study. <i>Children</i> , <b>2020</b> , 7,	2.8	0
42	Does light-intensity physical activity moderate the relationship between sitting time and adiposity markers in adolescents?. <i>Journal of Sport and Health Science</i> , <b>2020</b> ,	8.2	4
41	Sedentary Behavior and the Use of Wearable Technology: An Editorial. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	4
40	Changes in physical activity and sedentary time during adolescence: Gender differences during weekdays and weekend days. <i>Scandinavian Journal of Medicine and Science in Sports</i> , <b>2020</b> , 30, 1265-1275	4.6	19
39	Disentangling individual, school, and neighborhood effects on screen time among adolescents and young adults in the United States. <i>Preventive Medicine</i> , <b>2021</b> , 142, 106357	4.3	8
38	Health Promotion in Socially Vulnerable Youth: Sports as a Powerful Vehicle?. <i>Health Promotion Practice</i> , <b>2021</b> , 22, 275-286	1.8	3
37	Pohybová aktivita, sedavá činnost a obezita rodičů jejich dětí <b>2021</b> ,		0
36	Bi-directional prospective associations between sedentary time, physical activity and adiposity in 10-year old Norwegian children. <i>Journal of Sports Sciences</i> , <b>2021</b> , 39, 1772-1779	3.6	0

35	Leading by Example: Association Between Mother and Child Objectively Measured Physical Activity and Sedentary Behavior. <i>Pediatric Exercise Science</i> , <b>2021</b> , 33, 49-60	2	1
34	Identification of the minimum data set to design a mobile-based application on overweight and obesity management for children and adolescents. <i>Journal of Diabetes and Metabolic Disorders</i> , <b>2021</b> , 20, 1011-1020	2.5	
33	Associations of Mothers' and Children's Stress With Children's Device-Measured Physical Activity and Sedentary Behavior Trajectories Across 3 Years. <i>Journal of Physical Activity and Health</i> , <b>2021</b> , 18, 477-487	2.5	0
32	Relationship of Physical Activity and Sedentary Time with Metabolic Health in Children and Adolescents Measured by Accelerometer: A Narrative Review. <i>Healthcare (Switzerland)</i> , <b>2021</b> , 9,	3.4	0
31	Trajectories of objectively measured physical activity and childhood overweight: longitudinal analysis of the IDEFICS/I.Family cohort. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2021</b> , 18, 103	8.4	3
30	Objectively measured physical activity and sedentary time during childhood, adolescence and young adulthood: a cohort study. <i>PLoS ONE</i> , <b>2013</b> , 8, e60871	3.7	179
29	Trajectories of Television Watching from Childhood to Early Adulthood and Their Association with Body Composition and Mental Health Outcomes in Young Adults. <i>PLoS ONE</i> , <b>2016</b> , 11, e0152879	3.7	35
28	Relationship between Healthy Lifestyle and Sociodemographic Factors in Adolescents in Catalonia: Application of VISA-TEEN Questionnaire. <i>PLoS ONE</i> , <b>2016</b> , 11, e0163381	3.7	2
27	Associations between daily ambient temperature and sedentary time among children 4-6 years old in Mexico City. <i>PLoS ONE</i> , <b>2020</b> , 15, e0241446	3.7	2
26	Physical Activity and Sedentary Screen Time in Obese and Overweight Children Living in Different Environments. <i>Central European Journal of Public Health</i> , <b>2015</b> , 23 Suppl, S37-43	1.2	4
25	Development and Validation of the Reasons to Exergame (RTEX) Scale in Young Adults: Exploratory Factors Analysis. <i>JMIR Serious Games</i> , <b>2020</b> , 8, e16261	3.4	2
24	Association Between Self-Reported and Objective Activity Levels by Demographic Factors: Ecological Momentary Assessment Study in Children. <i>JMIR MHealth and UHealth</i> , <b>2018</b> , 6, e150	5.5	10
23	Parent-child physical activity, sedentary behaviour, and obesity. <b>2017</b> ,		1
22	Relationships between Short Sleep, Obesity, and Screen Time in High School Students. <i>Daehan Gicho Ganho Jayeon Gwahag Hoeji</i> , <b>2014</b> , 16, 80-89		2
21	Interventions focused on the physical activity environment to reduce sedentary behaviors among children: A systematic review. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , <b>2016</b> , 65, 357-366 <sup>0.1</sup>		
20	Get in the GROOVE. <i>Advances in Educational Technologies and Instructional Design Book Series</i> , <b>2017</b> , 127-147		1
19	Exploring Health Behaviors Affecting Middle School Students' Weight through the Lens of Community Level in an Mountainous Region in West Virginia, USA. <i>International Journal of Human Movement Science</i> , <b>2018</b> , 12, 1-13	0.1	
18	Get in the GROOVE. <i>Advances in Educational Technologies and Instructional Design Book Series</i> , <b>2019</b> , 139-153		0

17	The Acute Effects of a "Reduced Sitting Preschool Day" on Executive Function and Musculoskeletal Health in Preschoolers: A Randomized Cross-Over Study. <i>Pediatric Exercise Science</i> , <b>2019</b> , 31, 505-513	2	0
16	Parental working hours and children's sedentary time: a cross-sectional analysis of the J-SHINE. <i>Journal of Epidemiology</i> , <b>2020</b> ,	3.4	0
15	Get in the GROOVE. 1532-1552		
14	Physical Activity is Related to Fatty Liver Marker in Obese Youth, Independently of Central Obesity or Cardiorespiratory Fitness. <i>Journal of Sports Science and Medicine</i> , <b>2015</b> , 14, 103-9	2.7	8
13	Problematic Technology Use Scale for Young Children (PTUS-YC): Validity and Reliability Study. <i>International Journal of Assessment Tools in Education</i> , <b>2022</b> , 9, 267-289	0.3	1
12	There is a clinical need to consider the physical activity - sedentary pattern in children with obesity. Position paper of the European Childhood Obesity Group.. <i>Annals of Nutrition and Metabolism</i> , <b>2022</b>	4.5	0
11	Relations between physical activity, sedentary time, and body fat from childhood to adolescence: Do they differ by sex?. <i>International Journal of Obesity</i> ,	5.5	
10	Exploring classroom teachers' efficacy towards implementing physical activity breaks in the classroom. <i>Health Education Journal</i> , 001789692211028	1.5	
9	Changes in physical activity patterns of students from primary to secondary school: a 5-year longitudinal study. <i>Scientific Reports</i> , <b>2022</b> , 12,	4.9	
8	The Effect of Social Isolation on Nutritional Habits, Diet Quality, Lifestyle Changes and Obesity in Children in the Covid-19 Pandemic. <i>Akdeniz Medical Journal</i> , <b>2023</b> , 9, 15-22		
7	Do Weightbearing Restrictions Cause Excess Weight Gain in Children With LEGG-Calvé-Perthes Disease?. Publish Ahead of Print,		0
6	Sedentary behavior and neck pain in children and adolescents; a systematic review and meta-analysis. <b>2022</b> , 12, 240-248		0
5	Erken Öcukluk ve Öcuklukta Olan Ebeveynlerin, Öcuklarında Medya Kullandıkları ve Dijital Ebeveynlik Farkındalıklarının İncelenmesi.		0
4	TIME USE PATTERNS IN CHILDREN WITH AND WITHOUT CHILDHOOD OBESITY. 91-94		0
3	The Effect of Physical Play before the Start of Lesson on Children's Physical Activity in Elementary School. <b>2022</b> , 42, 1-17		0
2	Body-related bullying, desire to lose weight and negative health behaviours among young people in the United Kingdom: a secondary data analysis. 8, 2326-2336		0
1	Sente-se Menos, Mova-se Mais e Sinta-se Bem, Pessoal!: O Comportamento Sedentário pode Comprometer a Saúde Cardiometabólica por Meio de Problemas de Saúde Mental ao Longo da Vida. <b>2023</b> , 120,		0