

CITATION REPORT

List of articles citing

Major depressive disorder is associated with broad impairments on neuropsychological measures of executive function: a meta-analysis and review

DOI: 10.1037/a0028727

Psychological Bulletin, 2013, 139, 81-132.

Source: <https://exaly.com/paper-pdf/56861397/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1078	Future directions in vulnerability to depression among youth: integrating risk factors and processes across multiple levels of analysis. 2012 , 41, 695-718		79
1077	Depressionsscreening bei Epilepsiepatienten. 2012 , 25, 283-288		2
1076	Neurogenesis along the septo-temporal axis of the hippocampus: are depression and the action of antidepressants region-specific?. 2013 , 252, 234-52		160
1075	The relationship between positive and negative automatic thought and activity in the prefrontal and temporal cortices: a multi-channel near-infrared spectroscopy (NIRS) study. 2013 , 151, 352-9		36
1074	So many options, so little control: abstract representations can reduce selection demands to increase children's self-directed flexibility. 2013 , 116, 659-73		11
1073	Patients with hepatitis C infection and normal liver function: an evaluation of cognitive function. 2013 , 89, 433-9		20
1072	Reduced comparison speed during visual search in late life depression. 2013 , 35, 1060-70		8
1071	Hot and cold cognition in depression. 2013 , 18, 139-49		201
1070	Influence of COMT val158met genotype on the depressed brain during emotional processing and working memory. 2013 , 8, e73290		50
1069	Neuropsychological functioning in late-life depression. 2013 , 4, 381		32
1068	A follow-up study of first episode major depressive disorder. Impairment in inhibition and semantic fluency-potential predictors for relapse?. 2013 , 4, 633		43
1067	Relationships among cognition, emotion, and motivation: implications for intervention and neuroplasticity in psychopathology. 2013 , 7, 261		104
1066	Dysregulated left inferior parietal activity in schizophrenia and depression: functional connectivity and characterization. 2013 , 7, 268		51
1065	Cortical organization of inhibition-related functions and modulation by psychopathology. 2013 , 7, 271		35
1064	The INECO Frontal Screening tool differentiates behavioral variant - frontotemporal dementia (bv-FTD) from major depression. 2013 , 7, 33-39		15
1063	The neuropsychology of starvation: set-shifting and central coherence in a fasted nonclinical sample. 2014 , 9, e110743		21
1062	Touchscreen-paradigm for mice reveals cross-species evidence for an antagonistic relationship of cognitive flexibility and stability. 2014 , 8, 154		16

1061	Unique and interactive effect of anxiety and depressive symptoms on cognitive and brain function in young and older adults. 2014 , Suppl 1,	30
1060	Cognitive impairment in depression: a systematic review and meta-analysis. 2014 , 44, 2029-40	911
1059	Trail making test performance in youth varies as a function of anatomical coupling between the prefrontal cortex and distributed cortical regions. 2014 , 5, 496	16
1058	Candidate gene associations with mood disorder, cognitive vulnerability, and fronto-limbic volumes. 2014 , 4, 418-30	21
1057	Mapping the trajectory of socioeconomic disparity in working memory: parental and neighborhood factors. 2014 , 85, 1433-45	46
1056	Cognitive remediation in anorexia nervosa and related conditions: a systematic review. 2014 , 22, 454-62	108
1055	Lisdexamfetamine dimesylate augmentation in adults with persistent executive dysfunction after partial or full remission of major depressive disorder. 2014 , 39, 1388-98	53
1054	Towards personalized treatment of depression: a candidate gene approach. 2014 , 55, 219-24	4
1053	Executive Function Deficits in Daily Life Prospectively Predict Increases in Depressive Symptoms. 2014 , 38, 612-620	36
1052	More rumination and less effective emotion regulation in previously depressed women with preserved executive functions. 2014 , 14, 334	35
1051	Multifactorial determinants of the neurocognitive effects of electroconvulsive therapy. 2014 , 30, 165-76	64
1050	An "alternating instructions" version of the Autobiographical Memory Test for assessing autobiographical memory specificity in non-clinical populations. 2014 , 22, 881-9	19
1049	Increased neural activity during overt and continuous semantic verbal fluency in major depression: mainly a failure to deactivate. 2014 , 264, 631-45	13
1048	Perfectionism in pediatric anxiety and depressive disorders. 2014 , 17, 299-317	25
1047	Deficits in behavioural inhibition in substance abuse and addiction: a meta-analysis. 2014 , 145, 1-33	309
1046	Biomarkers and clinical staging in psychiatry. 2014 , 13, 211-23	170
1045	Neural changes associated with the generation of specific past and future events in depression. 2014 , 65, 41-55	55
1044	Neurocognitive function after (chemo)-radiotherapy for head and neck cancer. 2014 , 26, 765-75	37

1043	Genetic and environmental influences on rumination and its covariation with depression. 2014 , 28, 1270-86	16
1042	Testing trait depression as a potential clinical domain in schizophrenia. 2014 , 159, 243-8	21
1041	Neuropsychological performance in melancholic, atypical and undifferentiated major depression during depressed and remitted states: a prospective longitudinal study. 2014 , 168, 184-91	32
1040	Decision-making capacity should not be decisive in emergencies. 2014 , 17, 229-38	5
1039	Genetic variation in CACNA1C affects neural processing in major depression. 2014 , 53, 38-46	37
1038	Opposite effects of anxiety and depressive symptoms on executive function: the case of selecting among competing options. 2014 , 28, 893-902	22
1037	Monitoring and optimising cognitive function in cancer patients: Present knowledge and future directions. 2014 , 12, 29-40	62
1036	Cognitive dysfunction in major depressive disorder: effects on psychosocial functioning and implications for treatment. 2014 , 59, 649-54	189
1035	Motivational enhancement of cognitive control depends on depressive symptoms. 2014 , 14, 646-50	10
1034	Neurocognition in individuals at high familial risk of mood disorders with or without subsequent onset of depression. 2015 , 45, 3317-27	17
1033	A computational analysis of flanker interference in depression. 2015 , 45, 2333-44	32
1032	Control when it counts: Change in executive control under stress predicts depression symptoms. 2015 , 15, 522-530	36
1031	Right external globus pallidus changes are associated with altered causal awareness in youth with depression. 2015 , 5, e653	4
1030	Operant procedures for assessing behavioral flexibility in rats. 2015 , e52387	30
1029	Affective Biases in Humans and Animals. 2016 , 263	16
1028	Executive Function in Adults With Type 2 Diabetes: A Meta-Analytic Review. 2015 , 77, 631-42	49
1027	The Effect of Psychological Distress and Personality Traits on Cognitive Performances and the Risk of Dementia in Patients with Mild Cognitive Impairment. 2015 , 46, 805-12	13
1026	Postdischarge interventions for depression. 2015 ,	

1025	Neuropsychological performance of patients with soft bipolar spectrum disorders. 2015 , 17, 194-204	12
1024	The neurocognitive profile of mood disorders - a review of the evidence and methodological issues. 2015 , 17 Suppl 2, 21-40	76
1023	Association Between Cognitive Function and Health Care Costs 3 Months and 6 Months After Initiating Antidepressant Medication for Depressive Disorders. 2015 , 21, 742-52, 752a-752e	1
1022	Rumination in major depressive disorder is associated with impaired neural activation during conflict monitoring. 2015 , 9, 269	29
1021	The relationship between sleep-wake cycle and cognitive functioning in young people with affective disorders. 2015 , 10, e0124710	9
1020	Attentional Control Theory in Childhood: Enhanced Attentional Capture by Non-Emotional and Emotional Distractors in Anxiety and Depression. 2015 , 10, e0141535	12
1019	Symptom severity of depressive symptoms impacts on social cognition performance in current but not remitted major depressive disorder. 2015 , 6, 1118	20
1018	Depressive Symptoms Affect Working Memory in Healthy Older Adult Hispanics. 2015 , 4,	3
1017	Influence of Pharmacotherapy on Cognitive Functions in Depression: A Review of the Literature. 2015 , 21, 3643-51	12
1016	Reinforcement learning in depression: A review of computational research. 2015 , 55, 247-67	88
1015	A multivariate twin study of trait mindfulness, depressive symptoms, and anxiety sensitivity. 2015 , 32, 254-61	28
1014	Course and Predictors of Cognitive Function in Patients With Prostate Cancer Receiving Androgen-Deprivation Therapy: A Controlled Comparison. 2015 , 33, 2021-7	123
1013	Fronto-parietal and cingulo-opercular network integrity and cognition in health and schizophrenia. 2015 , 73, 82-93	109
1012	Pilot Study of Neurological Soft Signs and Depressive and Postconcussive Symptoms During Recovery From Mild Traumatic Brain Injury (mTBI). 2015 , 27, 199-205	1
1011	Building Resistance to Stress and Aging. 2015 ,	
1010	DEGS2 polymorphism associated with cognition in schizophrenia is associated with gene expression in brain. 2015 , 5, e550	17
1009	Is there a "metabolic-mood syndrome"? A review of the relationship between obesity and mood disorders. 2015 , 52, 89-104	185
1008	Non-pharmacological strategies for treatment of inpatient depression. 2015 , 49, 215-26	12

1007	Executive function moderates the relation between coping and depressive symptoms. 2015 , 28, 31-49	13
1006	Socioeconomic status and executive function: developmental trajectories and mediation. 2015 , 18, 686-702	346
1005	Interactive effects of trait and state affect on top-down control of attention. 2015 , 10, 1128-36	17
1004	A cognitive-emotional biomarker for predicting remission with antidepressant medications: a report from the iSPOT-D trial. 2015 , 40, 1332-42	71
1003	The new DSM-5 diagnosis of mild neurocognitive disorder and its relation to research in mild cognitive impairment. 2015 , 19, 2-12	69
1002	The impact of neuroscience on society: cognitive enhancement in neuropsychiatric disorders and in healthy people. 2015 , 370, 20140214	61
1001	Transdiagnostic dimensions of anxiety: Neural mechanisms, executive functions, and new directions. 2015 , 98, 365-377	65
1000	Cognitive function in older adults with major depression: Effects of mineralocorticoid receptor stimulation. 2015 , 69, 120-5	20
999	Brief report: Executive functions in adolescent offspring of mothers with a history of depression. 2015 , 44, 32-6	7
998	Corticostriatothalamic reward prediction error signals and executive control in late-life depression. 2015 , 45, 1413-24	27
997	Development and Monte Carlo Study of a Procedure for Correcting the Standardized Mean Difference for Measurement Error in the Independent Variable. 2015 , 75, 284-310	
996	A quantitative meta-analysis of neurocognitive functioning in posttraumatic stress disorder. <i>Psychological Bulletin</i> , 2015 , 141, 105-140	19.1 273
995	Advancing understanding of executive function impairments and psychopathology: bridging the gap between clinical and cognitive approaches. 2015 , 6, 328	426
994	Executive function and suicidality: A systematic qualitative review. 2015 , 40, 170-83	79
993	COGNITION-CHILDHOOD MALTREATMENT INTERACTIONS IN THE PREDICTION OF ANTIDEPRESSANT OUTCOMES IN MAJOR DEPRESSIVE DISORDER PATIENTS: RESULTS FROM THE iSPOT-D TRIAL. 2015 , 32, 594-604	51
992	ABCB1 Genetic Effects on Antidepressant Outcomes: A Report From the iSPOT-D Trial. 2015 , 172, 751-9	51
991	Effects of remission speed and improvement of cognitive functions of depressed patients. 2015 , 226, 103-12	16
990	Síndrome post-polio, quejas cognitivas y exploraci3n neuropsicol3gica. 2015 , 49, 70-74	1

989	Research Review: Neuropsychological test performance in pediatric obsessive-compulsive disorder--a meta-analysis. 2015 , 56, 837-47	52
988	BDNF Val66Met polymorphism and hippocampal volume in neuropsychiatric disorders: A systematic review and meta-analysis. 2015 , 55, 107-18	98
987	Motor vehicle driving in high incidence psychiatric disability: comparison of drivers with ADHD, depression, and no known psychopathology. 2015 , 64, 59-66	31
986	Large-Scale Network Dysfunction in Major Depressive Disorder: A Meta-analysis of Resting-State Functional Connectivity. 2015 , 72, 603-11	970
985	Associations Among Symptoms of Autism, Symptoms of Depression and Executive Functions in Children with High-Functioning Autism: A 2 Year Follow-Up Study. 2015 , 45, 2497-507	30
984	[Neuropsychological treatment of cognitive deficits in substance abuse disorders, affective disorders, anxiety disorders and obsessive-compulsive disorders - current status and perspectives]. 2015 , 83, 259-68	3
983	Introduction to the Special Issue on Pediatric Sleep: Associations With Executive Functioning, ADHD, and Beyond. 2015 , 40, 101-3	
982	Stress-Induced Changes in Executive Control Are Associated With Depression Symptoms: Examining the Role of Rumination. 2015 , 3, 628-636	28
981	Affective personality predictors of disrupted reward learning and pursuit in major depressive disorder. 2015 , 230, 56-64	14
980	Impulsive traits and unplanned suicide attempts predict exaggerated prefrontal response to angry faces in the elderly. 2015 , 23, 829-39	14
979	Improved Alertness Is Associated with Early Increase in Serum Brain-Derived Neurotrophic Factor and Antidepressant Treatment Outcome in Major Depression. 2015 , 72, 16-28	19
978	Psychiatric Comorbidity in Alcohol Dependence. 2015 , 25, 456-75	16
977	Abnormal error processing in depressive states: a translational examination in humans and rats. 2015 , 5, e564	15
976	Obsessive-compulsive disorder is associated with broad impairments in executive function: A meta-analysis. 2015 , 3, 301-330	164
975	Psychophysiological correlates of cognitive deficits in family caregivers of patients with Alzheimer Disease. 2015 , 286, 371-82	36
974	Why People Are in a Generally Good Mood. 2015 , 19, 235-56	81
973	A meta-analysis of cognitive functions in children and adolescents with major depressive disorder. 2015 , 24, 5-19	131
972	Trait rumination, depression, and executive functions in early adolescence. 2015 , 44, 18-36	34

971	Cognitive Deficits as a Mediator of Poor Occupational Function in Remitted Major Depressive Disorder Patients. 2016 , 14, 1-16	86
970	Cognitive Dysfunction in Major Depressive Disorder. A Translational Review in Animal Models of the Disease. 2016 , 9,	50
969	Neuroscience of functional outcomes and treatment targets in major depressive disorder. 257-273	1
968	Could fNIRS Promote Neuroscience Approach in Clinical Psychology?. 2016 , 7, 456	16
967	The Relationship between Sleep Complaints, Depression, and Executive Functions on Older Adults. 2016 , 7, 1547	15
966	Effect of Pharmacological Interventions on the Fronto-Cingulo-Parietal Cognitive Control Network in Psychiatric Disorders: A Transdiagnostic Systematic Review of fMRI Studies. 2016 , 7, 82	13
965	Effects of Intensive Short-Term Dynamic Psychotherapy on Depressive Symptoms and Executive Functioning in Major Depression. 2016 , 204, 500-5	13
964	Striatal hypoactivation and cognitive slowing in patients with partially remitted and remitted major depression. 2016 , 5, 191-205	10
963	The interrelationship between attentional and executive deficits in major depressive disorder. 2016 , 134, 73-82	20
962	Imbalance in subregional connectivity of the right temporoparietal junction in major depression. 2016 , 37, 2931-42	12
961	Disrupted Brain Activation and Deactivation Pattern during Semantic Verbal Fluency Task in Patients with Major Depression. 2016 , 74, 69-77	17
960	Assessing and measuring cognitive function in major depressive disorder. 2016 , 19, 106-109	18
959	Dissociative symptoms are associated with reduced neuropsychological performance in patients with recurrent depression and a history of trauma exposure. 2016 , 7, 29061	31
958	Cognitive Risks in Developmental Psychopathology. 2016 , 1-74	15
957	Understanding comorbidity among internalizing problems: Integrating latent structural models of psychopathology and risk mechanisms. 2016 , 28, 987-1012	70
956	Prefrontal mechanisms of comorbidity from a transdiagnostic and ontogenic perspective. 2016 , 28, 1147-1175	19
955	Repetitive transcranial magnetic stimulation modulates the impact of a negative mood induction. 2017 , 12, 526-533	11
954	Cognitive Flexibility in Primary Dystonia. 2016 , 22, 662-70	21

953	The digit symbol substitution test (DSST): psychometric properties and clinical utility in major depressive disorder. 2016 , 26, S341	4
952	Venlafaxine treatment reduces the deficit of executive control of attention in patients with major depressive disorder. 2016 , 6, 28028	23
951	Characterizing neurocognitive impairment in young people with major depression: state, trait, or scar?. 2016 , 6, e00527	44
950	Spiraling out of control: Stress generation and subsequent rumination mediate the link between poorer cognitive control and internalizing psychopathology. 2016 , 4, 1047-1064	41
949	Untangling the Gordian knot of HIV, stress, and cognitive impairment. 2016 , 4, 44-54	30
948	Differential Resting State Connectivity Patterns and Impaired Semantically Cued List Learning Test Performance in Early Course Remitted Major Depressive Disorder. 2016 , 22, 225-39	14
947	Attentional blink impairment in social anxiety disorder: Depression comorbidity matters. 2016 , 50, 209-14	5
946	Trait attentional control influences the relationship between repetitive negative thinking and psychopathology symptoms. 2016 , 238, 277-283	20
945	Insulin resistance and carotid intima-media thickness mediate the association between resting-state heart rate variability and executive function: A path modelling study. 2016 , 117, 216-224	20
944	Anxious and Depressive Symptomatology Among Male Youth: The Joint and Interactive Contribution of Temperament and Executive Functioning. 2016 , 47, 925-937	1
943	Depressive Symptoms Negatively Impact Montreal Cognitive Assessment Performance: A Memory Clinic Experience. 2016 , 43, 513-7	20
942	Cognitive remission: a novel objective for the treatment of major depression?. 2016 , 14, 9	123
941	Executive function deficits associated with current and past major depressive symptoms. 2016 , 204, 226-33	18
940	Midlife Eriksonian psychosocial development: Setting the stage for late-life cognitive and emotional health. 2016 , 52, 496-508	26
939	Decomposing card-sorting performance: Effects of working memory load and age-related changes. 2016 , 30, 579-90	28
938	Canadian Network for Mood and Anxiety Treatments (CANMAT) 2016 Clinical Guidelines for the Management of Adults with Major Depressive Disorder: Section 1. Disease Burden and Principles of Care. 2016 , 61, 510-23	140
937	Neuropsychological Impairment of Patients with Depression. 2016 , 123-144	
936	Transdiagnostic impairment of cognitive control in mental illness. 2016 , 83, 37-46	145

935	Anxiety and attention to threat: Cognitive mechanisms and treatment with attention bias modification. 2016 , 87, 76-108	153
934	Parental bonding and neuropsychological performance are associated with episodic simulation of future events in trauma-exposed patients with major depressive disorder. 2016 , 6, e00474	5
933	Assessment of functional outcomes by Sheehan Disability Scale in patients with major depressive disorder treated with duloxetine versus selective serotonin reuptake inhibitors. 2016 , 31, 53-63	12
932	Misdiagnosis of ADHD in Individuals Diagnosed With Obsessive-Compulsive Disorder: Guidelines for Practitioners. 2016 , 3, 225-234	3
931	Brain-derived neurotrophic factor promoter methylation and cortical thickness in recurrent major depressive disorder. 2016 , 6, 21089	47
930	Effect size for the main cognitive function determinants in a large cross-sectional study. 2016 , 23, 1614-1626	11
929	Decreased Fronto-Limbic Activation and Disrupted Semantic-Cued List Learning in Major Depressive Disorder. 2016 , 22, 412-25	9
928	Anxiety and working memory capacity: A meta-analysis and narrative review. <i>Psychological Bulletin</i> , 2016 , 142, 831-864	19.1 278
927	The structure of psychopathology in adolescence and its common personality and cognitive correlates. 2016 , 125, 1039-1052	158
926	Systematic review of randomized controlled trials of candidate treatments for cognitive impairment in depression and methodological challenges in the field. 2016 , 26, 1845-1867	36
925	Funciones ejecutivas en la depresi3. 2016 , 23, 23-28	1
924	Visuospatial planning in unmedicated major depressive disorder and bipolar disorder: distinct and common neural correlates. 2016 , 46, 2313-28	11
923	Brain Structures Implicated in Inflammation-Associated Depression. 2017 , 31, 221-248	34
922	EEG beta and low gamma power correlates with inattention in patients with major depressive disorder. 2016 , 204, 124-30	32
921	A Twin Study Examining Rumination as a Transdiagnostic Correlate of Psychopathology. 2016 , 4, 971-987	17
920	Predictors of neurocognitive impairment at 2years after a first-episode major depressive disorder. 2016 , 68, 24-33	15
919	Executive function moderates the relationship between depressive symptoms and resting heart rate variability in heart failure. 2016 , 39, 192-200	7
918	Executive function subcomponents and their relations to everyday functioning in healthy older adults. 2016 , 38, 925-40	27

917	The effects of desvenlafaxine on neurocognitive and work functioning in employed outpatients with major depressive disorder. 2016 , 203, 55-61	22
916	Cognitive dysfunction and work productivity in major depressive disorder. 2016 , 16, 455-63	58
915	Executive Functions in Older Adults With Autism Spectrum Disorder: Objective Performance and Subjective Complaints. 2016 , 46, 2859-73	34
914	Got milk? Workplace factors related to breastfeeding among working mothers. 2016 , 37, 692-718	31
913	The Effects of Vortioxetine on Cognitive Function in Patients with Major Depressive Disorder: A Meta-Analysis of Three Randomized Controlled Trials. 2016 , 19,	104
912	Concurrent and Short-Term Prospective Relations among Neurocognitive Functioning, Coping, and Depressive Symptoms in Youth. 2016 , 45, 6-20	34
911	Spatiotemporal psychopathology I: No rest for the brain's resting state activity in depression? Spatiotemporal psychopathology of depressive symptoms. 2016 , 190, 854-866	77
910	Transcranial Stimulation of the Dorsolateral Prefrontal Cortex Prevents Stress-Induced Working Memory Deficits. 2016 , 36, 1429-37	71
909	Effects of context on risk taking and decision times in obsessive-compulsive disorder. 2016 , 75, 82-90	10
908	Executive Function in Adolescence: A Commentary on Regulatory Control and Depression in Adolescents: Findings From Neuroimaging and Neuropsychological Research. 2016 , 45, 84-9	10
907	Regulatory Control and Depression in Adolescents: Findings from Neuroimaging and Neuropsychological Research. 2016 , 45, 1-5	22
906	Auditory Consonant Trigrams: A Psychometric Update 2016 , 31, 47-57	11
905	Who receives contraception counseling when starting new lupus medications? The potential roles of race, ethnicity, disease activity, and quality of communication. 2016 , 25, 12-7	16
904	EEG alpha frequency correlates of burnout and depression: The role of gender. 2016 , 114, 1-12	24
903	Neurocognitive Changes in Selective Serotonin Reuptake Inhibitors-Treated Adolescents with Depression. 2016 , 26, 713-720	10
902	[Cognition - the core of major depressive disorder]. 2016 , 42, 1S3-11	5
901	Effect of antidepressant treatment on cognitive impairments associated with depression: a randomised longitudinal study. 2016 , 3, 425-35	115
900	The effects of autobiographical memory flexibility (MemFlex) training: An uncontrolled trial in individuals in remission from depression. 2016 , 52, 92-98	22

899	Task-based neurofeedback training: A novel approach toward training executive functions. 2016 , 134, 153-159	31
898	Inhibition and response to error in remitted major depression. 2016 , 235, 116-22	14
897	Driving Simulator Performance in Novice Drivers with Autism Spectrum Disorder: The Role of Executive Functions and Basic Motor Skills. 2016 , 46, 1379-91	47
896	Cognitive remediation for depressed inpatients: Results of a pilot randomized controlled trial. 2016 , 50, 46-55	24
895	G Protein-Gated K Channel Ablation in Forebrain Pyramidal Neurons Selectively Impairs Fear Learning. 2016 , 80, 796-806	23
894	The Role of the Microbiome in the Relationship of Asthma and Affective Disorders. 2016 , 874, 263-88	8
893	Theory of mind in major depressive disorder: A meta-analysis. 2016 , 191, 49-55	154
892	Depression and Cognitive Impairment in Peritoneal Dialysis: A Multicenter Cross-sectional Study. 2016 , 67, 111-8	27
891	Neural Correlates of Three Promising Endophenotypes of Depression: Evidence from the EMBARC Study. 2016 , 41, 454-63	62
890	Prevalence of perceived cognitive dysfunction in survivors of a wide range of cancers: results from the 2010 LIVESTRONG survey. 2016 , 10, 302-11	36
889	Impaired Maturation of Cognitive Control in Adolescents Who Develop Major Depressive Disorder. 2016 , 45, 31-43	18
888	Self-reported sleep duration and cognitive performance in older adults: a systematic review and meta-analysis. 2016 , 17, 87-98	159
887	Trait worry is associated with difficulties in working memory updating. 2016 , 30, 1289-303	59
886	Who Gets Head Trauma or Recruited in Mild Traumatic Brain Injury Research?. 2016 , 33, 232-41	18
885	Frontoparietal Activation During Response Inhibition Predicts Remission to Antidepressants in Patients With Major Depression. 2016 , 79, 274-81	92
884	Abnormal Neural Basis of Emotional Conflict Control in Treatment-Resistant Depression. 2017 , 48, 103-110	10
883	Construct Validity of Fluency and Implications for the Factorial Structure of Memory. 2017 , 35, 460-481	16
882	Cognitive Functioning in Adolescents with Self-Reported ADHD and Depression: Results From a Population-Based Study. 2017 , 45, 69-81	13

881	Unity and diversity of executive functions: Individual differences as a window on cognitive structure. 2017 , 86, 186-204	653
880	Neuropsychological Markers of Suicidal Risk in the Context of Medical Rehabilitation. 2017 , 21, 293-306	17
879	Executive function in treatment-resistant depression before and after electroconvulsive therapy. 2017 , 18, 624-632	1
878	Domain-specific impairment in cognitive control among remitted youth with a history of major depression. 2017 , 11, 383-392	30
877	GWAS meta-analysis reveals novel loci and genetic correlates for general cognitive function: a report from the COGENT consortium. 2017 , 22, 336-345	123
876	The Mind Bending Quest for Cognitive Enhancers. 2017 , 101, 179-181	3
875	Cognitive Control in Generalized Anxiety Disorder: Relation of Inhibition Impairments to Worry and Anxiety Severity. 2017 , 41, 610-618	44
874	Executive Functioning Mediates the Effect of Behavioral Problems on Depression in Mothers of Children With Developmental Disabilities. 2017 , 122, 11-24	5
873	Competition Effects in Visual Cortex Between Emotional Distractors and a Primary Task in Remitted Depression. 2017 , 2, 396-403	7
872	A systematic review of cognitive effects of exercise in depression. 2017 , 135, 285-295	33
871	Investigating the separate and interactive associations of trauma and depression on neurocognition in urban dwelling adults. 2017 , 89, 6-13	4
870	A randomized trial of aerobic exercise on cognitive control in major depression. 2017 , 128, 903-913	25
869	Cognitive behavioral therapy increases amygdala connectivity with the cognitive control network in both MDD and PTSD. 2017 , 14, 464-470	54
868	Cognitive control interventions for depression: A systematic review of findings from training studies. 2017 , 53, 79-92	128
867	Executive function in weight loss and weight loss maintenance: a conceptual review and novel neuropsychological model of weight control. 2017 , 40, 687-701	38
866	Response Inhibition and Internet Gaming Disorder: A Meta-analysis. 2017 , 71, 54-60	54
865	Evaluating the motor slowing hypothesis of depression. 2017 , 252, 188-195	5
864	New perspectives in mental health: addressing cognitive deficits in remitted depression. 2017 , 24, 252-259	1

863	Cognitive Control in the Injured Brain. 2017 , 513-538	1
862	The mediating roles of cortisol reactivity and executive functioning difficulties in the pathways between childhood histories of emotional insecurity and adolescent school problems. 2017 , 29, 1483-1498	13
861	The relationship between depression and executive function and the impact of vascular disease burden in younger and older adults. 2017 , 46, 697-701	8
860	High frequency repetitive transcranial magnetic stimulation treatment for major depression: Dissociated effects on psychopathology and neurocognition. 2017 , 217, 112-117	9
859	"Top-Down" Mu-Opioid System Function in Humans: Mu-Opioid Receptors in Ventrolateral Prefrontal Cortex Mediate the Relationship Between Hedonic Tone and Executive Function in Major Depressive Disorder. 2017 , 29, 357-364	14
858	Deficient manipulation of working memory in remitted depressed individuals: Behavioral and electrophysiological evidence. 2017 , 128, 1206-1213	10
857	Preliminary evidence concerning the pattern and magnitude of cognitive dysfunction in major depressive disorder using cogstate measures. 2017 , 218, 82-85	16
856	Putative Brain Networks Underlying Repetitive Negative Thinking and Comorbid Internalizing Problems in Autism. 2017 , 5, 522-536	19
855	Relations Between Executive Functions, Social Impairment, and Friendship Quality on Adjustment Among High Functioning Youth with Autism Spectrum Disorder. 2017 , 47, 2861-2872	11
854	Hot and cold executive functions in youth with psychotic symptoms. 2017 , 47, 2844-2853	13
853	Gender differences in quality of life and functional disability for depression outpatients with or without residual symptoms after acute phase treatment in China. 2017 , 219, 141-148	7
852	Differential associations of threat and deprivation with emotion regulation and cognitive control in adolescence. 2017 , 29, 929-940	104
851	Myelination of the brain in Major Depressive Disorder: An in vivo quantitative magnetic resonance imaging study. 2017 , 7, 2200	42
850	Positive autobiographical memory deficits in youth with depression histories and their never-depressed siblings. 2017 , 56, 329-346	13
849	Prospective memory deficits in patients with depression: A meta-analysis. 2017 , 220, 79-85	28
848	Toward a Functional View of the P Factor in Psychopathology. 2017 , 5, 880-889	129
847	Effects of Transcranial Magnetic Stimulation on the Cognitive Control of Emotion: Potential Antidepressant Mechanisms. 2017 , 33, 73-80	26
846	Relation between patterns of intrinsic network connectivity, cognitive functioning, and symptom presentation in trauma-exposed patients with major depressive disorder. 2017 , 7, e00664	12

845	Self-Regulation and Psychopathology: Toward an Integrative Translational Research Paradigm. 2017 , 13, 497-523	39
844	Childhood Adversities and Depression in Adulthood: Current Findings and Future Directions. 2017 , 24, 140-153	50
843	Comparison of two approaches to prevention of mental health problems in college students: Enhancing coping and executive function skills. 2017 , 65, 313-322	33
842	Reliability and validity of Chinese version of perceived deficits questionnaire for depression in patients with MDD. 2017 , 252, 319-324	16
841	Annual Research Review: Childhood maltreatment, latent vulnerability and the shift to preventative psychiatry - the contribution of functional brain imaging. 2017 , 58, 338-357	147
840	Elevated triglyceride levels are associated with cognitive impairments among patients with major depressive disorder. 2017 , 75, 103-109	17
839	Emotion Regulation Protects Against Recurrence of Depressive Symptoms Following Inpatient Care for Major Depressive Disorder. 2017 , 48, 739-749	7
838	Depressive symptoms in Parkinson's disease correlate with cortical atrophy over time. 2017 , 111, 127-133	17
837	Multidimensional cognitive impairment in unipolar and bipolar depression and the moderator effect of adverse childhood experiences. 2017 , 71, 309-317	12
836	Inflammation-Associated Depression: Evidence, Mechanisms and Implications. 2017 ,	17
835	The exercise-glucocorticoid paradox: How exercise is beneficial to cognition, mood, and the brain while increasing glucocorticoid levels. 2017 , 44, 83-102	80
834	The association between cognitive function and subsequent depression: a systematic review and meta-analysis. 2017 , 47, 1-17	117
833	Memory performance of patients with major depression in an everyday life situation. 2017 , 248, 28-34	16
832	Using task performance to inform treatment planning for youth with ADHD: A systematic review. 2017 , 58, 157-173	7
831	Daily fluctuation of emotions and memories thereof: Design and methods of an experience sampling study of major depression, social phobia, and controls. 2017 , 26,	17
830	Association between psychological distress, subjective cognitive complaints and objective neuropsychological functioning in brain tumor patients. 2017 , 163, 18-23	32
829	Anorexia nervosa and bulimia nervosa: A meta-analysis of executive functioning. 2017 , 83, 678-690	30
828	Executive function and cardiac autonomic regulation in depressive disorders. 2017 , 118, 108-117	20

827	Executive function predicts cognitive-behavioral therapy response in childhood obsessive-compulsive disorder. 2017 , 99, 11-18	17
826	Cognitive flexibility in neurological disorders: Cognitive components and event-related potentials. 2017 , 83, 496-507	37
825	Effects of antidepressant therapy on neural components of verbal working memory in depression. 2017 , 31, 1176-1183	8
824	Treatment with a GLP-1R agonist over four weeks promotes weight loss-moderated changes in frontal-striatal brain structures in individuals with mood disorders. 2017 , 27, 1153-1162	28
823	Multimodal neural correlates of cognitive control in the Human Connectome Project. 2017 , 163, 41-54	28
822	Innovative biomarkers in psychiatric disorders: a major clinical challenge in psychiatry. 2017 , 14, 809-824	27
821	Short- and Long-term Cognitive Outcomes in Patients With Major Depression Treated With Electroconvulsive Therapy. 2017 , 33, 278-285	36
820	A laboratory model of impulsivity and alcohol use in late adolescence. 2017 , 97, 52-63	15
819	Subcortical volume and white matter integrity abnormalities in major depressive disorder: findings from UK Biobank imaging data. 2017 , 7, 5547	55
818	Zivilrechtliche Relevanz amnestischer, deliranter und affektiver Syndrome. 2017 , 11, 206-212	1
817	Poverty's Impact on Children's Executive Functions: Global Considerations. 2017 , 2017, 69-79	20
816	Brain-Based Biomarkers for the Treatment of Depression: Evolution of an Idea. 2017 , 23, 870-880	8
815	Large-Scale Cognitive GWAS Meta-Analysis Reveals Tissue-Specific Neural Expression and Potential Nootropic Drug Targets. 2017 , 21, 2597-2613	71
814	Psychophysiology in Pursuit of Psychopathology. 548-564	1
813	Dimensions of childhood adversity have distinct associations with neural systems underlying executive functioning. 2017 , 29, 1777-1794	107
812	Is low cognitive functioning a predictor or consequence of major depressive disorder? A test in two longitudinal birth cohorts. 2017 , 1-15	16
811	Exercise effects on depression: Possible neural mechanisms. 2017 , 49, 2-10	84
810	Does gender influence cognitive function in non-psychotic depression?. 2017 , 4-6, 25-31	2

809	Investigating the separate and interactive associations of trauma and depression on brain structure: implications for cognition and aging. 2017 , 32, 1190-1199	3
808	Decision Justification Theory in Depression: Regret and Self-Blame. 2017 , 41, 556-561	5
807	Associations between cognition and serotonin receptor 1B binding in patients with major depressive disorder - A pilot study. 2017 , 267, 15-21	
806	Out-of-the-Blue: Depressive Symptoms are Associated with Deficits in Processing Inferential Expectancy-Violations Using a Novel Cognitive Rigidity Task. 2017 , 41, 757-776	18
805	White matter correlates of impaired attention control in major depressive disorder and healthy volunteers. 2017 , 222, 103-111	19
804	Are we exaggerating neuropsychological impairment in depression? Reopening a closed chapter. 2017 , 17, 839-846	20
803	Childhood adversity and cognitive functioning in patients with major depression. 2017 , 70, 247-254	19
802	Chronic corticosterone-induced impaired cognitive flexibility is not due to suppressed adult hippocampal neurogenesis. 2017 , 332, 90-98	7
801	Altered Brain Activity in Unipolar Depression Revisited: Meta-analyses of Neuroimaging Studies. 2017 , 74, 47-55	130
800	Mindfulness-based cognitive therapy for depressed individuals improves suppression of irrelevant mental-sets. 2017 , 267, 277-282	12
799	Predicting Cognitive Executive Functioning with Polygenic Risk Scores for Psychiatric Disorders. 2017 , 47, 11-24	15
798	Lifetime psychopathological dimensions, cognitive impairment and functional outcome in psychosis. 2017 , 179, 30-35	7
797	The mediating effect of adaptive and maladaptive emotion regulation strategies on executive functioning impairment and depressive symptoms among adolescents. 2017 , 23, 935-953	16
796	Thinking and Feeling: Individual Differences in Habitual Emotion Regulation and Stress-Related Mood are Associated with Prefrontal Executive Control. 2017 , 5, 150-157	27
795	The shared and unique genetic relationship between mental well-being, depression and anxiety symptoms and cognitive function in healthy twins. 2017 , 31, 1465-1479	11
794	Cognitive dysfunction in major depression and bipolar disorder: Assessment and treatment options. 2017 , 71, 18-27	92
793	Liraglutide promotes improvements in objective measures of cognitive dysfunction in individuals with mood disorders: A pilot, open-label study. 2017 , 207, 114-120	75
792	Cognitive correlates of spatial navigation: Associations between executive functioning and the virtual Morris Water Task. 2017 , 317, 470-478	20

791	Cognitive functioning in the first-episode of major depressive disorder: A systematic review and meta-analysis. 2017 , 31, 52-72	157
790	Patterns of productive activity engagement as a longitudinal predictor of depressive symptoms among older adults in urban China. 2017 , 21, 1147-1154	14
789	Effects of early life stress on depression, cognitive performance and brain morphology. 2017 , 47, 171-181	131
788	The Role of Executive Functioning in Adolescent Rumination and Depression. 2017 , 41, 62-72	17
787	Neurocognitive Deficits in Borderline Personality Disorder: Associations With Childhood Trauma and Dimensions of Personality Psychopathology. 2017 , 31, 503-521	20
786	The impact of medication nonadherence on the relationship between mortality risk and depression in heart failure. 2017 , 36, 839-847	19
785	The Evolutionary Theory of Depression. 2017 , 23, 2267-2274	7
784	Dysfunctional Metacognitive Beliefs Are Associated with Decreased Executive Control. 2017 , 8, 593	12
783	DSM Nosology Changes in Neuropsychological Diagnoses through the Years: A Look at ADHD and Mild Neurocognitive Disorder. 2016 , 7,	26
782	Apathy and Executive Function in Healthy Elderly-Resting State fMRI Study. 2017 , 9, 124	20
781	Pattern Separation: A Potential Marker of Impaired Hippocampal Adult Neurogenesis in Major Depressive Disorder. 2017 , 11, 571	25
780	Cortico-Striatal-Thalamic Loop Circuits of the Orbitofrontal Cortex: Promising Therapeutic Targets in Psychiatric Illness. 2017 , 11, 25	137
779	Exploring Cognitive Concomitants of Mental Fatigue in Patients with Coronary Artery Disease. 2017 , 76, 151-160	7
778	Hope and Depression. 2017 ,	2
777	The impact of obesity on neuropsychological functioning in adults with and without major depressive disorder. 2017 , 12, e0176898	17
776	Relation between choice-induced preference change and depression. 2017 , 12, e0180041	6
775	Does Rumination Cause Inhibitory Deficits?. 2017 , a4, 341-376	9
774	Information Processing in Mood Disorders. 2017 , 178-189	2

773	Cognitive impairment following hormone therapy: current opinion of research in breast and prostate cancer patients. 2017 , 11, 38-45	24
772	The relationship between social cognition and executive function in Major Depressive Disorder in high-functioning adolescents and young adults. 2018 , 263, 139-146	17
771	Cognitive predictors of illness course at 12 months after first-episode of depression. 2018 , 28, 529-537	16
770	Cognitive dysfunction and metabolic comorbidities in mood disorders: A repurposing opportunity for glucagon-like peptide 1 receptor agonists?. 2018 , 136, 335-342	15
769	Overview of executive functions in mood and depressive disorders: A review of the literature. 2018 , 32, 617-637	7
768	What is the prevalence of cognitive impairment in lupus and which instruments are used to measure it? A systematic review and meta-analysis. 2018 , 48, 240-255	34
767	Assessing Autobiographical Memory. 2018 , 1-34	3
766	Neurocognitive Functioning in Depressed Young People: A Systematic Review and Meta-Analysis. 2018 , 28, 216-231	42
765	Empirical evidence for discrete neurocognitive subgroups in patients with non-psychotic major depressive disorder: clinical implications. 2018 , 48, 2717-2729	20
764	Neurocognitive Predictors of Clinical Improvement in Selective Serotonin Reuptake Inhibitor-Treated Adolescents with Major Depressive Disorder. 2018 , 28, 387-394	4
763	Cognitive effects of transcranial direct current stimulation treatment in patients with major depressive disorder: An individual patient data meta-analysis of randomised, sham-controlled trials. 2018 , 90, 137-145	36
762	. 2018 , 174, 212-215	11
761	'Cool' and 'Hot' executive functions in suicide attempters with major depressive disorder. 2018 , 235, 332-340	20
760	Neuropsychiatric Symptoms and the Diagnostic Stability of Mild Cognitive Impairment. 2018 , 62, 1841-1855	27
759	Éducation thérapeutique du patient : une analyse du concept de motivation. 2018 , 12, 79-87	2
758	The Low and Narrow: A Preliminary Test of the Association Between Depressive Symptoms and Deficits in Producing Divergent Inferences. 2018 , 30, 67-77	2
757	Pediatric Depression Symptoms, Executive Functioning Weaknesses, and Associated Neuropsychological and Psychiatric Outcomes. 2018 , 27, 1661-1670	7
756	Maternal depression trajectories from pregnancy to 3 years postpartum are associated with children's behavior and executive functions at 3 and 6 years. 2018 , 21, 353-363	56

755	Maladaptive Personality Traits and 10-Year Course of Psychiatric and Medical Symptoms and Functional Impairment Following Trauma. 2018 , 52, 697-712	12
754	Serotonergic Modulation of Cognition in Prefrontal Cortical Circuits in Major Depression. 2018 , 27-46	3
753	Preschool Executive Control and Internalizing Symptoms in Elementary School. 2018 , 46, 1509-1520	30
752	What do the genetic association data say about the high risk of suicide in people with depression? A novel network-based approach to find common molecular basis for depression and suicidal behavior and related therapeutic targets. 2018 , 229, 463-468	7
751	Risk Factors for Depression: An Autobiographical Review. 2018 , 14, 1-28	119
750	Major Depressive Disorder and Emotion-Related Impulsivity: Are Both Related to Cognitive Inhibition?. 2018 , 42, 398-407	11
749	The co-occurrence between depressive symptoms and paranoid ideation: A population-based longitudinal study. 2018 , 229, 48-55	9
748	Prospective Memory in Depression: Review of an Emerging Field. 2018 , 33, 912-930	20
747	Executive functioning and central coherence in anorexia nervosa: Pilot investigation of a neurocognitive endophenotype. 2018 , 26, 489-498	8
746	Parents' Executive Functioning and Involvement in Their Child's Education: An Integrated Literature Review. 2018 , 88, 322-329	6
745	Depressive symptoms and weight loss behaviors in U.S. adults. 2018 , 29, 107-113	2
744	Cognitive control training for emotion-related impulsivity. 2018 , 105, 17-26	24
743	Phenotypic and genetic analysis of cognitive performance in Major Depressive Disorder in the Generation Scotland: Scottish Family Health Study. 2018 , 8, 63	7
742	Cognitive Control in Depression: Toward Clinical Models Informed by Cognitive Neuroscience. 2018 , 6, 464-480	32
741	Gender Differences in the Relationship Between Changes in ADHD Symptoms, Executive Functions, and Self- and Parent-Report Depression Symptoms in Boys and Girls With ADHD: A 2-Year Follow-Up Study. 2018 , 22, 446-459	7
740	Cytokine alterations and cognitive impairment in major depressive disorder: From putative mechanisms to novel treatment targets. 2018 , 80, 177-188	36
739	Effects of aging and depression on mnemonic discrimination ability. 2018 , 25, 464-483	9
738	Physiological substrates of executive functioning: a systematic review of the literature. 2018 , 10, 1-20	17

737	The effects of social exclusion on response inhibition in borderline personality disorder and major depression. 2018 , 262, 333-339	12
736	Positive mood on negative self-statements: paradoxical intervention in geriatric patients with major depressive disorder. 2018 , 22, 748-754	1
735	Cognitive Impairment in Rheumatoid Arthritis: A Systematic Review. 2018 , 70, 39-52	50
734	Executive Function and Dysregulated Eating Behaviors in Pediatric Obesity. 2018 , 43, 834-845	16
733	Adult executive functioning inventory (ADEXI): Validity, reliability, and relations to ADHD. 2018 , 27,	32
732	A Daily Diary Study of Executive Functions, Coping, and Mood Among Low-Income Latino Adolescents. 2018 , 38, 824-848	2
731	Prevalence, demographic and clinical features of comorbid depressive symptoms in drug naïve patients with schizophrenia presenting with first episode psychosis. 2018 , 193, 182-187	31
730	Convergence and divergence of neurocognitive patterns in schizophrenia and depression. 2018 , 192, 327-334	10
729	Electroencephalography Source Functional Connectivity Reveals Abnormal High-Frequency Communication Among Large-Scale Functional Networks in Depression. 2018 , 3, 50-58	30
728	Neurocognitive Graphs of First-Episode Schizophrenia and Major Depression Based on Cognitive Features. 2018 , 34, 312-320	10
727	Executive Function in Problem Gamblers with and without History of Depression. 2018 , 16, 1085-1094	
726	Cross-Disorder Cognitive Impairments in Youth Referred for Neuropsychiatric Evaluation. 2018 , 24, 91-103	15
725	How can the depressed mind extract and remember predictive relationships of the environment? Evidence from implicit probabilistic sequence learning. 2018 , 81, 17-24	14
724	Symptom Dimensions of Depression and Apathy and Their Relationship With Cognition in Parkinson's Disease. 2018 , 24, 269-282	9
723	Monitoring for antidepressant-associated adverse events in the treatment of patients with major depressive disorder: An international consensus statement. 2018 , 19, 330-348	20
722	Effects of obesity on depression: A role for inflammation and the gut microbiota. 2018 , 69, 1-8	89
721	Mental health and retirement savings: Confounding issues with compounding interest. 2018 , 27, 404-425	6
720	The effects of aerobic exercise on depression-like, anxiety-like, and cognition-like behaviours over the healthy adult lifespan of C57BL/6 mice. 2018 , 337, 193-203	35

719	Age-Related Repetitive Transcranial Magnetic Stimulation Effects on Executive Function in Depression: A Systematic Review. 2018 , 26, 334-346	21
718	Effort-cost decision-making in psychosis and depression: could a similar behavioral deficit arise from disparate psychological and neural mechanisms?. 2018 , 48, 889-904	45
717	Subclinical levels of anxiety but not depression are associated with planning performance in a large population-based sample. 2018 , 48, 168-174	6
716	Functional Activation During a Cognitive Control Task in Healthy Youth Specific to Externalizing or Internalizing Behaviors. 2018 , 3, 133-140	2
715	Different Cognitive Complaint Profiles in Memory Clinic and Depressive Patients. 2018 , 26, 463-475	4
714	Executive function and other cognitive deficits are distal risk factors of generalized anxiety disorder 9 years later. 2018 , 48, 2045-2053	34
713	Executive function performance in obesity and overweight individuals: A meta-analysis and review. 2018 , 84, 225-244	189
712	Single session tDCS over the left DLPFC disrupts interference processing. 2018 , 120, 1-7	34
711	Neurocognitive dysfunctioning and the impact of comorbid depression and anxiety in patients with somatic symptom and related disorders: a cross-sectional clinical study. 2018 , 48, 1803-1813	15
710	The Chinese version of the Brief Assessment of Cognition in Affective Disorders: normative data of a Mandarin-speaking population. 2018 , 32, 1-14	4
709	Do executive functions explain the covariance between internalizing and externalizing behaviors?. 2018 , 30, 1371-1387	19
708	The relationship between executive functions and emotion regulation in females attending therapeutic community treatment for substance use disorder. 2018 , 182, 58-66	15
707	Lingual Gyrus Surface Area Is Associated with Anxiety-Depression Severity in Young Adults: A Genetic Clustering Approach. 2018 , 5,	15
706	A test of the initiation/termination model of worry. 2018 , 9, 204380871877896	4
705	Digit Symbol Substitution Test: The Case for Sensitivity Over Specificity in Neuropsychological Testing. 2018 , 38, 513-519	189
704	Cognitive Control and Flexibility in the Context of Stress and Depressive Symptoms: The Cognitive Control and Flexibility Questionnaire. 2018 , 9, 2219	49
703	Could a blood test for PTSD and depression be on the horizon?. 2018 , 15, 983-1006	13
702	Improving Memory Inhibition: A Study of Retrieval Induced Forgetting, Executive Control, and Chronic Aerobic Exercise. 2018 , 12, 318	0

701	Cognitive control and network disruption in remitted depression: a correlate of childhood adversity. 2018 , 13, 1081-1090	10
700	Discrepancies between self- and observer-rated depression severities in patients with major depressive disorder associated with frequent emotion-oriented coping responses and hopelessness. 2018 , 14, 2331-2336	2
699	Diabetes, Depression, and Cognition: a Recursive Cycle of Cognitive Dysfunction and Glycemic Dysregulation. 2018 , 18, 118	14
698	Model-based learning and individual differences in depression: The moderating role of stress. 2018 , 111, 19-26	11
697	Speech Registration in Symptomatic Memory Impairment. 2018 , 10, 201	1
696	Opioid modulation of cognitive impairment in depression. 2018 , 239, 1-48	11
695	Childhood trauma and diagnosis of major depression: Association with memory and executive function. 2018 , 270, 880-886	15
694	Longitudinal Examination of Everyday Executive Functioning in Children With ASD: Relations With Social, Emotional, and Behavioral Functioning Over Time. 2018 , 9, 1774	14
693	Remediation of depression-related cognitive impairment: cognitive control training as treatment augmentation. 2018 , 18, 907-913	12
692	Functional connectivity between the thalamus and the primary somatosensory cortex in major depressive disorder: a resting-state fMRI study. 2018 , 18, 339	23
691	Exercise for stroke prevention. 2018 , 3, 59-68	25
690	The role of inflammation in core features of depression: Insights from paradigms using exogenously-induced inflammation. 2018 , 94, 219-237	71
689	Depression Detection Using Relative EEG Power Induced by Emotionally Positive Images and a Conformal Kernel Support Vector Machine. 2018 , 8, 1244	26
688	Disrupted reward and cognitive control networks contribute to anhedonia in depression. 2018 , 103, 61-68	13
687	Neuropsychological profiles of breast cancer and brain tumor cohorts in Northeast Ontario, Canada. 2018 , 26, 3801-3809	1
686	Cerebral blood flow modulations during cognitive control in major depressive disorder. 2018 , 237, 118-125	6
685	Longitudinal Relations Between Depressive Symptoms and Executive Functions From Adolescence to Early Adulthood: A Twin Study. 2018 , 6, 543-560	17
684	Cognitive impairment and medial temporal lobe structure in young adults with a depressive episode. 2018 , 237, 112-117	9

683	Executive dysfunction in Parkinson's disease: A meta-analysis on the Wisconsin Card Sorting Test literature. 2018 , 93, 38-56	29
682	Executive function impairments in fibromyalgia syndrome: Relevance of clinical variables and body mass index. 2018 , 13, e0196329	18
681	Impact of Common Mental Health Disorders on Cognition: Depression and Posttraumatic Stress Disorder in Forensic Neuropsychology Context. 2018 , 11, 139-152	3
680	Neurophysiological correlates of the attention training technique: A component study. 2018 , 19, 1018-1024	10
679	Developmental dyslexia: emotional impact and consequences. 2018 , 23, 107-135	50
678	A brain network model for depression: From symptom understanding to disease intervention. 2018 , 24, 1004-1019	87
677	Neurocognitive Function in Adult Cancer Patients. 2018 , 36, 653-674	8
676	Differential engagement of cognitive control regions and subgenual cingulate based upon presence or absence of comorbid anxiety with depression. 2018 , 241, 371-380	6
675	Cognitive Impairments in Fibromyalgia Syndrome: Associations With Positive and Negative Affect, Alexithymia, Pain Catastrophizing and Self-Esteem. 2018 , 9, 377	38
674	The Association Between Suicidal Behavior, Attentional Control, and Frontal Asymmetry. 2018 , 9, 79	14
673	Preschool Executive Function Predicts Childhood Resting-State Functional Connectivity and Attention-Deficit/Hyperactivity Disorder and Depression. 2018 , 3, 927-936	14
672	Cerebral blood flow modulations during proactive control in major depressive disorder. 2018 , 133, 175-181	4
671	Children's stress regulation mediates the association between prenatal maternal mood and child executive functions for boys, but not girls. 2018 , 30, 953-969	16
670	Impaired visual, working, and verbal memory in first-episode, drug-naive patients with major depressive disorder in a Chinese population. 2018 , 13, e0196023	11
669	Depression, Executive Dysfunction, and Prior Economic and Social Vulnerability Associations in Incarcerated African American Men. 2018 , 24, 295-308	4
668	[Evaluation of a neuropsychological test battery with psychiatric and psychosomatic patients]. 2018 , 86, 348-355	
667	Effects of rule uncertainty on cognitive flexibility in a card-sorting paradigm. 2018 , 190, 53-64	10
666	The Accuracy of INECO Frontal Screening in the Diagnosis of Executive Dysfunction in Frontotemporal Dementia and Alzheimer Disease. 2018 , 32, 314-319	9

665	Physical activity as a model for health neuroscience. 2018 , 1428, 103-111	18
664	Early improvement of executive test performance during antidepressant treatment predicts treatment outcome in patients with Major Depressive Disorder. 2018 , 13, e0194574	11
663	A systematic review of the relationship between rigidity/flexibility and transdiagnostic cognitive and behavioral processes that maintain psychopathology. 2018 , 9, 204380871877943	40
662	Cognitive Function, Coping, and Depressive Symptoms in Children and Adolescents with Sickle Cell Disease. 2018 , 43, 543-551	17
661	Shedding light on the association between repetitive negative thinking and deficits in cognitive control - A meta-analysis. 2018 , 63, 56-65	61
660	Anti-TNF α therapy in IBD alters brain activity reflecting visceral sensory function and cognitive-affective biases. 2018 , 13, e0193542	31
659	Mindfulness-Based Interventions in Psychiatry. 2018 , 16, 32-39	47
658	Depression: A cognitive perspective. 2019 , 69, 51-66	158
657	Effects of physical activity on cognitive performance: a controlled clinical study in depressive patients. 2019 , 269, 555-563	6
656	Executive Control and Adolescent Health: Toward A Conceptual Framework. 2019 , 4, 31-43	11
655	Cortisol levels and cognitive profile in major depression: A comparison of currently and previously depressed patients. 2019 , 99, 57-65	14
654	A Meta-Analysis Examining the Evidence-Base of Mathematical Interventions for Students With Emotional Disturbances. 2019 , 52, 228-241	19
653	Comparing the Mini-Mental State Examination and the modified Mini-Mental State Examination in the detection of mild cognitive impairment in older adults. 2019 , 31, 693-701	17
652	Staging of Cognition in Psychiatric Illness. 2019 , 140-171	0
651	Impact of depression on speech perception in noise. 2019 , 14, e0220928	2
650	Attentional bias in depression: understanding mechanisms to improve training and treatment. 2019 , 29, 266-273	17
649	Suicidal risk and executive functions in major depressive disorder: a study protocol. 2019 , 19, 253	13
648	Structural white matter alterations in male adults with high functioning autism spectrum disorder and concurrent depressive symptoms; a diffusion tensor imaging study. 2019 , 259, 40-46	5

647	The cognitive neuropsychological model of depression. 2019 , 45, S62-S63	1
646	Subjective experiences of neurocognitive functioning in young people with major depression. 2019 , 19, 209	13
645	The Relationship Between Satisfaction With Life and Depression Symptoms by Gender. 2019 , 10, 419	28
644	Sex difference in IL-6 modulation of cognition among Chinese individuals with major depressive disorder. 2019 , 70, 14-19	4
643	Comparing neuropsychological performance in adults with obsessive-compulsive disorder, attention-deficit hyperactivity disorder and healthy controls: An online study. 2019 , 23, 100477	1
642	The effect of high-intensity interval training on inhibitory control in adolescents hospitalized for a mental illness. 2019 , 17, 100298	5
641	Paying attention to attention in depression. 2019 , 9, 279	47
640	Tumor necrosis factor receptor 2: A potential target for antidepressant drug development. 2019 , 10, 272-282	
639	Dysexecutive Syndromes. 2019 ,	2
638	Kognitives Training bei psychiatrischen Erkrankungen. 2019 ,	1
637	Neuropsychologische Prädiktoren für den Erfolg beruflicher Wiedereingliederung. 2019 , 38, 474-480	1
636	Cognitive function following a major depressive episode: a systematic review and meta-analysis. 2019 , 6, 851-861	141
635	The probability of conceptual replication and the variability of effect size. 2019 , 1, 100002	4
634	Evening preference and poor sleep independently affect attentional-executive functions in patients with depression. 2019 , 281, 112533	5
633	Working memory interacts with emotion regulation to predict symptoms of mania. 2019 , 281, 112551	6
632	Individuals with depression display abnormal modulation of neural oscillatory activity during working memory encoding and maintenance. 2019 , 148, 107766	11
631	When less is more: Structural correlates of core executive functions in young adults - A VBM and cortical thickness study. 2019 , 189, 896-903	12
630	Examining differential relationships among self-reported attentional control, depression, and anxiety in a transdiagnostic clinical sample. 2019 , 248, 29-33	3

629	Motivation and cognitive control in depression. 2019 , 102, 371-381	70
628	Depression, Anxiety, Perceived Stress, and Their Changes Predict Greater Decline in Physical Health Functioning over 12 Months Among Patients with Coronary Heart Disease. 2019 , 26, 352-364	7
627	Rumination and executive functions: Understanding cognitive vulnerability for psychopathology. 2019 , 256, 550-559	8
626	Absence of differences in the learning rate of a speed-accuracy movement task between women patients with mild and major depression and healthy adult women. 2019 , 66, 363-370	2
625	Attentional control, rumination and recurrence of depression. 2019 , 256, 364-372	9
624	White Matter Abnormalities in Major Depression Biotypes Identified by Diffusion Tensor Imaging. 2019 , 35, 867-876	14
623	Association between insomnia disorder and cognitive function in middle-aged and older adults: a cross-sectional analysis of the Canadian Longitudinal Study on Aging. 2019 , 42,	23
622	Frontoinsular Network Markers of Current and Future Adolescent Mood Health. 2019 , 4, 715-725	5
621	Cognitive, Intervention, and Neuroimaging Perspectives on Executive Function in Children With Reading Disabilities. 2019 , 2019, 25-54	3
620	Depression and neurocognitive dysfunction in pediatric and young adult chronic kidney disease. 2019 , 34, 1575-1582	10
619	Functional connectomics of affective and psychotic pathology. 2019 , 116, 9050-9059	67
618	Venlafaxine Improves the Cognitive Impairment and Depression-Like Behaviors in a Cuprizone Mouse Model by Alleviating Demyelination and Neuroinflammation in the Brain. 2019 , 10, 332	26
617	Cognitive-functional relationships in major depressive disorder: Crucial data from a Ukrainian open-label study of vortioxetine versus escitalopram. 2019 , 250, 114-122	14
616	Differential Diagnosis of Depression and Dementia. 2019 , 179-195	
615	Effects of frontal-executive dysfunction on self-perceived hearing handicap in the elderly with mild cognitive impairment. 2019 , 14, e0210014	3
614	Screening and measurement of cognitive impairment in psychiatry. 2019 , 24, 144-153	3
613	Reduced default mode network functional connectivity in patients with recurrent major depressive disorder. 2019 , 116, 9078-9083	168
612	Cognitive Control as a 5-HT-Based Domain That Is Disrupted in Major Depressive Disorder. 2019 , 10, 691	11

611	Loneliness as a mediator for college students' social skills and experiences of depression and anxiety. 2019 , 73, 1-13	49
610	Reviews on Biomarker Studies in Psychiatric and Neurodegenerative Disorders. 2019 ,	3
609	The Role of Biomarkers in Psychiatry. 2019 , 1118, 135-162	14
608	The effects of processing speed on memory impairment in patients with major depressive disorder. 2019 , 92, 494-500	13
607	The influence of depressive symptoms on executive functioning in binge eating disorder: A comparison of patients and non-obese healthy controls. 2019 , 274, 138-145	12
606	Cognitive effects of non-surgical brain stimulation for major depressive disorder: protocol for a systematic review and meta-analysis. 2019 , 9, e023796	2
605	How youth cognitive and sociodemographic factors relate to the development of overweight and obesity in the UK and the USA: a prospective cross-cohort study of the National Child Development Study and National Longitudinal Study of Youth 1979. 2019 , 9, e033011	1
604	Comparative Study of Cognitive Function Between Treatment-Resistant Depressive Patients and First-Episode Depressive Patients. 2019 , 15, 3411-3417	7
603	Exploration of Major Cognitive Deficits in Medication-Free Patients With Major Depressive Disorder. 2019 , 10, 836	14
602	Elevated Depressive Symptoms Are a Stronger Predictor of Executive Dysfunction in HIV-Infected Women Than in Men. 2019 , 81, 274-283	15
601	Insomnia-related Memory Impairment in Individuals With Very Complex Chronic Pain. 2019 , 32, 164-171	1
600	Association between Changes in Depressive State and Cognitive Function. 2019 , 16,	2
599	Effect of Cognitive Behavioral Therapy on Improving the Cognitive Function in Major and Minor Depression. 2019 , 207, 232-238	6
598	A Comparison of 2 Online Parent Skills Training Interventions for Early Childhood Brain Injury: Improvements in Internalizing and Executive Function Behaviors. 2019 , 34, 65-76	10
597	Striatal Functional Connectivity Alterations After Two-Week Antidepressant Treatment Associated to Enduring Clinical Improvement in Major Depressive Disorder. 2019 , 10, 884	6
596	Cognitive Performance in First-Degree Relatives of Individuals With vs Without Major Depressive Disorder: A Meta-analysis. 2019 , 76, 297-305	20
595	Executive functions and impulsivity in suicide attempter adolescents with major depressive disorder. 2019 , 29, 332-339	4
594	Inhibitory Control and Information Processing in ADHD: Comparing the Dual Task and Performance Adjustment Hypotheses. 2019 , 47, 961-974	12

593	Steeper aging-related declines in cognitive control processes among adults with bipolar disorders. 2019 , 246, 595-602	10
592	Mediating effect of neurocognition between severity of symptoms and social-occupational function in anxious depression. 2019 , 246, 667-673	2
591	Genetic and Environmental Associations Among Executive Functions, Trait Anxiety, and Depression Symptoms in Middle Age. 2019 , 7, 127-142	8
590	Turning the UPPS down: Urgency predicts treatment outcome in a partial hospitalization program. 2019 , 88, 70-76	3
589	Depression diagnoses, but not individual differences in depression symptoms, are associated with reduced autobiographical memory specificity. 2019 , 58, 173-186	9
588	Cerebral blood flow responses during prosaccade and antisaccade preparation in major depression. 2019 , 269, 813-822	4
587	Gray matter volumetric study of major depression and suicidal behavior. 2019 , 283, 16-23	11
586	Physical activity modifies the association between depression and cognitive function in older adults. 2019 , 246, 800-805	14
585	Does rumination mediate the relationship between attentional control and symptoms of depression?. 2019 , 63, 28-35	18
584	Resting regional brain activity correlates of verbal learning deficit in major depressive disorder. 2019 , 283, 96-103	3
583	Predicting social withdrawal, anxiety and depression symptoms in pediatric brain tumor survivors. 2019 , 37, 22-36	9
582	Comorbid anxiety, depression, and cognition in MS and other immune-mediated disorders. 2019 ,	52
581	The Massachusetts General Hospital Guide to Depression. 2019 ,	3
580	Do baseline WAIS-III subtests predict treatment outcomes for depressed inpatients receiving fluoxetine?. 2019 , 271, 279-285	1
579	A Prospective Test of the Metacognitive Model of Depression in Previously Depressed Individuals. 2019 , 43, 603-610	5
578	Repetitive Negative Thought and Executive Dysfunction: An Interactive Pathway to Emotional Distress. 2019 , 43, 464-480	10
577	Is Worse Attention a Risk Factor for or a Consequence of Depression, or Are Worse Attention and Depression Better Accounted for by Stress? A Prospective Test of Three Hypotheses. 2019 , 7, 93-109	16
576	Executive control dysfunction in subclinical depressive undergraduates: Evidence from the Attention Network Test. 2019 , 245, 130-139	11

575	Retrieval process of overgeneral memory and the capture and executive control hypothesis: using Autobiographical Memory Test with thought sampling. 2019 , 27, 673-685	4
574	Mindfulness-Based Cognitive Therapy. 2019 , 167-177	2
573	Bridging Neuropsychology and Forensic Psychology: Executive Function Overlaps With the Central Eight Risk and Need Factors. 2019 , 63, 558-573	9
572	Low-frequency direct cortical stimulation of left superior frontal gyrus enhances working memory performance. 2019 , 184, 697-706	27
571	The impact of symptom severity on cognitive function in obsessive-compulsive disorder: A meta-analysis. 2019 , 67, 36-44	31
570	The Rey-Osterrieth Complex Figure: a Useful Measure of Organizational Skills for Adolescents with ADHD?. 2019 , 5, 20-30	2
569	Sometimes It's Good to be Short: The Serotonin Transporter Gene, Positive Parenting, and Adolescent Depression. 2019 , 90, 1061-1079	4
568	Association of ADHD and Executive Functioning With Childhood Depression. 2019 , 23, 1368-1378	8
567	Reduced interference in working memory following mindfulness training is associated with increases in hippocampal volume. 2019 , 13, 366-376	21
566	Interleukin-6 and Depressive Mood Symptoms: Mediators of the Association Between Childhood Abuse and Cognitive Performance in Middle-Aged Adults. 2019 , 53, 29-38	10
565	Plasma brain-derived neurotrophic factor (pBDNF) and executive dysfunctions in patients with major depressive disorder. 2019 , 20, 519-530	11
564	Poor Cognitive Inhibition Predicts Rumination About Insomnia in a Clinical Sample. 2019 , 17, 672-681	16
563	Polygenic risk for psychiatric disorders correlates with executive function in typical development. 2019 , 18, e12480	11
562	Executive Functioning Heterogeneity in Pediatric ADHD. 2019 , 47, 273-286	83
561	The association of anxiety, depression, and worry symptoms on cognitive performance in older adults. 2019 , 26, 161-173	24
560	Memory bias toward emotional information in burnout and depression. 2020 , 25, 1567-1575	14
559	Cognition and Emotion in Emotion Dysregulation. 2020 , 37-52	
558	Examining the Relations Among Emerging Adult Coping, Executive Function, and Anxiety. 2020 , 8, 209-225	9

557	Morphological changes in subregions of hippocampus and amygdala in major depressive disorder patients. 2020 , 14, 653-667	25
556	Cognitive Risks. 2020 , 370-396	
555	Differences in Coping Strategies Between Young and Older Adults: The Role of Executive Functions. 2020 , 90, 28-49	12
554	The associations between executive functions and different aspects of perceived pain, beyond the influence of depression, in rehabilitation setting. 2020 , 30, 1303-1317	5
553	Facing recovery: Emotional bias in working memory, rumination, relapse, and recurrence of major depression; an experimental paradigm conducted five years after first episode of major depression. 2020 , 27, 299-310	8
552	Subjective Executive Function Weaknesses Are Linked to Elevated Internalizing Symptoms Among Community Adolescents. 2020 , 27, 560-571	11
551	Effects of prefrontal transcranial direct current stimulation on autonomic and neuroendocrine responses to psychosocial stress in healthy humans. 2020 , 23, 26-36	24
550	The differential influence of computerized neuropsychological assessment across psychopathology. 2020 , 34, 720-739	2
549	Executive dysfunction in depression in adolescence: the role of inflammation and higher body mass. 2020 , 50, 683-691	23
548	Depressive symptoms and deficits in stress-reactive negative, positive, and within-emotion-category differentiation: A daily diary study. 2020 , 88, 174-184	19
547	Failure of activation of striatum during the performance of executive function tasks in adult patients with bipolar disorder. 2020 , 50, 653-665	6
546	Prospective relations between kindergarteners' executive function skills and their externalizing and internalizing behaviors. 2020 , 34, 845-862	5
545	Memory differences by sex, but not by previous diagnosis of major depressive disorder. 2020 , 27, 134-142	1
544	Neural Cognitive Control Moderates the Relation between Negative Life Events and Depressive Symptoms in Adolescents. 2020 , 49, 118-133	4
543	Using self-reported vocational functioning measures to identify employed patients with impaired functional capacity in major depressive disorder. 2020 , 260, 550-556	1
542	A Test of the Habit-Goal Framework of Depressive Rumination and Its Relevance to Cognitive Reactivity. 2020 , 51, 474-487	4
541	Effects of Presleep Cognitive Intrusions on Subjective Sleep and Next-Day Cognitive Performance in Insomnia. 2020 , 51, 688-699	7
540	Executive Control, Cytokine Reactivity to Social Stress, and Depressive Symptoms: Testing the Social Signal Transduction Theory of Depression. 2020 , 23, 60-68	17

539	Dissecting the impact of depression on decision-making. 2020 , 50, 1613-1622	12
538	Influence of comorbid anxiety symptoms on cognitive deficits in patients with major depressive disorder. 2020 , 260, 91-96	7
537	Verbal memory predicts treatment outcome in syndromal anxious depression: An iSPOT-D report. 2020 , 260, 245-253	3
536	Connectivity of the Cognitive Control Network During Response Inhibition as a Predictive and Response Biomarker in Major Depression: Evidence From a Randomized Clinical Trial. 2020 , 87, 462-472	23
535	Neural correlates of emotion-attention interactions: From perception, learning, and memory to social cognition, individual differences, and training interventions. 2020 , 108, 559-601	51
534	Self-Reported Cognitive Function and Mental Health Diagnoses among Former Professional American-Style Football Players. 2020 , 37, 1021-1028	12
533	[Formula: see text] Addressing the neurodevelopmental needs of children and adolescents with congenital heart disease: A review of the existing intervention literature. 2020 , 26, 433-459	1
532	Executive functions and memory in bipolar disorders I and II: new insights from meta-analytic results. 2020 , 141, 110-130	14
531	Cognition in older adults with severe to profound sensorineural hearing loss compared to peers with normal hearing for age. 2020 , 59, 254-262	12
530	Response interference by central foils is modulated by dimensions of depression and anxiety. 2020 , 82, 1818-1834	
529	Using Neuroscience to Augment Behavioral Interventions for Depression. 2020 , 28, 14-25	4
528	Novel Targets to Treat Depression: Opioid-Based Therapeutics. 2020 , 28, 40-59	13
527	The vulnerability of executive functioning: The additive effects of recent non-restorative sleep, pain interference, and use of expressive suppression on test performance. 2020 , 34, 700-719	8
526	Walking, talking, and suppressing: Executive functioning mediates the relationship between higher expressive suppression and slower dual-task walking among older adults. 2020 , 34, 775-796	6
525	The Effect of Second-Generation Antidepressant Treatment on the Memory of Patients With Major Depressive Disorder: A Meta-analysis Study With Structural Equation Models. 2020 , 40, 54-62	2
524	Subjective Uncontrollability over Aversive Events Reduces Working Memory Performance and Related Large-Scale Network Interactions. 2020 , 30, 3116-3129	7
523	Cognitive changes after tDCS and escitalopram treatment in major depressive disorder: Results from the placebo-controlled ELECT-TDCS trial. 2020 , 263, 344-352	9
522	Prevalence, social-demographic and cognitive correlates of depression in Chinese psychiatric medical staff. 2020 , 263, 60-63	4

521	Structural core of the executive control network: A high angular resolution diffusion MRI study. 2020 , 41, 1226-1236	23
520	Depressive symptoms as predictors of visual memory deficits in middle-age. 2020 , 264, 29-34	4
519	Connectivity patterns of cognitive control network in first episode medication-naive depression and remitted depression. 2020 , 379, 112381	7
518	Reduced P300 in depression: Evidence from a flanker task and impact on ERN, CRN, and Pe. 2020 , 57, e13520	21
517	Predictors of Long-Term Improvement Following Cognitive Remediation in a Sample With Elevated Depressive Symptoms. 2020 , 11, 2232	1
516	The Impact of COVID-19 on Pediatric Adherence and Self-Management. 2020 , 45, 977-982	16
515	Benefits of Cochlear Implantation in Middle-Aged and Older Adults. 2020 , 15, 1555-1568	4
514	Schema therapy versus cognitive behavioral therapy versus individual supportive therapy for depression in an inpatient and day clinic setting: study protocol of the OPTIMA-RCT. 2020 , 20, 506	4
513	C-Reactive Protein as a Possible Predictor of Trail-Making Performance in Individuals with Psychiatric Disorders. 2020 , 12,	2
512	Application of a diathesis-stress model to the interplay of cortical structural development and emerging depression in youth. 2020 , 82, 101922	4
511	Neurocognitive performance of repeated versus single intravenous subanesthetic ketamine in treatment resistant depression. 2020 , 277, 470-477	12
510	Goal management training as a cognitive remediation intervention in depression: A randomized controlled trial. 2020 , 275, 268-277	10
509	Decreased working memory capacity among individuals with a mood disorder who have increased metabolic burden. 2020 , 266, 387-393	
508	Inhibitory control of positive and negative information and adolescent depressive symptoms: a population-based cohort study. 2020 , 1-11	3
507	Diagnostic Associations of Processing Speed in a Transdiagnostic, Pediatric Sample. 2020 , 10, 10114	8
506	Depression and Cognitive Impairment in Institutionalized Older Adults. 2020 , 49, 107-120	7
505	Heterogeneous Trajectories of Problematic Alcohol Use, Depressive Symptoms, and their Co-Occurrence in Young Adults with and without Childhood ADHD. 2020 , 48, 1265-1277	1
504	Verbal Memory Performance in Depressed Children and Adolescents: Associations with EPA but Not DHA and Depression Severity. 2020 , 12,	2

503	Disentangling vulnerability, state and trait features of neurocognitive impairments in depression. 2020 , 143, 3865-3877	3
502	Depression and cognitive function in early multiple sclerosis: Multitasking is more sensitive than traditional assessments. 2021 , 27, 1276-1283	5
501	Perceived stress but not hair cortisol concentration is related to adult cognitive performance. 2020 , 121, 104810	3
500	Can multitask? The mediating role of media consumption on executive function's relationship to technofence attitudes. 2020 , 113, 106498	2
499	Psychiatric Aspects of Obesity: A Narrative Review of Pathophysiology and Psychopathology. 2020 , 9,	12
498	Sex differences in the cognitive function of first-diagnosed, drug-naïve depressed patients: An observational case-control study. 2020 , 276, 461-466	7
497	The psychometric properties of the cognitive emotion regulation questionnaire (CERQ) in a clinical sample of adults with recurrent depression. 2020 , 276, 212-219	5
496	Treating major depression and comorbid disorders with transcranial magnetic stimulation. 2020 , 276, 453-460	5
495	Modulation of inhibitory control networks relate to clinical response following ketamine therapy in major depression. 2020 , 10, 260	12
494	Assessing the Effects of Continuous Theta Burst Stimulation Over the Dorsolateral Prefrontal Cortex on Human Cognition: A Systematic Review. 2020 , 14, 35	6
493	Sub-chronic vortioxetine (but not escitalopram) normalizes brain rhythm alterations and memory deficits induced by serotonin depletion in rats. 2020 , 178, 108238	3
492	Spontaneous thought-related network connectivity predicts sertraline effect on major depressive disorder. 2021 , 15, 1705-1717	
491	Computational modelling of attentional selectivity in depression reveals perceptual deficits. 2020 , 1-10	1
490	Development of Executive Functions as Reflected in Daily Life Behaviors in Young Adults at Ultra-High Risk for Psychosis: Associations With Symptoms and Functioning. 2020 , 1,	0
489	Mind-Wandering Changes in Dysphoria. 2020 , 11, 544999	1
488	Parallel model-based and model-free reinforcement learning for card sorting performance. 2020 , 10, 15464	5
487	Age-Related Diseases and Driving Safety. 2020 , 5,	1
486	Behavior Rating Inventory of Executive Function - adult version (BRIEF-A) in Iranian University students: Factor structure and relationship to depressive symptom severity. 2020 , 1-7	0

485	Anxiety and depression affect performance on the symbol digit modalities test over time in MS and other immune disorders. 2021 , 27, 1284-1292	2
484	The Tendency of Modified Electroconvulsive Therapy-Related Working Memory and Subjective Memory Deficits in Depression: A Prospective Follow-up Study. 2020 , 36, 198-204	2
483	Normative scores of the Wisconsin Card Sorting Test in a sample of the adult Portuguese population. 2020 , 1-8	1
482	(Lack of) Effects of noradrenergic stimulation on human working memory performance. 2020 , 237, 3033-3046	
481	A Computational Study of Executive Dysfunction in Amyotrophic Lateral Sclerosis. 2020 , 9,	3
480	Psychological pain and depression: it's hard to speak when it hurts. 2021 , 25, 180-186	3
479	An experimental test of the habit-goal framework: Depressive rumination is associated with heightened habitual characteristics of negative thinking but not habit-directed behavior control. 2020 , 11, 204380872097716	1
478	A Longitudinal 5-Year Follow-Up Study of Cognitive Function After First Episode Major Depressive Disorder: Exploring State, Scar and Trait Effects. 2020 , 11, 575867	2
477	Examination of the Coping Flexibility Hypothesis Using the Coping Flexibility Scale-Revised. 2020 , 11, 561731	7
476	Toward a Computational Neuropsychology of Cognitive Flexibility. 2020 , 10,	4
475	Dimensional connectomics of anxious misery, a human connectome study related to human disease: Overview of protocol and data quality. 2020 , 28, 102489	3
474	Late-Onset Suicide: A Dementia Prodrome?. 2021 , 29, 709-713	4
473	Working memory moderates the relation between the brain-derived neurotropic factor (BDNF) and psychotherapy outcome for depression. 2020 , 130, 424-432	7
472	Attention deficits in adults with Major depressive disorder: A systematic review and meta-analysis. 2020 , 53, 102359	5
471	Inconsistencies between measures of cognitive dysfunction in childhood acute lymphoblastic leukemia survivors: Description and understanding. 2020 , 29, 1201-1208	2
470	The biological classification of mental disorders (BeCOME) study: a protocol for an observational deep-phenotyping study for the identification of biological subtypes. 2020 , 20, 213	13
469	Depression and Cognitive Control across the Lifespan: a Systematic Review and Meta-Analysis. 2020 , 30, 461-476	27
468	Common and specific dimensions of internalizing disorders are characterized by unique patterns of brain activity on a task of emotional cognitive control. 2020 , 151, 80-93	6

467	Predictors of cognitive impairment in treatment-resistant depression. 2020 , 274, 593-601	6
466	Cognitive control over emotional information in current and remitted depression. 2020 , 132, 103658	6
465	Theta oscillation and functional connectivity alterations related to executive control in temporal lobe epilepsy with comorbid depression. 2020 , 131, 1599-1609	4
464	React to act: Negative mood, response inhibition, and the moderating role of emotional reactivity. 2020 , 44, 862-869	2
463	The effects of cognitive reserve and depressive symptoms on cognitive performance in major depression and bipolar disorder. 2020 , 274, 813-818	7
462	References. 2020 , 245-390	
461	Inverse associations between parasympathetic activity and cognitive flexibility in African Americans: Preliminary findings. 2020 , 155, 204-209	0
460	Is cognitive dysfunction involved in difficult-to-treat depression? Characterizing resistance from a cognitive perspective. 2020 , 63, e74	5
459	The relationship between loneliness and working-memory-related frontoparietal network connectivity in people with major depressive disorder. 2020 , 393, 112776	3
458	The off-prescription use of modafinil: An online survey of perceived risks and benefits. 2020 , 15, e0227818	13
457	Cognitive functioning and lifetime major depressive disorder in UK Biobank. 2020 , 63, e28	4
456	Does objectively-assessed sleep moderate the association between history of major depressive disorder and task-switching?. 2020 , 265, 216-223	2
455	Depressive symptoms as a factor in neuropsychological test performance: MMPI-2 and selected tests of the Halstead-Reitan/Halstead-Russell Battery. 2020 , 1-6	
454	Remitted depression and cognition in HIV: The role of cortisol and inflammation. 2020 , 114, 104609	6
453	Trauma in childhood and adolescence and impaired executive functions are associated with uncertain reflective functioning in mothers with substance use disorder. 2020 , 11, 100245	6
452	Correlates of Cognitive Function in Sickle Cell Disease: A Meta-Analysis. 2020 , 45, 145-155	20
451	A Lifespan Model of Interference Resolution and Inhibitory Control: Risk for Depression and Changes with Illness Progression. 2020 , 30, 477-498	12
450	Self-reported cognitive difficulties and cognitive functioning in relation to emotional exhaustion: Evidence from two studies. 2020 , 36, 350-364	4

449	Depressive Emotionality Moderates the Influence of the BDNF Val66Met Polymorphism on Executive Functions and on Unconscious Semantic Priming. 2020 , 70, 699-712	4
448	Altered Resting-State Functional Connectivity of Multiple Networks and Disrupted Correlation With Executive Function in Major Depressive Disorder. 2020 , 11, 272	14
447	Rethinking Executive Function and Its Development. 2020 , 15, 942-956	63
446	Executive control under stress: Relation to reappraisal ability and depressive symptoms. 2020 , 131, 103634	6
445	Noradrenergic system and cognitive flexibility: Disentangling the effects of depression and childhood trauma. 2020 , 125, 136-143	4
444	Computational Modeling for Neuropsychological Assessment of Bradyphrenia in Parkinson's Disease. 2020 , 9,	7
443	Neuropsychological functioning in child sexual abusers: A systematic review. 2020 , 54, 101405	5
442	Exploring response inhibition and error monitoring in obsessive-compulsive disorder. 2020 , 126, 26-33	4
441	Altered GABA-mediated information processing and cognitive dysfunctions in depression and other brain disorders. 2021 , 26, 151-167	41
440	Features of autonomic cardiovascular control during cognition in major depressive disorder. 2021 , 58, e13628	3
439	Genetic and environmental relations of executive functions to antisocial personality disorder symptoms and psychopathy. 2021 , 163, 67-78	8
438	Functional cognitive disorder in subjective cognitive decline-A 10-year follow-up. 2021 , 36, 677-683	2
437	The Free-movement pattern Y-maze: A cross-species measure of working memory and executive function. 2021 , 53, 536-557	14
436	Parasympathetic cardiac control and attentional focus in trait worry. 2021 , 162, 181-189	0
435	Investigating whether depressed youth exhibiting elevated C reactive protein perform worse on measures of executive functioning, verbal fluency and episodic memory in a large, population based sample of Dutch adolescents. 2021 , 94, 369-380	5
434	The Structure of Executive Dysfunction in Depression and Anxiety. 2021 , 279, 208-216	13
433	Cumulative Childhood Maltreatment and Executive Functioning in Adulthood. 2021 , 30, 547-563	1
432	Contextual goal-dependent attention flexibility or rule-based learning? An investigation of a new attention flexibility paradigm. 2021 , 71, 101632	

431	Cognitive mechanisms of episodic simulation in psychiatric populations. 2021 , 136, 103778	4
430	Cloud-Based Functional Magnetic Resonance Imaging Neurofeedback to Reduce the Negative Attentional Bias in Depression: A Proof-of-Concept Study. 2021 , 6, 490-497	3
429	Age at illness onset and physical activity are associated with cognitive impairment in patients with current diagnosis of major depressive disorder. 2021 , 279, 343-352	6
428	Larger increase in trait negative affect is associated with greater future cognitive decline and vice versa across 23 years. 2021 , 38, 146-160	12
427	Barkley Deficits in Executive Functioning Scale (BDEFS): Validation in a Large Multisite College Sample. 2021 , 28, 964-976	8
426	Effect of Repeated Anodal HD-tDCS on Executive Functions: Evidence From a Pilot and Single-Blinded fNIRS Study. 2020 , 14, 583730	3
425	Disorder- and emotional context-specific neurofunctional alterations during inhibitory control in generalized anxiety and major depressive disorder. 2021 , 30, 102661	3
424	A narrative review of risk factors and interventions for cancer-related cognitive impairment. 2021 , 9, 72	0
423	Lasting effects of a single psilocybin dose on resting-state functional connectivity in healthy individuals.	0
422	Slower information processing speed is associated with persistent burnout symptoms but not depression symptoms in nursing workers. 2021 , 43, 33-45	2
421	Effects of Antidepressant Treatment on Symptom Measures of Attention in Adolescents with Depression: A Preliminary Open-Label Study. 2021 , 31, 288-293	
420	Inhibitory Control in Individuals with Clinical Levels of Depression and Anxiety Symptoms. 2021 , 24, e19	1
419	Cognitive function and neurocognitive deficits in depression. 2021 , 361-371	0
418	Overview of COVID-19 and neurological complications. 2021 , 32, 671-691	4
417	Cognitive mechanisms underlying depressive disorders in ADHD: A systematic review. 2021 , 121, 307-345	7
416	The Effect of Alexithymia on Attentional Bias Toward Emotional Stimuli in Depression: An Eye-Tracking Study. 2020 , 11, 569946	1
415	Examining the latent structure of emotional awareness and associations with executive functioning and depression. 2021 , 35, 805-821	0
414	Aerobic Exercise Mediates Neural Inefficiency Among Adolescents At Risk for Suicide. 2021 , 128, 1130-1149	

413	The neuroprogressive nature of major depressive disorder: evidence from an intrinsic connectome analysis. 2021 , 11, 102	3
412	Neuronale Oszillationen als elektrophysiologischer Marker für Defizite der kognitiven Kontrolle bei psychischen Erkrankungen. 2021 , 40, 13-26	
411	Evidence for Progressive Cognitive Deficits in Patients With Major Depressive Disorder. 2021 , 12, 627695	3
410	Internalising symptoms in Developmental Coordination Disorder: The indirect effect of everyday executive function. 2021 , 109, 103831	1
409	Neurocognition applied to psychotherapy: A brief theoretical proposal based on the complex neural network perspective. 2021 , 1-7	0
408	Cardiovascular Variability and Reactivity in Major Depressive Disorder. 1-14	5
407	Cognitive Flexibility and Selective Attention's Associations with Internalizing Symptoms in Adolescents: Are they Reciprocal?. 2021 , 50, 921-934	2
406	THE EFFECT OF SECOND-GENERATION ANTIDEPRESSANT TREATMENT ON THE EXECUTIVE FUNCTIONS OF PATIENTS WITH MAJOR DEPRESSIVE DISORDER: A META-ANALYSIS STUDY WITH STRUCTURAL EQUATION MODELS. 2021 , 296, 113690	2
405	Negative mood is associated with decreased prefrontal cortex functioning during working memory in young adults. 2021 , 58, e13802	1
404	[Cognitive impairments in patients with depression]. 2021 , 92, 277-288	4
403	Does mindfulness-based intervention improve cognitive function?: A meta-analysis of controlled studies. 2021 , 84, 101972	7
402	Subjective age, depressive symptoms, and cognitive functioning across five domains. 2021 , 43, 310-323	1
401	Exploring Factors Associated with Functional Change and Predictors of Participation Improvement-A Two Years Follow-Up on People with Depression. 2021 , 18,	0
400	The association between depression and problematic smartphone behaviors through smartphone use in a clinical sample. 2021 , 3, 441-453	2
399	Aberrant levels of cortical myelin distinguish individuals with unipolar depression from healthy controls.	
398	Aberrant Thalamic Functional Connectivity for the Differential diagnosis of Bipolar Disorder and Major Depressive Disorder. 2021 ,	
397	P.309 Latent class growth modeling reveals two distinct pupillometric response profiles in a working memory task. 2021 , 44, S45	
396	The neurocognitive profile of post-traumatic stress disorder (PTSD), major depressive disorder (MDD), and PTSD with comorbid MDD. 2021 , 11, e01950	1

395	Coordination between frontolimbic resting state connectivity and hypothalamic-pituitary-adrenal axis functioning in adolescents with and without depression. 2021 , 125, 105123	2
394	Is set-shifting and central coherence in anorexia nervosa influenced by body mass index, anxiety or depression? A systematic review. 2021 , 21, 137	5
393	Executive functioning in psychiatric patients with deliberate self-harm, as compared with a psychiatric and a healthy comparison group. 2021 , 43, 225-237	0
392	Association of habitual intake of fruits and vegetables with depressive symptoms: the AusDiab study. 2021 , 60, 3743-3755	5
391	Symptom Versus Performance Validity in Patients with Mild TBI: Independent Sources of Non-credible Responding. 2021 , 14, 17-36	11
390	Autoregressive cross-lagged modelling of the relationship between social activity, depressive symptoms, and cognitive function in Korean elderly. 2021 , 21, 350-358	1
389	Interaction of Serum Copper and Neurometabolites on Executive Dysfunction in Unmedicated Patients With Major Depressive Disorder. 2021 , 12, 564375	0
388	The effectiveness of a virtual reality attention task to predict depression and anxiety in comparison with current clinical measures. 1	2
387	Severe sleep disturbance is associated with executive function impairment in patients with first-episode, treatment-naïve major depressive disorders. 2021 , 21, 198	1
386	Help Me Understand: Providing Palliative Care to Individuals With Serious Mental Illness. 2021 , 10499091211010722	10
385	The Role of Impulsivity in Major Depression: A Systematic Review. 2021 , 8, 38-50	3
384	The Efficacy of Cognitive Remediation in Depression: A Systematic Literature Review and Meta-Analysis. 2021 , 284, 238-246	7
383	Cognitive Control, Cognitive Biases and Emotion Regulation in Depression: A New Proposal for an Integrative Interplay Model. 2021 , 12, 628416	3
382	Psychosocial functionality in depressive workers: A study on associated factors. 2021 , 207640211011195	10
381	Executive Functioning and Depressive Symptoms After Cancer: The Mediating Role of Coping. 2021 , 83, 291-299	0
380	An investigation of working memory deficits in depression using the n-back task: A systematic review and meta-analysis. 2021 , 284, 1-8	15
379	Apathy and executive functioning among non-demented community-dwelling elderly individuals in an everyday environment: the mediating effect of impulsivity. 2021 , 21, 636-649	2
378	Executive Function among Chilean Shellfish Divers: A Cross-Sectional Study Considering Working and Health Conditions in Artisanal Fishing. 2021 , 18,	0

377	'It's always difficult when it's family. . . whereas when you're talking to a therapist. . .': Parents' views of cognitive-behaviour therapy for depressed adolescents. 2021 , 26, 1018-1034	0
376	Search for solutions, learning, simulation, and choice processes in suicidal behavior. 2021 , e1561	2
375	Machine learning to predict clinical remission in depressed patients after acute phase selective serotonin reuptake inhibitor treatment. 2021 , 287, 372-379	1
374	Gut Microbiota Changes in Patients With Major Depressive Disorder Treated With Vortioxetine. 2021 , 12, 641491	4
373	Systematic Review and Meta-analysis: Depressive Symptoms and Risky Behaviors Among Adolescents in Low- and Middle-Income Countries. 2021 ,	8
372	Maladaptive avoidance learning in the orbitofrontal cortex in adolescents with major depression.	1
371	Task-general efficiency of evidence accumulation as a computationally-defined neurocognitive trait: Implications for clinical neuroscience.. 2021 , 1, 5-15	2
370	Reward-Seeking Deficits in Major Depression: Unpacking Appetitive Task Performance with Ex-Gaussian Response Time Variability Analysis. 2020 , 7, 219-224	1
369	The C Factor: Cognitive dysfunction as a transdiagnostic dimension in psychopathology. 2021 , 86, 102007	20
368	Impaired Executive Function and Depression as Independent Risk Factors for Reported Delirium Symptoms: An Observational Cohort Study Over 8 Years. 2021 , 13, 676734	1
367	Subtypes of depression characterized by different cognitive decline and brain activity alterations. 2021 , 138, 413-419	2
366	Anomalous functional connectivity within the default-mode network in treatment-naive patients possessing first-episode major depressive disorder. 2021 , 100, e26281	1
365	Lasting effects of a single psilocybin dose on resting-state functional connectivity in healthy individuals. 2021 , 2698811211026454	4
364	Maladaptive Avoidance Learning in the Orbitofrontal Cortex in Adolescents With Major Depression. 2021 , 7, 293-293	0
363	Neural correlates of sustained attention and cognitive control in depression and rumination: An ERP study. 2021 , 756, 135942	0
362	The association between implicit and explicit affective inhibitory control, rumination and depressive symptoms. 2021 , 11, 11490	0
361	Online Cognitive Control Training for Remitted Depressed Individuals: A Replication and Extension Study. 2021 , 45, 944-958	2
360	Set Shifting and Inhibition Deficits as Potential Endophenotypes for Depression. 2021 , 300, 113931	1

359	Ein individualisierter Psychotherapieansatz für depressive Patient_innen mit kognitiven Symptomen. 2021 , 32, 49-60	
358	Cortical thickness distinguishes between major depression and schizophrenia in adolescents. 2021 , 21, 361	1
357	Common and Distinct Alterations of Cognitive Function and Brain Structure in Schizophrenia and Major Depressive Disorder: A Pilot Study. 2021 , 12, 705998	1
356	Data-driven clustering differentiates subtypes of major depressive disorder with distinct brain connectivity and symptom features.. 2021 , 219, 606-613	2
355	Application of Near-Infrared Spectroscopy for Evidence-Based Psychotherapy. 2021 , 12, 527335	0
354	Cognitive Control Deficits in Depression: A Novel Target to Improve Suboptimal Outcomes in Childhood. 2021 , 33, 307-313	
353	Threat-Modulation of Executive Functions-A Novel Biomarker of Depression?. 2021 , 12, 670974	1
352	Neurocognition Function of Patients With Bipolar Depression, Unipolar Depression, and Depression With Bipolarity. 2021 , 12, 696903	1
351	Associations of Early-Life Threat and Deprivation With Executive Functioning in Childhood and Adolescence: A Systematic Review and Meta-analysis. 2021 , 175, e212511	15
350	Coping with Stress, Executive Functions, and Depressive Symptoms: Focusing on Flexible Responses to Stress. 2021 , 10,	1
349	Subjective executive function deficits in hazardous alcohol drinkers. 2021 , 35, 1375-1385	0
348	Anxiety, stress, and binge eating tendencies in adolescence: a prospective approach. 2021 , 9, 94	2
347	Abnormal Functional Connectivity of Posterior Cingulate Cortex Correlates With Phonemic Verbal Fluency Deficits in Major Depressive Disorder. 2021 , 12, 724874	1
346	Cognitive Rehabilitation of Traumatic Brain Injury and Post-traumatic Epilepsy. 2021 , 104-127	1
345	A multi-method assessment of attentional processes in chronic, treatment-resistant depression. 2021 , 140, 68-76	
344	Functional connectivity evidence for state-independent executive function deficits in patients with major depressive disorder. 2021 , 291, 76-82	0
343	Preschoolers' Intimate Partner Violence Exposure and Their Speeded Control Abilities Eight Years Later: A Longitudinal Mediation Analysis. 2021 , 8862605211035883	1
342	Examining Working Memory Performance in Adult Psychosomatic Inpatients. 2021 , 12, 589809	

341	Correlates of depressive mood among graduate-level allied health students: An exploratory study examining trait energy and fatigue. 2021 , 1-12	2
340	Inflammation mediates depression and generalized anxiety symptoms predicting executive function impairment after 18 years. 2022 , 296, 465-475	5
339	D-cycloserine normalizes long-term motor plasticity after transcranial magnetic intermittent theta-burst stimulation in major depressive disorder. 2021 , 132, 1770-1776	0
338	Childhood maltreatment predicts poorer executive functioning in adulthood beyond symptoms of internalizing psychopathology. 2021 , 118, 105140	3
337	Shared and distinct brain fMRI response during performance of working memory tasks in adult patients with schizophrenia and major depressive disorder. 2021 , 42, 5458-5476	2
336	Cognitive functioning in anxiety and depression: Results from the ALSPAC cohort.	
335	The relationship between sleep disturbance and cognitive impairment in mood disorders: A systematic review.	
334	Attention Bias and Recognition of Sexual Images in Depression. 2021 , 18,	
333	Depression in Children's Lives. 2021 ,	0
332	Disrupted intrinsic functional brain topology in patients with major depressive disorder. 2021 ,	5
331	Lifetime trauma history and cognitive functioning in major depression and their role for cognitive-behavioral therapy outcome. 2021 , 3,	
330	Mechanisms through which executive dysfunction influences suicidal ideation in combat-exposed Iraq and Afghanistan veterans. 2021 , 1-20	1
329	Neurocognitive performance in melancholic and non-melancholic major depressive disorder: A meta-analysis of comparative studies. 2021 , 303, 114078	2
328	Characteristics associated with the discrepancy between subjective and objective executive functioning in depression. 2021 , 1-10	1
327	Occupational Depression, Cognitive Performance, and Task Appreciation: A Study Based on Raven's Advanced Progressive Matrices. 2021 , 12, 695539	3
326	Executive Functions in Social Context: Implications for Conceptualizing, Measuring, and Supporting Developmental Trajectories. 2021 , 3,	4
325	Changes in Processing Speed, Cognitive Flexibility, and Selective Attention over a Four-Week Treatment Period in Inpatients with Moderate to Severe Depression. 2021 , 32, 129-140	
324	Executive Function Outcome of Treatment with Viloxazine Extended-Release Capsules in Children and Adolescents with Attention-Deficit/Hyperactivity Disorder: A Post-Hoc Analysis of Four Randomized Clinical Trials. 2021 , 23, 583-589	2

323	Hand gesture performance is impaired in major depressive disorder: A matter of working memory performance?. 2021 , 292, 81-88	4
322	Computational Psychiatry Needs Time and Context. 2021 ,	3
321	Obtaining leaner deep neural networks for decoding brain functional connectome in a single shot. 2021 , 453, 326-336	2
320	Cognitive efficiency beats top-down control as a reliable individual difference dimension relevant to self-control. 2021 , 215, 104818	2
319	Emotion regulation ability compensates for the depression-related negativity bias. 2021 , 220, 103414	1
318	Is executive dysfunction a risk marker or consequence of psychopathology? A test of executive function as a prospective predictor and outcome of general psychopathology in the adolescent brain cognitive development study. 2021 , 51, 100994	6
317	Depression and learning problems in children: Executive function impairments and inattention as mediators. 2021 , 220, 103420	1
316	Dynamics of cognitive action control in late-life depression during action selection. 2021 , 143, 276-284	0
315	Testing the impaired disengagement hypothesis: The role of attentional control and positive metacognitive beliefs in depression. 2021 , 146, 103961	0
314	Association between discrepancy in objective and subjective cognitive abilities and treatment response in patients with major depressive disorder: A CAN-BIND-1 study report. 2021 , 295, 1095-1101	0
313	Dynamic changes of large-scale resting-state functional networks in major depressive disorder. 2021 , 111, 110369	2
312	Behavioural and neurophysiological differences in working memory function of depressed patients and healthy controls. 2021 , 295, 559-568	0
311	Cognitive function in binge eating disorder and food addiction: A systematic review and three-level meta-analysis. 2021 , 111, 110400	7
310	Is the Occupational Depression Inventory predictive of cognitive performance? A focus on inhibitory control and effortful reasoning. 2022 , 184, 111213	5
309	Enhanced Functional Connectivity Within Executive Function Network in Remitted or Partially Remitted MDD Patients. 2020 , 11, 538333	1
308	Differentiated nomological networks of internalizing, externalizing, and the general factor of psychopathology ('factor') in emerging adolescence in the ABCD study. 2021 , 1-11	4
307	Deficits in maintenance and interference control of working memory in major depression: evidence from the visuospatial change detection task. 2021 , 26, 122-135	1
306	Ketamine's modulation of cerebro-cerebellar circuitry during response inhibition in major depression. 2021 , 32, 102792	1

305	Transcranial direct current stimulation (tDCS) combined with cognitive emotional training (CET) as a novel treatment for depression. 2021 , 447-456	
304	The association of daily spiritual experiences with depression among Head Start staff. 2021 , 56, 65-77	2
303	Psychiatric challenges in patients treated with peritoneal dialysis. 2021 , 311-333	
302	Aberrant levels of cortical myelin distinguish individuals with depressive disorders from healthy controls. 2021 , 32, 102790	2
301	Linking amygdala blood oxygenation-level-dependent (BOLD) activity and frontal EEG in depression. 2021 , 301-310	
300	Incorporating Human-Animal Interaction Into Academic Stress Management Programs: Effects on Typical and At-Risk College Students' Executive Function. 2021 , 7, 233285842110116	3
299	Substance Use Disorders: Cognitive Sequelae, Behavioral Manifestations, Neuroimaging Correlates, and Novel Interventions. 2019 , 697-728	2
298	Executive Dysfunction in Depressive Disorders. 2019 , 241-259	1
297	Depressive Disorders. 2017 , 151-172	4
296	Sportaktivität, Stress und das Gehirn. 2018 , 275-291	1
295	Stemmingsproblemen en depressie. 2014 , 325-348	1
294	A preliminary systematic review and meta-analysis of randomized-controlled trials of cognitive remediation therapy for anorexia nervosa. 2020 , 37, 101391	14
293	Depressive symptom severity mediates the association between avoidant problem-solving style and suicidal ideation. 2020 , 274, 662-670	2
292	Depression could modulate neuropsychological status in epilepsy. 2020 , 176, 456-467	3
291	Die Bedeutung kognitiver Beeinträchtigungen bei depressiven Patienten. 2016 , 27, 69-83	5
290	Schlafqualität und deren Beziehung zu attentional-exekutiven Funktionsleistungen bei unipolar depressiven Patienten. 2016 , 27, 231-243	1
289	A Pilot Study of Metacognitive Training (D-MCT) for Older Adults with Depression. 2018 , 29, 7-19	5
288	Early childhood depression, emotion regulation, episodic memory, and hippocampal development. 2019 , 128, 81-95	38

287	Impulsive reactivity to emotion and vulnerability to psychopathology. 2018 , 73, 1067-1078		37
286	Reward devaluation: Dot-probe meta-analytic evidence of avoidance of positive information in depressed persons. <i>Psychological Bulletin</i> , 2016 , 142, 18-78	19.1	123
285	The unity and diversity of executive functions: A systematic review and re-analysis of latent variable studies. <i>Psychological Bulletin</i> , 2018 , 144, 1147-1185	19.1	166
284	The impact of affective information on working memory: A pair of meta-analytic reviews of behavioral and neuroimaging evidence. <i>Psychological Bulletin</i> , 2019 , 145, 566-609	19.1	46
283	Is set shifting really impaired in trait anxiety? Only when switching away from an effortfully established task set. 2017 , 17, 88-101		15
282	Affective enhancement of working memory is maintained in depression. 2018 , 18, 127-137		5
281	Lower general executive function is primarily associated with trait worry: A latent variable analysis of negative thought/affect measures. 2020 , 20, 557-571		9
280	Executive functioning rating scales: Ecologically valid or construct invalid?. 2020 , 34, 605-619		20
279	The development and validation of the Memory Support Rating Scale. 2016 , 28, 715-25		13
278	Integrating verbal fluency with executive functions: Evidence from twin studies in adolescence and middle age. 2019 , 148, 2104-2119		14
277	Subcortical volume and white matter integrity abnormalities in major depressive disorder: findings from UK Biobank imaging data.		0
276	Impact of COVID-19 related lockdown on cognition and emotion: A pilot study.		1
275	Brain Connectivity Patterns in Children Linked to Neurocognitive Abilities.		4
274	Dissociable Cerebellar-Prefrontal Networks Underlying Executive Function: Evidence from the Human Connectome Project.		1
273	A Multi-modal System to Assess Cognition in Children from their Physical Movements. 2020 ,		3
272	Increased set shifting costs in fasted healthy volunteers. 2014 , 9, e101946		15
271	Unpredictable chronic mild stress differentially impairs social and contextual discrimination learning in two inbred mouse strains. 2017 , 12, e0188537		11
270	Precision non-implantable neuromodulation therapies: a perspective for the depressed brain. 2020 , 42, 403-419		15

269	[Cognitive impairment in depression and potential applications of antidepressants with procognitive effects]. 2014 , 114, 10-14	3
268	[The features of emotional processing in patients with depressive disorders]. 2018 , 118, 11-17	2
267	[Features of cognitive remediation in patients with affective disorders]. 2019 , 119, 118-122	1
266	Theta Burst Transcranial Magnetic Stimulation of Fronto-Parietal Networks: Modulation by Mental State. 2020 , 5,	1
265	Mental Health and Retirement Savings: Confounding Issues with Compounding Interest.	1
264	Relationship between depressive symptomatology and cognitive performance in older people. 2018 , 11, 35-45	1
263	The Impact of Marijuana Use on Memory in HIV-Infected Patients: A Comprehensive Review of the HIV and Marijuana Literatures. 2016 , 9, 126-141	16
262	Wearable Technology for High-Frequency Cognitive and Mood Assessment in Major Depressive Disorder: Longitudinal Observational Study. 2019 , 6, e12814	24
261	High-frequency cognitive and mood assessment in major depressive disorder with wearable technology (Preprint).	1
260	Understanding the Complex of Suicide in Depression: from Research to Clinics. 2020 , 17, 207-221	84
259	Reduced Temporal Activation During a Verbal Fluency Task is Associated with Poor Motor Speed in Patients with Major Depressive Disorder. 2020 , 17, 804-813	3
258	A neurobiological approach to the cognitive deficits of psychiatric disorders. 2013 , 15, 419-29	122
257	A Hot-Cold Cognitive Model of Depression: Integrating the Neuropsychological Approach Into the Cognitive Theory Framework. 2019 , 1,	9
256	The Relationship Between Continuous Identity Disturbances, Negative Mood, and Suicidal Ideation. 2016 , 18,	14
255	A prediction model of working memory across health and psychiatric disease using whole-brain functional connectivity. 2018 , 7,	40
254	A Neurofeedback Protocol for Executive Function to Reduce Depression and Rumination: A Controlled Study. 2020 , 18, 375-385	3
253	. 2021 , 9, 143677-143689	0
252	Psychopathology of EFs. 2021 , 41-59	1

- 251 Race/ethnicity moderates associations between depressive symptoms and diet composition among U.S. adults. **2021**, 40, 513-522 2
- 250 Blunted Flanker P300 Demonstrates Specificity to Depressive Symptoms in Females during Adolescence. **2021**, 1
- 249 Association of brain white matter microstructure with cognitive performance in major depressive disorder and healthy controls: a diffusion-tensor imaging study. **2021**, 0
- 248 The Relationship Between Cognitive Functioning and Symptoms of Depression, Anxiety, and Post-Traumatic Stress Disorder in Adults with a Traumatic Brain Injury: a Meta-Analysis. **2021**, 1 2
- 247 The Implications of Executive Functioning on Community Adversity and Violence and Mental Health Outcomes. 0044118X2110530
- 246 Neuropsychological Impairments and Their Cognitive Architecture in Mild Cognitive Impairment (MCI) with Lewy Bodies and MCI-Alzheimer's Disease. **2021**, 1-11 1
- 245 The role of prepotent response inhibition and interference control in depression. **2021**, 26, 441-454 0
- 244 Pupillometry tracks cognitive load and salience network activity in a working memory functional magnetic resonance imaging task. **2021**, 2
- 243 Dyslexia, Anxiety and Social/Emotional Barriers in Higher Education. **2021**, 29-66
- 242 Sportaktivität, Stress und das Gehirn. **2016**, 1-22
- 241 The Impairment and Brain Mechanism on Inhibitory Control Function of Insomnia Disorder. **2017**, 07, 328-340
- 240 Multimodal neural correlates of cognitive control in the Human Connectome Project.
- 239 Large-scale cognitive GWAS Meta-Analysis Reveals Tissue-Specific Neural Expression and Potential Nootropic Drug Targets.
- 238 EFFECTS OF SYNTHETIC DISEASE-MODIFYING ANTIRHEUMATIC DRUGS, BIOLOGICAL AGENTS, AND PSYCHOPHARMACOTHERAPY ON THE MENTAL DISORDERS IN PATIENTS WITH RHEUMATOID ARTHRITIS. **2017**, 55, 393-402 3
- 237 Depressive Symptoms and Category Learning: A Preregistered Conceptual Replication Study. **2018**, 1, 34
- 236 Executive Functions and Postnatal Depression: Literature Review. **2018**, 11, 57-63
- 235 Low-frequency direct cortical stimulation of left superior frontal gyrus enhances working memory performance. 1
- 234 Reduced Default Mode Network Functional Connectivity in Patients with Recurrent Major Depressive Disorder.

- 233 Patient Perspective of Cognitive Symptoms in Major Depressive Disorder: Retrospective Database and Prospective Survey Analyses (Preprint).
- 232 Chapitre 7. Les troubles de l'humeur. **2018**, 183-209
- 231 Functional connectomics of affective and psychotic pathology. 1
- 230 Motivation and Cognitive Control in Depression.
- 229 Kognitive Dysfunktionen bei unipolarer Depression. **2019**, 21-26
- 228 Introduction. Neuropsychologie, psychopathologie et psychothérapie. **2019**, 11-27
- 227 Neuropsychologische stoornissen bij depressie en de consequenties voor psychotherapie bij depressie. **2019**, 65-76 0
- 226 Executive control of positive and negative information and adolescent depressive symptoms: cross-sectional and longitudinal associations in a population-based cohort.
- 225 Neurocognitive Disorders. **2019**,
- 224 Patient Perspective of Cognitive Symptoms in Major Depressive Disorder: Retrospective Database and Prospective Survey Analyses. **2019**, 11, e11167 0
- 223 Neurocognitive Disorders. **2019**,
- 222 Moderating effects of executive function between depression severity and work performance: a web-based cross-sectional study. **2019**, 42, 59-64 2
- 221 Associations between Processing Speed and Psychopathology in a Transdiagnostic, Pediatric Sample.
- 220 Cognitive functioning and lifetime Major Depressive Disorder in UK Biobank.
- 219 Obtaining leaner deep neural networks for decoding brain functional connectome in a single shot. 1
- 218 Closed-loop fMRI neurofeedback to reduce negative attentional bias in depression. 0
- 217 Females with type 2 diabetes are at higher risk for accelerated cognitive decline than males: CAROLINA-COGNITION study.. **2021**, 2
- 216 Neuropsychological Research in Obsessive-Compulsive Disorder: Current Status and Future Directions. **2021**, 12, 721601 1

- 215 Rumination Derails Reinforcement Learning With Possible Implications for Ineffective Behavior. 216770262110513
- 214 Associations between executive function impairment and biochemical abnormalities in depressed adolescents with non-suicidal self-injury. **2022**, 298, 492-499 0
- 213 Testing the Mechanism of Action of Computerized Cognitive Training in Young Adults with Depression: Protocol for a Blinded, Randomized, Controlled Treatment Trial. **2020**, 5,
- 212 Relationship between multidimensional perfectionism and cognitive flexibility in university students. **2020**, 17, PDF
- 211 Pharmacist Identification of Medication Therapy Problems Involving Cognition Among Older Adults Followed by a Home-Based Care Team. **2021**, 38, 157-168 3
- 210 Functional assessment in geriatric mental health. **2020**, 285-298 1
- 209 Maternal Psychological Distress and Executive Functions Are Associated During Early Parenthood - A FinnBrain Birth Cohort Study. **2021**, 12, 719996 0
- 208 Psilocybin therapy increases cognitive and neural flexibility in patients with major depressive disorder. **2021**, 11, 574 14
- 207 A connectome-based prediction model of long-term memory.
- 206 Characteristics of Executive Functions in Patients With Cognitive Impairments in the Presence of Depressive Disorders. **2020**, 3, 46-52
- 205 Prenatal Radiation Exposure Leads to Higher-Order Telencephalic Dysfunctions in Adult Mice That Coincide with Reduced Synaptic Plasticity and Cerebral Hypersynchrony.. **2021**,
- 204 Impact of Depression and Nicotine Dependence on Executive Functioning in Rural Older Adult Smokers: A Brief Report (NCT02510716). **2021**, 32, 249-254
- 203 Altered functional connectivity relates to motor performance deficits in bipolar but not unipolar depression.
- 202 Theory of mind in dysphoric and non--dysphoric adults: An ERP study of true-- and false--belief reasoning. **2021**, 1-13
- 201 Cognitive impairments in treatment-resistant depression: Results from the French cohort of outpatients (FACE-DR). **2021**, 6, 100272
- 200 Association between change in handgrip strength and cognitive function in Korean adults: a longitudinal panel study. **2021**, 21, 671 1
- 199 Multimodal MRI cerebral correlates of verbal fluency switching and its impairment in women with depression.. **2021**, 33, 102910
- 198 Validity and utility of Hierarchical Taxonomy of Psychopathology (HiTOP): III. Emotional dysfunction superspectrum.. **2022**, 21, 26-54 10

197	Electroconvulsive therapy modulates critical brain dynamics in major depressive disorder patients.. 2021,	0
196	Attentional networks in co-occurring generalized anxiety disorder and major depression disorder: Towards a staging approach to the executive control deficits.. 2021, 113, 152294	0
195	Late-Life Depression, Cognitive Impairment, and Relationship with Alzheimer's Disease. 2021, 1-11	1
194	Comparison of the Effectiveness Behavioral Activation Treatment Therapy and Acceptance and Commitment Therapy on Executive Functions of Learning the Rules, Inhibiting Impulsivity, and Flexibility in Patients with Depression. 2021, 9, 68-78	0
193	Effect of Low-Dose Statins in Addition to Standard Therapy on Brain Perfusion and Neurocognitive Performance in Patients with Major Depressive Disorder.. 2022, 1-15	0
192	Associations between Heart Rate Variability and Brain Activity during a Working Memory Task: A Preliminary Electroencephalogram Study on Depression and Anxiety Disorder.. 2022, 12,	1
191	The cognitive function effects of prefrontal tDCS for depression: a system review. 2022, 97	1
190	Response Inhibition and Predicting Response to Pharmacological and Cognitive Behavioral Therapy Treatments for Major Depressive Disorder: A CAN-BIND Study.. 2022,	
189	Self-control, Mental Health Problems, and Family Functioning in Adolescence and Young Adulthood: Between-person Differences and Within-person Effects.. 2022, 1	3
188	Disorder-and cognitive demand-specific neurofunctional alterations during social emotional working memory in generalized anxiety disorder and major depressive disorder.	
187	Income, Psychological Well-Being, and the Dynamics of Poverty.	0
186	The magnitude of neurocognitive impairment is overestimated in depression: the role of motivation, debilitating momentary influences, and the overreliance on mean differences.. 2022, 1-11	1
185	Income, Psychological Well-Being, and the Dynamics of Poverty.	
184	Individual variation in brain network topology is linked to course of illness in major depressive disorder.. 2022,	0
183	Family Conflict Associated With Intrinsic Hippocampal-OFC Connectivity in Adolescent Depressive Disorder.. 2021, 12, 797898	0
182	Interaction between working memory load and the ability to resist interference from negative distractors in dysphoria.. 2022,	0
181	Gut Microbiome Composition Linked to Inflammatory Factors and Cognitive Functions in First-Episode, Drug-Naive Major Depressive Disorder Patients.. 2021, 15, 800764	1
180	Computational modelling of the speed-accuracy tradeoff: No evidence for an association with depression symptomatology.. 2022, 147, 111-125	

- 179 Web-Based Cognitive Testing in Psychiatric Research: Validation and Usability Study.. **2022**, 24, e28233 1
- 178 Executive functioning in adults with borderline personality disorder and first-degree biological relatives.. **2021**, 1-14
- 177 Web-Based Cognitive Testing in Psychiatric Research: Validation and Usability Study (Preprint).
- 176 The stability of multidimensional subclinical apathy during a pandemic and its relations to psycho-behavioral factors.. **2022**, 12, 2931 0
- 175 Sluggish Cognitive Tempo as a Transdiagnostic Link Between Adult ADHD and Internalizing Symptoms. 1 0
- 174 Evaluation of an Integrated Parenting Intervention Targeting Maternal Depression: Effects on Parent Attributions of Child Behaviors. 1 0
- 173 Mindfulness-Based Stress Reduction and Mindfulness-Based Cognitive Therapy for Depression: a Systematic Review of Cognitive Outcomes. 1 1
- 172 Neuropsychological Performance Among Individuals at Clinical High-Risk for Psychosis vs Putatively Low-Risk Peers With Other Psychopathology: A Systematic Review and Meta-Analysis.. **2022**, 1 1
- 171 Age-varying association between depression and cognitive function among a national sample of older U.S. immigrant adults: the potential moderating role of physical activity.. **2022**, 1-10 1
- 170 Computerized Cognitive Training Interventions in Major Depression. **2022**, In Press,
- 169 Cognitive Considerations in Major Depression: Evaluating the Effects of Pharmacotherapy and ECT on Mood and Executive Control Deficits.. **2022**, 12, 1 1
- 168 Single session gamma transcranial alternating stimulation does not modulate working memory in depressed patients and healthy controls.. **2022**, 1 1
- 167 Assessing anxiety-linked impairment in attentional control without eye-tracking: The masked-target antisaccade task.. **2022**, 1 0
- 166 Occupational Depression in a Spanish-Speaking Sample: Associations with Cognitive Performance and Work-Life Characteristics. **2022**, 38, 59-74 0
- 165 Mindfulness intervention improves executive functions of depressed individuals and its neural mechanism. **2022**,
- 164 Cognitive Impairment and Neurocognitive Profiles in Major Depression-A Clinical Perspective.. **2022**, 13, 764374 1
- 163 The influence of subjective socioeconomic status on executive functions in middle-aged and older adults.. **2022**, 1-18
- 162 Depression reduces neural correlates of reward salience with increasing effort over the course of the progressive ratio task.. **2022**, 1 1

161	TEMPORARY REMOVAL: Depressive symptoms mediate the relationship between diabetes and cognitive performance in a community-based sample of older adults. 2022 , 108183	0
160	A Systematic Review of Childhood Adversity and Executive Functions Outcomes among Adults.. 2022 ,	1
159	What networks of attention are affected by depression? A meta-analysis of studies that used the attention network test. 2022 , 8, 100302	1
158	Theory of mind performance in depression: A meta-analysis.. 2022 , 303, 233-244	1
157	AGEADJUSTED NORMATIVE DATA AND DISCRIMINATIVE VALIDITY OF COGNITIVE TESTS IN THE UKRAINIAN ADULT PATIENTS WITH MAJOR DEPRESSIVE DISORDER. 2021 , 4-14	
156	Remote Assessment of Depression Using Digital Biomarkers From Cognitive Tasks.. 2021 , 12, 767507	1
155	Abnormalities in Electroencephalographic Microstates Among Adolescents With First Episode Major Depressive Disorder.. 2021 , 12, 775156	0
154	Executive Functions of Adults with Binge-Eating Disorder: The Role of Weight Status and Psychopathology.. 2021 , 12,	
153	Assessment of Attentional Processes in Patients with Anxiety-Depressive Disorders Using Virtual Reality.. 2021 , 11,	0
152	Inflammation and Cognition in Depression: A Narrative Review.. 2021 , 10,	1
151	Psychiatric Comorbidity and Stress in Medical Students Using Neuroenhancers.. 2021 , 12, 771126	0
150	Disentangling Cognitive Inflexibility in Major Depressive Disorder: A Transcranial Direct Current Stimulation Study.. 2022 ,	0
149	Limited time-specific and longitudinal effects of depressive and manic symptoms on cognition in bipolar spectrum disorders.. 2022 ,	
148	General and Specific Dimensions of Mood Symptoms Are Associated With Impairments in Common Executive Function in Adolescence and Young Adulthood.. 2022 , 16, 838645	
147	Disorder- and cognitive demand-specific neurofunctional alterations during social emotional working memory in generalized anxiety disorder and major depressive disorder.. 2022 ,	0
146	Parasympathetic cardiac control during attentional focus and worry in major depressive disorder.. 2022 ,	
145	Table_1.docx. 2020 ,	
144	Table_1.docx. 2018 ,	

- 143 Data_Sheet_1.docx. **2020**,
- 142 Image_1.png. **2020**,
- 141 Image_2.pdf. **2020**,
- 140 Image_3.pdf. **2020**,
- 139 Table_1.pdf. **2020**,
- 138 Data_Sheet_1.docx. **2020**,
- 137 Table_1.docx. **2019**,
- 136 Presentation_1.pdf. **2019**,
- 135 Image_1.TIF. **2018**,
- 134 Evaluation of a Digital Content-free Speech Analysis Tool to Measure Affective Distress in Mental Health (Preprint).
- 133 Neuropsychological and Cognitive Control Deficits in Depression. **2022**, 94-116
- 132 Meta-prospective memory accuracy in young adults with and without depressive symptoms.. **2022**, 1-12 ○
- 131 Associations of neuroimaging markers with depressive symptoms over time in middle-aged and elderly persons.. **2022**, 1-9 ○
- 130 Memory complaints moderate the concordance between self-report and electronically monitored adherence in adults with type 2 diabetes. **2022**, 108205
- 129 Physical Activity, Positive and Negative Symptoms of Psychosis, and General Psychopathology among People with Psychotic Disorders: A Meta-Analysis. **2022**, 11, 2719 1
- 128 Repetitive transcranial magnetic stimulation promotes response inhibition in patients with major depression during the stop-signal task. **2022**, ○
- 127 The P300, loneliness, and depression in older adults.. **2022**, 171, 108339 1
- 126 Neuroplasticity, the Prefrontal Cortex, and Psychopathology-Related Deviations in Cognitive Control.. **2022**, 18, 443-469 ○

125 Bibliographie. **2018**, 243-252

124 Mindfulness-Enhanced Computerized Cognitive Training for Depression: An Integrative Review and Proposed Model Targeting the Cognitive Control and Default-Mode Networks. **2022**, 12, 663

123 Comparing emotional working memory in adolescents and young adults with and without depressive symptoms: developmental and psychopathological differences. **2022**, 10, ○

122 Cognitive Remediation in Psychiatric Disorders: State of the Evidence, Future Perspectives, and Some Bold Ideas. **2022**, 12, 683 1

121 The reduction of vitamin D in females with major depressive disorder is associated with worse cognition mediated by abnormal brain functional connectivity. **2022**, 118, 110577

120 THE EFFECT OF SECOND-GENERATION ANTIDEPRESSANT TREATMENT ON THE ATTENTION AND MENTAL PROCESSING SPEED OF PATIENTS WITH MAJOR DEPRESSIVE DISORDER: A META-ANALYSIS STUDY WITH STRUCTURAL EQUATION MODELS. **2022**, 114662 ○

119 Cognitive factor structure and measurement invariance between healthy controls and patients with major depressive disorder. **2022**, 151, 598-605 ○

118 Psychopathology in children: The transdiagnostic contribution of affiliative capacity and inhibitory control. 1-16 1

117 Executive function and episodic memory composite scores in older adults: relations with sex, mood, and subjective sleep quality. 1-24 ○

116 Augmenting neurocognitive remediation therapy to Preventive Cognitive Therapy for partially remitted depressed patients: protocol of a pragmatic multicentre randomised controlled trial. **2022**, 12, e063407

115 Characteristics and Mediating Effect of Gut Microbiota With Experience of Childhood Maltreatment in Major Depressive Disorder. 16, ○

114 Low VGF is associated with executive dysfunction in patients with major depressive disorder. **2022**, 152, 182-186

113 Repetitive transcranial magnetic stimulation decreased effortful frontal activity for shifting in patients with major depressive disorder. **2022**, 33, 470-475

112 Computerized Working Memory Training in Remission From Major Depressive Disorder: Effects on Emotional Working Memory, Processing Speed, Executive Functions, and Associations With Symptoms. 16, ○

111 Cross-cultural validity and reliability of the BRIEF-P at age 2 and 4.5 years in children born at risk of neonatal hypoglycemia. 1-17

110 Relating psychiatric symptoms and self-regulation during the COVID-19 crisis. **2022**, 12,

109 Selecting flight mode [Risk factors associated with presenteeism among commercial pilots and the role of depressive symptoms. **2022**, 103, 102254

108 Affective Control Training (AffeCT) reduces negative affect in depressed individuals. **2022**, 313, 167-176

- 107 The association between overweight/obesity and poor cognitive function is mediated by inflammation in patients with major depressive disorder. **2022**, 313, 118-125 ○
- 106 Examining heterogeneity in depression symptoms and associations with cognition and everyday function in MCI. 1-10
- 105 Cingulate-Prefrontal Connectivity During Dynamic Cognitive Control Mediates Association Between P-Factor and Adaptive Functioning in a Transdiagnostic Pediatric Sample. **2022**, ○
- 104 Targeting Disrupted Rich-Club Network Organization with Neuroplasticity-Based Computerized Cognitive Remediation in Major Depressive Disorder Patients. **2022**, 114742 ○
- 103 Digital delivery of Behavioural Activation therapy to overcome depression and facilitate social and economic transitions of adolescents in South Africa (the DoBA study): protocol for a pilot randomised controlled trial.
- 102 Relationship between childhood maltreatment and cognitive function in medication-free patients with major depressive disorder. ○
- 101 Characterizations of Resilience in Poststroke Aphasia. **2022**, 42, 236-251 ○
- 100 The relationship between theory of mind and executive functions in major depressive disorders: A review. 13,
- 99 Internalizing Symptoms in Adolescents With Sickle Cell Disease.
- 98 Simultaneous EEG + fMRI study of brain activity during an emotional Stroop task in individuals in remission from depression. **2022**, ○
- 97 Capturing daily-life executive impairments in adults: Does the choice of neuropsychological tests matter?. 1-11
- 96 Identification of 64 new risk loci for major depression, refinement of the genetic architecture and risk prediction of recurrence and comorbidities. ○
- 95 Does Child Anxiety Exacerbate or Protect Against Parent-Child Relationship Difficulties in Children with Elevated ADHD Symptoms?.
- 94 Effectiveness of executive functioning training among heterogeneous adolescent samples: A systematic review. 1-17 1
- 93 Kognitive Beeintrchtigungen alkoholabhngiger Patient_innen im Abstinenzverlauf und die Relevanz depressiver Komorbiditt. **2022**, 33, 149-157
- 92 Child executive function and future externalizing and internalizing problems: A meta-analysis of prospective longitudinal studies. **2022**, 97, 102194 1
- 91 Connecting residual depressive symptoms to self-reported executive functioning: A network analytical approach. **2022**, 155, 75-84
- 90 In pursuit of full recovery in major depressive disorder. ○

89	Disorder-specific impaired neurocognitive function in major depression and generalized anxiety disorder. 2022 , 318, 123-129	0
88	Variability and concordance among indices of brain activity in major depressive disorder with suicidal ideation: A temporal dynamics resting-state fMRI analysis. 2022 , 319, 70-78	0
87	Examining patterns of executive functioning across dimensions of psychopathology. 2022 , 77, 101778	0
86	Rumination. 2022 ,	0
85	Executive functions mediate the association between ADHD symptoms and anxiety in a clinical adolescent population. 13,	0
84	Association between cognitive impairments and aberrant dynamism of overlapping brain sub-networks in unmedicated major depressive disorder: A resting-state MEG study. 2022 ,	0
83	Depressive symptoms and cognitive control: the role of affective interference. 1-15	0
82	Aberrant intrinsic hippocampal and orbitofrontal connectivity in drug-naive adolescent patients with major depressive disorder.	0
81	Type 2 diabetes mellitus increases the severity of non-fatality injury but not the risk of fatal injury among driver victims of motor vehicle crashes. e2022076	0
80	Experiences of an Equine-Assisted Therapy Intervention among Children and Adolescents with Mental Illness in Sweden - A Nursing Perspective. 1-13	1
79	Screening Executive Functions in Substance-Use Disorder: First Evidence from Testing of the Battery for Executive Functions in Addiction (BFE-A).	0
78	Symptoms of depression together with trait anxiety increase the ability to predict alpha power change between attention and resting states. 2022 , 182, 57-69	1
77	Cognition from the Perspective of Temperature-Related Research and Implications of Thermal Cognition. 2022 , 12, 3361-3367	0
76	Current Evidence and Theories in Understanding the Relationship between Cognition and Depression in Childhood and Adolescence: A Narrative Review. 2022 , 12, 2525	0
75	Neurocognitive function of patients with melancholic and non-melancholic major depressive episodes: An exploratory study. 000486742211337	0
74	Health in Citizen-State Interactions: How Physical and Mental Health Problems Shape Experiences of Administrative Burden and Reduce Take-Up.	1
73	Parents' depressive symptoms and reflective functioning predict parents' proficiency in relational savoring and children's physiological regulation. 1-14	2
72	Efficacy of Adjunctive D-Cycloserine to Intermittent Theta-Burst Stimulation for Major Depressive Disorder.	2

- 71 Child internalizing and externalizing behaviors: Interplay between maternal depressive symptoms and child inhibitory control. ○
- 70 Mobile App to Enhance Patient Activation and Patient-Provider Communication in Major Depressive Disorder Management: Collaborative, Randomized Controlled Pilot Study. **2022**, 6, e34923 ○
- 69 Which variables moderate the relationship between depressive symptoms and global neurocognition across adulthood?. 1-29 ○
- 68 The minimal effect of depression on cognitive functioning when accounting for TOMM performance in a sample of U.S. veterans. 1-9 ○
- 67 Profiles of executive functioning and neuroticism in emerging adulthood: Concurrent associations with psychopathology and health-related quality of life. 1-13 ○
- 66 Partly recovery and compensation in anterior cingulate cortex after SSRI treatment—evidence from multi-voxel pattern analysis over resting state fMRI in depression. **2023**, 320, 404-412 ○
- 65 Transtorno Depressivo Maior: Um Estudo Comparativo sobre Cogni o Socioemocional e Fun es Executivas. 38, ○
- 64 Pre-existing mental health disorders and fear of COVID-19 pandemic: Data from a phone survey in community-dwelling older adults recruited in the NutBrain study. 13, ○
- 63 Cognitive rehabilitation for improving cognitive functions and reducing the severity of depressive symptoms in adult patients with Major Depressive Disorder: A systematic review and meta-analysis of randomized controlled clinical trials. ○
- 62 ARE COGNITIVE ASPECTS OF DEFENSE A CORE FEATURE OF ANXIETY AND DEPRESSION?. **2022**, 104947 1
- 61 Sex differences in the association of plasma cytokines and neurocognition in first-episode major depressive disorder. **2022**, ○
- 60 The Emotion-Regulation Benefits of Implicit Reappraisal in Clinical Depression: Behavioral and Electrophysiological Evidence. ○
- 59 Evaluating the Use of Glucagon-Like Peptide 1 for the Treatment of Cognitive Dysfunction in Individuals with Mood Disorders. ○
- 58 Pharmacological targeting of cognitive impairment in depression: recent developments and challenges in human clinical research. **2022**, 12, 1
- 57 Memory and processing speed impairments in first-episode drug-na ve patients with major depressive disorder. **2023**, 322, 99-107 ○
- 56 Is suboptimal effort an issue? A systematic review on neuropsychological performance validity in major depressive disorder. **2023**, 323, 731-740 ○
- 55 Relations between clinical characteristics and cognitive deficits among adult patients diagnosed with major depressive disorder. 1-13 ○
- 54 Mood Symptom Dimensions and Developmental Differences in Neurocognition in Adolescence. 216770262211 13

- 53 Effects of a three-week executive control training on adaptation to task difficulty and emotional interference. **2022**, 17, e0276994 ○
- 52 Neurocognition and Depressive Symptoms have Unique Pathways to Predicting Different Domains of Functioning in Major Depressive Disorder. 070674372211333 ○
- 51 A pilot randomized sham controlled trial of bilateral iTBS for depression and executive function in older adults. **2023**, 38, ○
- 50 Functional MRI study of feedback-based reinforcement learning in depression. 16, ○
- 49 Occupational Burnout Is Linked with Inefficient Executive Functioning, Elevated Average Heart Rate, and Decreased Physical Activity in Daily Life - Initial Evidence from Teaching Professionals. **2022**, 12, 1723 ○
- 48 Prospective prediction of developing internalizing disorders in ADHD. ○
- 47 The relations between real-time use of emotion regulation strategies and anxiety and depression symptoms. ○
- 46 The mediating role of executive function in the relationship between self-stigma and self-injury or suicidal ideation among men who have sex with men living with HIV. 10, ○
- 45 The relation between executive functions, error-related brain activity, and ADHD symptoms in clinically evaluated school-aged children. 1-26 ○
- 44 Development and validation of the Executive Functioning Scale. 13, ○
- 43 Acute psilocybin enhances cognitive flexibility in rats. ○
- 42 Minocycline treatment improves cognitive and functional plasticity in a preclinical mouse model of major depressive disorder. **2023**, 114295 1
- 41 Decomposing Working Memory in Recurrent Major Depression: Impaired Encoding and Limited Maintenance Immune-to-Encoding Constraint. **2023**, 13, 38 ○
- 40 Digital delivery of behavioural activation therapy to overcome depression and facilitate social and economic transitions of adolescents in South Africa (the DoBAT study): protocol for a pilot randomised controlled trial. **2022**, 12, e065977 ○
- 39 Reliability and Validity of Ecological Momentary Assessment (EMA) Response Times as an Indicator of Cognitive Processing Speed in People's Natural Environment: An Intensive Longitudinal Study (Preprint). ○
- 38 Distinct Effects of Anxiety and Depression on Updating Emotional Information in Working Memory. **2023**, 20, 544 ○
- 37 Detecting subtle signs of depression with automated speech analysis in a non-clinical sample. **2022**, 22, ○
- 36 Cognitive rehabilitation for improving cognitive functions and reducing the severity of depressive symptoms in adult patients with Major Depressive Disorder: a systematic review and meta-analysis of randomized controlled clinical trials. **2023**, 23, ○

- 35 Stress-Related Exhaustion, Polygenic Cognitive Potential, and Cognitive Test Performance in a General Population Study. ○
- 34 Effectiveness of yoga for major depressive disorder: A systematic review and meta-analysis. 14, ○
- 33 Eight-week antidepressant treatment changes intrinsic functional brain topology in first-episode drug-naïve patients with major depressive disorder. **2023**, 329, 225-234 ○
- 32 The percentage of cognitive impairment in patients with major depressive disorder over the course of the depression: A longitudinal study. **2023**, 329, 511-518 ○
- 31 Altered electroencephalography resting state network coherence in remitted MDD. **2023**, 1806, 148282 ○
- 30 Association analysis of gut microbiota and efficacy of SSRIs antidepressants in patients with major depressive disorder. **2023**, 330, 40-47 ○
- 29 A randomized controlled trial of desvenlafaxine-induced structural brain changes in the treatment of persistent depressive disorder. **2023**, 331, 111634 ○
- 28 The association between depression symptoms and reduced executive functioning is primarily linked by fatigue. **2023**, 3, 100120 ○
- 27 The effect of mindfulness training on executive function in youth with depression. **2023**, 235, 103888 ○
- 26 Psychotic symptoms and neurocognition among patients with major depressive disorder: A chained mediation model of depressive symptoms and socio-occupational functioning. **2023**, 332, 194-200 ○
- 25 Less inhibited and more depressed? The puzzling association between mood, inhibitory control and depressive symptoms. **2023**, 124, 152386 ○
- 24 Anxiety disorders and executive functions: A three-level meta-analysis of reaction time and accuracy. **2023**, 3, 100100 ○
- 23 The relationship between sleep disturbance and cognitive impairment in mood disorders: A systematic review. **2023**, 327, 207-216 ○
- 22 Project ASPIRE: A feasibility randomized controlled trial of a brief intervention for reducing risk of depression and alcohol-related harms among South African adolescents. 1-15 ○
- 21 Rethinking the risk for depression using the RDoC: A psychophysiological perspective. 14, ○
- 20 The blind men and the elephant: The case for a transdiagnostic approach to initiation. 13, ○
- 19 Know thyself: Executive functioning and sex predict self-appraisal of functional abilities in community-dwelling older adults. 1-24 ○
- 18 Quantifying aberrant approach-avoidance conflict in psychopathology: A review of computational approaches. **2023**, 147, 105103 ○

- 17 Acute psilocybin enhances cognitive flexibility in rats. ○
- 16 Don't [ruminate], be happy! A cognitive perspective linking depression and anhedonia. **2023**, 101, 102255 ○
- 15 The Insidious Influence of Stress: An Integrated Model of Stress, Executive Control, and Psychopathology. 216770262211497 ○
- 14 Abnormal Prefrontal Brain Activation During a Verbal Fluency Task in Treatment-Resistant Depression Using Near-Infrared Spectroscopy. **2023**, 20, 84-92 ○
- 13 Association between increased serum interleukin-8 levels and improved cognition in major depressive patients with SSRIs. **2023**, 23, ○
- 12 Disrupting the Mood and Obesity Cycle: The Potential Role of Metformin. **2023**, 3, 59-75 ○
- 11 Patient-reported outcome measurements in a selective cohort of relapsing-remitting multiple sclerosis patients: relationships with physical disability, cognitive impairment, and MRI-derived metrics. ○
- 10 Characterising longitudinal patterns in cognition, mood and activity in depression with high-frequency wearable assessment: an observational study (Preprint). ○
- 9 Treatment-Resistant Late-Life Depression. **2023**, ○
- 8 Cognitive Performance Deficits Are Associated with Clinically Significant Depression Symptoms in Older US Adults. **2023**, 20, 5290 ○
- 7 Targeting slow wave sleep deficiency in late-life depression: a case series with propofol. **2023**, ○
- 6 Skill Improvement Through Learning in Therapy (SKILT): A study protocol for a randomized trial testing the direct effects of cognitive behavioral therapy skill acquisition and role of learning capacity in depression. **2023**, 5, ○
- 5 Remote assessment of cognition and quality of life following radiotherapy for glioma: deep-learning-based predictive models and MRI correlates. ○
- 4 Physical fitness is associated with neural activity during working memory performance in major depressive disorder. **2023**, 38, 103401 ○
- 3 Blunted Cardiovascular Reactivity Predicts Worse Performance in Working Memory Tasks. **2023**, 13, 649 ○
- 2 Prospective memory in early and established psychosis: An Indian perspective. ○
- 1 Longitudinal associations between executive function impairments and suicide risk in patients with major depressive disorder: A 1-year follow-up study. **2023**, 325, 115235 ○