

CITATION REPORT

List of articles citing

Clinical practice guidelines for the management of pain, agitation, and delirium in adult patients in the intensive care unit

DOI: 10.1097/ccm.ob013e3182783b72
Critical Care Medicine, 2013, 41, 263-306.

Source: <https://exaly.com/paper-pdf/56976549/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2306	Postoperative Delirium. 392-401		1
2305	Latrunculin and cytochalasin decrease chondrocyte matrix retention. 2002 , 50, 1313-24		27
2304	Dopamine receptors in human adipocytes: expression and functions. 2011 , 6, e25537		63
2303	The pain, agitation, and delirium practice guidelines for adult critically ill patients: a post-publication perspective. 2013 , 3, 9		26
2302	The 2012 Surviving Sepsis Campaign: Management of Severe Sepsis and Septic Shock—An Update on the Guidelines for Initial Therapy. 2013 , 1, 154-171		0
2301	Care Bundles in the Adult ICU: Is It Evidence-Based Medicine?. 2013 , 3, 79-88		2
2300	ICU Management of Traumatic Brain Injury. 2013 , 3, 89-97		3
2299	[Daily sedation pauses for mechanically ventilated intensive care patients in addition to protocol-based sedation]. 2013 , 108, 153-5		
2298	Erratum. 2013 , 28, 408		
2297	Pain management in the nonverbal critically ill patient. 2013 , 28, 98-101		4
2296	Effect of intravenous haloperidol on the duration of delirium and coma in critically ill patients (Hope-ICU): a randomised, double-blind, placebo-controlled trial. 2013 , 1, 515-23		255
2295	Disability after critical illness. 2013 , 369, 1367-9		29
2294	Long-term cognitive impairment after critical illness. 2013 , 369, 1306-16		1457
2293	Sedation interruption for mechanically ventilated patients. 2013 , 309, 981-2		
2292	Propofol infusion syndrome resuscitation with extracorporeal life support: a case report and review of the literature. 2013 , 3, 32		23
2291	[Difficult situations in radiotherapy: agitated adult patients]. 2013 , 17, 528-33		
2290	Early Rehabilitation in the Intensive Care Unit: Preventing Physical and Mental Health Impairments. 2013 , 1, 307-314		77

2289	Sedation in French intensive care units: a survey of clinical practice. 2013 , 3, 24	18
2288	Use of dexmedetomidine for prophylactic analgesia and sedation in delayed extubation patients after craniotomy: a study protocol and statistical analysis plan for a randomized controlled trial. 2013 , 14, 251	7
2287	[Comments on: long-term cognitive impairment after intensive care therapy]. 2013 , 62, 1020-2	0
2286	Prevention of ICU delirium and delirium-related outcome with haloperidol: a study protocol for a multicenter randomized controlled trial. 2013 , 14, 400	18
2285	[Pain, agitation and delirium. Amended 2013 guidelines of the American College of Critical Care Medicine]. 2013 , 62, 914-8	3
2284	The accurate recognition of delirium in the ICU: the emperor's new clothes?. 2013 , 39, 2196-9	26
2283	Optimizing safe, comfortable ICU care through multi-professional quality improvement: just DO it. 2013 , 17, 138	2
2282	Intensive care sedation: the past, present and the future. 2013 , 17, 322	38
2281	Dexmedetomidine use in the ICU: are we there yet?. 2013 , 17, 320	19
2280	Patterns of opiate, benzodiazepine, and antipsychotic drug dosing in older patients in a medical intensive care unit. 2013 , 22, e62-9	9
2279	Dexmedetomidine preserves attention/calculation when used for cooperative and short-term intensive care unit sedation. 2013 , 28, 1113.e7-1113.e10	13
2278	Preventing delirium in postoperative patients. 2013 , 28, 404-8	2
2277	Can critical-care delirium be treated pharmacologically?. 2013 , 1, 498-9	1
2276	Prophylactic haloperidol: too early to lose hope. 2013 , 1, e27-e28	
2275	[I'm ready to add a simple test for my anesthesia consultation to screen patients at risk to develop cognitive dysfunction]. 2013 , 32, 546-7	2
2274	Implementation of a protocol for integrated management of pain, agitation, and delirium can improve clinical outcomes in the intensive care unit: a randomized clinical trial. 2013 , 28, 918-22	62
2273	Weaning patients from the ventilator. 2013 , 368, 1068-9	4
2272	Role of dexmedetomidine in adults in the intensive care unit: an update. 2013 , 70, 767-77	31

2271	The new practice guidelines for pain, agitation, and delirium. 2013 , 22, 153-7		6
2270	The pharmacologic treatment of intensive care unit delirium: a systematic review. 2013 , 47, 1168-74		11
2269	Role of dexmedetomidine for the prevention and treatment of delirium in intensive care unit patients. 2013 , 47, 869-76		65
2268	Risk factors for long-term brain dysfunction after chronic critical illness. 2013 , 10, 315-23		19
2267	Intracerebral hemorrhage and delirium symptoms. Length of stay, function, and quality of life in a 114-patient cohort. 2013 , 188, 1331-7		81
2266	Antipsychotic prescribing patterns, and the factors and outcomes associated with their use, among patients requiring prolonged mechanical ventilation in the long-term acute care hospital setting. 2013 , 47, 181-8		6
2265	The methodological approach used to develop the 2013 Pain, Agitation, and Delirium Clinical Practice Guidelines for adult ICU patients. <i>Critical Care Medicine</i> , 2013 , 41, S1-15	1.4	55
2264	Incidence and risk factors of early delirium after cardiac surgery. 2013 , 2013, 323491		40
2263	Pain, sedation, and delirium management in the neurocritically ill: lessons learned from recent research. 2013 , 34, 236-43		23
2262	Psychometric analysis of subjective sedation scales in critically ill adults. <i>Critical Care Medicine</i> , 2013 , 41, S16-29	1.4	37
2261	Melatonin: delirium (postsurgical). 2013 , 48, 378-9		1
2260	Dissecting sedation-induced delirium. <i>Critical Care Medicine</i> , 2013 , 41, 1144-6	1.4	5
2259	Optimizing evidence-based ICU sedation*. <i>Critical Care Medicine</i> , 2013 , 41, 2051-2	1.4	
2258	Benzodiazepine versus nonbenzodiazepine-based sedation for mechanically ventilated, critically ill adults: a systematic review and meta-analysis of randomized trials. <i>Critical Care Medicine</i> , 2013 , 41, S30-8	1.4	190
2257	Daily sedation interruption versus targeted light sedation strategies in ICU patients. <i>Critical Care Medicine</i> , 2013 , 41, S39-45	1.4	38
2256	Alcohol, nicotine, and iatrogenic withdrawals in the ICU. <i>Critical Care Medicine</i> , 2013 , 41, S57-68	1.4	42
2255	Contextual issues influencing implementation and outcomes associated with an integrated approach to managing pain, agitation, and delirium in adult ICUs. <i>Critical Care Medicine</i> , 2013 , 41, S128-35	1.4	71
2254	Implementing delirium screening in the ICU: secrets to success. <i>Critical Care Medicine</i> , 2013 , 41, 2196-208.4		87

2253	Sedation and paralysis. 2013 , 58, 1024-37		8
2252	Publish (high-quality evidence for clinical practice) or (patients may) perish. 2013 , 22, 182-4		0
2251	Studying outcomes that matter to patients and families: quality of life after intracerebral hemorrhage. 2013 , 188, 1278-9		
2250	The pain, agitation, and delirium care bundle: synergistic benefits of implementing the 2013 Pain, Agitation, and Delirium Guidelines in an integrated and interdisciplinary fashion. <i>Critical Care Medicine</i> , 2013 , 41, S99-115	1.4	89
2249	Early exercise rehabilitation of muscle weakness in acute respiratory failure patients. 2013 , 41, 208-15		6
2248	Top 10 myths regarding sedation and delirium in the ICU. <i>Critical Care Medicine</i> , 2013 , 41, S46-56	1.4	36
2247	Drug-induced cardiovascular adverse events in the intensive care unit. 2013 , 36, 323-34		5
2246	Update on the management and monitoring of deep analgesia and sedation in the intensive care unit. 2013 , 24, 101-7; quiz 109		1
2245	Assessing the impact of palliative care in the intensive care unit through the lens of patient-centered outcomes research. 2013 , 19, 504-10		21
2244	Correspondence Regarding: Delirium Uncovered. 2013 , 14, 183-184		
2243	Pain, agitation, delirium, and neuromuscular blockade: a review of basic pharmacology, assessment, and monitoring. 2013 , 36, 356-69		6
2242	A greater analgesia, sedation, delirium order set quality score is associated with a decreased duration of mechanical ventilation in cardiovascular surgery patients. <i>Critical Care Medicine</i> , 2013 , 41, 2610-7	1.4	23
2241	Sedation practice in veno-venous extracorporeal membrane oxygenation: an international survey. 2013 , 59, 636-41		39
2240	A pilot study on delirium in the intensive care unit: a creative inquiry project with undergraduate nursing students. 2013 , 32, 266-70		7
2239	ICU early mobilization: from recommendation to implementation at three medical centers. <i>Critical Care Medicine</i> , 2013 , 41, S69-80	1.4	124
2238	Critical care nursing quarterly. 2013 , 36, 321-2		
2237	The role of the pharmacist in the intensive care unit. 2013 , 36, 407-14		10
2236	Use of sedation and neuromuscular blockers in critically ill adults receiving high-frequency oscillatory ventilation. 2013 , 47, 1122-9		7

2235	More questions than answers in ICU delirium: pressing issues for future research. 2013 , 47, 1558-61	2
2234	Early goal-directed sedation versus standard sedation in mechanically ventilated critically ill patients: a pilot study*. <i>Critical Care Medicine</i> , 2013 , 41, 1983-91	1.4 98
2233	Sedation interruption for mechanically ventilated patients-reply. 2013 , 309, 982-3	2
2232	Response. 2013 , 14, 184-184	
2231	Sedation interruption for mechanically ventilated patients. 2013 , 309, 981	
2230	Sedation interruption for mechanically ventilated patients. 2013 , 309, 982-3	
2229	The distinct role of palliative care in the surgical intensive care unit. 2013 , 17, 240-8	10
2228	Implications of the new international sepsis guidelines for nursing care. 2013 , 22, 212-22	36
2227	Implementation of a dexmedetomidine stewardship program at a tertiary academic medical center. 2013 , 47, 1400-5	11
2226	Pharmacologic choices for procedural sedation. 2013 , 51, 43-61	16
2225	Implementing the 2013 PAD guidelines: top ten points to consider. 2013 , 34, 223-35	13
2224	Pharmacological management of sedation and delirium in mechanically ventilated ICU patients: remaining evidence gaps and controversies. 2013 , 34, 201-15	24
2223	Reflecting on use of the GRADE process for development of the 2013 PAD Guidelines. 2013 , 34, 262-72	4
2222	Perceptions of nurses and physicians of their communication at night about intensive care patients' pain, agitation, and delirium. 2013 , 22, e49-61	16
2221	Evaluation and treatment of pain in critically ill adults. 2013 , 34, 189-200	20
2220	Delirium in the intensive care unit. 2013 , 65, 195-202	13
2219	Delirium monitoring in the ICU: strategies for initiating and sustaining screening efforts. 2013 , 34, 179-88	28
2218	Intensive care delirium: the new black. 2013 , 18, 164-5	4

2217	Can intensive care unit delirium be prevented and reduced? Lessons learned and future directions. 2013 , 10, 648-56		36
2216	The value of pupillary dilation in pre-emptive analgesia: is there more to this than meets the eye?. 2013 , 17, 178		2
2215	The authors reply. <i>Critical Care Medicine</i> , 2013 , 41, e241-2	1.4	
2214	Cefepime neurotoxicity in the intensive care unit: a cause of severe, underappreciated encephalopathy. 2013 , 17, R264		110
2213	PRESIDENT'S MESSAGE: Delivering Value. 2013 , 4, 4-5		
2212	Measuring Functional Status in the Acute Treatment Phase Following Trauma. 2013 , 4, 13-19		1
2211	Current world literature. 2012 , 18, 555-77		
2210	The author replies. <i>Critical Care Medicine</i> , 2013 , 41, e144-5	1.4	
2209	Applicability of guideline recommendations challenged in the setting of drug shortages. <i>Critical Care Medicine</i> , 2013 , 41, e143-4	1.4	4
2208	The authors reply. <i>Critical Care Medicine</i> , 2013 , 41, e189	1.4	
2207	Etomidate-trusted alternative time to trust alternatives?. <i>Critical Care Medicine</i> , 2013 , 41, 917-9	1.4	3
2206	Sedative and analgesic drugs. <i>Critical Care Medicine</i> , 2013 , 41, e189	1.4	
2205	Outcome and quality of life in patients with postoperative delirium during an ICU stay following major surgery. 2013 , 17, R257		109
2204	Respiratory review of 2013: critical care medicine. 2013 , 75, 1-8		4
2203	Delirium rating scales in critically ill patients: a systematic literature review. 2013 , 25, 148-54		12
2202	Delirium in intensive care: an under-diagnosed reality. 2013 , 25, 137-47		19
2201	Should dexmedetomidine replace benzodiazepines as the preferred sedative, as suggested by new guidelines from the society for critical care medicine?. 2013 , 66, 393-6		1
2200	Validation and evaluation of two observational pain assessment tools in a trauma and neurosurgical intensive care unit. 2013 , 18, e107-14		25

2199	A real-world, multicenter assessment of drugs requiring weight-based calculations in overweight, adult critically ill patients. 2013 , 2013, 909135	10
2198	Intensive care sedation, trends and habits. 2013 , 41, 291-3	
2197	Environmental modification. 279-284	
2196	Pharmacogenomics and cerebral dysfunction. 305-315	
2195	Perbedaan Pemberian Midazolam dan Ketamin Terhadap PaCO ₂ dan HCO ₃ pada Pasien dengan Ventilator. 2014 , 5, 203	
2194	Japanese guidelines for the management of Pain, Agitation, and Delirium in intensive care unit (J-PAD). 2014 , 21, 539-579	25
2193	Interpatient variability in dexmedetomidine response: a survey of the literature. 2014 , 2014, 805013	31
2192	Effect of inpatient electroencephalography on clinical decision making: EEG is more valuable than findings suggest. Response. 2014 , 114, 426-7	
2191	Use of antipsychotics for the treatment of intensive care unit delirium. 2014 , 26, 86-8	1
2190	Drug-Use Evaluation Comparing Dexmedetomidine Use at 3 Health Authority Sites Relative to Manufacturer's Recommended Directions (DECODE Study). 2014 , 67, 379-86	0
2189	Clinical year in review 2014: critical care medicine. 2014 , 77, 6-12	5
2188	Pharmacogenomics in the intensive care unit: focus on potential implications for clinical practice. 2014 , 8, 116-22	5
2187	Out-of-bed extubation: a feasibility study. 2014 , 26, 263-8	4
2186	The detection of delirium in the ICU: An important aspect of care. 2014 , 4,	3
2185	4.9 Analgesie und Sedierung beim kritisch Kranken. 2014 ,	
2184	[Physiotherapy in intensive care medicine]. 2014 , 109, 547-54	3
2183	A ventilator strategy combining low tidal volume ventilation, recruitment maneuvers, and high positive end-expiratory pressure does not increase sedative, opioid, or neuromuscular blocker use in adults with acute respiratory distress syndrome and may improve patient comfort. 2014 , 4, 33	9
2182	Current practices and barriers impairing physicians' and nurses' adherence to analgo-sedation recommendations in the intensive care unit—a national survey. 2014 , 18, 655	40

2181 Sedatiestop, de moeite waard?. **2014**, 11, 14-17

2180 Nutrition in the acute phase of critical illness. **2014**, 370, 2450-1

19

2179 Clinical neurophysiological assessment of sepsis-associated brain dysfunction: a systematic review. **2014**, 18, 674

75

2178 Sedation assessment in a mobile intensive care unit: a prospective pilot-study on the relation of clinical sedation scales and the bispectral index. **2014**, 18, 615

10

2177 Everybody, every day: an "awakening and breathing coordination, delirium monitoring/management, and early exercise/mobility" culture is feasible in your ICU. *Critical Care Medicine*, **2014**, 42, 1280-1

1.4 6

2176 Intracuff alkalized lidocaine reduces sedative/analgesic requirements for mechanically ventilated patients. **2014**, 8, 451-5

2

2175 Using dexmedetomidine as adjunctive therapy for patients with severe alcohol withdrawal syndrome: another piece of the puzzle. *Critical Care Medicine*, **2014**, 42, 1298-9

1.4 2

2174 Nalbuphine-induced psychosis treated with naloxone. **2014**, 71, 717-21

4

2173 Developing, implementing, and evaluating a multifaceted quality improvement intervention to promote sleep in an ICU. **2014**, 29, 546-54

32

2172 Statins exposure and delirium risk: a winning association?*. *Critical Care Medicine*, **2014**, 42, 1955-7

1.4 1

2171 Decreasing inappropriate unable-to-assess ratings for the confusion assessment method for the intensive care unit. **2014**, 23, 60-9

31

2170 Moving away from benzodiazepine as a primary sedative in the intensive care unit; is clonidine a viable alternative?. **2014**, 18, 419-20

2

2169 Clarifying the confusion surrounding drug-associated delirium in the ICU. *Critical Care Medicine*, **2014**, 42, 1565-6

1.4 7

2168 Current practices of mobilization, analgesia, relaxants and sedation in Indian ICUs: A survey conducted by the Indian Society of Critical Care Medicine. **2014**, 18, 575-84

24

2167 Dexmedetomidine to wean patient of severe kyphoscoliosis with cerebral palsy in intensive care unit. **2014**, 58, 89-90

0

2166 Dexmedetomidine: Toward a paradigm shift in ICU sedation. **2014**, 18, 271-2

7

2165 Our enlightened understanding of the risks of persistent delirium. **2014**, 189, 1442-3

1

2164 An official American thoracic society workshop report: developing performance measures from clinical practice guidelines. **2014**, 11, S186-95

25

2163	Delirium diagnosis, screening and management. 2014 , 8, 286-95	32
2162	Sirolimus in severe hyperinsulinemic hypoglycemia. 2014 , 370, 2448-9	8
2161	Verminderung von Delir und anhaltender Schwäche auf ITS. 2014 , 3, 152-154	
2160	Sleep and sleep disordered breathing in hospitalized patients. 2014 , 35, 582-92	17
2159	Schmerztherapie auf der Intensivstation. 2014 , 10, 289-300	
2158	Sedation and analgesia in mechanical ventilation. 2014 , 35, 441-50	9
2157	Importance of the kidney, vessels, and heart with administration of α adrenergic receptor agonists in patients susceptible to acute respiratory distress syndrome. 2014 , 189, 1445-7	4
2156	Newly identified precipitating factors in mechanical ventilation-induced brain damage: implications for treating ICU delirium. 2014 , 14, 583-8	5
2155	Daily Interruption of Sedation in Mechanically Ventilated Adults without Tracheostomy. 2014 , 15, 150-153	
2154	Only a small subset of sedation-related delirium is innocuous: we cannot let our guard down. 2014 , 189, 1443-4	2
2153	Reply: The importance of determining the reason for intensive care unit delirium. 2014 , 189, 1444-5	
2152	SOP Analgesie und Sedierung. 2014 , 10, 6-10	
2151	Comparison of clinical outcomes in nonintubated patients with severe alcohol withdrawal syndrome treated with continuous-infusion sedatives: dexmedetomidine versus benzodiazepines. 2014 , 34, 910-7	24
2150	Trauma-Related Critical Care. 2014 , 103, 138-142	1
2149	Bundling sleep promotion with delirium prevention: ready for prime time?. 2014 , 69, 527-31	18
2148	Dexmedetomidine reduces the risk of delirium, agitation and confusion in critically ill patients: a meta-analysis of randomized controlled trials. 2014 , 28, 1459-66	79
2147	A novel device for target controlled administration and reflection of desflurane--the Mirusâ 2014 , 69, 1241-50	28
2146	Outcomes after delirium in a Japanese intensive care unit. 2014 , 36, 634-6	13

2145	Daily sedation interruption: current state of the science. 2014 , 29, 501-3	1
2144	Prise en charge de la douleur postop�atoire en chirurgie cardiaque. 2014 , 18, 325-332	
2143	Editorial: Nurses' role in improving interdisciplinary delirium care in inpatient settings: steps for action. 2014 , 23, 2995-7	2
2142	Author's Reply. 2014 , 48, e6-7	1
2141	New roles for health-care workers in the open ICU. 2014 , 4, 182-185	1
2140	The loneliest doctor. 2014 , 26, 323-5	
2139	The need for PGY2-trained clinical pharmacy specialists. 2014 , 34, e65-73	20
2138	Fluctuations in vital signs and behavioural responses of brain surgery patients in the Intensive Care Unit: are they valid indicators of pain?. 2014 , 70, 2562-76	38
2137	Respiratory variation and cardiopulmonary interactions. 2014 , 28, 407-18	1
2136	Nurses' evaluations of the CPOT use at 12-month post-implementation in the intensive care unit. 2014 , 19, 272-80	18
2135	Examining the evidence to guide practice: challenging practice habits. 2014 , 34, 28-45; quiz 46	15
2134	Rapidly reversible, sedation-related delirium versus persistent delirium in the intensive care unit. 2014 , 189, 658-65	173
2133	[Expanding the use of volatile anesthetic agents beyond the operating room]. 2014 , 61, 905-8	5
2132	Sedation and weaning from mechanical ventilation: time for 'best practice' to catch up with new realities?. 2014 , 9, 45	6
2131	Sedation in non-invasive ventilation: do we know what to do (and why)?. 2014 , 9, 56	22
2130	Midazolam and propofol used alone or sequentially for long-term sedation in critically ill, mechanically ventilated patients: a prospective, randomized study. 2014 , 18, R122	32
2129	Early sedation and clinical outcomes of mechanically ventilated patients: a prospective multicenter cohort study. 2014 , 18, R156	82
2128	Improvement of care for ICU patients with delirium by early screening and treatment: study protocol of iDECePTive study. 2014 , 9, 143	10

2127	Measuring pain in non-verbal critically ill patients: which pain instrument?. 2014 , 18, 554		10
2126	Evaluation of a minimal sedation protocol using ICU sedative consumption as a monitoring tool: a quality improvement multicenter project. 2014 , 18, 580		14
2125	Clinical relevance of pulse pressure variations for predicting fluid responsiveness in mechanically ventilated intensive care unit patients: the grey zone approach. 2014 , 18, 587		68
2124	Early sedation use in critically ill mechanically ventilated patients: when less is really more. 2014 , 18, 600		4
2123	Improving ventilator-associated event surveillance in the National Healthcare Safety Network and addressing knowledge gaps: update and review. 2014 , 27, 394-400		26
2122	Sedation guidelines, protocols, and algorithms in PICUs: a systematic review. 2014 , 15, 885-92		49
2121	A multicenter study of the point prevalence of drug-induced hypotension in the ICU. <i>Critical Care Medicine</i> , 2014 , 42, 2197-203	1.4	21
2120	Remifentanyl, ketamine, and fospropofol: a review of alternative continuous infusion agents for sedation in the critically ill. 2014 , 37, 137-51		11
2119	On the lack of standardized essential PICU guidelines*. <i>Critical Care Medicine</i> , 2014 , 42, 1724-5	1.4	7
2118	A randomized, double-blind, placebo-controlled dose range study of dexmedetomidine as adjunctive therapy for alcohol withdrawal. <i>Critical Care Medicine</i> , 2014 , 42, 1131-9	1.4	80
2117	Delirium and sleep disturbances in the intensive care unit: can we do better?. 2014 , 27, 403-8		14
2116	Abstracts and Highlight Papers of the 33rd Annual European Society of Regional Anaesthesia & Pain Therapy (ESRA) Congress 2014. 2014 , 39, e1-e141		2
2115	Agitation during prolonged mechanical ventilation at a long-term acute care hospital: risk factors, treatments, and outcomes. 2014 , 29, 218-24		6
2114	What are the latest recommendations for managing severe sepsis and septic shock?. 2014 , 27, 15-9		1
2113	Risk factors for ventilator-associated events: a case-control multivariable analysis. <i>Critical Care Medicine</i> , 2014 , 42, 1839-48	1.4	62
2112	Burst suppression on processed electroencephalography as a predictor of postcoma delirium in mechanically ventilated ICU patients. <i>Critical Care Medicine</i> , 2014 , 42, 2244-51	1.4	47
2111	Infrequent assessment of pain in elderly trauma patients. 2014 , 21, 229-35; quiz 236-7		10
2110	Benzodiazepines in the ICU. 2014 , 21, 288-289		

2109	Assessing pain in critically ill adults. 2014 , 9, 36-41		2
2108	Cornell Assessment of Pediatric Delirium: a valid, rapid, observational tool for screening delirium in the PICU*. <i>Critical Care Medicine</i> , 2014 , 42, 656-63	1.4	248
2107	Clinical nurse specialist as change agent: delirium prevention and assessment project. 2014 , 28, 224-30		5
2106	Effects of propofol on patient-ventilator synchrony and interaction during pressure support ventilation and neurally adjusted ventilatory assist. <i>Critical Care Medicine</i> , 2014 , 42, 74-82	1.4	92
2105	At-risk drinking is independently associated with ICU and one-year mortality in critically ill nontrauma patients*. <i>Critical Care Medicine</i> , 2014 , 42, 860-7	1.4	21
2104	Nurse decision making regarding the use of analgesics and sedatives in the pediatric cardiac ICU. 2014 , 15, 691-7		15
2103	High-frequency oscillatory ventilation for early acute respiratory distress syndrome in adults. 2014 , 20, 77-85		17
2102	Predictors of hypotension associated with propofol in trauma patients. 2014 , 21, 4-8		3
2101	Corticosteroids and transition to delirium in patients with acute lung injury. <i>Critical Care Medicine</i> , 2014 , 42, 1480-6	1.4	77
2100	Effectiveness and safety of the awakening and breathing coordination, delirium monitoring/management, and early exercise/mobility bundle. <i>Critical Care Medicine</i> , 2014 , 42, 1024-36	1.4	341
2099	Detecting pain in traumatic brain-injured patients with different levels of consciousness during common procedures in the ICU: typical or atypical behaviors?. 2014 , 30, 960-9		46
2098	Using sedation-agitation scales in the ICU. 2014 , 9, 5-9		
2097	Randomized ICU trials do not demonstrate an association between interventions that reduce delirium duration and short-term mortality: a systematic review and meta-analysis. <i>Critical Care Medicine</i> , 2014 , 42, 1442-54	1.4	70
2096	Clinical Practice Guidelines. 2014 , 5, 59-69		3
2095	Clonidine infusions-do they have a role in the PICU?. 2014 , 15, 563-5		2
2094	Toward unreasonable effectiveness of cardiac ICU data: artificial intelligence in pediatric cardiac intensive care. 2014 , 15, 565-7		1
2093	Critical care strategies to improve neurocognitive outcome in thoracic surgery. 2014 , 27, 44-8		9
2092	The changing role of palliative care in the ICU. <i>Critical Care Medicine</i> , 2014 , 42, 2418-28	1.4	192

2091	Is a palpable pulse always restored during cardiopulmonary resuscitation in a patient with a left ventricular assist device?. 2014 , 347, 322-7		5
2090	Caring for the dying patient in the ICU--the past, the present and the future. 2014 , 30, 306-11		26
2089	Daily sedation interruption versus no daily sedation interruption for critically ill adult patients requiring invasive mechanical ventilation. 2014 , CD009176		47
2088	Clinical Practice Poster Presentations. 2014 , 15, S-23-S-81		1
2087	Sedation and its association with posttraumatic stress disorder after intensive care. 2014 , 34, 30-7; quiz 39		14
2086	Can fluctuations in vital signs be used for pain assessment in critically ill patients with a traumatic brain injury?. 2014 , 2014, 175794		19
2085	The outcome of agitation in poisoned patients in an Iranian tertiary care university hospital. 2014 , 2014, 275064		1
2084	Effect of gamma-hydroxybutyrate on keratinocytes proliferation: A preliminary prospective controlled study in severe burn patients. 2014 , 4, 108-13		3
2083	Delirium in the cardiac surgical ICU. 2014 , 27, 117-22		80
2082	A comparison of severe hemodynamic disturbances between dexmedetomidine and propofol for sedation in neurocritical care patients. <i>Critical Care Medicine</i> , 2014 , 42, 1696-702	1.4	43
2081	Neurological events after liver transplantation: a single-center experience. 2014 , 27, 1244-52		8
2080	Validation of the use of the Critical-Care Pain Observation Tool (CPOT) with brain surgery patients in the neurosurgical intensive care unit. 2014 , 30, 257-65		39
2079	Sedaci3n-analgesia en reanimaci3n de adultos. 2014 , 40, 1-13		
2078	Chest tube removal: an expanded role for the bedside nurse. 2014 , 29, 53-9		2
2077	[Indications of dexmedetomidine in the current sedoanalgesia tendencies in critical patients]. 2014 , 38, 41-8		13
2076	Initial interrater reliability for a novel measure of patient mobility in a cardiovascular intensive care unit. 2014 , 29, 475.e1-5		17
2075	Safety and efficacy of dexmedetomidine for long-term sedation in critically ill patients. 2014 , 28, 38-50		28
2074	Delirium in elderly people. 2014 , 383, 911-22		1684

2073	Preventive effects of multisensory rehabilitation on development of cognitive dysfunction following systemic inflammation in aged rats. 2014 , 28, 780-4	9
2072	Neurological examination of critically ill patients: a pragmatic approach. Report of an ESICM expert panel. 2014 , 40, 484-95	92
2071	Acute hyperglycemia associated with short-term use of atypical antipsychotic medications. 2014 , 74, 183-94	9
2070	Delirium en ranimation chez lâdulte: le choix des molcules a-t-il un rle ?. 2014 , 23, 372-378	
2069	Indications of dexmedetomidine in the current sedoanalgesia trends in the critical patient. 2014 , 38, 41-48	1
2068	2013: updates in delirium. 2014 , 4, 58-60	1
2067	Predictors of severe hypotension in neurocritical care patients sedated with propofol. 2014 , 20, 270-6	17
2066	Neurological complications of cardiac surgery. 2014 , 13, 490-502	51
2065	Efficacy and safety of analgosedation with fentanyl compared with traditional sedation with propofol. 2014 , 34, 643-7	17
2064	Analgesic, sedative, antipsychotic, and neuromuscular blocker use in Canadian intensive care units: a prospective, multicentre, observational study. 2014 , 61, 619-30	58
2063	Statin use and risk of delirium in the critically ill. 2014 , 189, 666-73	62
2062	ECMO-Extracorporeal Life Support in Adults. 2014 ,	15
2061	Improved analgesia, sedation, and delirium protocol associated with decreased duration of delirium and mechanical ventilation. 2014 , 11, 367-74	73
2060	Intensive care unit delirium: a review of the literature. 2014 , 27, 195-207	36
2059	Sedation and delirium in the intensive care unit. 2014 , 370, 444-54	340
2058	Cognitive Informatics in Health and Biomedicine. 2014 ,	7
2057	Postoperative Critical Care for Cardiac Surgical Patients. 2014 ,	3
2056	The cost of opioid-related adverse drug events. 2014 , 28, 282-93	65

2055	Incidence and prevention of delirium in critical care patients. 2014 , 26, 461-8	1
2054	Early mobility in the intensive care unit: Standard equipment vs a mobility platform. 2014 , 23, 451-7	12
2053	Therapeutic hypothermia after cardiac arrest and return of spontaneous circulation: it's complicated. 2014 , 26, 511-24	
2052	Simultaneous detection of ketamine, lorazepam, midazolam and sufentanil in human serum with liquid chromatography-tandem mass spectrometry for monitoring of analgesedation in critically ill patients. 2014 , 973C, 133-141	23
2051	Predictors of agitation in critically ill adults. 2014 , 23, 414-23	36
2050	Agitation onset, frequency, and associated temporal factors in critically ill adults. 2014 , 23, 296-304	17
2049	Patient predictors of dexmedetomidine effectiveness for sedation in intensive care units. 2014 , 23, 160-5	16
2048	Early pharmacological treatment of delirium may reduce physical restraint use: a retrospective study. 2014 , 48, 328-34	18
2047	Correlation of patient-reported outcomes of sedation and sedation assessment scores in critically ill patients. 2014 , 29, 1132.e5-9	7
2046	Feasibility and acceptability of hand massage therapy for pain management of postoperative cardiac surgery patients in the intensive care unit. 2014 , 43, 437-44	25
2045	Sedative choice: a critical decision. 2014 , 189, 1295-7	5
2044	Delirium among critically ill adults: evaluation of the psychometric properties of the Italian 'Confusion Assessment Method for the Intensive Care Unit'. 2014 , 30, 283-91	16
2043	Clinical monitoring scales in acute brain injury: assessment of coma, pain, agitation, and delirium. 2014 , 21 Suppl 2, S27-37	75
2042	Major publications in the critical care pharmacotherapy literature: February 2012 through February 2013. 2014 , 71, 68-77	7
2041	Exploring hemodynamics: a review of current and emerging noninvasive monitoring techniques. 2014 , 26, 357-75	7
2040	Electrophysiologic monitoring in acute brain injury. 2014 , 21 Suppl 2, S129-47	45
2039	An official American Thoracic Society/American Association of Critical-Care Nurses/American College of Chest Physicians/Society of Critical Care Medicine policy statement: the Choosing Wisely® Top 5 list in Critical Care Medicine. 2014 , 190, 818-26	99
2038	Consensus summary statement of the International Multidisciplinary Consensus Conference on Multimodality Monitoring in Neurocritical Care: a statement for healthcare professionals from the Neurocritical Care Society and the European Society of Intensive Care Medicine. 2014 , 21 Suppl 2, S1-26	139

2037	Consensus summary statement of the International Multidisciplinary Consensus Conference on Multimodality Monitoring in Neurocritical Care : a statement for healthcare professionals from the Neurocritical Care Society and the European Society of Intensive Care Medicine. 2014 , 40, 1189-209	190
2036	Behavioral changes in brain-injured critical care adults with different levels of consciousness during nociceptive stimulation: an observational study. 2014 , 40, 1115-23	17
2035	Immunosuppressive aspects of analgesics and sedatives used in mechanically ventilated patients: an underappreciated risk factor for the development of ventilator-associated pneumonia in critically ill patients. 2014 , 48, 77-85	17
2034	[Delirium]. 2014 , 55, 775-81	5
2033	Palliative care in the ICU: relief of pain, dyspnea, and thirst--a report from the IPAL-ICU Advisory Board. 2014 , 40, 235-48	111
2032	In pursuit of pain: recent advances and future directions in pain assessment in the ICU. 2014 , 40, 1009-14	19
2031	Posttraumatic stress disorder among survivors of critical illness: creation of a conceptual model addressing identification, prevention, and management. 2014 , 40, 820-9	35
2030	Enhancing sleep in critically ill perianesthesia patients. 2014 , 29, 140-2	
2029	Annual Update in Intensive Care and Emergency Medicine 2014. 2014 ,	3
2028	Management of right heart failure in the critically ill. 2014 , 30, 475-98	19
2027	Neuroblastoma and pediatric delirium: a case series. 2014 , 61, 1121-3	26
2026	Ventilator-associated conditions versus ventilator-associated pneumonia: different by design. 2014 , 16, 430	18
2025	Core Knowledge in Critical Care Medicine. 2014 ,	
2024	Adverse neurologic effects of medications commonly used in the intensive care unit. 2014 , 30, 795-811	4
2023	Promoting sleep in the adult surgical intensive care unit patients to prevent delirium. 2014 , 49, 383-97	8
2022	An evidence based systematic review of remifentanyl associated opioid-induced hyperalgesia. 2014 , 13, 587-603	35
2021	Postoperative delirium: risk factors, prevention, and treatment. 2014 , 28, 1352-60	40
2020	Strategies to prevent ventilator-associated pneumonia in acute care hospitals: 2014 update. 2014 , 35, 915-36	179

2019	Administration des molćules sđatives en rđanimation: Pourquoi un dđcalage entre prescription et administration?. 2014 , 33, A195	
2018	Sedazione-analgesia in rianimazione dell'adulto. 2014 , 19, 1-12	
2017	Propofol is associated with favorable outcomes compared with benzodiazepines in ventilated intensive care unit patients. 2014 , 189, 1383-94	74
2016	Clinical practice guidelines for delirium management: potential application in palliative care. 2014 , 48, 249-58	22
2015	Impact of tracheostomy placement on anxiety in mechanically ventilated adult ICU patients. 2014 , 43, 392-8	16
2014	Delirium prevention program in the surgical intensive care unit improved the outcomes of older adults. 2014 , 190, 280-8	32
2013	Pain assessment using the critical-care pain observation tool in Chinese critically ill ventilated adults. 2014 , 48, 975-82	36
2012	What stops us from following sedation recommendations in intensive care units? A multicentric qualitative study. 2014 , 29, 291-7	17
2011	Responses to noxious stimuli in sedated mechanically ventilated adults. 2014 , 43, 6-12	6
2010	Exploring the impact of augmenting sedation assessment with physiologic monitors. 2014 , 27, 145-50	17
2009	Treating an established episode of delirium in palliative care: expert opinion and review of the current evidence base with recommendations for future development. 2014 , 48, 231-248	55
2008	[Evaluation of immediate post-operative pain in heart surgery using the Behavioural Pain Scale]. 2014 , 25, 24-9	2
2007	Improving patient care through the prism of psychology: application of Maslow's hierarchy to sedation, delirium, and early mobility in the intensive care unit. 2014 , 29, 438-44	42
2006	A practical approach to neurologic evaluation in the intensive care unit. 2014 , 29, 627-33	6
2005	Recent advances in understanding pain: what lies ahead for critical care?. 2014 , 19, 110-3	5
2004	"Releasing a lot of poisons from my mind": patients' delusional memories of intensive care. 2014 , 43, 427-31	19
2003	Optimizing the approach to pain, agitation, and delirium in critical care. 2014 , 61, 605-10	0
2002	Cost effectiveness of a benzodiazepine vs a nonbenzodiazepine-based sedation regimen for mechanically ventilated, critically ill adults. 2014 , 29, 753-7	15

2001	An evaluation of the validity and potential utility of facial electromyogram Responsiveness Index for sedation monitoring in critically ill patients. 2014 , 29, 886.e1-7	6
2000	Electroconvulsive therapy as a treatment for protracted refractory delirium in the intensive care unit—five cases and a review. 2014 , 29, 881.e1-6	18
1999	Accelerometer-based devices can be used to monitor sedation/agitation in the intensive care unit. 2014 , 29, 748-52	17
1998	One size does not fit all: opioid dose range orders. 2014 , 29, 246-52	12
1997	Extracorporeal life support for adults with severe acute respiratory failure. 2014 , 2, 154-64	88
1996	Effect of a multi-level intervention on nurse-patient communication in the intensive care unit: results of the SPEACS trial. 2014 , 43, 89-98	79
1995	Goal directed therapy in the intensive care and emergency settings: what is the evidence?. 191-196	
1994	Oxygen delivery, cardiac function and monitoring. 1-12	
1993	Psychometric comparison of three behavioural scales for the assessment of pain in critically ill patients unable to self-report. 2014 , 18, R160	67
1992	Strategies to prevent ventilator-associated pneumonia in acute care hospitals: 2014 update. 2014 , 35 Suppl 2, S133-54	96
1991	Daily sedative interruption versus intermittent sedation in mechanically ventilated critically ill patients: a randomized trial. 2014 , 4, 14	25
1990	Sedation using propofol induces similar diaphragm dysfunction and atrophy during spontaneous breathing and mechanical ventilation in rats. 2014 , 120, 665-72	15
1989	Short-term use of remifentanyl during endotracheal extubation for prophylactic analgesia in neurosurgical patients after craniotomy (SURE after Craniotomy Study): a study protocol and statistical analysis plan for a randomised controlled trial. 2014 , 4, e005635	5
1988	Multimodal Analgesia in Perioperative Settings: Improvement Perspectives / Multimodal Analgija Perioperativno Razdoblje. 2014 , 68, 222-227	
1987	Chronic critical illness. 209-220	
1986	The injured patient in the ICU. 261-276	
1985	The patient with sepsis. 334-347	
1984	Mechanical ventilation during pregnancy: sedation, analgesia, and paralysis. 2014 , 57, 844-50	11

1983	Maintaining comfort, cognitive function, and mobility in surgical intensive care unit patients. 2014 , 77, 364-75	4
1982	Predictors of physical restraint use in Canadian intensive care units. 2014 , 18, R46	44
1981	BIS monitoring versus clinical assessment for sedation in mechanically ventilated adult patients in the intensive care unit and its impact on clinical outcomes and resource utilization. 2014 ,	2
1980	Efficacy and safety of early dexmedetomidine during noninvasive ventilation for patients with acute respiratory failure: a randomized, double-blind, placebo-controlled pilot study. 2014 , 145, 1204-1212	42
1979	A tool to assess mobility status in critically ill patients: the Perme Intensive Care Unit Mobility Score. 2014 , 10, 41-9	42
1978	Pediatric delirium: evaluating the gold standard. 2015 , 13, 513-6	19
1977	Integration of palliative care in the context of rapid response: a report from the Improving Palliative Care in the ICU advisory board. 2015 , 147, 560-569	34
1976	ICU director data: using data to assess value, inform local change, and relate to the external world. 2015 , 147, 1168-1178	18
1975	The biological cost of the depression of consciousness. 2015 , 43, 119-121	
1974	Delirium and Circadian Rhythm of Melatonin During Weaning From Mechanical Ventilation: An Ancillary Study of a Weaning Trial. 2015 , 148, 1231-1241	40
1973	Miocardioopatía dilatada secundaria a hipofosfatemia severa en un paciente críticamente enfermo con falla respiratoria por uso de metadona. 2015 , 15, 147-152	
1972	Understanding Costs When Seeking Value in Critical Care. 2015 , 12, 1743-4	8
1971	Psychological Aspects of Care of the Critically Ill Child. 2015 , 4, 182-187	1
1970	Physical, Cognitive, and Psychological Disability Following Critical Illness: What Is the Risk?. 2015 , 36, 943-58	32
1969	Pain and Sedation Management in Mechanically Ventilated Children. 2015 , 4, 64-72	
1968	Caring for dying patients in the intensive care unit: managing pain, dyspnea, anxiety, delirium, and death rattle. 2015 , 26, 110-20; quiz 121-2	8
1967	Pharmacological interventions for the treatment of delirium in critically ill patients. 2015 ,	4
1966	Anaesthesia and Postoperative Analgesia Performed by Insertion of a Perineural Catheter at the Brachial Plexus Site - Case Series. 2015 , 61, 241-244	

1965 How to prevent delirium?. 140-156

1964 Rethinking critical care: decreasing sedation, increasing delirium monitoring, and increasing patient mobility. **2015**, 41, 62-74 30

1963 "Delirium" Is No Delirium: On Type Specifying and Drug Response. *Critical Care Medicine*, **2015**, 43, e589 1.4 10

1962 Recall of ICU Stay in Patients Managed With a Sedation Protocol or a Sedation Protocol With Daily Interruption. *Critical Care Medicine*, **2015**, 43, 2180-90 1.4 29

1961 The efficacy of the COMFORT score and pain management protocol in ventilated pediatric patients following cardiac surgery. **2015**, 2, 123-127 5

1960 Computerized physician order entry of a sedation protocol is not associated with improved sedation practice or outcomes in critically ill patients. **2015**, 15, 177 2

1959 Preventive nebulization of mucolytic agents and bronchodilating drugs in invasively ventilated intensive care unit patients (NEBULAE): study protocol for a randomized controlled trial. **2015**, 16, 389 6

1958 Norske intensivavdelingers praksis rundt søvn og sedasjon: Sleeping and sedation practices in Norwegian intensive care units. **2015**, 35, 105-112 1

1957 A randomized controlled proof-of-concept trial of early sedation management using Responsiveness Index monitoring in mechanically ventilated critically ill patients. **2015**, 19, 333 3

1956 Vroegmobiliseren op de IC. **2015**, 13, 17-20

1955 Pharmacokinetic and Other Considerations for Drug Therapy During Targeted Temperature Management. *Critical Care Medicine*, **2015**, 43, 2228-38 1.4 29

1954 Applying the Beers and STOPP Criteria to Care of the Critically Ill Older Adult. **2015**, 38, 231-6 2

1953 Approaches of intensive care nurses towards sensory requirements of patients. **2015**, 24, 3186-96 1

1952 The psychological and neurocognitive consequences of critical illness. A pragmatic review of current evidence. **2015**, 16, 226-233 19

1951 Do alcohol use disorders impact on long term outcomes from intensive care?. **2015**, 19, 185 21

1950 The use of volatile anesthetic agents for long-term critical care sedation (VALTS): study protocol for a pilot randomized controlled trial. **2015**, 16, 560 26

1949 Prospective evaluation of inappropriate unable-to-assess CAM-ICU documentations of critically ill adult patients. **2015**, 3, 52 14

1948 On risk factors for pediatric delirium at noon. **2015**, 16, 375-6 4

1947	Long-term consequences of pain, anxiety and agitation for critically ill older patients after an intensive care unit stay. 2015 , 24, 2419-28	6
1946	A shared language regarding sedation and delirium in critically ill patients. 2015 , 20, 204-9	7
1945	Screening and Management of Delirium in Critically Ill Patients. 2015 , 50, 667-71	2
1944	NICHE Recommended Care of the Critically Ill Older Adult. 2015 , 38, 223-30	7
1943	Impact of Quetiapine Treatment on Duration of Hypoactive Delirium in Critically Ill Adults: A Retrospective Analysis. 2015 , 35, 731-9	25
1942	Evaluating the transition from dexmedetomidine to clonidine for agitation management in the intensive care unit. 2015 , 3, 2050312115621767	14
1941	'Providing good and comfortable care by building a bond of trust': nurses views regarding their role in patients' perception of safety in the intensive care unit. 2015 , 24, 3233-44	9
1940	Nurse-driven pediatric analgesia and sedation protocol reduces withdrawal symptoms in critically ill medical pediatric patients. 2015 , 25, 786-794	42
1939	Pediatric delirium and associated risk factors: a single-center prospective observational study. 2015 , 16, 303-309	107
1938	20 questions: Evidence-based practice or sacred cow?. 2015 , 45, 46-55; quiz 55-6	5
1937	The authors reply. <i>Critical Care Medicine</i> , 2015 , 43, e589-90	1.4
1936	Anticholinergic Medication Use and Transition to Delirium in Critically Ill Patients: A Prospective Cohort Study. <i>Critical Care Medicine</i> , 2015 , 43, 1846-52	1.4 30
1935	Ten Myths and Misconceptions Regarding Pain Management in the ICU. <i>Critical Care Medicine</i> , 2015 , 43, 2468-78	1.4 34
1934	The relevance of pupillometry for evaluation of analgesia before noxious procedures in the intensive care unit. 2015 , 120, 1297-300	33
1933	Promoting sleep in critically ill patients. 2015 , 10, 37-43	2
1932	Stuck Inside a Cloud: Optimizing Sedation to Reduce ICU-Associated Delirium in Geriatric Patients. 2015 , 38, 245-52	2
1931	Emergency nurses' perceptions of sedation management practices for critically ill intubated patients: a qualitative study. 2015 , 24, 3286-95	7
1930	Morphine Glucuronidation and Elimination in Intensive Care Patients: A Comparison with Healthy Volunteers. 2015 , 121, 1261-73	14

1929	A Multicenter Evaluation of Off-Label Medication Use and Associated Adverse Drug Reactions in Adult Medical ICUs. <i>Critical Care Medicine</i> , 2015 , 43, 1612-21	1.4	22
1928	Postoperative Critical Care of the Adult Cardiac Surgical Patient. Part I: Routine Postoperative Care. <i>Critical Care Medicine</i> , 2015 , 43, 1477-97	1.4	83
1927	Pain assessment and management in critically ill older adults. 2015 , 38, 237-44		8
1926	Impact of Preoperative Environmental Enrichment on Prevention of Development of Cognitive Impairment Following Abdominal Surgery in a Rat Model. 2015 , 123, 160-70		73
1925	AACN CSI Academy, part 3: Introducing the Massachusetts CSI Nursing Delirium Collaborative. 2015 , 46, 10-4		2
1924	The biological cost of the depression of consciousness?. 2015 , 43, 119-121		
1923	Has the Drug of Choice for Treating Critical Illness Delirium Been Established?. 2015 , 68, 430-3		
1922	Intensive care management of patients with liver disease: proceedings of a single-topic conference sponsored by the Brazilian Society of Hepatology. 2015 , 52 Suppl 1, 55-72		6
1921	Defining the Role of Dexmedetomidine in the Prevention of Delirium in the Intensive Care Unit. 2015 , 2015, 635737		24
1920	Psychosocial challenges before and after organ transplantation. 2015 , 45		22
1919	Relation of Reported Sedation and Ventilator Weaning Practices to Ventilator Time in Norwegian Intensive Care Units. 2015 , 2015, 1-8		
1918	Development of Delirium in the Intensive Care Unit in Patients after Endovascular Aortic Repair: A Retrospective Evaluation of the Prevalence and Risk Factors. 2015 , 2015, 405817		7
1917	The Impact of Pain Assessment on Critically Ill Patients' Outcomes: A Systematic Review. 2015 , 2015, 503830		42
1916	Prospective observational study of emergency airway management in the critical care environment of a tertiary hospital in Melbourne. 2015 , 43, 577-86		22
1915	Mechanical ventilation of the patient following traumatic injury. 340-352		0
1914	Medication-induced acute dystonic reaction: the challenge of diagnosing movement disorders in the intensive care unit. 2015 , 2015,		9
1913	Prevalence, risk factors, and outcomes of delirium in mechanically ventilated adults. <i>Critical Care Medicine</i> , 2015 , 43, 557-66	1.4	209
1912	A systematic review of implementation strategies for assessment, prevention, and management of ICU delirium and their effect on clinical outcomes. 2015 , 19, 157		142

1911	Prospective observation of physical activity in critically ill patients who were intubated for more than 48 hours. 2015 , 30, 658-63		35
1910	Nonpulmonary treatments for pediatric acute respiratory distress syndrome: proceedings from the Pediatric Acute Lung Injury Consensus Conference. 2015 , 16, S73-85		30
1909	Association of cumulative dose of haloperidol with next-day delirium in older medical ICU patients. <i>Critical Care Medicine</i> , 2015 , 43, 996-1002	1.4	27
1908	Dexmedetomidine: A Review of Its Use for Sedation in the Intensive Care Setting. 2015 , 75, 1119-30		147
1907	Efficacy of concomitant use of dexmedetomidine and propofol in tetanus. 2015 , 33, 1848.e3-4		6
1906	The effects of a tailored intensive care unit delirium prevention protocol: A randomized controlled trial. 2015 , 52, 1423-32		46
1905	Pharmacologic agents for the prevention and treatment of delirium in patients undergoing cardiac surgery: systematic review and metaanalysis. <i>Critical Care Medicine</i> , 2015 , 43, 194-204	1.4	44
1904	Multinational development and validation of an early prediction model for delirium in ICU patients. 2015 , 41, 1048-56		89
1903	Nordic social pharmacy and health services research conference & the nordic networking group of clinical pharmacy : june 3-5, 2015, tartu, estonia. 2015 , 37 Suppl 1, 1-34		
1902	Sedation options for intubated intensive care unit patients. 2015 , 27, 131-45		3
1901	Circadian rhythms in anesthesia and critical care medicine: potential importance of circadian disruptions. 2015 , 19, 49-60		35
1900	Clinical effectiveness of a sedation protocol minimizing benzodiazepine infusions and favoring early dexmedetomidine: a before-after study. 2015 , 19, 136		14
1899	Early deep sedation is associated with decreased in-hospital and two-year follow-up survival. 2015 , 19, 197		74
1898	Anesthetic management during cardiopulmonary bypass: a systematic review. 2015 , 120, 749-69		53
1897	Sedation in the Pediatric Intensive Care Unit: Challenges, Outcomes, and Future Strategies in the United States. 2015 , 275-328		
1896	Management of Pain, Agitation and Delirium. 2015 , 197-212		1
1895	Reducing Mortality in Critically Ill Patients. 2015 ,		
1894	Outcome of delirium in critically ill patients: systematic review and meta-analysis. 2015 , 350, h2538		430

1893	Cognitive Dysfunction, Delirium, and Stroke in Cardiac Surgery Patients. 2015 , 19, 309-17	51
1892	Examining Health Care Costs: Opportunities to Provide Value in the Intensive Care Unit. 2015 , 33, 753-70	9
1891	Incidence and impact of delirium on clinical and functional outcomes in older patients hospitalized for acute cardiac diseases. 2015 , 170, 938-44	32
1890	Protocolized Sedation for Ventilated Pediatric Patients. 2015 , 33, 54-54	
1889	Postintensive care syndrome and the role of a follow-up clinic. 2015 , 72, 1315-23	14
1888	Early Rehabilitation in the Intensive Care Unit. 2015 , 3, 214-221	3
1887	Douleur en ranimation : problématiques soignantes. 2015 , 24, 760-766	
1886	Awake or Sedated: Trends in the Evaluation and Management of Agitation in the Intensive Care Unit. 2015 , 36, 899-913	14
1885	Quality Metrics in Inpatient Neurology. 2015 , 35, 708-15	
1884	Moving Beyond Metabolic Encephalopathy: An Update on Delirium Prevention, Workup, and Management. 2015 , 35, 646-55	5
1883	Benzodiazepine-associated delirium dosing strategy or cumulative dose?. 2015 , 41, 2245-6	3
1882	Hospital delirium treatment: Continuation of antipsychotic therapy from the intensive care unit to discharge. 2015 , 72, S133-9	33
1881	The preventability of ventilator-associated events. The CDC Prevention Epicenters Wake Up and Breathe Collaborative. 2015 , 191, 292-301	117
1880	Multicenter evaluation of pharmacologic management and outcomes associated with severe resistant alcohol withdrawal. 2015 , 30, 405-9	32
1879	[Intraobserver reliability and internal consistency of the Behavioral Pain Scale in mechanically-ventilated patients]. 2015 , 26, 24-31	7
1878	Clinician perspectives on protocols designed to minimize sedation. 2015 , 30, 348-52	18
1877	Classification of daily mental status in critically ill patients for research purposes. 2015 , 30, 375-80	18
1876	Protocol-directed sedation versus non-protocol-directed sedation to reduce duration of mechanical ventilation in mechanically ventilated intensive care patients. 2015 , 1, CD009771	16

1875	A randomized, double-blind pilot study of dexmedetomidine versus midazolam for intensive care unit sedation: patient recall of their experiences and short-term psychological outcomes. 2015 , 30, 167-75	36
1874	The validity, reliability, responsiveness and applicability of observation sedation-scoring instruments for use with adult patients in the emergency department: a systematic literature review. 2015 , 18, 1-23	20
1873	Alpha-2 agonists for long-term sedation during mechanical ventilation in critically ill patients. 2015 , 1, CD010269	64
1872	Effect of dexmedetomidine on preventing agitation and delirium after microvascular free flap surgery: a randomized, double-blind, control study. 2015 , 73, 1065-72	34
1871	Delirium monitoring and patient outcomes in a general intensive care unit. 2015 , 24, 48-56	30
1870	Preventing delirium: should non-pharmacological, multicomponent interventions be used? A systematic review and meta-analysis of the literature. 2015 , 44, 196-204	112
1869	Failure of high-flow nasal cannula therapy may delay intubation and increase mortality. 2015 , 41, 623-32	270
1868	Nonpharmacological interventions to prevent delirium: an evidence-based systematic review. 2015 , 35, 39-50; quiz 51	44
1867	Pharmacist leadership in ICU quality improvement: coordinating spontaneous awakening and breathing trials. 2015 , 49, 883-91	28
1866	Ketamine in adult cardiac surgery and the cardiac surgery Intensive Care Unit: an evidence-based clinical review. 2015 , 18, 202-9	25
1865	The confusion assessment method for the intensive care unit in patients with cirrhosis. 2015 , 30, 1063-71	4
1864	Rescue dose orders as an alternative to range orders: an evidence-based practice project. 2015 , 30, 215-20	1
1863	An analysis of patient safety incident reports describing injuries to staff working in critical care in the North West of England between 2009 and 2013. 2015 , 16, 208-214	2
1862	Strategies for weaning from mechanical ventilation: a state of the art review. 2015 , 31, 189-95	8
1861	ICU Delirium: Diagnosis, Risk Factors, and Management. 2015 , 5, 400-406	0
1860	Altered mental status in the neurocritical care unit. 2015 , 30, 1272-7	5
1859	La dexmédétomidine : raisonnement clinique en vue d'une utilisation pour la sédation en réanimation chez l'adulte. 2015 , 19, 125-135	1
1858	The Sick and the Weak: Neuropathies/Myopathies in the Critically Ill. 2015 , 95, 1025-109	166

1857	Early rehabilitation in the intensive care unit: an integrative literature review. 2015 , 28, 216-25		41
1856	Effects of Natural Sounds on Pain: A Randomized Controlled Trial with Patients Receiving Mechanical Ventilation Support. 2015 , 16, 483-92		15
1855	Pharmacologic approach for delirium after cardiac surgery: there is no magic bullet. <i>Critical Care Medicine</i> , 2015 , 43, 256-7	1.4	1
1854	Fentanyl-induced hyperalgesia in acute pain management. 2015 , 29, 153-60		15
1853	Geriatric Pharmacology. 2015 , 33, 457-69		15
1852	Sleep Loss and Circadian Rhythm Disruption in the Intensive Care Unit. 2015 , 36, 419-29		38
1851	Patients' experience of being in intensive care units. 2015 , 30, 859.e7-11		34
1850	Critical Care Issues of the Geriatric Patient. 2015 , 33, 551-61		7
1849	âLess Is MoreâThe New Paradigm in Critical Care. 2015 , 7-11		0
1848	Volatile-based short-term sedation in cardiac surgical patients: a prospective randomized controlled trial. <i>Critical Care Medicine</i> , 2015 , 43, 1062-9	1.4	38
1847	Update in Mechanical Ventilation, Sedation, and Outcomes 2014. 2015 , 191, 1367-73		12
1846	SLEAP: a wake-up call to question the oversimplification of ICU delirium. <i>Critical Care Medicine</i> , 2015 , 43, 703-5	1.4	
1845	Reliability and validity assessment of the Japanese version of the Confusion Assessment Method for the Intensive Care Unit (CAM-ICU). 2015 , 31, 165-70		17
1844	Circadian dysrhythmias in the intensive care unit. 2015 , 31, 393-402		12
1843	Sedation in critically ill patients. 2015 , 31, 563-87		15
1842	Continuing to challenge practice to be evidence based. 2015 , 35, 39-50		31
1841	Assessing, monitoring and managing continuous intravenous sedation for critically ill adult patients and implications for emergency nursing practice: A systematic literature review. 2015 , 18, 59-67		3
1840	Critical care nursing in acute postoperative neurosurgical patients. 2015 , 27, 33-45		4

1839	Generating and selecting pain indicators for brain-injured critical care patients. 2015 , 16, 221-32	4
1838	Update on Pharmacotherapy for Prevention and Treatment of Post-operative Delirium: A Systematic Evidence Review. 2015 , 5, 57-64	10
1837	Predictors of thirst in intensive care unit patients. 2015 , 49, 530-8	27
1836	Effect of Protocolized Sedation on Clinical Outcomes in Mechanically Ventilated Intensive Care Unit Patients: A Systematic Review and Meta-analysis of Randomized Controlled Trials. 2015 , 90, 613-23	32
1835	Our paper 20 years later: 1-year survival and 6-month quality of life after intensive care. 2015 , 41, 605-14	6
1834	What's new in sedation strategies?. 2015 , 41, 1696-9	9
1833	Drug fever caused by propofol in the intensive care unit. 2015 , 29, 786-9	1
1832	Moderate-dose sedation and analgesia during targeted temperature management after cardiac arrest. 2015 , 22, 105-11	23
1831	Expert clinical reasoning and pain assessment in mechanically ventilated patients: A descriptive study. 2015 , 28, 2-8; quiz 9	17
1830	Is there a role for music in the ICU?. 2015 , 19, 17	4
1829	Dexmedetomidine versus standard care sedation with propofol or midazolam in intensive care: an economic evaluation. 2015 , 19, 67	45
1828	Sedation options for the morbidly obese intensive care unit patient: a concise survey and an agenda for development. 2015 , 10, 8	9
1827	Pharmacologic prevention and treatment of delirium in intensive care patients: A systematic review. 2015 , 30, 799-807	78
1826	Protocolized sedation in critically ill children. 2015 , 313, 363-4	1
1825	Pharmacist input into statewide treatment protocols for emergency medical services. 2015 , 72, 61-3	5
1824	Routine postoperative care of patients undergoing coronary artery bypass grafting on cardiopulmonary bypass. 2015 , 19, 78-86	1
1823	Pain assessment: validation of the physiologic indicators in the ventilated adult patient. 2015 , 16, 105-11	28
1822	Delirium in critically ill patients. 2015 , 31, 589-603	57

1821	Assessing pharmacologic and nonpharmacologic risks in candidates for kidney transplantation. 2015 , 72, 781-93		8
1820	Implications of atypical antipsychotic prescribing in the intensive care unit. 2015 , 30, 814-8		34
1819	Evaluation of Two Observational Pain Assessment Tools in Chinese Critically Ill Patients. 2015 , 16, 1622-8		17
1818	Implementing clinical practice guidelines for screening and detection of delirium in a 21-hospital system in northern California: real challenges in performance improvement. 2015 , 29, 29-37		13
1817	Opioid and benzodiazepine withdrawal syndrome: can we predict and prevent it?. 2015 , 16, 195-6		2
1816	Impact of nursing education by a pharmacist on sedation practice in a trauma surgical intensive care unit. 2015 , 22, 93-8		5
1815	A systematic review of risk factors for delirium in the ICU. <i>Critical Care Medicine</i> , 2015 , 43, 40-7	1.4	309
1814	Sedation/drugs used in intensive care sedation. 2015 , 28, 139-44		9
1813	Delirium transitions in the medical ICU: exploring the role of sleep quality and other factors. <i>Critical Care Medicine</i> , 2015 , 43, 135-141	1.4	77
1812	Protocolized sedation vs usual care in pediatric patients mechanically ventilated for acute respiratory failure: a randomized clinical trial. 2015 , 313, 379-89		220
1811	Transition from dexmedetomidine to enteral clonidine for ICU sedation: an observational pilot study. 2015 , 35, 251-9		46
1810	Review of adjunctive dexmedetomidine in the management of severe acute alcohol withdrawal syndrome. 2015 , 41, 382-91		13
1809	Benzodiazepine-associated delirium in critically ill adults. 2015 , 41, 2130-7		126
1808	Intensive care nurses' opinions and current practice in relation to delirium in the intensive care setting. 2015 , 31, 269-75		14
1807	Potential Strategies to Prevent Ventilator-associated Events. 2015 , 192, 1420-30		59
1806	Analgesia, sedation, and neuromuscular blockade during targeted temperature management after cardiac arrest. 2015 , 29, 435-50		18
1805	Peripheral muscle strength and correlates of muscle weakness in patients receiving mechanical ventilation. 2015 , 24, e91-8		19
1804	Posttraumatic stress syndrome associated with stays in the intensive care unit: importance of nurses' involvement. 2015 , 35, 44-52; quiz 54		39

1803 Encyclopedia of Trauma Care. **2015**, 1355-1356

1802 Evaluation of the Safety of Quetiapine in Treating Delirium in Critically Ill Children: A Retrospective Review. **2015**, 25, 666-70

61

1801 Vasopressors and development of pressure ulcers in adult critical care patients. **2015**, 24, 501-10

61

1800 Use of physical restraints in Dutch intensive care units: a prospective multicenter study. **2015**, 24, 488-95

47

1799 Quetiapine as treatment for delirium in critically ill children: A case series. **2013**, 2, 121-126

13

1798 Encyclopedia of Trauma Care. **2015**, 1166-1175

1797 [Pain and fear in the ICU]. **2015**, 39, 442-4

7

1796 El costo biolójico de la depresi3n de la conciencia. **2015**, 43, 119-121

3

1795 Postoperative Delirium in Cardiac Surgery: An Unavoidable Menace?. **2015**, 29, 1677-87

40

1794 Evidence-based design in an intensive care unit: end-user perceptions. **2015**, 15, 57

26

1793 Analgesie und Sedierung bei Intensivpatienten. **2015**, 10, 319-340

1792 Biologie und Therapie des Delirs. **2015**, 41, 586-596

1791 Implementation of a pain management algorithm in intensive care units and evaluation of nurses' level of adherence with the algorithm. **2015**, 44, 528-33

22

1790 Outcomes and prognostic factors in patients with prolonged acute mechanical ventilation: A single-center study in Korea. **2015**, 30, 1016-20

4

1789 Valproic Acid for Treatment of Hyperactive or Mixed Delirium: Rationale and Literature Review. **2015**, 56, 615-25

47

1788 Analgesie und Sedierung bei Intensivpatienten. **2015**, 9, 209-230

0

1787 Missing the Diagnosis of Brain Death as a Self-Erasing Error. **2015**, 192, 280-2

1

1786 Nurses' experiences of caring for critically ill, non-sedated, mechanically ventilated patients in the Intensive Care Unit: a qualitative study. **2015**, 31, 196-204

48

1785	Epidural analgesia in ICU: Useful and effective probably, safe maybe. 2015 , 34, 185-6	2
1784	Barriers and Challenges to the Successful Implementation of an Intensive Care Unit Mobility Program: Understanding Systems and Human Factors in Search for Practical Solutions. 2015 , 36, 431-40	11
1783	Encyclopedia of Trauma Care. 2015 , 1181-1192	
1782	Intensive Care Nurses' Knowledge About Use of Neuromuscular Blocking Agents in Patients With Respiratory Failure. 2015 , 24, 431-9	10
1781	Encyclopedia of Trauma Care. 2015 , 1304-1308	
1780	Key Measurement and Feasibility Characteristics When Selecting Outcome Measures. 2015 , 3, 255-267	5
1779	Assessment and Management of Pain in Patients With Disorders of Consciousness. 2015 , 7, S270-S277	20
1778	Pain, agitation, and delirium guidelines: nurses' involvement in development and implementation. 2015 , 35, 17-31; quiz 32	14
1777	Mutual relationship between anxiety and pain in the intensive care unit and its effect on medications. 2015 , 30, 1043-8	20
1776	Pediatric exposure to opioid and sedation medications during terminal hospitalizations in the United States, 2007-2011. 2015 , 166, 587-93.e1	5
1775	Thiothixene in the Management of Delirium: A Case Series. 2015 , 56, 542-6	4
1774	Dexmedetomidine-associated fever in the intensive care unit. 2015 , 6, 234-7	12
1773	Clonidine for sedation in the critically ill: a systematic review and meta-analysis (protocol). 2015 , 4, 154	10
1772	Development of a pain management algorithm for intensive care units. 2015 , 44, 521-7	16
1771	Evaluation of the preliminary effectiveness of hand massage therapy on postoperative pain of adults in the intensive care unit after cardiac surgery: a pilot randomized controlled trial. 2015 , 16, 354-66	30
1770	Postoperative delirium in older adults: best practice statement from the American Geriatrics Society. 2015 , 220, 136-48.e1	273
1769	Safety and tolerability of gabapentin for aneurysmal subarachnoid hemorrhage (sah) headache and meningismus. 2015 , 22, 414-21	14
1768	La contention physique est-elle prohibèe en ranimation?. 2015 , 19, 41-44	1

1767	Effect of early mobilization on sedation practices in the neurosciences intensive care unit: a preimplementation and postimplementation evaluation. 2015 , 30, 344-7	16
1766	The electrolarynx improves communication in a selected group of mechanically ventilated critically ill patients: a feasibility study. 2015 , 41, 547-8	12
1765	Sedation and analgesia in the ICU. 2015 , 24, 37-46	6
1764	Monitoring and optimising outcomes of survivors of critical illness. 2015 , 31, 1-9	19
1763	The spectrum of psychocognitive morbidity in the critically ill: a review of the literature and call for improvement. 2015 , 30, 130-7	56
1762	Pain measurement in mechanically ventilated critically ill patients: Behavioral Pain Scale versus Critical-Care Pain Observation Tool. 2015 , 30, 167-72	63
1761	Identification and prevalence of PTSD risk factors in ECMO patients: A single centre study. 2015 , 28, 31-6	18
1760	Emergency nurses practices in assessing and administering continuous intravenous sedation for critically ill adult patients: a retrospective record review'. 2015 , 23, 81-8	6
1759	Evaluation of adjunctive ketamine to benzodiazepines for management of alcohol withdrawal syndrome. 2015 , 49, 14-9	48
1758	Sedative Agents and Prophylaxis in ICU Delirium. 2015 , 5, 33-40	
1757	Statins and delirium: is there a role?. 2015 , 17, 470	4
1756	Neurological complications of surgery and anaesthesia. 2015 , 114, 194-203	72
1755	Comparison of Dexmedetomidine Versus Propofol on Hospital Costs and Length of Stay. 2016 , 31, 466-70	12
1754	A Review of Multifaceted Care Approaches for the Prevention and Mitigation of Delirium in Intensive Care Units. 2016 , 31, 127-41	24
1753	Management of Pain, Agitation, and Delirium in Mechanically Ventilated Oncology Patients. 2016 ,	
1752	Procedural pain in intensive care: translating awareness into practice. 2016 , 44, 444-6	4
1751	Current approach to diagnosis and treatment of delirium after cardiac surgery. 2016 , 19, 328-37	22
1750	Prevention and monitoring of delirium in older adults: an educational intervention. 2016 , 69, 725-32	3

1749	Comparison of propofol-hydromorphone and propofol-dexmedetomidine in patients with intubation after maxillofacial plastic surgery. 2016 , 12, 373-7	2
1748	Can the critical-care pain observation tool (CPOT) be used to assess pain in delirious ICU patients?. 2016 , 8, E285-7	11
1747	Sedation practices in the Neurocritical Care Unit. 2016 , 03, S81-S87	4
1746	Communication of mechanically ventilated patients in intensive care units. 2016 , 28, 132-40	7
1745	A Retrospective Review of High versus Standard Dose Dexmedetomidine for Sedation in Critically Ill Patients. 2016 , 02,	1
1744	Antipsychotic Drug Use and Screening for Delirium in Mechanically Ventilated Patients in Canadian Intensive Care Units: An Observational Study. 2016 , 69, 107-13	1
1743	Dexmedetomidine for agitated delirium in intensive care unit intubated patients. 2016 , 8, E1072-E1074	0
1742	Dexmedetomidine for hyperactive delirium: worth further study. 2016 , 8, E999-E1002	5
1741	Delirium prevention: another piece of the puzzle. 2016 , 8, E1614-E1616	1
1740	Utility of the Richmond Agitation-Sedation Scale in evaluation of acute neurologic dysfunction in the intensive care unit. 2016 , 8, E292-4	5
1739	Optimizing sedation in critically ill patients: by technology or change of culture?. 2016 , 8, E1676-E1678	2
1738	Clinical Practice Guideline of Acute Respiratory Distress Syndrome. 2016 , 79, 214-233	31
1737	Managing Agitation Associated with Schizophrenia and Bipolar Disorder in the Emergency Setting. 2016 , 17, 165-72	32
1736	Combined Neuroprotective Effects of Propofol and Dexmedetomidine on Endoplasmic Reticulum Stress-mediated Apoptosis in SH-SY5Y Cells. 2016 , 28, 219-231	
1735	The Fog of War: Delirium Prevalence in a Combat Intensive Care Unit. 2016 , 181, 209-12	3
1734	Measurement of Heart Rate Variability to Assess Pain in Sedated Critically Ill Patients: A Prospective Observational Study. 2016 , 11, e0147720	38
1733	TryCYCLE: A Prospective Study of the Safety and Feasibility of Early In-Bed Cycling in Mechanically Ventilated Patients. 2016 , 11, e0167561	32
1732	Incidence and factors related to delirium in an intensive care unit. 2016 , 50, 587-593	25

1731	Importance of the use of protocols for the management of analgesia and sedation in pediatric intensive care unit. 2016 , 62, 602-609		15
1730	Sedation, Analgesia Delirium in the ECMO Patient. 2016 ,		4
1729	Risk factors for agitation in critically ill patients. 2016 , 28, 413-419		18
1728	Treatment of Alcohol Withdrawal Syndrome with and without Dexmedetomidine. 2016 , 20, 49-53		12
1727	Patients prone for postoperative delirium: preoperative assessment, perioperative prophylaxis, postoperative treatment. 2016 , 29, 384-90		33
1726	Circadian Rhythm Disruption in the Critically Ill: An Opportunity for Improving Outcomes. <i>Critical Care Medicine</i> , 2016 , 44, 207-17	1.4	71
1725	Fentanyl Pharmacokinetics in Critically Ill Patients: A Demonstration of Mixed Effects. <i>Critical Care Medicine</i> , 2016 , 44, 240-2	1.4	1
1724	Dexmedetomidine versus Propofol Sedation Reduces Delirium after Cardiac Surgery: A Randomized Controlled Trial. 2016 , 124, 362-8		211
1723	Current Use of Pain Scores in Dutch Intensive Care Units: A Postal Survey in the Netherlands. 2016 , 122, 456-61		15
1722	Risk Factors for Dexmedetomidine-Associated Hemodynamic Instability in Noncardiac Intensive Care Unit Patients. 2016 , 122, 462-9		29
1721	Evaluation Following Staggered Implementation of the "Rethinking Critical Care" ICU Care Bundle in a Multicenter Community Setting. <i>Critical Care Medicine</i> , 2016 , 44, 460-7	1.4	13
1720	Development of Process Control Methodology for Tracking the Quality and Safety of Pain, Agitation, and Sedation Management in Critical Care Units. <i>Critical Care Medicine</i> , 2016 , 44, 564-74	1.4	6
1719	Early Identification of Subsyndromal Delirium in the Critically Ill: Don't Let the Delirium Rise!. <i>Critical Care Medicine</i> , 2016 , 44, 644-5	1.4	7
1718	Survival after long-term isoflurane sedation as opposed to intravenous sedation in critically ill surgical patients: Retrospective analysis. 2016 , 33, 6-13		37
1717	Improving Accuracy of Cardiac Electrode Placement: Outcomes of Clinical Nurse Specialist Practice. 2016 , 30, 45-50		8
1716	Epidemiology of Polypharmacy and Potential Drug-Drug Interactions Among Pediatric Patients in ICUs of U.S. Children's Hospitals. 2016 , 17, e218-28		55
1715	Preventing ICU Subsyndromal Delirium Conversion to Delirium With Low-Dose IV Haloperidol: A Double-Blind, Placebo-Controlled Pilot Study. <i>Critical Care Medicine</i> , 2016 , 44, 583-91	1.4	68
1714	An Integrative Review of Pain Resource Nurse Programs. 2016 , 39, 64-82		9

1713	Engaging Critically Ill Patients in Symptom Management: Thinking Outside the Box!. 2016 , 25, 293-300		9
1712	Validity of a Modified Sequential Organ Failure Assessment Score Using the Richmond Agitation-Sedation Scale. <i>Critical Care Medicine</i> , 2016 , 44, 138-46	1.4	37
1711	Admission plasma levels of the neuronal injury marker neuron-specific enolase are associated with mortality and delirium in sepsis. 2016 , 36, 18-23		37
1710	Antipsychotic medication utilization in nonpsychiatric hospitalizations. 2016 , 11, 543-9		21
1709	Attitudes Toward Use of Benzodiazepines among U.S. Hospice Clinicians: Survey and Review of the Literature. 2016 , 19, 516-22		6
1708	Dexmedetomidine Found to Shorten Ventilation Time, ICU Stay in Delirious Patients. 2016 , 16, 26-28		0
1707	Perioperative dexmedetomidine for acute pain after abdominal surgery in adults. 2016 , 2, CD010358		41
1706	Standardized Rehabilitation and Hospital Length of Stay Among Patients With Acute Respiratory Failure: A Randomized Clinical Trial. 2016 , 315, 2694-702		185
1705	DCCN on the Web. 2016 , 35, 80		
1704	Interprofessional Implementation of a Pain/Sedation Guideline on a Trauma Intensive Care Unit. 2016 , 23, 156-64		9
1703	Reliability and Validity of the Intensive Care Delirium Screening Checklist in Turkish. 2016 , 27, 119-24		8
1702	Sedation protocols to reduce duration of mechanical ventilation in the ICU: a Cochrane Systematic Review. 2016 , 72, 261-72		9
1701	Cardiovascular surgery nurses' level of knowledge regarding delirium. 2016 , 21, 279-86		4
1700	Impact of delirium on weaning from mechanical ventilation in medical patients. 2016 , 21, 313-20		21
1699	How Painful Could It Be? The Challenge of Measuring Pain in the Intensive Care Unit. 2016 , 122, 302-4		2
1698	Comparative Analysis of Length of Stay and Inpatient Costs for Orthopedic Surgery Patients Treated with IV Acetaminophen and IV Opioids vs. IV Opioids Alone for Post-Operative Pain. 2016 , 33, 1635-45		28
1697	Clinical Practice Guidelines for Sustained Neuromuscular Blockade in the Adult Critically Ill Patient. <i>Critical Care Medicine</i> , 2016 , 44, 2079-2103	1.4	158
1696	The Impact of Interventions to Improve Sleep on Delirium in the ICU: A Systematic Review and Research Framework. <i>Critical Care Medicine</i> , 2016 , 44, 2231-2240	1.4	50

1695	Rationale, design and methodology of a trial evaluating three strategies designed to improve sedation quality in intensive care units (DESIST study). 2016 , 6, e010148		5
1694	Comparing Dexmedetomidine With Haloperidol for the Treatment of Hyperactive Delirium in Nonintubated ICU Patients. <i>Critical Care Medicine</i> , 2016 , 44, e1259-e1260	1.4	4
1693	Critical Care Neurology Perspective on Delirium. 2016 , 36, 601-606		7
1692	Pharmacokinetics cannot explain the increased effective dose requirement for morphine and midazolam in rats during their extended administration alone or in combination. 2017 , 69, 82-88		6
1691	BTS/ICS guideline for the ventilatory management of acute hypercapnic respiratory failure in adults. 2016 , 71 Suppl 2, ii1-35		178
1690	Accuracy of Critical Care Pain Observation Tool and Behavioral Pain Scale to assess pain in critically ill conscious and unconscious patients: prospective, observational study. 2016 , 4, 68		37
1689	Intensive Care Unit Nurses' Beliefs About Delirium Assessment and Management. 2016 , 27, 379-393		9
1688	A Woman in Her 60s With Fever and Altered Mental Status in a Psychiatric Hospital. 2016 , 150, e171-e174		1
1687	Use of checklists. 1-8		1
1686	Use of guidelines and bundles. 27-34		
1685	Perioperative cognitive protection. 2016 , 117, iii52-iii61		36
1684	Pharmacological interventions for delirium in intensive care patients: a protocol for an overview of reviews. 2016 , 5, 211		14
1683	ESICM LIVES 2016: part two. 2016 , 4,		4
1682	Trauma-Informed Hospice and Palliative Care. 2018 , 58, 409-419		18
1681	National survey and point prevalence study of sedation practice in UK critical care. 2016 , 20, 355		26
1680	Feasibility of noise reduction by a modification in ICU environment. 2016 , 37, 1041-55		21
1679	Massage therapy reduces pain and anxiety after cardiac surgery: A systematic review and meta-analysis of randomized clinical trials. 2016 , 23-24, 1-8		8
1678	Sedation and Analgesia in Neurosurgery/Neurocritical Care. 2016 , 38, 1-6		2

1677	Promoting Sleep to Improve Delirium in the ICU. <i>Critical Care Medicine</i> , 2016 , 44, 2290-2291	1.4	12
1676	Peri- and postoperative cognitive and consecutive functional problems of elderly patients. 2016 , 22, 406-11		23
1675	Chronic pain disorders after critical illness and ICU-acquired opioid dependence: two clinical conundra. 2016 , 22, 506-12		35
1674	Intensive Care Unit Delirium: A Review of Diagnosis, Prevention, and Treatment. 2016 , 125, 1229-1241		76
1673	Impact of an Analgesia-Based Sedation Protocol on Mechanically Ventilated Patients in a Medical Intensive Care Unit. 2016 , 123, 903-9		41
1672	Do not do recommendations of the Spanish Society of Anaesthesiology, Critical Care and Pain Therapy. Commitment to Quality by Scientific Societies Project. 2016 , 63, 519-527		
1671	The Impact of Liver and Renal Dysfunction on the Pharmacokinetics and Pharmacodynamics of Sedative and Analgesic Drugs in Critically Ill Adult Patients. 2016 , 28, 183-94		4
1670	Impact of harmful use of alcohol on the sedation of critical patients on mechanical ventilation: A multicentre prospective, observational study in 8 Spanish intensive care units. 2016 , 40, 230-237		
1669	Volatile Agents in Medical and Surgical Intensive Care Units: A Meta-Analysis of Randomized Clinical Trials. 2016 , 30, 1005-14		13
1668	A non-pharmacologic approach to decrease restraint use. 2016 , 34, 12-9		20
1667	Impact of non-pharmacological interventions on prevention and treatment of delirium in critically ill patients: protocol for a systematic review of quantitative and qualitative research. 2016 , 5, 75		26
1666	Tolerance and Withdrawal Issues with Sedatives in the Intensive Care Unit. 2016 , 28, 155-67		0
1665	How is life support withdrawn in intensive care units: A narrative review. 2016 , 35, 12-8		12
1664	Sedation and Analgesia in Transportation of Acutely and Critically Ill Patients. 2016 , 28, 137-54		2
1663	Influence of dexmedetomidine on cognitive function in volunteers. 2016 , 33, 92-6		1
1662	Validation of the Critical-Care Pain Observation Tool in brain-injured critically ill adults. 2016 , 36, 76-80		35
1661	Should Ventilator-Associated Events become a Quality Indicator for ICUs?. 2016 , 61, 723-36		25
1660	Preventive strategies and potential therapeutic interventions for delirium in sepsis. 2016 , 44, 190-202		3

1659	[Analgesia in intensive care medicine]. 2016 , 111, 6-13	
1658	Ketamine for analgo-sedation in critically ill patients. 2016 , 35, 145-9	40
1657	Pharmacologic Issues in Liver Disease. 2016 , 32, 397-410	8
1656	Does intravenous induction dosing among patients undergoing gastrointestinal surgical procedures follow current recommendations: a study of contemporary practice. 2016 , 33, 208-15	12
1655	Brain Tissue Oxygenation in Patients with Septic Shock: a Feasibility Study. 2016 , 43, 65-73	18
1654	Factors associated with anxiety in critically ill patients: A prospective observational cohort study. 2016 , 60, 225-33	9
1653	Pain management in critically ill patients: a review of multimodal treatment options. 2016 , 6, 591-602	8
1652	Maintaining Your Momentum: Moving Evidence Into Practice. 2016 , 36, 13-8	7
1651	The standard of care of patients with ARDS: ventilatory settings and rescue therapies for refractory hypoxemia. 2016 , 42, 699-711	130
1650	Effect of a Quality Improvement Intervention With Daily Round Checklists, Goal Setting, and Clinician Prompting on Mortality of Critically Ill Patients: A Randomized Clinical Trial. 2016 , 315, 1480-90	93
1649	Comfort and patient-centred care without excessive sedation: the eCASH concept. 2016 , 42, 962-71	203
1648	Clinical recommendations for pain, sedation, withdrawal and delirium assessment in critically ill infants and children: an ESPNIC position statement for healthcare professionals. 2016 , 42, 972-86	176
1647	Methadone analgesia in the critically ill. 2016 , 34, 84-8	20
1646	Optimizing sedation in patients with acute brain injury. 2016 , 20, 128	140
1645	Stimulation of Critically Ill Patients: Relationship to Sedation. 2016 , 25, e48-55	2
1644	Application of Clinical Practice Guidelines for Pain, Agitation, and Delirium. 2016 , 28, 241-52	1
1643	Perceptions and Practices Regarding Sleep in the Intensive Care Unit. A Survey of 1,223 Critical Care Providers. 2016 , 13, 1370-7	37
1642	[Early mobilization. Competencies, responsibilities, milestones]. 2016 , 111, 153-9	11

1641	How to treat post-operative complications: An evidence-based approach. 2016 , 30, 229-36	1
1640	Ethnographic Investigation of Oral Care in the Intensive Care Unit. 2016 , 25, 249-56	18
1639	Spontaneous intracranial haemorrhage in critically ill patients with malignancies. 2016 , 24, 2971-8	3
1638	Prevention of Aspiration in Adults. 2016 , 36, e20-4	5
1637	Pain assessment in the critically ill adult: Recent evidence and new trends. 2016 , 34, 1-11	48
1636	Ebola virus disease: the UK critical care perspective. 2016 , 116, 590-6	6
1635	Neurologic Complications in the Intensive Care Unit. 2016 , 16, 57	15
1634	Acute respiratory distress syndrome. 2016 , 388, 2416-2430	209
1633	Clinical challenges in mechanical ventilation. 2016 , 387, 1856-66	71
1632	[Delirium: Concepts, Etiology, and Clinical Management]. 2016 , 84, 233-44	5
1631	Benzodiazepine-associated delirium: further considerations. 2016 , 42, 1517-8	2
1630	Evaluation of Pain Assessment Tools in Patients Receiving Mechanical Ventilation. 2016 , 27, 162-72	13
1629	Methadone in the critically ill-An unlikely player in intensive care medicine. 2016 , 34, 162	2
1628	Developing a Diary Program to Minimize Patient and Family Post-Intensive Care Syndrome. 2016 , 27, 212-20	12
1627	Medication Management to Ameliorate Post-Intensive Care Syndrome. 2016 , 27, 133-40	9
1626	Comparison of pharmacological and non-pharmacological interventions to prevent delirium in critically ill patients: a protocol for a systematic review incorporating network meta-analyses. 2016 , 5, 153	5
1625	Dexmedetomidine Versus Propofol Sedation Improves Sublingual Microcirculation After Cardiac Surgery: A Randomized Controlled Trial. 2016 , 30, 1509-1515	31
1624	[Response to: About the ubiquity of the alpha coefficient in the validation studies]. 2016 , 27, 177-178	

1623	Practical Pharmacokinetics and Pharmacodynamics. 2016 , 473-482	
1622	L'Étude de l'excitabilité corticale par TMS comme biomarqueur de la sclérose en plaques. 2016 , 46, 79-80	
1621	"Do not do" recommendations of the Spanish Society of Anaesthesiology, Critical Care and Pain Therapy. "Commitment to Quality by Scientific Societies" Project. 2016 , 63, 519-527	6
1620	CONSIDERACIONES FARMACOLÓGICAS GENERALES Y PARTICULARES EN CUIDADOS INTENSIVOS. 2016 , 27, 636-645	
1619	Intra-operative events during cardiac surgery are risk factors for the development of delirium in the ICU. 2016 , 20, 264	23
1618	Provider and Nursing Perceptions and Practices: Gap Analysis for ICU Delirium Protocol Implementation. 2016 , 31, 493	1
1617	Assessment and Management of Delirium Across the Life Span. 2016 , 36, e14-e19	5
1616	The Impact of Pain Management with Opioids among Older Adults Post Orthopedic Trauma. 2016 , 17, 302-10	3
1615	[A Germany-wide survey on anaesthesia in thoracic surgery]. 2016 , 65, 449-57	16
1614	Ventilator Management: A Systematic Approach to Choosing and Using New Modes. 2016 , 50, 173-86	
1613	Prevalence, determinants, and prognostic significance of delirium in patients with acute heart failure. 2016 , 222, 521-527	35
1612	Pain Assessment in Noncommunicative Adult Palliative Care Patients. 2016 , 51, 397-431	22
1611	Postoperative Delirium. 2016 , 155-163	
1610	Inadequate Sedation During Therapeutic Paralysis: Use of Bispectral Index in Critically Ill Patients. 2016 , 3, 201-208	10
1609	Sedation quality in intensive care: which interventions work?. 2016 , 4, 767-768	0
1608	Pro: Dexmedetomidine Sedation Should Be Used Routinely for All Post-Cardiac Surgical Patients in the Intensive Care Unit. 2016 , 30, 1419-21	2
1607	Outcomes of dexmedetomidine treatment in pediatric patients undergoing congenital heart disease surgery: a meta-analysis. 2016 , 26, 239-48	48
1606	Staff education, regular sedation and analgesia quality feedback, and a sedation monitoring technology for improving sedation and analgesia quality for critically ill, mechanically ventilated patients: a cluster randomised trial. 2016 , 4, 807-817	24

1605	Immediate ICU Care for Patients Following Aortic Arch Surgery. 2016 , 20, 333-342	3
1604	The association of sleep quality, delirium, and sedation status with daily participation in physical therapy in the ICU. 2016 , 19, 261	23
1603	Risk Evaluation of Postoperative Delirium Using Comprehensive Geriatric Assessment in Elderly Patients with Esophageal Cancer. 2016 , 40, 2705-2712	16
1602	Dexmedetomidine for prevention of delirium in elderly patients after non-cardiac surgery: a randomised, double-blind, placebo-controlled trial. 2016 , 388, 1893-1902	387
1601	Antipsychotic prescribing patterns during and after critical illness: a prospective cohort study. 2016 , 20, 378	53
1600	Melatonin and melatonin agonists to prevent and treat delirium in critical illness: a systematic review protocol. 2016 , 5, 199	10
1599	Pharmacological interventions for agitation in patients with traumatic brain injury: protocol for a systematic review and meta-analysis. 2016 , 5, 193	9
1598	Psychometric validation of the behavioral indicators of pain scale for the assessment of pain in mechanically ventilated and unable to self-report critical care patients. 2016 , 40, 463-473	0
1597	Validation of the Danish version of the Critical Care Pain Observation Tool. 2016 , 60, 1314-22	11
1596	Psychometric validation of the behavioral indicators of pain scale for the assessment of pain in mechanically ventilated and unable to self-report critical care patients. 2016 , 40, 463-473	18
1595	[Knowledge and implementation of the S3 guideline on delirium management in Germany]. 2016 , 65, 755-762	7
1594	Reliability and validity of the Chinese version of the behavioral pain scale in intubated and non-intubated critically ill patients: Two cross-sectional studies. 2016 , 61, 63-71	14
1593	Novel Approaches to Symptom Management. 2016 , 25, 301	
1592	Year in Review 2015: Pediatric ARDS. 2016 , 61, 980-5	18
1591	Management of the Critically Ill Geriatric Patient. 2016 , 743-758	
1590	Results of implementing a pain management algorithm in intensive care unit patients: The impact on pain assessment, length of stay, and duration of ventilation. 2016 , 36, 207-211	20
1589	Management of Sedation and Paralysis. 2016 , 37, 723-739	4
1588	Prise en charge des traumatisés crâniens graves à la phase précoce (24 premières heures). 2016 , 2, 431-453	3

1587	Estimating the Effect of Intravenous Acetaminophen for Postoperative Pain Management on Length of Stay and Inpatient Hospital Costs. 2017 , 33, 2211-2228	31
1586	Pain, Agitation, Delirium, and Immobility in the ICU. 2016 , 1-11	
1585	In-Hospital Management of Psychological Responses to Acute Cardiac Events. 2016 , 997-1021	
1584	Trauma and Combat Critical Care in Clinical Practice. 2016 ,	0
1583	Preventing Ventilator-Associated Infections. 2016 , 37, 683-692	16
1582	Best Practices for Managing Pain, Sedation, and Delirium in the Mechanically Ventilated Patient. 2016 , 28, 437-450	14
1581	Risk factors for new-onset delirium in patients with bloodstream infections: independent and quantitative effect of catheters and drainages-a four-year cohort study. 2016 , 6, 104	13
1580	Communicating with conscious and mechanically ventilated critically ill patients: a systematic review. 2016 , 20, 333	80
1579	Dexmedetomidine sedation reduces atrial fibrillation after cardiac surgery compared to propofol: a randomized controlled trial. 2016 , 20, 298	34
1578	Ventilator-Associated Events and Their Prevention. 2016 , 30, 887-908	17
1577	Comparison of sedation strategies for critically ill patients: a protocol for a systematic review incorporating network meta-analyses. 2016 , 5, 157	5
1576	Validity of the Richmond Agitation-Sedation Scale (RASS) in critically ill children. 2016 , 4, 65	57
1575	Evaluation of Intravenous Acetaminophen on Length of Stay in Abdominal Surgery Patients. 2016 , 51, 230-236	1
1574	CE: Assessing and Managing Pain, Agitation, and Delirium in Hospitalized Older Adults. 2016 , 116, 38-46	5
1573	Survey of Sedation and Analgesia Practice Among Canadian Pediatric Critical Care Physicians. 2016 , 17, 823-30	25
1572	Intensive Care Society State of the Art 2016 Abstracts. 2016 , 17, 1-217	3
1571	Septische Enzephalopathie. 2016 , 16, 41-45	
1570	Hypoxicâ&#oelig;chemic encephalopathy, cardiac arrest, and cardiac encephalopathy. 364-385	

1569 Special considerations for mechanical ventilation. 309-315

1568 What to Do When Haloperidol Fails to Treat Agitated Delirium: Is Dexmedetomidine the Next Step?. *Critical Care Medicine*, **2016**, 44, 1426-8 1.4 2

1567 Knowns and Unknowns About Delirium in Stroke: A Review. **2016**, 29, 174-189 20

1566 Delir und Delirmanagement bei kritisch kranken Patienten. **2016**, 19, 142-149

1565 Delir und Delirmanagement bei kritisch kranken Patienten. **2016**, 21, 16-22 1

1564 Cost Associated With Pediatric Delirium in the ICU. *Critical Care Medicine*, **2016**, 44, e1175-e1179 1.4 81

1563 Delirium screening in the ICU. **2016**, 11, 18-22 1

1562 Understanding the Work We Do. *Critical Care Medicine*, **2016**, 44, 1019-20 1.4 1

1561 The Evidence to Use Antipsychotics to Prevent or Treat Delirium Remains Sparse. *Critical Care Medicine*, **2016**, 44, e1151 1.4 2

1560 Introducing the Massachusetts CSI Nursing Delirium Collaborative. **2016**, 11, 14-18

1559 Building a safe unit culture with CUSP. **2016**, 47, 8-12

1558 Introducing the Massachusetts CSI Nursing Delirium Collaborative. **2016**, 46, 56-60

1557 Analgesia in Neurocritical Care: An International Survey and Practice Audit. *Critical Care Medicine*, **2016**, 44, 973-80 1.4 16

1556 A Lifetime of Critical Care: Changes. *Critical Care Medicine*, **2016**, 44, 653-4 1.4 2

1555 Lower Cerebral Oxygenation in Chronic Kidney Disease. *Critical Care Medicine*, **2016**, 44, e1150-e1151 1.4 1

1554 Delirium: Getting Back on Track. *Critical Care Medicine*, **2016**, 44, 1265-6 1.4 3

1553 Will the Use of Anthropometric Measurements Solely to Assess Nutritional Status in PICU Suffice?. *Critical Care Medicine*, **2016**, 44, e1152-e1153 1.4 0

1552 Intended and Unintended Consequences of Constraining Clinician Prescribing: The Case of Antipsychotics. *Critical Care Medicine*, **2016**, 44, 1805-7 1.4 9

1551	The authors reply. <i>Critical Care Medicine</i> , 2016 , 44, e1152	1.4
1550	The authors reply. <i>Critical Care Medicine</i> , 2016 , 44, e1260	1.4
1549	Exploring Opioid-Sparing Multimodal Analgesia Options in Trauma: A Nursing Perspective. 2016 , 23, 361-375	24
1548	Validation of the Critical-Care Pain Observation Tool With Seriously Ill Patients. 2016 , 18, 413-420	5
1547	The authors reply. 2016 , 17, 1104-1106	
1546	Managing pain in critically ill obese patients. 2016 , 11, 38-44	
1545	An Innovative Approach to Improving the Accuracy of Delirium Assessments Using the Confusion Assessment Method for the Intensive Care Unit. 2016 , 35, 74-80	13
1544	A clinical perspective of sepsis-associated delirium. 2016 , 4, 18	55
1543	[Pain assessment of severely injured patients 2 years after trauma]. 2016 , 30, 273-8	8
1542	Abstracts from the BJA Research Forum. 2016 , 116, e929-e940	1
1541	Utilisation du rflexe RIII pour lâvaluation de la profondeur de lânalgo-sdation en ranimation. 2016 , 46, 80-81	
1540	Post-Traumatic Stress Disorder in Survivors of Critical Illness. 2016 , 263-280	2
1539	The Relationship Between Sedatives, Sedative Strategy, and Healthcare-Associated Infection: A Systematic Review. 2016 , 37, 1234-42	11
1538	The Genesis, Maturation, and Future of Critical Care Cardiology. 2016 , 68, 67-79	59
1537	29 Postoperative Care and Complications Management. 2016 ,	
1536	The relationship between sedative drug utilization and outcomes in critically ill patients undergoing mechanical ventilation. 2016 , 30, 763-9	5
1535	Impact of harmful use of alcohol on the sedation of critical patients on mechanical ventilation: A multicentre prospective, observational study in 8 Spanish intensive care units. 2016 , 40, 230-7	1
1534	Neurocritical care update. 2016 , 4, 36	15

1533	Recovery After ICU Discharge: Post-Intensive Care Syndrome. 2016 , 31, 172-4		7
1532	Analgosedation: Improving Patient Outcomes in ICU Sedation and Pain Management. 2016 , 17, 204-17		18
1531	Utility of the PRE-DELIRIC delirium prediction model in a Scottish ICU cohort. 2016 , 17, 202-206		7
1530	Propofol-associated QTc prolongation. 2016 , 7, 68-78		8
1529	36th International Symposium on Intensive Care and Emergency Medicine : Brussels, Belgium. 15-18 March 2016. 2016 , 20, 94		110
1528	Prevalence and Predictors of Prehospital Pain Assessment and Analgesic Use in Military Trauma Patients, 2010-2013. 2016 , 20, 737-751		5
1527	Routine delirium monitoring is independently associated with a reduction of hospital mortality in critically ill surgical patients: A prospective, observational cohort study. 2016 , 35, 168-73		25
1526	Effects of dexmedetomidine on hemodynamics and respiration in intubated, spontaneously breathing patients after endoscopic submucosal dissection for cervical esophageal or pharyngeal cancer. 2016 , 30, 628-36		5
1525	Quetiapine for Intensive Care Unit Delirium: The Evidence Remains Weak. 2016 , 36, e12-3; discussion e13-4		9
1524	Population Pharmacokinetics of Fentanyl in the Critically Ill. <i>Critical Care Medicine</i> , 2016 , 44, 64-72	1.4	26
1523	Behavioral Pain Scale - translation, reliability, and validity in a Swedish context. 2016 , 60, 821-8		9
1522	An Evaluation of Adverse Drug Reactions Associated With Antipsychotic Use for the Treatment of Delirium in the Intensive Care Unit. 2016 , 29, 355-60		19
1521	Low-Dose Ketamine in Chronic Critical Illness. 2016 , 31, 216-20		11
1520	Validation of the Critical-Care Pain Observation Tool and Vital Signs in Relation to the Sensory and Affective Components of Pain During Mediastinal Tube Removal in Postoperative Cardiac Surgery Intensive Care Unit Adults. 2016 , 31, 425-32		28
1519	Impact of Clinical Pharmacists on Initiation of Postintubation Analgesia in the Emergency Department. 2016 , 50, 308-14		8
1518	Quality of tracheostomy care is probably as important as timing. 2016 , 116, 301		1
1517	Quelles mesures pour améliorer la tolérance de la ventilation non invasive. 2016 , 25, 80-84		
1516	Positive and negative effects of mechanical ventilation on sleep in the ICU: a review with clinical recommendations. 2016 , 42, 531-541		19

1515	Fentanyl as pre-emptive treatment of pain associated with turning mechanically ventilated patients: a randomized controlled feasibility study. 2016 , 42, 183-91	16
1514	Rosuvastatin versus placebo for delirium in intensive care and subsequent cognitive impairment in patients with sepsis-associated acute respiratory distress syndrome: an ancillary study to a randomised controlled trial. 2016 , 4, 203-12	87
1513	Associations Between Different Sedatives and Ventilator-Associated Events, Length of Stay, and Mortality in Patients Who Were Mechanically Ventilated. 2016 , 149, 1373-9	37
1512	Critical Illness Brain Injury. 2016 , 67, 497-513	21
1511	[Delirium and delirium management in critically ill patients]. 2016 , 111, 14-21	4
1510	The effect of range of motion exercises on delirium prevention among patients aged 65 and over in intensive care units. 2016 , 37, 180-5	15
1509	Efficacy and safety of sedation with dexmedetomidine in critical care patients: a meta-analysis of randomized controlled trials. 2016 , 35, 7-15	70
1508	Successful Implementation of an Automated Sedation Vacation Process in Intensive Care Units. 2016 , 31, 463-9	2
1507	Sedation and Analgesia for Noninvasive Ventilation in Intensive Care. 2016 , 621-626	
1506	Is pain really undertreated? Challenges of addressing pain in trauma patients during prehospital transport and trauma resuscitation. 2016 , 47, 2018-24	12
1505	Evaluation of pain during mobilization and endotracheal aspiration in critical patients. 2016 , 40, 96-104	1
1504	Volatile Anesthetics. Is a New Player Emerging in Critical Care Sedation?. 2016 , 193, 1202-12	50
1503	Validation of the Behavioural Indicators of Pain Scale ESCID for pain assessment in non-communicative and mechanically ventilated critically ill patients: a research protocol. 2016 , 72, 205-16	6
1502	Headache and Its Approach in Today's NeuroIntensive Care Unit. 2016 , 25, 320-34	2
1501	Practical management of burns and inhalation injury. 2016 , 5, 63-69	1
1500	Nocturnal Low-Dose Propofol Infusion for the Management of ICU Delirium: A Case Series in Nonintubated Cardiac Surgery Patients. 2016 , 30, 1340-3	1
1499	High-Dose Sedation and Analgesia During Extracorporeal Membrane Oxygenation: A Focus on the Adjunctive Use of Ketamine. 2016 , 30, 36-40	11
1498	Efficacy of Intraoperative Dexmedetomidine Compared with Placebo for Postoperative Pain Management: A Meta-Analysis of Published Studies. 2016 , 5, 63-80	52

1497	Dynamic light application therapy to reduce the incidence and duration of delirium in intensive-care patients: a randomised controlled trial. 2016 , 4, 194-202	62
1496	[Pain, agitation and delirium in acute respiratory failure]. 2016 , 111, 29-36	1
1495	Ketamine Continuous Infusions in Critically Ill Infants and Children. 2016 , 50, 234-41	16
1494	Treatment of Severe Alcohol Withdrawal. 2016 , 50, 389-401	54
1493	Delirium in the Neuro Intensive Care Unit. 2016 , 28, 21-35	3
1492	Measuring delirium point-prevalence in two Australian palliative care inpatient units. 2016 , 22, 13-21	9
1491	Pain and Agitation Management in Critically Ill Patients. 2016 , 51, 95-106	
1490	Role of extracorporeal membrane oxygenation in adult respiratory failure: an overview. 2016 , 44, 76-85	4
1489	What is the relationship between elements of ICU treatment and memories after discharge in adult ICU survivors?. 2016 , 29, 5-14; quiz 15	21
1488	How do doctors and nurses manage delirium in intensive care units? A qualitative study using focus groups. 2016 , 6, e009678	23
1487	Adapting the ABCDEF Bundle to Meet the Needs of Patients Requiring Prolonged Mechanical Ventilation in the Long-Term Acute Care Hospital Setting: Historical Perspectives and Practical Implications. 2016 , 37, 119-35	26
1486	Early Psychological Therapy in Critical Illness. 2016 , 37, 136-42	8
1485	Antipsychotic utilization in the intensive care unit and in transitions of care. 2016 , 33, 119-24	44
1484	Sedation and delirium in the intensive care unit. 2016 , 17, 17-23	2
1483	Dexmedetomidine, a revolution for sedation in ICU?. 2016 , 35, 5-6	2
1482	Dexmedetomidine: Superiority trials needed?. 2016 , 35, 237-8	4
1481	Neurologic Complications of Commonly Used Drugs in the Hospital Setting. 2016 , 16, 35	3
1480	Effect of Dexmedetomidine Added to Standard Care on Ventilator-Free Time in Patients With Agitated Delirium: A Randomized Clinical Trial. 2016 , 315, 1460-8	222

1479	The Evolving Approach to Brain Dysfunction in Critically Ill Patients. 2016 , 315, 1455-6	7
1478	[A first step towards safer sedation and analgesia: A systematic evaluation of outcomes and level of sedation and analgesia in the mechanically ventilated critically ill patient]. 2016 , 27, 155-167	5
1477	Creation of the Prevention of Organ Failure Checklist. A Multidisciplinary Approach Using the Modified Delphi Technique. 2016 , 13, 910-6	0
1476	Beyond the Golden Hours: Caring for Septic Patients After the Initial Resuscitation. 2016 , 37, 347-65	
1475	Short-term Gains with Long-term Consequences: The Evolving Story of Sepsis Survivorship. 2016 , 37, 367-80	25
1474	Noninvasive Mechanical Ventilation and Difficult Weaning in Critical Care. 2016 ,	1
1473	Sensitivity and specificity of the Confusion Assessment Method for the Intensive Care Unit (CAM-ICU) and the Intensive Care Delirium Screening Checklist (ICDSC) for detecting post-cardiac surgery delirium: A single-center study in Japan. 2016 , 45, 15-20	38
1472	Challenges with Diagnosing and Managing Sepsis in Older Adults. 2016 , 14, 231-41	36
1471	Agitation During Prolonged Mechanical Ventilation and Influence on Weaning Outcomes. 2016 , 265-273	
1470	Key Topics in Management of the Critically Ill. 2016 ,	
1469	[Evaluation of pain during mobilization and endotracheal aspiration in critical patients]. 2016 , 40, 96-104	17
1468	Airway Management of Respiratory Failure. 2016 , 34, 97-127	7
1467	Dexmedetomidine: its use in intensive care medicine and anaesthesia. 2016 , 16, 242-246	29
1466	Constipation is independently associated with delirium in critically ill ventilated patients. 2016 , 42, 126-7	13
1465	Antipsychotic medications for the treatment of delirium: a systematic review and meta-analysis of randomised controlled trials. 2016 , 87, 767-74	62
1464	The implementation of a nonpharmacologic protocol to prevent intensive care delirium. 2016 , 31, 206-11	48
1463	Validation and comparison of CAM-ICU and ICDSC in mild and moderate traumatic brain injury patients. 2016 , 42, 122-3	26
1462	Update on Severe Burn Management for the Intensivist. 2016 , 31, 499-510	29

1461	Trajectory of sedation assessment and sedative use in intubated and ventilated patients in intensive care: A clinical audit. 2016 , 23, 275-284	1
1460	Analgesia in intensive care: part 1. 2016 , 16, 72-78	13
1459	No-sedation during mechanical ventilation: impact on patient's consciousness, nursing workload and costs. 2016 , 21, 28-35	16
1458	[Catecholamines: pro and contra]. 2016 , 111, 37-46	0
1457	Glucose Disturbances and Atypical Antipsychotic Use in the Intensive Care Unit. 2016 , 29, 534-538	5
1456	Rational Use of Second-Generation Antipsychotics for the Treatment of ICU Delirium. 2017 , 30, 121-129	9
1455	The impact of delirium on outcomes in acute, non-intubated cardiac patients. 2017 , 6, 553-559	19
1454	Ketamine for Analgosedation in the Intensive Care Unit: A Systematic Review. 2017 , 32, 387-395	33
1453	Practice Patterns and Opinions on Current Clinical Practice Guidelines Regarding the Management of Delirium in the Intensive Care Unit. 2017 , 30, 162-171	6
1452	Use of Dexmedetomidine for Prophylactic Analgesia and Sedation in Patients With Delayed Extubation After Craniotomy: A Randomized Controlled Trial. 2017 , 29, 132-139	23
1451	Editor's Choice-Clinical impact of delirium and antipsychotic therapy: 10-Year experience from a referral coronary care unit. 2017 , 6, 560-568	12
1450	Effect of delirium motoric subtypes on administrative documentation of delirium in the surgical intensive care unit. 2017 , 31, 631-640	21
1449	The Future of Intensive Care Unit Sedation: A Report of Continuous Infusion Ketamine as an Alternative Sedative Agent. 2017 , 30, 576-581	5
1448	Is Admission to the Intensive Care Unit Associated With Chronic Opioid Use? A 4-Year Follow-Up of Intensive Care Unit Survivors. 2017 , 32, 429-435	19
1447	Evaluation of Neuroleptic Utilization in the Intensive Care Unit During Transitions of Care. 2017 , 32, 158-162	5
1446	Attitudes, knowledge and practices concerning delirium: a survey among intensive care unit professionals. 2017 , 22, 133-140	23
1445	Effect of Methocarbamol on Acute Pain After Traumatic Injury. 2017 , 24, e202-e206	7
1444	Prospective Assessment of Inpatient Boxed Warning Prescriber Adherence. 2017 , 13, 25-30	2

1443	The Prophylactic Use of Remifentanyl for Delayed Extubation After Elective Intracranial Operations: a Prospective, Randomized, Double-Blinded Trial. 2017 , 29, 281-290	7
1442	Sedation scoring and managing abilities of intensive care nurses post educational intervention. 2017 , 22, 141-149	8
1441	Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock: 2016. 2017 , 43, 304-377	3178
1440	Assessment of Postoperative Pain Control with an Elastomeric Pain Pump Following Cardiothoracic Surgery. 2017 , 18, 1450-1454	4
1439	Regional analgesia in postsurgical critically ill patients. 2017 , 64, 144-156	1
1438	Analgesia in the surgical intensive care unit. 2017 , 93, 38-45	19
1437	Clinical practice guidelines for sustained neuromuscular blockade in the adult critically ill patient: 2016 update-executive summary. 2017 , 74, 76-78	11
1436	Determination of the feasibility of a multicomponent intervention program to prevent delirium in the Intensive Care Unit: A modified RAND Delphi study. 2017 , 30, 321-327	4
1435	[Treatment with psychotropic agents in patients with dementia and delirium : Gap between guideline recommendations and treatment practice]. 2017 , 50, 106-114	4
1434	Answers. 142-178	
1433	Answers. 231-265	
1432	Answers. 274-309	
1431	Delirium in Trauma Patients: Prevalence and Predictors. 2017 , 37, 40-48	17
1430	Dexmedetomidine may upregulate the expression of caveolin-1 in lung tissues of rats with sepsis and improve the short-term outcome. 2017 , 15, 635-642	16
1429	Ruptured Abdominal Aortic Aneurysm. 2017 ,	2
1428	[Delirium, analgesia, and sedation in intensive care medicine : Development of a protocol-based management approach]. 2017 , 112, 65-74	1
1427	What prevents critically ill patients with respiratory failure from using non-invasive positive pressure ventilation: A mixed-methods study. 2017 , 14, 297-310	4
1426	Methylnaltrexone Versus Naloxone for Opioid-Induced Constipation in the Medical Intensive Care Unit. 2017 , 51, 203-208	14

1425	Regional analgesia in postsurgical critically ill patients. 2017 , 64, 144-156	1
1424	Revisi3n comparativa de las gu3as de sedaci3n, analgesia y delirio en pacientes cr3ticos. 2017 , 17, 107-116	1
1423	Update on traumatic acute spinal cord injury. Part 2. 2017 , 41, 306-315	8
1422	Neurocritical Care of Acute Subdural Hemorrhage. 2017 , 28, 267-278	20
1421	Impact of pharmacist management of pain, agitation, and delirium in the intensive care unit through participation in multidisciplinary bundle rounds. 2017 , 74, 253-262	31
1420	Neurodegenerative changes and neuroapoptosis induced by systemic lipopolysaccharide administration are reversed by dexmedetomidine treatment in mice. 2017 , 39, 357-366	44
1419	The reliability of the German version of the Richards Campbell Sleep Questionnaire. 2017 , 22, 247-252	14
1418	The effect of nonpharmacological training on delirium identification and intervention strategies of intensive care nurses. 2017 , 41, 33-42	13
1417	Respiratory induced heart rate variability during slow mechanical ventilation : Marker to exclude brain death patients. 2017 , 129, 251-258	1
1416	[Validation of the Brazilian version of Behavioral Pain Scale in adult sedated and mechanically ventilated patients]. 2017 , 67, 271-277	4
1415	The ABCDEF Bundle in Critical Care. 2017 , 33, 225-243	213
1414	Functional connectivity and network analysis during hypoactive delirium and recovery from anesthesia. 2017 , 128, 914-924	55
1413	Pain Assessment in INTensive care (PAINT): an observational study of physician-documented pain assessment in 45 intensive care units in the United Kingdom. 2017 , 72, 737-748	16
1412	Quality of clinical practice guidelines in delirium: a systematic appraisal. 2017 , 7, e013809	26
1411	Time for a paradigm shift: Assessing for anxiety in patients receiving mechanical ventilation. 2017 , 46, 135-136	2
1410	Gender Parity in Critical Care Medicine. 2017 , 196, 425-429	37
1409	Polypharmacy and Delirium in Critically Ill Older Adults: Recognition and Prevention. 2017 , 33, 189-203	19
1408	The Role of Intravenous Agents in Delirium. 2017 , 725-748	

1407	Optimizing care of the mechanically ventilated patient in the emergency department through the utilization of validated sedation scoring scales. 2017 , 43, 84-86	2
1406	Next steps in ICU pain research. 2017 , 43, 1386-1388	12
1405	The CAM-ICU has now a French "official" version. The translation process of the 2014 updated Complete Training Manual of the Confusion Assessment Method for the Intensive Care Unit in French (CAM-ICU.fr). 2017 , 36, 297-300	18
1404	Delirium in Children After Cardiac Bypass Surgery. 2017 , 18, 165-171	72
1403	Prevalence and incidence of chronic pain with or without neuropathic characteristics in patients with cancer. 2017 , 158, 1118-1125	46
1402	Development and validation of the self-reported PROMIS pediatric pain behavior item bank and short form scale. 2017 , 158, 1323-1331	29
1401	Targeting brain-derived neurotrophic factor in the medial thalamus for the treatment of central poststroke pain in a rodent model. 2017 , 158, 1302-1313	22
1400	Peripheral inflammatory pain sensitisation is independent of mast cell activation in male mice. 2017 , 158, 1314-1322	15
1399	Musculoskeletal pain profile of obese individuals attending a multidisciplinary weight management service. 2017 , 158, 1342-1353	11
1398	Pain Measurement in Mechanically Ventilated Patients After Cardiac Surgery: Comparison of the Behavioral Pain Scale (BPS) and the Critical-Care Pain Observation Tool (CPOOT). 2017 , 31, 1227-1234	26
1397	DCCN on the Web. 2017 , 36, 173	
1396	Predictors of the transition from acute to persistent musculoskeletal pain in children and adolescents: a prospective study. 2017 , 158, 794-801	64
1395	Video education for critical care nurses to assess pain with a behavioural pain assessment tool: A descriptive comparative study. 2017 , 42, 68-74	14
1394	A novel method of optimizing patient- and family-centered care in the ICU. 2017 , 82, 582-586	27
1393	Early postoperative management after lung transplantation: Results of an international survey. 2017 , 31, e12985	5
1392	Assessment and Management of Toxidromes in the Critical Care Unit. 2017 , 33, 521-541	12
1391	Implementation of an ICU Bundle: An Interprofessional Quality Improvement Project to Enhance Delirium Management and Monitor Delirium Prevalence in a Single PICU. 2017 , 18, 531-540	58
1390	Pain, Agitation, and Delirium Guidelines: Interprofessional Perspectives to Translate the Evidence. 2017 , 36, 164-173	5

1389	Multimodal pain therapy in chronic noncancer pain-gold standard or need for further clarification?. 2017 , 158, 1853-1859		36
1388	Improving Hospital Survival and Reducing Brain Dysfunction at Seven California Community Hospitals: Implementing PAD Guidelines Via the ABCDEF Bundle in 6,064 Patients. <i>Critical Care Medicine</i> , 2017 , 45, 171-178	1.4	227
1387	Factors Influencing Weaning Older Adults From Mechanical Ventilation: An Integrative Review. 2017 , 40, 165-177		6
1386	Preoperative Cognitive Performance and Postoperative Delirium Are Independently Associated With Future Dementia in Older People Who Have Undergone Cardiac Surgery: A Longitudinal Cohort Study. <i>Critical Care Medicine</i> , 2017 , 45, 1295-1303	1.4	58
1385	Recognition of Delirium in Postoperative Elderly Patients: A Multicenter Study. 2017 , 65, 1932-1938		41
1384	Psychologie in der Herzchirurgie. 2017 , 31, 169-181		1
1383	Sedation levels in dogs: a validation study. 2017 , 13, 110		24
1382	Sedation for moderate-to-severe traumatic brain injury in adults: a network meta-analysis. 2017 ,		78
1381	Pharmacologic Consideration in the Elderly Trauma Patient. 2017 , 3, 19-24		
1380	Risk Factors for Pediatric Extubation Failure: The Importance of Respiratory Muscle Strength. <i>Critical Care Medicine</i> , 2017 , 45, e798-e805	1.4	41
1379	A post cardiac surgery intervention to manage delirium involving families: a randomized pilot study. 2017 , 22, 221-228		16
1378	Psychiatric Aspects of Lung Disease in Critical Care. 2017 , 33, 601-617		2
1377	Medicating Patients During Extracorporeal Membrane Oxygenation: The Evidence is Building. 2017 , 389-400		
1376	Predictive Associations of Music, Anxiety, and Sedative Exposure on Mechanical Ventilation Weaning Trials. 2017 , 26, 210-220		7
1375	Sedation. 2017 , 291-309		
1374	Psychiatric Aspects of Heart Disease (and Cardiac Aspects of Psychiatric Disease) in Critical Care. 2017 , 33, 619-634		8
1373	Nurses' knowledge and perception of delirium screening and assessment in the intensive care unit: Long-term effectiveness of an education-based knowledge translation intervention. 2017 , 41, 43-49		15
1372	Acupuncture for Pain and Nausea in the Intensive Care Unit: A Feasibility Study in a Public Safety Net Hospital. 2017 , 23, 996-1004		9

1371	Psychiatric Aspects of Organ Transplantation in Critical Care: An Update. 2017 , 33, 659-679		9
1370	Acute Respiratory Distress Syndrome. 2017 ,		0
1369	The New MIRUS System for Short-Term Sedation in Postsurgical ICU Patients. <i>Critical Care Medicine</i> , 2017 , 45, e925-e931	1.4	11
1368	Times Are Changing in Pediatric Delirium. <i>Critical Care Medicine</i> , 2017 , 45, 921-922	1.4	1
1367	The Behavior Pain Assessment Tool for critically ill adults: a validation study in 28 countries. 2017 , 158, 811-821		22
1366	Bispectral Index Can Reliably Detect Deep Sedation in Mechanically Ventilated Patients: A Prospective Multicenter Validation Study. 2017 , 125, 176-183		21
1365	Delir in der Kardiochirurgie. 2017 , 31, 39-45		
1364	Low brain tissue oxygenation contributes to the development of delirium in critically ill patients: A prospective observational study. 2017 , 41, 289-295		21
1363	Symptom assessment in non-vocal or cognitively impaired ICU patients: Implications for practice and future research. 2017 , 46, 239-245		10
1362	[Choosing wisely recommendations in intensive care medicine]. 2017 , 58, 550-555		1
1361	Delirium in the Intensive Care Unit. 296-302		
1360	Sevoflurane Abolishes Oxygenation Impairment in a Long-Term Rat Model of Acute Lung Injury. 2017 , 124, 194-203		14
1359	Delirium in Children: Identification, Prevention, and Management. 2017 , 37, e9-e18		17
1358	Confusion Regarding Surgical Delirium-Is Dexmedetomidine the Answer?. 2017 , 152, e171511		2
1357	Fremdeinschätzung von Schmerz bei Menschen mit dem Krankheitsbild Wachkoma: eine Praxisforschung. 2017 , 8, 73-78		1
1356	Body Position and Ventilator-Associated Pneumonia Prevention. 2017 , 38, 371-380		6
1355	The Role of Source Control in Septic Patients. <i>Critical Care Medicine</i> , 2017 , 45, e618-e619	1.4	
1354	Care of the Critically Ill Burn Patient. An Overview from the Perspective of Optimizing Palliative Care. 2017 , 14, 1094-1102		12

1353	Delirium and Benzodiazepines Associated With Prolonged ICU Stay in Critically Ill Infants and Young Children. <i>Critical Care Medicine</i> , 2017 , 45, 1427-1435	1.4	86
1352	To What Extent Does ABCDEF Bundle Improve Hospital Survival and Reduce Brain Dysfunction of 1,438 Patients With Mechanical Ventilation in Seven California Community Hospitals?. <i>Critical Care Medicine</i> , 2017 , 45, e617	1.4	2
1351	Using Clinically Accessible Tools to Measure Sound Levels and Sleep Disruption in the ICU: A Prospective Multicenter Observational Study. <i>Critical Care Medicine</i> , 2017 , 45, 966-971	1.4	16
1350	Impact of Telemedicine Monitoring of Community ICUs on Interhospital Transfers. <i>Critical Care Medicine</i> , 2017 , 45, 1344-1351	1.4	22
1349	Nonlinear Imputation of PaO ₂ /FIO ₂ From SpO ₂ /FIO ₂ Among Mechanically Ventilated Patients in the ICU: A Prospective, Observational Study. <i>Critical Care Medicine</i> , 2017 , 45, 1317-1324	1.4	44
1348	Limiting sedation for patients with acute respiratory distress syndrome - time to wake up. 2017 , 23, 45-51		35
1347	A New Generation of Comfort Care Order Sets: Aligning Protocols with Current Principles. 2017 , 20, 922-929		13
1346	The Impact of the Sepsis-3 Septic Shock Definition on Previously Defined Septic Shock Patients. <i>Critical Care Medicine</i> , 2017 , 45, 1436-1442	1.4	56
1345	Differential Regulation of the Autophagy and Proteasome Pathways in Skeletal Muscles in Sepsis. <i>Critical Care Medicine</i> , 2017 , 45, e971-e979	1.4	31
1344	Urgent Chemotherapy for Life-Threatening Complications Related to Solid Neoplasms. <i>Critical Care Medicine</i> , 2017 , 45, e640-e648	1.4	17
1343	A Mortality Study for ICU Patients using Bursty Medical Events. 2017 , 2017, 1533-1540		2
1342	Prospective Evaluation of a Multifaceted Intervention to Improve Outcomes in Intensive Care: The Promoting Respect and Ongoing Safety Through Patient Engagement Communication and Technology Study. <i>Critical Care Medicine</i> , 2017 , 45, e806-e813	1.4	37
1341	Neurologic Injury in Adults Supported With Veno-Venous Extracorporeal Membrane Oxygenation for Respiratory Failure: Findings From the Extracorporeal Life Support Organization Database. <i>Critical Care Medicine</i> , 2017 , 45, 1389-1397	1.4	110
1340	Single-Operator Ultrasound-Guided Central Venous Catheter Insertion Verifies Proper Tip Placement. <i>Critical Care Medicine</i> , 2017 , 45, e994-e1000	1.4	9
1339	Hyperlactatemia, Lactate Kinetics and Prediction of Citrate Accumulation in Critically Ill Patients Undergoing Continuous Renal Replacement Therapy With Regional Citrate Anticoagulation. <i>Critical Care Medicine</i> , 2017 , 45, e941-e946	1.4	23
1338	Abusive Head Trauma and Mortality-An Analysis From an International Comparative Effectiveness Study of Children With Severe Traumatic Brain Injury. <i>Critical Care Medicine</i> , 2017 , 45, 1398-1407	1.4	30
1337	Impact of Moderate Hyperchloremia on Clinical Outcomes in Intracerebral Hemorrhage Patients Treated With Continuous Infusion Hypertonic Saline: A Pilot Study. <i>Critical Care Medicine</i> , 2017 , 45, e947-e953	1.4	37
1336	Interprofessional Team's Perception of Care Delivery After Implementation of a Pediatric Pain and Sedation Protocol. 2017 , 37, 66-76		4

1335	Sepsis. 2017 ,	3
1334	A retrospective analysis of the effectiveness of antipsychotics in the treatment of ICU delirium. 2017 , 41, 234-239	16
1333	Evidence-Based Practice: Percussion and Vibration Therapy. 2017 , 37, 82-83	1
1332	Analgesia and Sedation Requirements in Mechanically Ventilated Trauma Patients With Acute, Preinjury Use of Cocaine and/or Amphetamines. 2017 , 124, 782-788	7
1331	Clinical practice guidelines of the French Association for Supportive Care in Cancer and the French Society for Psycho-oncology: refusal of treatment by adults afflicted with cancer. 2017 , 25, 3425-3435	2
1330	Controlled sedation with midazolam and analgesia with nalbuphine to alleviate pain in patients undergoing subcutaneous implantable cardioverter defibrillator implantation. 2017 , 49, 191-196	11
1329	Practice patterns and outcomes associated with early sedation depth in mechanically ventilated patients: a systematic review protocol. 2017 , 7, e016437	2
1328	Improved Survival in a Long-Term Rat Model of Sepsis Is Associated With Reduced Mitochondrial Calcium Uptake Despite Increased Energetic Demand. <i>Critical Care Medicine</i> , 2017 , 45, e840-e848	1.4 9
1327	The Effect of Massage on Acute Postoperative Pain in Critically and Acutely Ill Adults Post-thoracic Surgery: Systematic Review and Meta-analysis of Randomized Controlled Trials. 2017 , 46, 339-346	34
1326	U.S. drug shortages for medications used in adult critical care (2001-2016). 2017 , 41, 283-288	32
1325	Improving the Patient Experience by Implementing an ICU Diary for Those at Risk of Post-intensive Care Syndrome. 2017 , 4, 4-9	25
1324	Early impairment of intracranial conduction time predicts mortality in deeply sedated critically ill patients: a prospective observational pilot study. 2017 , 7, 63	9
1323	Sleep in the Intensive Care Unit in a Model of Family-Centered Care. 2017 , 28, 171-178	10
1322	The intensive care delirium research agenda: a multinational, interprofessional perspective. 2017 , 43, 1329-1339	93
1321	Delirium prevention in critically ill adults through an automated reorientation intervention - A pilot randomized controlled trial. 2017 , 46, 234-238	35
1320	Update on traumatic acute spinal cord injury. Part 2. 2017 , 41, 306-315	1
1319	Impact of pharmaceutical care on pain and agitation in a medical intensive care unit in Thailand. 2017 , 39, 573-581	3
1318	Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock: 2016. <i>Critical Care Medicine</i> , 2017 , 45, 486-552	1.4 1683

1317	Does expecting more pain make it more intense? Factors associated with the first week pain trajectories after breast cancer surgery. 2017 , 158, 922-930		32
1316	Sedation in ARDS: An Evidence-Based Challenge. 2017 , 263-276		
1315	Efecto de un algoritmo de manejo del dolor sobre la ventilaci3n, la estancia y la valoraci3n del dolor en pacientes de cuidados intensivos. 2017 , 28, 42-44		
1314	Tramadol vs dexmedetomidine for emergence agitation control in pediatric patients undergoing adenotonsillectomy with sevoflurane anesthesia: prospective randomized controlled clinical study. 2017 , 17, 41		22
1313	Delirium in critically ill patients. 2017 , 141, 449-466		47
1312	Clonidine for sedation in the critically ill: a systematic review and meta-analysis. 2017 , 21, 75		26
1311	The ABCDEF Bundle: Science and Philosophy of How ICU Liberation Serves Patients and Families. <i>Critical Care Medicine</i> , 2017 , 45, 321-330	1.4	203
1310	Delirium in Critically Ill Children: An International Point Prevalence Study. <i>Critical Care Medicine</i> , 2017 , 45, 584-590	1.4	137
1309	Delirium and Mortality in Critically Ill Children: Epidemiology and Outcomes of Pediatric Delirium. <i>Critical Care Medicine</i> , 2017 , 45, 891-898	1.4	152
1308	Side effects can enhance treatment response through expectancy effects: an experimental analgesic randomized controlled trial. 2017 , 158, 1014-1020		30
1307	Feasibility of melatonin for prevention of delirium in critically ill patients: a protocol for a multicentre, randomised, placebo-controlled study. 2017 , 7, e015420		13
1306	Sedation After Cardiac Surgery: Is One Drug Better Than Another?. 2017 , 124, 1061-1070		21
1305	The impact of a pain management algorithm on ventilation, length of stay, and pain assessment in intensive care patients. 2017 , 28, 42-44		
1304	Quantitative pupillometry to assess nociception in a sedated patient with hemispheric cerebral infarction. 2017 , 34, 316-318		1
1303	European Society of Anaesthesiology evidence-based and consensus-based guideline on postoperative delirium. 2017 , 34, 192-214		362
1302	Temporal summation and motor function modulation during repeated jaw movements in patients with temporomandibular disorder pain and healthy controls. 2017 , 158, 1272-1279		7
1301	Factors affecting pain assessment scores in patients on mechanical ventilation. 2017 , 42, 75-79		2
1300	Annual Update in Intensive Care and Emergency Medicine 2017. 2017 ,		

1299	Intensive care nurses' experiences and perceptions of delirium and delirium care. 2017 , 40, 94-100	31
1298	Risk factors and prognosis of pain events during mechanical ventilation: a retrospective study. 2017 , 5, 17	10
1297	Characterization of Guideline Evidence for Off-label Medication Use in the Intensive Care Unit. 2017 , 51, 529-542	2
1296	Postoperative delirium in patients with history of alcohol abuse. 2017 , 64, 214-222	1
1295	Effect of Dexmedetomidine on Mortality and Ventilator-Free Days in Patients Requiring Mechanical Ventilation With Sepsis: A Randomized Clinical Trial. 2017 , 317, 1321-1328	114
1294	Hydrocortisone, Vitamin C, and Thiamine for the Treatment of Severe Sepsis and Septic Shock: A Retrospective Before-After Study. 2017 , 151, 1229-1238	513
1293	Sedation versus no sedation: Are there differences in relatives' satisfaction with the Intensive Care Unit? A survey study based on data from a randomised controlled trial. 2017 , 39, 59-66	1
1292	[The old man and the I sea U : Essay on faith, fate and evidence - after the manner of Hemingway]. 2017 , 66, 34-44	
1291	Safety and Efficacy of Volatile Anesthetic Agents Compared With Standard Intravenous Midazolam/Propofol Sedation in Ventilated Critical Care Patients: A Meta-analysis and Systematic Review of Prospective Trials. 2017 , 124, 1190-1199	47
1290	Dexmedetomidine vs propofol sedation reduces delirium in patients after cardiac surgery: A meta-analysis with trial sequential analysis of randomized controlled trials. 2017 , 38, 190-196	84
1289	The impact of nUrsiNg DELiRium Preventive INnterventions in the Intensive Care Unit (UNDERPIN-ICU): A study protocol for a multi-centre, stepped wedge randomized controlled trial. 2017 , 68, 1-8	16
1288	Hospitalization Costs for Patients Undergoing Orthopedic Surgery Treated With Intravenous Acetaminophen (IV-APAP) Plus Other IV Analgesics or IV Opioid Monotherapy for Postoperative Pain. 2017 , 34, 421-435	23
1287	Music Listening Among Postoperative Patients in the Intensive Care Unit: A Randomized Controlled Trial with Mixed-Methods Analysis. 2017 , 12, 1178633717716455	18
1286	Catatonia, Delirium, and Critical Illness: A Diagnostic Statistical Manual 5 Mystery Partially Disentangled. <i>Critical Care Medicine</i> , 2017 , 45, 1953-1954	1.4 1
1285	Sepsis in Older Adults. 2017 , 31, 731-742	44
1284	Delirium in the Pediatric Cardiac Extracorporeal Membrane Oxygenation Patient Population: A Case Series. 2017 , 18, e621-e624	13
1283	Delirium in Pediatric Critical Care. 2017 , 64, 1117-1132	39
1282	Evidence-Based Care of Geriatric Trauma Patients. 2017 , 97, 1157-1174	41

1281	Perceptions, attitudes, and current practices regards delirium in China: A survey of 917 critical care nurses and physicians in China. 2017 , 96, e8028		11
1280	Development of core outcome sets for effectiveness trials of interventions to prevent and/or treat delirium (Del-CORs): study protocol. 2017 , 7, e016371		32
1279	Development of the Nurses' Care Coordination Competency Scale for mechanically ventilated patients in critical care settings in Japan: Part 1 Development of a measuring instrument. 2017 , 43, 23-29		1
1278	Physiology of Pain. 2017 , 29, 397-406		22
1277	The Implementation of Targeted Temperature Management: An Evidence-Based Guideline from the Neurocritical Care Society. 2017 , 27, 468-487		56
1276	Analgesia nociception index for the assessment of pain in critically ill patients: a diagnostic accuracy study. 2017 , 119, 812-820		36
1275	Venovenöse extrakorporale Membranoxygenierung. 2017 , 13, 255-272		
1274	Repurposing Valproate, Enteral Clonidine, and Phenobarbital for Comfort in Adult ICU Patients: A Literature Review with Practical Considerations. 2017 , 37, 1309-1321		19
1273	Common Pharmacologic Issues. 2017 , 405-414		
1272	Review of Continuous Infusion Neuromuscular Blocking Agents in the Adult Intensive Care Unit. 2017 , 40, 323-343		5
1271	Oral Agents for the Management of Agitation and Agitated Delirium in Critically Ill Patients. 2017 , 40, 344-362		2
1270	Delirium and Catatonia in Critically Ill Patients: The Delirium and Catatonia Prospective Cohort Investigation. <i>Critical Care Medicine</i> , 2017 , 45, 1837-1844	1.4	47
1269	Benzodiazepines and Delirium in the Young and Old: Truth Be Told or Still Not Sold?. <i>Critical Care Medicine</i> , 2017 , 45, 1562-1564	1.4	5
1268	The Evidence Clash Between Statins and Delirium: Should They Stay, Should They Go, or Should They Be Started?. <i>Critical Care Medicine</i> , 2017 , 45, 1574-1576	1.4	
1267	Sedation Analgesia and Neuromuscular Blockade in Pediatric Critical Care: Overview and Current Landscape. 2017 , 64, 1103-1116		14
1266	Sedation and Mobilization During Venovenous Extracorporeal Membrane Oxygenation for Acute Respiratory Failure: An International Survey. <i>Critical Care Medicine</i> , 2017 , 45, 1893-1899	1.4	32
1265	Immediate interruption of sedation compared with usual sedation care in critically ill postoperative patients (SOS-Ventilation): a randomised, parallel-group clinical trial. 2017 , 5, 795-805		39
1264	Contemporary Management of Cardiogenic Shock: A Scientific Statement From the American Heart Association. 2017 , 136, e232-e268		618

1263	When the Letter "F" Meets the Letter "D": Beneficial Impact of Open Visiting and Family Presence on Incidence of Delirium Among ICU Patients. <i>Critical Care Medicine</i> , 2017 , 45, 1785-1786	1.4	5
1262	Emergency Neurological Life Support: Airway, Ventilation, and Sedation. 2017 , 27, 4-28		22
1261	Initiation of Mechanical Ventilation in Patients with Decompensated Respiratory Failure. 2017 , 6, 503-516		1
1260	Psychotropic Drug Use in Physically Restrained, Critically Ill Adults Receiving Mechanical Ventilation. 2017 , 26, 380-387		6
1259	Development of the Nurses' Care Coordination Competency Scale for mechanically ventilated patients in critical care settings in Japan: Part 2 Validation of the scale. 2017 , 43, 30-38		1
1258	Rescue Therapies for Severe Acute Respiratory Distress Syndrome. 2017 , 24, 197-205		
1257	Determinants of Nurses' Use of Physical Restraints in Surgical Intensive Care Unit Patients. 2017 , 26, 373-379		12
1256	Medication Complications in Extracorporeal Membrane Oxygenation. 2017 , 33, 897-920		10
1255	Evaluation of early administration of simvastatin in the prevention and treatment of delirium in critically ill patients undergoing mechanical ventilation (MoDUS): a randomised, double-blind, placebo-controlled trial. 2017 , 5, 727-737		43
1254	Prise en charge des traumatisés crâniens graves à la phase précoce (24 premières heures). 2017 , 29, 167-192		
1253	Cardiothoracic Critical Care. 2017 , 97, 811-834		2
1252	The critical care literature 2016. 2017 , 35, 1547-1554		
1251	Mental Decline and Cardiac Surgery-Should We Go There?. <i>Critical Care Medicine</i> , 2017 , 45, 1411-1412	1.4	
1250	Safety of Propofol for Oxygenator Exchange in Extracorporeal Membrane Oxygenation. 2017 , 63, 179-184		18
1249	The authors reply. <i>Critical Care Medicine</i> , 2017 , 45, e617-e618		1.4
1248	The role of occupational and physiotherapy in multi-modal approach to tackling delirium in the intensive care. 2017 , 18, 318-322		7
1247	Family-Centered Care. 2017 , 28, 136-137		3
1246	Educational interventions and promotion of changes in the practices of prevention and monitoring of delirium in critical patient. 2017 , 102546-102546		0

1245	Recommendations of the Working Groups from the Spanish Society of Intensive and Critical Care Medicine and Coronary Units (SEMICYUC) for the management of adult critically ill patients. 2017 , 41, 285-305	68
1244	Comparison of propofol and dexmedetomidine infused overnight to treat hyperactive and mixed ICU delirium: a protocol for the Basel ProDex clinical trial. 2017 , 7, e015783	8
1243	A sense of agency: An ethnographic exploration of being awake during mechanical ventilation in the intensive care unit. 2017 , 75, 1-9	28
1242	Improving delirium recognition and assessment for people receiving inpatient palliative care: a mixed methods meta-synthesis. 2017 , 75, 123-129	15
1241	Intensive Care and its Discontents: Psychiatric Illness in the Critically Ill. 2017 , 40, 487-500	2
1240	Incidence of delirium after cardiac surgery: protocol for the DELIRIUM-CS Canada cross-sectional cohort study. 2017 , 5, E565-E569	
1239	Agitation in Field Settings: Emergency Medical Services Providers and Law Enforcement. 156-172	2
1238	What is new in the prevention of nosocomial pneumonia in the ICU?. 2017 , 23, 378-384	21
1237	Management of Traumatic Brain Injury: An Update. 2017 , 35, 641-653	9
1236	Iatrogenic Opioid Withdrawal in Critically Ill Patients: A Review of Assessment Tools and Management. 2017 , 51, 1099-1111	16
1235	Delirium in the Critically Ill Child. 2017 , 31, 276-284	8
1234	The Emergence of Second-Generation Lethal Injection Protocols: A Brief History and Review. 2017 , 37, 1249-1257	2
1233	Clinical Practice Guideline: Safe Medication Use in the ICU. <i>Critical Care Medicine</i> , 2017 , 45, e877-e915	1.4 51
1232	Effect of Amantadine on Agitation in Critically Ill Patients With Traumatic Brain Injury. 2017 , 40, 212-216	17
1231	Delirium and exposure to psychoactive medications in critically ill adults: A multi-centre observational study. 2017 , 42, 268-274	28
1230	Benzodiazepines for treatment of delirium in non-ICU settings. 2017 ,	2
1229	Pediatric Delirium: Evaluation, Management, and Special Considerations. 2017 , 19, 65	26
1228	Assessment of delirium in the intensive care unit. 2017 , 23, 57-63	2

1227	Volatile sedation in the intensive care unit: A systematic review and meta-analysis. 2017 , 96, e8976	24
1226	Implementing a Multicomponent Intervention to Prevent Delirium Among Critically Ill Patients. 2017 , 37, 36-46	15
1225	Perceptions of Families of Intensive Care Unit Patients Regarding Involvement in Delirium-Prevention Activities: A Qualitative Study. 2017 , 37, e1-e9	88
1224	Feasibility of a Nurse-Managed Pain, Agitation, and Delirium Protocol in the Surgical Intensive Care Unit. 2017 , 37, 24-34	2
1223	Perceptions of Family Members, Nurses, and Physicians on Involving Patients' Families in Delirium Prevention. 2017 , 37, 48-57	11
1222	Delirium monitoring and management in the acute care setting. 2017 , 42, 37-42	2
1221	Sedation in the Intensive Care Setting. 240-251	
1220	Delirium. 102-119	
1219	Dexmedetomidine vs propofol for gastrointestinal endoscopy: A meta-analysis. 2017 , 5, 1037-1045	21
1218	Practical Approach to Posttraumatic Intracranial Hypertension According to Pathophysiologic Reasoning. 2017 , 35, 613-640	9
1217	Sepsis and Septic Shock Strategies. 2017 , 97, 1339-1379	46
1216	Intensive Care Unit Delirium and Intensive Care Unit-Related Posttraumatic Stress Disorder. 2017 , 97, 1215-1235	29
1215	Prevention, recognition and management of delirium in patients who are critically ill. 2017 , 32, 41-52	
1214	Analgo-sedation Practices and the Impact of Sedation Depth on Clinical Outcomes Among Patients Requiring Mechanical Ventilation in the ED: A Cohort Study. 2017 , 152, 963-971	31
1213	Recommendations of the Working Groups from the Spanish Society of Intensive and Critical Care Medicine and Coronary Units (SEMICYUC) for the management of adult critically ill patients. 2017 , 41, 285-305	3
1212	DELIRIUM: UNA EPIDEMIA DESDE EL SERVICIO DE URGENCIA A LA UNIDAD DE PACIENTE CRÍTICO. 2017 , 28, 301-310	0
1211	Sleep Disturbance after Hospitalization and Critical Illness: A Systematic Review. 2017 , 14, 1457-1468	85
1210	Carbon dioxide surgical field flooding and aortic NO-touch off-pump coronary artery bypass grafting to reduce Neurological injuries after surgical coronary revascularisation (CANON): protocol for a randomised, controlled, investigator and patient blinded single-centre superiority trial with three parallel arms. 2017 , 7, e016785	4

1209	Team science as interprofessional collaborative research practice: a systematic review of the science of team science literature. 2017 , 65, 15-22		31
1208	Update of Sepsis in the Intensive Care Unit. 2017 , 9, 441-455		62
1207	Effectiveness and Safety of an Extended ICU Visitation Model for Delirium Prevention: A Before and After Study. <i>Critical Care Medicine</i> , 2017 , 45, 1660-1667	1.4	96
1206	Safety and Acceptability of Patient-Administered Sedatives During Mechanical Ventilation. 2017 , 26, 288-296		10
1205	Perceptions of Workload Burden and Adherence to ABCDE Bundle Among Intensive Care Providers. 2017 , 26, e38-e47		27
1204	Family Perspectives of Traumatically Brain-Injured Patient Pain Behaviors in the Intensive Care Unit. 2017 , 18, 202-213		8
1203	Remifentanyl effects on respiratory drive and timing during pressure support ventilation and neurally adjusted ventilatory assist. 2017 , 244, 10-16		32
1202	Factors Influencing Patients' Sleep in the Intensive Care Unit: Perceptions of Patients and Clinical Staff. 2017 , 26, 278-286		50
1201	Feasibility of Continuous Actigraphy in Patients in a Medical Intensive Care Unit. 2017 , 26, 329-335		30
1200	Fremdeinschätzung von Schmerz bei Menschen mit dem KrankheitsbildWachkoma: eine Praxisforschung. 2017 , 22, 7-13		
1199	Electronic audit and feedback intervention with action implementation toolbox to improve pain management in intensive care: protocol for a laboratory experiment and cluster randomised trial. 2017 , 12, 68		17
1198	Medicating patients during extracorporeal membrane oxygenation: the evidence is building. 2017 , 21, 66		56
1197	Does the combination use of two pain assessment tools have a synergistic effect?. 2017 , 5, 1		19
1196	Postoperative delirium in elderly patients is associated with subsequent cognitive impairment. 2017 , 119, 316-323		104
1195	Managing the Rising Costs and High Drug Expenditures in Critical Care Pharmacy Practice. 2017 , 37, 54-64		14
1194	A Symptom-Triggered Benzodiazepine Protocol Utilizing SAS and CIWA-Ar Scoring for the Treatment of Alcohol Withdrawal Syndrome in the Critically Ill. 2017 , 51, 101-110		10
1193	Pharmacogenomics and pharmacogenetics for the intensive care unit: a narrative review. 2017 , 64, 45-64		24
1192	An Official American Thoracic Society/American College of Chest Physicians Clinical Practice Guideline: Liberation From Mechanical Ventilation in Critically Ill Adults. Rehabilitation Protocols, Ventilator Liberation Protocols, and Cuff Leak Tests. 2017 , 195, 120-133		136

1191	Design and Rationale of the Reevaluation of Systemic Early Neuromuscular Blockade Trial for Acute Respiratory Distress Syndrome. 2017 , 14, 124-133	41
1190	Evaluation of sedatives, analgesics, and neuromuscular blocking agents in adults receiving extracorporeal membrane oxygenation. 2017 , 37, 1-6	29
1189	Analgesia and Sedation Protocol for Mechanically Ventilated Postsurgical Children Reduces Benzodiazepines and Withdrawal Symptoms-But Not in All Patients. 2017 , 27, 255-262	7
1188	Predictors of clinicians' underuse of daily sedation interruption and sedation scales. 2017 , 38, 182-189	4
1187	Delirium the under-recognised syndrome: survey of healthcare professionals' awareness and practice in the intensive care units. 2017 , 26, 813-824	17
1186	Pharmacological sedation management in the paediatric intensive care unit. 2017 , 69, 498-513	13
1185	Melatonin Receptor Agonists for Delirium Prevention. 2017 , 51, 72-78	12
1184	The Pharmacology and Toxicology of the 'Holy Trinity'. 2017 , 120, 115-119	38
1183	Pharmacy-Driven Dexmedetomidine Stewardship and Appropriate Use Guidelines in a Community Hospital Setting. 2017 , 51, 27-32	3
1182	The Addition of Dexmedetomidine to Analgesia for Patients After Abdominal Operations: A Prospective Randomized Clinical Trial. 2017 , 41, 39-46	7
1181	Abstracting ICU Nursing Care Quality Data From the Electronic Health Record. 2017 , 39, 1271-1288	5
1180	Optimising non-invasive mechanical ventilation: Which unit should care for these patients? A cohort study. 2017 , 30, 225-233	13
1179	Validation of the Brazilian version of Behavioral Pain Scale in adult sedated and mechanically ventilated patients. 2017 , 67, 271-277	
1178	Postoperative delirium in patients with history of alcohol abuse. 2017 , 64, 214-222	11
1177	Role of statins in delirium prevention in critical ill and cardiac surgery patients: A systematic review and meta-analysis. 2017 , 37, 189-196	21
1176	Detection, Prevention, and Management of Delirium in the Critically Ill Cardiac Patient and Patients Who Undergo Cardiac Procedures. 2017 , 33, 80-87	20
1175	Prevention of Critical Care Complications in the Coronary Intensive Care Unit: Protocols, Bundles, and Insights From Intensive Care Studies. 2017 , 33, 101-109	17
1174	Septic encephalopathy and septic encephalitis??. 2017 , 15, 121-132	46

1173	Does this patient have delirium?. 2017 , 43, 693-695	9
1172	Development, Implementation, and Outcomes of a Delirium Protocol in the Surgical Trauma Intensive Care Unit. 2017 , 51, 5-12	7
1171	Evaluating Patient-Centered Outcomes in Clinical Trials of Procedural Sedation, Part 1 Efficacy: Sedation Consortium on Endpoints and Procedures for Treatment, Education, and Research Recommendations. 2017 , 124, 821-830	21
1170	Perspectives of physicians and nurses on identifying and treating psychological distress of the critically ill. 2017 , 37, 106-111	3
1169	Call for Manuscripts. 2017 , 36, 348	
1168	Short-term effects of passive mobilization on the sublingual microcirculation and on the systemic circulation in patients with septic shock. 2017 , 7, 95	3
1167	Klug-entscheiden-Empfehlungen in der internistischen Intensivmedizin. 2017 , 20, 198-203	
1166	Resource Utilization After Snakebite Severity Score Implementation into Treatment Algorithm of Crotaline Bite. 2017 , 53, 854-861	4
1165	Animal-Assisted Interactions to Alleviate Psychological Symptoms in Patients Receiving Mechanical Ventilation. 2017 , 19, 516-523	4
1164	Critical Care Management Focused on Optimizing Brain Function After Cardiac Arrest. 2017 , 81, 427-439	10
1163	Intervención interdisciplinaria del paciente con dolor en Unidades de Cuidado Intensivo (UCI): Revisión de tema. 2017 , 49, 380-390	0
1162	Effectiveness of new sedation and rehabilitation methods for critically ill patients receiving mechanical ventilation. 2017 , 29, 138-143	2
1161	Unplanned extubation in sedation management. 2017 , 24, 5-6	
1160	Skeletal Muscle Dysfunction in Critical Illness. 2017 ,	3
1159	Delirium in Intensive Care Unit Patients: Ten Important Points of Understanding. 2017 , 130, 2498-2502	2
1158	Application of a Geriatric Injury Protocol Demonstrates High Survival Rates for Geriatric Trauma Patients with High Injury Acuity. 2017 , 83, 1122-1126	2
1157	Effects of Propofol on Respiratory Drive and Patient-ventilator Synchrony during Pressure Support Ventilation in Postoperative Patients: A Prospective Study. 2017 , 130, 1155-1160	7
1156	Monitoring pain-sedation-delirium in ICU: the Cinderella of analgo-sedation strategy?. 2017 , 83, 131-133	

1155	Exploring the goldmine of pediatric sedation: many nuggets are yet to be found. 2017 , 83, 1001-1003	
1154	Neurologic complications of polytrauma. 2017 , 141, 633-655	3
1153	Validation of the Polish version of the Critical Care Pain Observation Tool (CPOT) to assess pain intensity in adult, intubated intensive care unit patients: the POL-CPOT study. 2018 , 14, 880-889	16
1152	The Use of Continuous Ketamine for Analgesia and Sedation in Critically Ill Patients with Opioid Abuse: A Case Series. 2017 , 3, 148-152	4
1151	The Sedative Effect of Propranolol on Critically Ill Patients: A Case Series. 2017 , 4, 44	1
1150	The Neurological Wake-up Test-A Role in Neurocritical Care Monitoring of Traumatic Brain Injury Patients?. 2017 , 8, 540	20
1149	Adherence to All Steps of a Pain Management Protocol in Intensive Care Patients after Cardiac Surgery Is Hard to Achieve. 2017 , 2017, 7187232	4
1148	Risk Factors of Delirium in Sequential Sedation Patients in Intensive Care Units. 2017 , 2017, 3539872	11
1147	Significant Bradycardia in Critically Ill Patients Receiving Dexmedetomidine and Fentanyl. 2017 , 2017, 4504207	5
1146	Utilizing bi-spectral index (BIS) for the monitoring of sedated adult ICU patients: a systematic review. 2017 , 83, 288 - 301	7
1145	Association between lymphocyte expression of the apoptotic receptor Fas and pain in critically ill patients. 2017 , 10, 175-181	1
1144	Halogenated volatile anesthetics in the intensive care unit: current knowledge on an upcoming practice. 2017 , 83, 737-748	6
1143	Propofol or benzodiazepines for short- and long-term sedation in intensive care units? An economic evaluation based on meta-analytic results. 2017 , 9, 685-698	2
1142	Effects of ABCDE Bundle on Hemodynamics in Patients on Mechanical Ventilation. 2017 , 23, 4650-4656	4
1141	Dexmedetomidine ameliorates muscle wasting and attenuates the alteration of hypothalamic neuropeptides and inflammation in endotoxemic rats. 2017 , 12, e0174894	8
1140	Brainstem response patterns in deeply-sedated critically-ill patients predict 28-day mortality. 2017 , 12, e0176012	22
1139	Intensive Care Syndrome: Promoting Independence and Return to Employment (InS:PIRE). Early evaluation of a complex intervention. 2017 , 12, e0188028	39
1138	Evidence based expert consensus for early rehabilitation in the intensive care unit. 2017 , 24, 255-303	21

1137	Multicenter assessment of sedation and delirium practices in the intensive care units in Poland - is this common practice in Eastern Europe?. 2017 , 17, 120	22
1136	Loxapine to control agitation during weaning from mechanical ventilation. 2017 , 21, 235	4
1135	Opioid-associated iatrogenic withdrawal in critically ill adult patients: a multicenter prospective observational study. 2017 , 7, 88	27
1134	Consideration of pain felt by patients in the ICU. 2017 , 5, 73	2
1133	Neurological assessment with validated tools in general ICU: multicenter, randomized, before and after, pragmatic study to evaluate the effectiveness of an e-learning platform for continuous medical education. 2017 , 83, 145-154	7
1132	Sedation and neuromuscular blocking agents in acute respiratory distress syndrome. 2017 , 5, 291	37
1131	Volatile agents in critical care sedation: yes, no or maybe?. 2017 , 83, 679-681	1
1130	Cognitive stimulation and occupational therapy for delirium prevention. 2017 , 29, 248-252	7
1129	Nurses' training in the use of a delirium screening tool. 2017 , 38, e64484	1
1128	A National Multicenter Survey on Management of Pain, Agitation, and Delirium in Intensive Care Units in China. 2017 , 130, 1182-1188	17
1127	Dexmedetomidine-associated hyperthermia: a retrospective cohort study of intensive care unit admissions between 2009 and 2016. 2017 , 45, 727-736	11
1126	Effect of intravenous midazolam on intracranial pressure during endotracheal suctioning in patients with severe head injury. 2017 , 04, 167-169	
1125	Management of intracranial hypertension: Recent advances and future directions. 2017 , 5, 53-62	1
1124	Emergence From Anesthesia. 2017 , 247-254	1
1123	Evaluation of self-perception of mechanical ventilation knowledge among Brazilian final-year medical students, residents and emergency physicians. 2017 , 72, 65-70	9
1122	Risk Factors of Postoperative Delirium in the Intensive Care Unit After Liver Transplantation. 2018 , 42, 2992-2999	15
1121	BIS monitoring versus clinical assessment for sedation in mechanically ventilated adults in the intensive care unit and its impact on clinical outcomes and resource utilization. 2018 , 2, CD011240	16
1120	Feasibility of continuous sedation monitoring in critically ill intensive care unit patients using the NeuroSENSE WAV index. 2018 , 32, 1081-1091	7

1119	Assessing Preventable Harms in the Intensive Care Unit: Data From a Tertiary Care Academic Medical Institution. 2018 , 33, 329		
1118	Controlling postoperative use of i.v. acetaminophen at an academic medical center. 2018 , 75, 548-555		17
1117	The Golden Hours of ICU Sedation: The Clock Is Ticking. <i>Critical Care Medicine</i> , 2018 , 46, 490-491	1.4	1
1116	Cardiogenic Shock: Recent Developments and Significant Knowledge Gaps. 2018 , 20, 15		1
1115	Effects of Haloperidol on Delirium in Adult Patients: A Systematic Review and Meta-Analysis. 2018 , 27, 250-259		17
1114	Perioperative Surgical Home Reduces Rapid Response Calls to a Postoperative Surgical Ward: How Anesthesiologists Are Improving the Inpatient Safety Net. 2018 , 22, 345-352		0
1113	Minimizing Asynchronies in Mechanical Ventilation: Current and Future Trends. 2018 , 63, 464-478		35
1112	Sedation Intensity in the First 48 Hours of Mechanical Ventilation and 180-Day Mortality: A Multinational Prospective Longitudinal Cohort Study. <i>Critical Care Medicine</i> , 2018 , 46, 850-859	1.4	93
1111	Influence of physical restraint on delirium of adult patients in ICU: A nested case-control study. 2018 , 27, 1950-1957		25
1110	Feasibility of Cognitive Training in Critically Ill Patients: A Pilot Study. 2018 , 27, 124-135		5
1109	Aggressive Care AND Palliative Care. 2018 , 27, 84-86		4
1108	Delirium in ICU patients following cardiac surgery: An observational study. 2018 , 27, 1994-2002		12
1107	Effect of Sedation Regimen on Weaning from Mechanical Ventilation in the Intensive Care Unit. 2018 , 38, 535-543		7
1106	Management of Traumatic Brain Injury: An Update. 2018 , 29, 213-221		12
1105	Pathophysiology and Management of Intracranial Hypertension and Tissular Brain Hypoxia After Severe Traumatic Brain Injury: An Integrative Approach. 2018 , 29, 195-212		27
1104	Management of Multiorgan Failure in Sepsis. 2018 , 139-158		
1103	The role of randomized cluster crossover trials for comparative effectiveness testing in anesthesia: design of the Benzodiazepine-Free Cardiac Anesthesia for Reduction in Postoperative Delirium (B-Free) trial. 2018 , 65, 813-821		10
1102	Comparison of clinical practice guidelines for the management of pain, agitation, and delirium in critically ill adult patients. 2018 , 5, 207-212		9

1101	Burn Nurse Competencies: Developing Consensus Using E-Delphi Methodology. 2018 , 39, 751-759	4
1100	Complications and Pharmacologic Interventions of Invasive Positive Pressure Ventilation During Critical Illness. 2018 , 34, 153-170	
1099	Respiratory Failure and ARDS. 2018 , 469-481	
1098	[Palliative care : Challenges in the intensive care unit]. 2018 , 113, 249-255	1
1097	Dexmedetomidine-induced fever and delirium: A case report. 2018 , 43, 430-433	7
1096	The relationship of delirium and risk factors for cardiology intensive care unit patients with the nursing workload. 2018 , 27, 2109-2119	13
1095	Long-term sequelae of acute respiratory distress syndrome caused by severe community-acquired pneumonia: Delirium-associated cognitive impairment and post-traumatic stress disorder. 2018 , 46, 2265-2283 ¹⁷	
1094	Enteral Guanfacine to Treat Severe Anxiety and Agitation Complicating Critical Care After Cardiac Surgery. 2018 , 22, 403-406	5
1093	Patients' lived experience of intensive care when being on mechanical ventilation during the weaning process: A hermeneutic phenomenological study. 2018 , 47, 46-53	4
1092	Effects of Massage in Reducing the Pain and Anxiety of the Cardiac Surgery Critically Ill-a Randomized Controlled Trial. 2018 , 19, 2556-2569	14
1091	Pain and Its Long-term Interference of Daily Life After Critical Illness. 2018 , 127, 690-697	19
1090	Handbook of Sepsis. 2018 ,	4
1089	Magnetic Resonance Imaging in Neurocritically Ill Patients: Who Fails and How?. 2021 , 17, e1327-e1331	1
1088	The Japanese Clinical Practice Guidelines for Management of Sepsis and Septic Shock 2016 (J-SSCG 2016). 2018 , 5, 3-89	50
1087	Prevalence, Location, and Characteristics of Chronic Pain in Intensive Care Survivors. 2018 , 19, 366-376	13
1086	Delirium in the Cardiac Intensive Care Unit. 2018 , 7,	31
1085	Delirium Assessment Tools for Use in Critically Ill Adults: A Psychometric Analysis and Systematic Review. 2018 , 38, 38-49	37
1084	Letting the Patient Decide: A Case Report of Self-Administered Sedation During Mechanical Ventilation. 2018 , 38, 17-23	

1083	Prediction and early detection of delirium in the intensive care unit by using heart rate variability and machine learning. 2018 , 39, 035004	22
1082	Therapeutic Advances in the Management of Older Adults in the Intensive Care Unit: A Focus on Pain, Sedation, and Delirium. 2018 , 25, e115-e127	3
1081	Haloperidol for delirium in critically ill patients - protocol for a systematic review. 2018 , 62, 712-723	4
1080	Suvorexant is associated with a low incidence of delirium in critically ill patients: a retrospective cohort study. 2018 , 18, 209-215	10
1079	Antipsychotics, Delirium, and Acute Respiratory Distress Syndrome: What Is the Link?. 2018 , 38, 462-469	6
1078	Sedation and Hemodynamics. 2018 , 155-166	
1077	Sleep in the ICU. 2018 , 185-196	1
1076	Sedation in Cardiac Surgery Intensive Care Unit. 2018 , 245-255	
1075	The Stress Response of Critical Illness: Which Is the Role of Sedation?. 2018 , 9-19	
1074	Benzodiazepine administration during adult cardiac surgery: a survey of current practice among Canadian anesthesiologists working in academic centres. 2018 , 65, 263-271	11
1073	Delirium is a Common and Early Finding in Patients in the Pediatric Cardiac Intensive Care Unit. 2018 , 195, 206-212	61
1072	Acute Pain Assessment in Sedated Patients in the Postanesthesia Care Unit. 2018 , 34, 700-706	3
1071	Incidence, risk factors, and outcomes related with neurological events after liver transplantation in adult and pediatric recipients. 2018 , 22, e13159	5
1070	Fundamentals of Pain Medicine. 2018 ,	4
1069	Pain in the Critically Ill Patient. 2018 , 339-347	
1068	Identify Delirium, Then Investigate for Underlying Etiology. 2018 , 19, 86-87	5
1067	Use of Antipsychotic Medications in Non-Substance-Related Delirium—the Gap Between Research Findings and Clinical Practices. 2018 , 5, 1-16	0
1066	Physical compatibility of MCT/LCT propofol emulsions with crystalloids during simulated Y-site administration. 2018 , 25, e139-e143	

1065 Common Practice and Guidelines for Sedation in Critically Ill Patients. **2018**, 35-46

1064 Approach to the Elderly Patient with Delirium: The Intensive Care Specialist's Perspective. **2018**, 89-96

1063 Approach to the Elderly Patient with Delirium: Nursing Perspective. **2018**, 97-110

1062 Therapeutic Advances in the Prevention and Treatment of Delirium in the Hospital Setting. **2018**, 25, e3-e14

4

1061 Monitoring intensive care unit performance-impact of a novel individualised performance scorecard in critical care medicine: a mixed-methods study protocol. **2018**, 8, e019165

6

1060 Sedative Plasma Concentrations and Delirium Risk in Critical Illness. **2018**, 52, 513-521

7

1059 Sedation of the Obese Patient: Indications, Management, and Complications. **2018**, 123-138

1058 Mechanical Ventilation in the Critically Ill Obese Patient. **2018**,

1057 Does a history of psychoactive substances abuse play a role in the level of pain of the patient with severe trauma?. **2018**, 29, 64-71

1056 Prevalence and predictors of difficulty accessing the mouths of intubated critically ill adults to deliver oral care: An observational study. **2018**, 80, 36-40

16

1055 The validity and reliability of the Arabic version of the Confusion Assessment Method for the Intensive Care Unit (CAM-ICU): A prospective cohort study. **2018**, 80, 83-89

9

1054 Delirium in the Elderly. **2018**, 41, 1-17

58

1053 Management of severe traumatic brain injury (first 24hours). **2018**, 37, 171-186

68

1052 Rapid Response Events in Hospitalized Patients: Patient Symptoms and Clinician Communication. **2018**, 55, 946-952

0

1051 Pharmacokinetics of dexmedetomidine during analgosedation in ICU patients. **2018**, 45, 277-284

5

1050 Enhancing Recovery From Sepsis: A Review. **2018**, 319, 62-75

310

1049 Intensive care survivor-reported symptoms: a longitudinal study of survivors' symptoms. **2018**, 23, 48-54

14

1048 Improving the Accuracy of Delirium Assessments in Neuroscience Patients: Scaling a Quality Improvement Program to Improve Nurses' Skill, Compliance, and Accuracy in the Use of the Confusion Assessment Method in the Intensive Care Unit Tool. **2018**, 37, 26-34

2

1047	Management of the Critically Ill Adult With Congenital Heart Disease. 2018 , 32, 1682-1700	5
1046	Opportunity Knocks? The Expansion of Volatile Agent Use in New Clinical Settings. 2018 , 32, 1946-1954	2
1045	Pain Assessment in Mechanically Ventilated, Noncommunicative Severe Trauma Patients. 2018 , 25, 49-59	3
1044	Ketamine versus hydromorphone patient-controlled analgesia for acute pain in trauma patients. 2018 , 225, 6-14	13
1043	Pharmacological Considerations in Acute and Chronic Liver Disease. 2018 , 211-232	
1042	Thirty-day hospital readmissions among mechanically ventilated emergency department patients. 2018 , 35, 252-256	3
1041	Precision and Bias of Target-Controlled Prolonged Propofol Infusion for General Anesthesia and Sedation in Neurosurgical Patients. 2018 , 58, 606-612	3
1040	Postoperative Cognitive Issues. 59-74	
1039	Duration of Agitation, Fluctuations of Consciousness, and Associations with Outcome in Patients with Subarachnoid Hemorrhage. 2018 , 29, 33-39	8
1038	Monitoring Haloperidol Plasma Concentration and Associated Adverse Events in Critically Ill Children With Delirium: First Results of a Clinical Protocol Aimed to Monitor Efficacy and Safety. 2018 , 19, e112-e119	14
1037	Nurses' Sedation Practices During Weaning of Adults From Mechanical Ventilation in an Intensive Care Unit. 2018 , 27, 32-42	6
1036	Development of evidence-based nursing-sensitive quality indicators for emergency nursing: A Delphi study. 2018 , 27, 3008-3019	7
1035	Altered Mental Status in the Emergency Department. 2018 , 209-232	1
1034	Hypertension, mitral valve disease, atrial fibrillation and low education level predict delirium and worst outcome after cardiac surgery in older adults. 2018 , 18, 15	12
1033	Challenges faced by nurses in using pain assessment scale in patients unable to communicate: a qualitative study. 2018 , 17, 11	18
1032	The 2014 updated version of the Confusion Assessment Method for the Intensive Care Unit compared to the 5th version of the Diagnostic and Statistical Manual of Mental Disorders and other current methods used by intensivists. 2018 , 8, 33	26
1031	The Japanese Clinical Practice Guidelines for Management of Sepsis and Septic Shock 2016 (J-SSCG 2016). 2018 , 6, 7	55
1030	Postoperative Delirium After Esophagectomy: The Efficacy of Continual Monitoring Using the NEECHAM Confusion Scale. 2018 , 4, 2377960818756799	

1029	Baden Prevention and Reduction of Incidence of Postoperative Delirium Trial (PRIDE): a phase IV multicenter, randomized, placebo-controlled, double-blind clinical trial of ketamine versus haloperidol for prevention of postoperative delirium. 2018 , 19, 142	6
1028	Outcomes of protocolised analgesia and sedation in a neurocritical care unit. 2018 , 32, 941-947	3
1027	Use of haloperidol versus atypical antipsychotics and risk of in-hospital death in patients with acute myocardial infarction: cohort study. 2018 , 360, k1218	16
1026	A cross-sectional study of predictors of pain control during the transition from the surgical intensive care unit to surgical ward. 2018 , 31, 159-164	4
1025	Evaluation of Richmond Agitation Sedation Scale (RASS) in Mechanically Ventilated in the Emergency Department. 2018 , 40, 131-137	5
1024	Effect of Administration of Ramelteon, a Melatonin Receptor Agonist, on the Duration of Stay in the ICU: A Single-Center Randomized Placebo-Controlled Trial. <i>Critical Care Medicine</i> , 2018 , 46, 1099-1105 ⁴	62
1023	Innovation in Clinical Practice: A Preliminary Study on Delirium Assessment in Intensive Care Unit Using an Application for Smartphone. 2018 , 37, 194-195	1
1022	Use of Recruitment Maneuvers in Patients With Acute Respiratory Distress Syndrome. 2018 , 37, 135-143	2
1021	Reliability of three linguistically and culturally validated pain assessment tools for sedated ICU patients by ICU nurses in Finland. 2018 , 18, 165-173	2
1020	Management of Intracranial Pressure: Part I: Pharmacologic Interventions. 2018 , 37, 120-129	6
1019	The Sandman in the ICU: A Novel Use of Dexmedetomidine?. 2018 , 197, 1098-1099	3
1018	Sevoflurane for procedural sedation in critically ill patients: A pharmacokinetic comparative study between burn and non-burn patients. 2018 , 37, 551-556	6
1017	Multimodal analgesia in critical care. 2018 , 13, 18-23	0
1016	"Sedation is tricky": A qualitative content analysis of nurses' perceptions of sedation administration in mechanically ventilated intensive care unit patients. 2018 , 31, 153-158	7
1015	Designing a nurse-delivered delirium bundle: What intensive care unit staff, survivors, and their families think?. 2018 , 31, 174-179	9
1014	Impact of timing and duration of postoperative delirium: a retrospective observational study. 2018 ,	10
1013	Do sedation and analgesia contribute to long-term cognitive dysfunction in critical care survivors?. 2018 , 42, 114-128	1
1012	Newly Initiated In-Hospital Antipsychotics Continued at Discharge in Non-psychiatric Patients. 2018 , 53, 308-315	3

1011	Current practices and safety of medication use during rapid sequence intubation. 2018 , 45, 65-70	17
1010	An overview of mechanical ventilation in the intensive care unit. 2018 , 32, 41-49	5
1009	Effect of organisational factors on the variation in incidence of delirium in intensive care unit patients: A systematic review and meta-regression analysis. 2018 , 31, 180-187	28
1008	International Practice Variation in Weaning Critically Ill Adults from Invasive Mechanical Ventilation. 2018 , 15, 494-502	30
1007	Evidence-Based Practice in Perianesthesia Nursing: Application of the American Geriatrics Society Clinical Practice Guideline for Postoperative Delirium in Older Adults. 2018 , 33, 253-264	3
1006	The effect of guided imagery on physiological and psychological outcomes of adult ICU patients: A systematic literature review and methodological implications. 2018 , 31, 73-86	19
1005	Evaluation of the Effects of Quetiapine on QTc Prolongation in Critically Ill Patients. 2018 , 31, 292-297	13
1004	Survey among critical care nurses and physicians about delirium management. 2018 , 23, 23-29	10
1003	A Systematic Review of Alpha-2 Agonists for Sedation in Mechanically Ventilated Neurocritical Care Patients. 2018 , 28, 12-25	11
1002	Sedation Practice in Extracorporeal Membrane Oxygenation-Treated Patients with Acute Respiratory Distress Syndrome: A Retrospective Study. 2018 , 64, 544-551	26
1001	2017 EACTS Guidelines on perioperative medication in adult cardiac surgery. 2018 , 53, 5-33	183
1000	Intensive care unit drug costs in the context of total hospital drug expenditures with suggestions for targeted cost containment efforts. 2018 , 44, 77-81	10
999	Association between dexmedetomidine use and neurological outcomes in aneurysmal subarachnoid hemorrhage patients: A retrospective observational study. 2018 , 44, 111-116	9
998	Improving Long-Term Outcomes After Sepsis. 2018 , 34, 175-188	26
997	Spontaneous Breathing Trials and Conservative Sedation Practices Reduce Mechanical Ventilation Duration in Subjects With ARDS. 2018 , 63, 1-10	12
996	Validation of two Chinese-version pain observation tools in conscious and unconscious critically ill patients. 2018 , 44, 115-122	8
995	The experience of intensive care nurses caring for patients with delirium: A phenomenological study. 2018 , 44, 92-98	12
994	Pharmacology. 2018 , 407-438	1

993	Consensus Report by the Pediatric Acute Lung Injury and Sepsis Investigators and Pediatric Blood and Marrow Transplantation Consortium Joint Working Committees on Supportive Care Guidelines for Management of Veno-Occlusive Disease in Children and Adolescents, Part 3: Focus on Cardiorespiratory Dysfunction, Infections, Liver Dysfunction, and Delirium. 2018 , 24, 207-218		8
992	Do sedation and analgesia contribute to long-term cognitive dysfunction in critical care survivors?. 2018 , 42, 114-128		18
991	Responding to Ten Common Delirium Misconceptions With Best Evidence: An Educational Review for Clinicians. 2018 , 30, 51-57		15
990	The early diagnosis and management of mixed delirium in a patient placed on ECMO and with difficult sedation: A case report. 2018 , 44, 110-114		11
989	Effect of Modafinil on Cognitive Function in Intensive Care Unit Patients: A Retrospective Cohort Study. 2018 , 58, 152-157		5
988	Effect of motor subtypes of delirium in the intensive care unit on fast-track failure after cardiac surgery. 2018 , 155, 268-275.e1		7
987	Toxicity of inhaled agents after prolonged administration. 2018 , 32, 651-666		11
986	Sedation and Analgesia During Noninvasive Ventilation (NIV). 2018 , 139-146		1
985	Effect of various antipsychotic regimens on incidence of delirium in critically ill adults. 2018 , 44, 289-293		3
984	Ketamine Infusion for Adjunct Sedation in Mechanically Ventilated Adults. 2018 , 38, 181-188		18
983	Practice Patterns and Outcomes Associated With Early Sedation Depth in Mechanically Ventilated Patients: A Systematic Review and Meta-Analysis. <i>Critical Care Medicine</i> , 2018 , 46, 471-479	1.4	55
982	Delirium in Elderly Patients. 2018 ,		
981	Does Neurofunction Monitoring Enhance Nursing Confidence and Comfort?. 2018 , 19, 157-162		1
980	Pharmacokinetics of Oral and Intravenous Paracetamol (Acetaminophen) When Co-Administered with Intravenous Morphine in Healthy Adult Subjects. 2018 , 38, 259-268		19
979	Intravenous Sedatives and Anesthetics. 2018 , 255-281		1
978	Ten tips for ICU sedation. 2018 , 44, 1141-1143		11
977	Pharmacological considerations in the elderly. 2018 , 31, 11-18		18
976	Content validation of behaviours and autonomic responses for the assessment of pain in critically ill adults with a brain injury. 2018 , 31, 145-151		4

975	Practical Trends in Anesthesia and Intensive Care 2017. 2018,		
974	Analgo-sedative interventions after rapid sequence intubation with rocuronium in the emergency department. 2018, 36, 1129-1133		3
973	"Pain relieved, but still struggling"-Critically ill patients experiences of pain and other discomforts during analgo-sedation. 2018, 27, e223-e234		16
972	Impact of restarting home neuropsychiatric medications on sedation outcomes in medical intensive care unit patients. 2018, 43, 102-107		8
971	A prospective, observational, longitudinal cohort study of sedation practices in SGH intensive care units. 2018, 27, 103-109		2
970	Delirium prevention and management—less sedation and keep moving!. 2018, 2, 47-47		
969	Impacting Delirium in the Trauma ICU Utilizing the ICU Liberation Collaborative Benchmark Report. 2018, 25, 348-355		2
968	Early Administration of Ramelteon in the ICU: Effects Deserve Further Study. <i>Critical Care Medicine,</i> 2018, 46, e1010	1.4	1
967	Validation of the behavioral pain scale to assess pain intensity in adult, intubated postcardiac surgery patients: A cohort observational study - POL-BPS. 2018, 97, e12443		15
966	Propofol-Induced Green Urine in a Patient with Refractory Status Epilepticus. 2018, 8, 97-99		2
965	REDUCE trial: using haloperidol to prevent delirium has no beneficial effect in critically ill patients. 2018, 2, 43-43		
964	Sedation of the trauma patient in the intensive care unit. 2018, 2, 8-8		0
963	2018 CAS Annual Meeting Abstracts. 2018, 65, 1-125		
962	Acute Pain Management in Intensive Care Patients: Facts and Figures. 2018,		2
961	Caring for the critically ill patients over 80: a narrative review. 2018, 8, 114		52
960	Virtual Reality and Human Consciousness: The Use of Immersive Environments in Delirium Therapy. 2018, 16, 75-83		1
959	Pain management for trauma patients. 2018, 25, 421-429		
958	A pilot study of nonpharmacologic management of delirium. 2018, 48, 66-67		

957	The authors reply. <i>Critical Care Medicine</i> , 2018 , 46, e1010-e1011	1.4	
956	Pharmacologic prevention of postoperative delirium after on-pump cardiac surgery: A meta-analysis of randomized trials. 2018 , 97, e12771		9
955	Opioid Use After ICU Admission Among Elderly Chronic Opioid Users in Ontario: A Population-Based Cohort Study. <i>Critical Care Medicine</i> , 2018 , 46, 1934-1942	1.4	9
954	Ketamine-Induced Diabetes Insipidus. 2018 , 32, 165-169		2
953	Patient-targeted light sedation in the Intensive Care Unit: are we ready for precision medicine with dexmedetomidine?. 2018 , 84, 661-663		3
952	Mechanical ventilation weaning. 2018 , 13, 5-16		2
951	Results from a Quality Improvement Project to Decrease Infection-Related Ventilator Events in Trauma Patients at a Community Teaching Hospital. 2018 , 84, 1701-1704		4
950	Protocol-directed sedation versus non-protocol-directed sedation in mechanically ventilated intensive care adults and children. 2018 , 11, CD009771		7
949	Conscious sedation in critically ill patients is associated with stressors perception lower than assessed by caregivers. 2018 , 84, 1150-1159		6
948	Analysis of trends in usage of analgesics and sedatives in intensive care units of South Korea: A retrospective nationwide population-based study. 2018 , 97, e12126		4
947	Patients, families and Intensive Care Unit-staff members: from sedation strategies to global interaction for stress control. 2018 , 84, 1120-1122		2
946	Safety and Efficacy of Dexmedetomidine, Ketofol, and Propofol for Sedation of Mechanically Ventilated Patients. 2018 , 04,		
945	Validity and reliability of sleep promotion questionnaire and predictors of quality of care.. 2018 , 6, 2050312118794595		
944	Use of statins and the risk of delirium in critically ill and surgical patients: Protocol of a systematic review and meta-analysis. 2018 , 97, e13679		1
943	Multi-modal Educational Curriculum to Improve Richmond Agitation-sedation Scale Inter-rater Reliability in Pediatric Patients. 2018 , 3, e096		5
942	Perme ICU Mobility Score (Perme Score) and the ICU Mobility Scale (IMS): translation and cultural adaptation for the Spanish language. 2018 , 265-272		4
941	Safety and efficacy of applying sufficient analgesia combined with a minimal sedation program as an early antihypertensive treatment for spontaneous intracerebral hemorrhage: a randomized controlled trial. 2018 , 19, 607		3
940	Delirium Monitoring in Neurocritically Ill Patients: A Systematic Review. <i>Critical Care Medicine</i> , 2018 , 46, 1832-1841	1.4	39

939	Supportive Care of Patients on Mechanical Ventilation. 2018 , 63, 1567-1574	3
938	Delirium: Are We Doing Enough?. 2018 , 33, 990-992	
937	Limiting ventilator-associated complications in ICU intubated subjects: strategies to prevent ventilator-associated events and improve outcomes. 2018 , 12, 1037-1050	4
936	Validation of the SOS-PD scale for assessment of pediatric delirium: a multicenter study. 2018 , 22, 309	16
935	Pain, agitation and delirium assessment and management in a community medical-surgical ICU: results from a prospective observational study and nurse survey. 2018 , 7, e000413	6
934	Pain, agitation and delirium in the intensive care unit. 2018 , 19, 634-640	4
933	A team approach to the introduction of safe early mobilisation in an adult critical care unit. 2018 , 7, e000339	6
932	Total Intravenous Anesthesia in Neurosurgery. 2018 , 05, 141-149	3
931	Experienced Use of Dexmedetomidine in the Intensive Care Unit: A Report of a Structured Consensus. 2018 , 46, 176-183	4
930	Pain measurement techniques: spotlight on mechanically ventilated patients. 2018 , 11, 2969-2980	11
929	Intraoperative Gabe von Dexmedetomidin verhindert postoperatives Delir nicht. 2018 , 7, 16-18	
928	Implementation and maintenance of a pain management quality assurance program at intensive care units: 360 degree feedback of physicians, nurses and patients. 2018 , 13, e0208527	4
927	The Incidence and Related Risk Factors of Delirium in the Older Inpatients with Neurological Disorders in a Tertiary Hospital. 2018 , 30, 255	1
926	All Delirium May Not Be Created Equal: Consideration of Differential Effects of Delirium Based Upon Underlying Etiology. 2018 , 19, 1009-1010	3
925	Antimicrobial exposure and the risk of delirium in critically ill patients. 2018 , 22, 337	19
924	Using the Model for Improvement to implement the Critical-Care Pain Observation Tool in an adult intensive care unit. 2018 , 7, e000304	7
923	Optimising drug dosing in patients receiving extracorporeal membrane oxygenation. 2018 , 10, S629-S641	64
922	Acute Respiratory Failure and Pulmonary Complications in End-Stage Liver Disease. 2018 , 39, 546-555	5

921	Light sedation with dexmedetomidine: a practical approach for the intensivist in different ICU patients. 2018 , 84, 731-746	16
920	Assessing Pain in Critically Ill Adults. 2018 , 38, e13-e16	6
919	Factors Influencing Delirium in Neurological Intensive Care Unit Patient. 2018 , 30, 470	1
918	[Delirium in intensive care patients : A multiprofessional challenge]. 2018 , 67, 811-820	5
917	Pain Control in the Critically Ill Patient. 2018 , 345-356.e1	
916	For Better Neuropsychiatric Outcomes, Minimize Benzodiazepines. <i>Critical Care Medicine</i> , 2018 , 46, 1709-1710	1
915	Dexmedetomidine in prevention and treatment of postoperative and intensive care unit delirium: a systematic review and meta-analysis. 2018 , 8, 92	31
914	Effect of nonpharmacological interventions for the prevention of delirium in the intensive care unit: A systematic review and meta-analysis. 2018 , 48, 372-384	27
913	Monitoring of sedation depth in intensive care unit by therapeutic drug monitoring? A prospective observation study of medical intensive care patients. 2018 , 6, 62	4
912	Cognitive Changes after Surgery in Clinical Practice. 2018 ,	1
911	Validation of The Critical-care Pain Observation Tool (CPOT) for the detection of oral-pharyngeal pain in critically ill adults. 2018 , 48, 334-338	13
910	Ventilator Management in Critical Illness. 2018 , 215-248	1
909	2008-2018: Ten years of gradual changes in the sedation guidelines for critically ill patients. 2018 , 37, 509-511	6
908	Sleep and Sleep Deprivation Among Families in the ICU. 2018 , 61-75	1
907	Evaluation of PRE-DELIRIC (PREdiction of DELIRium in ICu patients) delirium prediction model for the patients in the intensive care unit. 2018 , 25, 14-22	10
906	Predictors of early weaning failure from mechanical ventilation in critically ill patients after emergency gastrointestinal surgery: A retrospective study. 2018 , 97, e12741	4
905	Pediatric Delirium: Where Do We Go From Here?. 2018 , 19, 992-993	0
904	Performance of Electronic Prediction Rules for Prevalent Delirium at Hospital Admission. 2018 , 1, e181405	16

903	Pharmacologic Treatment of Intensive Care Unit Delirium and the Impact on Duration of Delirium, Length of Intensive Care Unit Stay, Length of Hospitalization, and 28-Day Mortality. 2018 , 93, 1739-1748	5
902	Principles of Geriatric Pharmacotherapy. 28-50	2
901	Neurocognitive Dysfunction and Geriatric Neurocritical Care. 63-80	
900	Perioperative Care of Geriatric Patients at Risk of Developing Critical Illness. 187-199	
899	Psychotropic drug therapy in patients in the intensive care unit - usage, adverse effects, and drug interactions: a review. 2018 , 14, 1799-1812	8
898	What Is the Optimal Sedative Regimen in Severe Traumatic Brain Injury Patients?. 2018 , 47-60	
897	Families in the Intensive Care Unit. 2018 ,	3
896	Enhanced Recovery in Surgical Intensive Care: A Review. 2018 , 5, 256	5
895	ISBI Practice Guidelines for Burn Care, Part 2. 2018 , 44, 1617-1706	28
894	Decreased Risk of Delirium With Use of Regional Analgesia in Geriatric Trauma Patients With Multiple Rib Fractures. 2018 , 268, 534-540	17
893	Critical Care Pain Management in Patients Affected by the Opioid Epidemic: A Review. 2018 , 15, 1016-1023	8
892	Sleep and Delirium in Pediatric Critical Illness: What Is the Relationship?. 2018 , 6,	7
891	Protocol for a multicentre, prospective cohort study of practice patterns and clinical outcomes associated with emergency department sedation for mechanically ventilated patients: the ED-SED Study. 2018 , 8, e023423	5
890	Sedation, Delirium, and Cognitive Function After Critical Illness. 2018 , 34, 585-598	10
889	Positive Pressure Ventilation in the Cardiac Intensive Care Unit. 2018 , 72, 1532-1553	59
888	Mismatch negativity to predict subsequent awakening in deeply sedated critically ill patients. 2018 , 121, 1290-1297	6
887	Agitation in adults in the post-anaesthesia care unit after general anaesthesia. 2018 , 121, 1052-1058	29
886	Gaps in pain, agitation and delirium management in intensive care: Outputs from a nurse workshop. 2018 , 48, 52-60	11

885	Methodologic Innovation in Creating Clinical Practice Guidelines: Insights From the 2018 Society of Critical Care Medicine Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption Guideline Effort. <i>Critical Care Medicine</i> , 2018 , 46, 1457-1463	1.4	21
884	Validation of Two Pain Assessment Tools Using a Standardized Nociceptive Stimulation in Critically Ill Adults. 2018 , 56, 594-601		5
883	Outcomes When Using Adjunct Dexmedetomidine with Propofol Sedation in Mechanically Ventilated Surgical Intensive Care Patients. 2018 , 6,		2
882	Nonadherence to Geriatric-Focused Practices in Older Intensive Care Unit Survivors. 2018 , 27, 354-361		6
881	Intravenous Acetaminophen Improves Outcomes After Transapical Transcatheter Aortic Valve Replacement. 2018 , 13, 287-291		4
880	Propofol Infusion Syndrome: Efficacy of a Prospective Screening Protocol. 2018 , 84, 1333-1338		0
879	Delirium in Postoperative Patients Admitted to the Intensive Care Unit. 2018 , 84, 875-880		2
878	Elimination of Routine Benzodiazepine Administration for Nonprocedural Sedation in a Trauma Intensive Care Unit is Feasible. 2018 , 84, 947-951		1
877	Das Delirium - Klinik, Pathogenese, Therapie und Prävention. 2018 , 20, 38-46		1
876	Prevalence and risk factors related to haloperidol use for delirium in adult intensive care patients: the multinational AID-ICU inception cohort study. 2018 , 44, 1081-1089		38
875	Economic Evaluation of a Patient-Directed Music Intervention for ICU Patients Receiving Mechanical Ventilatory Support. <i>Critical Care Medicine</i> , 2018 , 46, 1430-1435	1.4	18
874	Effectiveness and harms of pharmacological interventions in the treatment of delirium in adults in intensive care units post cardiac surgery: a systematic review protocol. 2018 , 16, 1117-1125		3
873	Use of Methadone to Reverse Opioid Escalation in a Patient With Surgical Pain. 2018 , 32, 10-14		
872	Educational intervention on delirium assessment using confusion assessment method-ICU (CAM-ICU) in a general intensive care unit. 2018 , 27, 4028-4039		13
871	Losing Sleep Over Delirium. <i>Critical Care Medicine</i> , 2018 , 46, 1036-1038	1.4	3
870	Evaluating the implementation of confusion assessment method-intensive care unit using a quality improvement approach. 2018 , 23, 172-178		4
869	Effect of Intravenous Dexmedetomidine During General Anesthesia on Acute Postoperative Pain in Adults: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. 2018 , 34, 1180-1191		17
868	Light Sedation Is the Goal: Making the Evidence Heavier. <i>Critical Care Medicine</i> , 2018 , 46, 1003-1004	1.4	6

867	Comparison of dexmedetomidine versus propofol on hemodynamics in surgical critically ill patients. 2018 , 228, 194-200	15
866	Use of the critical-care pain observation tool and the bispectral index for the detection of pain in brain-injured patients undergoing mechanical ventilation: A STROBE-compliant observational study. 2018 , 97, e10985	11
865	A Non-Comparative Prospective Pilot Study of Ketamine for Sedation in Adult Septic Shock. 2018 , 183, e409-e413	3
864	Frailty in Critical Care: Examining Implications for Clinical Practices. 2018 , 38, 29-35	3
863	Pain and anxiety and their relationship with medication doses in the intensive care unit. 2018 , 47, 65-69	5
862	Does a history of psychoactive substances abuse play a role in the level of pain of the patient with severe trauma?. 2018 , 29, 64-71	
861	Out-of-bed mobilization of patients undergoing mechanical ventilation with orotracheal tubes: A survey study. 2018 , 47, 173-177	11
860	Evaluating the risk profile of quetiapine in treating delirium in the intensive care adult population: A retrospective review. 2018 , 47, 169-172	2
859	Dyspnoea in patients receiving noninvasive ventilation for acute respiratory failure: prevalence, risk factors and prognostic impact: A prospective observational study. 2018 , 52,	20
858	Actigraphy to Evaluate Sleep in the Intensive Care Unit. A Systematic Review. 2018 , 15, 1075-1082	43
857	Educational Intervention to Improve Delirium Recognition by Nurses. 2018 , 27, 270-278	12
856	Clinical Utility of a Structured Program to Reduce the Risk of Health-Related Quality of Life Impairment after Discharge from Intensive Care Unit: A Real-World Experience. 2018 , 2018, 3838962	2
855	Health-related quality of life in intensive care survivors: Associations with social support, comorbidity, and pain interference. 2018 , 13, e0199656	13
854	Neuroemergencies in Critical Care Patients. 2018 , 247-265	
853	LC-MS/MS Method for Simultaneous Quantification of Dexmedetomidine, Dezocine, and Midazolam in Rat Plasma and Its Application to Their Pharmacokinetic Study. 2018 , 2018, 3184759	5
852	Reducing Use of Restraints in Intensive Care Units: A Quality Improvement Project. 2018 , 38, e8-e16	9
851	Treating pain in burn patients-Switch from Cartesian rationality to Hedonism. 2018 , 44, 1707-1708	
850	Pediatric Delirium. 2018 , 135-153	

849	Pain Management in Older Adults. 2018,	3
848	Challenges of pain management in neurologically injured patients: systematic review protocol of analgesia and sedation strategies for early recovery from neurointensive care. 2018, 7, 104	2
847	Early delirium after cardiac surgery: an analysis of incidence and risk factors in elderly (≥65 years) and very elderly (≥80 years) patients. 2018, 13, 1061-1070	70
846	Comparing the efficacy of Morphine alone with Morphine and mgso4 in pain management after coronary artery bypass surgery. 2018, 34, 352-356	1
845	Acute Medical Conditions. 2018, 183-189.e8	
844	Effects of dexmedetomidine on delirium duration of non-intubated ICU patients (4D trial): study protocol for a randomized trial. 2018, 19, 307	11
843	Palliative Care in the Intensive Care Unit (ICU). 2018, 1-18	
842	Simple Changes to Emergency Department Workflow Improve Analgesia in Mechanically Ventilated Patients. 2018, 19, 668-674	2
841	Delirium in adult cancer patients: ESMO Clinical Practice Guidelines. 2018, 29, iv143-iv165	51
840	Der akute Verwirrtheitszustand des älteren Patienten – Delir und Demenz als Einsatzkategorie in der PrÄlinik. 2018, 187-199	
839	Quality improvement of delirium status communication and documentation for intensive care unit patients during daily multidisciplinary rounds. 2018, 7, e000239	4
838	Vital signs: Valid indicators to assess pain in intensive care unit patients? An observational, descriptive study. 2018, 20, 502-508	7
837	Delirium after cardiac surgery. Incidence, phenotypes, predisposing and precipitating risk factors, and effects. 2018, 47, 408-417	20
836	Patient comfort during critical illness special issue. 2018, 31, 143-144	
835	Delirium prediction in the intensive care unit: comparison of two delirium prediction models. 2018, 22, 114	29
834	Comparison between a nurse-led weaning protocol and weaning based on physician’s clinical judgment in tracheostomized critically ill patients: a pilot randomized controlled clinical trial. 2018, 8, 11	8
833	Midazolam increases preload dependency during endotoxic shock in rabbits by affecting venous vascular tone. 2018, 8, 59	1
832	Psychometric properties of the Arabic version of the confusion assessment method for the intensive care unit (CAM-ICU). 2018, 18, 91	7

831	Measuring Acute Pain Over Time in the Critically Ill Using the Multidimensional Objective Pain Assessment Tool (MOPAT). 2018 , 19, 277-287		9
830	A feasibility study of a randomised controlled trial to examine the impact of the ABCDE bundle on quality of life in ICU survivors. 2018 , 4, 32		17
829	Adverse effects induced by diclofenac, ibuprofen, and paracetamol toxicity on immunological and biochemical parameters in Swiss albino mice. 2018 , 79,		11
828	Music intervention to prevent delirium among older patients admitted to a trauma intensive care unit and a trauma orthopaedic unit. 2018 , 47, 7-14		16
827	Sedation in the ICU. 2018 , 13, 28-33		
826	Benzodiazepines and Development of Delirium in Critically Ill Children: Estimating the Causal Effect. <i>Critical Care Medicine</i> , 2018 , 46, 1486-1491	1.4	61
825	Adjunctive Use of Ketamine for Benzodiazepine-Resistant Severe Alcohol Withdrawal: a Retrospective Evaluation. 2018 , 14, 229-236		11
824	Association of intensive care unit delirium with sleep disturbance and functional disability after critical illness: an observational cohort study. 2018 , 8, 63		24
823	Improving Health Care for Critically Ill Patients Using an Evidence-Based Collaborative Approach to ABCDEF Bundle Dissemination and Implementation. 2018 , 15, 206-216		36
822	Systematic review of prediction models for delirium in the older adult inpatient. 2018 , 8, e019223		80
821	[Mechanical ventilation with explicit recall: a concept analysis.]. 2018 , 38-53		
820	Preventing Chronic Critical Illness and Rehospitalization: A Focus on Sepsis. 2018 , 34, 501-513		7
819	Creating Naptime: An Overnight, Nonpharmacologic Intensive Care Unit Sleep Promotion Protocol. 2018 , 5, 180-187		14
818	Time-limited trial of intensive care treatment: an overview of current literature. 2018 , 44, 1369-1377		51
817	Interpreting and Implementing the 2018 Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption Clinical Practice Guideline. <i>Critical Care Medicine</i> , 2018 , 46, 1464-1470	1.4	24
816	Non-circadian signals in the intensive care unit: Point prevalence morning, noon and night. 2018 , 47, 610-615		3
815	Beyond the Intensive Care Unit: Posttraumatic Stress Disorder in Critically Ill Patients. 2018 , 30, 333-342		3
814	Executive Summary: Clinical Practice Guidelines for the Prevention and Management of Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption in Adult Patients in the ICU. <i>Critical Care Medicine</i> , 2018 , 46, 1532-1548	1.4	109

813	Clinical Practice Guidelines for the Prevention and Management of Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption in Adult Patients in the ICU. <i>Critical Care Medicine</i> , 2018 , 46, e825-e873	1.4	1140
812	Evidence-based Palliative Care Approaches to Non-pain Physical Symptom Management in Cancer Patients. 2018 , 34, 227-240		12
811	Longitudinal Trends and Variation in Antipsychotic Use in Older Adults After Cardiac Surgery. 2018 , 66, 1491-1498		2
810	Engaging Families in Rehabilitation of People Who Are Critically Ill: An Underutilized Resource. 2018 , 98, 737-744		11
809	Critical Care Pain Management in Patients Affected by the Opioid Epidemic: A Review. 2018 , 15, 1016-1023		2
808	Postoperative Central Nervous System Monitoring in Adult Cardiac Surgery. 2018 , 205-243		
807	An evaluation of patient-specific characteristics on attainment of target sedation in an intensive care unit. 2018 , 47, 387-391		1
806	The A2F Bundle: Quantity and Quality Matter. <i>Critical Care Medicine</i> , 2021 , 49, 380-382	1.4	1
805	An Analysis of Prolonged, Continuous Ketamine Infusions. 2021 ,		1
804	Inhalation sedation in children in intensive care unit. 2021 , 69		0
803	Non-pharmacologic interventions for the prevention of delirium in the intensive care unit: An integrative review. 2021 , 26, 166-175		5
802	Effect of age on dexmedetomidine treatment for ventilated patients with sepsis: a analysis of the DESIRE trial. 2021 , 8, e644		2
801	Consensus Statement on Analgo-sedation in Neurocritical Care and Review of Literature. 2021 , 25, 126-133		0
800	Management of Very Old Patients in Intensive Care Units. 2021 , 12, 614-624		3
799	Medication Management to Prevent and Mitigate Post-intensive Care Syndrome. 2021 , 173-183		
798	Monitoring of Opioid Analgesic Use and Its Effects in Acute Care. 2021 , 113-128		
797	Fifty Years of Mechanical Ventilation-1970s to 2020. <i>Critical Care Medicine</i> , 2021 , 49, 558-574	1.4	2
796	Extracorporeal Gas Exchange for Acute Respiratory Distress Syndrome: Open Questions, Controversies and Future Directions. 2021 , 11,		2

795	Correlation between Sedation Knowledge, Clinical Decision Making and Nursing Competence in Sedation Practice among ICU Nurses. 2021 , 33, 204-217	
794	The association between dexmedetomidine as a single or adjuvant sedative versus other sedatives and the duration of mechanical ventilation and ICU stay in critically ill patients in a central South African ICU. 2021 , 27, 38-44	
793	Patient's experiences of endotracheal tubes and suction following cardiac surgery. 2021 ,	1
792	Challenges in Sedation Management in Critically Ill Patients with COVID-19: a Brief Review. 2021 , 11, 1-9	2
791	The Withdrawal Assessment Tool to identify iatrogenic withdrawal symptoms in critically ill paediatric patients: A COSMIN systematic review of measurement properties. 2021 , 27, 976-988	1
790	The Impact of Implementing a "Pain, Agitation, and Delirium Bundle" in a Pediatric Intensive Care Unit: Improved Delirium Diagnosis.	
789	Role of dexmedetomidine in the treatment of delirium in critically ill patients: a systematic review and meta-analysis. 2021 , 87, 65-76	4
788	Safety Management of Rehabilitation in Patients Undergoing Mechanical Ventilation in the ICU. 2021 , 58, 255-261	
787	Comparative Effectiveness of Midazolam, Propofol, and Dexmedetomidine in Patients With or at Risk for Acute Respiratory Distress Syndrome: A Propensity Score-Matched Cohort Study. 2021 , 12, 614465	0
786	Family automated voice reorientation (FAVoR) intervention for mechanically ventilated patients in the intensive care unit: Study protocol for a randomized controlled trial. 2021 , 102, 106277	0
785	Cardiac Delirium Index for Predicting the Occurrence of Postoperative Delirium in Adult Patients After Coronary Artery Bypass Grafting. 2021 , 16, 487-495	3
784	Quantitative Electroencephalographic Markers of Delirium in the Pediatric Intensive Care Unit: Insights From a Heterogenous Convenience Sample. 2021 , 33, 219-224	
783	Incidence, Risk Factors and Impact on Long-Term Outcome of Postoperative Delirium After Transcatheter Aortic Valve Replacement. 2021 , 8, 645724	1
782	Optimizing Pain Control and Minimizing Opioid Use in Trauma Patients. 2021 , 32, 89-104	0
781	Neurologic Assessment of the Neurocritical Care Patient. 2021 , 12, 588989	1
780	A novel model to label delirium in an intensive care unit from clinician actions. 2021 , 21, 97	2
779	Intensive Care Unit Nursing Priorities in the United States. 2021 , 33, 1-20	1
778	Update on the Prevention and Treatment of Intensive Care Unit Delirium. 2021 , 32, 5-10	

777	Semi-automated tracking of pain in critical care patients using artificial intelligence: a retrospective observational study. 2021 , 11, 5229			1
776	Prediction of Nociception in Children Using the Nociceptive Flexion Reflex Threshold and the Bispectral Index-A Prospective Exploratory Observational Study. 2021 , 22, e461-e470			0
775	Pain and dyspnea control during awake fiberoptic bronchoscopy in critically ill patients: safety and efficacy of remifentanyl target-controlled infusion. 2021 , 11, 48			2
774	Haloperidol, clonidine and resolution of delirium in critically ill patients: a prospective cohort study. 2021 , 47, 316-324			2
773	Early sedation with dexmedetomidine in ventilated critically ill patients and heterogeneity of treatment effect in the SPICE III randomised controlled trial. 2021 , 47, 455-466			9
772	Opioid Prescribing at Discharge in Opioid-Naïve Trauma Patients. 2021 , 31348211011105			
771	Methadone bioavailability and dose conversion implications with intravenous and enteral administration: A scoping review. 2021 , 78, 1395-1401			0
770	Design of Clinical Trials Evaluating Sedation in Critically Ill Adults Undergoing Mechanical Ventilation: Recommendations From Sedation Consortium on Endpoints and Procedures for Treatment, Education, and Research (SCEPTER) Recommendation III. <i>Critical Care Medicine</i> , 2021 , 49, 1684-1693	1.4		2
769	Active Rehabilitation in a Patient During and After Venovenous Extracorporeal Membrane Oxygenation With a Diagnosis of COVID-19: A Case Report.. 2022 , 13, 8-15			1
768	Delirium in Cardiac and Cardiovascular Surgical Intensive Care Units. 2021 , 41, 453-462			
767	JCS/JHFS 2021 Statement on Palliative Care in Cardiovascular Diseases. 2021 , 85, 695-757			5
766	Risk Factors for Fentanyl-Induced Cough Following General Anesthesia in Adults: A Retrospective Study from a Single Center in China. 2021 , 27, e930369			2
765	The Use of Propofol versus Dexmedetomidine for Patients Receiving Drug-Induced Sleep Endoscopy: A Meta-Analysis of Randomized Controlled Trials. 2021 , 10,			2
764	Older trauma patients are at high risk of delirium, especially those with underlying dementia or baseline frailty. 2021 , 6, e000639			4
763	Rehabilitation strategies and neurological consequences in patients with COVID-19: part I. 2021 , 26, 211-221			0
762	Inconsistent relationship between depth of sedation and intensive care outcome: systematic review and meta-analysis. 2021 , 76, 1089-1098			1
761	Occurrence of Delirium during ECMO Therapy in a Critical Care Unit in Poland-A Cross-Sectional Pilot Study. 2021 , 18,			1
760	Prevalence of Depression, Anxiety and Stress Among Patients Discharged from Critical Care Units. 2021 , 7, 113-122			

759	Efectividad de la aplicaci3n de medidas no farmacol3gicas para la prevenci3n de delirium en pacientes no ventilados ingresados en una Unidad de Cuidados Intensivos nivel ii. 2021 , 21, 127-134		
758	Association of Sedation, Coma, and In-Hospital Mortality in Mechanically Ventilated Patients With Coronavirus Disease 2019-Related Acute Respiratory Distress Syndrome: A Retrospective Cohort Study. <i>Critical Care Medicine</i> , 2021 , 49, 1524-1534	1.4	15
757	Delirium in Children Undergoing Hematopoietic Cell Transplantation: A Multi-Institutional Point Prevalence Study. 2021 , 11, 627726		1
756	Validation of the Critical-Care Pain Observation Tool-Neuro in brain-injured adults in the intensive care unit: a prospective cohort study. 2021 , 25, 142		2
755	Yoŕŕn bakŕm hemŕrelerinin aŕŕŕŕ hastada aŕŕŕyla baŕetmede kullandŕklarŕ-yŕŕtemler ve aŕŕŕya yŕŕelik bilgi ve davranŕŕŕŕ-		
754	Comparative Efficacy of Fentanyl and Morphine in Patients with or At Risk for Acute Respiratory Distress Syndrome: A Propensity Score-Matched Cohort Study. 2021 , 21, 149-155		0
753	Minimum standards of clinical practice for physical therapists working in intensive care units in Japan. 2021 , 24, 52-68		1
752	New challenges in cardiac intensive care units. 2021 , 110, 1369-1379		1
751	Sedation in mechanically ventilated covid-19 patients: A narrative review for emergency medicine providers. 2021 ,		0
750	Neurological and clinical status from early time point to long-term follow-up after in-hospital cardiac arrest. 2021 , 162, 334-342		0
749	Implementing Delirium Screening in an Intermediate Care Unit. 2021 ,		
748	Pain Recognition With Electrocardiographic Features in Postoperative Patients: Method Validation Study. 2021 , 23, e25079		3
747	Development and validation of a postoperative delirium prediction model for pediatric patients: A prospective, observational, single-center study. 2021 , 100, e25894		1
746	Mobilization in the evening to prevent delirium: A pilot randomized trial. 2021 ,		2
745	Pain Assessment Tool With Electrodermal Activity for Postoperative Patients: Method Validation Study. 2021 , 9, e25258		5
744	Development of a Chinese Version of the State Behavioral Scale for Mechanically Ventilated Children. 2021 , 58, e13-e18		
743	The Safety of Continuous Infusion Propofol in Mechanically Ventilated Adults With Coronavirus Disease 2019. 2022 , 56, 5-15		4
742	Incidence, characteristics, and outcomes of delirium in patients with noninvasive ventilation: a prospective observational study. 2021 , 21, 157		3

741	A Systematic Review of Non-pharmacological Interventions for Delirium Prevention in Elderly Inpatients. 2021 , 28, 249-262		
740	Incidence and clinical manifestation of iatrogenic opioid withdrawal syndrome in mechanically ventilated patients. 2021 , 37, 1213-1219		1
739	Music intervention for sleep quality in critically ill and surgical patients: a meta-analysis. 2021 , 11, e042510		3
738	Bridging the Gap Between the Intensive Care Unit and the Acute Medical Care Unit. 2021 , 30, 193-200		0
737	Nurses' use of non-pharmacological pain management methods in intensive care units: A descriptive cross-sectional study. 2021 , 58, 102705		2
736	An examination of sedation requirements and practices for mechanically ventilated critically ill patients with COVID-19. 2021 , 78, 1952-1961		4
735	A randomized clinical trial of single dose liposomal bupivacaine versus indwelling analgesic catheter in patients undergoing surgical stabilization of rib fractures. 2021 , 91, 872-878		0
734	ICU Survivorship-The Relationship of Delirium, Sedation, Dementia, and Acquired Weakness. <i>Critical Care Medicine</i> , 2021 , 49, 1227-1240	1.4	6
733	Updated Perspectives on the Management of Sleep Disorders in the Intensive Care Unit. 2021 , 13, 751-762		0
732	Periinterventional inflammation and blood transfusions predict postprocedural delirium after percutaneous repair of mitral and tricuspid valves. 2021 , 110, 1921-1929		
731	Doente sedado, consciente e ventilado invasivamente: terapêuticas de enfermagem. 2021 , 4, 7-17		
730	Effect of Opioids on Sleep. 2021 , 33, 203-212		
729	Current Perspectives on the Assessment and Management of Pain in the Intensive Care Unit. 2021 , 14, 1733-1744		1
728	Adult sedation and analgesia in a resource limited intensive care unit - A Systematic Review and evidence based guideline. 2021 , 66, 102356		2
727	Delirium and depression in cardiac surgery: A comprehensive review of risk factors, pathophysiology, and management. 2021 , 36, 2876-2889		2
726	Development and implementation of a novel decision support tool on physical restraint use in critically ill adult patients. 2021 , e12961		0
725	Impact of delirium on mortality in patients hospitalized for heart failure. 2021 , 912174211028019		0
724	Impact on emergency department analgesedation practices through a pharmacist-driven protocol. 2021 ,		

723	Discordance Between Respiratory Drive and Sedation Depth in Critically Ill Patients Receiving Mechanical Ventilation. <i>Critical Care Medicine</i> , 2021 , 49, 2090-2101	1.4	1
722	How We Prevent and Treat Delirium in the ICU. 2021 , 160, 1326-1334		1
721	Reasons for the Overuse of Sedatives and Deep Sedation for Mechanically Ventilated Coronavirus Disease 2019 Patients. <i>Critical Care Medicine</i> , 2021 , 49, e1187-e1188	1.4	1
720	Remimazolam: Non-Clinical and Clinical Profile of a New Sedative/Anesthetic Agent. 2021 , 12, 690875		9
719	High sedation needs of critically ill COVID-19 ARDS patients-A monocentric observational study. 2021 , 16, e0253778		2
718	The Coming of Age of Implementation Science and Research in Critical Care Medicine. <i>Critical Care Medicine</i> , 2021 , 49, 1254-1275	1.4	6
717	Editorial: Critical care outcomes in the context of a pandemic. 2021 , 27, 497-499		
716	Are dexmedetomidine and olanzapine suitable to control delirium in critically ill elderly patients? A retrospective cohort study. 2021 , 139, 111617		4
715	Prediction of Postictal Delirium Following Status Epilepticus in the ICU: First Insights of an Observational Cohort Study. <i>Critical Care Medicine</i> , 2021 , 49, e1241-e1251	1.4	1
714	Assessing Pain, Both Spontaneous Awakening and Breathing Trials, Choice of Sedation, Delirium Monitoring/Management, Early Exercise/Mobility, and Family Engagement/Empowerment Bundle Practices for Critically Ill Children: An International Survey of 161 PICUs in 18 Countries. <i>Critical Care Medicine</i> , 2021 , 50,	1.4	4
713	Maintaining light sedation is important: next steps for research. 2021 , 76, 1069-1070		1
712	Selection strategy for sedation depth in critically ill patients on mechanical ventilation. 2021 , 21, 79		0
711	Sedation strategy and ICU delirium: a multicentre, population-based propensity score-matched cohort study. 2021 , 11, e045087		3
710	Effects of case-based confusion assessment methods for intensive care unit training on delirium knowledge and delirium assessment accuracy of intensive care units: A quasi-experimental study. 2021 , 103, 104954		
709	Multifaceted intervention including Facebook-groups to improve guideline-adherence in ICU: A quasi-experimental interrupted time series study. 2021 , 65, 1466-1474		0
708	Caring for patients displaying agitated behaviours in the intensive care unit - A mixed-methods systematic review. 2021 ,		0
707	Evaluation of pain severity in critically ill patients on mechanical ventilation. 2021 , 103118		0
706	Improving delirium detection in intensive care units: Multicomponent education and training program. 2021 , 69, 3249-3257		1

705	The Japanese Clinical Practice Guidelines for Management of Sepsis and Septic Shock 2020 (J-SSCG 2020). 2021 , 9, 53	19
704	Backpropagation Neural Network Artificial Intelligence Algorithm-Based Magnetic Resonance Imaging Image Feature Analysis in the General Anesthesia Hip Arthroplasty. 2021 , 2021, 1-9	
703	A systematic review and meta-analysis of propofol versus midazolam sedation in adult intensive care (ICU) patients. 2021 , 64, 91-99	3
702	Quantitation of seven sedative and analgesic drugs in whole blood from intensive care patients using liquid chromatography mass spectrometry. 2021 , 33, 327-327	
701	Delirium in critical illness: clinical manifestations, outcomes, and management. 2021 , 47, 1089-1103	14
700	Delirium in Intensive Care. 2021 , 1-8	0
699	Choosing wisely in burn care. 2021 ,	
698	Challenges of Delirium Management in Patients with Traumatic Brain Injury: From Pathophysiology to Clinical Practice. 2021 , 19, 1519-1544	0
697	Effect of intracutaneous pyonex on analgesia and sedation in critically ill patients with mechanical ventilation. 2021 , 1-8	
696	Pediatric Critical Care Nurses' Practices Related to Sedation and Analgesia. 2021 , 40, 280-287	
695	Post Intensive Care Syndrome (PICS): an overview of the definition, etiology, risk factors, and possible counseling and treatment strategies. 2021 , 21, 1159-1177	0
694	Health Care Providers' Experiences of the Non-Pharmacological Pain and Anxiety Management and Its Barriers in the Pediatric Intensive Care Units. 2021 , 60, e110-e116	1
693	Recognizing blood pressure patterns in sedated critically ill patients on mechanical ventilation by spectral clustering. 2021 , 9, 1404	
692	The assessment of risk factors for postoperative delirium using cubic spline curves in gastroenterological surgery. 2021 , 51, 1969-1977	0
691	Effect of music therapy on infants who underwent mechanical ventilation after cardiac surgery. 2021 , 36, 4460-4464	
690	Outcomes in Critically Ill Patients Sedated with Intravenous Lormetazepam or Midazolam: A Retrospective Cohort Study. 2021 , 10,	0
689	Exploring Ketamine Analgosedation Use and Its Effect on Incident Delirium in Critically Ill Adults. 2021 , 3, e0544	1
688	Inclusion, delivery, assessment, and outcomes in longitudinal research on sleep disturbance and agitation in TBI-rehabilitation: lessons learned and future considerations. 2021 , 1-8	

687	A Phase II Cluster-Crossover Randomized Trial of Fentanyl versus Morphine for Analgosedation in Mechanically Ventilated Patients. 2021 , 204, 1286-1294	0
686	Pain assessment of the adult sedated and ventilated patients in the intensive care setting: A scoping review. 2021 , 122, 104044	0
685	Delirium-related distress in the ICU: A qualitative meta-synthesis of patient and family perspectives and experiences. 2021 , 122, 104030	2
684	Verification of the critical-care pain observation tool in conscious patients with hemiparesis or cognitive dysfunction. 2021 , 65, 91-97	
683	Early neuro-prognostication with the Patient State Index and suppression ratio in post-cardiac arrest patients. 2021 , 65, 149-155	2
682	Optimizing Sedation in Patients Receiving Mechanical Ventilation. 2022 , 469-477	
681	Effect of Sedatives on In-hospital and Long-term Mortality of Critically Ill Patients Requiring Extended Mechanical Ventilation for ≥48 Hours. 2021 , 36, e221	2
680	Cerebral Blood Flow Deviations in Critically Ill Patients: Potential Insult Contributing to Ischemic and Hyperemic Injury. 2020 , 7, 615318	3
679	Health Promotion Among Long-Term ICU Patients and Their Families. 2021 , 245-268	1
678	Development and Testing of a Sedation Scale for Use in Rabbits (). 2021 , 60, 549-555	1
677	Pterygopalatine Fossa Blockade as Novel, Narcotic-Sparing Treatment for Headache in Patients with Spontaneous Subarachnoid Hemorrhage. 2021 , 35, 241-248	3
676	Clinical Implications of Cognitive Complexity in Critical Care. 2014 , 423-440	1
675	Pain, Analgesic Effectiveness, and Long-Term Opioid Dependency. 2020 , 213-222	0
674	Monitoring for Delirium in Critically Ill Adults. 2020 , 13-25	1
673	Advancing Palliative Care in Intensive Care and Emergency Medicine. 2020 , 119-125	2
672	Chronic Critical Illness and the Long Term Sequela of Critical Care. 2015 , 47-56	0
671	Generating Conflict-Free Treatments for Patients with Comorbidity Using Answer Set Programming. 2017 , 111-119	1
670	Intravenous Sedatives and Analgesics. 2018 , 69-101	1

669	Delirium. 2019 , 27-50	1
668	Postoperative Central Nervous System Monitoring. 2014 , 129-159	3
667	Psychische und psychosomatische Störungen bei Intensivpatienten. 2015 , 597-603	0
666	Patient Care During ECMO. 2014 , 345-359	1
665	Pain in the Neurocritical Care Unit. 2019 , 319-331	1
664	An overview of management of intracranial hypertension in the intensive care unit. 2020 , 34, 741-757	12
663	Postoperative Delirium in Indian Patients Following Major Abdominal Surgery for Cancer: Risk Factors and Associations. 2017 , 8, 567-572	6
662	Somatische Komorbidität bei Patienten mit psychischen Alterserkrankungen. 2014 , 25, 46-54	0
661	Caring for critically ill oldest old patients: a clinical review. 2017 , 29, 833-845	16
660	Sleep in the Intensive Care Unit: Biological, Environmental, and Pharmacologic Implications for Nurses. 2020 , 32, 191-201	1
659	Factors related to memory absence and delusional memories in patients in intensive care units managed with light sedation. 2020 , 59, 102830	2
658	A multisite study of nurse-reported perceptions and practice of ABCDEF bundle components. 2020 , 60, 102872	4
657	Aging and Post-Intensive Care Syndrome: A Critical Need for Geriatric Psychiatry. 2018 , 26, 212-221	16
656	Use of dexmedetomidine in a cardiac intensive care unit. 2018 , 44, 102-103	2
655	Optimization of the neurosurgical patient in Intensive Care. 2019 , 43, 489-496	4
654	[Management of severe burn pain]. 2019 , 68, 23-24	0
653	Analgesia-based sedation. 2017 , 12, 10-13	1
652	Impact of the anesthetic conserving device on respiratory parameters and work of breathing in critically ill patients under light sedation with sevoflurane. 2014 , 121, 808-16	21

651	Intensive Care Unit-acquired Muscle Weakness: An Ounce of Prevention Is Worth a Pound of Cure. 2016 , 124, 7-9		2
650	ICU Delirium-Prediction Models: A Systematic Review. 2020 , 2, e0296		5
649	Barriers and Facilitators to Early Rehabilitation in the ICU: A Theory Driven Delphi Study. <i>Critical Care Medicine</i> , 2020 , 48, e1171-e1178	1.4	2
648	Effectiveness of Bundle Interventions on ICU Delirium: A Meta-Analysis. <i>Critical Care Medicine</i> , 2021 , 49, 335-346	1.4	10
647	Part II: The Effects of Aromatherapy and Guided Imagery for the Symptom Management of Anxiety, Pain, and Insomnia in Critically Ill Patients: An Integrative Review of Current Literature. 2017 , 36, 334-348		10
646	A Prospective Study of the Association Between Clinically Significant Bleeding in PICU Patients and Thrombocytopenia or Prolonged Coagulation Times. 2017 , 18, e455-e462		8
645	Establishment and validation of a delirium prediction model for neurosurgery patients in intensive care. 2020 , 26, e12818		6
644	The Life Experience of Patients Conscious on Light Sedated being Mechanically Ventilated in an ICU. 2016 , 12, 39-48		4
643	Management of critically ill patients with COVID-19 in ICU: statement from front-line intensive care experts in Wuhan, China. 2020 , 10, 73		78
642	Delirium History and Preoperative Mild Neurocognitive Disorder: An Opportunity for Multidisciplinary Patient-Centered Care. 2018 , 19, 1324-1328		7
641	Evaluation of the Efficacy and Safety of Short-Course Deep Sedation Therapy for the Treatment of Intracerebral Hemorrhage After Surgery: A Non-Randomized Control Study. 2016 , 22, 2670-8		2
640	Effects of Dexmedetomidine Combined with Sufentanil on Postoperative Delirium in Young Patients After General Anesthesia. 2018 , 24, 8925-8932		4
639	Ketamine infusion for patients receiving extracorporeal membrane oxygenation support: a case series. 2015 , 4, 16		20
638	Noise and Light Pollution in the Hospital: A Call for Action. 2017 , 12, 861-862		11
637	Safe Opioid Prescribing for Acute Noncancer Pain in Hospitalized Adults: A Systematic Review of Existing Guidelines. 2018 , 13, 256-262		16
636	Current status and future development of acute and cardiac physiotherapies in Japan. 2020 , 23, 1-7		5
635	Temperature variability during delirium in ICU patients: an observational study. 2013 , 8, e78923		4
634	Delirium, sedation and analgesia in the intensive care unit: a multinational, two-part survey among intensivists. 2014 , 9, e110935		62

633	Incidence, Risk Factors and Consequences of Emergence Agitation in Adult Patients after Elective Craniotomy for Brain Tumor: A Prospective Cohort Study. 2014 , 9, e114239	26
632	The influence of analgesic-based sedation protocols on delirium and outcomes in critically ill patients: A randomized controlled trial. 2017 , 12, e0184310	8
631	Age related inverse dose relation of sedatives and analgesics in the intensive care unit. 2017 , 12, e0185212	5
630	Electrodermal Activity Monitoring During Painful Stimulation in Sedated Adult Intensive Care Unit Patients: a Pilot Study. 2018 , 61, 47-52	5
629	Electrodermal Activity Monitoring during Endotracheal Suction in Sedated Adult Intensive Care Unit Patients. 2018 , 60, 92-101	4
628	Brazilian recommendations of mechanical ventilation 2013. Part I. 2014 , 40, 327-63	9
627	Perioperative management of geriatric patients. 2018 , 5	6
626	Delirium following total joint replacement surgery. 2019 , 19, 81-85	9
625	Effect of dexmedetomidine infusion for intravenous patient-controlled analgesia on the quality of recovery after laparotomy surgery. 2017 , 8, 100371-100383	14
624	Delirium in the Intensive Care Unit. 2015 , 8, 46-52	4
623	Management of Pain and Agitation for Patients in the Intensive Care Unit. 2015 , 8, 53-65	3
622	Effects of dexmedetomidine on heart arrhythmia prevention in off-pump coronary artery bypass surgery: A randomized clinical trial. 2017 , 9, 5578-5587	7
621	Sedation in mechanically ventilated patients-time to stay awake?. 2016 , 4, 382	8
620	Sedation strategies in children with pediatric acute respiratory distress syndrome (PARDS). 2019 , 7, 509	3
619	SYNDROME EFFECTS OF INTENSIVE THERAPY - POST INTENSIVE CARE SYNDROME (PICS). 2018 , 12-23	14
618	The Effect of Dexmedetomidine on the Acute Pain After Cardiothoracic Surgeries: A Systematic Review. 2018 , 33, 404-417	9
617	Effects of Modification of Pain Protocol on Incidence of Post Operative Nausea and Vomiting. 2016 , 10, 505-511	4
616	Usability Evaluation of a Mobile Phone-Based System for Remote Monitoring and Management of Chemotherapy-Related Side Effects in Cancer Patients: Mixed-Methods Study. 2018 , 4, e10932	20

615	Prospective Study Evaluating a Pain Assessment Tool in a Postoperative Environment: Protocol for Algorithm Testing and Enhancement. 2020 , 9, e17783	3
614	Reinforcement Learning for Clinical Decision Support in Critical Care: Comprehensive Review. 2020 , 22, e18477	26
613	Impact of Structured Rounding Tools on Time Allocation During Multidisciplinary Rounds: An Observational Study. 2016 , 3, e29	3
612	Reinforcement Learning for Clinical Decision Support in Critical Care: Comprehensive Review (Preprint).	3
611	The Effectiveness of Hand Massage on Pain in Critically Ill Patients After Cardiac Surgery: A Randomized Controlled Trial Protocol. 2016 , 5, e203	5
610	Validity and Reliability of the Japanese Version of Intensive Care Delirium Screening Checklist(ICDSC). 2014 , 63, 103-111	9
609	Regional analgesia techniques for pain management in patients admitted to the intensive care unit. 2019 , 85, 1118-1128	4
608	Processed EEG monitoring for anesthesia and intensive care practice. 2019 , 85, 1219-1230	8
607	Music therapy reduces stress and anxiety in critically ill patients: a systematic review of randomized clinical trials. 2019 , 85, 886-898	37
606	The Safety and Effect of Early Mobilization in the Intensive Care Unit According to Cancellation Criteria. 2020 , 5, 20200016	1
605	Evidence and consensus based guideline for the management of delirium, analgesia, and sedation in intensive care medicine. Revision 2015 (DAS-Guideline 2015) - short version. 2015 , 13, Doc19	79
604	Cognitive Deficits Following Intensive Care. 2019 , 116, 627-634	12
603	Alpha-2 agonists for sedation of mechanically ventilated adults in intensive care units: a systematic review. 2016 , 20, v-xx, 1-117	39
602	Iatrogenic Opioid Withdrawal Syndrome in Critically Ill Patients: a Retrospective Cohort Study. 2020 , 35, e106	6
601	Nursing Interventions to Prevent Delirium in Critically Ill Patients in the Intensive Care Unit during the COVID19 Pandemic-Narrative Overview. 2020 , 8,	8
600	A Cost-Minimization Analysis Comparing Dexmedetomidine with Midazolam and Propofol for Sedation in Mechanically Ventilated Intensive Care Unit Patients. 2016 , 4, 75-81	1
599	Evaluation of Observational and Behavioural Pain Assessment Tools in Nonverbal Intubated Critically Adult Patients after Open - Heart Surgery: A Systematic Review. 2019 , 7, 446-457	4
598	Dexmedetomidine improves early postoperative neurocognitive disorder in elderly male patients undergoing thoracoscopic lobectomy. 2020 , 20, 3868-3877	4

597	The reliability of a modified Japanese version of State Behavioral Scale for assessing the sedation status in critically ill pediatric patients. 2015 , 22, 189-193	2
596	Nationwide survey of Pain, Agitation, and Delirium management in Japanese intensive care setting. 2017 , 24, 199-207	1
595	Sedative choice and ventilator-associated patient outcomes: don't sleep on delirium. 2016 , 4, 34	3
594	Characteristics of Nonpharmacological Interventions for Pain Management in the ICU: A Scoping Review. 2019 , 30, 388-397	2
593	A Psychometric Analysis Update of Behavioral Pain Assessment Tools for Noncommunicative, Critically Ill Adults. 2019 , 30, 365-387	20
592	Variation in the Management of Pain, Agitation, and Delirium in Intensive Care Units in British Columbia. 2020 , 29, 122-129	3
591	Assessment and Management of Delirium in Critically Ill Veterans. 2020 , 40, 42-52	1
590	Implementation of an Interdisciplinary AACN Early Mobility Protocol. 2020 , 40, e7-e17	10
589	Early Identification of Delirium in Intensive Care Unit Patients: Improving the Quality of Care. 2020 , 40, 33-43	4
588	Protecting Patient Safety and Preventing Modifiable Complications After Acute Ischemic Stroke. 2020 , 40, 56-65	1
587	Sleep Deprivation in the Intensive Care Patient. 2020 , 40, e16-e24	5
586	Caring for Dying Patients in the Intensive Care Unit. 2015 , 26, 110-120	3
585	Update on the Management and Monitoring of Deep Analgesia and Sedation in the Intensive Care Unit. 2013 , 24, 101-107	2
584	[Path Analysis for Delirium on Patient Prognosis in Intensive Care Units]. 2019 , 49, 724-735	2
583	[Factors associated with Pediatric Delirium in the Pediatric Intensive Care Unit].. 2019 , 25, 103-111	2
582	Postoperative delirium. 2019 , 72, 4-12	23
581	The role of the pharmacist in the management of kidney transplant recipients. 2016 , 32, 192-8	3
580	Fluoroquinolones: An under-recognized cause for delirium. 2015 , 31, 410-1	6

579	Perioperative challenges in management of a deaf and dumb patient posted for high-risk cardiac surgery. 2016 , 19, 564-7	4
578	Delirium in the Intensive Care Unit. 2017 , 10, 37-46	37
577	Effects of pain management program on the length of stay of patients with decreased level of consciousness: A clinical trial. 2015 , 20, 502-7	12
576	Introducing the Comprehensive Unit-based Safety Program for mechanically ventilated patients in Saudi Arabian Intensive Care Units. 2017 , 12, 11-16	7
575	Predictors of dexmedetomidine-associated hypotension in critically ill patients. 2016 , 6, 109-114	24
574	Dexmedetomidine as Bolus or Low-dose Infusion for the Prevention of Emergence Agitation with Sevoflurane Anesthesia in Pediatric Patients. 2019 , 13, 57-62	6
573	Pain Measurement in Mechanically Ventilated Patients with Traumatic Brain Injury: Behavioral Pain Tools Versus Analgesia Nociception Index. 2017 , 21, 585-588	9
572	The Incidence of hypotension with continuous infusion atracurium compared to cisatracurium in the Intensive Care Unit. 2017 , 7, 113-118	4
571	Melatonin Supplementation May Improve the Outcome of Patients with Hemorrhagic Stroke in the Intensive Care Unit. 2017 , 6, 173-177	11
570	Sleep Quality for Patients Receiving Noninvasive Positive Pressure Ventilation and Nasal High-Flow Oxygen Therapy in an ICU: Two Case Studies. 2018 , 08, 605-615	2
569	Short acting insulin analogues in intensive care unit patients. 2014 , 5, 230-4	4
568	The quality of dying and death for patients in intensive care units: a single center pilot study. 2019 , 34, 192-201	3
567	Assessment and Treatment of Pain in Adult Intensive Care Unit Patients. 2014 , 29, 147	4
566	The Optimal Dose of Midazolam for Promoting Sleep in Critically Ill Patients: A Pilot Study. 2014 , 29, 166	3
565	Comparison of Morphine and Remifentanyl on the Duration of Weaning from Mechanical Ventilation. 2014 , 29, 281	1
564	The ABCDEF Implementation Bundle. 2016 , 31, 181-193	3
563	Clinical Practice Guideline of Acute Respiratory Distress Syndrome. 2016 , 31, 76	4
562	Impact of Delirium on Clinical Outcomes in Intensive Care Unit Patients: An Observational Study in a Korean General Hospital. 2014 , 53, 418	5

561	Nurses Use of Critical Care Pain Observational Tool in Patients with Low Consciousness. 2015 , 30, 276-82	5
560	Symptom Management and Supportive Care of Serious COVID-19 Patients and their Families in India. 2020 , 24, 435-444	8
559	Clinical Utility of the Behavioral Pain Assessment Tool in Patients Admitted in the Intensive Care Unit. 2020 , 24, 695-700	1
558	Sedation Practices and Preferences of Turkish Intensive Care Physicians: A National Survey. 2019 , 47, 220-227	5
557	Global Critical Care: Moving Forward in Resource-Limited Settings. 2019 , 85,	27
556	Failure of lorazepam to treat alprazolam withdrawal in a critically ill patient. 2014 , 3, 42-4	3
555	Current controversies and future perspectives on treatment of intensive care unit delirium in adults. 2019 , 8, 18-27	9
554	Traumatic Stressors in the Intensive Care Unit: Iranian Patientsâand NursesâViewpoints. 2016 , In Press,	3
553	Predisposing factors, clinical assessment, management and outcomes of agitation in the trauma intensive care unit. 2018 , 9, 105-112	5
552	Antipsychotic Treatment of Delirium in Critically Ill Children: A Retrospective Matched Cohort Study. 2019 , 24, 204-213	7
551	Brazilian recommendations of mechanical ventilation 2013. Part I. 2014 , 26, 89-121	29
550	Wake up your patients!. 2014 , 26, 333-4	2
549	Goals of goal-directed sedation. 2015 , 27, 1-4	1
548	Delirium in intensive care unit patients under noninvasive ventilation: a multinational survey. 2015 , 27, 360-8	5
547	Sedation protocols versus daily sedation interruption: a systematic review and meta-analysis. 2016 , 28, 444-451	8
546	New concepts in palliative care in the intensive care unit. 2017 , 29, 222-230	10
545	Pain assessment of traumatic brain injury victims using the Brazilian version of the Behavioral Pain Scale. 2018 , 30, 42-49	3
544	Translation and cross-cultural adaptation of the Pediatric Confusion Assessment Method for the Intensive Care Unit into Brazilian Portuguese for the detection of delirium in pediatric intensive care units. 2018 , 30, 71-79	3

543	Pain management protocol implementation and opioid consumption in critical care: an interrupted time series analysis. 2019 , 31, 447-455	3
542	Pain management in intensive care unit patients after cardiac surgery with sternotomy approach. 2019 , 26, 51-63	5
541	[Efficacy of analgesic and sedative treatments in children with mechanical ventilation in the pediatric intensive care unit]. 2017 , 19, 1138-1144	1
540	Cumulative oxygen deficit is a novel predictor for the timing of invasive mechanical ventilation in COVID-19 patients with respiratory distress. 2020 , 8, e10497	1
539	Melatonin supplementation for the prevention of hospital-associated delirium. 2017 , 7, 143-146	5
538	Impact of early home psychotropic medication reinitiation on surrogate measures of intensive care unit delirium. 2019 , 9, 263-268	1
537	Research Needs for Inpatient Management of Severe Alcohol Withdrawal Syndrome: An Official American Thoracic Society Research Statement. 2021 , 204, e61-e87	3
536	Brain-lung interactions and mechanical ventilation in patients with isolated brain injury. 2021 , 25, 358	3
535	Sleep promotion for hospitalised children: Developing an evidence-based guideline for nurses. 2021 , 44, e1-e10	
534	Responsiveness Index versus the RASS-Based Method for Adjusting Sedation in Critically Ill Patients. 2021 , 2021, 6621555	
533	Impact of the 2018 Society of Critical Care Medicine Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Guidelines on Nonopioid Analgesic Use and Related Outcomes in Critically Ill Adults After Major Surgery. 2021 , 3, e0564	0
532	In Reply.. 2021 , 118, 693-694	
531	In-hospital postoperative opioid use and its trends in neurosurgery between 2007 and 2018. 2021 , 164, 107	
530	Short-Term Lidocaine Infusion as a Non-Sedative Option to Maintain Ventilator Synchrony during Opioid Taper in a COVID-19 Patient. 2021 ,	0
529	Study protocol for a multicentre randomised controlled trial studying the effect of a music intervention on anxiety in adult critically ill patients (The RELACS trial). 2021 , 11, e051473	
528	Cerebral hemorrhagic infarction was diagnosed subsequently after high-amplitude slow waves detected on processed electroencephalogram during sedation: a case report. 2021 , 7, 79	
527	A Systematic Review and Meta-analysis on the Effect of Delirium Prevention Intervention in Korean Intensive Care Units. 2021 , 14, 141-156	0
526	Delirium: ramelton. 2013 , 48, 280-1	

525 Delirium in practice today. **2013**, 2, 402-405

524 The Impact of Alcohol Abuse on Multiple Organ Dysfunction in the Surgical Patient. **2014**, 187-210

523 Multicomponent interventions in preventing incident delirium in elderly inpatients: a critical appraisal of literature. **2013**, 13, e5822-e5822

522 Management of Pain, Agitation and Delirium in the Intensive Care Units. **2014**, 86, 546

1

521 Neurologic Complications. **2014**, 45-59

520 Bioethical and Medicolegal Implications of Withdrawing Artificial Nutrition and Hydration from Adults in Critical Care. **2014**, 1-16

519 Early Goal-directed Sedation in Mechanically Ventilated Patients. **2014**, 651-661

518 How to Improve Care for Older Patients in the Intensive Care Unit. **2014**, 233-244

517 Validity and Reliability of the Japanese Version of the Confusion Assessment Method for the Intensive Care Unit Flowsheet(CAM-ICU Flowsheet). **2014**, 63, 93-101

516 Comfort Care in Pain and Agitation Management for the Critically Ill Patients. **2014**, 10, 15-17

1

515 Analgesie, Sedierung und Delir-Management. **2014**, 109-132

514 Douleur et pluridisciplinarité en réanimation. **2014**, 63, 21-23

0

513 Evaluation of Sedation for the Unconscious Patient: Are We Still Far Away?. **2014**, 1,

512 Dose Adjustment for Remifentanyl with Regards to the Opioid- Sparing Effect of Dexmedetomidine in Critically Ill Patients. **2014**, 31, 898-907

511 Sedation in the Pediatric Intensive Care Unit: Current Practice in Europe. **2015**, 329-350

510 Bioethical and Medico-legal Implications of Withdrawing Artificial Nutrition and Hydration from Adults in Critical Care. **2015**, 1093-1106

0

509 Analgosedierung in der Intensivmedizin. **2015**, 123-134

508 The reliability of the Shizuoka Sedation Scale: a new sedation scale for critically ill pediatric patients. **2015**, 22, 275-276

- 507 Analgesia and sedation in Japanese PICU: in order to obtain satisfactory analgesia and sedation level. **2015**, 22, 245-246
- 506 Encyclopedia of Trauma Care. **2015**, 1465-1472
- 505 In-Hospital Management of Psychological Responses to Acute Cardiac Events. **2015**, 1-25
- 504 Daily Interruption of Sedatives to Improve Outcomes in Critically Ill Patients. **2015**, 53-59
- 503 Pharmakotherapie psychiatrischer Notfallsituationen. **2015**, 795-843
- 502 Chapter 21. Critical Care, Fluids, and Electrolytes. **2015**,
- 501 Post-traumatic Stress Disorder in Survivors of Critical Illness. **2015**, 1-15
- 500 Psychische und psychosomatische Störungen bei Intensivpatienten. **2015**, 1-12
- 499 Gestion paramédicale de la sédation en unité de réanimation. **2015**, 28, 17-20
- 498 Intensive Care Unit Delirium. **2015**, 30, 63-72
- 497 Dexmedetomidine Use in Patients with 33? Targeted Temperature Management: Focus on Bradycardia as an Adverse Effect. **2015**, 30, 272-279
- 496 Pain, Agitation and Delirium. **2015**, 8, 39-45
- 495 ASSESSMENT OF PAIN IN VENTILATED ICU PATIENTS USING BEHAVIORAL PAIN SCALE. **2015**, 4, 16688-16690
- 494 Alpha2-Agonisten in der Anästhesiologie. **2016**, 1-8
- 493 Regional Anaesthesia in the Intensive Care Unit. **2016**, 75-85
- 492 Delirium. **2016**, 259-267
- 491 A Multidisciplinary Pain, Agitation, and Delirium Management Team Can Promote Rehabilitation in the Intensive Care Unit: A Case Report. **2016**, 1, 20160010
- 490 Investigation of the Effects of Implementation of SAT/SBT Protocol. **2016**, 66, 123-127

489 Benzodiazepine in der Anästhesiologie. **2016**, 1-12

488 Management of Sedation, Analgesia and Delirium in Critically Injured Patients. **2016**, 393-424

487 Perioperative anästhesiologische Risikoabschätzung und Intensivtherapie bei alten onkologischen Patienten. **2016**, 75-87

486 Differences between Doctors and Nurses in the Sedative Management for the Ventilated Patients. **2016**, 12, 81-86

1

485 Neuropsychological Rehabilitation for Critically Ill Patients. **2016**, 47-61

484 Analgesia and Sedation. **2016**, 119-130

483 Psychiatric Issues in the Critically Poisoned Patient. **2016**, 1-41

1

482 Trauma. **2016**, 381-392

481 Pain in Intensive Care. **2016**, 63-74

480 Assessment and Management of the Delirious Patient in the Intensive Care Unit. **2016**, 13-24

479 A case of a neck injury penetrating to the oral cavity in a patient with intractable postoperative delirium associated with administration of multiple benzodiazepine agents. **2016**, 62, 205-210

478 Nurses' pain assessment for critically ill patients: effective pain assessment connects with best outcome in pain management of critically ill patients. **2016**, 23, 109-110

477 Sykepleieres kartlegging og vurdering av postoperativ smerte hos pasienter med redusert evne til selvrapporing. **2016**, 5, 199-209

476 Should Intensive Care Unit Patients Be Deeply Sedated?. **2017**, 257-259

475 The evolving approach to sedation in ventilated patients: a real world perspective. **2016**, 4, 494

474 Overige strategieën en technieken. **2017**, 133-147

473 Nursing Care of ICU Patients Lightly Sedated with Dexmedetomidine. 005-013

472 Ontwennen van mechanische beademing. **2017**, 189-210

- 471 Analgosedierung und Delirmanagement. **2017**, 109-120
- 470 Evaluaci3n del dolor con variaciones del videopupilmetro, usando analgesia con tapentadol en Terapia Intensiva Adultos. **2017**, 15, 175-180
- 469 Analgesie und Sedierung auf der Intensivstation. **2017**, 755-775
- 468 Entw3rnung von der maschinellen Beatmung. **2017**, 477-490
- 467 Psychiatric Issues in the Critically Poisoned Patient. **2017**, 117-157
- 466 Mechanisms of POD and POCD: Effects of Anesthetics. **2017**, 133-150
- 465 Relationships between Nursing Interventions and Fragmentation of Sleep in Mechanically Ventilated ICU Patients. **2017**, 13, 65-70 1
- 464 Pharmakotherapie psychiatrischer Notfallsituationen. **2017**, 839-889 1
- 463 Sedation and Delirium. **2017**, 241-249
- 462 Medizinische Grundlagen. **2017**, 5-83
- 461 Sedation and Analgesia. **2017**, 486-519
- 460 Can IV Sedatives Affect Outcome?. **2017**, 685-696
- 459 Reduction in the occurrence of incidents after the implementation of RASS in a critical care medical center. **2017**, 24, 47-48
- 458 Management of Sepsis and Septic Shock. **2017**, 457-469
- 457 Bewusstseinsst3rungen. **2017**, 669-683
- 456 Critical Care Certified Nurse Specialists' Delirium Care is a Holistic Management of Patients' Daily Living. **2017**, 13, 37-48 0
- 455 Sedacijos intensyvioje terapijoje naujov3s. **2017**, 26, 195-200
- 454 The association of pre-, intra- and postoperative factors with the development of delirium after cardiovascular surgery. **2017**, 24, 543-548

453 Review of Nursing Research on Acute Sedation in Japan. **2017**, 13, 21-28

452 Nursing Consideration. **2017**, 415-422

451 Postoperative Intensive Care Unit Management After Ruptured Abdominal Aortic Aneurysm. **2017**, 273-310

450 Organ Dysfunction in Sepsis: Brain, Neuromuscular, Cardiovascular, and Gastrointestinal. **2017**, 159-183

449 Sedation of the Critically Ill Child. **2017**, 537-560

448 Considerations for analgesedation and antithrombotic management during extracorporeal life support. **2017**, 5, 69

3

447 Association Between Deep Sedation from Continuous Intravenous Sedatives and Extubation Failures in Mechanically Ventilated Patients in the Pediatric Intensive Care Unit. **2017**, 22, 106-111

446 Pain, Agitation, and Delirium in the ICU. **2017**,

445 Pain, Agitation, and Delirium in the ICU. **2017**,

444 Case study and review article: epilepsy-like movements induced by fentanyl analgesia. **2017**, 29, 86-90

443 The Problem of Delirium in the Elderly. **2018**, 59-81

442 Pain Management in Critically Ill Patient. **2018**, 21-34

1

441 Current clinical application of dexmedetomidine for sedation and anesthesia. **2017**, 12, 306-319

2

440 ICU Management. **2018**, 453-465

439 Critical Care Sedation: The Concept. **2018**, 1-8

1

438 The Subjective and Objective Monitoring of Sedation. **2018**, 47-67

437 Multidisciplinary Management of End-Stage Heart Failure. **2018**, 73-92

436 Chapter 21: Critical Care. **2017**,

- 435 Monitoring Patients: What's New in Intensive Care Setting?. **2018**, 3-24
- 434 A Systemic Approach: ABCDEF Bundle. **2018**, 445-464
- 433 Pain in Critically Ill Older Patients. **2018**, 83-91
- 432 Perioperative management of geriatric patients. Project of clinical recommendations. **2018**, 60-74 3
- 431 Sedation in intensive care units. **2018**, 40, 61-68 1
- 430 Depuraci3n de procalcitonina en pacientes con respuesta inflamatoria sist3mica y su asociaci3n con el desarrollo de delirium. **2018**, 32, 225-231
- 429 Analgesia, Sedation, and Delirium in the ICU. **2018**, 37-52
- 428 Perioperative administration of patients with alcoholic dependence clinical recommendations. **2018**, 91 1
- 427 INHALATION SEDATION IN THE PATIENTS AFTER CARDIAC SURGERY IN INTENSIVE CARE UNITS. **2018**, 15, 46-53 0
- 426 Critical Illness and Delirium. **2018**, 81-99
- 425 The Role of the Pharmacist in Family Engagement in the Intensive Care Unit and During Transitions of Care. **2018**, 301-314
- 424 Ethics in Critical Care. **2018**, 601-609
- 423 Care of the Elderly Critical Care Patient. **2018**, 519-532
- 422 Medication-Related Problems in Surgical Patients. **2018**, 1-29
- 421 Neurological, Pain, Sedation, and Delirium Assessment. **2018**, 25-57
- 420 Inadequate Sedation Leads to Unexpected Postoperative Wound Evisceration during a Bedside Endoscopy. **2018**, 33, 61-63
- 419 The Effects of a Delirium Notification Program on the Clinical Outcomes of the Intensive Care Unit: A Preliminary Pilot Study. **2018**, 33, 23-33
- 418 The Effects of a Delirium Notification Program on the Clinical Outcomes of the Intensive Care Unit: A Preliminary Pilot Study. **2018**, 33, 23-33 1

417	The Current Situation Survey of Delirium Assessment and Delirium Care for Perioperative Ward after 2016 Revision of Medical Fee. 2018 , 14, 47-56	1
416	Factors Influencing Pain Medication Preference for Breakthrough Cancer Patients and Their Application to Treatments: Survey on Physicians. 2018 , 21, 9-13	1
415	Educational Needs of Nurses for the Analgesia and Sedation Management in Critical Care. 2018 , 14, 125-133	
414	Delirium in the Critically Ill. 2018 , 04, 5-14	
413	Effects of Delirium Prevention Interventions for Neurocritical Patients. 2018 , 25, 109-119	0
412	Impact of Two Educational Modules on Practitioner Knowledge of Pediatric Delirium. 2018 , 23, 329-336	
411	Factors Influencing Discrepancy between Objective and Subjective Delirium Assessment in Elderly Patients in Intensive Care Unit: Patients and NursesâCharacteristics and Delirium Knowledge. 2018 , 8, 70-81	0
410	Effect of PharmacistâIntervention and Management of Pain and Sedation Protocol on Clinical Outcomes in Medical ICU. 2018 , 35, 268-280	0
409	Rappel explicite dâune ventilation mcanique ^ lâunit des soins intensifs : une revue narrative de la littrature. 2018 , 4, e143-e151	0
408	Confusion Assessment Method for the intensive care unit (CAM-ICU) for the diagnosis of delirium in adults in critical care settings.	2
407	Mesures de prvention non pharmacologiques du delirium de ranimation. 2018 , 27, 484-495	1
406	Deep structural brain lesions associated with consciousness impairment early after haemorrhagic stroke.	
405	Management of early mobilization in intensive care units: a multicenter cross-sectional study. 2018 , 5, 291-299	1
404	Acute respiratory distress syndrome: continuing challenges. 2019 , 12, 243-244	
403	Delirium. 2019 , 325-335	
402	Process Management of Analgesia and Sedation Can Reduce the Incidence of Delirium. 2019 , 10, 405-411	
401	Pain Assessment in Individuals with Limited Ability to Communicate. 2019 , 351-355	
400	Symptommanagement. 2019 , 125-155	

- 399 Pain Management and Factors Associated with Its Severity among Post Surgical Patients Admitted in the Intensive Care Unit at Muhimbili National Hospital, Tanzania. **2019**, 09, 23-33 0
- 398 Alpha2-Agonisten in der Anästhesiologie. **2019**, 267-274
- 397 Behavioral Pain Scale and Critical Care Pain Observation Tool for pain evaluation in orotracheally tubed critical patients. A systematic review of the literature. **2019**, 31, 571-581 0
- 396 Checklist for managing critical patients' daily awakening. **2019**, 31, 318-325 0
- 395 Benzodiazepine in der Anästhesiologie. **2019**, 255-266
- 394 Evaluation of Pain Assessment and Management in Critically Ill Intubated Patients in a Referral University Hospital in Iran. **2019**, 8, 137-142 3
- 393 Should We Use DSI or not-What does the PADIS 2018 Guidelines Recommend?. **2019**, 23, 491
- 392 Impact of Pain Management Algorithm on Pain Intensity of Patients with Loss of Consciousness Hospitalized in Intensive Care Unit: A Clinical Trial. **2019**, In Press, 1
- 391 Un estudio piloto sobre el tratamiento no farmacológico del delirium. **2019**, 36, 9-10
- 390 The Safety and Effect of Acute Rehabilitation Medical Treatment. **2019**, 56, 227-233
- 389 Special Populations. **2019**, 219-247
- 388 Delirium in the intensive care unit. **2019**, 65, 433-439 1
- 387 Pathophysiology of severe traumatic brain injury and management of intracranial hypertension. **2019**, 18, 62-71
- 386 Sedation, Analgesia, and Neuromuscular Blockade in Neurosurgical Critical Care. **2020**, 557-563 1
- 385 Delirium in the Pediatric Critical Care Oncologic Patient. **2020**, 2021-2034
- 384 Sedation and Analgesia in Mechanical Ventilation. **2020**, 219-226
- 383 Psychological Factors During Acute Hospitalization: Delirium, Anxiety, and Acute Stress Disorder. **2020**, 339-346
- 382 Substance Withdrawal in ICU Environment. **2020**, 1913-1933

- 381 Is regional analgesia useful in pain management of intensive care patients?. **2019**, 85, 1050-1052 1
- 380 Basics of Mechanical Ventilation in Intensive Care for Safety Implementation of Early Rehabilitation. **2019**, 56, 854-859
- 379 Future and Problems of Rehabilitation Medical Care in Intensive Care Unit. **2019**, 56, 882-887
- 378 Critical Care in Trauma. **2020**, 9-16
- 377 Sternotomi Ağızda Nefes Egzersizleri İncesi Soğuk Uygulamanın Etkisi: Yarış-Đeneysel Bir Çalışma. 1776-1787
- 376 Sedation and delirium. **2019**, 145-160
- 375 Acute respiratory failure. **2019**, 35-52
- 374 Metabolomics pilot study identifies circadian desynchronization and distinct intra-patient variability patterns in critical illness.
- 373 Preventive Strategies to Reduce Intensive Care Unit Delirium. **2020**, 191-208
- 372 Medication-Related Problems in Surgical Patients. **2020**, 159-187
- 371 Major Psychiatric Complications of Cardiac Surgery. **2020**, 1-12
- 370 Singapore SPICE: sedation practices in intensive care evaluation in Singapore - a prospective cohort study of the public healthcare system. **2020**, 61, 19-23 1
- 369 A Systematic Review on Pain Assessment Tools for Intensive Care Unit Patients. **2020**, 13, 44-62 0
- 368 Assessment of the sedative effects of dexmedetomidine and propofol treatment in patients undergoing mechanical ventilation in the ICU and relationship between treatment and occurrence of ventilator-associated pneumonia and detection of pathogenic bacteria. **2020**, 20, 599-606 1
- 367 Sedation in the intensive care unit - part I.. **2020**, 31, 18-22
- 366 Translation into Spanish and Cultural Adaptation of the Critical-Care Pain Observation Tool. **2020**, 29, 226-232
- 365 Treatment of Acute Delirium in a Patient with Parkinson's Disease by Transfer to the Intensive Care Unit and Administration of Dexmedetomidine. **2020**, 13, 159-162 2
- 364 Autonomie de l'infirmier diplômé d'état de réanimation dans la gestion de la sédation: études qualitative et quantitative de l'utilisation de l'échelle Richmond Agitation Sedation Scale. **2020**, 6, 100195

- 363 Mekanik Ventilatif DesteĖindeki Hastaların İntertravasküler Girişimler Sıklığındaki Ayrık Davranışlar. -138-144
- 362 Drug interaction (48. Interaction of drug with extracorporeal membrane oxygenation (ECMO)). **2020**, 132, 102-107
- 361 Change in management and outcome of mechanical ventilation in Korea: a prospective observational study. **2020**, 0
- 360 Impact of ketamine as an adjunct sedative in acute respiratory distress syndrome due to COVID-19 Pneumonia. **2021**, 189, 106667
- 359 Factors Influencing CAM-ICU Documentation and Inappropriate "Unable to Assess" Responses. **2021**, 30, e99-e107 0
- 358 Ventilator-Associated Events: Epidemiology, Risk Factors, and Prevention. **2021**, 35, 871-899 1
- 357 Prospective Study Evaluating a Pain Assessment Tool in a Postoperative Environment: Protocol for Algorithm Testing and Enhancement (Preprint).
- 356 Treatment Strategies for Delirium. **2020**, 209-221
- 355 Sedation and Delirium. **2020**, 209-215
- 354 Pharmacological Challenges in Neurocritical Care. **2020**, 73-85
- 353 Management of Sepsis and Septic Shock. **2020**, 449-460
- 352 Patient Care: From Body to Mind. **2020**, 29-42
- 351 A Wake-Up Test in the Neurointensive Care Management of Severe TBI: Pros and Cons. **2020**, 259-265
- 350 Prevalence of delirium in intensive care patients and association with sedoanalgesia, severity and mortality. **2020**, 41, e20190068 1
- 349 Mental Health in Burn Survivors. **2021**, 147-164
- 348 Multicenter International Cohort Validation of a Modified Sequential Organ Failure Assessment Score Using the Richmond Agitation-sedation Scale. **2020**, 1
- 347 Evaluation of Pediatric Delirium Awareness and Management in Pediatric Intensive Care Units in Turkey. 0
- 346 Effects of dexmedetomidine on immune response in patients undergoing radical and reconstructive surgery for oral cancer. **2021**, 21, 106 3

- 345 Delirium Tremens in the Older Adult. **2020**, 52, 316-321
- 344 Wann und wie berücksichtigen Intensivpflegende Schmerz im Behandlungsprozess von Patientinnen und Patienten auf der Intensivstation? - Eine qualitative Studie. **2019**, 32, 249-258 1
- 343 Toward Automatic and Remote Monitoring of the Pain Experience: An Internet of Things (IoT) Approach. **2020**, 194-206 1
- 342 Essential Noninvasive Multimodality Neuromonitoring for the Critically Ill Patient. **2020**, 469-488
- 341 Brain Function Monitoring of Critically Ill Pregnant Patients. **2020**, 335-342
- 340 Inpatient Pain Medicine Considerations in Patients with Heart Failure, Cardiac Arrhythmias, and Other Cardiac Conditions. **2020**, 57-81
- 339 Pain Assessment and Treatment for the Trauma and Burn Patient. **2020**, 3-30
- 338 The assessment of pain level among an adult ventilated patients in the intensive care unit. **2020**, 20, 23-31
- 337 Mechanical Pain Assessment Through Parameters Derived from Photoplethysmographic (PPG) Signals: A Pilot Study. **2020**, 168-178
- 336 Epidemiology of Delirium in Children: Prevalence, Risk Factors, and Outcomes. **2020**, 93-101
- 335 Pediatric Delirium Assessment, Prevention, and Management. **2020**, 73-92 1
- 334 Sedation and analgesia in the ICU. **2020**, 3898-3905
- 333 Sedation: Including Pain Treatment and Withdrawal Symptoms. **2020**, 461-465
- 332 Major Psychiatric Complications of Cardiac Surgery. **2020**, 387-398
- 331 Risk Factors for Nursing Home Delirium: A Systematic Review. **2020**, 22, 75-83 0
- 330 Experiences of certified nurse specialists in critical care nursing to care for patients' comfort. **2020**, 16, 54-64 1
- 329 Patient-Reported Outcomes Associated With Sedation and Agitation Intensity in the Critically Ill. **2020**, 29, 140-144 1
- 328 Melatonin and melatonin-receptor agonists to prevent delirium in hospitalized older adults: An umbrella review. **2021**, 42, 1562-1568 1

- 327 The Availability and Safety Study of Remimazolam Besylate for Injection on Sedation of ERAS Patients Under Mechanical Ventilation in ICU: Protocol for a Randomized, Open-Label, Controlled Trial. **2021**, 8, 735473 0
- 326 Nurses' Perceived Barriers to and Facilitators of Pain Assessment and Management in Critical Care Patients: A Systematic Review. **2021**, 14, 3475-3491 1
- 325 Measurement of the nociceptive flexion reflex threshold in critically ill patients - a randomized observational pilot study. **2021**, 21, 270 0
- 324 Role of preemptive chlorpheniramine maleate in reducing postoperative agitation after functional endoscopic sinus surgeries (FESS). **2020**, 12, 1
- 323 Sedation and Analgesia. 278-312
- 322 Perioperative Respiratory Care and Complications. 378-422
- 321 Infection and Immune System. 517-588
- 320 Ketamine for Acute Pain Management and Sedation. **2020**, 40, e26-e32 1
- 319 The effects of intravenous propofol and dexmedetomidine on sedation characteristics, hemodynamics, respiratory function and pain in patients undergoing maxillofacial surgery. **2020**, 70, 1
- 318 Addressing Communication Dilemmas Through Clinical Nurse Specialist Leadership. **2020**, 31, 318-321
- 317 Practice Variability in Screening and Treating Pediatric Critical Illness Delirium: Survey. **2021**, 10, 271-275
- 316 Inhalational Agents: What Volatile Inhalational Agents Are and How to Use Them in the ICU Setting. **2021**, 121-141
- 315 Delirium. **2021**, 275-290 0
- 314 Palliative Care Post Cardiac Surgery. **2021**, 657-664
- 313 Now the Tube Is In: Post-Intubation Sedation. **2021**, 73-78
- 312 Pulse-oximetry Derived Perfusion Index as a Predictor of the Efficacy of Rescue Analgesia After Major Abdominal Surgeries. **2020**, 14, 101-107
- 311 Deliryumdaki Pediatrik Yoğun Bakım Hastalarına Hemirelik Yaklaşımı-**2020**, 8, 964-972
- 310 Sedation and Analgesia. **2021**, 10-16

309	Dexmedetomidine versus midazolam for sedation during endobronchial ultrasound-guided transbronchial needle aspiration: A randomised controlled trial. 2021 , 38, 534-540	2
308	Pain Recognition With Electrocardiographic Features in Postoperative Patients: Method Validation Study (Preprint).	
307	Pain Assessment Tool With Electrodermal Activity for Postoperative Patients: Method Validation Study (Preprint).	
306	Critical care medicine 2013: a review and prospect. 2013 , 5, 815-23	
305	The role of a dedicated staff psychiatrist in modern burn centers. 2013 , 26, 213-6	6
304	A Randomized Placebo-controlled Trial of Clonidine Impact on Sedation of Mechanically Ventilated ICU Patients. 2015 , 14, 167-75	14
303	Improve survival from prolonged mechanical ventilation: beginning with first step. 2015 , 7, 1076-9	1
302	The impact of sedation protocols on outcomes in critical illness. 2016 , 4, 33	3
301	The best sedation drug-a quest for the holy grail?. 2016 , 4, 35	
300	Prevalence of Delirium and Coma In Mechanically Ventilated Patients Sedated With Dexmedetomidine or Propofol. 2016 , 41, 442-5	4
299	Off-Label Use of Dexmedetomidine for the Treatment of Delirium in the Intensive Care Unit. 2016 , 41, 642-643	2
298	The validation and inter-rater reliability of the Serbian translation of the Richmond agitation and sedation scale in post anesthesia care unit patients. 2016 , 20, 50-54	0
297	Reply: Sleep in the Intensive Care Unit Is a Priority. 2016 , 13, 1868-1869	1
296	Post-Liver Transplant Delirium Increases Mortality and Length of Stay. 2017 , 17, 25-30	10
295	Dexmedetomidine: Current Role in Burn ICU. 2017 , 16, 1-10	3
294	Analgesia, sedation and arousal status in burn patients: the gap between recommendations and current practices. 2017 , 30, 135-142	4
293	Animal Assisted Interactions to Alleviate Psychological Symptoms in Patients on Mechanical Ventilation. 2017 , 19, 516-523	2
292	Management of pain, anxiety, agitation and delirium in burn patients: a survey of clinical practice and a review of the current literature. 2018 , 31, 97-108	5

291	Potential Role of Exogenous Melatonin Supplement in Delirium Prevention in Critically Ill Patients: A Double-Blind Randomized Pilot Study. 2018 , 17, 1571-1580	8
290	Role of Methadone in Extracorporeal Membrane Oxygenation: Two Case Reports. 2018 , 50, 252-255	
289	Perme ICU Mobility Score (Perme Score) and the ICU Mobility Scale (IMS): translation and cultural adaptation for the Spanish language. 2018 , 49, 265-272	3
288	Unplanned Extubations in Intensive Care Unit: evidences for risk factors. A literature review. 2017 , 88, 55-65	7
287	Validation of the Italian version of the Critical Pain Observation Tool in brain-injured critically ill adults. 2017 , 88, 48-54	9
286	Procedural sedation and analgesia during enzymatic debridement of burn patients. 2018 , 31, 223-227	4
285	Delirium Incidence and Risk Factors in Adult Critically Ill Patients in Saudi Arabia. 2019 , 12, 30-34	1
284	Occurrence and Practices for Pain, Agitation, and Delirium in Intensive Care Unit Patients. 2019 , 38, 156-162	7
283	Effects of Foot Massage on Pain Severity during Change Position in Critically Ill Trauma Patients; A Randomized Clinical Trial. 2020 , 8, 156-162	
282	Consensus for the management of analgesia, sedation and delirium in adults with COVID-19-associated acute respiratory distress syndrome. 2021 , 33, 48-67	1
281	Cross-cultural adaptation of the Richmond Agitation-Sedation Scale to Brazilian Portuguese for the evaluation of sedation in pediatric intensive care. 2021 , 33, 102-110	
280	Clinical Practice: Should we Radically Alter our Sedation of Critical Care Patients, Especially Given the COVID-19 Pandemics?. 2020 , 27, 43-76	0
279	Changes in barriers to implementing early mobilization in the intensive care unit: a single center retrospective cohort study. 2021 , 83, 443-464	3
278	Analgesia-first sedation and nonopioid multimodal analgesia in the intensive care unit. 2022 , 57-68	
277	Choice of sedation in neurointensive care. 2022 , 321-358	1
276	Management of Delirium in the Intensive Care Unit. 2022 , 102, 139-148	
275	Discharge prescribing of enteral opioids in opioid naïve patients following non-surgical intensive care: A retrospective cohort study. 2021 , 68, 16-21	1
274	Intercostal Liposomal Bupivacaine Injection For Rib Fractures; A Prospective Randomized Controlled Trial. 2021 ,	

273	Ketamine for critically ill patients with severe acute brain injury: Protocol for a systematic review with meta-analysis and Trial Sequential Analysis of randomised clinical trials. 2021 , 16, e0259899		0
272	Dexmedetomidine and paralytic exposure after damage control laparotomy: risk factors for delirium? Results from the EAST SLEEP-TIME multicenter trial. 2021 , 1		0
271	Pain Management Considerations in Patients with Opioid Use Disorder Requiring Critical Care. 2021		
270	Five-Year Outcomes After Implementing a Pain, Agitation, and Delirium Protocol in a Mixed Intensive Care Unit. 2021 , 8850666211063404		
269	Tools Are Needed to Promote Sedation Practices for Mechanically Ventilated Patients. 2021 , 8, 744297		0
268	Incidence, risk factors, and consequences of emergence delirium after elective brain tumor resection. 2021 ,		3
267	Acute Manifestations of Neuro-COVID. 2022 , 43-94		
266	Virtual Reality-Based Early Neurocognitive Stimulation in Critically Ill Patients: A Pilot Randomized Clinical Trial.. 2021 , 11,		1
265	Advanced Age Is Associated With Catatonia in Critical Illness: Results From the Delirium and Catatonia Prospective Cohort Investigation. 2021 , 12, 673166		3
264	Variations in analgesic, sedation, and delirium management between trauma and non-trauma critically ill children. 2021 , 38, 295		0
263	Effects of a National Quality Improvement Collaborative on ABCDEF Bundle Implementation.. 2022 , 31, 54-64		1
262	Prehospital Mechanical Ventilation: An NAEMSP Position Statement and Resource Document.. 2022 , 26, 88-95		1
261	Differential Effects of Gamma-Aminobutyric Acidergic Sedatives on Risk of Post-Extubation Delirium in the ICU: A Retrospective Cohort Study From a New England Health Care Network.. <i>Critical Care Medicine</i> , 2022 ,	1.4	3
260	What are the perceptions of intensive care staff about their sedation practices when caring for a mechanically ventilated patient?: A systematic mixed-methods review. 2022 , 4, 100060		
259	Delirium in the intensive care unit. 2021 , 43, 61-72		
258	Effects of A Multicomponent Intervention Program for Preventing Delirium in Geriatric Patients in the Intensive Care Unit. 2021 , 33, 565		
257	Validity and Reliability of the Richmond Agitation-Sedation Scale in Pediatric Intensive Care Patients: A Multicenter Study.. 2021 , 9, 795487		0
256	Sleep in Critically Ill Patient. 2022 , 737-759		

255	Factors Associated with Spontaneous Awakening Trial and Spontaneous Breathing Trial Performance in Critically Ill Adults: Analysis of a Multicenter, Nationwide, Cohort Study.. 2022,	0
254	Incidence and Risk Factors of Ventilator-Associated Pneumonia among Patients with Delirium in the Intensive Care Unit: A Prospective Observational Study.. 2022, 2022, 4826933	
253	Toxic-metabolic encephalopathy in adults: Critical discussion and pragmatical diagnostic approach.. 2022,	0
252	Individual Pharmacotherapy Management (IPM) - I: a group-matched retrospective controlled clinical study on prevention of complicating delirium in the elderly trauma patients and identification of associated factors.. 2022, 22, 29	0
251	Association of perioperative midazolam use and complications: a population-based analysis.. 2022,	1
250	Risk Factors for Delirium and Association of Antipsychotic Use with Delirium Progression in Critically Ill Trauma Patients.. 2022, 31348211069792	0
249	Development of a Manually Operated Communication System (MOCS) for patients in intensive care units.. 2022, 1-13	
248	Associated Factors of High Sedative Requirements within Patients with Moderate to Severe COVID-19 ARDS.. 2022, 11,	1
247	Nursing Guidelines for Sedation Titration or Pausing to Facilitate Neurological Assessment.. 2022, 42, 79-81	
246	Pediatric Delirium: We Have Come a Long Way, and We Have Only Just Begun.. <i>Critical Care Medicine,</i> 2022, 50, 350-352	1.4
245	Thirst Interventions in Adult Acute Care-What Are the Recommended Management Options and How Effective Are They?: A Systematic Review.. 2022, 41, 91-102	0
244	The Use of Physical Restraints in Italian Intensive Care Units: Results From a Multicenter Observational Study.. 2022, 41, 57-63	
243	Caught between ideals and reality: Phenomenological-hermeneutic study of healthcare providers' experiences while interacting with mechanically ventilated patients.. 2022, 1-8	0
242	Colorectal Surgery in Critically Unwell Patients: A Multidisciplinary Approach.	
241	2022 Society of Critical Care Medicine Clinical Practice Guidelines on Prevention and Management of Pain, Agitation, Neuromuscular Blockade, and Delirium in Critically Ill Pediatric Patients With Consideration of the ICU Environment and Early Mobility.. 2022, 23, e74-e110	12
240	Current status of delirium assessment tools in the intensive care unit: a prospective multicenter observational survey.. 2022, 12, 2185	0
239	Intravenous Lidocaine for the Management of Traumatic Rib Fractures: A Double-Blind Randomized Controlled Trial (INITIATE Program of Research).. 2022,	0
238	Management of procedural pain in the intensive care unit.. 2022, 10, 1473-1484	1

- 237 Progress in Daily Arousal and Its Impediments in Mechanically Ventilated Patients. **2022**, 11, 121-126
- 236 Psychiatric aspects of care in the cancer patient. **2022**, 565-585
- 235 Prevention of Delirium in The Elderly. **2022**, 123-128
- 234 Specifics of Surgical Management: Patient in Critical Condition. **2022**, 325-330
- 233 Laryngeal Injury: Impact on Patients in the Acute and Chronic Phases. **2022**, 137-147
- 232 Comparison between midazolam and propofol in acute phase for ventilated patients with sepsis: a analysis of the DESIRE trial.. **2022**, 9, e746
- 231 Association between the presence of delirium during intensive care unit admission and cognitive impairment or psychiatric problems: the Korean ICU National Data Study.. **2022**, 10, 7 1
- 230 The effects of midazolam or propofol plus fentanyl on ICU mortality: a retrospective study based on the MIMIC-IV database.. **2022**, 10, 219 0
- 229 Pain in Intensive Care: A Narrative Review.. **2022**, 1 0
- 228 Neuropsychological Outcome of Critically Ill Patients with Severe Infection.. **2022**, 10, 2
- 227 2021 KSCCM clinical practice guidelines for pain, agitation, delirium, immobility, and sleep disturbance in the intensive care unit.. **2022**, 37, 1-25 1
- 226 Pain in Persons with Disorders of Consciousness.. **2022**, 12, 0
- 225 Pain management of nalbuphine and sufentanil in patients admitted intensive care unit of different ages.. **2022**, 22, 50
- 224 Role of multicomponent non-pharmacological nursing interventions on delirium prevention: A randomized controlled study.. **2022**, 44, 207-214 1
- 223 Comparison of Quantum Consciousness Index and Richmond Agitation Sedation Scale in Mechanically Ventilated Critically Ill Patients: An Observational Study. **2022**, 26, 491-495
- 222 Pre-hospital and emergency department treatment of convulsive status epilepticus in adults: an evidence synthesis.. **2022**, 26, 1-76
- 221 Natural language processing diagnosed behavioral disturbance vs confusion assessment method for the intensive care unit: prevalence, patient characteristics, overlap, and association with treatment and outcome.. **2022**, 48, 559 3
- 220 A Comparative Study of the Diagnostic Value of the Critical Care Pain Observation Tool and the Behavioral Pain Scale for Pain Assessment among Unconscious Patients. **2022**, 26, 472-476 1

- 219 Cefepime-Induced Neurotoxicity: A Retrospective Cohort Study in a South-Indian Tertiary Healthcare Facility.. **2022**,
- 218 Effectiveness of Transdermal Buprenorphine for Pain Control in the ICU After Major Surgical Procedures.. **2022**, 4, e0665 1
- 217 Opioid Prescribing Behaviors Among Surgical Intensive Care Unit Attending Physicians.. **2022**, 31348221082280
- 216 The validity, reliability and feasibility of four instruments for assessing the consciousness of stroke patients in a neurological intensive care unit compared.. **2022**, 22, 102 0
- 215 The effect of slow deep breathing relaxation exercise on pain levels during and post chest tube removal after coronary artery bypass graft surgery.. **2022**, 9, 155-161 0
- 214 Monitoring Delirium in the Intensive Care Unit Practices, perceptions and attitudes of critical care nurses and physicians. A French National Survey.. **2021**, 69, 103178
- 213 The effect of delirium information training given to intensive care nurses on patient care: quasi-experimental study.. **2022**, 10, e13143
- 212 Dexmedetomidine after Cardiac Surgery for Prevention of Delirium (EXACTUM) trial protocol: a multicentre randomised, double-blind, placebo-controlled trial.. **2022**, 12, e058968 1
- 211 Perioperative Multimodal Pain Management Approach in Older Adults With Polytrauma.. **2022**, 275, 96-102 1
- 210 Comparison of an Addictive Potential of μ Opioid Receptor Agonists with G Protein Bias: Behavioral and Molecular Modeling Studies.. **2021**, 14,
- 209 Association of Intravenous Acetaminophen Administration With the Duration of Intravenous Opioid Use Among Hospitalized Pediatric Patients.. **2021**, 4, e2138420 0
- 208 Screening and Assessment Tools for Measuring Delirium in Patients with Cancer in Hospice and Palliative Care: A Systematic Review. **2021**, 24, 214-225
- 207 Impact of a multifaceted and multidisciplinary intervention on pain, agitation and delirium management in an intensive care unit: an experience of a Canadian community hospital in conducting a quality improvement project. **2021**, 10, 0
- 206 Adherencia al paquete de medidas ABCDEF durante la pandemia de COVID-19. **2021**,
- 205 Recent Advances in the Clinical Value and Potential of Dexmedetomidine.. **2021**, 14, 7507-7527 3
- 204 Intensive Care Unit Sedation Practices at a Large, Tertiary Academic Center.. **2021**, 8850666211067515 0
- 203 The Effect of Environmental Stressors on Patient Experience in Medical, Surgical, and COVID-19 Intensive Care Unit.. **2022**, 9, 23743735221092545 0
- 202 Inter-Professional-Compassionate pain management during endotracheal suctioning: a valuable lesson from a Chinese surgical intensive care unit. **2022**, 9, 19-27

- 201 Effect of Dexmedetomidine on Cardiac Output among Parturient with Severe Preeclampsia after Cesarean Section.. **2022**, 2022, 4742350
- 200 Caring for the Critically Ill Patient with COVID-19. **2022**,
- 199 Neurocritical Care. **2022**, 203-211
- 198 The development of the MENTOR_D nursing intervention: Supporting family involvement in delirium management.. **2022**, e12462
- 197 Recognizing and Acting on Mentation Concerns.. **2022**, 122, 50-55
- 196 Monitoring the trauma patient. 137-157
- 195 Data_Sheet_1.zip. **2020**,
- 194 Data_Sheet_1.PDF. **2019**,
- 193 Data_Sheet_1.PDF. **2020**,
- 192 Data_Sheet_2.docx. **2020**,
- 191 Image_1.TIF. **2020**,
- 190 Image_2.TIF. **2020**,
- 189 Factors associated with prolonged intensive care stay among self-poisoned patients.. **2022**, 1-9 1
- 188 Association Between Sedative Medication Administration and Delirium Development in a Medical Intensive Care Unit.. **2022**, 8971900221096978
- 187 Optimal timing of introducing mobilization therapy for ICU patients with sepsis.. **2022**, 10, 22 2
- 186 Prospective Validation of Sedation Scale Scores That Identify Light Sedation: A Pilot Study.. **2022**, 31, 202-208
- 185 Delirium incidence and risk factors in adult critically ill patients in Saudi Arabia. **2019**, 12, 30 4
- 184 Pain and its management in severe acute pancreatitis. **2022**, 4, 9

183 Pain and its management in severe acute pancreatitis. **2022**, 4, 9

182 The Japanese Society for Burn Injuries (JSBI) Clinical Practice Guidelines for Management of Burn Care (3rd Edition).. **2022**, 9, e739

181 Sequential use of midazolam and dexmedetomidine for long-term sedation may reduce weaning time in selected critically ill, mechanically ventilated patients: a randomized controlled study.. **2022**, 26, 122

180 Comparison of the Effects of Intravenous Sedatives on Outcome in Adult Critically ill Patients: a Bayesian Network Analysis.

179 Changes in practice for mechanically ventilated patients: effect of the pain, agitation, and delirium guidelines.. **2022**, 37, 553-554

178 Nonpharmacological interventions for agitation in the adult intensive care unit: A systematic review.. **2022**,

177 Effect of Dexmedetomidine on Intestinal Barrier in Patients Undergoing Gastrointestinal Surgery-A Single-Center Randomized Clinical Trial.. **2022**, 277, 181-188

176 Prolonged Sedation with Sevoflurane in Comparison to Intravenous Sedation in Critically Ill Patients – A Randomized Controlled Trial.

175 Pain assessment practice and associated factors among nurses working at adult care units in public hospitals in Wolaita Zone, Southern Ethiopia, 2021.. **2022**, 21, 115

174 Agents intervening against delirium in the intensive care unit (AID-ICU) trial-protocol for a secondary Bayesian analysis.. **2022**,

173 Study protocol to test the efficacy of self-administration of dexmedetomidine sedative therapy on anxiety, delirium, and ventilator days in critically ill mechanically ventilated patients: an open-label randomized clinical trial.. **2022**, 23, 406

172 ?????????????????????????????????????(Influence of new analgesia and sedation management in acute drug intoxication patients). **2018**, 29, 715-721

171 Analgo-sedation in Critically Ill Adults Receiving Extracorporeal Membrane Oxygenation Support.. **2022**,

170 Is prolonged period of prone position effective and safe in mechanically ventilated patients with SARS-CoV-2? A randomized clinical trial. **2022**, 38, 276-283

169 Evaluation and Management of Delirium in Dementia.

168 Clinical and organizational factors associated with mortality during the peak of first COVID-19 wave: the global UNITE-COVID study.

167 One Year Post-Discharge Outcomes After Implementation of an ICU Early Mobility Protocol. **2022**, 41, 209-215

166 Implementing a Discharge Opioid Bundle in Adult Trauma Patients Decreases the Amount of Opioids Prescribed at Discharge. 000313482211014

- 165 Impact of Pain, Agitation, and Delirium Bundle on Delirium and Cognitive Function. **22**, Publish Ahead of Print,
- 164 Effect of Dexmedetomidine on Early Postoperative Cognitive Function in Patients Undergoing Arthroscopic Shoulder Surgery in Beach Chair Position: A Randomized Double-Blind Study. **2022**, 11, 2970 ○
- 163 Neuromuscular Blockade for Cardiac Arrest Patients Treated With Targeted Temperature Management: A Systematic Review and Meta-Analysis. **2022**, 13, ○
- 162 Validation of the patient State Index for monitoring sedation state in critically ill patients: a prospective observational study. ○
- 161 Adding Insult to Injury. **2022**, 43, 287-303 ○
- 160 Analgesia and Sedation in Critically Ill Patients With Burns. **2022**, 33, 125-129
- 159 Post-surgical Care in Head and Neck Cancer Patients. **2022**, 423-435
- 158 Analgesia in Oncology Critical Care. **2022**, 61-72
- 157 Clinical Practice Guideline: Early Mobilization and Rehabilitation of Critically Ill Burn Patients. ○
- 156 Effects of nonpharmacological interventions on sleep improvement and delirium prevention in critically ill patients: A systematic review and meta-analysis. **2022**, ○
- 155 The effectiveness of music interventions on stress response in intensive care patients: A systematic review and meta-analysis. ○
- 154 Suspected benzodiazepine withdrawal-associated seizures in 3 young dogs undergoing mechanical ventilation. ○
- 153 Weak cough is associated with increased mortality in COPD patients with scheduled extubation: a two-year follow-up study. **2022**, 23, ○
- 152 Factors Associated With Deep Sedation Practice in Mechanically Ventilated Patients: A Post hoc Analysis of a Cross-sectional Survey Combined With a Questionnaire for Physicians on Sedation Practices. 9, ○
- 151 Delirium incidence and risk factors in patients undergoing non-invasive ventilation for acute respiratory failure: a multicenter observational trial. ○
- 150 Effect of Stress Ulcers Prophylaxis, Sedative and Statin on Ventilator-Associated Pneumonia: A Retrospective Analysis Based on MIMIC Database. 13, ○
- 149 Correlations Between EEG Spectral Power and Cerebral Perfusion in Adults Undergoing Extracorporeal Membrane Oxygenation.
- 148 A Survey of Implementation of ABCDE Protocols. 088506662211091

- 147 Clinical effect of pulmonary rehabilitation combined with diaphragm pacemaker therapy in the treatment of severely ill patients with mechanical ventilation. Publish Ahead of Print,
- 146 The incidence of propofol infusion syndrome in critically-ill patients. **2022**, 71, 154098 ○
- 145 Prospects of inhalation sedation in intensive care. **2022**, 84 ○
- 144 Development and Validation of Simplified Delirium Prediction Model in Intensive Care Unit. 13,
- 143 ABCDE and ABCDEF care bundles. **2022**, 101, e29499 ○
- 142 Evaluation of severe adverse events during rehabilitation for acute-phase patients. **2022**, 101, e29516 ○
- 141 Effect of Ketamine on Vasopressor Needs in Mechanically Ventilated Patients: A Retrospective Study. **2022**, 1,
- 140 Machine learning approach for the prediction of 30-day mortality in patients with sepsis-associated encephalopathy. **2022**, 22, ○
- 139 Modelling Agitation-Sedation (A-S) in ICU: An Empirical Transition and Time to Event Analysis of Poor and Good Tracking between Nurses Scores and Automated A-S Measures. 1
- 138 To Wean or Not to Wean: A Practical Patient Focused Guide to Ventilator Weaning. 088506662210954
- 137 Nurses' Pain Assessment Practices for Cognitively Intact and Impaired Older Adults in Intensive Care Units. 115-121 1
- 136 The Application of the Nurse-Led Sedation and Analgesia Management in ICU after Heart Surgeries. **2022**, 2022, 1-6
- 135 Chronobiologische Interventionen zur Prävention und Therapie von Delirien bei Intensivpatienten. ○
- 134 Pediatric Delirium and All-Cause PICU Readmissions Within 1 Year. Publish Ahead of Print, ○
- 133 Bibliometric Analysis of 100 Most-Cited Articles in Delirium. 13, ○
- 132 Opioid Prescribing Patterns Before, During, and After Critical Illness: An Observational Study. **2022**, 4, e0735
- 131 Rehabilitation. **2022**, 403-416
- 130 Inhaled Anesthetics for Sedation in ICU: Widening Horizons!. **2022**, 26, 889-891 ○

- 129 Evolution of sedation management in the intensive care unit (ICU). ○
- 128 Cardiac Arrest Treatment Center Differences in Sedation and Analgesia Dosing During Targeted Temperature Management.
- 127 Non-pharmacological delirium prevention practices among critical care nurses: a qualitative study. **2022**, 21,
- 126 Delirium severity does not differ between medical and surgical intensive care units after adjusting for medication use. **2022**, 12,
- 125 Acute Headache Management for Patients with Subarachnoid Hemorrhage: An International Survey of Health Care Providers. ○
- 124 Evaluation of non-pharmacological nursing approaches in delirium management. 273-291
- 123 Regional Anesthesia (2012â2021): A Comprehensive Examination Based on Bibliometric Analyses of Hotspots, Knowledge Structure and Intellectual Dynamics. Volume 15, 2337-2350
- 122 Efficacy of non-pharmacological interventions in pain relief and opioid consumption after cardiac surgery: A systematic review and Bayesian network meta-analysis.
- 121 Preoperative Intrathecal Morphine is Associated with Reduced Postoperative Pain, Agitation, and Delirium in Living Donor Kidney Transplantation Recipients.
- 120 ARDS associated acute brain injury: from the lung to the brain. **2022**, 27, ○
- 119 The Effects of Pain, Agitation, Delirium, Immobility, and Sleep Disruption Education on Novice Nurses in Adult Intensive Care Units. **2022**, 10, 1538
- 118 Short-Term Effect of Quetiapine Used to Treat Delirium Symptoms on Opioid and Benzodiazepine Requirements in the Pediatric Cardiac Intensive Care Unit.
- 117 Effects of propofol and dexmedetomidine on carnitine metabolism in normal human bronchial epithelial cells. 1-7
- 116 Immunological risk factors for sepsis-associated delirium and mortality in ICU patients. 13, 1
- 115 Triglyceride Levels and Their Relationship to Sedation Choice and Outcomes in Mechanically Ventilated Patients Receiving Propofol. ○
- 114 Clinical phenotypes of delirium in patients admitted to the cardiac intensive care unit. **2022**, 17, e0273965 ○
- 113 Management of Neurological Complications. **2022**, 127-136 ○
- 112 Mechanical Ventilation and Sleep. **2022**, 161-173 ○

- 111 Perioperative management of elderly and senile patients. Recommendations. **2022**, 7-26 ○
- 110 Perioperative management of patients with concomitant alcohol dependence. Guidelines. **2022**, 5 ○
- 109 Postoperative Patients: Planned Surgery. **2022**, 517-537 ○
- 108 Ventilation. **2022**, 277-297 ○
- 107 Approaches to Analgesia After Chest Injury. **2022**, 287-301 ○
- 106 Best Practices for Improving Sleep in the ICU: Part II: Pharmacologic. **2022**, 249-272 ○
- 105 Alternativas para la sedaci3n, analgesia, relajaci3n y delirium en pacientes COVID-19. Revisi3n narrativa. **2022**, 36, 296-311 ○
- 104 Sepsis in Older Adults. **2022**, 463-483 ○
- 103 Lack of evidence for fentanyl as the optimal opioid for critically ill patients on mechanical ventilation: a systematic review and meta-analysis. ○
- 102 Prospective comparison of acupuncture with sham acupuncture to determine impact on sedation and analgesia in mechanically ventilated critically ill patients (PASSION study): protocol for a randomised controlled trial. **2022**, 12, e059741 ○
- 101 Length of Alcohol Abstinence Predicts Posttransplant Delirium in Living Donor Liver Transplant Recipients with Alcoholic Cirrhosis. **2022**, 20, 750-756 ○
- 100 Impact of Early Tracheostomy on Weaning From Ventilation and Sedation in COVID-19 Pregnant and Early Postpartum Patient: Two Case Reports. **2022**, ○
- 99 Pain assessment during physiotherapy and noxious stimuli in patients with disorders of consciousness: A preliminary study. 16, ○
- 98 Pain Assessment with the BPS and CCPOT Behavioral Pain Scales in Mechanically Ventilated Patients Requiring Analgesia and Sedation. **2022**, 19, 10894 ○
- 97 Incidence of and risk factors for post-intensive care syndrome among Chinese respiratory intensive care unit patients: A cross-sectional, prospective study. **2022**, ○
- 96 Logistic regression technique is comparable to machine learning algorithms in predicting cognitive impairment related to post intensive care syndrome. ○
- 95 Risk Factors for Acute Postoperative Delirium in Cardiac Surgery Patients >65 Years Old. **2022**, 12, 1529 ○
- 94 A nurse-led intervention to reduce the incidence and duration of delirium among adults admitted to intensive care: A stepped-wedge cluster randomised trial. **2022**, ○

93	Self-efficacy of caring for patients in the intensive care unit with delirium: Development and validation of a scale for intensive care unit nurses. 2022,	o
92	Discomfort improvement for critically ill patients using electronic relaxation devices: results of the cross-over randomized controlled trial E-CHOISIR (Electronic-CHOIce of a System for Intensive care Relaxation). 2022, 26,	o
91	Intensive Care Unit Caregivers Perception of Patient Discomfort: A Qualitative Study. 2022,	o
90	Low-dose adjuvant dexmedetomidine did not decrease propofol sedation requirements in children undergoing gastrointestinal endoscopy.	o
89	Level of sedation in critically ill adult patients: a protocol for a systematic review with meta-analysis and trial sequential analysis. 2022, 12, e061806	o
88	Incidence, Associated Factors, and Outcome of Delirium among Patients Admitted to ICUs in Oman. 2022, 2022, 1-8	o
87	Psychological Morbidity After COVID-19 Critical Illness. 2022,	1
86	Delirium prevalence, risk factors and outcomes among patients with acute stroke: A multi-centre observational study. 2022,	o
85	Sleep quality and quantity determined by polysomnography in mechanically ventilated critically ill patients randomized to dexmedetomidine or placebo.	o
84	Relationship between PaO ₂ /FiO ₂ and delirium in intensive care: A cross-sectional study. 2022,	o
83	Polypharmacy in the Hospitalized Older Adult. 2022, 38, 667-684	o
82	Clinical Nursing for Patients with Fulminant Myocarditis. 2022, 289-304	o
81	Nonopioid analgesics for analgesia in critically ill patients: Friends, enemies, or collaborators. 2022, 44, 115-129	o
80	Psychische und psychosomatische Störungen bei Intensivpatienten. 2022, 1-9	o
79	Intensive care therapy during the pandemic in 2020 and beyond: Mnemonics can help. 2022, 44, 95-103	o
78	Pupillary dilation reflex and behavioural pain scale: Study of diagnostic test. 2022, 103332	o
77	Effects of fentanyl administration in mechanically ventilated patients in the intensive care unit: a systematic review and meta-analysis. 2022, 22,	o
76	Post-intensive care syndrome in out-of-hospital cardiac arrest patients: A prospective observational cohort study. 2022, 17, e0276011	o

- 75 Characterization of Opioid Use in the Intensive Care Unit and Its Impact Across Care Transitions: A Prospective Study. 089719002211345 ○
- 74 PAINT I: the effect of art therapy in preventing and managing delirium among hospitalized older adults in the PAINT I studyâ proof-of-concept trial. ○
- 73 Prophylactic melatonin for delirium in critically ill patients: A systematic review and meta-analysis with trial sequential analysis. **2022**, 101, e31411 ○
- 72 Recognizing and Acting on Mentation Concerns Caregivers are key partners in addressing depression, dementia, and delirium in older adults.. **2022**, 40, 311-316 ○
- 71 Research progress on risk factors of delirium in burn patients: A narrative review. 13, ○
- 70 The effect of massage therapy on pain after surgery: A comprehensive meta-analysis. **2022**, 71, 102892 ○
- 69 Effect of real-time binaural music on sedation with dexmedetomidine during spinal anesthesia: A triple-arm, assessor-blind, randomized controlled trial. **2023**, 84, 110997 ○
- 68 81/m mit akuter Vigilanzminderung und Verwirrtheit. ○
- 67 Novel insights on association and reactivity of Bispectral Index, frontal electromyogram, and autonomic responses in nociception-sedation monitoring of critical care patients. **2022**, 22, ○
- 66 Remimazolam besylate for the sedation of postoperative patients undergoing invasive mechanical ventilation in the ICU: a prospective dose-response study. **2022**, 12, ○
- 65 Comprehensive Diagnosis and Management of Malignant Bowel Obstruction: A Review. 1-15 ○
- 64 Overview of the Medical Management of the Critically Ill Patient. CJN.07130622 ○
- 63 Electroencephalogram-based prediction and detection of responsiveness to noxious stimulation in critical care patients: a retrospective single-centre analysis. **2022**, ○
- 62 Association between preoperative on-site CCU visits and postoperative delirium in patients undergoing cardiac surgery: A retrospective cohort study. ○
- 61 Mechanical Ventilation in Pregnant Woman. **2022**, 171-179 ○
- 60 Changes in Prefrontal Cortical Oxygenation During Tilt Table Orthostatic Hypotension in Subarachnoid Haemorrhage Patients. **2022**, 35-38 ○
- 59 The Key Drivers of Brain Injury by Systemic Inflammatory Responses after Sepsis: Microglia and Neuroinflammation. ○
- 58 Liver diseases as a novel risk factor for delirium in the ICUâDelirium and hepatic encephalopathy are two distinct entities. **2022**, 17, e0276914 ○

57	Sedation, sleep-promotion, and non-verbal and verbal communication techniques in critically ill intubated or tracheostomized patients: results of a survey. 2022 , 22,	0
56	Effectiveness of nonpharmacological interventions to prevent adverse events in the intensive care unit: A review of systematic reviews. 2022 ,	0
55	Prognostic significance of delirium subtypes in critically ill medical and surgical patients: a secondary analysis of a prospective multicenter study. 2022 , 10,	1
54	Survey of Critical Care Pharmacists on Sedation and Analgesia Practices in Adult and Pediatric Patients Receiving Continuous Neuromuscular Blocking Agents.	0
53	Metal oxide decorated carbon nanocomposite electrodes for propofol monitoring. 2022 , 12, 100286	0
52	Pediatric Intensive Care Unit Patients: Sedation, Monitoring, and Neurodevelopmental Outcomes. 2023 , 35, 147-152	0
51	Communicating with mechanically ventilated patients who are awake. A qualitative study on the experience of critical care nurses in Cyprus during the COVID-19 pandemic. 2022 , 17, e0278195	0
50	The use of dexmedetomidine in the emergency department: A systematic review.	0
49	Anti-inflammatory biomolecular activity of chlorinated-phenyldiazenyl-naphthalene-2-sulfonic acid derivatives: perception from DFT, molecular docking, and molecular dynamic simulation. 1-25	1
48	The association between Enhanced Recovery After Cardiac Surgery (ERACS) guided analgesics and postoperative delirium. 2023 ,	0
47	Non-steroidal anti-inflammatories for analgesia in critically ill patients: a systematic review and meta-analysis of randomized control trials.	0
46	The effect of the ABCDE/ABCDEF bundle on delirium, functional outcomes, and quality of life in critically ill patients: A systematic review and meta-analysis. 2023 , 138, 104410	0
45	Prolonged sedation with sevoflurane in comparison to intravenous sedation in critically ill patients â A randomized controlled trial. 2023 , 74, 154251	1
44	Anxiety, Age, and Gender in Agitation Patients Installed Conventional Restraint in Inpatient Room. 2022 , 4, 349-355	0
43	What Is Known about Midazolam? A Bibliometric Approach of the Literature. 2023 , 11, 96	0
42	Two-stage prediction model for postoperative delirium in patients in the intensive care unit after cardiac surgery. 2022 , 63,	0
41	Early Sedation Depth and Clinical Outcomes in Mechanically Ventilated Patients: A Single-center, Retrospective Cohort Study. 2022 ,	0
40	Liberation From Mechanical Ventilation in the Cardiac Intensive Care Unit. 2023 , 2, 100173	0

- 39 Niche Roles for Dexmedetomidine in the Intensive Care Unit. 106002802211511 ○
- 38 When More Could Mean Less Intervention: The Tale Of Tracheostomy Timing in Critical Illness*. **2023**, 51, 333-335 ○
- 37 Sound and Light Levels in a General Intensive Care Unit Without Windows to Provide Natural Light. **2023**, 42, 115-123 ○
- 36 Aloud real- time reading of intensive care unit diaries: A feasibility study. **2023**, 76, 103400 ○
- 35 Sustained adherence to a delirium guideline five years after implementation in an intensive care setting: A retrospective cohort study. **2023**, 76, 103398 ○
- 34 Towards modern post-coma care based on neuroscientific evidence. **2023**, 23, 100370 ○
- 33 The basics of mechanical ventilation in adults. **2023**, 53, 27-35 ○
- 32 The Effects of Early Mobilization on Acquired Weakness in Intensive Care Units. **2023**, 42, 146-152 ○
- 31 Toward individualized sedation in patients with acute brain damage. **2023**, 42, 101219 ○
- 30 A pharmacogenetic precision medicine approach to analgesia and sedation optimization in critically ill adults. ○
- 29 A year in review in Minerva Anesthesiologica 2022: critical care. **2023**, 89, ○
- 28 The impact of rounds with a psychiatry team in the intensive care unit: A prospective observational pilot study evaluating the effects on delirium incidence and outcomes. **2023**, 160, 64-70 ○
- 27 Weighted Blankets for Pain and Anxiety Relief in Acutely Injured Trauma Patients. 1-10 ○
- 26 Exploration of teaching practice of analgesia and sedation in mainland China: CASER experience. 10, ○
- 25 Logistic regression technique is comparable to complex machine learning algorithms in predicting cognitive impairment related to post intensive care syndrome. **2023**, 13, ○
- 24 A comprehensive overview of clinical research on dexmedetomidine in the past 2´decades: A bibliometric analysis. 14, ○
- 23 Characteristics of Delirium and Its Association with Sedation and In-Hospital Mortality in COVID-19 Patients on Veno-venous Extracorporeal Membrane Oxygenation. ○
- 22 Factors Associated With Delirium in Children: A Systematic Review and Meta-Analysis. Publish Ahead of Print, ○

- 21 Olanzapine for the treatment of ICU delirium: a systematic review and meta-analysis. **2023**, 13, 204512532311521
- 20 Identifying the relationship between delirium and falls. **2023**, 35, 22-27
- 19 From Strict Bedrest to Early Mobilization. **2023**,
- 18 Nurses' knowledge, barriers and practice in the care of patients with delirium in the intensive care unit in Polandâ a cross-sectional study. 11,
- 17 Sedation for adult ICU patients: A narrative review including a retrospective study of our own data. **2023**, 17, 223
- 16 Delirium in the intensive care unit: a narrative review. **2023**, 71, 22-29
- 15 Effects of a Multifaceted Pediatric Delirium Education Program for Pediatric Intensive Care Unit Nurses on their Delirium Knowledge, Self-confidence in Delirium Nursing, and Delirium Assessment Accuracy: A One Group Pretest-Posttest Design. **2023**, 16, 56-70
- 14 Optimizing pharmacotherapy regimens in adult patients receiving extracorporeal membrane oxygenation: A narrative review for clinical pharmacists.
- 13 Use of pupillometry for the evaluation of analgesia in dogs hospitalized in intensive care: A prospective study. **2023**, 158, 96-105
- 12 Advancing Sedation Strategies to Improve Clinical Outcomes in Ventilated Critically Ill Patients. **2023**, 221-235
- 11 Practical guide for safe sedation.
- 10 Haloperidol vs. placebo for the treatment of delirium in ICU patients: a pre-planned, secondary Bayesian analysis of the AIDâICU trial. **2023**, 49, 411-420
- 9 Sedation and analgesia practices of pediatric intensivists in Saudi Arabia. **2023**, 7, 1
- 8 Delirium in the intensive care unit and its importance in the post-operative context: A review. 10,
- 7 Exam 2: Section 5. **2023**, 233-257
- 6 Symptom Assessment for Mechanically Ventilated Patients: Principles and Priorities: An Official American Thoracic Society Workshop Report. **2023**, 20, 491-498
- 5 Measures for the Core Outcome Set for Research Evaluating Interventions to Prevent and/or Treat Delirium in Critically Ill Adults: An International Consensus Study (Del-CORs). **2023**, 5, e0884
- 4 Palliative Extubation: A Discussion of Practices and Considerations. **2023**,

- 3 Facilitators and Barriers Influencing Antipsychotic Medication Prescribing and Deprescribing Practices in Critically Ill Adult Patients: a Qualitative Study. ○
- 2 Relationship Between Delirium Development and Its Causative Factors in the Intensive Care Unit After Cardiac Surgery. 2023, ○
- 1 Risk factors of delirium in paediatric intensive care unit: A prospective case series study. ○