

Physical principles for scalable neural recording

Frontiers in Computational Neuroscience

7, 137

DOI: [10.3389/fncom.2013.00137](https://doi.org/10.3389/fncom.2013.00137)

Citation Report

#	ARTICLE	IF	CITATIONS
1	The Prospects of Whole Brain Emulation within the next Half- Century. Journal of Artificial General Intelligence, 2013, 4, 130-152.	0.6	9
2	Editorial: Whole Brain Emulation seeks to Implement a Mind and its General Intelligence through System Identification. Journal of Artificial General Intelligence, 2013, 4, 1-9.	0.6	5
3	The sinusoidal probe: a new approach to improve electrode longevity. Frontiers in Neuroengineering, 2014, 7, 10.	4.8	87
4	Experimental enhancement of neurphysiological function. Frontiers in Systems Neuroscience, 2014, 8, 189.	1.2	3
5	Brain-machine interfaces as a challenge to the “moment of singularity”. Frontiers in Systems Neuroscience, 2014, 8, 213.	1.2	6
6	Using relative-relevance of data pieces for efficient communication, with an application to Neural data acquisition. , 2014, , .		5
7	Simultaneous whole-animal 3D imaging of neuronal activity using light-field microscopy. Nature Methods, 2014, 11, 727-730.	9.0	672
8	Designing Tools for Assumption-Proof Brain Mapping. Neuron, 2014, 83, 1239-1241.	3.8	5
9	A 1024-Channel CMOS Microelectrode Array With 26,400 Electrodes for Recording and Stimulation of Electrogenic Cells In Vitro. IEEE Journal of Solid-State Circuits, 2014, 49, 2705-2719.	3.5	196
10	Bioelectronic medicines: a research roadmap. Nature Reviews Drug Discovery, 2014, 13, 399-400.	21.5	283
11	Chronic, wireless recordings of large-scale brain activity in freely moving rhesus monkeys. Nature Methods, 2014, 11, 670-676.	9.0	358
13	Ultrasonic beamforming system for interrogating multiple implantable sensors. , 2015, 2015, 2673-6.		13
14	Two-photon directed evolution of green fluorescent proteins. Scientific Reports, 2015, 5, 11968.	1.6	24
15	Highly integrated CMOS microsystems to interface with neurons at subcellular resolution. , 2015, 13.2.1-13.2.4.		1
16	Introduction to brain-machine interfaces. , 0, , 341-343.		0
17	Spatial information in large-scale neural recordings. Frontiers in Computational Neuroscience, 2014, 8, 172.	1.2	7
18	A novel wireless recording and stimulating multichannel epicortical grid for supplementing or enhancing the sensory-motor functions in monkey (Macaca fascicularis). Frontiers in Systems Neuroscience, 2015, 9, 73.	1.2	7
19	Magnetolectric spin™ on stimulating the brain. Nanomedicine, 2015, 10, 2051-2061.	1.7	116

#	ARTICLE	IF	CITATIONS
20	Fluorescent Proteins for Neuronal Imaging. Biological and Medical Physics Series, 2015, , 57-96.	0.3	3
21	High-resolution CMOS MEA platform to study neurons at subcellular, cellular, and network levels. Lab on A Chip, 2015, 15, 2767-2780.	3.1	253
22	A 512-channels, whole array readout, CMOS implantable probe for acute recordings from the brain. , 2015, 2015, 877-80.		14
23	A low-power, low-area modular architecture for high density neural probes. , 2015, , .		6
24	Generalized analog thresholding for spike acquisition at ultralow sampling rates. Journal of Neurophysiology, 2015, 114, 746-760.	0.9	3
25	Principles of designing interpretable optogenetic behavior experiments. Learning and Memory, 2015, 22, 232-238.	0.5	110
26	Tools for Probing Local Circuits: High-Density Silicon Probes Combined with Optogenetics. Neuron, 2015, 86, 92-105.	3.8	284
27	Wireless Gigabit Data Telemetry for Large-Scale Neural Recording. IEEE Journal of Biomedical and Health Informatics, 2015, 19, 1-1.	3.9	21
28	Towards Large-Scale, Human-Based, Mesoscopic Neurotechnologies. Neuron, 2015, 86, 68-78.	3.8	129
29	Microelectronics, bioinformatics and neurocomputation for massive neuronal recordings in brain circuits with large scale multielectrode array probes. Brain Research Bulletin, 2015, 119, 118-126.	1.4	28
30	Neural ensemble communities: open-source approaches to hardware for large-scale electrophysiology. Current Opinion in Neurobiology, 2015, 32, 53-59.	2.0	46
31	The Development and Analysis of Integrated Neuroscience Data. Frontiers in Computational Neuroscience, 2016, 10, 11.	1.2	13
32	Multiple Single-Unit Long-Term Tracking on Organotypic Hippocampal Slices Using High-Density Microelectrode Arrays. Frontiers in Neuroscience, 2016, 10, 537.	1.4	20
33	Neural Circuits on a Chip. Micromachines, 2016, 7, 157.	1.4	31
34	Optimizing ultrafast illumination for multiphoton-excited fluorescence imaging. Biomedical Optics Express, 2016, 7, 1768.	1.5	6
35	Multiplexed neural recording along a single optical fiber via optical reflectometry. Journal of Biomedical Optics, 2016, 21, 057003.	1.4	3
36	Towards a memristor-based spike-sorting platform. , 2016, , .		3
37	Validating silicon polytrodes with paired juxtacellular recordings: method and dataset. Journal of Neurophysiology, 2016, 116, 892-903.	0.9	81

#	ARTICLE	IF	CITATIONS
38	Long-Term Optical Access to an Estimated One Million Neurons in the Live Mouse Cortex. <i>Cell Reports</i> , 2016, 17, 3385-3394.	2.9	209
39	PySpike—A Python library for analyzing spike train synchrony. <i>SoftwareX</i> , 2016, 5, 183-189.	1.2	47
40	Technologies for imaging neural activity in large volumes. <i>Nature Neuroscience</i> , 2016, 19, 1154-1164.	7.1	248
41	Optical magnetic detection of single-neuron action potentials using quantum defects in diamond. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 14133-14138.	3.3	397
42	A compact, low-power, fully analog implantable microstimulator. , 2016, , .		17
45	Nanofabricated Neural Probes for Dense 3-D Recordings of Brain Activity. <i>Nano Letters</i> , 2016, 16, 6857-6862.	4.5	127
46	The <i>Si elegans</i> project at the interface of experimental and computational <i>Caenorhabditis elegans</i> neurobiology and behavior. <i>Journal of Neural Engineering</i> , 2016, 13, 065001.	1.8	14
47	Real-time encoding and compression of neuronal spikes by metal-oxide memristors. <i>Nature Communications</i> , 2016, 7, 12805.	5.8	141
48	Molecular recordings by directed CRISPR spacer acquisition. <i>Science</i> , 2016, 353, aaf1175.	6.0	179
49	Direct interfacing of neurons to highly integrated microsystems. , 2017, 2017, 199-204.		3
50	Ultraflexible nanoelectronic probes form reliable, glial scar-free neural integration. <i>Science Advances</i> , 2017, 3, e1601966.	4.7	436
51	Photochemical Properties of the Red-shifted Channelrhodopsin Chrimson. <i>Photochemistry and Photobiology</i> , 2017, 93, 782-795.	1.3	15
52	A MoS ₂ -based coplanar neuron transistor for logic applications. <i>Nanotechnology</i> , 2017, 28, 214001.	1.3	12
53	Rapidly evolving homing CRISPR barcodes. <i>Nature Methods</i> , 2017, 14, 195-200.	9.0	179
54	Next-generation probes, particles, and proteins for neural interfacing. <i>Science Advances</i> , 2017, 3, e1601649.	4.7	377
55	CMOS-Based High-Density Microelectrode Arrays: Technology and Applications. <i>Series in Bioengineering</i> , 2017, , 3-39.	0.3	6
56	State-of-the-art MEMS and microsystem tools for brain research. <i>Microsystems and Nanoengineering</i> , 2017, 3, 16066.	3.4	169
57	An Information-Theoretic View of EEG Sensing. <i>Proceedings of the IEEE</i> , 2017, 105, 367-384.	16.4	32

#	ARTICLE	IF	CITATIONS
58	A cryptography-based approach for movement decoding. <i>Nature Biomedical Engineering</i> , 2017, 1, 967-976.	11.6	41
59	Improving Detection Accuracy of Memristor-Based Bio-Signal Sensing Platform. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2017, 11, 203-211.	2.7	6
60	Integrated neural interfaces. , 2017, , .		3
61	Interfacing Neural Network Components and Nucleic Acids. <i>Frontiers in Bioengineering and Biotechnology</i> , 2017, 5, 53.	2.0	6
62	Illuminating Brain Activities with Fluorescent Protein-Based Biosensors. <i>Chemosensors</i> , 2017, 5, 32.	1.8	19
63	Virtual craniotomy for high-resolution optoacoustic brain microscopy. <i>Scientific Reports</i> , 2018, 8, 1459.	1.6	33
64	Challenges and strategies for implementing the vertical epitaxial heterostructure architecture (VEHSA) design for concentrated photovoltaic applications. <i>Solar Energy Materials and Solar Cells</i> , 2018, 181, 46-52.	3.0	18
65	A Guide to Emerging Technologies for Large-Scale and Whole-Brain Optical Imaging of Neuronal Activity. <i>Annual Review of Neuroscience</i> , 2018, 41, 431-452.	5.0	87
66	Nanofabricated Ultraflexible Electrode Arrays for High-Density Intracortical Recording. <i>Advanced Science</i> , 2018, 5, 1700625.	5.6	109
67	Fabrication of High Aspect Ratio Millimeter-Tall Free-Standing Carbon Nanotube-Based Microelectrode Arrays. <i>ACS Biomaterials Science and Engineering</i> , 2018, 4, 1900-1907.	2.6	16
68	Feasibility and resolution limits of opto-magnetic imaging of neural network activity in brain slices using color centers in diamond. <i>Scientific Reports</i> , 2018, 8, 4503.	1.6	20
69	Chronic softening spinal cord stimulation arrays. <i>Journal of Neural Engineering</i> , 2018, 15, 045002.	1.8	41
70	Amorphous silicon carbide ultramicroelectrode arrays for neural stimulation and recording. <i>Journal of Neural Engineering</i> , 2018, 15, 016007.	1.8	63
71	Nanostructured Materials for Neural Electrical Interfaces. <i>Advanced Functional Materials</i> , 2018, 28, 1701145.	7.8	50
72	Acquisition of Neural Action Potentials Using Rapid Multiplexing Directly at the Electrodes. <i>Micromachines</i> , 2018, 9, 477.	1.4	32
73	DNA-based memory devices for recording cellular events. <i>Nature Reviews Genetics</i> , 2018, 19, 718-732.	7.7	107
74	Mapping the Brain's electric fields with Magnetolectric nanoparticles. <i>Bioelectronic Medicine</i> , 2018, 4, 10.	1.0	24
75	Multifunctional Neural Interfaces for Closed-Loop Control of Neural Activity. <i>Advanced Functional Materials</i> , 2018, 28, 1703523.	7.8	22

#	ARTICLE	IF	CITATIONS
76	Functional brain mapping using optical imaging of intrinsic signals and simultaneous high-resolution cortical electrophysiology with a flexible, transparent microelectrode array. <i>Sensors and Actuators B: Chemical</i> , 2018, 273, 519-526.	4.0	20
77	Nano functional neural interfaces. <i>Nano Research</i> , 2018, 11, 5065-5106.	5.8	23
78	High-Yield Passive Si Photodiode Array Towards Optical Neural Recording. <i>IEEE Electron Device Letters</i> , 2018, 39, 524-527.	2.2	5
79	Handwritten-Digit Recognition by Hybrid Convolutional Neural Network based on HfO ₂ Memristive Spiking-Neuron. <i>Scientific Reports</i> , 2018, 8, 12546.	1.6	34
80	Graphene field-effect transistors: the road to bioelectronics. <i>Journal Physics D: Applied Physics</i> , 2018, 51, 493001.	1.3	28
81	Developmental barcoding of whole mouse via homing CRISPR. <i>Science</i> , 2018, 361, .	6.0	263
82	Unsupervised Discovery of Demixed, Low-Dimensional Neural Dynamics across Multiple Timescales through Tensor Component Analysis. <i>Neuron</i> , 2018, 98, 1099-1115.e8.	3.8	193
83	Light sheet fluorescence microscopy for neuroscience. <i>Journal of Neuroscience Methods</i> , 2019, 319, 16-27.	1.3	33
84	Developing Next-Generation Brain Sensing Technologies—A Review. <i>IEEE Sensors Journal</i> , 2019, 19, 10163-10175.	2.4	26
85	Can Crosstalk Compromise the Recording of High-Frequency Neural Signals?. , 2019, , .		3
86	Excitation of an Electromagnetic Field in a Compact Nerve Fiber by a System of Filamentary Electric Currents. <i>Radiophysics and Quantum Electronics</i> , 2019, 62, 65-76.	0.1	2
87	III–V Laser Power Converters With Vertically Stacked Subcells Demonstrating Superior Radiation Resilience. <i>IEEE Transactions on Nuclear Science</i> , 2019, 66, 938-945.	1.2	1
88	Single-Cell Optogenetic Control of Calcium Signaling with a High-Density Micro-LED Array. <i>IScience</i> , 2019, 21, 403-412.	1.9	20
89	Ultrasound imaging of gene expression in mammalian cells. <i>Science</i> , 2019, 365, 1469-1475.	6.0	145
90	A Data-Compressive Wired-OR Readout for Massively Parallel Neural Recording. , 2019, , .		5
91	Large-Scale, High-Resolution Microelectrode Arrays for Interrogation of Neurons and Networks. <i>Advances in Neurobiology</i> , 2019, 22, 83-123.	1.3	6
92	Optimal Electrode Size for Multi-Scale Extracellular-Potential Recording From Neuronal Assemblies. <i>Frontiers in Neuroscience</i> , 2019, 13, 385.	1.4	85
93	Novel electrode technologies for neural recordings. <i>Nature Reviews Neuroscience</i> , 2019, 20, 330-345.	4.9	436

#	ARTICLE	IF	CITATIONS
94	Equalization with Neural Network Circuitry for High-Speed Signal Link. , 2019, , .		5
95	Neurofeedback: Principles, appraisal, and outstanding issues. European Journal of Neuroscience, 2019, 49, 1454-1469.	1.2	25
96	Transparent Graphene/PEDOT:PSS Microelectrodes for Electroand Optophysiology. Advanced Materials Technologies, 2019, 4, 1800318.	3.0	36
97	Technobiology's Enabler: The Magnetolectric Nanoparticle. Cold Spring Harbor Perspectives in Medicine, 2019, 9, a034207.	2.9	11
98	Ultrasound Technologies for Imaging and Modulating Neural Activity. Neuron, 2020, 108, 93-110.	3.8	123
99	Integrated Neurophotonics: Toward Dense Volumetric Interrogation of Brain Circuit Activity"at Depth and in Real Time. Neuron, 2020, 108, 66-92.	3.8	40
100	Decoding Kinematic Information From Primary Motor Cortex Ensemble Activities Using a Deep Canonical Correlation Analysis. Frontiers in Neuroscience, 2020, 14, 509364.	1.4	4
101	Spatially expandable fiber-based probes as a multifunctional deep brain interface. Nature Communications, 2020, 11, 6115.	5.8	44
102	Challenges in Scaling Down of Free-Floating Implantable Neural Interfaces to Millimeter Scale. IEEE Access, 2020, 8, 133295-133320.	2.6	25
103	Collective almost synchronization-based model to extract and predict features of EEG signals. Scientific Reports, 2020, 10, 16342.	1.6	13
104	CHIME: CMOS-Hosted in vivo Microelectrodes for Massively Scalable Neuronal Recordings. Frontiers in Neuroscience, 2020, 14, 834.	1.4	15
105	100th Anniversary of Macromolecular Science Viewpoint: Soft Materials for Microbial Bioelectronics. ACS Macro Letters, 2020, 9, 1590-1603.	2.3	14
106	Sensory Particles with Optical Telemetry. , 2020, , .		1
107	Multisite celland neuraldynamicsresolving deep brain imaging in freely moving mice with implanted reconnectable fiber bundles. Journal of Biophotonics, 2020, 13, e202000081.	1.1	11
108	Low-Impedance 3D PEDOT:PSS Ultramicroelectrodes. Frontiers in Neuroscience, 2020, 14, 405.	1.4	35
109	Sensitivity optimization for NV-diamond magnetometry. Reviews of Modern Physics, 2020, 92, .	16.4	496
110	A framework for on-implant spike sorting based on salient feature selection. Nature Communications, 2020, 11, 3278.	5.8	11
111	Measurement system with real time data converter for conversion of I2S data stream to UDP protocol data. Heliyon, 2020, 6, e03760.	1.4	1

#	ARTICLE	IF	CITATIONS
112	Investigation of electrical performance and synaptic long-term plasticity of memristive devices with new transition metal carbide. <i>Semiconductor Science and Technology</i> , 2020, 35, 035008.	1.0	1
113	Massively parallel microwire arrays integrated with CMOS chips for neural recording. <i>Science Advances</i> , 2020, 6, eaay2789.	4.7	115
114	Toward Community-Driven Big Open Brain Science: Open Big Data and Tools for Structure, Function, and Genetics. <i>Annual Review of Neuroscience</i> , 2020, 43, 441-464.	5.0	12
115	Three-dimensional fuzzy graphene ultra-microelectrodes for subcellular electrical recordings. <i>Nano Research</i> , 2020, 13, 1444-1452.	5.8	26
116	MicroSTARLING: A Millimeter Scale Self-Organizing Optical Communication Processor for Embedded Multihop Sensor and Computational Networks. <i>IEEE Access</i> , 2021, 9, 108702-108717.	2.6	0
117	Genetically encodable materials for non-invasive biological imaging. <i>Nature Materials</i> , 2021, 20, 585-592.	13.3	30
118	Robust and accurate decoding of hand kinematics from entire spiking activity using deep learning. <i>Journal of Neural Engineering</i> , 2021, 18, 026011.	1.8	27
119	Lineage tracing and analog recording in mammalian cells by single-site DNA writing. <i>Nature Chemical Biology</i> , 2021, 17, 739-747.	3.9	42
120	Progress of graphene devices for electrochemical biosensing in electrically excitable cells. <i>Progress in Biomedical Engineering</i> , 2021, 3, 022003.	2.8	1
121	Light-induced uncertainty and information limits of optical neural recording. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021, 251, 119351.	2.0	1
122	Energy harvesting optical modulators with sub-attojoule per bit electrical energy consumption. <i>Nature Communications</i> , 2021, 12, 2326.	5.8	13
124	Investigating well potential parameters on neural spike enhancement in a stochastic-resonance pre-emphasis algorithm. <i>Journal of Neural Engineering</i> , 2021, 18, 046062.	1.8	5
125	A Cortical Extracellular Simulation Model to Create Synthetic Neural Recordings. , 2021, , .		2
126	Improving scalability in systems neuroscience. <i>Neuron</i> , 2021, 109, 1776-1790.	3.8	14
128	Recording Temporal Signals with Minutes Resolution Using Enzymatic DNA Synthesis. <i>Journal of the American Chemical Society</i> , 2021, 143, 16630-16640.	6.6	12
129	Brushing-Assisted Two-Color Quantum-Dot Micro-LED Array Towards Bi-Directional Optogenetics. <i>IEEE Electron Device Letters</i> , 2021, 42, 1504-1507.	2.2	5
130	Neurosciences and Wireless Networks: The Potential of Brain-Type Communications and Their Applications. <i>IEEE Communications Surveys and Tutorials</i> , 2021, 23, 1599-1621.	24.8	23
131	Machine Learning in Analysing Invasively Recorded Neuronal Signals: Available Open Access Data Sources. <i>Lecture Notes in Computer Science</i> , 2020, , 151-162.	1.0	11

#	ARTICLE	IF	CITATIONS
132	Bioelectronic medicines: a research roadmap. , 0, .		1
133	Gels, jets, mosquitoes, and magnets: a review of implantation strategies for soft neural probes. Journal of Neural Engineering, 2020, 17, 041002.	1.8	17
134	The noise and impedance of microelectrodes. Journal of Neural Engineering, 2020, 17, 052001.	1.8	12
144	Sparse decomposition light-field microscopy for high speed imaging of neuronal activity. Optica, 2020, 7, 1457.	4.8	43
145	Multi-scale approaches for high-speed imaging and analysis of large neural populations. PLoS Computational Biology, 2017, 13, e1005685.	1.5	35
146	BRAIN: innovative neurotechnologies for imaging and therapeutics. Dialogues in Clinical Neuroscience, 2013, 15, 241-243.	1.8	3
148	Neurotechnology-Centered Convergence. , 2015, , 1-13.		0
149	Neurotechnology-Centered Convergence. , 2016, , 307-322.		0
150	Nucleotide-time alignment for molecular recorders. PLoS Computational Biology, 2017, 13, e1005483.	1.5	0
151	Brain-Machine Interfaces. , 2018, , 1-5.		1
152	Electromagnetic Fields Produced by Filamentary Sources for Stimulation of a Nerve Fiber. , 2018, , .		1
155	Silicon neuron transistor based on CMOS negative differential resistance (NDR). IEICE Electronics Express, 2020, 17, 20200316-20200316.	0.3	0
156	Artificial Retina: A Future Cellular-Resolution Brain-Machine Interface. The Frontiers Collection, 2020, , 443-465.	0.1	13
157	Brain-Machine Interfaces. , 2020, , 134-138.		0
158	Simulated Performance of Electroenzymatic Glutamate Biosensors In Vivo Illuminates the Complex Connection to Calibration In Vitro. ACS Chemical Neuroscience, 2021, 12, 4275-4285.	1.7	1
161	Impedance Properties of Multi-Optrode Biopotential Sensing Arrays. IEEE Transactions on Biomedical Engineering, 2022, 69, 1674-1684.	2.5	6
162	“Compoundless Anaesthesia”, Controlled Administration, and Post-Operative Recovery Acceleration: Musings on Theoretical Nanomedicine Applications. Journal of Clinical Medicine, 2022, 11, 256.	1.0	1
163	Development of computational models for microtesla-level magnetic brain scanning: a novel avenue for device development. BMC Biomedical Engineering, 2022, 4, 1.	1.7	1

#	ARTICLE	IF	CITATIONS
164	Large-scale neural recordings call for new insights to link brain and behavior. <i>Nature Neuroscience</i> , 2022, 25, 11-19.	7.1	134
165	jULIEs: nanostructured polytrodes for low traumatic extracellular recordings and stimulation in the mammalian brain. <i>Journal of Neural Engineering</i> , 2022, , .	1.8	2
166	Data Transformation in the Processing of Neuronal Signals: A Powerful Tool to Illuminate Informative Contents. <i>IEEE Reviews in Biomedical Engineering</i> , 2023, 16, 611-626.	13.1	2
167	Low-Noise Amplifier for Deep-Brain Stimulation (DBS). <i>Electronics (Switzerland)</i> , 2022, 11, 939.	1.8	5
168	A guide to designing photocontrol in proteins: methods, strategies and applications. <i>Biological Chemistry</i> , 2022, 403, 573-613.	1.2	14
169	A novel approach to the functional classification of retinal ganglion cells. <i>Open Biology</i> , 2022, 12, 210367.	1.5	4
170	Superconducting Neural Networks: from an Idea to Fundamentals and, Further, to Application. <i>Nanobiotechnology Reports</i> , 2021, 16, 811-820.	0.2	3
171	The Listening Zone of Human Electrocorticographic Field Potential Recordings. <i>ENeuro</i> , 2022, 9, ENEURO.0492-21.2022.	0.9	14
174	Functional and multiscale 3D structural investigation of brain tissue through correlative in vivo physiology, synchrotron microtomography and volume electron microscopy. <i>Nature Communications</i> , 2022, 13, .	5.8	17
175	High-density neural recording system design. <i>Biomedical Engineering Letters</i> , 2022, 12, 251-261.	2.1	3
177	Wireless interfaces for brain neurotechnologies. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2022, 380, .	1.6	1
178	Spectrum modulation-based field of view extension in Airy-beam tomographic microscopy. <i>Optics Letters</i> , 2022, 47, 3928.	1.7	2
179	DNA Strand-Displacement Temporal Logic Circuits. <i>Journal of the American Chemical Society</i> , 2022, 144, 12443-12449.	6.6	34
180	Preliminary Results of a Low-Power Wireless Telemetry Module For Long-Term μ ECoG Recordings. , 2022, , .		0
181	Preliminary Results from a 49-Channel Neural Recording ASIC with Embedded Spike Compression in 28 nm CMOS. , 2022, , .		1
183	ABOT: an open-source online benchmarking tool for machine learning-based artefact detection and removal methods from neuronal signals. <i>Brain Informatics</i> , 2022, 9, .	1.8	0
184	A CMOS Microelectrode Array System With Reconfigurable Sub-Array Multiplexing Architecture Integrating 24,320 Electrodes and 380 Readout Channels. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2022, 16, 1044-1056.	2.7	1
185	Electrochemical and biological performance of hierarchical platinum-iridium electrodes structured by a femtosecond laser. <i>Microsystems and Nanoengineering</i> , 2022, 8, .	3.4	6

#	ARTICLE	IF	CITATIONS
186	Ultraflexible electrode arrays for months-long high-density electrophysiological mapping of thousands of neurons in rodents. <i>Nature Biomedical Engineering</i> , 2023, 7, 520-532.	11.6	45
187	A perspective on electroencephalography sensors for brain-computer interfaces. <i>Progress in Biomedical Engineering</i> , 2022, 4, 043002.	2.8	4
189	An Energy-Efficient and High-Data-Rate IR-UWB Transmitter for Intracortical Neural Sensing Interfaces. <i>IEEE Journal of Solid-State Circuits</i> , 2022, 57, 3656-3668.	3.5	6
190	Design and Simulation of a Low Power 384-channel Actively Multiplexed Neural Interface. , 2022, , .		0
191	A Multimodal and Multifunctional CMOS Cellular Interfacing Array for Digital Physiology and Pathology Featuring an Ultra Dense Pixel Array and Reconfigurable Sampling Rate. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2022, 16, 1057-1074.	2.7	1
192	UV Photoelectron Spectroscopy of Aqueous Solutions. <i>Accounts of Chemical Research</i> , 2022, 55, 3631-3640.	7.6	3
193	Implantable intracortical microelectrodes: reviewing the present with a focus on the future. <i>Microsystems and Nanoengineering</i> , 2023, 9, .	3.4	20
195	Wireless in vivo recording of cortical activity by an ion-sensitive field effect transistor. <i>Sensors and Actuators B: Chemical</i> , 2023, 382, 133549.	4.0	1
196	A mesh microelectrode array for non-invasive electrophysiology within neural organoids. <i>Biosensors and Bioelectronics</i> , 2023, 228, 115223.	5.3	8
197	Advances in High-Resolution, Miniaturized Bioelectrical Neural Interface Design. , 2023, , 721-760.		0
199	The future of brain-machine interfaces is optical. <i>Nature Electronics</i> , 2023, 6, 96-98.	13.1	7
201	Translational opportunities and challenges of invasive electrodes for neural interfaces. <i>Nature Biomedical Engineering</i> , 2023, 7, 424-442.	11.6	17
209	Few NV Center Nanodiamonds Enable High-Speed and High-Resolution Sensing of Paramagnetic Species. , 2023, , .		0