

CITATION REPORT

List of articles citing

Spatiotemporal heterogeneity analysis of hemorrhagic fever with renal syndrome in China using geographically weighted regression models

DOI: 10.3390/ijerph111212129

International Journal of Environmental Research and Public Health, 2014, 11, 12129-47.

Source: <https://exaly.com/paper-pdf/57447178/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
28	Spatio-Temporal Pattern and Influencing Factors of Hemorrhagic Fever with Renal Syndrome (HFRS) in Hubei Province (China) between 2005 and 2014. <i>PLoS ONE</i> , 2016 , 11, e0167836	3.7	8
27	Construction of a Seasonal Difference-Geographically and Temporally Weighted Regression (SD-GTWR) Model and Comparative Analysis with GWR-Based Models for Hemorrhagic Fever with Renal Syndrome (HFRS) in Hubei Province (China). <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	14
26	Haemorrhagic fever with renal syndrome: literature review and distribution analysis in China. <i>International Journal of Infectious Diseases</i> , 2016 , 43, 95-100	10.5	32
25	Health professionals' perceptions of hemorrhagic fever with renal syndrome and climate change in China. <i>Global and Planetary Change</i> , 2017 , 152, 12-18	4.2	5
24	A Space-Time Study of Hemorrhagic Fever with Renal Syndrome (HFRS) and Its Climatic Associations in Heilongjiang Province, China. <i>Frontiers in Applied Mathematics and Statistics</i> , 2017 , 3,	2.2	13
23	Multi-scale analysis of the relationship between landscape patterns and a water quality index (WQI) based on a stepwise linear regression (SLR) and geographically weighted regression (GWR) in the Ebinur Lake oasis. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 7033-7048	5.1	26
22	Persistence of immune responses to vaccine against haemorrhagic fever with renal syndrome in healthy adults aged 16-60 years: results from an open-label 2-year follow-up study. <i>Infectious Diseases</i> , 2018 , 50, 21-26	3.1	8
21	A new Seasonal Difference Space-Time Autoregressive Integrated Moving Average (SD-STARIMA) model and spatiotemporal trend prediction analysis for Hemorrhagic Fever with Renal Syndrome (HFRS). <i>PLoS ONE</i> , 2018 , 13, e0207518	3.7	9
20	Spatial-temporal characteristics and the epidemiology of haemorrhagic fever with renal syndrome from 2007 to 2016 in Zhejiang Province, China. <i>Scientific Reports</i> , 2018 , 8, 10244	4.9	15
19	Impact of meteorological factors on hemorrhagic fever with renal syndrome in 19 cities in China, 2005-2014. <i>Science of the Total Environment</i> , 2018 , 636, 1249-1256	10.2	21
18	Spatiotemporal analysis and forecasting model of hemorrhagic fever with renal syndrome in mainland China. <i>Epidemiology and Infection</i> , 2018 , 146, 1680-1688	4.3	9
17	Distribution of geographical scale, data aggregation unit and period in the correlation analysis between temperature and incidence of HFRS in mainland China: A systematic review of 27 ecological studies. <i>PLoS Neglected Tropical Diseases</i> , 2019 , 13, e0007688	4.8	6
16	Probabilistic logic analysis of the highly heterogeneous spatiotemporal HFRS incidence distribution in Heilongjiang province (China) during 2005-2013. <i>PLoS Neglected Tropical Diseases</i> , 2019 , 13, e0007091	4.8	15
15	Analyzing hemorrhagic fever with renal syndrome in Hubei Province, China: a space-time cube-based approach. <i>Journal of International Medical Research</i> , 2019 , 47, 3371-3388	1.4	10
14	Spatial epidemiological determinants of severe fever with thrombocytopenia syndrome in Miyazaki, Japan: a GWLR modeling study. <i>BMC Infectious Diseases</i> , 2019 , 19, 498	4	7
13	The characteristics of current natural foci of hemorrhagic fever with renal syndrome in Shandong Province, China, 2012-2015. <i>PLoS Neglected Tropical Diseases</i> , 2019 , 13, e0007148	4.8	3
12	Effects of climate factors on hemorrhagic fever with renal syndrome in Changchun, 2013 to 2017. <i>Medicine (United States)</i> , 2019 , 98, e14640	1.8	5

11	Spatiotemporal dynamics of hemorrhagic fever with renal syndrome in Jiangxi province, China. <i>Scientific Reports</i> , 2020 , 10, 14291	4.9	1
10	Measuring Regional Eco-Efficiency in China (2003-2016): A "Full World" Perspective and Network Data Envelopment Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	10
9	Improving the precision of modeling the incidence of hemorrhagic fever with renal syndrome in mainland China with an ensemble machine learning approach. <i>PLoS ONE</i> , 2021 , 16, e0248597	3.7	0
8	Epidemiological Characteristics and Regional Risk Prediction of Hemorrhagic Fever with Renal Syndrome in Shandong Province, China. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	2
7	Time Series Analysis of Hemorrhagic Fever with Renal Syndrome: A Case Study in Jiaonan County, China. <i>PLoS ONE</i> , 2016 , 11, e0163771	3.7	5
6	Epidemic foci of hemorrhagic fever with renal syndrome in Shandong Province, China, based on patients, rodents and molecular epidemiology characteristics, 2012-2015.		
5	HFRS heterogeneity in Northeastern China is influenced by ground temperature and precipitation (Preprint).		0
4	Influence of the Demographic, Social, and Environmental Factors on the COVID-19 Pandemic: Analysis of the Local Variations Using Geographically Weighted Regression. 2022 , 19, 11881		0
3	Meteorological change and hemorrhagic fever with renal syndrome epidemic in China, 2004-2018. 2022 , 12,		0
2	Urbanization-Related Environmental Factors and Hemorrhagic Fever with Renal Syndrome: A Review Based on Studies Taken in China. 2023 , 20, 3328		0
1	The spatiotemporal pattern and its determinants of Hemorrhagic Fever With Renal Syndrome in Northeastern China (Preprint).		0